Lot Title/Description

Fine American Percussion Pistol by A. Peterman of Philadelphia Very Crisp Colt Model 1860 Army Richards Conversion Revolved .50 caliber, 9" octagon barrel with a bright excellent smooth bore. This serial #4287, 44 CF, 8" barrel with a bright minty bore. This revolver pistol is of extremely high quality and remains in very fine condition. The shows matching numbers on the barrel, frame, cylinder, triggerguard top of the barrel is marked "A. PETERMAN 131 WALNUT ST. and backstrap, the wedge is unnumbered. This is the transitional or PHILADA" and the patent breech shows a fancy bolster. The lock is "Second Model" revolver with two-line patent dates on left side of frame. engraved with a fine wavy line border and beautiful relief scroll along The cylinder shows all of its wonderful naval engagement scene which with maker name "A. PETERMAN". The hammer is beautifully formed remains crisp. The metal surfaces show about 95% original nickel plated with a handsome tall and forward leaning spur. Abraham Peterman was finish with some flaking along the outside edge of the ejector rod located next door to the famous Krider shop and he was active during housing with the balance of the loss being on the backstrap and the the second half of the 19th century. The condition of the pistol is triggerguard. The exposed brass on the triggerguard bears a pleasing excellent with the barrel retaining a good deal of original brown finish untouched patina. The one-piece walnut grip rates excellent with about with the surfaces remaining smooth and with lots of Damascus pattern 80% original finish remaining and with the loss being due to even visible. The patent breech and tang show lots of faded original color thinning on the left side. The grips have just normal light handling marks case hardening and are beautifully engraved in relief scroll. The lock and fit perfectly to the straps. This is a very fine, high condition example and hammer are a beautiful mix of mottled color case hardening and a of the Richards Converted 1860 Army revolver. (1C9670-498) smooth gray patina. The walnut stock has a typical Philadelphia form {ANTIQUE} [David & Lore Squier Collection] (3000/5000) and rates excellent with crisp checkering on grip, nice clean edges and Est. 3,000 - 5,000 perhaps 90% original finish with just a few light handling marks from the Fabulous Deluxe Percussion Halfstock Sporting Rifle by D.H. Hilliard of 5 years. The finger spur triggerguard houses a set trigger and terminates Cornish, New Hampshire in a pineapple finial. The triggerguard is mostly a smooth brown patina .38 caliber. 29" octagon barrel turned at muzzle for starter and with a with loss due to flaking and with some original blue visible in areas. The bright excellent bore. This is a lovely Hilliard rifle, perhaps the finest we have ever offered. When one hears the name Hilliard, likely the image wedge escutcheons are of iron and show light border engraving. The pistol is sighted with a small iron blade front and v-notch rear which is that comes to mind is of an underhammer rifle of which he made many. neatly mounted within the tang. A finely made 19th century Philadelphia He also made traditional rifles with back action and front action locks. percussion pistol in a fine state of preservation (1C9670-179) This example features a back action lock and is German silver mounted {ANTIQUE} [David & Lore Squier Collection](2000/3000) and engraved. The top left flat of the barrel is marked "D.H. HILLIARD / Est. 2,000 - 3,000 CORNISH, / N.H.", "CAST-STEEL" and is serial numbered "1609". The Fine British Flintlock Officer's Pistol by Richards 2 bottom flat under stock is marked "62 G.H. NUTT 2" and on left bottom .58 caliber, 9" part round part octagon pin fastened barrel with a near flat just ahead of breech "ALLEN THURBER & CO / CAST-STEEL" The very good bore. This is a fine, high condition British pistol. The lock is lock shows simple scroll with shaded background along with a simple an engraved "Richards" ahead of cock with recessed rear section with endearing border pattern. The top of the barrel shows light scroll ahead pronounced teat. The lock features a gooseneck cock and a roller of rear barrel sight and the top surface of the long tang sight is engraved frizzen. The brass mounted stock shows a lightly engraved butt with long with large loose scroll which is reminiscent of the loose scroll engraving lobes, a large, lightly engraved flat sideplate and the triggerguard found on Dutton rifles which were made in Jaffrey, NH. The fancy round terminates in an acorn shaped finial at the front. Based upon the lock German silver patchbox is engraved as is the finger spur triggerguard, shape, roller frizzen and other architecture, we are dating this pistol to sideplate, buttplate, toeplate and wedge escutcheons. The forend tip is the first half of the 19th century. The barrel shows Birmingham proofs of pewter and it is also engraved. The barrel breech shows light and has a stylish transition to round with chamfered edges of octagonal engraving, as does the tang, and the outer surface of the bolster shows section to a wedding band and then to round. The condition is wonderful light scroll. All engraving is clean and somewhat folky and endearing with the barrel retaining a pleasing mix of original brown finish and and is what we would expect to see on a 19th century New Hampshire patina and remains quite smooth with little if any pitting present. The made gun. The rifle is equipped with double set triggers which function lock shows a light, even gray brown patina with crisp marking and again properly however the hammer does not guite hold on full cock. The the metal remains smooth. The walnut stock rates excellent with 90% condition of the rifle is excellent with the barrel retaining 75% evenly plus original finish, clean edges and just the normal light handling marks thinning original blue finish overall. The lock shows lots of original color from the years. The brass furniture all shows a mellow undisturbed case-hardened finish which has softened slightly but has a nice patina. The horn tipped ramrod appears to be of hickory and is at least appearance. All iron surfaces remain smooth and free of pitting. The period and could be original. This is a very fine British flintlock officer's stock is of very nicely figured American black walnut and features a pistol. (1B9833-58) {ANTIQUE} (2000/3000) lovely shadowline cheekpiece with plain oval German silver monogram Est. 2,000 - 3,000 plate at center. The stock rates excellent with 95% original finish Fine Cased Colt Model 1855 Root Revolver remaining and with just normal light handling marks most prevalent on 3 serial #28274, .28 caliber, 3 1/2" octagon barrel with an excellent bore. the left side. The rifle is sighted with a globe front, open sporting real with elevator and a long cantilevered tang sight with sliding elevator This model 3 revolver shows the Hartford barrel addressed octagon barrel with full fluted cylinder; the Hartford address with crosses at either which engages hand cut adjustment grooves filed across the tang. A end of the marking. The revolver shows matching numbers on the simple hickory ramrod is present beneath barrel. All furniture fits frame, bottom of barrel and rear face of cylinder. The revolver remains in beautifully, the cheekpiece inlay being the exception as it is lifting very fine condition retaining about 70% original blue finish overall with slightly. This rifle is illustrated in Ned Robert's famous work The Muzzle-Loading Cap Lock Rifle on page 152. This is an extremely fine loss due only to flaking and confined mostly to the barrel. There is also Hilliard rifle, certainly among the finest remaining examples of his work. some flaking on the backstrap but the areas where the blue remains (1E9670-114) {ANTIQUE} [David & Lore Squier Collection] (3500/5500) show rich deep lovely original blue. The hammer shows vivid original color case hardened finish as does the loading lever. The one piece Est 3 500 - 5 500 walnut grip rates excellent with virtually all of its original finish and hardly a handling mark. The revolver comes in a rare right handed factory casing which remains in the same lovely condition as the revolver. The case is lined in green baize which remains rich in color but showing proper wear in the contact points. The case includes an eagle flask which retains over 90% original lacquer and a dual cavity Colt's Patent mould which shows 90% original blue. Also included is a cap tin and the case key. All partitions are intact and the exterior of the case shows lots of original finish with drying cracks in the lid which remain sound. The case has proper soft wood bottom and shows crisp scribe marks around the hinges and lock. A very handsome Root that shows very little use (1B9670-492) {ANTIQUE} [David & Lore Squier Collection] (3000/5000) Est. 3,000 - 5,000

10

#### Title/Description Lot

Lot Title/Description

Riflo

Lovely Diminutive New York Mule Ear Percussion Boys Rifle by
Medbery
32 cal., 22" round barrel with Rigby flats and a bright excellent bore.
This is an exceptionally lovely and very simple boys or ladies rifle and
appears to have seen very little, very careful use over the years. The
barrel retains perhaps 93% original browning, the loss is due to some
even fading and light wear from the years. It shows a simple diminutive
silver blade front sight with a shallow v-notch rear, showing strong trace
pale fire blue, with "J Medbery/Rochester" on the top flat rib. The tang
shows some excellent quality etched foliate "engraving" and is a dull
pewter gray patina. Lockplate shows the very lightest engraving with a
beveled edge showing a diminutive border, the ear of the hammer
showing open wide scroll with some geometric decoration. The hammer
shows some strong remnant fire blue with some colors on the lock,
especially where the hammer covers that portion of the plate. There is a
simple pewter nosecap and a very lightly engraved tailpipe with the wide
bow triggerguard having a pineapple finial front extension, which is
engraved with some wide open scroll on the bow of the guard and the
rearward grip flourish. There is a thin diminutive steel buttplate with very
light engraving on the tang, it gives a length of pull to the brass trigger of
13". The American walnut buttstock rates excellent with much original
varnish, crisp wraparound checkering patterns with mullered borders,
showing only light handling marks or scratches from the years. There is
a clipped-corner rectangular monogram plate atop the wrist which is
un-engraved and a very nice little silver star-shaped inlay on the left side
of stock where the cheek would sit. The arm seems to function well
mechanically and the ramrod is a later antique replacement without
ferrules. There is a tiny amount of pitting in the cap splash area around
the nipple, but overall the rifle appears to have seen very little use and
was very well cared-for. Joseph Medbery was granted a patent for a
mule ear lock in 1826 and was active in Rochester circa 1826-1840,
when he sold out to William Billinghurst circa 1841, his other business
ventures taking precedence over his gun shop, he would become fairly
wealthy and influential in the Rochester area. This very rifle is pictured
on pages 1116-7 of The New York State Firearms Trade book series,
volume 3 © Rowe. The overall length of this lovely little New York State
÷ ,
rifle is 36 3/8" tipping the scales at just a tad over 3 1/2 pounds.
(39670-455) {ANTIQUE} [David & Lore Squier Collection] (1800/2200)
Est. 1,800 - 2,200
Fine William Billinghurst Underhammer Percussion Buggy Rifle
.31 cal., 14 1/2" part round part octagon barrel with a very good bore.
This is an endearing little rifle which is built as a diminutive version of
Billinghurst's full-size underhammer takedown target rifles. The top of
the barrel is marked "W. BILLINGHURST ROCHESTER, N.Y." and
shows a single threaded vacant hole just ahead of the breech. The
barrel is held to the action with a tapered steel pin passing laterally
through the frame and barrel stud. The breech section of barrel is nicely
engraved and the frame shows lovely engraved motif at breech along
with border and screw engraving. The barrel is beautifully formed with
chamfered forward edge of octagon leading to a wedding band and then
5 5 5 5
to round. The ramrod tube is mounted to the bottom of the octagon
section with large ribs on either side. The barrel shows about 90%
evenly thinning original blue finish which is blending to brown and has a
wonderful appearance. The frame and breech show faded original color
case-hardened finish with some scattered light oxidation staining in
some areas. The checkered pistolgrip stock shows lovely shell carving
on base of pistolgrip and the checkering is typical Billinghurst style being
checkered borderless to the triggerguard and barrel tang. The stock
rates very good plus with most of its original finish and with a single filled
hole in the toeline and the coarse checkering remains clean. The barrel
note in the toeline and the coarse checkening remains clean. The Daffel
and buttetock of the rifle, when taken down, are almost identical in
and buttstock of the rifle, when taken down, are almost identical in
length and the front of the scope mounts to the forward mount by a
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a corresponding stud. The rifle wears its original rifle style buttplate with
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a corresponding stud. The rifle wears its original rifle style buttplate with
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a corresponding stud. The rifle wears its original rifle style buttplate with nicely engraved top tang and a pleasing mix of faded color case
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a corresponding stud. The rifle wears its original rifle style buttplate with nicely engraved top tang and a pleasing mix of faded color case hardening and a gray patina. The scope has a stepped tube and matches the barrel nicely in condition. This is an extremely rare and fine
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a corresponding stud. The rifle wears its original rifle style buttplate with nicely engraved top tang and a pleasing mix of faded color case hardening and a gray patina. The scope has a stepped tube and matches the barrel nicely in condition. This is an extremely rare and fine rifle made by one of New York's most renowned 19th century gunsmiths.
length and the front of the scope mounts to the forward mount by a small slot cut into the bottom of the scope tube which slides over a corresponding stud. The rifle wears its original rifle style buttplate with nicely engraved top tang and a pleasing mix of faded color case hardening and a gray patina. The scope has a stepped tube and matches the barrel nicely in condition. This is an extremely rare and fine

serial #13602, 38-40 Remington CF., 28" part round part octagon barrel with a bright excellent bore. This rifle features many special-order options including a heavier than standard barrel which is the same size as the action at breech, fancy checkered stocks, Swiss buttplate and special sights. The top of the octagonal section of the barrel is marked with the "E. REMINGTON & SONS" address and the underside of the round section ahead of forend is marked simply "38". The frame shows the six-line patent marking on left side which remains crisp and the screw slots are quite clean. The gun shows all matching numbers on frame, barrel, end grain of forend and lower tang inlet of stock. The buttplate is unnumbered but fits perfectly and appears to have been in place since day one. The rifle remains in very nice condition with no added holes or other alterations of any kind. The barrel retains about 85% evenly thinning original blue finish overall blending with a smooth brown patina where thinning. The action shows about 85% original color case-hardened finish which is brighter on the left side and with a little more blending to brown on the right, but surfaces are smooth and free of any pitting. The hammer and breechblock retain about 90% original blue finish. The checkered pistolgrip buttstock and horn tipped forend show very nice figure and rate excellent with lots of original finish remaining and perhaps a light coat of added oil. The Swiss buttplate is of brass and retains 95% original nickel plated finish. The checkering shows just very light wear and there are the normal light handling marks from the years. The rifle is sighted with a windgauge front with spirit level, blank in rear seat and Remington short-range Vernier tang mounted peepsight. This rifle is illustrated and discussed in Marcot's Remington Rolling Block Sporting and Target Rifles on page 263. Special order deluxe No. 2 Remington rifles are quite scarce and this is a very fine example for the Remington collector. (1D9670-132) {ANTIQUE} [David & Lore Squier Collection] (2000/4000) Est. 2,000 - 4,000 Fabulous Remington Rolling Block No. 1 Long Range Creedmoor Rifle serial #464 8, 44-77 Remington, 34" part round part octagon barrel with a bright excellent bore. This rifle is in spectacular condition and features all matching numbers. The barrel is marked with the "E. REMINGTON & SONS" address and is caliber marked on bottom of round section ahead of forend "44S". The action shows proper six-line patent dates which are crisp with raised metal around each letter. The barrel retains about 95% original blue with a little light oxidation staining but with nice edges and a deep rich color. The action retains 95% original color case-hardened finish which remains quite vivid with a little very light scattered oxidation staining present. The checkered pistolgrip buttstock and smooth forend rate excellent plus with virtually all of their original finish, nice raised grain feel and crisp checkering. The pistolgrip is the curved style with ebony insert. The rifle is sighted with a windgauge front with spirit level, there is no provision for a rear barrel sight and a long-range folding Vernier tang mounted peepsight is present. This rifle shows very little use, everything fits perfectly, screwheads are clean with lots of blue. An extremely handsome, high condition and investment grade Remington Long Range Creedmoor Rifle. (1D9670-90) {ANTIQUE} [David & Lore Squier Collection] (7000/9000) Est. 7,000 - 9,000 Virtually As-New Remington Model No. 6 Falling Block Rifle in Original Box serial #457160, 32 RF, 20" round barrel with a bright excellent, perhaps even unfired, bore. This lovely rifle comes in its original factory box, with end label which matches the configuration precisely. The barrel retains about 97-98% original blue, the loss due primarily to some even fading but with extremely light muzzle wear and bit of wear near the breech end. The frame retains 98-99% original vivid color case-hardening, as-does the pivoting breech block. The hammer shows darkening color case-hardening while the trigger shows all its original gray-blue. The smooth walnut buttstock and scant forend rate excellent plus with all of their original varnish, showing a handful of very tiny or minor handling marks here and there, the circled "Remington UMC" trademark buttplate with nearly all its original blue showing only light wear at the heel and toe. The red two piece boxed rates a very fine, the bottom showing a couple very likes scuffs to the paper covering, with a couple of wear marks and scuffs on the interior but remains very solid. The lid is similar showing perhaps a bit more scuffing and wear along the sharp edges, but with a lovely and label printed in black ink on buff colored paper, along with a bit of antique ink pen in-writing along its left edge. The interior has the factory "Instructions for No. 6 Remington Rifle" label on the interior of the lid, it is mostly present with an about 3" piece missing

from the lower left corner. The underside of the box shows a pencil marking which appears to be "gap/3.25", no doubt the price of the rifle at some point in its history. A beautiful investment-grade No. 6 falling block which appears to have seen very little or virtually no use since leaving Ilion. (3C9670-67) {C&R} [David & Lore Squier Collection] (1200/1800)

Est. 1,200 - 1,800

Remington No. 2 Rolling Block Deluxe Special Order Off-Hand Target

6

11	Remington Rolling Block No. 1 Sporting Rifle		15	Extremely Fine Winchester Model 1885 High Wall Rifle in Rare 50
	serial #5822, 40-70, 32" octagon barrel with a bright excellent bore. This			Express
	is a standard rifle with a 32" barrel, they were cataloged up to 34" but			serial #76176, 50 EX, 30" round No. 3 weight barrel with a bright
	the shorter barrels made up the majority of the sporting rifle production.			excellent bore. In addition to being in a large, rare and desirable
	The top of the barrel is marked with the "E. REMINGTON & SONS"			chambering, this rifle remains in lovely original condition. The barrel
	address and the bottom is marked "40 70" just ahead of forend. This is a			retains about 97% original blue finish overall with loss due to a little even
				-
	medium weight barrel which is the same size as the octagonal action.			thinning and there is one small area of loss where metal has turned to a
	The barrel retains 97% deep, rich original blue finish overall. The action			smooth brown. The action retains 98% brilliant original color
	shows 97% brilliant original color case-hardened finish with clean screw			case-hardened finish, as do breechblock, hammer and lever. The plain
	•			
	slots and very crisp patent markings. The breechblock and hammer			walnut buttstock and forend are excellent plus with 98% original finish
	retain 98% original blue while the buttplate and forend tip show strong			and nice raised grain feel. The stocks fit perfectly and show just light
	original color case-hardening. The rifle has a standard single trigger and			normal handling marks from the years. The original crescent buttplate
	o o oo			
	standard open sporting sights. The plain walnut buttstock and forend			shows 95% original color case-hardened finish which is just slightly
	rate excellent with over 90% original finish remaining, nice raised grain			faded but all there. Perhaps it was the combination of this steel crescent
	feel and very few handling marks. The right side of the butt shows some			buttplate and the large caliber that caused this rifle to see so little use.
	minor areas of discoloration near the buttplate. These are not obtrusive			The rifle is sighted with an ivory bead sporting front, express rear and
	and not a detractor from the otherwise very minty nature of this rifle. A			folding mid-range Vernier tang. The factory records indicate the rifle left
	crisp No. 1 Sporting rifle that would be difficult to upgrade from.			the factory as a rifle, 50 Express, round No. 3 weight 30" barrel, plain
	(1C9670-88) {ANTIQUE} [David & Lore Squier Collection] (4000/6000)			trigger, mid-range and windgauge (now ivory bead sporting) front. The
	Est. 4,000 - 6,000			rifle was received in the warehouse on October 19, 1896 and shipped
12	Factory Engraved Remington Smoot Revolver with Two-Tone Finish			the following day. A crisp and rare High Wall to fill that hole in your
	serial #850, 30 RF Short, 2 13/16" octagon barrel with full rib and a			Winchester collection. (1E9790-38) {ANTIQUE} [Bob Borcherdt
	lightly pitted bore. This is a very handsome revolver. The gun features			Collection] (6000/8000)
	• • • •			
	light to moderate coverage relief punch dot shaded scroll engraving. The			Est. 6,000 - 8,000
	cylinder is engraved with the same lovely scroll between the flutes. The		16	Winchester Model 1885 Thick Side High Wall Special Single Shot Rifle
	sides of the barrel show a nice wavy line and dot pattern with small			serial #68144, 32-40, 30" No. 5 weight part round part octagon barrel
	· ·			
	sections of scroll at either end. The barrel address is bordered with scroll			with a bright excellent bore. The rifle shows assembly code on left side
	to the rear. The revolver is finished in nickel with a gold washed cylinder.			of tang "1593 XXX SBC", the top tang inlet of stock is stamped "1593"
	The condition is wonderful with the revolver showing 97% original nickel			as is the inside toe of the original Swiss buttplate. The factory records
	plated finish. The cylinder retains 97% original gold wash and the			indicate that this rifle left the factory with a 30" No. 3 weight barrel in
				· · ·
	hammer and trigger show strong original color case hardened finish. The			38-55. The balance of the entry is correct with a single set trigger,
	two-piece checkered hard rubber grips rate excellent with strong			checkered stock with pistolgrip, windgauge (now globe) and mid-range
	checkering and a little light wear on the outer ridge. This is a very fine			sights with no rear seat and a Swiss cheekpiece. The rifle shipped on
				•
	and handsome engraved Smoot with a nice combination of light			July 18th 1894 and was returned and repaired on March 8, 1902 on
	embellishment and two-tone finish; it would look nice cased.			order #131960. The barrel shows no mail order proof and neither the
	(1B9857-27) {ANTIQUE} (2000/3000)			barrel nor action show a Winchester proof which is exactly how this rifle
	Est. 2,000 - 3,000			would be if it was factory re-barreled in March of 1902. The condition of
13	Fine Factory Engraved Remington Rider Magazine Pistol			the barrel and forend match the balance of the rifle perfectly and we feel
	32 Extra Short RF, 3" octagon barrel with a bright excellent bore. This			very confident the rifle has been in this configuration since 1902. The
	pistol features full coverage relief floral scroll engraving on the frame			barrel retains about 85% original blue finish with loss due to thinning and
	with handsome geometric and floral border work along the top three flats			with the high edges silvering. The thick side action shows 90% plus
	of the barrel. The pistol shows about 95% original nickel plated finish			original color case-hardened finish which has faded but shows subtle
	which remains quite bright and the engraving is crisp. The hammer			colors overall. The original single set trigger functions properly. The
	shows a good deal of original blue with the breechblock showing color			checkered pistolgrip buttstock and forend are of highly figured American
	• •			
	case hardening that has faded and is blending with a smooth gray			black walnut and rate excellent with 95% original finish showing strong
	patina. The rosewood grip panels rate excellent retaining nearly all of			checkering and scattered light handling marks. The buttstock has had
	their original finish with just a few light handling marks in the surface. A			weight added under the buttplate, no doubt by Winchester when they
	crisp little engraved Rider magazine pistol. (1B9857-19) {ANTIQUE}			replaced the barrel and had to balance the rifle with this heavier barrel.
	(1800/2200)			The rifle features a globe target front, no rear seat and tang mounted
	Est. 1,800 - 2,200			Vernier peepsight. Special single shots are among the most handsome
14	Engraved and Cased Remington Double Deringer			rifles produced by Winchester and this one is no exception. A beautiful
••	• • •			
	serial #54, 41 RF Short, 3" barrels with bright excellent bores. This is a			heavy target High Wall rifle that should perform well at the range while
	very attractive Type II deringer with barrel address reading			maintaining its value as a collectible antique Winchester rifle.
	"REMINGTON ARMS CO. ILION. NY." in italicized letters. The			(1D9790-61) {ANTIQUE} [Bob Borcherdt Collection] (4000/6000)
	engraving is relief floral scroll with punchdot shading in near full			Est. 4,000 - 6,000
	coverage. The rib between the barrels shows a wavy zigzag border		17	Sharps Borchardt Model 1878 Military Rifle
	down its length, this same zigzag pattern is found around the hinge			serial #481, 45-70, 32" round barrel with a bright excellent bore. This
	screw on each side as well. The backstrap shows scroll at top and			rifle remains in a very nice state of preservation and is in standard
	bottom connected by border engraving, leaving an area for a			configuration. The barrel retains about 97% original blue finish overall
	presentation but it remains plain. The gun retains about 50% of its			with the barrel markings remaining clear and legible. The action retains
	original nickel plated finish overall with areas of loss showing a lovely			about 93 - 95% original blue overall showing some striations which are a
	smooth gray patina. The mother-of-pearl grips are period and rate			smooth brown and with some high edge wear. The frame screws show
				0 0
	excellent with no chips and still showing nice iridescence. The gun			differing degrees of slot wear/damage and several holes show light
	comes in a nice leather covered French fitted case with red felt interior.			scarring around their periphery. The lever and breechblock show a good
	The case houses the gun nicely with a shell block holding old 41 RF			deal of original color case-hardened finish which has softened slightly.
	short cartridges. Included in the case is an old Little John's auction tag			The walnut buttstock and full length forend rate excellent with 95%
	from May 23, 1991. The case rates very good with some wear to corners			original finish remaining and with nice honest raised grain. While these
	of leather. A very handsome period engraved Remington Double			military type Borchardt rifles were produced in the largest numbers, they
	Deringer. (1B9857-45) {C&R} (2000/3000)			were also shipped abroad, converted and otherwise used hard, making
	Est. 2,000 - 3,000			examples as nice as this, quite scarce. (1C9670-572) {ANTIQUE} [David
	LUL 2,000 - 0,000			
				& Lore Squier Collection] (2500/3500)
				Est. 2,500 - 3,500

18	Winchester Model 1894 Saddle Ring Carbine	21	U.S. Model 1816 Flintlock Pistol by Simeon North
	serial #420858, 25-35 WCF, 20" barrel with a near excellent bore		.54 caliber, 9 1/16" barrel with a very good bore. This pistol shows the
	showing very minor frosting, almost not worth a mention. The barrel and		early style lock markings with larger die stamps and the "CON"
	tube of this 1908-manufactured carbine retain perhaps 97-98% original		abbreviation for Connecticut. The lower left part of the lock marking is
	blue with some faint thinning at the breech and some other tiny		light but the balance of the markings including the eagle, are very nicely
	blemishes, the bands show the typical wear to dull silver from the years.		struck. The barrel shows proper "P / US" marking along with the
	The action retains near 95% original blue with thinning to gunmetal		inspector's initial "J" to the right of the tang near the pan. This is a high
	along the edges and high points with faint freckles, the blue remains		condition martial pistol. The barrel, backstrap, triggerguard, sideplate
	very strong on the flats and along the top tang. There are the expected		and barrel band all show 75% original brown finish which is thinning
	light blemishes and a tiny rub from the ring, and the lever and buttplate		evenly and remains smooth and with just a lovely appearance. The lock
	have toned to dull silver, but there are copious amounts of strong blue		is a rich deep brown patina and again is very smooth with nice markings
	found throughout; we should all look this good at 112 years old. The		and edges. The walnut stock remains in very nice condition with a good
	smooth walnut buttstock and forend are very good as lightly-cleaned		deal of original finish with perhaps some added light oil at some point.
	with the typical signs of handling, they are both structurally-sound with a		The edges remain well-defined and the stock flat shows "V" as well as
	nice tight fit, and wood still proud of the metal along the bottom tang and		an unbordered cartouche with the last initial being a large "N". The pistol
	receiver. The carbine is equipped with a graduated ladder rear sight and		is in original flint and shows just a little very light pitting at touchhole. A
	a blade with bead front sight. A great old small bore Winchester with		tapered plain hickory ramrod is present. This is an extremely fine
	tons of original metal finish and a perfectly serviceable bore.		example of these pistols which were produced between 1817 and 1820.
	(22C9721-5) {C&R} (2000/3000)		A super 1816 pistol that has survived 200 years in this wonderful state
10	Est. 2,000 - 3,000		of preservation. (1C9833-55) {ANTIQUE} (2500/3500)
19	Winchester Model 1895 Special Order Short Rifle		Est. 2,500 - 3,500
	serial #26603, 30 U.S., 22" round barrel with a bright excellent bore.	22	U.S. Model 1819 Flintlock Pistol by Simeon North
	This rifle features a special order shorter-than-standard barrel along with		.54 caliber, 10" round barrel with a very good lightly pitted smooth bore.
	a smooth steel shotgun buttplate. This rifle is in very nice condition with		This is a very nice example of these handsome pistols which hold the
	the barrel retaining about 95% original blue finish with just a little light		distinction of being the first U.S. Martial pistols to be equipped with a
	muzzle wear. The action retains about 97% original blue with just high		captive swivel rammer. The lock shows proper markings and is dated "1821" to rear of hammer beneath the sliding bolt safety. The barrel
	edge wear and on the right side the top part of action shows some very light vertical marks in the finish. This may have been from oxidation		bears proper markings "P / U.S." beneath inspectors initials "JDJ". All
	forming in a case and leaving this pattern behind; this is not a major		markings in metal including the eagle on the lockplate remain clear and
	detraction from this lovely rifle. The box magazine retains about 95%		legible and metal is smooth and generally free of any pitting. The metal
	original finish with loss due to friction from working the action. The plain		surfaces show a pleasing mellow gray patina overall. The walnut stock
	walnut stocks rate excellent retaining about 95% original finish overall		rates very good with well-defined edges and just the normal light
	with a little dark staining along the steel buttplate. The smooth steel		handling marks one would expect to see on a 200 year old military
	shotgun buttplate shows a mix of gray brown patina with some original		pistol. There are no visible inspector's marks in the wood however the
	blue visible. The rifle is sighted with a Lyman beaded blade front, blank		surface of the stock appears original. The gun remains in its unaltered
	in rear seat and a Lyman 21 receiver sight is present. Factory records		flintlock form with all lock components being original and the touchhole
	confirm the configuration of the rifle showing it as: Rifle, 30 caliber, 22"		undisturbed. A fine example of these handsome martial pistols made by
	barrel, Lyman front and flattop rear, shotgun butt, received in the		the patriarch of U.S. pistol makers. (1B9833-56) {ANTIQUE}
	warehouse on May 28, 1900, it was removed from the warehouse at		(2000/3000)
	some point as it lists "Back in warehouse June 26, 1900" and shipped		Est. 2,000 - 3,000
	that same day. A very fine special order 1895 rifle. (1C9808-20) {C&R}	23	U.S. Model 1819 Flintlock Pistol by Simeon North
	(2500/4500)		.54 caliber, 10" barrel with an oxidized bore. The barrel is marked "D / P
	Est. 2,500 - 4,500		/ US" at breech and shows a casting pit on the top of the barrel in the
20	Stunning Winchester Model 1886 Deluxe Rifle		breech area. The lock is properly marked and dated 1822 to rear of
	serial #70501, 45-70, 26" octagon barrel with full magazine and an		cock. The lock markings remain very crisp while the barrel marks are
	excellent bore. This rifle features perhaps the most brilliant original color		slightly softened. All lock components are original, the touchhole and
	case-hardened action that we have ever sold. The rifle is marked with		bore are undisturbed and this pistol is in its original flintlock
	assembly code on side of tang "445 XX" with matching "405" in top tang		configuration. The barrel shows a rich brown patina overall with a little
	inlet of stock and on inside toe of buttplate. The barrel and magazine		scattered light salt & pepper pitting. The lock remains mostly smooth
	show evidence of poor storage with some areas of old oxidation and		with light pitting on top surfaces in the area of the touchhole and shows
	some patches of pitting, mostly beyond the forend. The barrel retains		a pleasing even brown patina overall. The walnut stock rates about very
	about 95% original blue finish overall with some patches of old light		good with well-defined edges and strong outline of the original
	oxidation staining and with a nickel size patch of moderate pitting near		inspector's cartouche. There are some small grain cracks mostly in the
	the magazine hanger with a couple other scattered patches as well. The		typical places from the rear lock screw to breech, and a small one on the
	magazine tube is a medium brown also showing patches of oxidation		left side of the tang. These are sound, never repaired and very minor in
	and pitting. The condition of the balance of the rifle is truly spectacular.		nature. The stock was lightly refinished long ago and shows honest
	The action shows 98% brilliant original color case-hardened finish with		wear and light flash erosion to rear of pan. The iron furniture all shows a
	just a little fading on the belly, the sides are extremely rich. The bolt		lovely even brown patina. The sliding bolt on rear of lock functions
	retains 95% original finish with one area of loss which also has a patch		properly and the captive swivel ramrod is present. This is a very nice
		1 1	example of these handsome U.S. martial pistols made by this prolific maker who held government contracts for over 50 years and was the
	of light pitting, the loading gate retains 99% original blue. The hammer		I Maner who held dovernment contracts for over 50 vedts dru was the
	and lever show strong original color case-hardening. The checkered		<b>3</b>
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95%		first contractor to produce pistols with entirely interchangeable parts.
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is		first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000)
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its	24	first contractor to produce pistols with entirely interchangeable parts.         (1C9833-76) {ANTIQUE} (2000/3000)         Est. 2,000 - 3,000         U.S. Model 1836 Percussion Pistol by Johnson         .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70,	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next day. This is an extremely handsome Winchester rifle with breathtaking	24	<ul> <li>first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth silver-gray patina. The lock shows 95% muted original color case</li> </ul>
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next day. This is an extremely handsome Winchester rifle with breathtaking case color. (1D9693-10) {ANTIQUE} (12,000/18,000)	24	<ul> <li>first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>U.S. Model 1836 Percussion Pistol by Johnson</li> <li>.54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth silver-gray patina. The lock shows 95% muted original color case hardened finish, the brass pan shows a nice rich patina and the trigger</li> </ul>
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next day. This is an extremely handsome Winchester rifle with breathtaking case color. (1D9693-10) {ANTIQUE} (12,000/18,000)	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth silver-gray patina. The lock shows 95% muted original color case hardened finish, the brass pan shows a nice rich patina and the trigger and fizzen spring show 95% original blue. The one-piece walnut stock
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next day. This is an extremely handsome Winchester rifle with breathtaking case color. (1D9693-10) {ANTIQUE} (12,000/18,000)	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth silver-gray patina. The lock shows 95% muted original color case hardened finish, the brass pan shows a nice rich patina and the trigger and fizzen spring show 95% original blue. The one-piece walnut stock rates excellent plus with crisp cartouches and clean, well-defined edges. There is one small chip at the front of the lockplate and the stock shows nearly all of its original finish. A near mint example of the 1836 martial
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next day. This is an extremely handsome Winchester rifle with breathtaking case color. (1D9693-10) {ANTIQUE} (12,000/18,000)	24	<ul> <li>first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) (ANTIQUE) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>U.S. Model 1836 Percussion Pistol by Johnson</li> <li>.54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth silver-gray patina. The lock shows 95% muted original color case hardened finish, the brass pan shows a nice rich patina and the trigger and fizzen spring show 95% original blue. The one-piece walnut stock rates excellent plus with crisp cartouches and clean, well-defined edges. There is one small chip at the front of the lockplate and the stock shows nearly all of its original finish. A near mint example of the 1836 martial pistol, very likely unfired. (1C9670-177) (ANTIQUE) [David &amp; Lore</li> </ul>
	and lever show strong original color case-hardening. The checkered pistolgrip buttstock and forend show beautiful figure and retain 95% original finish with sharp, clean checkering. The toeline of the stock is equipped with a factory sling base, oddly there is no corresponding forward stud or evidence where one ever was. The steel crescent buttplate shows nice faded color overall. The rifle is equipped with its original sporting sights. Factory records list the gun as a Rifle, 45/70, octagon, plain trigger, checkered stock, sling and swivels. The gun was received in the warehouse on October 21, 1892 and shipped the next day. This is an extremely handsome Winchester rifle with breathtaking case color. (1D9693-10) {ANTIQUE} (12,000/18,000)	24	first contractor to produce pistols with entirely interchangeable parts. (1C9833-76) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 U.S. Model 1836 Percussion Pistol by Johnson .54 caliber, 8 1/2" round barrel with a bright excellent bore. This is an extremely fine pistol. The lock shows proper markings and is dated 1842 while the barrel is properly inspected "U.S. / JH / P". The barrel and other brightly finished parts show lovely original polish and are a smooth silver-gray patina. The lock shows 95% muted original color case hardened finish, the brass pan shows a nice rich patina and the trigger and fizzen spring show 95% original blue. The one-piece walnut stock rates excellent plus with crisp cartouches and clean, well-defined edges. There is one small chip at the front of the lockplate and the stock shows nearly all of its original finish. A near mint example of the 1836 martial

## Lot Title/Description

25

26

Lot Title/Description

by Medi 38 calib bright ex sunburs	ful Silver and Gold Mounted New York Percussion Sporting Rifle bery of Rochester er, 30" round barrel with graceful raised flats at breech and a
38 calib bright ex sunburs	er, 30" round barrel with graceful raised flats at breech and a
bright ex sunburs	
sunburs	
	cellent bore. This rifle is beautifully engraved on lock with scroll,
	ts and nice border work. The barrel breech and tang show this
same lo	vely engraving and the top flat section of the barrel is engraved
in fancy	script "J. Medbery Rochester". The three raised ribs on the
	re on the top and sides, the top flat extends to the end of the
	and has fancy scroll engraving at the termination point, the side
	nds half this distance. The rifle has silver furniture which is all
	ngraved including the triggerguard, buttplate, toeplate, and even
the side	s of the forend cap are engraved with sunbursts. The
triggerg	uard terminates in a fancy pineapple finial to the front, the
toeplate	with a very similar motif. In addition to the silver mounts, there
	e gold accents as well. The stock flat opposite the lock shows a
	old inlay which is engraved with opposing interlocked triangles
-	
	ower blossom at the center. The wedge escutcheons are also of
-	are a pair of six pointed stars which appear on the left and right
cheek re	ests and a small wrist plate. The lock is affixed by a single screw
through	the lock and into the breech plug. The hammer is broken with
	half missing, this likely accounting for the superb condition of the
	e barrel retains about 90% original brown finish overall with
	-
	amascus pattern visible its entire length. There are a couple
	of light oxidation and pitting near the muzzle and a little
	d light oxidation staining. The lock, breech and tang show nearly
all of the	eir original color case-hardened finish which has mottled slightly
over tim	e but has a lovely appearance. The stock is of highly figured
	an black walnut and is made with both left and right handed
	eces each with the previously mentioned gold star inlay. The
	finely checkered and the toeline of stock is stamped "A.C.
	L" neatly with a one-piece stamp. The condition of the stock is
exceller	at with 97% original finish remaining and with sharp edges, crisp
checker	ing and perfect fit. The rifle is sighted with a simple stud front,
open re	ar and small folding tang mounted windage adjustable
	ht. The top ramrod thimble is missing however, the lower thimble
	nt, so a talented gunsmith could fashion an exact replacement
	sily. This rifle is illustrated and discussed in Swinney & Rowe's
The Nev	w York State Firearms Trade on page 1115, the book states that
Bursiel	was an "old-time mayor of Rochester" although we have been
unable t	o confirm that. The rifle is outstanding, clearly Medbery put a lot
	and pride into building it. A top shelf New York made percussion
	G9670-28) {ANTIQUE} [David & Lore Squier Collection]
(4000/6	,
	00 - 6,000
	Percussion Double Fowler by John Mullin of New York
12 bore	, 29" barrels with bright excellent bores. This double is a
standar	d grade, unembellished and remains in virtually brand-new
conditio	n. Each lockplate is engraved "JOHN MULLIN", the top rib of
	marked "JOHN MULLIN NEW YORK". The barrels show
	ham proofs on their undersides and retain 97% original brown
, v	
	d damascus pattern their entire length. The locks, barrel
	es and tang retain 95% original color case-hardened finish which
remains	quite vivid. The triggerguard and buttplate also show lots of
	color case-hardened finish which is just fading slightly. The
-	ed straight grip walnut stock shows some figure and rates
	at with 95% original finish remaining and with very crisp
	с , , , , , , , , , , , , , , , , , , ,
	ing. There is one small chip in the edge of the forend on the left
	a ding in the right center of butt. The original rosewood ramrod
	nt beneath barrel and all screw heads are properly indexed and
untouch	ed. John Mullin is thought to have been the uncle of Patrick
	another New York maker who made similar guns. He advertised
	built guns of equal quality as the imports, looking at this gun, he
	eaking of British guns and this gun is a testament to that claim.
vvood to	o metal fit is superb. A near mint, plain Jane 19th century New
1	uble fowler. (1E9670-168) {ANTIQUE} [David & Lore Squier
Collection	00 - 3,000

Very Fine New York State Percussion Double Rifle by Smith .42 cal, 32" round barrels showing bright near excellent bores which show only a few sparsely scattered spots of light oxidation or perhaps a spot or two of light pitting. The barrels remain wonderful retaining nearly all of their original plum brown finish showing only some light rub wear or handling marks from the years, with the oddly scattered spots of oxidation interspersed here or there. The original shallow dovetail front sight has been replaced with a simple brass blade, there is a silver inlaid gradient scale ahead of the dovetail, likely which once held a "pointer front" front sight, the rear is a semi-buckhorn with shallow v-notch and the rib is engraved in fancy script "F Smith". The fancy swirled bolsters show some remnants of case-hardening with a light spray of open foliate scroll on the rib, the long tang similarly embellished with a vacant hole for a no-longer-present tang sight. Both lockplates and hammers are a very pleasing smooth tarnished pewter patina and feature light filigree borderline engraving with very simple open scroll front and rear, game birds left and right and "Smith" engraved in fancy open script. The hammers show the lightest foliate engraving with dolphin's heads at their noses, the cap deflection skirts neatly relieved by the maker for their entire front half, the rear half acting as skirts deflecting the caps from the shooters eye. The tailpipe is lightly engraved German silver and the dovetail front extension and bow of the single spur guard show some very light scroll as well. This continues on the toeplate, the grip flourish and the tang of the crescent butt. The rifle is stocked in American black walnut, the stock rating excellent with much original varnish and only light handling marks and dings from field use. It features a nice pendulum-style right side patchbox with very light engraving and an eagle on the lid, the left side with an interesting German silver inlay of an eagle, and what is likely a lion, peeking out from behind the federal shield, this atop the square-bottom cheekpiece. The rifle is equipped with double set triggers which seem to function well, the locks are single-acting and will not cock if the trigger is not "set". If the trigger is set and both hammers are set to half cock, then set to full cock, when the trigger is tripped both will fire simultaneously. Other than these peculiarities, the locks seem to function well mechanically and what is likely a later replacement ramrod is included. Frederick Smith of Springport New York, in the area around Auburn, was active roughly 1852 perhaps around 1880. He was known as a very fine workman and this rifle is quality-made throughout and is constructed identically to other examples identified to, and known to be had have been made by him. A top-shelf New York State double rifle. (3B9670-83) {ANTIQUE} [David & Lore Squier Collection] (2500/4000) Est. 2,500 - 4,000

## Lot Title/Description

Lot Title/Description

Stunning Exhibition Quality Early Remington Rolling Block No. 1 Sporting Rifle .43 Spanish, 30" part round part octagon barrel with a bright minty bore. This is a very interesting and extremely fine Remington Rolling Block rifle that appears to be unfired. The rifle has unique features including a steel cleaning rod mounted beneath barrel and an unusual frame with scallops to front and rear. The only markings on the rifle appear on the top tang "REMINGTON'S ILION, N.Y. U.S.A. / PAT. MAY 3d NOV 15th 1864 APRIL 17th 1868". The barrel shows London proofs and has a wonderful knurled ring at the transition from octagon to round. The elegantly shaped action is engraved in lovely relief intertwining scroll with beautifully executed and varying borders. The right side of the frame shows a coat of arms that is yet to be identified but depicts standing winged and hoofed animals at either side of a heraldic crest which shows tridents within the crest and crossed above the crest. The engraving is in full coverage including the breechblock, hammer, buttplate tang, forend tip and the barrel, both at breech section and at muzzle. The barrel engraving is on the octagon section and features borders with loose scroll which is tastefully executed. The cleaning rod fits snugly in a full-length channel neatly soldered to the bottom of the barrel with two thimbles holding the rod. The rod threads into a stud in the front of the action and features a slotted jag style tip. The condition of the rifle is superb with 99% original blue remaining on the barrel. The action retains 99% original color case-hardened finish with very crisp engraving. The face of the breechblock still shows vivid color with no evidence of firing a cartridge. The rifle is equipped with a factory adjustable single set trigger which is slightly gummy but seems to function properly. The walnut stock and forend are beautifully figured and retain 99% of their original finish overall. The rifle is sighted with a Lyman hunting front and Remington combination rear sight. This rifle is featured in Roy Marcot's Remington Rolling Block Sporting and Target Rifles on pages 120 & 121 where it is heavily illustrated and described. Marcot seems uncertain, as are we, as to whether this is rifle was finished here or in Europe. The rifle wears American black walnut stocks, factory sights and trigger, yet the barrel treatment at the transition is highly unusual for a Remington. There are no assembly numbers on any of the stocks or tangs, the barrel is completely unnumbered and unmarked. The question is, was this finished in this style by Remington or was it embellished and finished in Europe. The lack of assembly numbers indicates it is a special rifle that was being worked on individually. The frame is specially shaped and the stocks are American. Remington employed and contracted with some of the very finest engravers of the 19th century, many of whom were immigrants who mastered their craft in Europe. One thing is certain, this is an extremely fine, highly embellished Remington Rolling Block made for an important person or event. A stellar Remington Rolling Block rifle worthy of the finest Remington Collection. (1G9790-66) {ANTIQUE} [Bob Borcherdt Collection] (10,000/20,000) Est. 10,000 - 20,000

	Nathaniel Whitmore
	.36 cal, 25 1/2" part octagon part round barrel with a bright excellent bore, with original false muzzle and brass starter and .46 cal 23 1/2" part
	octagon part round barrel with a bright excellent smooth bore. Really a
	very fine rifle, as we have come to expect from Whitmore. The longer
	target and sporting barrel retains a fading original plum and blue-brown
	for most of its length, the faded or flaked spots now a pewter gray
	beneath the finish, the case-hardened breech showing much original
	color and light engraving. Sighted with a globe front sight with diminutive lollipop insert, fire-blued flat-top u-notch sporting rear with step elevator
	and a lollipop-style fire blued tang sight, the left diagonal flat is marked
	"N Whitmore/Cast Steel". There is a nice turned medial at the point of
	transition with an additional smaller grooved band and the under rib
	shows some sparsely scattered light pitting which is unobtrusive. The
	second barrel shows 98% excellent quality restored plum brown with
	some light open loose engraving surrounding the simple bead style front sight with a bit more near the single engraved medial at the point of
	transition, and a bit more at the case-hardened engraved hooked
	breech. The top flat shows two extremely professionally-filled dovetails
	with two small filled holes near the breech, all four very neatly
	camouflaged, and is marked "N Whitmore" with a bit of light engraving
	on the nipple bolster. The back action lock and hammer retain some
	nice smoky color case-hardening with open flowing foliate scroll and
	vertical line background accented shading, the same treatment on the
	full-length long upper tang. The rifle features German silver hardware with a sparsely engraved nosecap, tailpipe, square-bottom single spur
	triggerguard with the same wide open scroll, repeated on the toeplate,
	and tang of the crescent buttplate. The triggerplate shows strong pale
	fire blue in the protected areas, flaked in the front extension ahead of
	the guard, with a bit of nice engraving there as well. The arm is stocked
	in American black walnut, the stock proper rating excellent with some
	nice crackling finish and only light handling marks from the years, with a
	small repaired crack at the left front of nosecap. It features a nice pendulum-shaped German silver patchbox with open loose scroll and
	similar engraving on the oval German silver inlay on the rounded left
	side cheekpiece. The lock is crisp and mechanically functional and the
	rifle has a single set trigger which operates properly (currently the spring
	is too weak to drop the hammer but the set feature works properly). The
	rifle comes cased in what is possibly its original walnut case with faded
	pinkish baize lining. On the interior is an appropriate brass single cavity
	bullet mould, a bullet swage, couple of small tools, a patch cutter and a nice nipple wrench that also has two turnscrew inserts which fit into the
	hollow handle (the lid of the handle is a later replacement as well). Also
	included are an assortment of cast projectiles, they are 36 caliber
	picket-style bullets which appear to have come from the included mould
	and are likely unswaged; two ramrods are included, one appears to be
	original, the other a later replacement. It is likely that the shorter
	smoothbore barrel was in the midst of restoration, no doubt the consignor was likely going to have that barrel relined to the same caliber
	as the longer target-length barrel, it likely having been the "field" barrel
	for this rifle back in the day. A very handsome Nathaniel Whitmore
	two-barrel rifle with some nice correct accessories. (3C9670-5)
	{ANTIQUE} [David & Lore Squier Collection] (3000/5000)
	Est. 3,000 - 5,000
30	Excellent U.S. Model 1871 Army Rolling Block Pistol by Remington serial #4171, 50 CF, 8" round barrel with a bright excellent bore. The
	barrel of this lovely pistol retains about 96% original blue showing some
	sparsely scattered light freckling, minor silvering at the muzzle and
	toning to a pleasant plum-brown patina under bright light. The action
	retains about 98% lovely vibrant case-hardened colors showing some
	scattered very fine mild freckling and perhaps some faint muting along
	the tangs. The hammer, breechblock and pin retainer remain bright showing just a hint of mild brown freckling along the top of the hammer
	and breechblock spur, while the small parts retain almost all of their
	brilliant fire blue and straw finishes. The Remington's Ilion address and
	patent dates along the left side frame remain crisp and clear, the left
	side also with proper "P" and "S" proof marks. The smooth walnut grip
	and forend remain in excellent condition retaining most of their arsenal
	oil finish and showing just a few tiny dings or light handling marks. The
	grip is stamp-numbered matching the frame and retains a wonderful crisp "CRS" inspector cartouche on the left side. The action may require
	a little attention as the breechblock does not quite retract all of the way,
	perhaps requiring a thorough cleaning, and the hammer otherwise
	functions crisply. This is a lovely Army pistol for the advanced
	Remington or U.S. martial collection. (13C9670-182) {ANTIQUE} [David
	& Lore Squier Collection] (3000/5000)
	Est. 3,000 - 5,000

Percussion Halfstock Sporting And Target Rifle Two Barrel Set by

28

31	Lovely Factory Engraved New York Contract Remington Rolling Block	34	British Silver Mounted Center Hammer Queen Anne Flintlock Pistol by
	Rifle		Thomas Richards
	50-70, 36" round barrel with a very good bore that shows one area of		.60 cal, 4 1/2" cannon-belled barrel with a bright very fine smooth bore
	pitting This rifle features beautiful full coverage relief floral scroll		which shows a couple scattered spots of very light oxidation or light
	engraving on the action with intertwining scrolls, crosshatching and		pinprick pitting. The metal surfaces are an overall pleasing
	flower blossoms. There is a large sunburst on the ring of the action and		pewter-gunmetal gray patina with some spotty brown oxidation staining
	sections of scroll on the top of the barrel at breech, rear sight, between		here and there and a number of small impact marks around the junction
	top two bands, above top band and there is a sunburst around the front		of the barrel and the frame. The right side of the frame shows light open
	sight. The engraving also appears on the buttplate tang, hammer,		flowing scroll of very good quality with "T Richards" in riband, the left
	breechblock and barrel bands. The rifle was finished in full nickel with		side with a martial panoply neatly engraved. Underside of the frame
	about 15% original nickel on the barrel with the balance showing an		shows British proofs with the makers touch mark "TR" and there is light
	even medium gray brown patina. The action shows perhaps 90%		engraving at the rear of the actions tang and a small sunburst on the
	original nickel plated finish which has just dulled slightly and has a		bow of the triggerguard. The bag shaped English walnut grip rates very
	wonderful appearance. The buttplate is similar to the barrel in condition.		fine to excellent with a very nice silver grotesque mask butt. It is toning
	The plain walnut stocks rate about very good with 75% original finish		to a nice soft pewter patina with all of the edges and details still
	remaining and numerous handling marks, scratches and dings. This is a		remaining sharp. The grip has nice silver wire inlay atop the wrist in
	very handsome and rare factory engraved New York State Contract		open scroll and fleur-de-lis patterns with the side flats neatly outlined in
	Rolling Block Rifle. (1F9670-350) {ANTIQUE} [David & Lore Squier		the same silver wire. Likely once part of a pair, the underside of the
	Collection] (4000/6000)		barrel and frame are each numbered "1" and the action seems to
00	Est. 4,000 - 6,000		function well mechanically with a robust hammer spring. Thomas
32	Very Fine & Scarce Remington Model 1891 Rolling Block Target Pistol		Richards was active roughly 1747-1784 and made high-quality pistols
	with External Serial Number		under the Royal warrant. Interestingly a brace of pistols marked "T
	serial #11730, 22 RF, 10" part round part octagon barrel with a bright		Richards London" were captured by Ethan Allen at Ticonderoga from
	very good plus bore showing a few sparsely scattered tiny pinprick pits		Capt. Delaplace, commander of the fort. (3B9654-12) {ANTIQUE}
	and strong rifling throughout. The barrel of this pistol retains about 94%		(1200/1800)
	original blue with most of the loss due to a few scattered small areas of		Est. 1,200 - 1,800
	pinprick pitting and some light dings, more noticeable along the left side,	35	Fine British Silver Mounted Flintlock Officer's Pistol by Griffin & Tow
	along with some other more minor handling marks and faint toning to a		.60 caliber, 8" part round part octagon barrel with a very good, lightly
	pleasant plum-brown patina under bright light. The rear sight shows		pitted bore. This is a lovely pistol. The barrel features a subtle swamped
	some light pinprick pitting and has toned to a dark blue-gray patina while		muzzle, platinum lined touchhole, beautifully turned rings at transition to
	the front sight base retains about 90% original bright fire blue. The		round and shows London proofs. The lockplate shows a very finely
	action retains about 90% vibrant case-hardened colors muting to a		engraved border on the center portion and is marked "GRIFFIN / &
	pleasant silvery pewter patina along the tangs and high edges, along		TOW". The lock features a sliding safety, gooseneck cock and bridled
	with some sparsely scattered areas of fine pinprick pits and mild brown		frizzen. The silver mounts include a fancy pierced and relief engraved
	freckling, mostly along the left side. The hammer and breechblock retain		sideplate, butt cap with long delicate lobes which are engraved and
	about 98% original bright blue showing a little mild edge and operational		finely tapered. The butt shows a great grotesque mask with relief shell
	wear while the remaining small parts show strong fire blue and straw		motifs around its circumference. The triggerguard features a fancy
	finishes with mild overall silvering. The forward frame screw head shows		pedestal-shaped finial and is hallmarked indicating London manufacture
	a little slot wear and has been very lightly dressed but this is		in 1772 with Lion Passant as well as fourth hallmark "H-I". Additional
	unobtrusive. The E. Remington & Sons barrel address and seven patent		silver furniture includes a fancy relief engraved monogram plate on top
	dates on the left side frame remain crisp and clear and the serial number		of wrist along with tailpipe and single ramrod thimble. The condition is
	is stamped externally on the lower tang. The smooth walnut grip and		quite nice with the barrel retaining a pleasing gray brown patina overall
	forend are stamp-numbered to the gun and remain in very fine condition		with metal remaining smooth and with crisp clear proofmarks. The lock
	showing a strong oil finish having darkened from the years along with		is similar in color and is also quite smooth with markings remaining clear
	some mild edge wear and some scattered light handling marks. The		and legible. The walnut stock shows lovely relief carving around the tang
	barrel is matching the frame and the pistol is equipped with the proper		with shell motif along with raised tear drops behind lock and opposing
	German silver blade front sight and semi-buckhorn target rear. The half		stock flat. The stock shows repairs to slivers missing on either side of
	cock notch is worn but the action seems to function well mechanically at		forend, these are old and could likely be made to look better if someone
	full cock. In Remington Rolling Block Pistols by Landskron, only three		was bothered by them. The condition of the stock otherwise is excellent
	pistols were surveyed at the time of publishing with an external serial		with lots of original finish remaining and with a nice honest surface. A
	number (11724, 11725 and 11728). The author speculates that these		bone tipped ramrod is present beneath barrel, it is likely an older
	examples were made prior to releasing the standard commercial model		replacement. A lovely 18th century silver mounted British officer's pistol.
	and thus represent prototypes of the 1891. An interesting variant for the		
			(1E9833-59) {ANTIQUE} (2500/3500)
	astute Remington collector. (13C9670-466) {ANTIQUE} [David & Lore	00	Est. 2,500 - 3,500
	Squier Collection] (2500/4000)	36	British Pattern 1756/81 Flintlock Land Service Pistol
	Est. 2,500 - 4,000		.57 caliber, 12" pin fastened barrel with a very good bore. This pistol is
33	Factory Engraved Remington New Model Police Cartridge-Converted		in very fine condition. The lock with rounded surface features a
	Revolver		gooseneck cock with bridled frizzen and is marked with crown over "GR"
	serial #6852, 22 RF, 3 1/2" octagon barrel with a bright near excellent		ahead of cock and "TOWER" in vertical arch to rear of cock. The barrel
	bore. This revolver has been very nicely converted to 22, the barrel and		shows two ordnance marks on top of barrel and another mark just above
	chambers having been very neatly sleeved, the hammer nose modified		the frizzen screw. The stock shows early style furniture with large
	with an extended firing pin and a new front sight fitted. The metal		convex sideplate with tail to rear, large escutcheon plate on top of wrist,
	surfaces retain about 90% original nickel finish showing some overall		ridged buttcap with long lobes, triggerguard with hazelnut finial to front,
	light edge wear and mild flaking that is blending nicely with pewter		single ramrod ferrule with large tailpipe. The iron surfaces are an even
	gunmetal patina along with a few errant minor pinprick pits and some		gray patina with scattered light pitting on lock and more scattered and a
	small dings along the sides of the barrel. The triggerguard retains about		bit heavier on the barrel. The lock markings are light but mostly legible,
	50% silver finish flaking to a pleasant mild ocher patina and taking on a		the barrel proofs are well struck. The walnut stock rates very good with a
	nice tarnish. The arm is factory embellished in nearly 90% coverage with		nice surface that shows perhaps a little added light oil. Stock edges
	very fine detailed foliate scrollwork and punch-dot shading along the		remain well defined, the rear of the left flat shows what appears to be
			initials "IK". The stock shows a sound crack on bottom at front of lock
	sides and bow of the triggerguard, a large floral motif on the back side		
	on either side of the hammer, five large starburst motifs along the		along with other handling dings and small chips and a couple other
	cylinder and two smaller starbursts on front lower edge of the frame. The		minor sound cracks along the forestock. There does not appear to be
	smooth rosewood grips remain in very fine condition showing generous		any replaced wood and the stock overall is very solid with a pleasing
	flakes of original varnish, a few mild handling marks and the right panel		honest appearance. All brass shows a nice mellow patina and a brass
	with a very thin small repaired sliver at the heel. The grips are		tipped hickory ramrod is present. A very nice example of these large
	stamp-numbered matching the frame by assembly-number and also		flintlock pistols which enjoyed a long and storied service period.
	matching with pencil-numbered serial number. All other numbered parts		(1C9833-61) {ANTIQUE} (3000/5000)
	are matching by either assembly or serial number. The action seems to		Est. 3,000 - 5,000
	function well mechanically with excellent timing and lock-up. A very		
	handsome New Model Police with some wonderful factory engraving.		
	(13C9857-23) {ANTIQUE} (2500/3500)		
	Est. 2,500 - 3,500		
	,->		

#### Lot Title/Description

Fine Pair of British Pattern 1756/77 Flintlock Sea Service Pistols
.57 caliber, 12" pin fastened barrels with very good bores. These pistols
are in very fine condition. Both barrel show two deeply struck ordnance
proofs and the locks are marked "TOWER" in vertical arch to rear of
cocks and show the "(crown) / GR" ahead of cock. One lock shows a
"(crown) / V" proof while the other shows a "(crown) / 2". The pistols are
each equipped with their original steel belt hooks and the brass furniture
includes flat sideplates with tails to the rear, brass butts with short lobes,
triggerguards with stylized finials, single ramrod thimbles with no
tailpipes. The iron surfaces show an even gray patina overall, likely
lightly cleaned long ago but with very nice smooth surfaces. All markings
in metal remain clear and fully legible. The locks feature reinforced
cocks with bridled frizzens. The stocks show crown and broad arrow
marks along with the initials "HJ" stamped into the rear stock flat on one
of the pistols. The stocks show nice edges but also numerous light
handling marks and the forestocks show areas where there is a pattern
lightly impressed into the wood, similar to a vise mark but we aren't
certain if that is what they are. The guns are in original flint and show
very little use with very clean toucholes. Pistols match perfectly in
condition and have clearly been together since the beginning. Both guns
retain their original brass tipped wooden ramrods. A very fine unaltered
pair of 18th Century British Sea Service pistols, far better than normally
encountered. (1D9833-63) {ANTIQUE} (6000/8000)
Est. 6,000 - 8,000

Lot Title/Description

> Famed Exhibition Shooter Ernie Lind's "Worlds Most Highly Embellished Smith & Wesson .357 Magnum Hand Ejector Revolver" serial #S84079, .357 Magnum, 8 3/8" barrel with a bright excellent bore. This is an exceptionally embellished and exceedingly stunning revolver, with what is perhaps the nicest pair of Alvin White carved grips we have encountered. Miraculously this museum grade piece of art was actually used in exhibition shooting by the famed "Shooting Linds" Ernie and Dot Lind, trick and exhibition shooters for the Winchester Repeating Arms Company, Western Cartridge Company, MGM Motion Pictures and the United States Army to name a few. The revolver retains all of its post-engraving nickel finish and is treated with full coverage tight flowing scroll engraving with the finest vertical line background accenting, with exceptional quality game scene vignettes gracing the frame. The right side of the arm shows a pair of fighting bull elk, a buck whitetail deer and bighorn sheep, while the left shows a charging bear, a scowling bobcat and a pronghorn antelope with a large bull moose head on the face of the frame at the crane pivot. There is crosshatch and geometric engraving on the butt, underside of the ejector rod shroud and the sides of the factory checkered barrel rib, with open flowing scroll on the sight ramp. Both hammer and trigger retain virtually all of their original vibrant color case-hardening with just a bit of light, light wear. The revolver wears a pair of carved genuine ivory grips with a silver S&W medallions, unmistakably the work of Alvin White with his lower grip-filling forward flare, which fills the frame void directly to the rear of the triggerguard. The left side shows open flowing scroll with floral embellishment around the grip screw, the right side with a standing bull elk amidst a Rocky Mountain backdrop, each with nice brown-toned ink staining accenting the background: the work is unmistakably Alvin Whites and is identical to signed examples, even the grip screw is lightly engraved. The revolver is sighted with a white outline rear sight and Patridge style orange front blade, and is actually a twin to a pre-model 27 auctioned in 2012, also engraved by Boch, that example with simple carved walnut grips by White. Included with the arm is a copy of The Complete Book of Trick and Fancy Shooting © 1972 Ernie Lind, in-which is a picture of Dot Lind shooting the gun, upside down and backwards with the aid of a mirror. The actual original black and white glossy of that photo is included, under magnification one can see this is indeed the exact gun that Mrs. Lind is shooting in the picture. Also included is one of Ernie Lind's promotional pamphlets from "Gunthunder Hill" (their home in West Swanzey, New Hampshire) showing a picture of Lind himself on the cover along with additional images on the inside, including pictures of his "bullet art", with a promotional narrative on the rear. An additional photograph is included showing the gun among a number of other similarly engraved and embellished Lind firearms, many of which are included in the book, and there is a large 8x10 black and white of Mrs. Lind with the revolver also, dated March 1957. Interestingly the sister revolver sold in 2012 was described as "One of the Most Highly Engraved Smith & Wessons in the World!", this example certainly on par with, and in this writers opinion more embellished than, that example, even the "panels" beneath the grips showing scroll engraving which lacked on the previous example, thusly if one ever installed "service style" grips on this arm it would still be full coverage engraved. Factory records will confirm shipment in August 1951 to distributor Jurek Brothers of Greenfield Mass. for shooter Ernie Lind. Rarely does a revolver this exceptional come up for public auction, to have it be part of the former collection of these famous trick and exhibition shooters places the gun in another genre entirely, making it all the more desirable. Outwardly the arm appears as-new, as it came from Waffen Boch of Frankfurt Germany after this master-level full coverage engraving was completed, one would never guess that it was used by Dot and Ernie Lind in their many feats of exhibition and trick shooting. Exhibition grade, investment-grade, worthy of the finest collection of Smith & Wesson arms. (39777-1) {C&R} (10,000/15,000) Est. 10.000 - 15.000

3.

Lot Title/Description

Smith & Wesson Second Model Schofield Civilian Revolver 43 Smith & Wesson K-22 Combat Masterpiece Hand Ejector Revolver 39 serial #7609. 45 S&W Schofield. 7" round barrel with a near excellent serial #K135536, 22 LR, 4" barrel with an excellent bore. A magnificent bright bore. Commercial Schofields are much scarcer than the U.S. little Combat Masterpiece that appears to have seen little if any use in purchased revolvers. This revolver was shipped in its current the last sixty-nine years. The metal surfaces retain about 99% plus configuration from Smith & Wesson to M.W. Robinson in New York City original blue finish with just a hint of a turn ring starting to form. The on March 7, 1877. The revolver shows all proper markings and retains service trigger and hammer retain excellent case-hardened colors about 15% of its original blue finish mostly on the sides of the frame in showing a rich blend of blues, purples and straw. The diamond checkered walnut factory grips with silver S&W medallions look as new the area of the recoil shield. The balance of the metal surfaces show an even gray brown patina with some very light abrasions on the right side and are numbered to the gun. The gun features a Baughman ramp front of the frame from hand cleaning. The two-piece walnut grips rate very sight and micro adjustable rear sight. The numbered parts are correct to good with about half of their original finish and light handling marks. the gun and as you would expect, it still times and locks up as good as There are a couple very small chips from the outer periphery of the butt. the day it left the factory. This gun includes the original gold two-piece The grips fit beautifully and this revolver has never been enhanced in factory box that remains in excellent condition with a few storage marks. any way. Screw heads remain clean and this is a very honest example As was common, Smith & Wesson repurposed their K-22 Masterpiece of these scarce commercial revolvers of-which only 650 were sold. The box, one end has the original Masterpiece printed label but the other has accompanying 1998 dated factory letter is addressed to noted late Smith the correct added printed label for the Combat Masterpiece with the & Wesson Collector Gary Garbrecht, who owned some of the very finest grease penciled number on the bottom. Because the K-22 Combat Schofields in existence. A nice honest Schofield. (1B9898-49) Masterpiece were such handy guns, most were well-used andyou {ANTIQUE} (2000/3000) seldom see them in such fine collectible condition. (8A9769-49) {C&R} Est. 2,000 - 3,000 (1000/1500) Colt Single Action Army Civilian Model Revolver 40 Est. 1,000 - 1,500 44 Fine American Percussion Pistol by Rogers of Philadelphia serial #24593, 45 LC, 7 1/2" round barrel with a very good bore. This is a very nice 1876 production civilian Single Action. The revolver shows .38 caliber, 10" octagon barrel with an excellent bore. This very nice all matching numbers on barrel, frame, cylinder, triggerguard and pistol which remains in a superb state of preservation. The lock is "A.W. SPIES / WARRANTED" and shows endearing rudimentary scroll backstrap. The barrel shows the proper block letter address for this engraving. The top of the barrel is marked simply "ROGERS" with serial range and the frame shows the proper two-line patent date. The metal surfaces of revolver show a lovely rich, undisturbed brown patina border engraving at breech and with nicely engraved tang. The fit of the with all markings remaining clear and legible. The revolver shows the barrel at the locking tang is recessed slightly on the top three flats with correct doughnut shaped ejector rod head and the cylinder pin retaining the sides being flush, this seems a bit unusual but considering the fit of screw shows considerable wear from the years. The one-piece walnut the drum to the lock and of the barrel to the stock, there is no doubt the grip rates very good plus, very much commensurate with the balance of barrel is original to the pistol. As previously stated the gun has lots of the revolver showing wear to lower edge with some small old worn over condition, the barrel retains 95% original brown finish overall with strong chips to toe and heel. The revolver cycles crisply and locks up tight. The and beautiful damascus pattern visible its entire length. The lock is an gun comes with a factory letter confirming the configuration and showing even gray patina remaining completely smooth and free of pitting with it as part of a 50 gun shipment to Schuyler, Hartley & Graham in New markings and engraving crisp. The lock is affixed by a screw through the York on October 7, 1876. This revolver has lovely surfaces and is just a lockplate and into the breech plug. The stock is of walnut with horn great example of an honestly used antique revolver in as-found forend tip and checkered grip with rounded butt. The furniture is of condition. (1B9898-22) {ANTIQUE} (3000/5000) German silver and includes an engraved triggerguard with stylized pineapple finial, rectangular wedge escutcheons with faceted corners, a Est. 3,000 - 5,000 41 Excellent Smith & Wesson 357 Magnum Hand Ejector Revolver rectangular monogram plate on top of wrist, a rectangular monogram serial #S103494, 357 Magnum, 3 1/2" barrel with an excellent bore. This plate with concave corners on stock flat and an engraved tailpipe. The magnificent Pre-Model 27 five-screw revolver appears stock remains in wonderful condition with sharp checkering and 95% as-new-in-the-box and remains in excellent condition. The metal original finish. A brass tipped ebony ramrod is mounted beneath barrel surfaces retain about 99% original blue finish with a scant wear mark on and remains in excellent condition and appears original in all respects. the left side of frame and very tiny ding on the forward right side of the The pistol is sighted with a German silver blade front and open rear frame. The service trigger and hammer have beautiful case-hardened mounted in shallow dovetail in top flat of barrel. There were several colors with light operational wear. The diamond checkered walnut Rogers working in America at the time, at least two or three of them factory Magna grips with silver S&W medallions rate excellent a few were in Philadelphia and based on the style of this gun, we attribute it to handling marks on the left panel. As you would expect on such a one of them. This is a fine, all original 19th century American percussion well-cared-for piece, all appropriate parts and the grips are correctly pistol. (1C9670-501) {ANTIQUE} [David & Lore Squier Collection] numbered to the gun and it appears unfired. The firing pin bushing, (1000/2000) recoil shield and cylinder face show none of the tell-tale signs of use Est. 1,000 - 2,000 other than the factory test fire. This gun includes the original gold two-piece box that is correctly end labeled and numbered to the gun. The box features the instructions printed on the inside of the cover and serial number grease penciled on the bottom. The box rates excellent showing minor handling wear and few light creases on the sides. The interior of the box has a simple 1 1/16" thick wood spacer used as a filler in the box on shorter barreled guns. This is a great find for the collector. (8B9880-4) {C&R} (2000/3000) Est. 2.000 - 3.000 Smith & Wesson K-22 Outdoorsman Hand Ejector Revolver 42 serial #634279, 22 LR, 6" barrel with an excellent bore. This is a lovely 1st Model that was produced very early in the series and remains in superb condition. The metal surfaces retain about 98-99% original blue finish, most of the loss due to sparse toning at the muzzle with a few interspersed handling marks and a very small scratch on the barrel. The service trigger and patent marked hammer retain bold case-hardened colors with light operational wear. The diamond checkered walnut grips are in wonderful condition and look as fresh as the day they left Springfield. They feature a silver S&W medallion and are numbered to the gun. The numbered parts on this fine gun are correct and it still times and locks up beautifully. This gun features a pre-micrometer adjustable rear sight and Call flat gold bead front sight. A handsome Outdoorsman in fine collectible condition. (8A9722-6) {C&R} (1500/2000) Est. 1,500 - 2,000

45

46

Lot Title/Description

Wonderful Deluxe American Flintlock Pistol by J.M. Caswell of Lansingburgh, New York .45 caliber, 8 3/4" gently tapered octagon barrel with a very good plus bore. This is a very fine quality pistol with many endearing features. The barrel is double gold banded at breech and is marked on top flat "J. M. CASWELL / LANSINGBURGH"; the last few letters of the latter trail off. The barrel tang has a simple rear sight at the junction with the barrel and is engraved in light relief scroll. The lock features a waterproof pan, gooseneck cock and roller frizzen with stepped portion to rear of cock and tasteful 19th century scroll. The stock is of finely figured burl walnut and features a sharply curved and short grip profile with thick, beautifully shaped stock flats. The stock adorned with silver inlays which include a lovely stylized American eagle in the rounded butt, a long rectangular monogram plate with concave corners on left stock flat, a smaller monogram plate on top of wrist and the silver wedge escutcheons are all the same rectangular shape. The iron triggerguard is engraved with a fancy wheat sheaf and pineapple finial with scroll and a panoply on the bow. The condition is nice with the barrel showing a gray brown mix of patina and finish with Damascus pattern subtly visible overall. The barrel surfaces show some impact marks along with some patches of light pitting and some light oxidation staining, none of this is overly obtrusive. The lock bears a pleasing even gray brown patina and is very smooth with just a little light oxidation to the front and rear of the pan. The stock shows stunning figure and has a wonderful surface showing lots of original finish, sharp edges with a minor chip from left side top just ahead of breech and another in the edge of the lock flat just above recess in tail of lock. The silver inlays all show a lovely even tarnish. A hickory ramrod with brass tip on one end and iron worm on the other looks original and fits beautifully. The single ramrod thimble is reaffixed and may be a nicely aged replacement as the ridges at the ends are more rudimentary than those on the tailpipe. The pistol features a German silver blade front and simple rear sights. This pistol is pictured on page 337 of The New York State Firearms Trade identified as a "Gentlemen's Pistol'. American flintlock pistols of this quality and condition are not often encountered on the market. A wonderful American flintlock pistol which is a true piece of Americana. (1D9670-180) {ANTIQUE} [David & Lore Squier Collection] (3000/5000) Est. 3,000 - 5,000 Fine Percussion Converted Pistol by J. M. Caswell of Lansingburgh, NY .45 caliber, 8 3/4" octagon barrel with a very good deeply rifled bore. This is a wonderful example of these scarce New York made pistols. The imported lock is marked "R. ASHMORE / WARRANTED" ahead of hammer with loose folky scroll with a bird to the rear of the hammer. The top of the barrel is marked "J.M. CASWELL / & SON / LANSINGBURGH / 1830" with loose folky scroll and tasteful wheatsheaf border. Based on the shape of the lockplate this appears to have featured a waterproof pan and has been converted via drum and nipple. The conversion is very neatly done with a nicely formed hammer which has a pleasing appearance. The silver mounted walnut stock features a short grip with rounded butt. The condition of the gun is nice with the barrel retaining a pleasing smooth brown patina with some twist pattern visible within the patina. The lock is a rich brown patina with just the smallest amount of fine pitting and oxidation present. The lock and barrel markings all remain clear and legible The stock retains a good deal of original finish with well-defined edges and a horn forend tip. The stock features silver wedge escutcheons, a silver monogram plate (unengraved) on left flat along with silver monogram plate on top of wrist and an oval silver plate capping the butt. There are some nicely done old repairs on either side of forend at top edge. The triggerguard is engraved in loose floral scroll and has a pineapple finial. The triggerguard is mostly a smooth brown patina with some bright blue still visible on the bow. The gun comes with what appears to be its original brass tipped ramrod with jag and bullet puller along with an unusual stepped iron section in toward the center of the rod. The rod if of very nice quality and the bottom of the stock has four letters or characters carved between the tailpipe and triggerguard finial. This is an interesting, unusual and very nice quality American pistol. This pistol is pictured on page 341 of The New York State Firearms Trade as a "Gentlemen's Percussion Pistol". (1C9670-503) {ANTIQUE} [David & Lore Squier Collection] (800/1200) Est. 800 - 1,200

47	American Percussion Target Pistol by Morgan James of Utica, New York
-1	
	.45 caliber, 10" octagon barrel with a very good bore which shows
	strong rifling and a bit of light scattered pitting. The barrel is turned at
	the muzzle for a bullet starter and is marked on the top flat "M. JAMES /
	UTICA N.Y." This pistol is unembellished but finely crafted. The barrel is
	equipped with a patent breech with finely formed bolster. The barrel
	shows a good deal of original brown finish with the breech showing
	mottled original color case hardening. The lockplate is unmarked and
	retains a pleasing smooth pewter gray patina overall. The pistol features
	a set trigger which functions properly. The stock is of beautifully figured
	American black walnut with large checkered grip and a horn tip. The
	stock rates very good with normal handling marks from the years and
	with a good deal of original finish remaining. The finely cut checkering
	shows overall light wear, commensurate with the balance of the pistol.
	The gun is sighted with a globe front and tang mounted lollipop rear,
	there is no provision for a rear barrel sight. Morgan James is very
	well-known for his superb quality percussion sporting and target rifles
	along with combination guns; his handguns are quite scarce. A pistol of
	very similar construction and identical stock configuration is pictured in
	The New York State Firearms Trade and noted as "one of the great
	rarities from Morgan James". (1B9670-499) {ANTIQUE} [David & Lore
	Squier Collection] (1200/1800)
	Est. 1,200 - 1,800
48	Very Fine Marlin Model 1897 Lever Action Rifle
	serial #195146, 22 RF, 24" octagon barrel with full magazine and a
	bright very good plus bore showing a few sparsely scattered small areas
	of light pitting, some mild frosting and strong rifling throughout. The
	barrel and magazine of this rifle retain about 90% original blue with most
	of the loss due to some overall thinning to mild gray patina along the
	barrel, along with a few scattered pinprick pits and some minor handling
	marks. The action retains about 95% lovely original case-hardened
	colors showing a few sparsely scattered tiny pinprick pits and areas of
	mild muting to silvery case-hardened patina along the lever and tangs
	and the top of the action showing some scattered thin scratches. The
	colors remain particularly stunning along the left side and protected
	areas around the trigger. The rear sight, breechblock and other small
	parts retain about 90% original bright blue showing some mild flaking
	and thinning, the screw heads show good fire blue and all of the
	markings remain crisp and clear. The plain walnut stocks remain in near
	excellent condition retaining about 98% original varnish that shows
	some very fine crazing along with a couple tiny dings and minor handling
	marks. Metal-to-wood fit remains excellent and the stocks show some
	nice raised grain. The original black checkered hard rubber buttplate is
	intact and rates very fine showing a mild scuff at the heel. The rifle is
	sighted with standard sporting rear sight, Marble's No. 2 white bead front
	sight and the action seems to function well mechanically. A lovely Marlin
	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection]
	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500)
	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patian overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the butplate likewise showing some generous flakes of silvery case-hardening. The
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24° octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old piprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patinal verall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttsck meets the frame and a few scattered mild dings. Wood-to-metal fit
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patinal overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock meets the frame and a few scattered mild dings. Wood-to-metal fit remains very nice and the butt trap houses five original iron cleaning rod
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock meets the frame and a few scattered mild dings. Wood-to-metal fit remains very nice and the butt trap houses five original iron cleaning rod segments, one with an eyelet and one with a brass jag. The rifle is
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardend patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock meets the frame and a few scattered mild dings. Wood-to-metal fit remains very nice and the butt trap houses five original iron cleaning rod segments, one with an eyelet and one with a brass jag. The rifle is sighted with standard sporting rear sight, German silver blade front and
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock meets the frame and a few scattered mild dings. Wood-to-metal fit remains very nice and the butt trap houses five original iron cleaning rod segments, one with an eyelet and one with a brass jag. The rifle is
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24" octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardend patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock meets the frame and a few scattered mild dings. Wood-to-metal fit remains very nice and the butt trap houses five original iron cleaning rod segments, one with an eyelet and one with a brass jag. The rifle is sighted with standard sporting rear sight, German silver blade front and
49	made around 1899. (13B9790-32) {C&R} [Bob Borcherdt Collection] (1000/1500) Est. 1,000 - 1,500 Winchester Model 1873 Lever Action Rifle serial #336600B, 38 WCF, 24* octagon barrel with full magazine and a partially bright very good bore showing some scattered light pitting, a bit more concentrated approaching the muzzle and otherwise strong rifling throughout. The barrel and magazine of this attractive third model rifle retain perhaps 75% original blue that is toning to a pleasant plum-brown patina overall and showing some sparsely scattered small spots of old oxidation and a small area of lightly cleaned minor pitting on the left flat below the address. The action retains about 50% original bright blue with the balance toned to a nice plum-brown patina showing some scattered mild freckling, handling marks and a little bit of old pinprick pitting along the top of the action. The hammer retains generous vibrant case-hardened colors throughout, the lever toning to gray-brown with some wisps of colors and silvery case-hardened patina and the buttplate likewise showing some generous flakes of silvery case-hardening. The rear sight, front sight base and nosecap retain generous bright blue and the loading gate shows a healthy amount of brilliant fire blue. The tang sight screws are slightly oversized and one is more modern and all markings remain intact and crisp. The smooth walnut stocks remain in near excellent condition showing a light oil finish with nice raised grain along with a very tiny chip at the bottom left corner where the buttstock meets the frame and a few scattered mild dings. Wood-to-metal fit remains very nice and the butt trap houses five original iron cleaning rod segments, one with an eyelet and one with a brass jag. The rifle is sighted with standard sporting rear sight, German silver blade front and the action seems to function well mechanically. A fine Winchester 1873

Lot Title/Description

50 Magnificent Winchester Model 1894 Factory No. 10 Engraved Deluxe Rifle serial #85393, 25-35 WCF, 26" part round part octagon barrel with a bright excellent bore. This is a truly stunning rifle. The action of this rifle shows factory No. 10 style engraving consisting of relief scroll and border engraving. The left side of the action shows the same lovely scroll and border work with a round panel at the center showing a walking buck. There is light scroll on the bottom of the action near the serial number and more on the top ring of action and on top tang behind the hammer. The rifle features deluxe checkered walnut buttstock and forend with checkered hard rubber shotgun buttplate and a hard rubber grip cap. The left side of the lower tang bears assembly code "9664 xxx s", the top tang inlet is marked in pencil "9664" and the end grain under the buttplate is stamped "9664". The condition of the rifle is remarkable with the barrel and magazine retaining 98% bright original blue. The action shows 98% bright original blue finish, the engraving is sharp and displays beautifully. The hammer and lever show strong original color case-hardened finish. The checkered pistolgrip walnut buttstock is of beautifully figured American black walnut with lots of feather crotch on each side of the butt. The stocks rate excellent with 98% original finish remaining with just a few light handling marks. There is a small chip at the toe of the buttplate which was neatly repaired, and a corresponding repair to a tiny chip at the toe: it was so neatly done that it is nearly invisible. The checkering remains strong with perhaps a little light carry wear on the forend. The rifle is sighted with a king rotary triple bead front and buckhorn rear sights. The rifle is completely honest with no alterations of any kind. The included record sheet from Cody lists the gun as: rifle, 25-35. 1/2 octagon, plain trigger, checkered stock, pistol grip, shotgun butt, rubber buttplate, engraved \$2,00 style 10, light pull, received in the warehouse on November 15, 1904 and shipped on December 14th of the same year. This is a very high condition factory engraved 1894 rifle worthy of the finest Winchester Collection. Investment quality. (1E9899-26) {C&R} (15,000/25,000) Est. 15,000 - 25,000 Fine Maynard Second Model Civil War Carbine by Mass. Arms Co. 51 serial #24980, .50 cal, 20" round barrel with octagonal breech and a bright near excellent bore showing a patch of light oxidation nearer the muzzle and otherwise crisp rifling throughout. The barrel of this attractive carbine retains about 96% original blue showing a few specks of mild oxidation staining nearer the muzzle, some scattered light handling marks and some areas toning to a pleasant plum-brown patina under bright light. The action retains about 90% color case-hardening that is muting to an attractive silvery case-hardened patina along the right side, also showing a few tiny spots of old oxidation staining, some light handling marks and the underside and left side showing wonderful vibrant colors still with remnants of protective lacquer. The sling bar and ring are a bright silvery patina, the buttplate shows some generous flakes of bright blue, toning to a nice plum-brown patina and the hammer and trigger retain 95% original bright blue showing some mild flaking along the hammer. A number of the screw heads show light slot wear and all markings remain crisp and clear with Maynard patent information on the left side frame, Mass. Arms Co. markings on the right and small sub-inspector stamps throughout. The smooth walnut buttstock remains in near excellent condition retaining about 95% original oil finish showing a few minor handling marks and some sparsely scattered light dings, a few a bit more noticeable along the left side. The wood shows lovely raised grain throughout, metal-to-wood fit is excellent and there are two crisp cartouches on the left wrist. The barrel locks up securely and the hammer functions crisply. A very handsome Maynard for the Civil War collector. (13B9833-37) {ANTIQUE} (2500/3500) Est. 2.500 - 3.500

52	Fine Smith Civil War Commercial Carbine by Mass. Arms Co. serial #11805, .50 cal, 21 5/8" part round part octagon barrel with a bright excellent bore. The barrel of this very fine carbine retains about 97% original blue showing some mild thinning at the muzzle, a small area of minor freckling along the left side and a few scattered handling marks. The action retains about 90% lovely vibrant case-hardened colors showing a few scattered specks of old oxidation staining, some light handling marks and the left side muting to a pleasant silvery case-hardened patina. The barrel band and buttplate have mostly flaked to a deep plum-brown patina showing remnants of original bright blue, while the sling bar and ring are mostly gunmetal patina showing a little brown freckling. The triggerguard retains about 95% original bright blue showing some light flaking along the bow and the action latch spring retains a healthy amount of fine pale fire blue, many of the screw heads also with nice pale fire blue. The Poultney & Trimble address and Mass. Arms Co. maker-markings on the left side frame remain crisp and clear. The smooth walnut stock and forend remain in very fine condition, the buttstock near excellent, showing a strong oil finish with some scattered light handling marks. The forend shows a shallow dent on the right side and a tiny repaired chip with a little bit of filler ahead of the screw escutcheon. The barrel is matching the frame and locks up well and the hammer functions crisply. Schuyler, Hartley & Graham were the most prominent commercial retailers of the Smith Carbine during the war atthough most were purchased by the Federal government. (13B9833-8) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000
	serial #15489, .54 cal, 21" barrel with a bright excellent bore. The barrel of this handsome carbine retains about 96% original blue showing some mild silvering at the muzzle, a few sparsely scattered specks of minor oxidation staining and light handling marks. The barrel is toning slightly to an attractive deep plum under bright light, retains crisp markings and is matching the frame. The action retains perhaps 95% lovely case-hardened colors that remain quite vibrant overall showing a little brown freckling, mostly along the tangs and top corner of the left side, and areas muting to an attractive silvery case-hardened patina and smooth gray. The buttplate is mostly plum-brown showing some remnants of silvery case-hardened patina and the barrel band retains most of its case-hardening toned to a smooth gray. The lever and internal protected areas of the breechblock retain about 92% lovely bright fire blue and the chamber is pristine and shows no evidence of firing. The patent markings at the top of the action were lightly struck but remain legible, the Burnside Rifle Co. markings on the sideplate remain strong and the major components show strong sub-inspector stamps. The smooth walnut stock and forend remain in very good plus condition showing a few tiny shallow chips or mild abrasions scattered along the butt, some other more mild handling marks and otherwise strong oil finish. There is a softened but legible "E.M.D." along the top of the comb and "H.D.H." along the bottom of the forend, there is no visible inspector's cartouche along the left side wrist. All original hardware is intact, the serialized parts are matching and the action seems to function well mechanically. A very fine Burnside for the Civil War collector. (13C9833-2) (ANTIQUE) (2500/3500)
54	Very Fine Gwyn & Campbell Type II Civil War Carbine serial #2675, .52 cal, 20" part round part octagon barrel with a bright excellent bore. The barrel of this carbine retains about 92% original blue showing some sparsely scattered spots of brown freckling, light handling marks and areas thinning and toning to a pleasant plum-brown patina under bright light. The action retains a similar amount of lovely case-hardened colors showing some mild muting to silvery gray patina along the lockplate and lever, some sparsely scattered mild brown speckling and otherwise vibrant colors throughout with strong protective lacquer. The breechblock and upper tang retain about 80% brilliant fire blue thinning to mild gray-brown along the tang and showing some moderate flaking and a few scattered light dings along the breechblock. The breechblock pivot screw head shows nice straw color and the rear sight parts likewise retain nice fire blue. The markings remain mostly strong, one letter in the maker markings on the lockplate obscured by a small metal imperfection, the right side frame with "UNION RIFLE" and the major components with small sub-inspector stamps. The smooth walnut stock remains in very fine condition with strong arsenal oil finish showing some scattered light dings and mild handling marks. The stock retains excellent metal-to-wood fit and shows nice raised grain with a crisp inspector's carbuche on the left side and smaller initials at the heel. All original hardware remains intact, the serialized parts are matching and the action seems to function well mechanically. A handsome Gwyn & Campbell with fine original finish. (13C9833-3) {ANTIQUE} (2500/3500)

Lot Title/Description

55 Extremely Rare Factory Engraved and Plated Deluxe Winchester Model 1873 Saddle Ring Carbine serial #360262, 44 WCF, 20" round barrel with full magazine and a very good bright bore. Any special order feature on a Winchester 1873 Saddle Ring Carbine is rare, this carbine has many of them. The carbine features a fancy stock, \$2.50 engraving, gold plated action and trim with the balance plated in nickel. The carbine is very honest in nature but shows years of use but no abuse, and it hasn't been enhanced by any 20th century gunsmith. The action shows scroll engraving in moderate coverage with a running deer in a round panel scene on the left sideplate. The dust cover, ring of action and front of top tang all shows light scroll engraving while the bottom of the follower and frame show small sections of scroll. The lower tang has had a riband engraved around the serial number and there is one small area of scroll on the buttplate tang, the bands are unembellished. The barrel retains about 65% original nickel plated finish with markings remaining clear and legible, the magazine is more brown and retains perhaps 15% original nickel plated finish in protected areas closest to the barrel. The lever and hammer show about 60% original nickel plated finish with areas of loss showing a deep brown patina. The action is an overall even gray-brown patina with surfaces remaining guite smooth and generally free of any pitting but showing a few scattered old light dings in the surface. The carbine stock and forend show exceptional figure and rate very good with perhaps 50% original finish and with numerous light 5 handling marks. The gun is sighted with standard carbine sights and the top barrel band screw is broken off with tip in place and head missing. Carbines are known as working guns and apparently even when they are as embellished as this one is, they still go to work. Very special order, showing honest use and never having had any "help". This carbine is super rare and has lots of character. (1D9746-31) (6000/8000) Est. 6,000 - 8,000 Winchester Model 1866 Third Model Saddle Ring Carbine 56 serial #77174, 44 CF, 20" round barrel with full magazine and a fair bore with dark pitted grooves. The right side of the action is marked with three "0" adjacent to each other just ahead of the stock. The barrel and magazine retain a gray brown patina with perhaps some old added cold blue. There is some pitting on the barrel that is moderate to heavy and there are also some bruises in the surface. The action shows a pleasing mellow patina with numerous light handling marks from the years. The hammer and lever are a dark gray patina both showing some pitting. The plain walnut buttstock and forend rate very good as refinished long ago. The original brass rifle style buttplate is numbered to the gun and shows a nice patina which matches the action quite well. The rifle is sighted with original barrel sights consisting of the front being integral 6 with the top band and a two-leaf pivoting rear sight. A nice old '66 carbine which had a good honest service life. (1C9779-8) {ANTIQUE} (3000/5000) Est. 3,000 - 5,000 Lovely Southern Agent Marked Philadelphia Percussion Deringer 57 .49 caliber, 5" round barrel with flattened top and octagonal breech. This is a very nice large size deringer which bears "MAND FOR / W.H. CALHOUN / AGENT / NASHVILLE. TENN.". The lock is maker marked "DERINGER / PHILADA" as is the top of the barrel breech. All markings remain clear and fully legible, the barrel also having a "P" mark on top left flat of breech. The barrel shows an overall grav pating with some scattered light surface pitting along with some oxidation staining in some areas. The breech, tang and lock are a darker and more smooth patina with tasteful 19th century scroll engraving. The German silver mounted stock is of walnut and rates near excellent with about 70% original varnish, the checkering remains clean with just light wear. The German silver forend tip, wedge escutcheons, sideplate, triggerguard, bolster inlay and butt inlay all show a lovely even patina. The ramrod has a slotted iron jag on one and is brass bound on the other. This is a really nice, completely honest Calhoun agent marked deringer that has a lovely appearance the wood to metal fit is perfect, the stock edges are crisp. This pistol was sold at Julia's in October of 2010 when it was part of the David Crocker Estate Collection. A cool Nashville Tennessee retailed deringer. (1C9752-4) {ANTIQUE} (2500/4000) Est. 2.500 - 4.000

8	Rare San Francisco Ågent Marked Henry Deringer Percussion Pistol .41 caliber, 3" barrel including breech with an oxidized bore that shows strong rifling. The top of the double German silver banded barrel is marked "W.C. ALLEN & CO. / SAN FRANCISCO" and the top of the breech is marked "DERINGER / PHILADELA". This pistol shows scroll engraving on the lockplate, hammer, tang and the German silver furniture. The lockplate is also marked "DERINGER / PHILADELA" and the pistol shows the latest style pineapple finial. The condition is nice with the barrel showing a pleasing smooth brown patina with all markings including the "P" proof on top left flat remain crisp and legible. The lock is similar in color and again very smooth, the metal surface in general are free of pitting even within the bolster immediately around the nipple. The one-piece walnut stock rates very good with about 75% original finish remaining and the checkering remains strong with a couple dings within. W.C. Allen was a watch, diamond and jewelry in San Francisco between 1853 and 1870. Their period advertisements also list "Derringer" pistols and a general assortment of fancy goods. This particular Deringer is illustrated in Eberharts The Deringer in America Volume II on page 218 when it was part of the John G. Hamilton collection. A very rare Deringer pistol sold in San Francisco during the waning days of the California Gold Rush. (1C9762-2) {ANTIQUE} (3000/5000)
	Est. 3,000 - 5,000
9	Rare E. Schmidt & Co. Houston Texas Percussion Deringer .45 caliber, 2 1/2" barrel including breech and showing an oxidized bore. This deringer is marked on the top of the barrel "E. SCHMIDT & CO. HOUSTON." with the lock being plain and unmarked. This deringer feature gold band at muzzle and double gold bands at breech and is otherwise unembellished as all known examples of these pistols are. The iron surfaces are all a pleasing smooth gray brown patina with just a very small amount of fine pitting near bolster. The German silver furniture is all simple in form and all fits beautifully and has a pleasing patina. The checkered walnut stock rates very good with about 75% original finish remaining and with strong checkering which shows just light wear. The pistol shows a small German silver dovetail mounted blade front sight and simple rear mounted at the junction of the tang and breechplug. Comparing this pistol to the known examples in The Deringer in America, all furniture and markings are correct and the condition and wood to metal fit is better on this example than those shown in the book. E. Schmidt and Company was active in Houston during the 1860s and made deringer pistols along with percussion plains rifles. This is a very rare and desirable Texas made deringer. (1D9762-6) {ANTIQUE} (30005000)
	Est. 3,000 - 5,000
0	Excellent Colt Model 1903 Pocket Hammer Semi-Auto Pistol serial #43836, 38 ACP, 4 1/2" barrel with a bright about excellent bore which shows only some very minor frosting within the grooves. This is a lovely auto pistol, retaining about 97-98% original blue, the loss being only some very light wear near the muzzle, a bit of sharp edge wear at the butt and a minor handling mark or two, the hammer screw showing some light circumferential scratches around it. There are a few very sparsely scattered very light freckles of surface oxidation here or there, but they are unobtrusive. The hammer retains virtually all of its original vibrant color case-hardening and the bright polished portions of the barrel remain brilliant at the muzzle and ejection port, with a few tiny spots of light oxidation staining. The checkered hard rubber Rampant Colt grips rate excellent and one all blued magazine is included marked "Cal. 38/Colt" on its base. The rear sight shows a small ding on its right side, an issue that would not even be worthy of mention were it not for the fine condition of this pistol. The arm seems to function well mechanically and would be a welcome addition to any Colt auto pistol collection. (3B9908-21) {C&R} (2500/4000) Est. 2,500 - 4,000

## Lot Title/Description

61

Fine German Percussion Halfstock Sporting Rifle by Kuchenreuter .54 cal, 27" octagon barrel with a mostly bright very fine bore which shows some minor oxidation or light frosting, primarily within the grooves. This is a fairly fancy and very well-made rifle from this famous maker. The barrel shows a deep relief wootz-damascus pattern its full-length which continues onto the under rib and the ramrod thimbles and is an overall pleasing pewter-gunmetal patina. The rifle is sighted with a simple bead front sight atop a plain sporting ramp with a very scant u-notch rear which is adjustable for elevation via a small spanner nut, with a neatly chiseled and engraved front extension. The left and right diagonal flats near the breech show open loose relief scroll inlaid in silver with a small geometric decoration by the sunken silver "JAK" touch mark, all of this surrounding "J Adam Kuchenreuter in Regensburg" inlaid in gold. The lock is stepped at its rear with a small floral decoration there and wide open flowing foliate scroll on the front portion and side of hammer, a recumbent stag in a forested scene to the rear of the hammer. The hammer nose is lightly engraved in a dragon-style motif and the bolster and breech show the same open wide quality scroll which continues onto the tang. The tang itself shows an unengraved silver monogram plate with light borderline engraving and an original fold-down aperture sight, adjustable for both windage and elevation with the screws affixed to the sight. The metal surfaces are all primarily a pleasing smooth pewter gunmetal patina, the tailpipe with a bit of engraving, the front extension, tang extension, scrolling sideplate and bow of the guard all engraved similarly, the bow with a small reclining stag and a nice finger spur on its rear edge. The European walnut stock rates very good with the expected overall dings and handling marks one finds on a hunted arm. It features a horn forend tip. carved grip flourish to the rear of the guard and a very generous flared left side shadowline cheekpiece. The grip shows coarse checkering which is somewhat worn and filled now from the years, with fleur-de-lis in-carving and scroll accents. There is a wooden sliding door patchbox with push-button release, there are a number of chips, flakes and dents surrounding from folks over the years who obviously had no clue it was a push-button release and attempted to pry it open. The lock is dual-acting with a pivoting safety rest and the gun is equipped with double set triggers; they are somewhat sluggish and no doubt need cleaning as they do not currently set, but the lock functions well mechanically, and what is likely the original ramrod is included. A very handsome rifle from this famous German maker that obviously was ordered by a man of means and used afield, but which was cared for. (3B9670-305) {ANTIQUE} [David & Lore Squier Collection] (2000/3000) Est. 2.000 - 3.000

Lot Title/Description

Extremely Rare and Desirable 2-Digit U.S. Model 1911 Colt Pistol serial #38, 45 ACP, 5" barrel showing a very fine bore with strong evident rifling with minor frosting scattered in the grooves, more prominent nearer the throat, the barrel marked only with small "P" firing proof and inspectors number "5" on the barrel radius ahead of the lugs. An impressive arm given its age and serial number, the pistol was clearly issued and used by someone during its life. The slide retains strong markings and perhaps 15% original blue, the balance toned to a deep gray-blue faded original blue, with toning to pewter and wear to a silvery gunmetal on the sharp edges and contact points. It has light scattered oxidation staining and scattered light pitting and retains its tapered thin blade front sight and rounded u-notch rear; the scant u-notch rear shows a tiny ding on the left edge of the aperture making it appear a bit wide. The extractor shows some remnants of pale fire blue on its exposed portion and the slide shows random dings or handling marks here and there. The frame retains perhaps 20% original fading blue with strong property marking, inspectors marking and serial number stampings. It has toned to a silvery and gray patina on the straps and on the sharp edges and contact points, with a bit of scattered oxidation staining here and there and some scattered light pinprick pitting. Both the first style hammer and trigger show strong original pale fire blue with operational wear, primarily on their right sides; the safety as well shows some strong trace blue at the root of the checkered thumbpiece. The grips rate good showing quite a bit of wear to the checkering along their lower sections, the left grip worn nearly smooth around the lower diamond, the right showing a bit of wear as well, but they are early style with the correct 15-row diamond count between the larger diamonds, the stock screws are the original thin head with shallow screwdriver cuts. The barrel bushing has the correct beveled edges and shows some nice pale fire blue while the recoil spring plug shows some nice blue around its periphery below the checkering, it is correct early style without punched recoil spring-captivating detent, the recoil spring guide as well is the early "old style" with squarish front edge and sharp corners at the legs which ride beneath the barrel itself. It appears as though the slide stop is likely a later replacement as the checkering is horizontal rather than "diagonally diamond-shaped" as we see on serial #39 (published in Clawson's book on the subject), the magazine release catch as well is slotted rather than the early concave dished style; Cylinder and Slide Inc. has early style magazine catch retainers available if one wished to replace the current one in the gun with a correct-style and have it properly fire blued (the magazine catch may be an older replacement as well as there are no vestiges of fire blue and the frame is a bit dinged up in the area surrounding it). Included is a two-tone lanvard-based magazine with a riveted base plate of the "new type" having the rivets nearly flush with the bottom edges of the magazine body. The magazine shows a two-tone pale gray upper section with fading blue and flaking brown on its lower portion with a couple small dings and some light pitting at upper left. Included with the gun is a copy of the Collectors Guide to Colt 45 Service Pistols © Clawson 1998. The small-sized 130 page "enlarged and revised edition" is in very good condition with some light staining and soiling to the covers, with this guns sister pistol, serial number 39, on the rear cover of the book. The first fifty of these iconic Colt pistols are extremely desirable arms and nearly never come up for public offer. This example is honest and clearly has not been messed with or adulterated over the years, having only a few normal replacement parts that one would expect from an issued arm. Serial numbers 1-44 were assembled at Colt December 28, 1911 and serial numbers 1-50 of these first-shipment 1911 pistols all went to the Commanding Officer, Springfield Armory on January 4, 1912. A very respectable example of these iconic 1911 pistols that was miraculously issued and clearly carried by some individual, most likely during both of our World Wars. (3H9826-1){C&R} (25,000/35,000) Est. 25.000 - 35.000

## Lot Title/Description

63

Lot Title/Description

Fine French Over Under Percussion Double Rifle by Caron of Paris .60 cal, 22 3/4" octagon barrels with bright about excellent bores which show some minor scattered oxidation here and there. The barrels on this lovely rifle show a nice contrasting brown and pewter damascus pattern their full length, with a few spots of very light oxidation staining sparsely scattered here and there, which are mostly unobtrusive due to the wonderful color on the barrels. Top flat is engraved with the makers name "Caron" in an old English monogram style, and engraved in fancy script after is "á Paris Arq. De S. M. l'Empereur". The barrel frame and back action locks are a silvery pewter patina, likely finished bright when new, as no remnants of color case-hardening remain, they show a bit of light oxidation in the area below the nipples. They are over all engraved in excellent quality open flowing foliate scroll with the finest satin background stippling accenting the work. Each back action lockplate is marked in relief around the hammer "Caron a Paris". The very French, forward curving swirl triggerguard, and long tang show a freckling of soft brown patina, with the same nice quality foliate engraving seen on the lockplates, the bow of the guard with a coat of arms. The arms has a circular clan badge-style belt in-which is written "SPERNO", this circling a field of three knight helms, surmounted by a torse of color from-which emanates gauntleted hand holding a snake by the neck. The arm is stocked in a lovely grade French walnut showing some stunning grain figure, much original varnish and the expected light handling marks that come from a field-used arm. The wraparound checkering pattern is flawlessly executed and features mullered borders and there is a silver shield-shaped monogram plate atop the wrist which appears to be engraved "TES". The smooth iron buttplate shows the same excellent quality engraving along its tang, it gives a 14" length of pull to the front trigger and the arm is fitted with sling swivels. There are some drying checks in the highly figured wood but they are unobtrusive and a silver oval monogram plate along the toeline is neatly engraved "4". The arm is sighted with a simple silver bead front sight and two leaf v-notch rear, one standing, one folding, and what is likely the original iron ramrod is captivated in the left side thimbles. The hammers are in time and locks function well mechanically and are covered by a very neat leather action cover, likely made for the arm as it fits precisely, marked "Dubois a Paris". Stockel lists E P Caron of Paris as the arquebusier to Emperor Napoleon III, in the period 1852-70. A very lovely, and no doubt still usable, over under double rifle of high quality make. (3C9670-46) {ANTIQUE} [David & Lore Squier Collection] (3000/5000) Est. 3,000 - 5,000

Exquisite German Percussion Double Fowler by Bössel	I
About 12 ga., 32 1/2" barrels with fine bores which show some sparsely	I
scattered very light oxidation and perhaps some light pinprick pitting.	I
Externally the barrels are very nice and show a very fine textured	I
damascus pattern on both barrels and ribs, their full length, with a few	I
very light handling marks near the muzzles. Sighted with a simple silver	I
bead front sight, the rib is marked "Lorenz Bössel in Suhl" inlaid in gold,	I
surrounded by silver inlay foliate scroll of excellent quality; there are dual	I
	I
inlaid silver bands at the breeches. The breeches themselves shows	I
some strong remnants of color case-hardening with very light borderline	I
engraving and small gold inlaid floral petals at the blowout plugs, with an	I
auerhahn perched in a tree, inlaid in gold, on the rib extension between.	I
The long tang as well is quite fancy with open rococo scroll engraving	I
with a gold inlaid game dog, which seems to be bellowing at the	I
aforementioned auerhahn above him, with many of the small scrolls or	I
floral petals having small gold accents. The back action lockplates and	I
hammers are a pleasing pewter gray patina and show the same open	I
rococo and foliate scroll with game birds right and a fox with hare left.	I
They show the same lovely little tiny gold inlaid accents, continuing onto	I
the hammers which are dolphin nosed, each with gold eyes. The arm	I
features German silver furniture with two plain German silver ramrod	I
thimbles, a long rear tang tailpipe with finial extension and lovely	I
engraving, a mirror image of this on the front extension of the	I
triggerguard. The triggerguard itself shows small scrolled accents with a	I
rear pistolgrip, the bow showing an engraved hunter taking aim at game,	I
the long tang of the German silver buttplate embellished with lovely	I
scroll. The arm is stocked in a nice grade of what is likely French walnut,	I
the stock rating very fine with much original varnish and the overall	I
5,	I
expected dings and handling marks that come from the hunted arm. It	I
features a very generous flared left side cheekpiece with a concave	I
overhang and tiny carved border on its edge, a portion of which has	I
chipped away along its rear. There are checkered panels at the grip and	I
forestock flanked with lovely open flowing carved scroll and floral	I
accents of the finest quality. To the rear of the cheek rest we find a	I
beautiful relief-carved game scene showing a dead fox hanging from a	I
tree with hounds inspecting him, each having an inset silver collar, this	I
all flanked by foliate and scroll relief carving. The locks are crisp and	I
mechanically functional and are equipped with the automatic hammer	I
stop rests which protrude from the lockplate when the hammers are	I
withdrawn to the rest position, before the half-cock notch, with them	I
drawing back to the interior of the lockplate when the hammers are	I
brought to the full-cock position. The length of pull is 13 3/4" and what is	
likely the original ramrod is present. An extremely lovely German double	
fowler that would be a welcomed addition to any collection of highly	
embellished German arms. (3D9670-311) {ANTIQUE} [David & Lore	
Squier Collection] (3000/5000)	
Est. 3,000 - 5,000	
• •	ч

Exquisite German Percussion Double Fowler by Bössel

68

69

## Lot Title/Description

Lot Title/Description

65 Wonderful Cased German Percussion Target Pistol by G. Wigand of Frfurt .39 caliber, 9" octagon barrel with a bright excellent bore. This pistol has lovely form and is beautifully embellished with engraving, gold and silver inlay and stock carving. The top of the barrel is engraved and inlaid in gold "G. WIGAND ERFURT" and shows silver inlaid bands and very fine geometric patterns at the muzzle and breech. The barrel breech and tang show relief floral scroll with gold inlaid coat of arms depicting an arm with sword at center and a trident at the top. There is also a shell type motif gold inlaid just ahead of the adjustable rear sight. The continental style humpback lock with recessed rear is engraved in lovely relief floral scroll with a recumbent lion inlaid in gold with a tropical background with palm trees. The hammer is engraved with a dragon-like creature engraved on the nose with gold inlaid eyes. The triggerguard has a finger spur and houses an adjustable set trigger, the outer bow of the triggerguard is engraved with a gold inlaid jaeger. The condition of the pistol is fabulous with the barrel retaining 95% bright original blue finish with just a few small scattered patches of light surface oxidation staining. The balance of the metal surfaces are finished in a French grey which remains excellent, smooth and even overall. The stock is of beautifully figured walnut which shows handsome darker striped grain. The grip features superbly executed relief floral scroll carving with a stylized animal face within each panel. The butt is carved in the same lovely fashion with a crosshatched geometric medallion at center. The tip of the forend shows more of this lovely treatment. The condition of the stock is excellent with 97% original finish remaining and with all carving sharp and finely detailed. The pistol comes in a period French fitted oak casing with a copper flask, powder measure, nipple wrench, sight key, ramrod, along with pewter oiler and brass cap tin; there are two other covered compartments. The case is lined in green felt and rates very good plus on the interior and about the same on the exterior with 95% original finish remaining and with a stable crack across the lid and two across the bottom. There is some ink writing on the lid which is difficult to decipher, our best guess is "Bahn / Breitling / Eppstr 18". A simply wonderful piece 19th century German artistry in arms. (1D9670-449) {ANTIQUE} [David & Lore Squier Collection] (2500/4500) Est. 2,500 - 4,500 66 Ornate Austrian Flintlock Fowler by Joseph Fruewurth About 28 bore, 37" part octagon part round barrel with a very good bore which is mostly bright but shows a bit of light surface oxidation. Really an exquisite arm in its day, this single barrel fowler remains very attractive and ornate. The barrel is an overall tarnished pewter and deeper blue-gray patina. It has a simple silver blade front sight with four-legged silver inlay flanking, the barrel shows a nice dual medial ring with chiseled engraving at the point of transition and shows 11 impressed touch marks at the breech, nine are fleur-de-lis, two are makers marks. The lockplate features a nice beveled edge and small teat at its rear with a faceted pan and unbridled frizzen. It shows nice loose open flowing scroll and is maker marked "Ios Fruewurth/in Weinn" on the plate, the frizzen spring neatly chiseled with a flared tail. The graceful swan neck cock has some light engraving on its face and the frizzen appears to be resurfaced from the period of use. The half stock shows a nicely engraved brass nosecap, faceted thimble, engraved and chiseled tailpipe and a fancy engraved and chiseled front extension ahead of the triggerguard band, which supports the wooden guard itself, and bolsters it from damage. The forestock area shows a nice pierced and engraved capucine, with the rounded brass buttplate showing a rococo engraved tang. The monogram plate atop the wrist shows rococo scroll surmounted by a crown with the initials "MA" engraved within. The halfstock itself rates very fine with the expected dings and handling marks from the years, small cracks left and right at the tip where the sling swivel is located. There are nice ribs carved left and right of the ramrod channel, some open flowing scroll in the forestock and surrounding the front extension, with nice scroll left and right of the wrist and at the rear of the square-bottomed cheekpiece. The tang as well shows some open scroll and scallop carving and there is a sling stud along the toeline. The lock seems to function well mechanically and what is likely the original ramrod is present. A lovely and very ornate single barrel flinter, doubtless made for nobility by the wrist escutcheon, Fruewirth being a court rifle maker and rifle repairer in the 1750s. A bit of research may uncover the identity of "MA". (39670-309) {ANTIQUE} [David & Lore Squier Collection] (2000/4000) Est. 2,000 - 4,000

Fabulous Remington Model 1875 Single Action Army Revolver
serial #11243, 44-40, 7 1/2" barrel with an excellent bore. This revolver
remains in extremely fine original condition. The barrel bears the proper
"E. REMINGTON & SONS ILION, NY. U.S.A." and the revolver shows
no other external markings. The metal surfaces retain about 98%
original nickel finish overall which remains quite bright. There are some
very light normal abrasions in the finish and a couple scratches on the
left side of frame emanating from one of the screws. The hammer shows
perhaps 95% or its original color case-hardened finish which is just
slightly toned and has a wonderful appearance. The two-piece walnut
grips rate near excellent with a good deal of original finish remaining and
with just very light handling marks. This is a very fine and completely
honest 1875 revolver. (1B9362-19) {ANTIQUE} [Edward W. Marron, Jr.
Collection] (4000/6000)
Est. 4,000 - 6,000
Very Fine Remington Model 1890 Single Action Army Revolver
serial #1908, 44-40, 5 3/4" barrel with a mostly bright very good plus
bore showing a few small areas of pinprick pitting and strong rifling
throughout. The metal surfaces of this attractive revolver retain about 94-95% original nickel finish with most of the loss due to some very fine
- · · ·
flaking toning to a mild gray-brown patina along the ejector rod housing, sides of the frame and hammer, along with a few light dings on the
frontstrap and some other scattered light handling marks. A few of the
screw heads show some light slot wear, the grip screw retains some
nice fire blue and the Remington Arms Co. address remains crisp and
clear as does the "44.C.F.W" marking on the left side frame. The black
checkered hard rubber grips with RAC monograms are pencil-numbered
to the gun and remain in near excellent condition showing some minor
smoothing around the edges, a few light scratches and toning to pale
brown patina. The bottom of the left panel is lightly scratched with the
name "MAX" and with a small "A" below the monogram. The lanyard
ring is intact, the triggerguard and loading gate are matching the frame,
the remaining parts are un-numbered and the action seems to function
well mechanically with excellent timing and lock-up showing a hint of
play. A lovely example of these very desirable Remington revolvers.
(13B9362-94) {ANTIQUE} [Edward W. Marron, Jr. Collection]
(5000/7000)
Est. 5,000 - 7,000
Eactory Engraved Remington Polling Plack "E" Crede Mid Denge Terret
Factory Engraved Remington Rolling Block "E" Grade Mid-Range Target
Factory Engraved Remington Rolling Block "E" Grade Mid-Range Target Rifle
Rifle
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel,
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS"
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible.
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel bows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottrom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth in tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous Jack Appe
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous Jack Appp
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous Jack Appel
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous Jack Appe
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottled pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous Jack Appe
Rifle serial #6893, 40-70, 32" part round part octagon barrel with a bright excellent bore. This lovely rifle features matching numbers on the barrel, frame, and end-grains of both the buttstock and the forend as well as the inside surface of the buttplate. This rifle features wedges of beautifully executed scroll engraving on the action, triggerguard, barrel breech and forend tip. All screwheads and pins are engraved including the buttplate screws, the smooth steel shotgun buttplate is not engraved. The barrel shows the six-line patent dates on the top flat ahead of breech, presumably to give the engraver more of a blank canvas on the action. The barrel has been nicely reblued long ago with neatly filled holes, one through the patent dates and the other further forward on the octagonal section. There is also a dovetail cut through the barrel address after the "E" in the "E. REMINGTON & SONS" address with the first few letters in "Remington" being no longer visible. The color and style of the finish is excellent, the finish is old and passes muster upon first glance. The bottom of the barrel beneath the forearm is marked "T P & B PG ENG". The barrel shows about 90% of this quality blue with areas of thinning and loss taking on a pleasing brown patina. The action shows perhaps 70% original color case-hardened finish which has faded to a pleasing smooth mottle pewter gray. The metal remains smooth and the engraving remains crisp. The rifle features its original factory single set trigger. The checkered pistolgrip buttstock and smooth iron tipped forend rate very good appearing to have been very lightly refinished long ago, the surface and color are wonderful and there is an old repaired break through the wrist that is in the checkering, sound and well camouflaged. The fit remains excellent both at the action and at the buttplate and the lower stock screw is a replacement. The interior of the forend is written in large block pencil letters "J. APPEL" indicating that this rifle as once part of the famous Jack Appel

70	Superb Remington Hepburn No. 3 Match Grade "A" Rifle	1 1	73	Beautiful U.S. Model 1866 Second Model Allin Conversion Rifle by
10	serial #8485, 38-40 B&M, 28" part round part octagon No. 3 weight		10	
				Springfield Armory
	barrel with a bright excellent bore. This rifle is in extremely fine			50-70, 36 5/8" barrel with a bright excellent bore. The barrel, bands and
	condition. The barrel shows the "REMINGTON ARMS CO." address and			triggerguard are finished "National Armory bright" and rate very fine with
	retains about 90% evenly thinning original blue finish with a bit of loss			a few scattered tiny areas of pinprick pitting, a few narrow streaks of
	near the muzzle where there is a patch of very fine salt & pepper pitting.			wear at the muzzle and faint oxidation freckling scattered throughout.
	The action shows 98% brilliant original color case-hardening with all			The breechblock, hinge and thumbpiece retain nearly all their original
	screw slots remaining untouched. The hammer and breechblock show			oil-quenched blackening with a little light flaking, slight high edge wear
	98% rich original blue finish. The checkered rounded pistolgrip buttstock			and splashes of old dried preservative. The hammer and lockplate
	and smooth forend rate excellent plus with 99% original finish remaining			display good amounts of their original case-hardened colors again with
	and with crisp checkering and edges. The rifle wears its original Swiss			spots of old dried preservative and the rear sight retains nearly all its
	buttplate which is numbered to the gun and retains 99% original nickel			original blue. The breechblock is properly marked "1866 / (eagle head)"
	finish. The rifle is sighted with a Beach combination front, there is no			while the lockplate is dated "1864" behind the hammer and is stamped
	provision for rear barrel sight and short range graduated tang mounted			with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD"
	peepsight is present. This rifle is illustrated and described on pages 80			below the thumbpiece. The attractive smooth black walnut stock rates
	and 81 of Rowe's Remington's No. 3 Hepburn book. A very handsome			very fine with mostly crisp edges around the stock flats, some light
	Hepburn rifle with lots of condition. (1D9790-80) {C&R} [Bob Borcherdt			handling marks on the left stock flat and a few scattered light dings from
	Collection] (4000/6000)			the years. The stock features crisp intertwined "SWP" and "ESA"
	Est. 4,000 - 6,000			inspector's cartouches on the left flat and a few inspection initials behind
71	Fine U.S. Special Model 1861 Percussion Rifle-Musket by Amoskeag			the triggerguard. The rifle includes a period replacement slotted
	Manufacturing Co.			button-head ramrod with swelled shank, the original sights and swivels
	.58 cal., 40" barrel with a mostly bright about very good bore for its age			are intact and the action is robust and crisp. The Second Model Allin
	with some scattered areas of minor pitting in the rifling. The metal			Conversion is the predecessor of the famous Trapdoor series and this
	surfaces of this desirable rifle rate fine with a couple tiny vise "bite"			example remains in wonderful condition. (23B9845-1) {ANTIQUE}
	marks on the left side of the breech, a few small areas of softened			(1500/2000)
	pinprick pitting around the area of percussion, and some faint and			Est. 1,500 - 2,000
	unobtrusive staining along the barrel and mountings which is really only		74	Excellent U.S. Model 1884 Trapdoor Rifle by Springfield Armory
	noticeable under bright direct light. The lockplate is dated 1863 behind			serial #465828, 45-70 Govt., 32 5/8" barrel with a bright excellent bore.
	the hammer and marked "U. (Federal Eagle) S. / AMOSKEAG MFG.			The barrel, bands and triggerguard retain about 97% original blue with
	CO. / MANCHESTER, N.H." with some cleaned faint pitting slightly			minor silvering around the muzzle, a tiny spot of pinprick pitting behind
	obscuring the "CHESTER" of Manchester, while the small Federal Eagle			the rear sight, a couple small abrasions behind the upper band, along
	on the bolster is clear. The buttplate tang is marked "U (star) S / 7" while			with some scattered light handling marks and small spots of loss on the
	the top of the breech is dated 1863 with the right flat showing "A.M.C."			barrel bands toning to gunmetal gray. The buttplate has aged to a
	and the left "W" along with a very crisp "V / P / (eagle head)" proof on			mottled gray-brown patina while the breech tang is gray and the
	the left quarter flat. The smooth American black walnut stock rates very			1884-dated breechblock retains 99% original case-hardened colors with
	good to perhaps very good plus as lightly cleaned and refinished long			a few tiny spots of pinprick pitting. The receiver, lockplate, hammer and
	ago with a nicely-camouflaged small filled repair on the comb ahead of			thumbpiece retain nearly all their original oil-quenched smoky colors with
	the buttplate tang, to the left of the upper tang, and forward of the			a few tiny spots of flaking ahead of the hinge, the top of the hammer is
	lockplate along with a few scattered light handling marks. The left stock			thinning to gray and there are a few tiny impact marks on the
	flat bears the remnants of an inspector's cartouche, the original sights,			thumbpiece. The breech of the barrel displays a crisp "V / P / (eagle
	sling swivels and cupped tulip-head ramrod are intact, and the action			head) / P" proof and the lockplate is properly marked with a Federal
	remains robust. A very attractive example of the least common of the			Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the
	Special Model 1861 Contract rifle-muskets produced right here in			thumbpiece. The smooth black walnut stock rates very good plus to
	Manchester. (23A9833-40) {ANTIQUE} (1500/2500)			perhaps fine with a handful of light dings and handling marks, mostly on
	Est. 1,500 - 2,500			
		-		the left side, the worst of which is a small abrasion on the left side of the
72	U.S. Model 1855 Type I Percussion Rifle-Musket by Springfield Armory			buttstock. The left stock flat features a strong "SWP / 1889" inspector's
	.58 cal., 40" barrel with a bright very fine bore showing some very light			cartouche and the circled "P" firing proof behind the triggerguard is very
	pitting in the strong rifling. The "National Armory bright" metal surfaces			crisp. The original sights including the R-marked Model 1884 Buffington
	rate about very good as lightly cleaned during the period of use with			rear are intact along with the stacking and sling swivels, a slotted
	some light pitting on the lockplate and around the area of percussion,			button-head ramrod with swelled shank is included and the
	softened pinprick pitting on the triggerguard and in the crevices of the			three-position lock and tumbler are very strong and crisp. This excellent
	bands which also show some light old oxidation, and some scattered			condition Model 1884 Trapdoor rifle is sure to make a welcome addition
	areas of faint staining noticeable under bright light. The rear tang of the			to the advanced U.S. military arm collection. (23A9833-13) {ANTIQUE}
	triggerguard has a few unintelligible symbols scratched into it while the			(1000/1500)
	brass forend cap has aged to a mustard patina. The primer door is			Est. 1,000 - 1,500
	marked with a Federal Eagle while the lockplate is marked "1857"	'		
	•			
	behind the hammer and "U.S. / SPRINGFIELD" ahead of the primer			
	door. The top of the breech displays "1864" which is slightly obscured			
	along the bottom from cleaning while the left flat of the barrel is marked			
	"A (star)" and the left quarter flat bears a "V / P / (eagle head)" proof			
	mark. The smooth black walnut stock rates good to perhaps very good			
	as lightly cleaned with a light coat of period added finish along with a			
	3/4" chip behind the rear lockplate screw, a lengthy scratch on the right			
	side of the buttstock and on the left stock flat, and the scattered minor			
	handling marks to be expected of an issued Civil War arm. The left stock			
	flat bears the remnants of a few cartouches, the original cupped			
	tulip-head ramrod with swelled shank and the sling swivels are intact,			
	the barrel is sighted with a blade front and Model 1861 rear and the			
	Maynard Tape-Primer mechanism appears to function well			
	mechanically. The action remains very strong and crisp on this very			
	good Model 1855 rifle-musket which is historically significant for being			
	the first U.S. service rifle to fire the Minié ball. (23A9833-47) {ANTIQUE}			
	(1500/2500)			
	Est. 1,500 - 2,500	J		

75	Extremely Fine Kidder Cased Starr Model 1858 Double Action	1	77	Fine Cased Allen & Wheelock Sidehammer Belt Model Percussion
	Percussion Revolver			Revolver
	serial #8438, .44 caliber, 6" round barrel with a bright excellent bore.			serial #159, .34 cal, 4" octagon barrel with a bright very good plus bore
	This is a rare civilian model Starr bearing no government inspector's			showing a small area of light oxidation about mid-length and otherwise
	initials and shows matching numbers on frame, cylinder and barrel. The			crisp rifling throughout. The barrel of this handsome revolver retains
	condition of the revolver is wonderful with the barrel and frame retaining			perhaps 50% original bright blue that is taking on an attractive pale fire
	90% bright original blue finish overall with loss due only to flaking. The			blue-like tone with the balance flaked to a pleasant deep plum-brown
	cylinder shows a little more flaking and retains about 60 - 70% original			patina showing some scattered remnants of old minor oxidation staining
	blue. All flaked areas show a lovely smooth brown patina and the face of			and one small area of minor pitting along the left edge. The frame
	the recoil shield and the rear face of the cylinder and nipples show lots			retains perhaps 25% original bright blue, strongest in the protected
	of original finish and no pitting. If the revolver has been fired it was			areas, again with the balance toned to a nice deep plum-brown patina
	cleaned immediately after as there is no evidence of any powder			showing some mild freckling and a tiny area of faint scratches on the
	corrosion. The hammer and lever show nearly all of their original color			bottom left edge. The cylinder and loading lever / triggerguard retain
	case hardened finish, screwheads show bright original blue with clean			about 90% plus wonderful vibrant case-hardened colors showing a few
	slots. The one piece walnut grip rates excellent with lots of original oil			small areas along the cylinder and bow of guard to a pleasant mild gray
	finish remaining and with a one tiny ding or chip in the edge of the butt. The revolver comes in an original Kidder Patent case with brass bound			patina, the cylinder also showing a number of small hammer impact marks along the back edge and some oxidation staining within the
	corners and green and black patterned interior. The Kidder markings on			nipple wells. There are still some remnants of protective lacquer present,
	the case between base hinges remaining clearly legible			the hammer also shows some attractive case-hardened colors toning to
	"MANUFACTURED / SOLELY BY W. KIDDER." and "PATENT APR.			a deep silvery gray patina and the lovely forest cylinder scene remains
	1854". The condition of the case is very good with lining intact and with			100% intact and crisp. The base pin head shows a little minor slot wear,
	the exterior showing 95% original varnish. The case includes a neat bag			two nipples have broken out of, and been lost from, the cylinder and the
	shaped flask with hunter holding bugle in one hand and rifle in the other			left side barrel markings remain clear. The smooth walnut grips are
	standing next to a dog, the original wood handled brass single cavity			stamp-numbered to the gun and remain in near excellent condition
	mould is present along with cap tin and "L" shaped combination tool.			retaining about 95% original varnish showing some mild edge wear and
	Cased civilian Starr revolvers are extremely rare and this is an			a few scattered light dings. All of the serialized parts are matching and
	exceptional example. (1B9857-49) {ANTIQUE} (5000/7000)			the action seems to function well mechanically with solid timing and
	Est. 5,000 - 7,000			lock-up. The included original mahogany case rates very fine retaining
76	Cased C.R. Alsop Percussion Navy Revolver	1		95% original finish showing a few small moderate dents along the edge,
	serial #436, .36 caliber, 5 1/2" octagon barrel with a lightly pitted bore			some scattered light handling marks and a moderate 4" drying crack
	that shows strong rifling its entire length. This revolver is cased in a nice			along the bottom. The case features a nice contrasting rosewood lock
	period mahogany case with soft wood base which remains in excellent			escutcheon and there is no key present. The interior is lined with dark
	condition. The barrel of the revolver shows a smoky gray brown patina			green baize showing a few mild scuffs and a small tear corresponding to
	with some scattered light pitting visible in areas. The barrel address is			the drying crack along the base and there is a small worn notch from the
	partially obscured by pitting with about 50% of it being legible. The fluted			front sight. The case contains some nice period accessories including an
	cylinder matches the barrel in condition with pitting confined mostly to			unmarked powder flask, dual cavity bullet mould and tin of caps. The
	one area spanning two flutes. The frame is a pleasing gray brown with			flask rates very fine having taken on a pleasant bronze tone retaining
	good legible patent marks on left side and showing just some very light			much original finish with some mild tarnishing and handling marks and
	salt & pepper pitting. The two-piece walnut grips rate excellent with 95% original finish remaining and with crisp edges. The case is lined in green			the spring retaining 95% brilliant fire blue. The mould with one round ball and one conical cavity rates very good showing some scattered old
	baize and rates excellent both inside and out with rich color on lining			oxidation staining and light dings and the cap tin remains almost entirely
	with proper wear marks from the gun resting in the case. The case			full with intact yellow Rd. Walkers label. A lovely cased example of these
	includes a nice English falcon and hare flask, brass two-cavity mould			handsome and desirable revolvers. (13C9845-5) {ANTIQUE}
	which is marked "KMH / 4", a cap tin, key and a few cast projectiles.			(2000/3000)
	This is a nice Alsop in a wonderful casing, this would be stunning with a			Est. 2,000 - 3,000
	high condition Alsop. (1B9859-48) {ANTIQUE} (2500/3500)		78	Excellent Cased Allen's Patent Dragoon Size Pepperbox Retailed by
	Est. 2,500 - 3,500			J.G. Bolen of New York
		-		.36 caliber, 5 1/2" barrels with flat ribs and very good lightly oxidized
				bores. This bar hammer pepperbox features the dog leg grips with oval
				inlay and spurless triggerguard. The hammer is marked on right side
				"J.G. BOLEN N.Y." while the left side is marked "BOLEN 104 B'WAY
				N.Y. / ALLEN'S PATENT". Two barrel ribs are engraved with "J.G.
				BOLEN" and "BOLEN 104 B'WAY N.Y.", another is marked
				"PATENTED 1837 CAST-STEEL". The frame shows beautiful original
				scroll engraving with the nipple shields showing nice floral etch. The
				etching and engraving both remain very sharp and crisp. The barrel
				cluster shows about 60% original blue with some surface oxidation and oxidation staining present, a meticulous cleaning may enhance their
				already nice appearance. The frame and nipple shield retain perhaps
				20% original blue with the balance flaked and the exposed surfaces
				bearing a pleasing smooth gray brown patina which remains smooth and
				free of pitting. The sole frame screw shows slight slot wear which could
				likely be easily dressed. All markings remain clear and legible except for
				those that were somewhat poorly struck, no markings are diminished by
				the condition of the gun. The walnut bag shaped grips rate about
				excellent with 90% original finish overall. The original mahogany case is
				very fine with red baize lining. The interior of the lid bears a beautiful
				blue Bolen retailer label "BOLEN'S / LIFE AND PROPERTY
				PRESERVERS / Important to Travellers and Housekeepers" There is a
				full description of how the gun functions and its capabilities beneath the
				title "The last and greatest Imporement in / Fire-Arms!". Also included in
				the case is a small advertising card for Bolen and a hand written piece
				of paper which reads in ink "Volver-Pills". The accessories include a nice
				brass powder flask with plunger top, a two-cavity conical and round
				bullet mould, brass ram and cleaning rods, a cap tin and cast projectiles. The interior of the case is very good with some wear to the lining and
				some partitions partially loose but the lining remains intact, the exterior
				is excellent. A very fine cased Bolen retailed Allen Pepperbox with
				period and very endearing advertising. (1B9670-427) {ANTIQUE} [David
				& Lore Squier Collection] (2000/4000)
				Est. 2,000 - 4,000

79

Lot Title/Description

patent for over 68 pounds Sterling, nearly double the price of his most valuable invention. This is a wonderful double gun built by one of England's most respected gun makers and designers and owned by one of America's most successful entrepreneurs and pioneer of modern photography. A truly investment grade, best quality London double. (1G9670-461) {C&R} [David & Lore Squier Collection] (10,000/15,000) Est. 10,000 - 15,000

Very Fine Frederick Beesley Sidelock Double Ejectorgun of George Eastman founder of Eastman Kodak Corporation serial #1680, 16 ga., 27" barrels with bright excellent bores. The barrels are London nitro proofed for 1 oz loads and chambers remain at 2 1/2" in length. The barrels are jug choked with the left opening from .675" to .690" then back to .675 and the right opening from .672 to .677" and then back to .674". Through a telephone conversation with London Gun Company who build the modern day Beesley guns and who hold the original records, this gun was built as a best quality 16 bore gun with 29" Whitworth steel barrels. The gun was sold to a G.W.A. Lloyd on December 4, 1899. In 1900 the gun was returned to Beesley by Mr. Eastman and the barrels were shortened to 27" at that time. The shotgun features full coverage rose and scroll engraving on the action and locks with each lock being engraved "BEESLEY LONDON / PATENT" in riband. The belly of the action is also engraved "BEESLEY PATENT" and the top lever is again engraved "PATENT". The fences show Beesley's deep relief stylized acanthus leaf engraving and the top tang shows the word "SAFE" inlaid in gold. The barrels show wedges of fine scroll at breech with each barrel being engraved on top "WHITWORTH'S FLUID PRESSED STEEL" with the rib being engraved "F. BEESLEY 2 ST. JAMES STREET LONDON PALL MALL CORNER". The condition of the gun is wonderful with the barrel retaining about 90% evenly thinning original blue which is beginning to blend with a pleasing smooth brown. There is one area on right side of right barrel just ahead of the forend along with a few areas on the left barrel that show some light oxidation staining, there does not appear to be any pitting. The action and locks show over 95% bright original color case-hardened finish, all screw slots are clean and properly indexed. The triggerguard retains 95% original blue with just the tiniest bit of thinning on the tang. The highly figured English walnut stocks feature a flat top checkered wrist and forend and remain in fabulous original condition with an oval silver monogram plate in the toeline which is engraved "GE". The stocks show nearly all of their original hand rubbed oil finish with absolutely perfect fit, extremely crisp edges and dropper points. It doesn't look like a turnscrew has touched this gun since it left London. The gun features double triggers, automatic safety, ejectors, and a straight grip stock with checkered butt. The gun has a 13 7/8" length of pull to the checkered butt and shows drops of 1 5/8" and 2 5/8". The gun weighs in at only 5 1/2 lbs. and shows minimum wall thicknesses of .025" right and there is one area in the left tube of .020" 17" from the breech. The gun remains tight, on-face and the ejectors are in time. The shotgun comes in its original red baize lined oak and leather case with brass reinforced corners. The original Beesley label listing the serial number and load data is present on interior of lid, it also bears Eastman's signature in ink "Geo. Eastman / Rochester, NY". Eastman's signature was distinctive and this is no doubt written by his hand. The condition of the case is excellent with the barrel recess having a red lined block added to fill the 2" gap after alteration. The included accessories are a rosewood cleaning rod with associated implements, two horn handled Hawksley marked turnscrews, a broken shell extractor, snap caps and a nickel oiler. There is a foil tube of lubricant which is embossed around its top "EASTMAN KODAK COMPANY / ROCHESTER, N.Y.". George Eastman was born on July 12, 1854 in Waterville, NY. and the family moved to Rochester in 1860 where his father had started a business school called Eastman Commercial College in the early 1840's. George was educated in private schools and left school at the age of fifteen after his father's death to help support the family. In 1884 George Eastman patented the first camera film in roll form and developed the Kodak camera, Kodak being a word Eastman created. In 1889 he first offered film stock for sale for use in other cameras and by 1896 was the leading provider of film stock in the world. He never married, was very close to his mother whom he tried for years to repay for her love and dedication. She was reluctant to accept his gifts and after his death he built the Eastman Theatre which housed the Kilbourn Theatre (his mother's maiden name) which was dedicated to her memory. He was a tremendous philanthropist and proponent of education donating more than \$100 million during his lifetime to various institutions and organizations including MIT, RIT, the Tuskegee Institute in Alabama and the Hampton Institute in Virginia. He also donated money to build a dental school in London which is now part of the University College in London. Eastman suffered from degenerative spinal disease and spent his last years in great pain. On March 14, 1932 at the age of 77, Eastman succumbed to the pain, shooting himself through the chest leaving a note behind which read "To my friends: my work is done. Why wait? G.E." He had a storied and extremely successful career and upon his death his entire estate was bequeathed to the University of Rochester. Beesley was similarly prolific in his own field of work filing over 25 patents during his career and being dubbed the "Inventor to the London gun trade". His most famous patent is the assisted opening system that he sold to Purdey in 1880 for the sum of 35 pounds sterling; Purdey uses his patented system to this day in building their double guns. As a comparison, this shotgun sold 20 years after the sale of that

80	Engraved and Cased Remington Double Deringer	83	Browning Superposed Lightning Midas Grade Over Under Shotgun Two
	serial #L92163, 41 RF Short, 3" barrels with bright excellent bores. This		Barrel Set
	is a very handsome Type III deringer with barrel address reading		serial #47729S5, 12 ga 26 1/2" ventilated rib barrels choked improved
	"REMINGTON ARMSUMC. CO. ILION. NY.". The barrel and frame of		cylinder and modified with excellent bores and 12 ga 28" ventilated rib
	this deringer show lovely relief floral scroll with punchdot shaded		barrels choked modified and full with excellent bores. The 28" barrels
	background. The work is very nicely done and is clearly period, possibly		retain about 98% original blue with some slight marks from takedown
	in New York. The backstrap has a large coarsely flattop checkered panel		and some light handling marks ahead of the forend, the 26 1/2" barrels
	at the center with relief scroll at the butt. The deringer is in very nice		retain perhaps 98% original blue with some handling marks and slight
	condition retaining 98% silverplated finish overall. The surface has a		thinning, these were clearly the workhorse of the duo. Each barrel is
	lovely, warm lightly tarnished appearance. The deringer is equipped with		marked "47729S5" with "P1" and "P2" respectively. The frame, areas
	a pair of mother-of-pearl grips which rate excellent showing slight dulling		near the barrel breeches and forend metal have been
	with age. The gun comes in Rosewood veneered case with		intricately-engraved by Chief Engraver André Watrin whose signature is
	compartment for deringer and a 10 cartridge shell block. The case is		visible on the frame's left-side. The engraving consists of tight foliate
	lined in green baize and has a unengraved monogram plate in center of		scroll and punch-dot shading with cross-hatching in the area around the
	lid. A very handsome Double Deringer. (1B9857-44) {C&R} (1500/2500)		lever and detailed patterns along the forend metal as well as gold inlaid
	Est. 1,500 - 2,500		game scenes; a grouse in flight is seen on the belly, three ducks in flight
81	Rare James Purdey Assisted Opening Sidelock Single Barrel Trap Gun		on the right flat and three pheasant on the left. The frame shows slight
	serial #23634, 12 ga., 31" ventilated rib barrel with a bright excellent		hints of edge wear and still retains near 95% original blue with even
	bore choked extra full (.046" constriction). The gun is nitro proofed for 1		fading elsewhere. The high-gloss round-knob pistolgrip checkered
	1/4 oz. loads with 2 3/4" chambers; the bore diameter remains .729".		walnut buttstock is near excellent with some minor handling marks and a
	This is a beautiful single barrel trap gun with left mounted sidelock and		few tiny blemishes and the beginnings of some slight crazing on the flats
	matching right mounted sideplate. The action and lock feature full		near the frame, the oval initial plate in the toeline is engraved "MAC".
	coverage rose and scroll engraving with both lock and sideplate being		Each set of barrels is equipped with a high-gloss checkered walnut
	engraved "J. PURDEY & SONS". The gun is equipped with a cocking		forend, both are excellent with the 28" barrel forend showing some very
	indicator and there is no safety as is the norm on competition guns. The		tiny chips around the forend metal. Each piece of wood shows fantastic
	Sir Joseph Whitworth fluid pressed steel barrel is engraved with the		shellflame and feathercrotch grain pattern. The gold single selective
	Audley House address and features double locking underlugs along with		trigger shows some wear and the shotgun is equipped with a
	a third fastener in the rib extension. The condition of the shotgun is very		non-automatic safety, 2 3/4" chambers and ejectors with each barrel set
	nice with the barrel retaining 95% original blue with beautifully stippled		fitted with an ivory bead front sight, a slightly-tattered hang tag is still
	top surface of rib and with center and forward ivory bead sights. The		affixed to the triggerguard. Included is a fitted leatherette case with a
	action, lock and sideplate retain about 90 - 95% original color		slightly worn interior and moderate scratches on the lid. This 1965
	case-hardened finish which has softened just slightly and having a		Superposed Lightning is the perfect union of art and function, the
	pleasing rich appearance. The checkered straight grip buttstock and		engraving and gold inlay is spectacular and the two barrel configuration
	beavertail forend rate excellent with nice drop points and over 90%		is perfect for knocking down a myriad of game birds. (22D9685-3) {C&R}
	original finish remaining. The checkering remains sharp and the edges		(5000/7000)
	crisp. The gun has a 14 1/4" length of pull with drops of 1 1/2" and 2		Est. 5,000 - 7,000
	3/8". Purdey began making Single Barrel Trap guns around 1920 when	84	Fabulous Merkel Model 201E Custom Engraved and Carved Shotgun
	Trap shooting was popular in America. The gun functions properly with		serial #46030, 12ga., 28" barrels choked full & full with bright excellent
	robust ejector. A total of 59 of these guns were made, making them one		bores. Barrels retain 99% plus lovely quality hot rust blue, the right side
	of the rarest Trap guns ever produced. Being best quality London guns,		of the top tube showing some very very minor oxidation. The frame
	they are also among the highest quality trap guns ever produced.		shows 99% vivid case colors. The workmanship on this shotgun is
	(1C9336-2) {C&R} (5000/7000)		stunning. The gun features nine gold inlays along with some gold
	Est. 5,000 - 7,000		bordering. In addition to the factory engraving on the frame the gun has
82	Fine James Purdey Best Quality Sidelock Assisted Opening Double		had further embellishment by the addition of three waterfowl inlays, a
	Ejectorgun		woodcock, a setter with pheasant in mouth and two grouse on the top
	serial #20038, 12 ga., 29 1/2" Sir Joseph Whitworth Compressed Steel		lever. The top lever shows lovely gold line border engraving with
	barrels with bright excellent bores choked improved modified and full		stippling and two carved-in-relief grouse, the most stunning of these is
	(.027" & .039" constrictions). The barrels are nitro proofed for 1 1/4 oz.		flying within the pierced top lever thumb piece. The safety as well
	loads and the chambers just a tad under 2 3/4". The action and locks		features an inlaid and carved gold border and the rear-most portion of
	feature full coverage rose and scroll engraving and are also engraved		the barrel rib has a gold inlaid fleur-di-lis; even the triggerguard has
	with a numeral "2" on the top lever, forend metal and top of rib. The gun		been wonderfully chiseled, sculpted and pierced and is engraved in nice
	features ejectors, cocking indicators and double triggers with articulated		quality flowing scroll. The checkered European walnut, capped pistolgrip
	front. The top rib shows the South Audley Street address and each lock		stock and three-piece field style forend rate excellent showing a
	is engraved "J. PURDEY & SONS". The bore diameters are .736 in the		top-quality refinish. The left side of the butt shows a rounded
	right tube with a minimum wall thickness of .024", the left bore diameter		cheekpiece, the right side has been masterfully carved with a game
	is .732" and the minimum wall thickness is .030". The condition is very		scene, the animals are carved ivory, showing a pointer and two
	nice with the barrel retaining 95% of what appears to be its original black		pheasants. The pistolgrip cap as well is ivory with a steel inlay of the
	finish, all markings and proofs remain clear and legible and the finely engraved border at breech is very crisp. The action and locks show over		setter with pheasant, this encircled by a gold inlaid border and the
	5		toeline has a blued steel monogram plate with three gold inlaid chiseled
	90% of their original color case-hardened finish which has faded over		monogrammed initials "SJK". The rib wears an ivory bead which is
	time but still shows subtle swirls of color throughout - the surfaces have		surrounded by a 10th gold inlay in a dual-fleur-di-lis pattern. The
	a very pleasing and honest appearance. The checkered straight grip		embellishments on this gun are lovely, the craftsman has plied his art
	buttstock and splinter forend are of nicely figured English walnut and		carefully and the results are tastefully understated and not gaudy in any
	rate very good plus with lots of original finish and perhaps a little added		way. The gun of course features cocking indicators, ejectors, an
	light oil. The fine checkering remains strong and the gun wears a leather		articulated front trigger and non-automatic safety. Lock-up is with
	faced solid red rubber recoil pad. The ejectors are in time and function		Greener crossbolt, the arm is tight on-face and seems to function well
	properly when opened normally. If the gun is opened very slowly the		mechanically. Proofed in 1957. (3E9730-59) {C&R} [Frank Grzasko
	right ejector hangs up. The gun has a 14 1/4" length of pull with drops of		Collection] (4000/6000)
	1 1/2" and 2 3/8". A fine 1911-production Purdey double gun which is		Est. 4,000 - 6,000
	tight and ready to go afield. (1F9336-1) {C&R} (8,000/12,000)		
	Est. 8,000 - 12,000		

85	Parker VHE Boxlock Double Ejectorgun	1	88	Fabulous Abbiatico & Salvinelli Castore Sidelock Self-Cocking Double
	serial #227629, 20 ga. on a "0" (zero) frame, 28" Vulcan steel barrels			Hammergun
	choked modified in both, with bright about excellent bores, the right tube			serial #764, 20 ga. 2 3/4", 26" barrels with bright excellent bores choked
	showing a couple small dings which were neatly raised near the			about improved cylinder and modified (.010" and .014" constrictions).
	muzzles. The barrels retain about 90% original blue, the loss is due to			This is a lovely example of 20th century Italian artistry in arms. The
	even fading and toning to a pewter and deep gray patina, with a few			action and locks are engraved in full coverage game scene engraving
	flecks of light surface oxidation, the expected handful of small handling			bordered with Baroque relief floral scroll. The top of the action is in full
	marks and scratches from field use. The frame remains quite nice			relief floral scroll as are the sides of the hammers. The right lockplate
	retaining about 97% original color case-hardening which is muting on			shows four flushing grouse in forest and pasture background. The belly
	some of the high edges and contact points showing a couple flaked			of the action shows two woodcock taking flight out of the ground cover.
	areas around the triggerguard and some very light surface oxidation on			The left lockplate shows flushing bobwhite in a lovely forest and pasture
	each of the flats. The checkered capped pistolgrip American walnut			scene with a farmhouse in the background. The triggerplate is signed
	buttstock rates otherwise very fine with just a few handling marks and			"S. Venzi & R. Sanzogini Inc." adjacent to front bow of the guard and the
	light wear, unfortunately the toe chipped at some point and was			front trigger. This shotgun features ejectors, double triggers, self cocking
	sanded-over, showing an about 1" flattened section. The splinter forend			hammers, articulated front trigger, rolled edge triggerguard and a
	rates very good with a few more handling marks. The length of pull from			non-automatic safety. The gun features beautifully figured Circassian
	the single selective trigger to the Parker dogs head buttplate is 13 5/8"			walnut straight grip buttstock and splinter forend with checkered butt.
	with drops of 1 1/2" and 2 3/4". The gun features automatic safety,			The shotgun remains in excellent condition with the barrels showing
	ejectors, single selective trigger and locks up tight on-face with the top			97% original blue finish overall. The maker name "ABBIATICO &
	lever still right of center. The gun functions well mechanically with the			SALVINELLI" is gold inlaid in small letters, the right leg of the "V" along
	exception of the left ejector which does not trip. Parker Gun			with the following "I" are missing their gold - this should be an easy fix of
	Identification & Serialization lists the configuration of the arm as having			one wished to correct it. The action shows an even, unblemished
	ejectors but does not mention the single selective trigger, it is clearly a			silver-gray overall with all engraving crisp. The stocks rate excellent with
	factory trigger as the frame is stamped with the appropriate "L" and "R"			98% original finish remaining and with very sharp checkering, crisp
	which would've had to have been done prior to the case-hardening			edges and dropper points. The gun handles beautifully weighing just a
	process. It would seem a simple matter for a good wood man to repair			little over 5 1/2 lbs. with a 14 3/8" length of pull over the checkered butt
	and camouflage the toe, the wood there being very straight-grained. A			and with drops of 1 1/2" and 2". The shotgun comes in its original Nizzoli
	handy and quick-pointing selective trigger smallbore double ejector			made leather trunk style case with cleaning rod and implements. This
	Parker that will serve just as well afield as it will as an investment.			shotgun shows very little use and is a lovely example of a modern
	(3C9741-2) {C&R} (2000/4000)			hammergun with all the bells & whistles and extremely fine
L	Est. 2,000 - 4,000	ļ		embellishments. A classy and classic shotgun for the sophisticated
86	Parker VH Boxlock Double Shotgun			shotgun enthusiast. (1F9821-1) {MODERN} (12,000/18,000)
	serial #237408, 16 ga., 28" vulcan steel barrels on a No. 1 frame choked			Est. 12,000 - 18,000
	improved modified and tight full with excellent bores. The barrels and		89	Extremely Rare Factory Game Scene Engraved Remington Hepburn
	triggerguard retain 99% original blue with some faint edge wear and a			No. 3 Match Grade "B" Rifle
	few handling marks and a couple tiny light scratches. The frame has			serial #1242, 38-40 Remington, 27" part round part octagon barrel with a
	darkened somewhat but retains 90% very nice remnants of			bright near excellent bore. Rifle features all matching numbers on frame,
	case-hardened color the balance a mottled smoky gray-brown. There is			barrel, and grain of forend, end grain of buttstock and on inside of the
	crisp zig-zag-style border engraving and "PARKER" is marked on the			Swiss buttplate. This rifle shows beautifully executed scroll engraving on
	belly. The checkered walnut capped pistolgrip stock and splinter-style			the action with a wonderful feeding buck in the center of the left panel.
	forend are excellent as having a light coat of added varnish with sharp			The detail in the animal is excellent with its ribs visible through its fur.
	checkering and fantastic contrasting feathercrotch figure in the butt. The			The patent markings on the left side of the frame are also hand
	buttstock is equipped with a checkered hard rubber Parker dog's head			engraved rather than being stamped as is typical. The octagonal section
	buttplate with a couple minor blemishes at the toe, the length-of-pull is			of the barrel is engraved with nice border work and fine scroll wedges at
	14" with drops of 1 5/8" and 2 1/2". The barrels are marked			the transition to round. The muzzle shows tasteful border engraving with
	"MERIDEN.CT.", the frame's belly is marked "PARKER" and the			a matching fine scroll wedge ahead of the front sight. The forend tip as
	"BROS" has been omitted from the buttplate, all evidence indicating that			well as the Swiss buttplate are also engraved, as are all the screwheads
	this gun was produced just after the Remington take-over of 1934 but			except for the tang sight screws. The condition of the rifle is very nice
	before they moved to Ilion, NY. The barrels lock up tight and there are			with the barrel retaining 90% original blue finish overall with most loss
	double triggers and an automatic safety. A very nice mid-30s Parker for			being in one area on the right side of the round section where there is a
	the hunter and collector alike. (22B9808-23) {C&R} (2000/3000)			cleaned area, where it is silver with some light pitting left behind. No
07	Est. 2,000 - 3,000	ł		attempt has been made to camouflage this area, a testament to the
87	Parker VH Boxlock Double Shotgun			honest nature of this rifle. The action shows about 70% original color
	serial #235109, 12 ga., 30" vulcan steel barrels on a No. 1 1/2 frame choked modified and full with excellent bores. The barrels and			case hardened finish which is strongest on the right side where protected by the lever. The left side shows faded color and a darker
	triggerguard retain 99% original blue with some faint silvering of the high			smooth brown patina where finish is missing. The breechblock and
	edges, some very minor signs of handling and couple very tiny dings in the left tube that do not transfer to the bore. The frame retains perhaps			hammer both show lots of bright original blue. The rifle is stocked in a
				lovely grade of English walnut and feature factory checkering on the
	98% original vivid color case-hardening with the only notable loss being			pistolgrip and forend. The stocks both rate excellent with 95% original
	some slight edge wear, thinning along the operational points of the top			finish remaining and with sharp checkering. The nose of the comb has a
				tiny period brass tack with a 1/8" diameter head which the Vernier knob
	tang and lever's tip. This frame is marked "PARKER BROS" on the		1	
	frame flats and has nice crisp zig-zag border engraving. The checkered			makes contact with protecting the stock from the typical repetitive dings
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent			from the sight leaf being folded. The rifle is sighted with what appears to
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice,			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker with tons of original metal finish. (22B9808-1) {C&R} (2000/3000)			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also featured on the end flap of the dust cover. In describing the rifle, Rowe
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also featured on the end flap of the dust cover. In describing the rifle, Rowe states "Engraved Hepburns are incredibly rare with just a handful
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker with tons of original metal finish. (22B9808-1) {C&R} (2000/3000)			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also featured on the end flap of the dust cover. In describing the rifle, Rowe states "Engraved Hepburns are incredibly rare with just a handful known. This rifle was at one time in the John Amber collection". A very
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker with tons of original metal finish. (22B9808-1) {C&R} (2000/3000)			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also featured on the end flap of the dust cover. In describing the rifle, Rowe states "Engraved Hepburns are incredibly rare with just a handful known. This rifle was at one time in the John Amber collection". A very rare, fine and investment quality Hepburn rifle suitable for the most
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker with tons of original metal finish. (22B9808-1) {C&R} (2000/3000)			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also featured on the end flap of the dust cover. In describing the rifle, Rowe states "Engraved Hepburns are incredibly rare with just a handful known. This rifle was at one time in the John Amber collection". A very rare, fine and investment quality Hepburn rifle suitable for the most advanced Remington collector. (1H9790-81) {ANTIQUE} [Bob Borcherdt
	frame flats and has nice crisp zig-zag border engraving. The checkered walnut capped pistolgrip buttstock and splinter-style forend are excellent as having a light coat of added varnish and a few very light handling marks and tiny blemishes, the checkering is sharp with subtle, but nice, figure. The checkered hard rubber dog's head buttplate is simply-marked "PARKER" and the length of pull is 14 1/4" with drops of 1 5/8" and 2 3/4". The gun features an automatic safety, double triggers and the barrels lock-up tight and on-face. Simply a nice early-30s Parker with tons of original metal finish. (22B9808-1) {C&R} (2000/3000)			from the sight leaf being folded. The rifle is sighted with what appears to be a European windgauge front sight with an open globe and a key necessary to adjust, rather than the knurled knob that we find on American sights. There is no provision for a rear barrel sight and the rifle features a short range Vernier tang peepsight. This rifle is features in Rowe's Remington's No. 3 Hepburn where it is illustrated and described on pages 94 & 95. The closeup of the left side of the action is also featured on the end flap of the dust cover. In describing the rifle, Rowe states "Engraved Hepburns are incredibly rare with just a handful known. This rifle was at one time in the John Amber collection". A very rare, fine and investment quality Hepburn rifle suitable for the most

00				
90	Ithaca Grade 4E New Ithaca Double Ejectorgun	1 Г	94	Colt Pocket Model Of Navy Caliber Percussion Revolver
	serial #439499, 12 ga, 30" barrels choked modified and full with			serial #15323, .36 caliber, 4 1/2" octagon barrel with a very good bore.
	excellent bores. The barrels retain perhaps 98% original blue, there are			This revolver is in very nice condition and shows all matching numbers
	a couple tiny bottom dings right and left and a few light handling marks			on the barrel, frame, cylinder, barrel wedge, backstrap and triggerguard.
	with the detailed engraving around the breeches and extension			The barrel shows proper New York address and retains about 70%
	remaining crisp. The Grade 4 engraved frame and triggerguard have			original blue finish with silvering on high edges and other areas showing
	toned to a pleasant gunmetal gray patina with some faint freckling and			a brown patina. The cylinder shows 90% of its stagecoach holdup scene
	nice color remaining on the water table. The engraving is crisp with			and is mostly a smooth brown patina with traces of original blue in
	billowing scroll, a duck in flight left and a pheasant right. The checkered			protected areas. The frame shows about 40% original color case
	walnut straight-grip buttstock with red Ithaca pad and splinter-style			hardened finish which is darkening and has a pleasing appearance. The
				brass gripstraps show a mellow patina overall. The one-piece walnut
	forend with inlaid ebony tip are very good with the stock fit slightly off at			- · · · · ·
	the wrist-to-frame fit, likely an easy fix, and the checkering worn mostly			grip rates very good with 70% original varnish remaining and with
	flat-top. There is a small impact mark in the left cheek, small chips at the			scattered light handling marks from the years. The hammer shows good
	top tang and some other blemishes with very nice figure running down			original color, the loading lever is mostly a gray patina with some color
	from the comb and attractive fleur-de-lis checkering patterns. The			mixed in. A nice Pocket Navy Colt. (1B9898-17) {ANTIQUE}
	ejectors are very strong, barrels tight and on-face, there are pin-style			(1200/1800)
	cocking indicators on each side of the lever, double triggers and a 15"			Est. 1,200 - 1,800
	length-of-pull with drops of 1 1/2" and 2 1/2". Included is a good		95	Lovely Smith & Wesson Registered Magnum Revolver With Special
	condition leather leg-o-mutton case. An attractive NID well-equipped to			Order Sights
	knock them down in style. (22B9771-15) {C&R} (1200/1800)			serial #53601 (Reg. No. 2920), 6" barrel with a bright excellent bore
	Est. 1,200 - 1,800			which actually appears unfired it is so brilliant. The metal surfaces retain
91	Very Fine U.S. Model 1836 Flintlock Martial Pistol by Robert Johnson			98 to 99% original blue, the only true loss being the beginning of a very
	.54 caliber, 8 1/2" round barrel with a bright excellent bore. The barrel			light turn ring on the cylinder with perhaps a tiny bit of muzzle wear. The
	shows proper "U.S. / J.H. / P" inspectors initials and the lock is properly			grooved hammer and trigger retain all their original color
	marked and dated "1844". The condition of the pistol is very nice with			case-hardening, the right upper interior edge of the trigger showing only
	the barrel and other brightly finished metal surfaces remaining smooth			some very slight silvering. The checkered magna grips with silver S&W
	and bearing a lovely even light gray patina. The lock shows a good deal			medallions rate excellent to as-new and are stamp-numbered to the gun
	of mottled original color case hardened finish with markings remaining			on the interior of the left panel. All of the numbers are matching and the
	crisp and fully legible. The walnut stock rates excellent with 95% original			arm is fitted with a King reflector front sight and a square notch rear. The
	oil finish remaining, crisp edges and two excellent cartouches. To the			face of the cylinder retains all its blue with a tiny bit of flash evidence,
	rear of the cartouches on the stock flat there are a couple old, light			the breech face of the barrel is immaculate with a tiny line of loss on the
	scratches that wouldn't merit mention if the gun was not in such fine			inside strap just above the forcing cone, the recoil shield at rear of frame
	condition. A very fine example of the last U.S. flintlock martial pistol that			retains all its original blue with none of the telltale drag marks from being
	many consider to be the finest ever made for both aesthetics and			rotated with ammunition in it. The arm comes with its original box, the
	function. (1C9833-93) {ANTIQUE} (2000/3000)			blue box with gold lettering rates about very good with scuffing along the
	Est. 2,000 - 3,000			sharp edges of the lid and a bit of darkening or soiling from the years,
92	U.S. Model 1836 Flintlock Martial Pistol by Waters			both end labels fully readable, the left showing a bit of water staining.
52	.54 caliber, 8 1/2" barrel with an excellent bore. The barrel shows proper			The box initially appears unmarked but close inspection with a loupe
	"U.S. / J.H. / P" inspector's initials and the lock bears proper Waters			shows remnants of what appear to be the top of the number five and a
	address and is dated 1844. All markings in metal remain clear and			"6" at the center, highly likely the original box. Factory records indicate
	legible with all metal surfaces remaining quite smooth and generally free			the revolver shipping with a king gold bead front sight, this has obviously
	of any pitting. The brightly finished metal surfaces show a pleasing			been changed to a red bead. A beautiful registered magnum from which
	mellow gray patina with some very minor scattered light oxidation			it would be difficult to upgrade. (39908-20) {C&R} (6000/8000)
	staining present. The lock is a somewhat darker gray patina blended			Est. 6,000 - 8,000
	with some faded color case hardening. The walnut stock rates about			
1			96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly
	excellent with a good deal of original finish and with two sharp		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection
	cartouches on stock flat. The stock surfaces show some scattered light		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent
	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue
	cartouches on stock flat. The stock surfaces show some scattered light		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent
	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling
	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol.		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and
	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling
	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol.		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E.
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramod channel behind the front band, below this a very thin 3" missing sliver and otherwise just
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" to rear of harmer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and terear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light fracks. The stock retains its Remington factory collection brass inventory tag along the toe
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finits, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discennable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine example of these handsome percussion martial pistols. (1C9833-70)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the Model 1874 Peabody saber bayonet, military sights and the action
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine example of these handsome percussion martial pistols. (1C9833-70) {ANTIQUE} (1500/2000)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the Model 1874 Peabody saber bayonet, military sights and the action seems to function well mechanically. According to Mr. Squier's notes
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine example of these handsome percussion martial pistols. (1C9833-70)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the Model 1874 Peabody saber bayonet, military sights and the action seems to function well mechanically. According to Mr. Squier's notes only three of these prototypes were produced. A very fine example that
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine example of these handsome percussion martial pistols. (1C9833-70) {ANTIQUE} (1500/2000)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of their armod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light field ings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the Model 1874 Peabody saber bayonet, military slights and the action seems to function well mechanically. According to Mr. Squier's notes only three of these prototypes were produced. A very fine example that would make an excellent addition to any advanced martial collection.
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine example of these handsome percussion martial pistols. (1C9833-70) {ANTIQUE} (1500/2000)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of the ramrod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light dings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the Model 1874 Peabody saber bayonet, military sights and the action seems to function well mechanically. According to Mr. Squier's notes only three of these prototypes were produced. A very fine example that would make an excellent addition to any advanced martial collection. (13C9670-358) (ANTIQUE) [David & Lore Squier Collection]
93	cartouches on stock flat. The stock surfaces show some scattered light handling marks, the majority of which are on the left stock flat but the cartouches thankfully remain unaffected. The pistol remains in its original flintlock configuration with all lock components being original and with the touchhole undisturbed. A very nice Waters 1836 flintlock pistol. (1C9833-53) {ANTIQUE} (1500/2500) Est. 1,500 - 2,500 U.S. Model 1842 Percussion Martial Pistol by Aston .54 caliber, 8 1/2" barrel with a very good bore. This pistol bears proper barrel markings "US / J.H. / P" and is dated "1847" on the tang. The lock shows proper markings and is also dated "1847" to rear of hammer. All markings in metal remain clear and legible and the metal is very smooth with just the smallest amount of light oxidation staining and no discernable pitting. The brass backstrap, butt, triggerguard, barrel band and sideplate all show a pleasing untouched patina. The walnut stock rates excellent with lots of original finish, well-defined edges and strong "WAT" cartouche on left flat. Ahead of the cartouche is a period stamped "32" which is a rack or inventory number of some type. A very fine example of these handsome percussion martial pistols. (1C9833-70) {ANTIQUE} (1500/2000)		96	Rare Remington Turkish Contract Prototype Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection 450 Turkish, 34" barrel with Henry patent rifling and a bright excellent bore. The barrel of this handsome rifle retains about 94% original blue with most of the loss due to some very fine mild oxidation staining and freckling scattered along its length along with a few minor handling marks. The action and barrel bands retain about 96-97% original bright blue with high edge wear and mild thinning along the bands and the action showing some sparsely scattered light freckling and remnants of a hardened protective grease. The upper tang shows strong E. Remington & Sons address and patent dates, the left side rear barrel band is stamped with a Turkish star and crescent over "H" and the front band with the same but over an "L". The smooth walnut stocks remain in about very fine condition retaining most of their original oil finish showing a thin 2 1/8" repaired sliver along the edge of their armod channel behind the front band, below this a very thin 3" missing sliver and otherwise just a few sparsely scattered light field ings and handling marks. The stock retains its Remington factory collection brass inventory tag along the toe line numbered "174". There is no cleaning rod present and the rifle is equipped with sling swivels, right side saber bayonet lug to accept the Model 1874 Peabody saber bayonet, military slights and the action seems to function well mechanically. According to Mr. Squier's notes only three of these prototypes were produced. A very fine example that would make an excellent addition to any advanced martial collection.

97

Remington Model 1879 Argentine Artillery Rolling Block Carbine Formerly of the Remington Arms Co. Factory Collection 43 Spanish, 23 1/2" round barrel with octagonal breech and a bright excellent bore. The barrel of this handsome little carbine retains about 80-85% original blue thinning and toning overall to a pleasant deep plum-brown patina showing some scattered very fine faint scratches and light freckling. The action, barrel band and buttplate retain about 97% vibrant case-hardened colors showing some very mild muting along the tangs and heel of the buttplate along with some very sparsely scattered mild freckles and remnants of protective lacquer in the protected areas. The hammer, breechblock and small action parts are partially bright showing some scattered gray freckling and the tang address and patent dates and Argentine model designation atop the breech remain intact and strong. The smooth walnut stocks remain in very fine condition retaining much of their original oil finish with a few scattered light dings and handling marks. The left side butt is stamped with a small "46" and it retains the original Remington factory collection brass tag numbered "33". The carbine is equipped sling swivels, military sights and long right side saber bayonet lug and the action seems to function well mechanically. Issued carbines generally saw very hard use and this remains a very fine example as-retained by Remington. (13C9670-193) {ANTIQUE} [David & Lore Squier Collection] (2000/3000) Est. 2.000 - 3.000

Lot Title/Description

98 Extremely Rare and Important Confederate Artillery-Size Drum Captured by the 13th Regiment Connecticut Volunteers at The Battle Of Irish Bend

Recently deaccessioned from the collection of the New Britain Youth Museum of New Britain Connecticut, this bass-size drum has been their property and in their possession since the mid-1950s. While the name of the benefactor has sadly been lost to the years, the drum has been in storage as it did not fit with the current mission of the museum and like so many important institutions these days, working and developmental capital was a priority over artifacts which would likely never see public exhibition. The drum is as honest as they come and shows a wonderful uncleaned oxidized patina from the years with ingrained dust in the protected areas from its long stint in the store room. Each of the hoops shows strong remnants of a red-burgundy milk paint, the top hoop with numerous chips and flakes along its edge, starting to warp slightly from the years. The shell may be ash or some sort of yellow southern pine and shows a very pleasing ochre tinge to what appears to have been white or buff-colored wash or paint, the dark mahogany-toned wood beneath evident in the numerous small flaked areas. What appears to be antique replacement rope and four original tugs are present, drying and very brittle from the years showing remnants of a buff colored paint or die, the replacement tugs each also showing minor drying and flaking; there is a tiny strand of original rope present beneath the top hoop. On the body of the drum can be seen a hand-painted crossed panoply of two Confederate states "First Flag", stars and bars, with a count of 12 stars, the paint has faded a bit and flaked somewhat from the years, and the circle of stars can actually be counted on the right flag, one cannot get an accurate count of the original stars painted on the blue field of the left flag due to flaking and fading. There appears to have been some manner of decoration beneath the panoply but it is sadly lost to the years and fading. The top and bottom heads are both a deep coffee-tobacco colored patina, the top head more of a buff color at the worn center section where stick impact would have been. Each of the heads has been very neatly painted with a commemoration of the date and place of capture, the bottom head the most illustrative "Captured From The Enemy/At Irish Band LA/April 14, 1863", this was the date that the 13th Connecticut Regiment, along with elements of 25th Connecticut and 159th New York, was engaged with the 1st Louisiana Field Battery, the "St. Mary's Cannoneers", among other units. The details of the battle are scrupulously written down in numerous reports on the subject and very nearly precisely match the paragraph on the bottom head of the drum "Taken Together with a Gun and Caisson, Two Officers Horses, a Battery, Flag and a Young Brown Bear, Two Years Mascotte of the Regiment". The volume History of the 13th Infantry Regiment of Connecticut Volunteers During the Great Rebellion details the very day in-which the 13th Connecticut engaged the Louisiana men, the 13th utilizing a firing and loading on-the-march technique ("this mode of firing--firing while advancing in line of battle--is not laid down in the tactics" the narrative reads). The volume detailing reports from onlookers: "When the 13th commenced firing it didn't sound like the other regiments, but there was a steady roll without any break in the sound for near ten minutes .... That rebel battery ceased firing mighty guick". Lieut. Leonidas Hall of the 1st Louisiana guoted "I never heard such firing ..... It seemed like a never ending peal of rolling thunder, I knew something had to give way in front of the 13th, for no troops that ever breathed could stand such a fire as that". The same narrative in that same volume details the retreat of the St. Mary's Cannoneers, and the capture of "two caissons, one limber, four artillerv horses, many swords, muskets, a great quantity of ammunition, 60 prisoners and a large and elegantly embroidered silk flag", that flag made by the ladies of Franklin Louisiana for the St. Mary's Cannoneers was in the archives of the State of Connecticut for years, eventually being repatriated to Louisiana. The drum itself measures about 28 3/4" in diameter and is roughly 20" tall hoop-to-hoop, and has a braided carry rope, no doubt done at the time it was re-strung. Additionally there is a small iron eyeloop with an iron suspension or carry ring affixed at the center of the body with a leather flange, perhaps to suspend the drum post-war in some GAR Hall or other important gathering area of the 13th Connecticut volunteers. No label can be seen through the vent hole, although there appears to be the vestiges of where a label was once attached on the inside of the body, it can barely be discerned with an illuminated borescope. While the 13th is not mentioned anywhere on the drum, there is absolutely no doubt they were the only Connecticut Regiment to capture the aforementioned gun, caisson, officers and horses as well as the flag at the Battle of Irish Bend, the drum being donated to a Connecticut Museum supports this inevitable conclusion. An absolutely wonderful Confederate drum, captured by these valiant Connecticut Sons of New England whose field tactics gave them the advantage that day, as well as the admiration of officers of other regiments who heard their performance during the battle din. Note that the due to fragility and the size, extra shipping will apply on this item. A museum grade American treasure from that great conflict. (3E9718-1)

(15,000/25,000) Est. 15,000 - 25,000 Lot Title/Description

Rare Remington Argentine Contract Prototype Rolling Block Rifle aa Formerly of the Remington Arms Co. Factory Collection 50-70, 36" round barrel with octagonal breech and a bright near excellent bore showing a hint of minor frosting in the grooves with otherwise strong rifling. The barrel of this lovely rifle retains about 96-97% original blue showing some mild thinning to pewter patina around the muzzle, a few scattered tiny dings and errant freckles. The action, barrel bands and nosecap retain strong case-hardened colors throughout, perhaps 80%, particularly vibrant along the right side action and more protected areas with overall toning to a pleasant pale gray case-hardened patina with the bow of the guard and left edge of the action toning to a mild brown patina. The hammer, breechblock and action pins retain about 98% original blue showing some mild high edge wear, the buttplate retaining about 90% original blue with overall mild thinning and the pin retainer and rear sight spring retain much of their lovely fire blue. The Remington address and patent dates along the upper tang remain intact and crisp and the barrel bands are marked with the familiar "U" stamps. The smooth walnut stocks remain in very fine condition retaining much of their original oil finish with the butt having darkened somewhat from the years and showing a very thin 1 1/2" sliver missing along the edge of the ramrod channel just behind the nosecap, a couple very thin drying cracks also behind the nosecap and otherwise just some sparsely scattered light dings and handling marks. Metal-to-wood fit remains excellent and the buttstock retains its original Remington factory brass tag numbered "141". The rifle is equipped with sling swivels, military sights, blue-finished cleaning rod and right side saber bayonet mount and the action seems to function well mechanically. A very handsome example for the Remington collector. (13C9670-244) {ANTIQUE} [David & Lore Squier Collection] (2000/3000) Est. 2.000 - 3.000 100 Colt Model 1849 Pocket Revolver Presented to George Dimick. 1st and 12th Vermont Infantry serial #206625, .31 cal, 4" octagon barrel with a very good bore which shows strong rifling and bright areas but with light oxidation and some scattered very light pitting. The barrel itself remains quite nice retaining perhaps 95% original blue, with wear to pewter on the sharp edges of the octagon and overall very light oxidation staining, the right side barrel lug showing numerous tiny impact marks in the area of the wedge. The loading lever retains some strong trace color case-hardening and the six shot cylinder has some trace original blue with a strong cylinder scene and four of the hammer rest pins remaining. The frame remains very pleasing with perhaps 80% original color case-hardening, primarily on the left frame flat, with a bit on the right as well, the hammer and trigger toned to a pewter patina. The triggerguard and backstrap remain very nice with perhaps 97% original silver plate, the backstrap with the period inscription "G.E.Dimick/From/Co.E 9th Regt. Vt. Vols.", clearly a gift to Capt. Dimick from admirers in the 9th Vermont infantry. The one piece walnut grip rates very fine with nearly all its original varnish and only light wear along the sharp edges and a few minor handling marks scattered about, it is numbered to the gun on the interior in antique ink pen. George Dimick did two tours, the first with the 1st Vermont Infantry, the second with the 12th. George Dimick of Woodstock Vermont enlisted in May 1861 and mustered into company B of the 1st Vermont Infantry, he was promoted to sergeant in June of that year. At the expiration of his three months, he waited nearly a year to re-enlist, this time as a Second Lieutenant into company B of the Vermont 12th Infantry. He was promoted to first Lieut in December of that year and Capt, in January 1863. It is interesting to note that the 9th Vermont mustered into service July 1862, and were later actually captured in September 1862 at Harpers Ferry. After being paroled they spent much of their time in Virginia and the war in the East, as did the 12th Vermont, it is highly likely that Mr. Dimick assisted or somehow met up with the 9th along the way. What he did to garner the admiration of Co. E and to earn such a nice gift is lost to history, but further research may be rewarding. All of the numbers on the arm are matching including the wedge and the gun functions very well mechanically. A modern image of Dimick is included with the arm in an antique tintype frame with pressed foliate scroll border in the back half of a book-type casing. The revolver itself remains in very nice condition overall and is a fine arm in its own right, the fact that it is identified to this interesting fellow from Woodstock Vermont who did his duty for his country twice makes it all-the-more desirable to the Colt or Civil War collector. (3C9827-2) {ANTIQUE} (3500/5000) Est. 3,500 - 5,000

## Lot Title/Description

101 Scarce Whitney-Remington Mexican Contract Rolling Block Rifle Formerly of the Remington Arms Co. Factory Collection serial #52372, 43 Spanish, 35" barrel with a mostly bright very good plus bore showing some scattered light pitting, mild frosting and strong rifling throughout. The barrel and action of this rifle retain about 90% factory restored rust blue showing some thinning and toning to mild gray-brown patina around the muzzle and high edges of the action, some scattered light dings and sparse remnants of smoothed-over light pitting along the action. The barrel bands have toned to a pewter-gray patina and the hammer, breechblock, action pins and split retainer plate remain bright. There is a small punch mark on the action pins, hammer and breechblock and the upper tang markings have been buffed out. The remaining markings are still quite strong and mostly intact with the top of the barrel shank stamped with a Mexican Phrygian cap emblem over "R.M.", the top of the action stamped with a large "8" and a slightly softened Phrygian cap over "R.M." on the right side action. The left edge of the action is also stamped with "11. 97.", perhaps an inventory date. The smooth walnut stocks remain in very good plus to about very fine condition retaining a healthy amount of oil finish with some scattered light dings and handling marks. The buttstock retains its original Remington factory brass tag numbered "828". The sling swivels, military sights and cleaning rod are intact and the action seems to function well mechanically. An interesting example of a seldom-seen Mexican contract arm evidently acquired by Remington, (13B9670-245) (ANTIQUE) [David & Lore Squier Collection] (1000/1500) Est. 1.000 - 1.500

Lot Title/Description

Fine Cased Pair of Inscribed Colt Model 1849 Pocket Percussion Revolvers serial #255057 & 256793, .31 cal, 6" octagon barrels with mostly bright very fine bores showing some scattered light oxidation and pinprick pitting, mostly nearer the breeches, with otherwise strong rifling throughout. This is a handsome pair of 1864-made revolvers with lovely period inscription along both backstraps "Capt Jno. F. Rodgers, U.S.A." The barrel of No. 255057 retains about 70-75% original bright blue showing overall flaking to a pleasant mild gray-brown patina, along with a few scattered light dings along the edges and right side around the wedge. The five-shot cylinder has mostly toned to pewter gunmetal patina showing a few mild brown freckles and strong flakes of original bright blue scattered about, the safety pins remain mostly intact and the stagecoach cylinder scene is completely intact and quite crisp. The frame and hammer retain about 90% vibrant case-hardened colors showing overall mild muting, a few tiny dings along the edges and some sparsely scattered very light oxidation staining. The left barrel locator pin has broken off and the loading lever has mostly toned to pewter patina showing some areas of mild oxidation staining and the plunger with strong case-hardened colors. The triggerguard and backstrap retain about 40% silver finish mostly around the guard, taking on a lovely dark tarnish with the balance toned to a pleasant ocher patina and the inscription remaining completely intact and strong. Some of the screw heads show some light slot wear and otherwise retain strong bright fire blue, the trigger and wedge also with fine fire blue. The New York barrel address and all of the other markings remain crisp and clear. The smooth walnut grip is ink-numbered to the gun and remains in very fine to near excellent condition retaining about 95% original varnish showing a tiny drying crack at the base of the right side and some scattered light dings. The arbor is un-numbered, the wedge is mismatched numbered "54948" and the remaining serialized parts are matching. The hand spring is either weak or broken but the action otherwise seems to function well mechanically when held down with solid timing and lock-up. The barrel of No. 256793 retains about 92% original bright blue showing some mild high edge wear, some sparsely scattered specks of light oxidation staining and a number of small dings on the right side near the wedge. The five-shot cylinder retains perhaps 20% original bright blue with the balance flaked to pewter gunmetal patina, the safety pins are mostly intact and the stagecoach cylinder scene is completely intact and quite crisp. The frame, hammer and loading lever retain about 92% lovely vibrant case-hardened colors showing some toning to pewter along the loading lever, a few mild freckles and handling marks along the frame. The left barrel locator pin has broken off into the barrel. The triggerguard and backstrap have mostly toned to a lovely dark ocher patina showing some mild tarnishing and remnants of dark silver finish around the triggerguard. The inscription remains completely intact and strong and the screw heads, trigger and wedge retain almost all of their brilliant fire blue. The New York barrel address and other markings remain crisp. The smooth walnut grip is ink-numbered to the gun and remains in near excellent condition retaining about 98% period reapplied antique varnish showing an expertly repaired small chip at the right edge and some other minor handling marks. All of the serialized parts are matching including the wedge and the action seems to function well mechanically with solid timing and lock-up. The revolvers are housed in a lovely period French-fitted mahogany case that rates very fine retaining much of its exterior varnish showing some mild staining and fine grain cracks along the lid, the base with a few moderate drying cracks and showing remnants of original green paper covering. The case is fitted with brass reinforcements along the corners of both the lid and base: the lock escutcheons and diamond inlay on the lid have been lost to the years. The interior is lined in a fine deep purple baize with dark green accenting, showing some light scuffs and a couple small detached areas. The case contains a number of fine original accessories including a partial japanned tin of Eley's caps with green label and Colt's callout, fire-blued nipple wrench that shows damage on one prong, dual cavity Colt's Patent bullet mould that retains about 90% original blue, showing some scattered moderate dings and crisp "31 PKT" stamp and patent markings and a fine Federal Eagle powder flask marked "COLTS PATENT" retaining strong original finish with some mild staining and tarnishing and the spring with strong fire blue. Research indicates these pistols were very likely presented to a Captain John Frederick Rodgers of Connecticut who was commissioned a Second Lieutenant into the U.S. Army Quartermaster's Department on July 21, 1862 and was promoted to Captain on July 28, 1866. He remained an army man for life, retiring January 13, 1894 and passing away on August 25, 1899. This is a very attractive pair of revolvers with a lovely period casing and inscription. (13C9670-428) {ANTIQUE} [David & Lore Squier Collection1 (4000/6000) Est. 4,000 - 6,000

Lot Title/Description

103 Johann Jacob Kuchenreuter Flintlock Sporting Pistol 105 Rare Early Cased Adams Patent 1851 Double Action Percussion 44 cal, 9 1/2" tapered round barrel with side flats and integral top rib Revolver by Tranter showing a mostly bright, very fine bore, with scant shallow rifling. This is serial #20254Y, .45 cal (50 bore), 6 5/8" octagon barrel with a good-very a very lovely and very ornate gun, which typifies the exquisite work this good bore showing some scattered light pitting and strong rifling family of gunmakers is known for. The barrel retains a lovely antique throughout. This is an early revolver made under license by William blue-gray, flaking to brown on the high and contact areas, with a simple Tranter with the particularly rare feature of a counter-clockwise rotating silver blade style front sight with inlaid legs across the surface of the cylinder. The metal surfaces have mostly toned to a mottled dark gray barrel, the rear sight is a dual square notch blade, one standing one patina with some scattered remnants of light pitting, more moderate folding, plated with gold, affixed to the tang. The makers name is in the along the cylinder, and some lighter handling marks here and there. The aforementioned integral barrel rib and there is open flowing chiseled metal surfaces are lightly embellished with a few foliate flourishes and all scroll to its rear with a small grotesque within, this ahead of the sunken of the markings are still clear. The topstrap is marked only "LONDON". impressed gold makers touch marks atop the barrel and the left and the right side frame with "ADAMS' PATENT" and the serial number, right diagonal flats. The early style lockplate has beveled edges with a "ADAMS / 1851 / PATENT" on the left side frame and clear London light step at its rear and features a nice faceted pan and unbridled proof marks. The checkered one-piece walnut grip is frizzen. The frizzen spring has lightly chiseled edges and tailpiece, the assembly-numbered to the frame and remains in very good plus lockplate itself with game scene engraving and light flowing scroll on the condition showing some small areas of compressed points, handling swan neck cock. All of the brass furniture features a gold wash or plate, marks and strong checkering overall. The revolver is equipped with a the ramrod thimbles faceted with engraved and chiseled tailpipe peg on the left side of the frame for Tranter's first model rammer and the action seems to function well mechanically with solid timing and lockup. extension. The fancy triggerguard has an urn and foliate front extension with a small grotesque and intertwining rococo scroll on the bow, it is The included mahogany case is guite nice showing some scattered light numbered "No. 53" on the triggerguard's tang. The dual lobed strapped dings and a small chip to one bottom corner. It is lined with green baize buttcap as well shows game scenes left and right with the same open and contains a number of attractive original accessories including: flowing chiseled rococo scroll which continues onto the cap of the butt. detachable Tranter-marked first model rammer, small James Dixon the fancy sideplate with a martial panoply and open rococo scroll as powder flask (its spring will require some mechanical attention), nipple well. The stock appears to be French walnut and rates very fine with a wrench with screw-in pick, unmarked oil pot, a brass-tipped rosewood bone forend tip showing a slight schnabel, with open flowing carved handle cleaning rod and perhaps rarest of all, a brass-handled dual rococo scroll in the forestock area and surrounding the tang and rear of cavity 50 boreconical bullet mould with Tranter patent stamp. There is each lockplate. All of the edges remain crisp and the arm appears to be also a spot in the case for holding paper cartridges. A fine example of a unmolested with original finish, a very small "3" on the right side of the desirable Adams revolvers with a host of early features and accessories. grip between the butt strap and fleur-de-lis scroll, at the rear of the (13B9686-5) {ANTIQUE} (2000/3500) lockplate. There is a fancy gold monogram plate affixed atop the wrist, Est. 2,000 - 3,500 106 Fabulous Pair Of Silver Mounted Prussian Martial Holster Pistols by chiseled in relief with the bust of some nobleman adorning it. The arm Johann Saps features its original horn-tipped ramrod and is equipped with a single set trigger, currently the lock will hold on its safety notch only and not at full About .60 cal., 12 1/4" barrels showing very lightly oxidized bores. This cock. The Kuchenreuters were Royal arms makers to the House of is a lovely set of uncut, completely original long-length horseman's Thurn and Taxis, this arm of sufficient quality to certainly have been holster pistols. The barrels are a very pleasing smooth pewter gunmetal made for nobility of that royal household. A beautifully executed German patina with German silver half-moon front sights, dual turned medials flintlock from the early-mid-18th-century. (3G9670-425) {ANTIQUE} about halfway down their length and small turned medials at the junction [David & Lore Squier Collection] (4000/6000) from round to octagonal. Each has a dovetail tang and are maker marked lightly on the top flat "Lazari Cominaz". Each of the toucholes is Est. 4,000 - 6,000 104 Fine Flintlock Sporting Carbine-Pistol by Kuchenreuter lined in gold and the arms, while showing evidence of use, were .62 cal, 7 1/2" round barrel with a bright about excellent deeply rifled extremely well-cared-for. The banana-shaped locks have beveled front bore. This is a very interesting pistol with a very interesting iron keyway edges, pronounced teat at the rear end, are convex, as-are the swan inset by the maker into the wrist of the stock which would accept a neck cocks. Each of the lockplates is marked along their lower beveled detachable buttstock, although in this case it is lost to the years. The edge "I.C. Saps" with "Berlin" hiding atop the bevel behind the frizzen barrel is lightly swamped and has an integral rib its full-length and shows spring. The unbridled frizzens are lightly sculpted and the frizzen spring exceptional wide flowing wootz-style damascus pattern with a nice silver is chiseled with foliate tail. There is a nice medial ridge beneath the blade front sight with chisel front extension. "Kuchenreuter" is inlaid in rounded pan and small chiseled ribs running around the circumference silver atop the rib and there are scant left and right bolster flats, the right of the lockplates and hammers. There are lovely faceted flared German showing a platinum vent liner. The tang is unadorned but has a simple silver ramrod thimbles with the triggerguard front extension chiseled and engraved with an urn and foliate motif with a small grotesque at its base, three leaf rear sight, one standing, two folding, all with shallow v-notches. The lockplate is lovely with beveled edges with a pronounced the bow lightly engraved, the rear extension faceted. Each of the rear extensions is engraved in turn "P/No./2". The silver dual-strapped step at the rear and a small teat. It remains very bright with its mirror-polished finish brilliant, the swan neck cock with dual rococo style buttcaps show light borderline engraving with a loose open scroll vertical bolsters front and rear, the waterproof pan culminating in a drapery and fabulous grotesques at the butt proper. The arms are bridled frizzen with fancy curlicue chiseled tail, the roller style spring stocked in European walnut which shows some lovely grain figure here neatly chiseled with a small finial extension. The arm features silver and there and rate very fine with sharp edges and the expected light mountings overall and was likely part of a sporting set. The ramrod dings and handling marks that come from the years. There is island thimble and tailpipe are lightly engraved while the front extension of the carving around all of the furniture with some light excellent quality open wide bow triggerguard shows light intertwining engraving and scant flowing scroll at the rear of the dovetail tangs. Each of the stock flats has chiseled fleur-de-lis front. The wide flared silver butt cap has dual straps been branded with a capital letter "K" and feature a pierced open flowing with light floral petal scalloping surrounding the cap proper, which has a rococo scroll sideplate with unengraved monogram field and a capital script "P" engraved thereon. The semi-fancy silver sideplate grotesque serpent at the front of each devouring the front lockplate mimics the chiseling and engraving at the triggerguard's front extension screws. The locks are very crisp and mechanically functional and the and is neatly engraved "1". The European walnut stock rates excellent original brass faced ramrods are included (one may be a later antique with a nice horn forend tip, light island carving on each stock flat and replacement but it is of the finest quality and mimics the other rod around all of the furniture, the tailpipe with light flourishes of scroll, precisely); the top jaw and screw of one arm show evidence of having additional light scroll surrounding it, and nice open carved flowing scroll been lightly cleaned but appear to be original. Bresican gunsmith around the upper tang ahead of the buttstock socket. The arm retains all Lazarino Cominazzo was known for his very fine work, this house has its original varnish and shows no restoration or sanding, with a few light sold arms in the past equipped only with his barrels, they being of handling marks here and there and an interesting carved letter "M" on excellent quality and harvested for use on later arms. Johann Christoph the diagonal portion of the stock between the tang and the sideplate. Saps (I.C. Saps / Berlin) according to Stockel was the regimental The buttstock socket would've accepted a dual-winged key which gunsmith from 1744-54 for the "von Kalckreuth" Infantry Regiment No. 4, of Jung-Larisch's 2nd Division, hence the large capital "K" branded guarter-turned into the piece to lock it, allowing one to use the long range sights on the arm if necessary, obviously using the close range into the left stock flat. A very lovely pair of large martial holster pistols, sight when using the pistol as a side arm. The lock is crisp and no doubt utilized by some officer of import and wealth as was common mechanically functional and the arm is equipped with a single set trigger in that time period. (3F9670-432) {ANTIQUE} [David & Lore Squier which functions well and the original horn-tipped ramrod is present. As Collection1 (5000/7000) expected, a beautiful Kuchenreuter pistol, it would be interesting to have Est. 5,000 - 7,000 a talented craftsman construct an appropriate buttstock. (3D9670-502) {ANTIQUE} [David & Lore Squier Collection] (2000/3000) Est. 2,000 - 3,000

Title/Description Lot

107	Cased Tranter Model 1868 Double Action Revolver with Retailer		109	Exceptional Leonard Francolini-Engraved Colt Single Action Army
	Markings			Second-Generation Revolver
	serial #39274, 450 CF, 4 1/2" octagon barrel with a bright near excellent			serial #S02836A, 44-40, 5 1/2" barrel with a bright excellent, unfired
	bore. The barrel and ejector assembly of this second pattern revolver			bore. The metal surfaces on this stunning revolver retain 99% plus rich
	retain about 97% original bright blue showing some faint high edge wear			engraver-applied blue. This 1994-engraved revolver features stunning
	and a few small spots flaking to gray-brown patina. The frame and			loose flowing foliate scroll with fine background punch-dot shading. This
	triggerguard retain perhaps 40% original bright blue showing heavier			intertwining scroll is exceptionally beautiful and covers about 75% of the
	flaking to a pleasant gray-brown patina and a few spots of light pinprick pitting. The trigger and hammer are mostly bright showing some			arm. There are lovely loose flowing 24-karat gold scroll foliate-ribbon inlays and extensive gold wire work accenting all parts of the arm, much
	scattered gray freckling, a number of the small parts retain vibrant fire			in a lovely flowing scallop-like pattern. The hammer spur has been
	blue and the cylinder is a silvery-gray patina. The loading gate still			neatly, finely narrowed and gracefully contoured and nicely checkered
	shows good case-hardened colors while the buttcap retains some			and the frame screws have a stunning gold scroll inlays as well. The
	smoky remnants of colors. All of the markings are crisp and clear and			factory markings have been replaced with flush gold inlaid facsimiles
	the topstrap is retailer-marked "FREDERIC T. BAKER / 88. FLEET			and there is even a tiny gold Rampant Colt on the rear face of the
	STREET. LONDON." The one-piece checkered walnut grip remains in			loading gate. The front sight has been neatly pierced in a pattern which
	excellent condition showing a few tiny dings, crisp checkering and			matches the scallop-like gold wire inlay and is neatly engraved as well.
	retains almost all of its original varnish. The cylinder and barrel are			This exceptional revolver wears a one-piece ivory grip which is very
	matching the frame by assembly number "33" and the action seems to			finely checkered in a beautiful scallop pattern and rates excellent
	function well mechanically with solid timing and lockup. The included			as-new. Mr. Francolini has signed and dated the front of the frame, his
	oak case is lined with green baize and remains in very good plus to near			name in gold and the date inlaid in fine silver wire. As expected the arm
	excellent condition showing some scattered light dings, scratches and			is unturned, unfired since leaving Mr. Francolini's hands. The revolver
	the lining shows some small tears and light staining. The brass lock escutcheon is missing but a key is provided and the lock is functional.			rides in a lovely French-fitted Huey case with forest green interior and two lovely ebony-handled turn screws, each with a tiny Rampant Colt
	The interior lid has a very nice Frederic T. Baker retailer label showing a			applied to the handle, the interior of the lid with a nice
	few spots of light staining and the only accessories present are a brass			"Colt/Firearms/The Arm of Law and Order" leather label. A letter of
	cleaning rod with wire brush and a separate bronze brush attachment. A			authentication is provided, signed by Mr. Francolini and notarized, an
	very attractive Tranter revolver with corresponding case. (13B9686-14)			original sales receipt is included as well. Truly an exquisite and
	{ANTIQUE} (2000/3000)			one-of-a-kind arm for the advanced Colt or engraved arms collector.
	Est. 2,000 - 3,000			(3E9765-9) {MODERN} (15,000/25,000)
108	Rare Cased Tranter Model 1879 Double Action Revolver with Calcutta			Est. 15,000 - 25,000
	Retailer Markings		110	Rare Adams Model 1851 Double Action Percussion Revolver by Tranter
	serial #4915, 450 CF or 455, 6" ribbed octagon barrel with a good to			serial #8129R, .44 cal (54 bore), 4" octagon barrel, neatly shortened
	about very good bore showing some scattered pitting and strong rifling			during the period of use, with an about very good bore showing
	throughout. The metal surfaces of this revolver retain about 70-75% original nickel finish with areas flaked along the muzzle, frontstrap and			scattered light pitting and strong rifling throughout. The metal surfaces of this revolver retain perhaps 70% original bright blue showing overall light
	sides of the cylinder and some spots of light oxidation staining. There is			flaking to mild gray-brown patina, scattered spots of old light pitting and
	a small patch of heavier cleaned pitting along one of the cylinder flats			handling marks. The cylinder has toned to a pewter gunmetal patina
	but the other areas are mostly a smooth gray and light brown patina			showing some faint traces of silvery case-hardened patina and some
	blending rather nicely with the remaining nickel. Some of the small parts			scattered light dings. The trigger shows strong fire blue while the intact
	and screw heads retain faint remnants of nice fire blue and all of the			spring-loaded hammer block safety retains some good remnants of fire
	markings are crisp and clear with "W. TRANTER'S PATENT" on the left			blue. The arm is embellished with double line bordering and a few
	side frame and retailer markings along the topstrap that reads "R.B.			tasteful foliate scroll flourishes, the markings remain mostly crisp and
	RODDA & Co LONDON & 7 & 8 DALHOUSIE Sqe CALCUTTA." The			clear and the topstrap is retailer-marked "DEANE ADAMS & DEANE.
	checkered one-piece walnut grip remains in very good plus to near			30. KING WILLIAM ST'T LONDON BRIDGE." The checkered walnut
	excellent condition showing some light handling marks, nice checkering			grip remains in very fine condition showing a couple very light dings,
	and strong original finish. The lanyard ring is intact and the cylinder is matching the frame by assembly number "702". The revolver is			minor handling marks and nice checkering. The backstrap is equipped with hardware for mounting a detachable stock that very much appears
	equipped with an "inspection catch" that allows the revolver to be			to be maker-installed with engraved screw heads and light
	opened without engaging the extractor. Barrel-to-frame fit is very good			embellishment around the edges. This revolver features
	and the action seems to function well mechanically with solid timing and			counter-clockwise cylinder rotation, unusual and seldom seen on British
	lockup. Nickel-plated revolvers were very popular for colonial service as			revolvers, no front sight is present and the action seems to function well
	the finish was more resistant to the harsh tropical climates. The included			mechanically with solid timing and lock-up. A nice example of a rather
	original oak case is properly retailer-marked with a nice R. B. Rodda &			rare Adams patent revolver with a number of interesting features.
	Co., Calcutta interior label that shows some areas separating and			(13C9686-4) {ANTIQUE} (1500/2000)
	staining but is still clearly legible. The case is lined with green baize and			Est. 1,500 - 2,000
	remains in very good condition showing some light dings and chips		111	Colt Factory C-Engraved Second-Generation Single Action Army
	around the edges, strong exterior finish and some small tears and light			Revolver by Bob Burt
	staining along the baize. The brass lock escutcheon is missing, there is			serial #58141SA, 45 colt, 4 3/4" barrel with a bright excellent unfired
	no key present and an original cleaning rod with brass head is included. Only about 1000 of these revolvers were produced and this is a fine			bore. The metal surfaces retain 99% plus original factory nickel with no discernible wear. The arm features factory C-grade coverage engraving
	example with nice original casing and interesting shipping destination.			in Colts typical loose open flowing scroll with a lovely background
	(13B9686-13) {ANTIQUE} (2000/3000)			punch-dot accenting, the work signed by Mr. Burt beneath the grip frame
				"Colt Engr RB Burt" in cursive script. The arm now wears a pair of later,
1	Est. 2,000 - 3,000			
	Est. 2,000 - 3,000	1		good quality genuine stag grips, they fit quite well however they are
L	Est. 2,000 - 3,000	1		good quality genuine stag grips, they fit quite well however they are quite proud along the butt; they doubtless could be easily fitted a bit
	Est. 2,000 - 3,000	1		
	Est. 2,000 - 3,000			quite proud along the butt; they doubtless could be easily fitted a bit better by a patient craftsman. As-mentioned the arm is un-turned, un-fired since leaving Colt, it comes in a blue custom shop box with
L	Est. 2,000 - 3,000			quite proud along the butt; they doubtless could be easily fitted a bit better by a patient craftsman. As-mentioned the arm is un-turned, un-fired since leaving Colt, it comes in a blue custom shop box with outer shipping sleeve without end labels. Perfection in Colt factory
	Est. 2,000 - 3,000			quite proud along the butt; they doubtless could be easily fitted a bit better by a patient craftsman. As-mentioned the arm is un-turned, un-fired since leaving Colt, it comes in a blue custom shop box with

#### Title/Description Lot

Title/Description Lot

112	Stunning Colt Single Action Army Revolver by Master Engraver Wayne	[*	115	Excellent Colt Model 1902 Commercial Model Semi-Auto Pistol
	Deangelo	1		serial #40668, 38 ACP, 6" barrel with a bright excellent bore. This is a
	serial #S480998, 45 Colt, 4 3/4" barrel with a bright as-new bore. This is	1		very lovely pistol in a very fine state of condition. The metal surfaces
	an absolutely stunning revolver, no detail was spared in its engraving,	( L		retain 98 to perhaps near 99% original blue, the only loss is due to very
		1		
	embellishment and finishing. The revolver retains 99% plus	1		very tiny scratches scattered about the guns surface, primarily on the
	post-engraving bright nickel finish of the finest quality. The revolver has	1		underside of the frame and a few on the slide, but they are tiny and
	been engraved in near full coverage by Mr. DeAngelo, the only areas	1		missed at first glance. The hammer retains nearly all its original vibrant
	unengraved are the underside of the barrel where the ejector rod head	1		color case-hardening with only very light wear at its leading edge, which
	would slide, the cylinder flutes, left and right of the triggerguard and the	1		is completely hidden when the hammer is down, and the lanyard loop
	frontstrap. The balance features open flowing scroll, some tight scroll,	1		retains all of its original vibrant color case-hardening. The checkered
	nice checkerboard and geometric engraving and foliate patterns as well,	1		hard rubber Rampant Colt grips rate excellent to as-new and the grip
		1		screws exhibit brilliant blue. The muzzle remains bright as-does the
	all of this with lovely background punch-dot accenting. Mr. DeAngelo	1		0
	has his own take on the wolf's head hammer, often seen on	1		portion of the barrel which is exposed through the ejection port. Included
	percussion-era revolvers, this example very endearing and neatly	1		with the arm is a single fully blued magazine marked on its bottom "Cal
	executed. The revolver wears a one-piece carved-in-relief ivory grip with	1		.38/Colt". The included factory letter shows shipment in August 1920 to
	dual steer heads left and right, each with a ruby eye. It fits flawlessly and	1		Luetkemeyer Co. of Cleveland, Ohio in a single gun shipment. So often
	was executed by Mr. DeAngelo at the same time the arm was engraved.	1		we find these guns with beautiful external condition and then find that
	A former Chief Engraver for S&W and contract engraver for Colt, Wilson	1		the bore rates only very good as it was shot once or twice with corrosive
		1		
	Combat, Nutmeg Sports and others, Mr. DeAngelo has engraved some	1		ammunition and not properly cleaned, this example is an exception to
	of the most beautiful firearms in some of the finest collections that exist.	1		that rule as it is just as lovely inside as it is out. A beautiful Commercial
	This revolver is no exception and is flawlessly executed and wanting for	1		Model 1902 pistol with excellent investment potential that would be a
	nothing. Destined to be the centerpiece of any collection of fine Colt	1		positive addition to any Colt or automatic pistol collection. (39908-22)
	firearms or embellished guns, definitely investment-grade, a work of art	( L		{C&R} (5000/7000)
	in steel and ivory. (3E9740-38) {MODERN} (4000/6000)	( L		Est. 5,000 - 7,000
	Est. 4,000 - 6,000	( F	116	Excellent Colt Model 1911 Semi-Auto Pistol
113	Colt Factory B-Level Expert Engraved Third Generation Single Action	i l'		serial #C114879, 45 ACP, 5" barrel with a bright excellent bore. This is
13		( L		-
	Army Revolver	1		very handsome pistol, the arm retains perhaps 98% original blue, the
	serial #S14698A, 45 Colt, 3 1/2" barrel with a bright excellent, unfired	1		loss due to a tiny bit of sharp edge wear at the muzzle but primarily a
	bore. This is an exceptional revolver, B-grade engraved but in "expert"	1		few light scratches on the guns left side, a very small reassembly
	level, with delicate diminutive flowing intertwining scroll and very light	( L		scratch on the frame and a few circumferential scratches up on the slide
	background punch-dot shading, coverage appearing very much to be	1		were it not for these marks the gun would be a 98% to near 99% arm.
	more C-level than is typical of B- level. The arm is absolutely as-new,	1		The frontstrap does show a few minor handling marks here and there,
	un-fired and un-turned since leaving Colt and features a shopkeepers or	1		
		1		but the flat mainspring housing retains nearly all its original blue with a
	"sheriffs" length barrel, but with an ejector rod housing. It comes with a	1		few light handling marks. There are a few very tiny freckles of oxidation
	pair of factory genuine smooth mother-of-pearl stocks which, while	1		beneath the slide stop and a tiny pit or two on the right side near the
	un-numbered, fit precisely as-expected. The grip frame is signed on the	1		"Colt Automatic" marking, these are all unobtrusive and missed at first
	interior by Colt Master Engraver Jan Gwinnell "Engr JLG" in fancy script.	1		glance. The double diamond checkered walnut grips rate excellent and
	The arm comes in its original blue Colt Custom Shop two piece box with	1		the grip screws exhibit lovely bright original blue, the lower right with a
	papers and white outer sleeve with custom shop end label, serial	1		tiny bit of slot damage. Included with the arm is a single two tone
		1		
	numbered to the gun, confirming 3 1/2" barrel, nickel, two-line barrel	1		lanyard loop magazine which rates excellent, showing one small ding or
	address, "B" expert engraving and pearl stocks. Of course all numbers	1		its left side, it is pinned-base. The barrel is completely unmarked but for
	are matching and the 3 1/2" barrel with the ejector rod housing is an	1		"S16" on the underside near the lug, perhaps indicating that it is a G.I.
	impressive little package and a very cool configuration. A sublime Colt	1		barrel, its throat is immaculate and the face of the breech shows nearly
	destined for the collection of only the most discerning Colt collector.	1		all its original blue with a tiny bit of wear. Really a very lovely 1911
	(3D9746-8) {MODERN} (4000/6000)	1		Commercial Model pistol which appears to have seen very little, if any,
		1		use and no doubt spent most of its life in a drawer awaiting trouble. The
<u> </u>	Est. 4,000 - 6,000	4		
114	Scarce Factory Engraved Colt Third Generation Single Action Army	1		handsome arm would be a very much at home in a purple box.
	Revolver	1		(3B9908-23) {C&R} (3000/5000)
	serial #SA06891, 45 Colt, 5 1/2" barrel with an excellent unfired bore.	( L		Est. 3,000 - 5,000
	This is a Model P1850 B, research indicates this is one of the scarcest	I P	117	U.S. Colt Single Action Army Ainsworth Inspected Cavalry Model
	variations of the factory engraved revolvers with a 5 1/2" barrel and	1		Revolver
	unfluted cylinder. The metal surfaces are Class B engraved with about	1		serial #9921, 45 LC, 7 1/2" barrel with a very good bore. This is an all
	50% crisp coverage American scroll, the interior left-side grip frame is	1		
		( L		original revolver which shows matching numbers on the barrel, cylinder,
	marked "COLT ENG". The barrel, grip straps and unfluted cylinder retain	( L		frame, triggerguard and backstrap. The early slanted barrel address
	99% original royal blue with a speck of oxidation at the tip of the front	( L		remains very clean as do the twp-line patent dates on the frame. The
	sight. The frame retains 99% vivid case-hardened color with two very	1		revolver comes with a Kopec letter of authentication dated March 9,
	minor and mostly-unobtrusive marks on the topstrap where the metal	1		1998. Kopec points out the nice markings, that the gun has never been
	may have contacted some type of solvent. The smooth ivory grip panels	( L		enhanced by any gunsmiths and that it was likely one of the revolvers
	are excellent plus and display wonderful mellow striations; this is a fine	( L		issued to the 8th Cavalry based on known 8th Cavalry issued guns in
		( L		
	specimen that has likely been handled very little since it left Hartford in	( L		this serial range. It shows all the correct early features including the
	the late 70s. Included is an excellent condition fitted leatherette Custom	1		markings, doughnut shaped ejector head, ejector rod housing with barre
	Shop case and original shipping sleeve, the sleeve's end label indicates	1		boss, small cylinder bolt stops, etc. Kopec mentions the only part not
	"N.F cyl" for the unfluted cylinder and shows Model P1850. (22C9746-2)	1		original being the cylinder pin retaining screw, which still shows some
	{MODERN} (2500/3500)	1		blue and could be toned to match better. The gun shows matching "A"
	Est. 2,500 - 3,500	( L		sub-inspectors initials on bottom of barrel, cylinder, triggerguard and top
L	,	ł – – – – – – – – – – – – – – – – – – –		of backstrap. There are also initials "P" on bottom of barrel and on the
				cylinder. The metal surfaces of revolver show an even medium gray
				brown undisturbed patina with some scattered oxidation staining and
				light pitting near muzzle and on rear of barrel ahead of cylinder. There is
				also some very light pitting on the outer edges of the recoil shield but all
				of this is unobtrusive, the markings are nice and the surfaces show a
		I		
				lovely honest appearance. Screwbeads remain guite clean and the
				lovely honest appearance. Screwheads remain quite clean and the
				one-piece walnut grip shows wear commensurate with the balance of
				one-piece walnut grip shows wear commensurate with the balance of
				one-piece walnut grip shows wear commensurate with the balance of revolver and shows no remaining insepctors marks. The grips show wear and some loss to left toe and right heel. This is a very honest
				one-piece walnut grip shows wear commensurate with the balance of revolver and shows no remaining insepctors marks. The grips show wear and some loss to left toe and right heel. This is a very honest example of an Ainsworth inspected, 1874 production Colt Cavalry Single
				one-piece walnut grip shows wear commensurate with the balance of revolver and shows no remaining insepctors marks. The grips show wear and some loss to left toe and right heel. This is a very honest example of an Ainsworth inspected, 1874 production Colt Cavalry Single Action with Kopec authentication letter. (1D9898-21) {ANTIQUE}
				one-piece walnut grip shows wear commensurate with the balance of revolver and shows no remaining insepctors marks. The grips show wear and some loss to left toe and right heel. This is a very honest example of an Ainsworth inspected, 1874 production Colt Cavalry Single

Lot Title/Description

118	Very Fine U.S. Colt Single Action Army Artillery Model Revolver	120	Scarce Portuguese Contract K98K Bolt Action Rifle by Mauser
	serial #94854, 45 Colt, 5 1/2" barrel with a very good bore except for a		Oberndorf
	small section of moderate oxidation near the front sight. This revolver		serial #H5902, 8mm Mauser, 24" barrel with a bright excellent bore. The
	features a David F. Clark inspected frame, "G" inspected triggerguard		metal surfaces of this 1941-dated rifle retain about 95% original blue
	#71078, Ainsworth inspected barrel #3759 with correct early slant		with most of the loss due to some scattered fine oxidation staining along
	address, Ainsworth inspected cylinder with small bolt stops #0963		the barrel, a few tiny spots of light pitting along the wood line, some
	(extremely light), Ainsworth inspected backstrap #10104, early doughnut		thinning to gray-brown patina along the triggerguard and some small
	ejector head and early ejector rod housing with barrel boss. The		moderate scratches or light dings along the front sight base from hood
	condition of the revolver is excellent with the barrel and ejector rod		removal. The barrel bands show moderate thinning and toning to a deep
	housing retaining about 95% original blue finish with some scattered		gray-brown patina and the receiver ring showing some mild discoloration
	very light specks of surface oxidation staining and feathering still visible		or flaking of the finish. The brg-coded cupped buttplate is a dark gray
	around front sight. The cylinder shows about 90 - 95% original finish with		patina showing some mild freckling. All markings remain strong with very
	an identical surface as the barrel. The frame shows over 90% strong		nice Portuguese crest over "1941" on the receiver ring, Mauser
	original color case hardened finish with scattered light specks of		commercial address on the left wall, eagle firing proofs and proper
	oxidation staining. All markings are clear and legible except the cylinder		Mauser Waffenamts. The smooth walnut stock and handguard remain in
	number which was previously mentioned. The backstrap shows about		very good condition having been very lightly cleaned and are mostly
	40% original blue blending with a pleasing smooth brown patina. The		devoid of finish showing a couple of very neatly repaired thin cracks;
	triggerguard has nice striations down the front strap and shows about		one above the recoil bolt on the right side, and one rather more
	65% original blue. The grips are completely unmarked, look very nice,		moderate along the right side that extends for about 7" back from in
	are the proper style but the fit is slightly off and they may be from a		between the bands, and loops around to about the middle of the
	different, commercial revolver. An extremely handsome, high condition		handguard on the left side. The repairs are well executed and they go
	Artillery Single Action Colt with a lot of early components. (1C9898-20)		almost unnoticed at first glance. The stock otherwise shows just some
	{ANTIQUE} (4000/6000)		scattered light dings and handling marks and the original markings
110	Est. 4,000 - 6,000		remain visible with "(Eagle) / 135" on the right side butt and large Portuguese crest over "1941" on the left. The buttstock is matching the
119	U.S. Colt Single Action Army Cavalry Model Revolver serial #3716, 45 Colt, 7 1/2" blackpowder barrel with an about very good		receiver along the toe line and the handguard is also matching
	bore which shows strong evident blackpowder rifling but with light pitting		
	its full-length, a couple spots a bit more moderate. The barrel, cylinder		internally. Strangely, the barrel band spring is mismatched numbered "3092" but the remaining serialized parts are matching and the action
	and the triggerguard retain about 95% Colt factory blue, the arm		seems to function well mechanically. Also included is the original
	obviously returned to the factory for service post-1902, with the cylinder,		matching bayonet with mismatched scabbard "H81". The bayonet rates
	backstrap and frontstrap of triggerguard all bearing factory refurbish		very fine retaining about 90% original blue showing some overall mild
	number "685 B". We date the refinish to post 1902 as the left leg of the		thinning to gray-brown patina and a few light dings along the grip spine.
	triggerguard features the "VP" verified proof and the original Single		The blade shows light scabbard wear and a somewhat rough
	Action Army barrel was roll marked with the later "Colt Single Action		sharpening of the edge while the scabbard retains about 80% original
	Army 45" marking on its left side at the time of the service, Colt		blue. The walnut grips show some light dings and the bayonet is
	obviously not letting a gun leave without a caliber marking at that time		stamped with "(Eagle) / WaA883" and "88" Waffenamts. A very nice
	frame. The frame was not touched at the time and is a pleasing plum		example of these interesting contract Mausers. (13B9736-9) {C&R}
	and pewter patina with scattered light and pinprick pitting, it and the		(1800/2200)
	loading gate are assembly numbered to one another and the "U.S."		Est. 1,800 - 2,200
	marking on the left of the frame remains clear and legible. The hammer	121	Fine U.S. Model 1861 Percussion Rifle-Musket by James Mowry
	and trigger appear original and unmolested with the hammer spur		.58 cal., 40" barrel with a bright excellent bore. The metal surfaces
	showing the correct coarse checkering, the firing pin was replaced at		display a handsome muted silvery patina with some softened fine pitting
	some point, there being small peen marks around the rivet. The revolver		on the bands and in a few scattered areas on the barrel along with some
	features its original one piece walnut grip, antique ink pen numbered to		scattered small areas of light staining, a few tiny spots of old light
	the gun on the interior, rating very fine, perhaps showing a bit of a light		oxidation on the triggerguard and a few tiny impact marks on the barrel
	cleaning as the edges are somewhat soft; there are no remnants of		behind the rear band. The lockplate and hammer display some attractive
	cartouches and their fit is excellent. The underside of the barrel is early		smoky case-hardened colors with the lockplate properly marked "1864"
	style with the drilled recess for the ejector rod housing bolster just to the		behind the hammer and with a Federal Eagle ahead while "U.S. / JAs D.
	rear of the ejector rod housing screw hole, the remnants of a "C"		MOWRY. / NORWICH. CONN." is below the bolster. The breech of the
	inspectors mark can be seen as well as a capital letter "G", along with a		barrel is also dated 1864 while the quarter flat bears a clear "V / P /
	number "741". The barrel is clearly first-generation and the early roll		(eagle head)" proof and "CBC" inspection initials are on the left flat. The
	marking exhibits the correct broken characters within the die for a barrel this era; perhaps installed on the gun at the time of the refurbish, or just		black walnut stock rates very fine with nice crisp edges around the stock
	refinished then. Ejector rod is latter style with the kidney bean-shaped		flats with a very tiny chip ahead of the triggerguard and rear lockplate screw and some scattered light handling marks overall. The left flat
	ejector rod head rather than the bull's-eye. There is a bit of surface		features a boxed "HS" inspector's cartouche along with a smaller "R"
	oxidation scattered about the surfaces of the barrel and the grip straps		and lined-out "2" inspection marks while a lightly softened "S" is behind
	have flaked and toned to a plum brown patina. The cylinder exhibits		the triggerguard. The original sights and sling swivels are intact, a
	minor timing issues but is original to the gun, numbered identically to the		correct cupped tulip-head ramrod with retaining swell and threaded end
	frame, triggerguard and grip frame, all "3716". It shows a small "A"		is included and the action remains very strong and crisp. Also included
	Ainsworth inspectors marking as does the triggerguard and top of the		is a U.Smarked Model 1855-70 bayonet in very good plus condition
	backstrap with tiny "C" in the hammer cut below the sight groove. A		showing some scattered areas of fine pitting and light staining which fits
	couple screw slots show some light damage but otherwise they are		on the barrel perfectly. James D. Mowry supported the Union war effort
	unmolested. While Springfield Research Service does not list any data		by delivering 22,000 Model 1861 rifle-muskets between 1863-1864 with
	on this serial number, gun number 3632, 84 numbers away from this, is		this lovely example remaining in a very high state of condition.
	listed as "7th Cav. Recovered" in December 1880 and number 3667, 49		(23A9736-10) {ANTIQUE} (1200/1800)
	numbers away from this, was issued to "Co. D, 6th Cav.", February 20		Est. 1,200 - 1,800
	of 1876. A very respectable U.Saccepted Single Action Army revolver		
	that no doubt saw time on the Western plains in some troopers holster.		
	(3D9670-485) {ANTIQUE} [David & Lore Squier Collection] (4000/6000)		
	Est. 4,000 - 6,000		

.

Lot Title/Description

122	Scarce German vz.24 Bolt Action Rifle Reworked Into K98K Configuration serial #2318, 8mm Mauser, 24" barrel with a mostly bright very good bore showing some light oxidation and fine pinprick pitting in the grooves with otherwise strong rifling throughout. The metal surfaces of this interesting rifle retain about 70-75% original blue, showing some overall thinning and toning to a mild gray-brown patina, along with a few areas of minor pinprick pitting along the extractor and trigger with some scattered areas of very light oxidation staining and mild freckling. All markings remain crisp and clear with the receiver ring showing the original "CESKOSLOVENSKA / ZBROJOVKA / –BRNO=" markings and Czech 1935 acceptance date on the left side. The German replacement barrel shows the appropriate eagle firing proof, the left side receiver ring also with eagle firing proof, German reapplied serial number and "XXI" Posen depot code. The smooth pistolgrip laminated hardwood stock and handguard remain in very fine condition showing a few very thin mild lamination cracks along the butt, some scattered light dings and handling marks one would expect from military service. There is a very small dent at the toe of the buttplate but this is unobtrusive, the stock is appropriately stamp-numbered matching along the toe line also showing at well. As would be expected from the depot rebuilt arm, the parts show a number of Waffenamts, at "D" and a "P" and the handguard is matching as well. As would be expected from the depot rebuilt arm, the parts show a number of Waffenamts, the barrel bands and buttplate showing "(Eagle) / 1", bolt with "(Eagle) / 140", bolt sleeve "(Eagle) / 37", "(Eagle) / WaA519" on the rear sight base and "(Eagle) / WaA25" on the floorplate. The triggerguard is the original Czech-marked part. The barrel band spring is numbered "5992", the bayonet lug "98" and the front sight hood and cleaning rod are no longer present. The remaining serialized parts including the bolt parts are matching and the action seems to funct	124	Prototype Joseph Rider Patent Outside Hammer Rolling Block Sporting Rifle 38 RF, 24" octagon barrel with a bright excellent bore. This very rare prototype Rolling Block rifle is beautifully engraved with game scenes on its frame. The top flat of the frame is marked "J. RIDER / PATD / JAN'Y 3, 1865" which is the only marking on the rifle. The frame shows fabulous large foliate punchdot shaded scrollwork with a running buck being taken down by a dog on the right side while the left shows a buck with head up high feeding on leaves on a tree branch. The hammer and triggerguard also show nicely executed tasteful scrollwork. The rifle is a takedown with laterally mounted tapered pin through the frame locking into the bottom of the barrel at breech, a system favored by many percussion era gumakers. The condition of the rifle is superb with the barrel and frame retaining about 97% original blue with thin areas starting to show a pleasing smooth brown patina. All markings and engraving remain crisp and screwheads are clean. The rifle features checkered walnut stocks which show extremely fine figure on both sides of stock with straight grain through the wrist, a very fine and carefully selected piece of walnut. The forend is highly figured as well with hom tip and both show checkered panels with curved flowing borders. The fancy scroll triggerguard and butplate are of nickel-plated brass with 95% nickel finish remaining overall. The butplate has an hinged oval trapdoor which is steel and engraved in scroll. The rifle is sighted with a simple stud front mounted in dovetail and a flip up rear ladder sight mounted on the top of the barrel. Both sights are beautifully hand crafted as is the balance of the rifle. This rifle is featured in Roy Marcot's Remington Rolling Block Sporting and Target Rifles on pages 14 and 15 where it is illustrated and described. Marcot notes that this rifle is almost identical to another rifle made by Remington and submitted for Ordnance Trials in early 1865. The rifle comes with a second origina
	/ 1", bolt with "(Eagle) / 140", bolt sleeve "(Eagle) / 37", "(Eagle) /		simple stud front mounted in dovetail and a flip up rear ladder sight
	floorplate. The triggerguard is the original Czech-marked part. The barrel		as is the balance of the rifle. This rifle is featured in Roy Marcot's
	parts including the bolt parts are matching and the action seems to		
	that would make a very fine addition to any advanced German martial		24" octagon barrel in 32 RF and a period wooden takedown case. This
100	Est. 1,800 - 2,200		Rolling Block. A fine opportunity for the Remington collector to acquire a
123	serial #8736, 9mm Bergmann, 4" ribbed round barrel with a bright very		himself. (1E9670-122) {ANTIQUE} [David & Lore Squier Collection]
	otherwise strong rifling throughout. The metal surfaces of this pistol	125	Est. 8,000 - 12,000
	mild gray freckling here and there and the extractor retains most of its		blue with most of the wear due to some thinning from holster wear along
	number is somewhat light, the "8" having been double-struck and the		dings. The bottom of the triggerguard and floorplate have been lightly
	left side. The checkered walnut grips are stamp-numbered to the gun		toning to a mix of pewter gunmetal and mottled gray patina with the
	original varnish and showing just a couple very lightly chipped points,		rear sight remain bright and the fire control group is a smooth matte gray
	receiver, locking block, rear sight piece and bolt are numbered "3736"		
	appears to be an honest factory error. One original magazine retaining about 95% original blue showing some light freckling and thinning is		proper Imperial German military proof and the right chamber flat with Austrian "W-n (Eagle) 16" acceptance. The grooved walnut grips are
	included. The magazine is stamp-numbered matching the pistol and the action seems to function well mechanically. A very attractive example of these interacting end desirable initials (420000 A) (6200) (2000)		stamp-numbered to the gun and remain in very fine condition retaining a health around of original varnish showing a small scratch near the
	these interesting and desirable pistols. (13B9890-4) {C&R} (3000/4000) Est. 3,000 - 4,000		base of the left panel and some light dings along the right. The floorplate is mismatched numbered "427" and the remaining serialized parts are matching. The lanyard ring is intact and the action seems to function
			well mechanically. Also included is the original wooden holster / shoulder stock that is stamp-numbered matching "136" on the
			attachment hardware. The stock rates very good plus as lightly cleaned and refinished long ago showing a 2" thin crack through the lid button
			counterbore, some overall light dings and handling marks. The left side body shows a very faint Imperial German military proof below the
			hardware and the left side lid shows a faint Austrian acceptance stamp. All of the hardware retains a generous amount of original bright fire blue
			toning to a mild gray-brown patina and the stock locks up well on the pistol with a little side-to-side play. This is a very nice example of a correst and desirable Austrian excitors theorem bandle nictal with the
			scarce and desirable Austrian-contract broomhandle pistol with the added bonus of its original stock. (13C9888-4) {C&R} (2500/3500) Est. 2,500 - 3,500

.

Lot Title/Description

126	Interesting Remington Experimental Single Shot Bolt Action Rifle	128	Remington Experimental Single Shot Bolt Action Rifle Formerly of the
	serial #60 / 52, 45 CF, 31 5/8" barrel with a bright very good plus bore		Remington Arms Co. Factory Collection
	showing a few small patches of light oxidation and otherwise strong		45 CF, 31 3/4" barrel with a bright near excellent bore showing some
	rifling throughout. The metal surfaces of this rifle remain mostly bright		faint frosting in the grooves with strong rifling throughout. The metal
	and in very fine condition showing some scattered remnants of light		surfaces of this rifle remain in-the-white having mostly toned to a
	oxidation staining overall, some very minor mild brown and gray		pleasant pewter patina showing some sparsely scattered remnants of
	freckling and a very small ding on the triggerguard. The left side receiver		light oxidation staining and mild gray-brown freckling. The bolt body
	and barrel show Birmingham provisional black powder proof marks and		shows a strong fire blue finish with some remnants of black enamel and
	a small "60" on the barrel. The receiver ring also shows a faint		the arm appears to be unmarked. The bolt is rather Dreyse-like with a
	Remington address and "PATENTED" that remains mostly legible and		short throw and features an action cover plate, single large forward
	the rear right edge of the receiver and all of the bolt parts are numbered		locking lug, finely knurled bolt knob, cock-on-close striker action and
	"52". The bolt head retains lovely case-hardened colors and the		rear-mounted sliding safety. The smooth straight grip walnut stock
	extractor shows brilliant fire blue. The bolt knob is finely knurled and the		remains in very good plus condition as lightly refinished long ago
	action features internal lockwork with exposed right-side hammer similar		showing some scattered light dings, a couple shallow small flakes
	to the Ames Model 1842 Navy pistol. The smooth straight grip walnut		missing near the rear swivel hardware and some other minor handling
	stock remains in very fine condition showing a strong arsenal oil finish		marks. The stock retains its Remington factory collection brass inventory
	and some scattered light dings and dents, mostly along the comb line		tag along the toe line numbered "351". The rifle is equipped with
	and right side. The arm is equipped with sling swivels, the original		U-marked barrel bands, sling swivels and a Trapdoor 1873-style rear
	cleaning rod is present and there is no rear sight, the front being a		sight and small blade front. The action seems to function well
	simple blade. The chamber shows a heavy taper, perhaps for 577/450		mechanically. An interesting experimental rifle for the advanced
	or a similar cartridge. The action seems to function well mechanically		Remington collector. (13C9857-2) {ANTIQUE} (3500/5000)
	with a crisp hammer. A very fine rifle for the advanced martial collector,		Est. 3,500 - 5,000
	research indicates a Remington design was submitted to the British rifle	129	Excellent Remington Rolling Block 1879 Trials Rifle Formerly of the
	trials opened on October 22, 1866 but a precise description of the arm		Remington Arms Co. Factory Collection
	remains elusive, whether it was an early Rolling Block design or this bolt		43 Spanish, 35" barrel with octagonal breech and a bright excellent
	action example remains to be discovered. Evidently the arm suffered		bore. The barrel of this lovely rifle retains about 95% original blue with
	from accuracy issues and exploded cartridges and appears to have		most of the loss due to some streaking toning to gray patina ahead of
	been removed from consideration rather early, indeed all of the		the three barrel bands likely due to removal, a few errant freckles and
	submitted arms suffered to some extent and it would not be until 1874		minor handling marks. The U-marked barrel bands retain a similar
	that the Martini-Henry entered service. (13C9857-1) {ANTIQUE}		amount of original bright blue with some mild high edge wear and
	(3500/5000)		handling marks. The action retains about 98% wonderful vibrant
	Est. 3,500 - 5,000		case-hardened colors showing a hint of faint thinning along the bow of
127	Rare Geiger Patent Single Shot Sporting and Target Rifle		the triggerguard and perhaps a couple errant mild freckles. The rear
	44 RF, 28" octagon barrel with a bright excellent bore. This is an		sling swivel hardware, nosecap also retain most of their lovely colors
	extremely rare and possibly unique rifle built on Leonard Geiger's patent		showing some wear at the heel of the buttplate. The rear sight slider
	#37,501 of January 27, 1863. The gun is completely unmarked except		spring, action pins and pin retainer plate retain 97% brilliant fire blue, the
	for a single "J" stamped into the inside of the forend along the barrel		retainer plate is rather unusual being of straight design, split down the
	channel. The maker is not known; the quality and condition are superb.		center and does not expose the left sides of the pins. The hammer and
	The rifle features a rolling breechblock and hammer with a large		breechblock remain mostly bright showing some remnants of old
	protruding striker on the hammer which fits into an opposing milled slot		oxidation staining and mild gray freckling while the E. Remington & Sons
	in the breechblock allowing the tip of the striker to contact the rim of the		address and patent dates along the upper tang are mostly crisp having
	cartridge when fired. The breechblock locks as the hammer falls, the		been poorly-struck by the factory. The smooth walnut stocks remain in
	same as the production Remington Rolling Block rifles. While the striker		near excellent condition retaining almost all of their arsenal oil finish and
	is quite robust, it is likely the most problematic part of the design. The		showing a few sparsely scattered light dings, handling marks and a
	barrel retains 95% original brown finish overall which has a lovely		small spot of finish loss along the toe line where it appears a sticker
	appearance. The action features an octagon breech and shows 95%		once was. The stock retains its Remington factory collection brass
	original high polish blue finish. The hammer and breechblock pins are		inventory tag along the toe line numbered "61". The original cleaning
	mounted in the rounded frame and show concentric rings around each		rod, sights and sling swivels are intact, the barrel is equipped with the
	pin on both sides of action. The action retains 95% bright original high		right-side saber bayonet lug and the action functions crisply. A beautiful
	polish blue finish overall with just some very light old surface abrasions		Rolling Block rifle for the advanced Remington collector. (13D9670-22)
			{ANTIQUE} [David & Lore Squier Collection] (4000/5000)
	which do not detract. The fancy finger loop triggerguard houses a single		
	trigger. All screws in the action are polished to follow the contour of the		Est. 4,000 - 5,000
	rounded action and their slots remain generally unmaligned. The rifle is		
	fitted with checkered stocks which are of highly figured American black		
	walnut. The toeline is flat which is often seen on percussion rifles, the		
	buttplate is a steel rifle type and the buttstock is checkered to the action.		
	The forend shows a small checkered panel around the retaining screw.		
	Both stocks remain in excellent condition retaining 97% original finish		
	with crisp checkering. There is no provision for a rear barrel sight and		
	the adjustable tang mounted peepsight features turned base which the		
	staff slides into with an adjustment knob ad the top of the turned base.		
	This rifle is illustrated and discussed in Roy Marcot's Remington Rolling		
	Block Sporting and Target Rifles on pages 12 and 13. It is described as		
	"magnificent" in the description and Marcot estimates it was built in 1864		
	or 1865. A rare chance for the advanced Remington collector to acquire		
	this important and very fine piece in the evolution of the Rolling Block.		
	(1F9670-124) {ANTIQUE} [David & Lore Squier Collection]		
1	(5,000/10,000)		

(5,000/10,000) Est. 5,000 - 10,000

#### Lot Title/Description

Lot Title/Description

Exquisite Exhibition-Grade Pair of J Adam Kuchenreuter Percussion Pocket Pistols .36 cal, 3" octagon barrels showing very good bores. This astonishing set of pistols showcases the exceptionally exquisite work that Kuchenreuter was known for. Obviously made for some person of import, or more likely for an exhibition, the pistols are cased en suite in a French fitted burl faced presentation case with a complete complement of accessories and tools. The metal treatment on the arms is indeed artistry in metal. Nearly every iron and steel surface shows exquisite chiseled open flowing scroll inlays in silver and gold with the finest satin finish damascus pattern visible beneath on the barrels. The largest open flowing scroll inlays with scallop shell and floral motifs are of silver, with smaller inter-mingled gold inlays of simple scroll with scalloped floral and dot decorations. Each pistol is fitted with a diminutive simple blade front sight drift-adjustable in a tiny dovetail, with a tiny v-notch elevation-adjustable rear sight and each features the makers name inlaid in gold across the top flat "J Adam Kuchenreuter in Regensburg", each numbered in turn to the front of the sight blade "1" and "2". The balance of the iron surfaces are identical with the steel beneath a pewtery gunmetal finish, the hammers showing a tiny bit of light oxidation staining from the years. The lockplates are neatly rebated at their rear edges and each features a pivoting weighted hammer rest safety catch. The arms are stocked in a lovely grade of French walnut which is overall carved with flowing relief scroll with the finest background stippled shading. The grooved butts flare very slightly and are capped with lovely flat blued steel scalloped-edge plates with light gold and silver inlay, each with a very handsome chiseled silver relief cap of a male African lion, fine silver wire inlay gracing the front and rear of each grip with an unengraved squarish silver monogram plate atop each wrist. The stock flats of each pistol exhibit some light handling marks and flaking varnish but each rate very fine to excellent over all, with a tiny drying crack evident in the thin wood beneath the flared bolster area. Each pistol is equipped with a single set trigger and the locks function properly mechanically. Inside the case we find patch cutter, original bullet mould, nipple spanner, turnscrew, mainspring vise, a very neat key for adjusting the rear sight elevation, loading rod, nickel silver cleaning rod with a mallet-style head of horn, powder measure and a breech wrench, all our bright-polished, the turnscrew and nipple spanner with burl handles and nickel silver inlays. There are two nickel silver patch or cap containers and a lovely ribbed powder flask of bone with nickel silver top and bottom, its stopper has gone missing but would certainly be easy for a craftsman to fashion. The turn screws, mainspring vice and sight adjustment tool all feature the same geometric pierced cross-fleury / cross bottony quadrefoil decoration. The interior of the case is a deep forest green baize with burgundy outlining and features an impressed gold makers mark on the interior lid "Johan Adam/Kuchenreuter/in/Regensburg". The case proper is hardwood with an exterior walnut burl veneer applied with a small brass geometric inlay in the lid, it rates excellent, the lid slightly warped. It is clear that no expense nor effort of workmanship was spared in the construction of these arms and their accessories, it was doubtless a showpiece either in Kuchenreuter's shop proper or in some European exhibition. Kuchenreuter is known for constructing the highest-quality arms seen in the period, this pair is no exception and is worthy of the finest collection of ornate or high-quality European pistols. (3F9670-493) {ANTIQUE} [David & Lore Squier Collection] (25.000/35.000) Est. 25.000 - 35.000

Rare Edwin Wesson two-barrel Percussion Pocket Rifle serial #175, .34 caliber, 12 3/4" barrel with an excellent bright bore. This is the earliest style of the Wesson pocket rifles which featured back action locks and bag shaped grip. The detachable shoulder stock has a patchbox and fits snugly through the gripframe. The top of the barrel is marked "E. WESSON. / NORTHBORO. / MASS" with eagle to left of the mark and "CAST-STEEL / 175" to the right of the mark. The lock shows typical mid 19th century American scroll as does the backstrap, barrel tang and breech. The triggerguard and bottom of the butt are also lightly engraved. The pistol is built on Wesson's typical takedown action with barrel affixed by a hooked lug into the tang and held in place by a single screw or bolt through the bottom of frame and into the barrel breech. Clark's patent false muzzles were used by Wesson, this one is no exception but the false muzzle is actually octagonal with just the last 3/16" turned round to facilitate the included brass starter. The false muzzle is Clark marked and is held in place by spring steel extensions which lock into corresponding notches in the sides of the barrel, the right side fastener is no longer present, the left is fully intact. The condition of the rifle is very nice with barrel retaining 75% original brown finish which is thinning evenly and surfaces remain smooth and completely free of pitting. The lock shows a perfectly smooth surface and shows a pleasing blend of faded color case-hardened finish and a gray patina. The grip frame is a mellow grav patina with traces of original finish in protected areas. The stock is German silver mounted with simply shaped patchbox with tasteful border engraving, it is held closed by a spring loaded clasp which locks into the rear of the lid. The buttplate is very typical Wesson being engraved on tang which is faceted with fancy wedding band where it meets the wood. The locking mechanism is well designed and robust with a 5/16" x 5/8" rectangular lug which fits into both iron gripstraps and locks with a spring-loaded tab which protrudes slightly from the forestrap. The condition of the stock is excellent with over 90% original finish remaining and with a very nice surface. The rifle is sighted with a fine stud front mounted in dovetail and a tang mounted lollipop rear. There is no provision for a rear barrel sight. The rifle comes with a second 31" octagon barrel in .41 caliber which is later but definitely period, mid 19th century, it is marked on its top flat simply "PHILADELPHIA". The quality of the barrel is excellent, it looks like something Krider could have made and perhaps he did. This barrel retains 98% original brown finish, the bolster is carefully shaped to match the original and the bore is excellent. The second barrel also has a false muzzle which is the normal round shape and a second starter comes with the barrel. This barrel is sighted with a rear mounted open barrel sight (missing elevator) and a fine blade front with neat removable hood. Edwin Wesson was the second of ten children born to Rufus Wesson and Betsey Baird. Rufus Wesson built agricultural plows and was never involved in the manufacture of firearms but three of his children went on to successful careers as gunmakers. Edwin was the oldest of the gunmaking Wessons followed by Daniel Baird of Smith & Wesson fame, and finally Frank Wesson who was a prolific maker of rifles, pistols and pocket rifles. Wesson pocket rifles are guite rare and this example is very fine and suitable for any collection of antique American arms. (1E9670-454) {ANTIQUE} [David & Lore Squier Collection] (3000/5000) Est. 3,000 - 5,000

130

Title/Description Lot

				1
132	William Billinghurst Percussion Underhammer Buggy Rifle		134	Dainty William Billinghurst Percussion Underhammer Pill Lock Ladies
	.36 caliber, 12" octagon barrel turned at muzzle for starter with a bright			Target Rifle
	excellent bore. This little buggy rifle is completely unmarked but is			.25 caliber, 21" octagon barrel with a lightly oxidized bore. This little rifle
	unmistakably the work of William Billinghurst of Rochester, New York.			follows the pattern of Billinghurst larger underhammer target rifles but is
	The rifle is equipped with a full length target scope that is also the work			more diminutive and very slender through the wrist. The frame and
	of Billinghurst and it comes with its original skeleton wooden stock. This			barrel breech are engraved in tasteful scroll and the rifle is a takedown
	stock is not merely friction fit like many, there is a retaining screw which			with tapered lateral pin passing though frame and breech extension. The
	enters through the butt and is secured in a hollowed area on the tip of			barrel is an overall even rich brown patina and is marked on top flat "W.
	the stock. The gun was built without a triggerguard and the hammer			BILLINGHURST / ROCHESTER, N.Y.". There is a vacant rear sight
	engages directly with the trigger, externally. The condition of the rifle is			dovetail on the barrel 7" from breech. The frame and barrel breech show
	nice with the barrel showing a lovely even gray brown overall with			a silver gray patina overall being quite smooth and with engraving
	silvering on the high edges and no additional holes or other alterations			remaining sharp. The hammer seems to over rotate when cocked and
	of any kind. The scope is very similar in appearance to the barrel and			stays in the full rear position, this seemed like a malfunction at first but
	shows slightly cloudy optics with intact reticle. The long extended barrel			upon closer review, this was likely made this way to accommodate
	tang/frame shows a good deal of original color case hardened finish			priming the gun with a pill. The action needs slight adjustment as when
	which has softened only slightly. The one-piece walnut grip rates			on full cock the hammer needs some encouragement to fall. The stock is
	excellent with 95% plus original finish remaining and with normal light			of nicely figured American black walnut and rates excellent with lovely
	handling marks from the years. The skeleton stock is in much the same			slender wrist and 95% nicely applied old restored finish. With the beauty
	condition as the grip with wear only showing on the tapered insert. The			of the slender wrist comes the risk of breakage and this little rifle shows
				-
	stock socked is lined with its original nickel silver sleeve. The scope is			a repaired break at the rear of the tangs. It is sound and well-repaired
	mounted in mounts which fit within the front dovetail and adjustable			but still visible as a black line. The gun is equipped with a steel rifle
	mount at very rear of frame. The top of the barrel ahead of front dovetail			buttplate which is engraved on the tang. The rifle is equipped with a full
	shows adjustment marks for when a front sight is mounted in the			length telescopic sight that matches the barrel nicely in color and
	dovetail. This particular Buggy Rifle is pictured in Swinney & Rowe's The			condition and is in all likelihood an original Billinghurst scope. The scope
	New York State Firearms Trade on page 226. The gun is shown without			mounts in the front sight dovetail and the adjustable rear mount fits in
	a starter or ramrod, both are present now, the ramrod appearing to be a			the lollipop style tang hole. The optics are dark but a tapered post reticle
	period Hickory ramrod shortened to fit to this gun, the starter appears to			is visible. This rifle is illustrated in Swinney & Rowe's The New York
	be original to the gun. Billinghurst buggy rifles are desirable, handsome,			State Firearms Trade on page 234. A lovely little Billinghurst rifle.
	interesting and as American as apple pie. (1B9670-490) {ANTIQUE}			(1D9670-161) {ANTIQUE} [David & Lore Squier Collection] (2500/3500)
	[David & Lore Squier Collection] (3000/5000)			Est. 2,500 - 3,500
	Est. 3,000 - 5,000		135	Rare Remington Hepburn No. 3 Long Range Creedmoor "B" Grade Rifle
133	American Percussion Buggy Rifle Attributed to Hitchcock & Muzzy of			serial #2137, 44 2 4/10", 34" round barrel with octagonal breech and a
	Worcester			bright excellent bore. This is a very fine rifle which features all matching
	.32 caliber, 17" octagon barrel turned at muzzle for starter and showing			numbers on tang, barrel, end grain of forend and end grain of buttstock.
	a bright excellent bore. This rifle is completely unmarked but is attributed			The rifle features a checkered shotgun buttplate and a horn forend tip
	to Hitchcock and Muzzy by Mr. Squier citing a nearly identical gun which			and conforms to Creedmoor rules with a single trigger and weighing in
	was sold at auction in 1990. The shape of frame and the grip panels is			just under 10 lbs. with only one sight leaf mounted. The top of the barrel
	distinctive as are the turned rings at breech of frame where it meets the			is marked with the "E. REMINGTON & SONS ILION, N.Y." address on
	barrel. There is a clean out screw in the bolster which is removable with			the octagonal section and remains in excellent condition retaining 97%
	a wrench. The top of the frame is drilled for a lollipop style sight however			original blue finish overall. The action shows about 90 - 95% original
	it is not threaded and instead has a lateral threaded hole which would			color case-hardened finish which has softened over time to a smooth
	house the adjustment screw. The rifle is equipped with a globe front, no			pewter with color visible throughout. There is some scattered light
	rear seat and the adjustable frame mounted peepsight is present, the			oxidation staining in some areas which is minor and unobtrusive. The
	retaining screw however is missing. A talented gunsmith could easily			checkered pistolgrip walnut buttstock and forend are of English walnut
	fashion a retaining screw using distinctive frame screws as a template.			and rate excellent with lots of original finish remaining and perhaps a
	The hammer shows simple folky scroll with the balance of the gun			light coat of added oil. There are the typical light handling marks as well
	unembellished. The condition is very fine with the barrel retaining lots of			as three round impressions, each 1/2" in diameter or less, all in a row on
	its original brown finish just silvering a little on the high edges. The brass			the left side of the butt. The hammer and breechblock show 90% plus
	frame is nickel plated and retains 97% of that finish with the only			original blue finish. The rifle is sighted with a windgauge front with spirit
	noticeable loss being in one small area directly adjacent to the nipple.			level, there is no provision for a rear barrel sight and there is a long
	The hammer is a pleasing mix of gray patina and faded color			
				range tang mounted peep as well as a long range heel mounted peep.
	case-hardening. The burl walnut grips show lovely figure and are each			This rifle is illustrated and discussed in Rowe's Remington's No. 3
	stamped on the interior surface with die stamped letters "AJG". This			Hepburn on pages 176 & 177. Rowe discusses the chambering and that
	same marking is also found in the end grain of buttstock beneath the			very few long range Hepburns are found marked "2 4/10" and that it is
	buttplate. The grips rate excellent with lots of original finish remaining.			believed that this is the same as the Sharps 45 2 4/10 cartridge which is
	The detachable stock is mounted similar to Wesson and Stevens stocks			a 45-90. A 45-90 will chamber in this rifle that is factory marked "44 2
	with a full dovetail mortised through the butt with corresponding lug or			4/10" on the bottom of the barrel. Long Range Hepburn rifles are not
	tenon on the stock which fits beautifully. The stock is very stable when			often seen on the market, Rowe estimates that only 50 or 75 were likely
	mounted. The buttstock is of walnut and rates just a nicely as the			ever built. A fine opportunity for the Remington Collector to acquire a
	balance of the gun with 95% original finish remaining. The buttplate			very fine example of these rare rifles. (1E9670-19) {ANTIQUE} [David &
	appears to be silverplated and retains 99% of that finish. The rifle comes			Lore Squier Collection] (7000/9000)
	in a period mahogany case which is lined in green baize and rates about			Est. 7,000 - 9,000
	excellent with the monogram plate missing from outer lid. American			
	percussion buggy or pocket rifles are quite rare and this is a lovely			
	example showing excellent craftsmanship and condition. (1C9670-491)			
	{ANTIQUE} [David & Lore Squier Collection] (2500/4000)			
	Est. 2,500 - 4,000			
-		•		

#### Title/Description Lot

Title/Description Lot

136	Large Bore Philadelphia Percussion Double Shotgun by Peterman	Ι Γ	138	Monstrous Holland & Holland Climax Hammerless 4 Bore Under Lever
l	8 ga., 29 1/2" barrels with lightly oxidized or pitted bores, a few spots			Fowler
	which are a bit more moderate. The barrels are a silvery gunmetal			serial #6461, 4 ga., 42 1/4" plain barrel with a very good to fine bore
	patina showing some remnants of a nice chain damascus pattern in the			which is mostly bright and shows some sparsely scattered light oxidation
	un-faded areas, with some spots of light oxidation staining and a bit of			and remnants of light pitting, one spot perhaps a bit more moderate, but
	pitting on the left tube about halfway down its length. The rib is marked			the walls incredibly thick. The barrel shows a fading brown and gray
l	"Peterman Philada" and there is a bit of open scroll on the rib extension			damascus pattern for most of its length with a few areas lost to fading
I	between the breeches. The lockplates and the hammers are a silvery			and a bit of plum brown patina, showing a few lightly scattered specks of
	gunmetal patina with banknote filigree bordering the plates, and light			oxidation sprinkled about the surface but with the Holland & Holland
	sprays of open scroll, with a game dog left and right on each, and game			New Bond Street marking fully visible atop the barrel. The rear of the
I	birds at the rear of each. The hammers have nice quality tight scroll up			barrel shows a short raised Rigby-style rib but with a nice flip-up leaf
	their flats with a bit of geometric engraving on the beveled edge. The			sight installed, with heavy side bolsters and a bit of very light engraving
	balance of the iron hardware is a pewter gray patina and shows			at the breech proper. The sight flips up with a single platinum index and
	somewhat muting, nice quality engraving with scroll and a geometric			line and is marked "100". The heavy frame shows speckled silvery
	motifs, the front extension lightly chiseled. The American walnut stock			remnants of case-hardening intermingling with some pewter gray
	rates about very good with some nice grain figure in the butt and coarse			gunmetal, the left side flat actually showing some smoky color
	checkering at both wrist and forearm, worn primarily smooth from the			case-hardening. The frame and Jones under lever show very light
	years. There is a repaired crack through the wrist area that it seems tight			borderline engraving with a bit of scroll on the knob of the lever itself, the
	and will not flex. There are a few minor chips or slivers missing along the			left of the frame marked "Climax Hammerless Patent". The right side of
	edge of the forend and a small crack ahead of the right stock flat which			-
	is unobtrusive. The locks seem to function well mechanically, however			lockplate shows the same simple engraving with "Holland & Holland" in riband, it is now a deep blue-gray patina. The checkered English walnut
	the hammers are no longer in time, the right sitting a bit far forward. What is likely the original ramrod is included. Both Lewis and Abraham			pistolgrip buttstock rates very good showing an overall refinish some
	, .			years ago, reacquiring some light dings and handling marks. The
	Peterman were active in Philadelphia around 1847, Abraham later active			checkering was neatly chased but the metal is proud over all, the
	as Peterman & Son; the two could certainly be related. The arm exhibits			lockplate quite a bit actually. There has been a 1" ventilated recoil pad
	quality construction and the underside of the barrels are Belgian			fitted for a 12 1/2" length of pull, which would normally seem inordinately
	proofed. Weighing in at 16 pounds, this Philadelphia fowler looks like it			short but on an arm of this size it actually helps to balance the muzzle.
l	certainly spent some time on Delaware Bay. (3B9721-10) {ANTIQUE}			The forend rates very good-fine, also as refinished, with neatly chased
	(2000/3000)			checkering, showing a few dings or dents within, with its schnabel-like
	Est. 2,000 - 3,000			horn forend tip re-attached, showing some remnants of a glue joint.
137	Exceptional Philadelphia Large 8 Bore Percussion Double Fowler by			Additionally two areas on the interior of the forend left and right have
	Krider			been very neatly relieved and filled with lead, hefting the buttstock it to
	8 ga., 40" barrels showing only lightly oxidized bores. This is a really			clearly has lead within, likely beneath the recoil pad. The arm locks up
	exceptional very large American fowler in an uncommonly wonderful			tightly on-face and seems to function well mechanically and purportedly
	state of condition. The barrels show virtually all of their lovely two tone			was designed for 4" brass shells. Overall length is 58 1/4 inches
	brown damascus twist pattern their full lengths with a bit of oxidation and			weighing in at a mere 15 3/4 pounds. Included with the arm is one
I	some very sparse, very light pitting left and right of muzzles, the balance			Gevelot Paris-marked 4 bore virgin paper hull. (3C9795-9) {ANTIQUE}
	very lovely and appearing very strong as the day they left Krider, with			(3000/5000)
	perhaps the sparsely scattered interspersed spot of light oxidation here			Est. 3,000 - 5,000
	or there. The breeches show some very nice smoky blue-gray color		139	Belgian Large Bore Under Lever Double Fowler by DuPont & Forir
	case-hardening with a small spray of open scroll on the rib extension			serial #254, 8 ga., 30 3/4" steel barrels with very good bores which are
	between, the barrels exhibit British proofs on the underside as-was			mostly bright but show some sparsely scattered light oxidation and some
l	common on the American market in these days, Joseph Krider of			scattered pitting, with heavy thick tubes. The barrels are quite nice and
	Philadelphia and William Read in Boston both buying barrels in England.			retain perhaps 95-97% original blue, showing some light even fading,
	The lockplates and hammers show virtually all of their original vibrant			very sparsely scattered very light oxidation stains here and there and
	color case-hardening, with very basic borderline filigree engraving, each			the expected handling marks that come from the years, primarily in the
	lockplate maker marked "Krider". The long tang as well shows the same			area above the lever and fore-frame (metal "forearm"). The maker
	borderline engraving with a small swirl of scroll on the flat which			marking on rib is somewhat light but the arm appears to be in original
	matches the rib extension. The balance of the iron hardware is lovely as			blue with no signs of a prior rusting nor pitting beneath the finish,
	well with the lightly chiseled tailpipe a smooth pewter gray patina, the			exhibiting only the slightly rough polishing and perhaps light tool marks
	triggerguards front extension engraved and chiseled in a pineapple finial			that Belgian workhorse guns are known for. The rib reads "DuPont &
	with a small floral decoration, showing case colors at its root with strong			Forir a Liège" and is sighted with a single bead front. The fore-frame,
ļ	case colors on the bow of the triggerguard, muting somewhat on the			under lever, frame proper and the lockplates all exhibit vibrant color
ļ	long tang. The American walnut stock rates excellent with a few minor			case-hardening, toning a bit on the underside of the lever, and at the
ļ	handling marks here or there but with extremely crisp edges and very			rear of the left lockplate but about 95-97% remains. Each features the
	nice checkering. There is a tiny chip and a very tiny sliver missing along			very lightest wavy borderline engraving, the fences lightly sculpted and
	the right edge of the forend and a very small crack to the rear of the			flared. The fancy triggerguard shows the same light engraving and some
	tailpipe but all are unobtrusive and missed at first glance. The smooth			strong case colors as well, with fading to a pewter at the grasping area
ļ	steel buttplate shows some fading color case-hardening and is primarily			of the wrist. The smooth buttplate retain strong colors as well, fading at
	a pleasing smooth pewter patina with a few spots of light oxidation here			the heel and toe and giving a length of pull of 13 3/4". The locks are
ļ	and there, it gives a 13 7/8" length of pull to the front trigger. There is an			rebounding and the hammers in-time, and they seem to operate
	oval monogram plate affixed atop the wrist which is un-engraved and			properly, they are a bit sluggish and no doubt could use a good
ļ	the locks are in time and function well mechanically. The arms original			cleaning. The straight grip stock appears to be Circassian walnut and
	ramrod is included with a flared brass end and opposite a screw-off			rates very good to perhaps fine, showing a bit of added varnish here and
1				there and the expected light dings and handling marks that come from
	cover with wad pull beneath. No doubt once destined for Delaware Bay			the years, the checkering still remaining crisp. The metal is a bit proud in
	cover with wad pull beneath. No doubt once destined for Delaware Bay,			and yourd, the checkening sum remaining chep. The metal is a bit producting
	these big bore arms saw so much heavy use on water fowl they are very			a few areas but overall the fit is excellent and the arm locks up tightly
	these big bore arms saw so much heavy use on water fowl they are very rarely encountered in such very fine states of condition, this is a			a few areas but overall the fit is excellent and the arm locks up tightly
	these big bore arms saw so much heavy use on water fowl they are very rarely encountered in such very fine states of condition, this is a wonderful big bore Philadelphia fowler with an overall length of 56 1/2"			on-face. A very handsome Belgian behemoth that appears to have seen
	these big bore arms saw so much heavy use on water fowl they are very rarely encountered in such very fine states of condition, this is a wonderful big bore Philadelphia fowler with an overall length of 56 1/2" and weighing in at just a smidge under 12 3/4 pounds. Really an			on-face. A very handsome Belgian behemoth that appears to have seen very little and very careful use, with an overall length of 46 1/2 inches
	these big bore arms saw so much heavy use on water fowl they are very rarely encountered in such very fine states of condition, this is a wonderful big bore Philadelphia fowler with an overall length of 56 1/2" and weighing in at just a smidge under 12 3/4 pounds. Really an absolutely fabulous big bore Philadelphia fowler, never seen in such a			on-face. A very handsome Belgian behemoth that appears to have seen very little and very careful use, with an overall length of 46 1/2 inches weighing in at just a bit over 13 1/4 pounds. (39795-8) {ANTIQUE}
	these big bore arms saw so much heavy use on water fowl they are very rarely encountered in such very fine states of condition, this is a wonderful big bore Philadelphia fowler with an overall length of 56 1/2" and weighing in at just a smidge under 12 3/4 pounds. Really an			on-face. A very handsome Belgian behemoth that appears to have seen very little and very careful use, with an overall length of 46 1/2 inches

140

141

Lot Title/Description

 German K98k Bolt Action Rifle by J.P. Sauer & Sohn with Luftwaffe	142	German K98K High Turret Sniper Rifle by Mauser
Marking		serial #82255I, 8mm Mauser, 24" barrel with a mostly bright very good
serial #8762n, 8mm Mauser, 24" barrel with a very good bore with		plus bore showing some scattered light oxidation in the grooves and
scattered frosting and some light pitting in the grooves, but strong rifling.		strong rifling throughout. The barrel and receiver of this late-war sniper
The metal surfaces of this 1939-dated "147" coded rifle retain about		rifle retain perhaps 85% original blue showing some overall thinning to
90% original blue with light wear on the high edges and contact points,		gray patina, some sparsely scattered light freckles and handling marks.
thinning on the receiver, scattered specks of light oxidation, with a		The triggerguard and floorplate have most toned to a mix of pewter and
concentration on the barrel around the front sight and muzzle, a light		mild brown patina while the checkered buttplate is also pewter-gray. The
brown patina. The barrel bands and bayonet lug have been previously		bolt and bolt sleeve appear to be smooth gray Parkerized showing some
cleaned with the barrel bands having generous remains of blue finish,		overall thinning and operational wear while the extractor and correct
with light oxidation staining and spots of old oxidation on the underside,		milled safety retain about 95% original blue. The barrel bands are toning
and the bayonet lug cleaned to gunmetal gray with light oxidation		to plum-brown patina and the front band shows some overall light pitting
staining, and some scattered light handling marks; the flat buttplate has		and a strip of black enamel finish along its rear edge. The Ajack 4x90
been previously cleaned to gun metal and now shows light oxidation		scope and its mounts retain about 80% original blue showing scattered
staining and spots of old oxidation. The laminated hardwood stock is in		areas flaking and toning to a pleasant gray-brown patina along with
about very good plus condition as lightly cleaned with a 2" narrow and		some sparsely scattered mild oxidation staining and a few light dings.
shallow sliver out of the comb, a few scattered light dings and scattered light handling marks. The stock is stamped with a soft "(Eagle) / L"		The scope itself is numbered "51066" and features the typical German reticle with somewhat cloudy but usable optics also showing some mild
Luftwaffe mark on the right side buttstock above what appears to be two		occlusions around the periphery. The smooth pistolgrip laminated
softened "WaA37" waffenamts, two faded "WaA37" waffenamts on the		hardwood stock and handguard remain in about very good plus
toe line, two partially obscured "WaA37" and "77" walfenamts are		condition showing some scattered light dings, a few mild abrasions and
marked on the inside of the pistolgrip, and the stock and handguard are		handling marks. The initials "RC" are carved into the left side sling
serialized and matching to the rifle. The receiver markings remain		cutout and there is a duffel cut repaired with two dowels beneath the
largely crisp with some light softening of the date code and the "359"		rear band. The stock shows a faded but visible "(Eagle) / WaA135" on
and "37" waffenamts along the right side. The bolt, bolt release,		the right side butt and a ghostly Waffenamt behind the triggerguard. The
triggerguard, magazine floorplate, follower, rear sight assembly, barrel		handguard is mismatched numbered "3759" and the stock is matching
bands, bayonet lug, and buttplate are serialized and matching to the		the receiver with the serial number stamped internally and a "pna" code
rifle, and the marked parts appear to have the appropriate "359" and		and what appears to be a "45" date code beneath the buttplate. All
"37" waffenamts. The rifle is sighted with the standard barleycorn front		markings remain intact and strong with firing proof, serial number and
sight and leaf rear sight, and appears to function well mechanically. No		"(Eagle) / 135" on the left side receiver ring and as-is correct for an
cleaning rod is present, but a leather sling in very good condition with a		I-suffix gun the serial number is also hand-stamped along the left side
few spots of light wear is included. An attractive K98k from the		barrel. The triggerguard and floorplate are both byf-coded with correct
beginning of the Second World War. (14A9736-26) {C&R} (1500/2000)		Waffenamts, the rear sight base and slider also with "(Eagle) / 135"
Est. 1,500 - 2,000		Waffenamts and the barrel bands are unmarked. The firing pin, extractor
German K98k Bolt Action Rifle by Steyr		and milled safety are un-numbered, the safety showing a Mauser "RW"
serial #2312m, 8mm Mauser, 24" barrel with a bright very good bore		factory stamp and the extractor and bayonet lug are stamped with a
with scattered light pitting but strong rifling. The metal surfaces of this		small "1" associated with Gustloff Werke. The remaining serialized bolt
"660 / 1940" coded rifle have a dull gray patina as previously lightly		parts are matching the receiver. The rear scope base is stamped with
cleaned with overall traces of cleaned pinprick pitting, remnants of blue		the appropriate "(Eagle) / 135" on the left side, the front surface of the
on the magazine floorplate, rear sight leaf, and stripper clip guide, bolt		front base is correctly stamped "U" corresponding with a "U" at the right
and some light oxidation staining on the upper barrel band; the cleaning		rear edge of the tang and the front scope ring is matching the receiver.
rod and front sight hood remain blued. The laminated hardwood stock is		An original front sight hood and cleaning rod are included and the action
in very good plus condition as lightly cleaned with scattered light		seems to function well mechanically. Also included are a reproduction
handling marks and dings and a few scattered remnants of a previous		rubber eyepiece and an original brown leather sling coded "dkk 44" in
finish. The stock features a "(Eagle) / H" Heer mark above two		very fine condition showing some mild staining and handling marks. A
waffenamts, all of which have faded, a flat buttplate that appears to be		very nice correct and mostly matching high turret Mauser.
numbered to the rifle though some of the serial number is obscured, and		(13G9807-206) {C&R} [Vincent Coniglio Collection] (8,000/12,000) Est. 8,000 - 12,000
the stock and handguard are numbered to the rifle with the stock serialization on the toe line largely faded. The receiver coding remains	143	Scarce Dual Coded German K98k Bolt Action Rifle by Erma/Mauser
largely crisp with slight softening and all serialized parts are matching to	143	Borsigwalde
the rifle and bear "WaA623" waffenamts, the exception is the rear sight		serial #3922, 8mm Mauser, 24" barrel with a bright very good bore with
assembly which while being serialized and matching to the rifle is		intermittent light oxidation but strong rifling. The metal surfaces of this
marked with "77" waffenamts; serial numbers and waffenamts are		"ax/ar / 41" coded rifle have previously been lightly cleaned to a current
largely clear with some softened marks. The letter "M" suffix on the		mottled smoky gray patina with light wear on the high edges and contact
serial number on the bolt handle is in block letters, rather than the		points, generous remnants of original blue around the protected areas, a
lower-case cursive character found in the serial numbers of the receiver		light brown patina on the rear sight base and upper barrel band, and
and barrel. The rifle retains the standard barleycorn front sight and leaf		scattered pinprick pitting and a few light handling marks; the
rear sight, two of the screws show light slot damage, and the rifle		triggerguard retains about 98% original blue finish with a light scuff mark
appears to function well mechanically. Included with the rifle is an		on the outside. The laminated hardwood stock is in very good condition
unmarked cleaning rod and leather sling. An attractive 660-coded rifle		as cleaned with an arsenal quality repair to the underside of the stock
that should still shoot well today. (14A9736-64) {C&R} (1000/1500)		between the barrel bands, old smoothed chips around the recoil lug, two
Est. 1,000 - 1,500		tight lamination cracks in the toe line, and scattered old light handling
		marks; the stock discs and buttplate have been cleaned to bright. The
		right side of the buttstock is marked with an easily legible "(Eagle) / H"
		Heer marking above two partially faded "WaA26" waffenamts, the stock
		numbered to the rifle on the toe line with the digits having faded, the
		handguard is crisply numbered to the rifle, and the flat buttplate is
		serialized and matching to the rifle with the correct "26" waffenamt. The
		receiver and barrel markings remain largely crisp with exception of the
		waffenamt on the right side of the receiver ring, and the barrel is maker
		marked "40D0". The bolt assembly, rear sight assembly, barrel bands,
		magazine floorplate, triggerguard, and bayonet lug are serialized and

nd floorplate have most toned to a mix of pewter and while the checkered buttplate is also pewter-gray. The appear to be smooth gray Parkerized showing some operational wear while the extractor and correct about 95% original blue. The barrel bands are toning na and the front band shows some overall light pitting enamel finish along its rear edge. The Ajack 4x90 nts retain about 80% original blue showing scattered ning to a pleasant gray-brown patina along with tered mild oxidation staining and a few light dings. numbered "51066" and features the typical German nat cloudy but usable optics also showing some mild the periphery. The smooth pistolgrip laminated d handquard remain in about verv good plus some scattered light dings, a few mild abrasions and e initials "RC" are carved into the left side sling a duffel cut repaired with two dowels beneath the k shows a faded but visible "(Eagle) / WaA135" on nd a ghostly Waffenamt behind the triggerguard. The atched numbered "3759" and the stock is matching e serial number stamped internally and a "pna" code o be a "45" date code beneath the buttplate. All tact and strong with firing proof, serial number and ne left side receiver ring and as-is correct for an al number is also hand-stamped along the left side uard and floorplate are both byf-coded with correct ar sight base and slider also with "(Eagle) / 135" e barrel bands are unmarked. The firing pin, extractor e un-numbered, the safety showing a Mauser "RW" he extractor and bayonet lug are stamped with a d with Gustloff Werke. The remaining serialized bolt the receiver. The rear scope base is stamped with agle) / 135" on the left side, the front surface of the tly stamped "U" corresponding with a "U" at the right ng and the front scope ring is matching the receiver. ht hood and cleaning rod are included and the action vell mechanically. Also included are a reproduction d an original brown leather sling coded "dkk 44" in showing some mild staining and handling marks. A d mostly matching high turret Mauser. R} [Vincent Coniglio Collection] (8,000/12,000) German K98k Bolt Action Rifle by Erma/Mauser Mauser, 24" barrel with a bright very good bore with idation but strong rifling. The metal surfaces of this ifle have previously been lightly cleaned to a current patina with light wear on the high edges and contact mnants of original blue around the protected areas, a on the rear sight base and upper barrel band, and pitting and a few light handling marks; the about 98% original blue finish with a light scuff mark laminated hardwood stock is in very good condition arsenal quality repair to the underside of the stock bands, old smoothed chips around the recoil lug, two cks in the toe line, and scattered old light handling scs and buttplate have been cleaned to bright. The tstock is marked with an easily legible "(Eagle) / H" e two partially faded "WaA26" waffenamts, the stock e on the toe line with the digits having faded, the y numbered to the rifle, and the flat buttplate is ching to the rifle with the correct "26" waffenamt. The markings remain largely crisp with exception of the ght side of the receiver ring, and the barrel is maker e bolt assembly, rear sight assembly, barrel bands, e, triggerguard, and bayonet lug are serialized and matching to the rifle with most marked parts having the correct "26" waffenamts and some having been likely lost to light cleaning. The rifle retains the standard barleycorn front sight and leaf rear sight and appears to function well mechanically. A cleaning rod and front sight hood are included. An honest double-coded K98k that appears to be all matching. (14A9736-32) {C&R} (1200/1800) Est. 1,200 - 1,800

Lot Title/Description

144	German K98k Bolt Action Rifle by Mauser Borsigwalde with Luftwaffe Markings	146	Fantastic Cased Pair of Percussion Pistols by J. E. Evans of Philadelphia
	serial #6477c, 8mm Mauser, 24" barrel with a bright excellent bore with		.47 caliber, 10" octagon barrels with excellent, smooth bores. These
	perhaps a hint of light frosting. The metal surfaces of this "ar / 41" coded		pistols exhibit the typical very high quality that we associate with 19th
	rifle retain about 95% original blue with light wear to the high edges and		Century Philadelphia made guns and they remain in stunning original
	contact points, light wear around the muzzle, light abrasions and		condition. The pistols match in their excellent condition but the guns
	oxidation staining on the triggerguard and magazine floorplate. The		themselves show subtle differences which we will outline in detail. The
	laminated hardwood stock is in very good condition as lightly cleaned		tops of the barrels are marked "J.E. EVANS PHILADA" one barrel has
	with a few fingernail-sized or small filler repairs here and there with		this marking on a single line, while the other has the address on a
	scattered light handling marks. The stock features an "(Eagle) / L"		second line. The lock of the pistol with the single line barrel marking also
	Luftwaffe mark above two "WaA26" waffenamts, all of which have faded		shows the same marking on the lock while the other pistol does not
	but remain legible, a light "P" stamped behind the pistolgrip, a faint		have a maker name on the lock. The lock engraving on the double
	"WaA26" on the inside of the pistolgrip, and the stock is serialized and		maker marked gun shows lovely rope style border engraving with lovely
	matching to the rifle; the flat steel buttplate has been cleaned to bright		19th century scroll, one shows a flower blossom on the right side of the
	with scattered light dings from use, and is serialized and matching to the		bolster. The tops of the patent breeches are both engraved in lovely
	rifle and "26" waffenamt marked. The serialized parts, including the		scroll as are both barrel tangs. Both hammers are equipped with broken
	triggerguard screws, are numbered and matching to the rifle and appear		cap deflectors and both engraved with fish like motifs, one more detailed
	to be stamped with appropriate "26" waffenamts, some of which have		than the other. The triggerguards are both beautifully engraved and
	softened to be largely illegible. The rifle is sighted with the standard		feature detailed pineapple finials. The checkered walnut stocks are
	barley corn front sight and leaf rear sight, and appears to function well		checked in the same pattern with one pistol showing more coarse
	mechanically. Included with the rifle is a cleaning rod, front sight hood,		checkering than the other, both forends terminate in Schnabel tips, one
	and leather sling. A fine K98k that saw use with the German Luftwaffe.		somewhat more pronounced than the other. One pistol is slightly heavier
	(14A9736-57) {C&R} (1200/1800)		than the other with the flat to flat measurement of the barrels being .870"
	Est. 1,200 - 1,800		and the other .950". Both pistols feature set triggers and the locks
145	Rare J.E. Evans Peanut Size Percussion Pocket Deringer		function crisply. The butts show matching silver oval escutcheons both
	.41 cal, 1 1/2" deeply straight-rifled seven-groove barrel with an oxidized		of which remain plain. One pistol has a silver oval escutcheon on the top
	bore. This is a very rare little Evans percussion pocket pistol. The lock is		of the wrist while the other shows a walnut inlay which is perfectly fit.
	very characteristic of Evans examples as is the deeply re-curving under		The condition of the guns is wonderful with the barrels retaining lots of
	plate beneath the bolster, the barrel is primarily a plum and lightly pitted		original brown finish with one 1/4" round patch of pitting on the right side
	patina, only a capital letter "A" can be made out under high		of the barrel just ahead of the forend. The locks patent breeches and
	magnification, there appears to be an "AD" preceding it, the Evans		tangs all show lots of original color case hardened finish with one rating
	marking normally ending in "Philada" (in fact the "A" which is discernible		at about 95% while the other is slightly more subdued and perhaps 80%.
	appears to be smaller than the other characters, which are only barely		The triggerguards both show over 90% bright original blue finish while
	visible, the last letter "A" in the Evans marking was a smaller font than		both stocks show 95% original oil finish. The guns are sighted with iron
	the previous letters in the marking). It features a scant barleycorn brass		blade fronts and open notch rears. The guns come in their original
	blade front sight with light engraving on the top flat and right side		mahogany case with burgundy baize lining. The interior of the case has
	bolster, small u-notch rear at front of tang, with light engraving on the		two covered compartments along with what look to be hickory ramrod
	tang as well, which is a plum patina. The lock and hammer are now		and cleaning rod. The case also includes a wooden mallet and a fine
	pewter and show open flowing scroll with simple scalloping or fish scale		quality three compartment powder flask. The condition of the case is
	atop the hammer. The under plate is German silver as is the long		excellent both inside and out featuring a brass monogram plate on top of
	extension of the triggerplate, through-which the barrel retaining screw		lid which is engraved with the initials "W.B.". This is a beautiful pair of
	passes from beneath. The bow of the guard shows the same open loose		American percussion pistols. (1E9670-424) {ANTIQUE} [David & Lore
	floral scroll engraving, also present on the German silver sideplate with		Squier Collection] (4000/6000)
			Est. 4,000 - 6,000
	only very light borderline engraving on the butts teardrop inlay. The	147	Extremely Rare American Percussion Deringer by F.W. Schumann of
	American walnut stock rates very good, perhaps showing a very light	147	
	cleaning with some added finish but the edges remain mostly crisp with		Memphis
	good definition to the schnabel-like forend tip, the checkering slightly		.48 caliber, 2 3/4" octagon barrel with an oxidized bore that still shows
	worn but all present. There is a shield-shaped monogram plate atop the		some rifling. This is believed to be the only known example by this
	wrist with only light borderline engraving and the arm seems to function		maker, the top of the barrel being engraved "F. Schuman Memphis
	well mechanically. J.E. Evans Philadelphia pistols are quite sought after,		Tenn". The lock is unmarked and unembellished except for the simplest
	they were very well made just as Deringer's guns, but far-less		border engraving on the lock and hammer. The stock features German
	encountered, this is a very respectable example. (3C9762-3)		silver furniture including fancy sideplate, shield shaped monogram plate
	{ANTIQUE} (2000/3000)		on wrist, long tear shaped monogram plate on butt (both remain plain),
	Est. 2,000 - 3,000		triggerguard with trefoil finial to front and a barrel screw escutcheon just
			ahead of the triggerguard. The iron surfaces of the pistol bear a deep
			rich brown patina with some patches of scattered light pitting and a few
			dings in the edges. The pistol has a German silver blade dovetail
			mounted front sight and simple open rear at the junction of the barrel
			and tang. The walnut stock rates very good with a nice surface which
			shows nice checkering on the grip and some light added finish. The
			stock shows the typical handling marks and surface dings from the
			years. This pistol has a very pleasing and honest appearance. A rare
			opportunity for the Deringer collector to acquire this only known example
			of a Schumann, Tennessee made deringer. (1C9762-1) {ANTIQUE}
			(2500/3500)

(2500/3500) Est. 2,500 - 3,500

Lot Title/Description

148 Pair of British Flintlock Queen Anne Belt Pistols by Griffin 150 Remington Model 1890 Single Action Army Revolver About .60 cal., 5 1/2" round barrels with lightly oxidized bores. The serial #1337, 44-40, 7 1/2" barrel with a good bore that shows light barrels are a pleasing smooth pewter gray and flaked brown patina, scattered pitting but shows strong rifling its entire length. This revolver is pistol No. 1 shows some remnants of original blue at its breech end, finished in original nickel and remains in a very fine state of both have cannon-belled muzzles and dual turned medials. The balance preservation. There were barely 2000 of these revolvers produced of the iron surfaces are a pleasing smooth gunmetal gray showing some making them quite rare as compared to the 1875, of-which there were scant remnants of silvery case-hardening, the right flats of each with nearly 30,000 produced. The top of the barrel bears "REMINGTON ARMS CO., ILION, NY." address while the left side of the frame is open foliate engraving and makers name in riband "Griffin London" Each features British proofs on the bottom and both barrel and frame of marked "44 C.F.W.". The barrel and ejector rod housing retain about each are numbered in turn "1" and "2". Gun 1 shows some light 93% original nickel plated finish with most loss near the muzzle where circumferential scratching and some tool marks to the medial and the there is some peeling finish, with the exposed metal being a smooth tightening lug on the underside of the barrel, gun 2 remains clean and even gray patina that blends well with the nickel. The cylinder retains unblemished. The bow of each guard is a plum patina and shows light about 95% original nickel plated finish with most loss due to some floral engraving, with simple sprays on the top tang of each, the left side peeling at the leading edge and with a little minor bubbling to the finish. flat of each frame with a nice period belt hook affixed. The English The frame shows about 85% original nickel plate with most loss on the walnut grips both rate very fine to perhaps near excellent, showing the backstrap which is a brown patina, along with some loss on the rear expected light dings and handling marks that come from the years, gun right side of frame. There is a little light bubbling in the finish but overall 2 a few more than gun 1, the latter with two unobtrusive drying cracks the appearance is very nice. The two-piece hard rubber grips rate very on its right side. There is a beautiful teardrop-shaped silver relief buttcap good showing no chips or damage and just light wear to the checkering, with an interesting martial panoply at the center showing a male lion commensurate with the balance of the wear on this revolver. A very fine surmounting a pyramid, cannon, shot and flag at the base, one cannon example of these desirable and scarce Remington revolvers. (1B9362-87) {ANTIQUE} [Edward W. Marron, Jr. Collection] (4000/6000) transfixed vertically with the Lions paw on its cascabel, this is all surrounded by open rococo foliate scroll: sadly the image on pistol No. 1 Est. 4.000 - 6.000 Exquisite Pair of Leonard Francolini Factory Engraved and 151 is somewhat obscured as there are a couple scrapes across the butt. Consecutively Serial Numbered Colt Single Action Army Revolvers Atop the wrist there is a silver rococo monogram plate surmounted by a serial #SA04058 and SA04059, both 45 Colt, both with 7 1/2" barrels gladiators helmet with flag and trumpet, the center of each monogram plate engraved with a heart-shaped emblem within. Both locks are crisp with as-new, unfired bores. This exquisite pair of Colt revolvers was and mechanically functional, pistol 2 is missing its top jaw, and the ordered from the Colt Custom Shop in 1979 by Dr. Daniel Monroe of screw is a modern replacement, but these detractors are small. The New York and are incredibly engraved and embellished by Colt factory arms where obviously custom-ordered with the special buttcaps, master engraver Leonard Francolini. Serial number 04058 is unfluted perhaps by an officer who had served overseas. Really a very and retains all its rich original factory royal blue, with the mirror-polished handsome pair of pistols, Joseph Griffin of London it would appear was sides of the hammer still brilliant. It features flowing scroll engraving in active roughly 1750-1787. (3D9670-478) {ANTIQUE} [David & Lore factory "B" coverage and has wonderful fine gold wire inlay at each end Squier Collection] (2500/4000) of the barrel, each end of the cylinder and accenting the borders of the Est. 2,500 - 4,000 frame and recoil shields. There is additional fine gold wire inlay atop the Handsome Cased Pair of British Large Bore Boxlock Percussion Pistols barrel behind the front sight as well which accents the factory scroll 149 beautifully. The right side of the frame features a lovely gold inlaid by Field 17 bore (about .65 cal), 3 1/2" octagon barrels with bright excellent chiseled-in-relief image of an American bison against a woodland bores. This is a very attractive pair of pistols, the metal surfaces of both backdrop while the left side of the frame shows a seated coyote howling arms completely case-hardened. The barrel of the first pistol shows at the full moon, slightly shrouded in clouds against a desert backdrop, both the coyote and moon also in gold. The two-piece factory ivory grips somewhat muting strong case-hardened colors throughout along with a few scattered small areas toning to mild gray-brown patina and some with gold Rampant Colt medallions are lovely and rate also as-new, scattered light dings. The frame retains perhaps 90% color showing the very beginnings of some drying checks as they naturally case-hardening quite vibrant in most areas with muting along the tangs, age. The gun is, as-expected, un-turned, un-fired since leaving Hartford handling marks and some light oxidation staining along some of the high in 1979. Gun number 04059 is also unfluted and retains all of its edges. There are a few spots of small perhaps moderate oxidation stunning factory royal blue; the mirror-polished sides of the hammer also staining along the hammer nose and bolster but this is unobtrusive. The brilliant. Mr. Francolini has inlaid the same flawless fine gold wire on the hammer is embellished with a dolphin motif and the frame shows front and rear of barrel and front and rear of cylinder, with the cylinder tasteful fine quality English scrollwork throughout. The trigger retains a featuring dual lines along its rear circumference. A matching flourish of few flakes of bright fire blue, the forward frame screw also showing nice gold wire inlay is to the rear of the front sight and matches precisely the straw color, the barrel flat is crisply marked "FIELD LONDON" and the inlay on the scroll engraved revolver. The right side of the frame shows a gold inlaid American bald eagle chiseled-in-relief, wings spread, talons arm bears Birmingham black powder proofs. The finely checkered walnut grip remains in very fine condition showing a little minor wear bared, ferociously coming in for the kill amidst a backdrop of billowing along the checkering, some scattered light handling marks and nicely clouds. The left side of the frame has a lovely gold inlaid, chiseled-in-relief image of the venerable Rampant Colt astride the globe. mullered borders. There is a blank German silver monogram plate atop the wrist and the arm is fitted with front and rear sights. The lock also accented by loose billows of clouds. The two-piece factory ivory functions crisply at both full and half cock. The second pistol retains a bit grips with the gold Rampant Colt medallions are also as-new and are more vibrant case-hardened color, perhaps 90% overall and is quite showing the beginnings of drying checks from their natural aging lovely showing just a few small areas of mild gray-brown patina and process. These marvelous works of art come in burnt umber-colored some sparsely scattered small spots of minor oxidation staining. The faux-leather covered Colt Custom Shop presentation cases with Samuel trigger retains a healthy amount of bright fire blue, as-does the top Colt's coat of arms emblazoned in gold on their lids. The interior is lined action screw. The checkered walnut grip remains in very fine to near in a marmalade-colored baize which adds a beautiful contrasting accent excellent condition showing a few very lightly chipped points and minor to both the cream-colored ivory and the exquisite deep blue. The handling marks and retaining almost all of its original varnish. The pistol included factory letter lists the guns as a consecutive pair and verifies is embellished identically as the first and the lock functions crisply. The their configurations. Additionally it states that these guns are numbers 4 pistols are housed in a very fine mahogany case that shows some light and 5 of the last 10 guns that Leonard Francolini engraved while dings and fine scratches along its exterior with a reeded brass disc set employed by Colt. In addition to showing the arms serial numbers and into the lid and nice brass lock escutcheon, the lock maker-marked by J. the factory order number, the letter lists shipment to Sloan Bramah of Piccadilly. The interior is lined with green baize that shows Sporting-Goods of Connecticut in September 1979. The work of some areas of light staining and minor scuffs along with a few small Leonard Francolini is, like that of other Colt engravers, legendary. He repaired patches and small repairs to a few spacers. The case holds a has engraved guns for celebrities and heads of state and his works are number of fine original accessories including a James Dixon & Sons oil treasured heirlooms to those who own them. These very guns are pot, partial japanned tin of Eley anti-corrosive percussion caps with nice featured in a full-page image in RL Wilson's The Book of Colt Engraving orange label, small Hawksley powder flask that rates near excellent, a on page 494 (second edition). Rarely are Francolini's works offered for pair of spare nipples, 17 bore single cavity round ball bullet mould, a public sale, these examples are a testament to his artistry and skill. This combination nipple wrench / barrel spanner tool and a selection of round is a very rare opportunity for the advanced Colt collector, firearms balls. A lovely cased pair for the antique arms collector. (13C9833-73) investor or lover of embellished arms to own a consecutive pair of this {ANTIQUE} (2500/3500) master's art. Astonishing and investment-grade. (39765-7,8) {C&R} Est. 2,500 - 3,500 (15.000/25.000) Est. 15,000 - 25,000

<ul> <li>19.1 Score Reminport to balance particulation is space approximate particulation in the provide section of the space approximate particulation is space approximate particulation in the provide section of the space approximate particulation is space approximate particulation in the provide section of the space approximate particulation is space approximate particulation in the provide section of the space approximate particulation of t</li></ul>		
<ul> <li>Stringfeld Amory memory strengther plant, but in a triggt weight plant, but is triggt plant, but in a triggt weight plant, but is triggt plant, but in a triggt weight plant, but is triggt plant, but is triggt plant, but in a triggt weight plant, but is triggt plant, but is triggt plant, but is a weight plant, but is triggt plant, but is triggt plant, but is a weight plant, but is triggt plant</li></ul>	152 Scarce Reminaton Model 1890 Single Action Army Revolver	155 Excellent U.S. Model 1866 Second Model Allin Conversion Rifle by
<ul> <li>So 70, 55 6° similar with a tright scalared print (scalared scalared sc</li></ul>	с с <i>у</i>	
<ul> <li>bight from a different from the structure that is a different of the structure relation and structure from the structure of the structure relation and structure of the structure relation of the structure relation</li></ul>		
<ul> <li>aneady DS: original and be flash with most of the base due to same over modered a congrue or and/or the base of the links of the links</li></ul>		
<ul> <li>were in work in the labor point of his is brong as an outlet open parine, a bit is a point of marks around the light open around the open point of the open point o</li></ul>		
<ul> <li>beind each of the lower work of the fight edges atong with a few strating to edges atong with a few strating end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end of the lower work and work statistic end end end work statistic end end end end work statistic end end work statistic end end end end work statistic end end end end end end end end end end</li></ul>		
<ul> <li>but make accord the tiggergrant store to keep and cost and some other more the make multiple or real many at the original call-quenches and humbgion realmin store does and owny minimal sign of fing and the Remington Amm Co.</li> <li>but make a store tiggergrant store to keep and cost and some control of the store house and thouse the store house and the store house and thouse the store</li></ul>		
<ul> <li>In the harding marks, the relation the second second</li></ul>		
<ul> <li>there is due in dowing in minding give affing and the Reinigen Arms Coll particle is the intermet of the intermet</li></ul>	tool marks around the triggerguard screw hole and some other more	
<ul> <li>Interlined sets interains citize and data. The character black waher grays will read in the synthest attacked code bases the harmers and the Federal Elegis matrixing. The statestice citizes bases the harmers and the Federal Elegis matrixing. The statestice citizes bases the harmers and the Federal Elegis matrixing. The statestice citizes bases the harmers and the Federal Elegis matrixing. The statestice citizes bases the harmers and the Federal Elegis matrixing. The statestice citizes bases the harmers and the Federal Elegis matrixing. The statestice citizes bases the harmers and the statestices and the statestices and the statestices citizes the statestices citizes the statestices and the statestices. The statestices citizes the statestices and the statestices a</li></ul>	mild handling marks. The chambers and recoil shield remain mostly	blackening with a few light handling marks and very light high edge
<ul> <li>gips with "RAC" monograms terms in xwg pod pile condition, the wey well-associated 34" meaned of the dist heid of the right panel that goes imply with a scale to make the dist heid of the right panel that goes imply well-associated 34" meaned of the dist heid of the right panel that goes imply well-associated 34" meaned of the attribute of the resulting the former and the conversion while "Dist astrong base this work of the conversion while "Dist astrong base this work of the dist well as the dist of the resulting the former and the conversion while "Dist astrong base this work of the dist well as the dist of the resulting the former and the conversion while "Dist astrong base this work of the resulting the former and the conversion while "Dist astrong base this work of the mean dist base that well as the dist of the resulting the result is the dist of the result of the conversion while "Dist as the association and the astrong the dist base the scale of the conversion well mean dist as the association and the result possible and the dist association and the result possible as the association and the result possible and the dist association and the result possible and the result possible association and the result the result association and the result possible association a</li></ul>	clean showing minimal signs of firing and the Remington Arms Co.	wear. The lockplate, hinge and hammer display a smoky gray
<ul> <li>a drawing some overall importing and torking is a dreig brown patient, a wey work-second 30<sup>44</sup> regulated in a the ording and an dreigh panel and the patient of the appendix of the adding patient and instructions. The first gravel and the soft gravel and the gravel and the adding patient and the patient patient is and the adding patient and the patient patient is and the adding patient and the patient patient is and the adding patient and the patient patient is and the soft gravel and the patient patient is and the adding patient and the patient patient patient patient is and the adding patient and the patient patient</li></ul>	barrel address remains crisp and clear. The checkered black rubber	case-hardened patina with very light staining and remnants of origina
<ul> <li>eagle had proof mark from block the conversion whell "Driv stamped in a perceiv-numbered to the gar, the loading gas and tiggenguad are taken to the gar, the loading gas and tiggenguad are taken to the gar. The loading take the number deer. The stamped ing and less on the loading gas and tiggenguad are taken to the gar. The loading take the stamp and ting the</li></ul>	grips with "RACo" monograms remain in very good plus condition	case-hardened colors between the hammer and the Federal Eagle
<ul> <li>eagle had proof mark from block the conversion whell "Driv stamped in a perceiv-numbered to the gar, the loading gas and tiggenguad are taken to the gar, the loading gas and tiggenguad are taken to the gar. The loading take the number deer. The stamped ing and less on the loading gas and tiggenguad are taken to the gar. The loading take the stamp and ting the</li></ul>	showing some overall smoothing and toning to a deep brown patina, a	marking. The left quarter flat of the breech displays the remnants of a
<ul> <li>genes targetly uncident and a few micro handling marks. The right parted is prediction handling the farme and the remaining parts are un-nutbered. The target of an and a subday to the bader part of an elements and the accelent time and the remaining parts are un-nutbered. The target of an and the remaining and to Scieve, White is the soleted as a data while discussed as the solet is discussed as the solet is discussed as the solet is discussed as a data while discussed as the solet is discussed as discused as discussed</li></ul>		eagle head proof mark from before the conversion while "D" is stamp
<ul> <li>is protification for the gun, the factor galaxies and tigging just is in a signal of galaxies and may be older participation relation galaxies and may be older participation relation galaxies and the standard set of the standard set</li></ul>		
<ul> <li>also matching the frame and the elementing parts are un-numbered. The large and and is skull may be deep each period period period. The solution is and a facult of the solution is a torice solution in the chancel will match in teach period period. The solution is a more solution will mach chancel will will be solution at a form a more handborn or source of the solution. The solution is a more solution will be a solution is a more solution of the solution in the solution is a more solution. The solution is a more solution is a more solution of the solution is a more solution. The solution is a more solution is a more solution in the solution is a more solution. The solution is a more solution of the solution is a more solution or solution is a more solution. The solution is a more solution is a more solution in the solution is a more solution. The solution is a more solution is a more solution or solution is a more solution in the solution is a more solution in the solution is a more solution. The solution is a more solution is a more solution in the solution is a more solution in the solution is a more solution in the solution in t</li></ul>		, , , , , , , , , , , , , , , , , , ,
<ul> <li>Bayyad mg and ts autu may be older periodements and the accellent semiconary of the modernal ophy the accellent semiconary of the modernal ophy and accellent term ophy accellent semiconary ophysical semiconary ophys</li></ul>		
<ul> <li>acion senis to Incoto well mechanically with a city paramet and council interming and body. Which is has sufford as bit from some single issues this revolver remains a very line franchome sample of a desirable and low-production body. If 375 Single Action Revolver transitions are used to senitor substance in the standard information secure capped and statistic-beard attracted well with exceptional laws. The beard information secure capped and statistic-beard attracted well attracting is a more capped and statistic-beard attracted well attracting is a more and the statistic in the statistic in a capped attracting attract. The transit is a fixed in the more discussion in a capped attracting attracted well attracted attracted attracted well attracted attracted attracted well attracted attracted attracted well attracted attracted well attracted attracted well attracted attracted well attracted attracted</li></ul>		
<ul> <li>excellent imag and lock-ug. While it has utfered a bit from some display to excell the image of a bit of the some example of a bit and lock-ug. While it has utfered a bit from some display to excell the image of a bit of the some display to excell the image of the</li></ul>		
<ul> <li>storage issue is in end/er end/er and/er and/er example of a decade hourspotcher (hereing on carring a emil (13/28/87-18)) (AVTICUE) (350/0500)</li> <li>Tes (14/24, 44/2, 71/25) (Storage Action Revolver end/er and/er and/er</li></ul>		
<ul> <li>desimile and low-production Remington cartidge arm. (13C9857-18)</li> <li>Ext. 3.507 - 5.000</li> <li>193 Very Fine Remington Model 1875 Single Action Revolver scattered caldiation and tarther strong fligh throughout. The metal surfaces of this lowly evolver train about 90% crignal notes through showing models 1875 Single Action Revolver scattered and addiation and tarther strong fligh throughout. The metal surfaces of this lowly evolver train about 90% crignal notes that are showing models that a model strong thigh throughout. The metal surfaces of this lowly evolver train about 90% crignal notes that are showing models that are models to all ery principal to the principal for the addiation and tarther strong fligh through controls that are showing models that are models to all ery principal in the addiation and the strong the filth strong the strong this filth strong the strong this filth strong the strong the strong through through strong the strong the strong through through the strong the strong through through the strong that the strong the strong through through the strong through the strong through through the strong through the strong through the strong through the strong through through the strong through through through the strong through the strong through the strong through through the strong through through the strong through through through through through through the strong through thr</li></ul>		
<ul> <li>(ANTIQUE) (305000)</li> <li>Est. 3500 - 5000</li> <li>Very Fine Remington Model 1375 Single Action Revolver</li> <li>scataried oxidation and rather strong rilling throughout. The metal auditors of this lowly revolver interina babel 596, coignal nickel links is a biarver term in abus 196, coignal nickel links is a biarver term in abus 196, coignal nickel links is a biarver term in abus 196, coignal nickel links is a biarver term in abus 196, to explore the abus phases 270, (ANTIQUE) (1900) 2000)</li> <li>Est. 1.800 - 2.200</li> <li>Est. 1.800 - 2.200 and the high data statement gint in the abus phases are assumed in the biarver term in abus 196, were yood phases and statement gint in the muzzle. The base to mining state and coil and the high advance and statement gint in the abus phases are statement with a high very coop phase in the muzzle. The base to mining state and coil and the abus phases are assumed light data gint in the data strong the finance on the light advance matching the term in muzzle. The base to mining a base 345, and the strong the finance on the light advance matching the term in the muzzle. The base term in the term in the</li></ul>	÷	
<ul> <li>Est. 3.500 - 5.000</li> <li>Est. 4.600 - 6.000</li> <li>Est. 4.600 - 6.000<td>desirable and low-production Remington cartridge arm. (13C9857-18)</td><td>threaded end showing some speckles of light staining is included and</td></li></ul>	desirable and low-production Remington cartridge arm. (13C9857-18)	threaded end showing some speckles of light staining is included and
<ul> <li>183 Very Fine Remington Model 1975 Single Action Revolver scattered oxidation and rather strong filing throughout. The metall surfaces of this lowly revolver team alka used base base base in the result is a strate of this lowly revolver team alka used Single and the result oxidation and rather strong filing throughout. The metall surfaces of the light deges and scattered light handling marks that are moticity condition teaming base prior team alka used. Since scattered light handling marks that are moticity conductor teaming base is reing and clear and the mutual test teams of the light deges and scattered light and clear and the mutual test term and with 44° activity deges degrad and the strong test is represented to the strong test in the light deges and scattered light handling marks there moticity environs. The scattered were well. The loading gase and targeory and are matching the frame scattered light handling or well. The loading gase and targeory and are matching the frame scattered light and the scattered light handling marks the motility environs. The light descentible is proper team scattered light handling marks to minitary service. The attractive scattered light prior the scattered light and the scattered light prior team and the organized and the scattered light prior teams and the motility descented column. The declarge scattered light handling marks to minitary service. The attractive scattered light prior teams and the interving scattered at out. The declarge scattered light handling marks to minitary service. The attractive scattered light dispersion light dispersion</li></ul>	{ANTIQUE} (3500/5000)	the two-position lock and tumbler are very robust. A truly exceptional
<ul> <li>serial #24, 44-4, 7 1/2° barrel with an about good bore showing surfaces of this lowly revolver retain about 95% original incleaf finite high high surfaces of this lowly revolver retain about 95% original incleaf finite high high surfaces of this lowly revolver retain about 95% original incleaf finite high surfaces of this lowly revolver retain about 95% original maching marks that are mostly unobtruive. The base in a retaines strong file phaneling and some statement gliph dings and the left aide triggerguard is marked with 44° carridge designation. The 46° and the left aide triggerguard is marked with 44° carridge designation. The 46° and the left aide triggerguard is marked with 44° carridge designation. The 46° and the second strong the strong strong dings are display to require the strong dings and the good and the dings gliph dings; their periol numbers are difficult to be explained at a marked with a factor strong ding aroung the reacting or period markes are indicated by the dings and the complexity of the strong strong dings and the good and the strong strong dings and the strong strong s</li></ul>	Est. 3,500 - 5,000	example of a Second Model Allin "Trapdoor" whose wonderful state of
<ul> <li>serial #24, 44-4, 7 1/2° barrel with an about good bore showing surfaces of this lowly revolver retain about 95% original incleaf finite high high surfaces of this lowly revolver retain about 95% original incleaf finite high high surfaces of this lowly revolver retain about 95% original incleaf finite high surfaces of this lowly revolver retain about 95% original maching marks that are mostly unobtruive. The base in a retaines strong file phaneling and some statement gliph dings and the left aide triggerguard is marked with 44° carridge designation. The 46° and the left aide triggerguard is marked with 44° carridge designation. The 46° and the left aide triggerguard is marked with 44° carridge designation. The 46° and the second strong the strong strong dings are display to require the strong dings and the good and the dings gliph dings; their periol numbers are difficult to be explained at a marked with a factor strong ding aroung the reacting or period markes are indicated by the dings and the complexity of the strong strong dings and the good and the strong strong dings and the strong strong s</li></ul>	153 Very Fine Remington Model 1875 Single Action Revolver	condition should please even the most discerning Springfield collecto
<ul> <li>Eat 1.800 - 2.200</li> <li>Eat 1.800 - 2.000</li> <li>Eat 1.800 - 3.000</li> <li>Eat 2.000 - 3.000&lt;</li></ul>		
<ul> <li>Interse of this towly revolver retain about 95% original include links he left as barbor below play in the muzzle. There are a few areas of fine flowes along the left and fing and genere of the high ordges and scattered light handling marks that are mostly unchturaive. The base pin retains strong flire bue, the E. Remington A. Sons baret address is crisp and clave and the left aids triggerguard is marked with '44' cartidge designation. The same in wark and with some sattered light (along): their penel numbers are difficult to descen and they otherwise fit the action gene and the creating due and trigger and are matching due and they denersing the frame over yeal. The backing due and triggerguard are matching the frame and the creating clavel are and they otherwise fit the action seems to function were sattered light (along): their penel numbers are difficult to descen and they otherwise fit the action seems to function were sattered and they and and scattered light (along): their penel numbers are difficult to descen and they otherwise fit the action seems to function were incohand are matching due and triggerguard are matching due and triggerguard. The activate the action terms are due to the shores are additional to descen and they otherwise fit the frame and the comaining pasts are characteristically un-numbered. The activate the about the hardware and they otherwise fit the action seems to function were allow the characteristically un-numbered. The activate the about the the section seems and they otherwise fit the section seems to function were and they otherwise fit the section seems to function were and they otherwise fit the section seems to function were and the tracking controls. Were they and section seems to function were and they otherwise fit the section seems to function were and they and section section section of they and section sections. The function to the section section of the sections the section sections and they otherwise the section sections and they denerating and section</li></ul>		
<ul> <li>showing some light faking at the muzzle, some fine fakes along the left side barry good plus serial and one flat of the dynder. There are leve areas of fine physic, bitting along some of the high degis and scattered light handling marks that are measured with background barry with a bight very good plus bore showing a small area of light high priority, doing barry with a bight very good plus bore showing a small read of light high priority of the burder. The same prioritization retaining about 94% and tips remain in very file degis, a very small drying crack at the base of the left panel and some scattered light flugh and the odders. Very small drying crack at the base of the left panel and some scattered light flugh and the very colors while be thered hang and they otherwise file physic. The same scattered we full the relating panels are characterisating un-numbers are difficult. The cracking overalt. The scating gate and tiggergurar are matching the the attempt and the remaining panels and contexp. An excellent cample of the shandsmere flught and they otherwise for gate states of the left panel and some scattered we full the scattered they follow the hummer and "U.S. / SPRINCIELD' block the h</li></ul>		
<ul> <li>side barrel and one flat of the cylindar. There are a tex areas of fine pupiricity along some of the hiph degise and scattered light handling marks that are mostly undertrueive. The base in retains strong fine blue, the E. Remington A. Some share aloued 94% antique yarnish with some light flaking along the degis, a very small drying crack at the base of the left paralial consens scattered 16 fift dring: their paralial consens the left side triggerput and most sectored 16 fift dring: their panoli numbers are difficult to discom and they otherwise if the firame and the remaining parts are characteristically un-numbered. The action seems to function will mechanically colors will be breach targ and the general colors. A sectored the see handscattered will be also the sectored the set of the discover and they otherwise if the firame and the semanting parts are characteristically un-numbered. The action seems to function will mechanically used their galand to key. A nexcellent example of these handsome Remington cartifide guns. (1898-2616) (X-MTOLE) [Edward W. Marron, Jr. Collection] (4000/6000) [Est. 4,000/ 6000]</li> <li>Remington Model 1800 Single Action Revolver show mermants for on dirageplicat finath contigo are instarted and a fitting and the organical significant of the intervolver show mermants of on dirageplicat finath contigo are instarted about, the adding marks and blue partes in some of the proteled marks. The bask do the elector do thous a small of the addo 1804 Stiffigue and dirage acting including the isole tirame. The head of the elector do thous a small of the general action services areas the strong third and they directed and actually quile nice with proper Remains in babout very good condition, the large and transpression scattered direct were and they three services at the strong that a service directed and they direct</li></ul>		
<ul> <li>inprotect pitting along some of the high edges and scattered light handling marks that are mostly unobtravies. The base pin retains strong the high edges are yes mail of the high edges are yes mail in the yelf sing family and the deges. a veg small diving crack at the base of the left panel and some scattered light handling marks and and they dherwise it the deges. a veg small diving crack at the base of the left panel and some scattered light handling the target and the renarks of the diving crack at the base of the left panel and some scattered light handling the target and the renarks of the diving crack at the base of the left panel and some scattered light handling the target and the renarks of the diving crack at the base of the left panel and some scattered light handling the target handling the hordling the hordl</li></ul>		
<ul> <li>Inardian marks that are mostly undertunative. The base pain retains strong fire blue, the E. Remington &amp; Sons barrel address is crisps and to lear and the left side triggerguard is marked with "44" carticityde designation. The smooth walk grisps remains in very fine confinior treating about 94%, and the second strong the edges, a very small drying crick at the base of the left paral and sone scattered (b) drigs; their pancial undertained in the second strong strong the edges, a very small drying crick at the base of the left paral and sone scattered (b) drigs; their pancial undertained the remaining parts are characteristically un-numbered. The action seems to function well mechanically with solid traing quite. (1389362-18) (ANTIQUE) [Edward V. Marron, Jr. Collection] (2000000)</li> <li>Est. 4,000 - 6,000</li> <li>Test Remington Godd 1990 Single Action Revolver serial with a left bord actually quite in evert with a set carted strong traing and a closely quite. The market Model 184 Bullington rear and a current solid to the single marking seminal completer instate and calcularly quite in evert market in the dry final single market model 184 Bullington rear and a current solid to the single marking seminal completer instate and calcularly quite in evert market in the dry final single market model 184 Bullington rear and a current solid to task there and the grisp result. The black dehecked hard have regression lock and the line with proper Remington Arms Co. address and '44.C.F.W' on the left aids final environg and erisp. (2384833-14) (ANTIQUE) [Edward W. Marron, Jr. Collection] (20003000)</li> <li>Est. 1,000 - 1,000</li> <li>Est. 1,000 - 3,000</li> <li>Est. 2,000 -</li></ul>		
<ul> <li>If the blue, the E:. Remington &amp; Sone barel address is origp and olear and the left side diagregurant in very fine condition retaining about 94% and (up variable distortion). The second provide distort distort is marked with 414 carticidy adesignation. The second unmer test is and the distort of the design a very small driving orack at the base of the left panel and some statistical distort. The leading distort di</li></ul>		
<ul> <li>the left side triggerguard is marked with '44'' cartridge designation. The smooth valut gripse marking have frame condition retaining about 94% antique varnish with some light listing along the digdes, a very small driving crack at the base of the left panel and some scattered light dings; their panel numbers are difficult to discern and they otherwise fit the trane very well. The locking gates and tiggerguard are marking the frame are wy left. The tacking gates and tiggerguard are marking the frame are wy left. The tacking gates and tiggerguard are marking the frame are wy left. The tacking gates and tiggerguard are marking to disc-up. An excellent excerption of these handsome Residued to lock-up. An excellent excerption of these handsome Residued to lock-up. An excellent excerption of these handsome Residued to lock-up. An excellent excerption of these handsome Residued to lock and the action of the discrete data with a light societ of these and the residue to a societ of the second societ segment of the left panel and the light outcome show the second target back with a fight possible of the second societ show the mark and cited 9'P. Thing proto bening the triggerguard. The marking terming in a dutted areas. The principal marking remains condition, the left panel and actually quite line with the grigger and the triggerguard. The mark and cited of the back with a digiting a couple of old repaired cracks and light checks and fully princips. The lock of the second and triggerguard are marking the frame and the action completely intact and actually quite line with the social signed and triggerguard are marking the frame and the action completer intact. The black there was no black weather that and actually quite line with the social signed and triggerguard are marking the frame and the action completer intact and actually quite line with the social signed and triggerguard are marking the frame and the action completer intact and actually quite line the social signed and triggerguard aresocial signe</li></ul>		
<ul> <li>smooth walnut grips remain in very fine condition retaining about 94% and you wrink with some levels with the base of the lift panel and some scattered light dings; their pranel numbers are difficult to discern and they oftenvies if the firame and the same of the lift panel and some scattered light dings; their pranel numbers are difficult to discern and they oftenvies if the firame and the renaming parts are characteristically un-numbered. The action seems to function with solid turing and lock-up. An excellent example of these handsome Remingtion cartridge guns. (1389362-161) (MNTOUE) [Edward W. Marron, Jr. Collection] (40008000)</li> <li>Est 4,000 - 6,000</li> <li>Remington Model 1890 Single Action Revolver show remnants of on old reapplied finish toning is a notled plum-thrown patina overall with lightly oblicad ob ranzed repair, the disconse and and trager gund. The stacking and cartred set of the protected areas. The principal markings remain completely intact and actually quite nice with a side of the armoto sing and crisp. (2349837-14) (ANTOUE) (1000/1500)</li> <li>Est 1,000 - 1,500</li> <li>Ext 1,000 - 1,500</li> <li>Ext 1,000 - 1,500</li> <li>Ext 2,000 - 3,000</li> </ul>		
<ul> <li>antique variais with some light flaising along the edges, a very small dying creak at the base of the left panel and some scattered light dings. The foating gate and triggerguard are matching the frame very well. The loading gate and triggerguard are matching the frame and the remaining parts are characteristically un-numbered. The action seems to function well mechanically with solid timing and lock-up. An excellent example of these handsome Remingon cartificage guess.</li> <li>1844 Res 2000 - 6.000</li> <li>1854 Res 2000 - 5.000</li> <li>1854 Res 2000 - 5.000</li> <li>1854 Res 2000 - 5.000</li> <li>1854 Res 2000 - 6.000</li> <li>1854</li></ul>		
<ul> <li>dying crack at the base of the left panel and some scattered light dings; their perior humbers are difficult to discuss fit the frame very well. The loading gate and triggerguard are matching the frame and the remaining patts are characteristically un-numbered. The action seems to function well mechanically with solid timing and lock-up. An accelence scatteristically un-numbered. The action seems to function well mechanically with solid timing and lock-up. (13B9362-16) (ANTOLUE] [Edward W. Marron, Jr. Collection]</li> <li>Ett. 4.000 - 6.000</li> <li>Fat. 2.000 - 3.000</li> &lt;</ul>		direct light. The receiver, lockplate, thumbpiece and hammer retain
<ul> <li>their pencil numbers are difficult to discern and they otherwise fit the frame and the remaining guarts are characteristically un-numbered. The action seems to function well mechanically with solid liming and lock-up. An excellent example of these handsome Remingon carringle guarts. The action seems to function well mechanically with solid liming and lock-up. (1389362-18) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000600)</li> <li>154 Remington Model 1890 Single Action Revolver show remnants of on oldr expolled finith toring to a motiled plum-brown palina overall with lightly classed of the remover and a correct slote burnch-head rame of lise protect status and wells the other show remnants of on oldr expolled finith toring to a motiled plum-brown palina overall with lightly classed of the light post of the south and a classed regard. The black chacker and hard nuber grips with RA Co. monograms remain in about very good condition, the left panel showing and finite action light and larger and in a classed regard range and the left panel showing a classed of the paleed resolution. The back lightly classed of thing the report of the post state and well state the state frame. The head of the ejector rod shows a small oid brazed repair, the German silver black for sight and largering and concey. The black chackered hard nubber grips with RA Co. monograms remain in about very good condition, the left panel showing the frame and the epleider cracks and light chips, some overall simication. The black for a state is a classed black remaining and took-up. A very good "example piece" of these destable Remington revolvers. (1389382-85) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000)</li> <li>Est 2.000 - 3.000</li> <li>Est 2.000 - 3.000&lt;</li></ul>	antique varnish with some light flaking along the edges, a very small	nearly all their oil-quenched smoky colors while the breech tang and
<ul> <li>frame very well. The loading gate and triggerguard are matching the frame and the remaining parts are characteristically with solid timing and lock-up. An excellent sample of these handscome Remington cartridge guns. (1389362-816) (ANTUQUE) [Edward W. Marron, Jr. Collection]</li> <li>(4000/6000)</li> <li>[Est. 4,000 - 6,000</li> <li>154</li> <li>Remington Model 1890 Single Action Revolver</li> <li>Issian overall with lightly colladed bore showing evident rifling throughout. The metal surfaces of this revolver showing revolent rifling throughout. The metal surfaces of this revolver showing revolent rifling throughout. The metal surfaces of this revolver showing revolvent rifling throughout. The metal surfaces of this revolver showing revolvent rifling throughout. The metal surfaces of this revolver showing revolvent rifling throughout. The metal surfaces of this revolver showing revolvent rifling throughout. The metal surfaces of this revolver showing revolvent rifling throughout. The metal surfaces of this revolver showing revolvent rifling throughout. The metal surfaces of this revolver showing revolvent and light digitation are overall with lightly cleaned of dimon printing scattered about. The bead of the charmed register distributing and light digitation are simple distributing and light digitation and light digitation and light digitation revolvers. A light physicate remain in about very good "axample piece" of these desirable Reminging revolution. The barer levels and light digitation revolvers. (1389382-89), (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li></li></ul>	drying crack at the base of the left panel and some scattered light dings;	1884-dated breechblock display strong original case-hardened colors
<ul> <li>frame and the remaining parts are characteristically un-numbered. The action seems to function well mechanically with solit mining and lock-up. An excellent example of these handsome Reminington cartifidge guns. (1389382-18) (ANTIQUE) [Edward W. Marron, Jr. Collection] (40006000)</li> <li>Est. 4,000 - 6,000</li> <li>154</li> <li>Reinington Model 1890 Single Action Revolver show memory patina overall with sightly oxidized bore showing evident rifting throughout. The metal surfaces of this revolver show memory patina overall with hightly cleaned old minor pitting scattered about, handing marks and bubbe rights with a trans of 4.2. F.W. To the left scient of the protected areas. The principal markings remain completely intact and actually quile nice with proper tensiton Amount of the protected areas. The black checkered hard rubber gips with RA Cc. monograms remain in about very good condition, the left panel showing a couple of old reparied cracks. Some overall smoothing and light dings. The black dubber gips with RA Cc. monograms remain in about very good condition, the left panel showing a couple of old reparied cracks. Some overall smoothing and light dings. The black dubber gips with RA Cc. monograms remain in about very good condition, the left panel showing a couple of old reparied cracks. Some overall smoothing and light dings. The black dubber gips with RA Cc. monograms remain in about very good roution, the left panel showing a couple of old reparied cracks. Some overall smoothing and light dings. The black dubber gips with RA Cc. monograms remain in about very good time chains with very good time gips and things. The black dubber gips with RA Cc. monograms remain in about very good condition, the left panel showing a couple of old reparied cracks and triggerguard. The there ensel showing a couple of old reparied cracks and triggerguard three mech</li></ul>	their pencil numbers are difficult to discern and they otherwise fit the	with some scattered very faint freckling overall. The lockplate is prope
<ul> <li>action seems to function well mechanically with solid timing and lock-up. (13B3362-18) (ANTIQUE) [Edward W. Marron, Jr. Collection] (4000/6000)</li> <li>(Edt. 4000 - 6.000</li> <li>(action 2000)</li> <li>(action 2000)<td>frame very well. The loading gate and triggerguard are matching the</td><td>stamped with a Federal Eagle ahead of the hammer and "U.S. /</td></li></ul>	frame very well. The loading gate and triggerguard are matching the	stamped with a Federal Eagle ahead of the hammer and "U.S. /
<ul> <li>action seems to function well mechanically with solid timing and lock-up. (13B3362-18) (ANTIQUE) [Edward W. Marron, Jr. Collection] (4000/6000)</li> <li>(Edt. 4000 - 6.000</li> <li>(action 2000)</li> <li>(action 2000)<td></td><td>SPRINGFIELD" below the thumbpiece while the breech is proof mark</td></li></ul>		SPRINGFIELD" below the thumbpiece while the breech is proof mark
An excellent example of these handsome Remington catridge guns. (1389862-18) (ANTIQUE) [Edward W. Marron, Jr. Collection] (40006000) Est. 4,000 - 6,000 154 Remington Model 1890 Single Action Revolver serial #1112, 44-40,5 3/4* barrel with a lightly oxidized bore showing evident filling throughout. The metal surdices of this revolver show premants of no dir capplied finish toring to a motiled plum-brown patina overall with lightly cleaned old micro pitting scattered about, handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Amyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of did repaired cracks and light chips, some overall awith lings and tock-up. A very good 'example piece' of these desirable Remington revolvers. (138982-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (20003000) Est 2,000 - 3,000 Est 2,000 - 3,000 Est 2,000 - 3,000 Est 2,000 - 3,000 Control the second rubber on the left side frame. The head of the ejector rod shows a small ob brazed repair. the Officer's Rile is one of the areatic configurations of the Bortchardt with only 48 examples ever produced. This particular rifle remains in fabulou original color case-hardened finish with just a little fading. Under light the colors shows strong and the persent. The action (138982-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (20003000) Est 2,000 - 3,000 Est 2,000 - 3,000 Est 2,000 - 3,000 Est 2,000 - 3,000 Est 2,000 - 3,000 (Bob 10,000 - 10,000 (Bob 10,000 - 1		
<ul> <li>(1383362-18) (ANTIQUE) [Edward W. Marron, Jr. Collection]</li> <li>(1383362-18) (ANTIQUE) [Edward W. Marron, Jr. Collection]</li> <li>(240016000)</li> <li>(254.4000-6.000)</li> <li>(254.4000-6.0000)</li> <li>(254.</li></ul>		
<ul> <li>(4000/6000)</li> <li>(4000/6000)</li> <li>(4000/6000)</li> <li>(4000/6000)</li> <li>(4000-6000)</li> <li>(4000-6000)</li> <li>(4000-6000)</li> <li>(4000-6000)</li> <li>(4000-6000)</li> <li>(4000-6000)</li> <li>(4000-6000)</li> <li>(4100-6000)</li> <li></li></ul>		
Est. 4,000 - 6.000         154       Remington Model 1890 Single Action Revolver serial #1112, 44-40, 5 34 <sup>4</sup> barrel with a lightly oxidized bore showing evident rifling throughout. The metal surfaces of this revolver show remmants of on old reapplied finish toning to a matteled plum-brown patina overall with lightly deared old minor pitting scattered about, handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and "44.C.F.W" on the left side frame. The head of the ejector of shows as small od brazed repair, the German silver blade front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and tiggerquard are maching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good 'example piece' of these desirable Remington revolvers. (1389362-95) (ANTIOUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est 2,000 - 3.000         Est 2,000 - 3.000       Est 2,000 - 3.000		
<ul> <li>Remington Model 1890 Single Action Revolver showing evident rifting throughout. The meta surfaces of this revolver show remnants of on old reapplied finish toning to a mottled plum-brown patina overall with lightly cleaned of minor pitting scattered about, handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and '44.C.P.W' on the left side frame. The head of the ejector rod shows a small old brazed repair, the German silver blade front sight and lanyard ring are intact. The black checkered hard hubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall with gind simonothing and light dings. The loads and tinggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good 'oxample piece' of these desirable Remington revolvers. (1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000)</li> <li>Est 2.000 - 3.000</li> <li>Est 2.000 - 3.000</li> <li>Est 2.000 - 3.000</li> <li>Est 2.000 - 1.100</li> <li>Est 2.000 - 1.100&lt;</li></ul>		
<ul> <li>serial #1112, 44-40, 5 3/4* barrel with a lightly oxidized bore showing evident rifling throughout. The metal surfaces of this revolver show remants of on old reapplied finish toning to a motified plum-brown patina overall with lightly cleaned old minor pitting scattered about, handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and '44.C.F.W' on the left scie frame. The head of the ejector rod shows a small old brazed repair, the German silver blade front sight and laryard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panels howing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The leading gate and triggerguad are matching the frame and the action (2000/3000)</li> <li>Ext 2,000 - 3,000</li> <li>Ext 2,000</li></ul>		
evident rifling throughout. The metal surfaces of this revolver show         remnants of on oid reapplied finish toning to a mottled plum-brown         patina overall with lightly cleaned to dimion pitting scattered about,         handling marks and blue present in some of the protected areas. The         principal markings remain completely intact and actually quite nice with         proper Remington Arms Co. address and '44.C.F.W' on the lift side         frame. The head of the ejector rod shows a small old brazed repair, the         German silver black fromt sight and lanyard ring are intact. The black         checkered hard rubber grips with RA Co. monograms remain in about         very good condition, the left panel showing a couple of old repaired         cracks and light chips, some overall smoothing and light dings. The         loading gate and triggerguard are matching the frame and the action         seems to function well mechanically with very good timing and lock-up.         A very good oxample piece' of these desirable Remington revolvers.         (1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection]         (2000/3000)         Est. 2,000 - 3,000	с с	
remnants of on old reapplied finish toning to a mottled plum-brown patina overall with lightly cleaned old minor pitting scattered about, handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and "44.C.F.W" on the left stide frame. The head of the ejector rol shows a small old brazed repair, the German silver blade front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good 'example piece' of these desirable Remington revolvers. (13B3962-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est 2,000 - 3,000		5
<ul> <li>patina overall with lightly cleaned old minor pitting scattered about, handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and '44.C.F.W' on the left side frame. The head of the ejector od shows a small old brazed repair, the German silver black front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good 'example pice' of the base desirable Remington revolvers. (1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000</li> <li>Est. 2,000 - 3,</li></ul>		
handling marks and blue present in some of the protected areas. The principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and "44.C.F.W" on the left side frame. The head of the ejector rod shows a small old brazed repair, the German silver blade front sight and langrand ring are intact. The black checkerd hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguad rae matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. ((1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000)         Est. 2,000 - 3,000       Est. 2,000 - 3,000		
<ul> <li>principal markings remain completely intact and actually quite nice with proper Remington Arms Co. address and '44.C.F.W' on the left side frame. The head of the ejector rod shows as small old brazed repair, the German silver blade front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>Est.</li></ul>		
Rifle Rifle Serial #6610, 45-70, 32" round barrel with a bright excellent bore. The German silver blade front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000	handling marks and blue present in some of the protected areas. The	Est. 1,000 - 1,500
frame. The head of the ejector rod shows a small old brazed repair, the German silver blade front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000	principal markings remain completely intact and actually quite nice with	157 Extremely Rare and Very Fine Sharps Borchardt Model 1878 Officer's
German silver blade front sight and lanyard ring are intact. The black checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (1389362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000	proper Remington Arms Co. address and "44.C.F.W" on the left side	Rifle
checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 Est. 2,000 - 3,000	frame. The head of the ejector rod shows a small old brazed repair, the	serial #6610, 45-70, 32" round barrel with a bright excellent bore. The
checkered hard rubber grips with RA Co. monograms remain in about very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 Est. 2,000 - 3,000	German silver blade front sight and lanyard ring are intact. The black	Officer's Rifle is one of the rarest configurations of the Borchardt with
very good condition, the left panel showing a couple of old repaired cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 Setting and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Setting and the screwheads remain clean and seemingly unturned. The rifle features a straight grip buttstock and full length forend, both of walnut with some really super figure in the buttstock. The stocks remain in wonderful condition with 98% original finish remaining overall and just the normal light handling marks here and there. The rifl is equipped with sling swivels mounted in bottom front of action and in bottom of top band and comes with its original ramrod. The original military ladder rear and stud front sights are present. The accompanyin factory letter confirms the configuration and shows the rifle invoiced on September 211, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (TES790-42) (ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)	checkered hard rubber grips with RA Co. monograms remain in about	only 48 examples ever produced. This particular rifle remains in fabul
cracks and light chips, some overall smoothing and light dings. The loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B39362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 Est. 2,000 - 3,000	÷. •	
loading gate and triggerguard are matching the frame and the action seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) {ANTIQUE} [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 Est. 2,000 Est. 2,000 - 3,000 Est. 2,000 Est. 2,000		
seems to function well mechanically with very good timing and lock-up. A very good "example piece" of these desirable Remington revolvers. (13B9362-95) (ANTIQUE) [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 - 3,000 - 2,000 Est. 2,000 - 2,000		
A very good "example piece" of these desirable Remington revolvers. (13B9362-95) {ANTIQUE} [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 Unturned. The rifle features a straight grip buttstock and full length forend, both of walnut with some really super figure in the buttstock. The stocks remain in wonderful condition with 98% original finish remaining overall and just the normal light handling marks here and there. The rifl is equipped with sling swivels mounted in bottom front of action and in bottom of top band and comes with its original ramod. The original military ladder rear and stud front sights are present. The accompanying factory letter confirms the configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completed honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
(13B9362-95) {ANTIQUE} [Edward W. Marron, Jr. Collection] (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 3,000 - 2,000 Est. 2,000 - 2,00		, , , , , , , , , , , , , , , , , , ,
(2000/3000) Est. 2,000 - 3,000 stocks remain in wonderful condition with 98% original finish remaining overall and just the normal light handling marks here and there. The rifle is equipped with sling swivels mounted in bottom front of action and in bottom of top band and comes with its original ramrod. The original military ladder rear and stud front sights are present. The accompanyin factory letter confirms the configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
Est. 2,000 - 3,000       overall and just the normal light handling marks here and there. The rifli is equipped with sling swivels mounted in bottom front of action and in bottom of top band and comes with its original ramrod. The original military ladder rear and stud front sights are present. The accompanying factory letter confirms the configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completed honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
is equipped with sling swivels mounted in bottom front of action and in bottom of top band and comes with its original ramrod. The original military ladder rear and stud front sights are present. The accompanyin factory letter confirms the configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
bottom of top band and comes with its original ramrod. The original military ladder rear and stud front sights are present. The accompanying factory letter confirms the configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completed honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)	EST. 2,000 - 3,000	
military ladder rear and stud front sights are present. The accompanying factory letter configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
factory letter configuration and shows the rifle invoiced on September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
Secretary and Inspector of Rifle Practice for the 7th Division of the N.Y. National Guard. He requested the rifle be received no later than September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completed honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) (ANTIQUE) [Bob Borcherdt Collection] (8,000/12,000)		factory letter confirms the configuration and shows the rifle invoiced of
National Guard. He requested the rifle be received no later than         September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		September 21, 1878 to R.B. Yates in Rochester, NY. Yates was the
September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		Secretary and Inspector of Rifle Practice for the 7th Division of the N.
September 27th; it would be reasonable to assume this rifle was to be offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
offered as a prize for a divisional shooting match. This rifle is completel honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		· · · · · · · · · · · · · · · · · · ·
honest and original without any alterations of any kind. A wonderful Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
Borchardt Officer's Rifle worthy of the finest of antique American arms collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
collections. (1E9790-42) {ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)		
(8,000/12,000)		
I I Est. 8.000 - 12.000		
		Est. 8,000 - 12,000

158	U.S. Model 1903A4 Bolt Action Sniper Rifle by Remington	160	Rare U.S. Model 1903 Mark I Bolt Action Rifle with Original Pedersen
	serial #3421334, 30-06, 24" 8-43-dated two-groove Remington barrel		Device & Accessories
	with a bright near excellent bore showing the slightest hint of minor		serial #1192902 (Device #28347), 30-06 / 30 Pedersen, 24" 4-20-dated
	frosting in some areas with otherwise strong rifling throughout. The		Springfield Armory barrel with a bright near excellent bore showing the
	metal surfaces of this rifle retain about 95-96% arsenal refurbished		faintest hint of minor frosting in some areas with crisp rifling throughout.
	Parkerized finish showing some areas of minor thinning nearer the		The metal surfaces of the rifle retain about 95% arsenal quality medium
	muzzle, mild thinning on the knob and some spots toning to brown along		gray Parkerized finish showing some scattered areas of minor thinning,
	the triggerguard. All markings are intact and strong, being properly offset		light handling marks and some sparsely scattered pinprick pitting mostly
	along the receiver ring to accommodate the Redfield mount. The scope		along the floorplate beneath the finish. There is a small dent along the
	itself retains about 92% original blue showing some spots of light		right edge of the triggerguard and the screw heads show light slot wear.
	oxidation staining scattered about and minor handling marks. The screw		The receiver is a darker tone overall again showing a few sparsely
	heads show light slot wear and all markings remain intact, the right side		scattered smoothed-over pinprick pits and otherwise crisp markings. The
	body below the adjustment plate is electro-penciled "TELESCOPE		bolt with slightly swept back handle retains about 90% arsenal blue
	M73B1 / SERIAL NO. 9259" and there is an intact "Coated Optics"		showing some silvering from operational wear, light handling marks and
	sticker affixed ahead of the rear ring that is starting to come up slightly		the bolt sleeve taking on a deep plum patina; the bolt body shows an "R"
	along the edges. The scope features typical fine crosshair reticle and		stamped on the front surface of the safety lug. The smooth straight grip
	slightly discolored optics, also with some very faint occlusions, otherwise		walnut stock with dual crossbolts and handguard remain in very good
	remaining completely serviceable. The smooth scant pistolgrip walnut		plus condition as lightly cleaned showing a strong arsenal quality oil
	stock with dual crossbolts and the handguard remain in very fine		finish and some scattered light dings, handling marks and a small scuff
	condition showing a tiny filler repair on the left side butt, a very small		on the right side ahead of the finger groove. The stock shows a faint
	drying crack about 1" back from the tang (this is due to a small knot in		outline of an inspector stamp on the left side and strong "36" over circled
	the wood and is unobtrusive) and a few scattered minor dings. The		"P" firing proof behind the triggerguard. The rifle is equipped with a front
	, °		
	stock shows crisp factory inspector stamps ahead of the magazine, a		sight hood, correct Pedersen-compatible trigger and sear assembly and
	good circled "P" firing proof at the pistolgrip, "X" in the left-side cutout,		the action seems to function well mechanically. The device retains about
	somewhat softened "RA" and ordnance wheel on the left side, strong		92% original Parkerized finish showing silvering and thinning along the
	"FJA" and boxed "RIA / EB". An original green canvas sling, set of black		high edges, light operational wear mostly along the magazine well and a
	plastic scope covers and cleaning kit are included, all marked parts		few tiny areas of light oxidation staining lurking about some of the
	appear to be of Remington manufacture and the action seems to		recesses. The bolt body shows a little light pitting and freckling along its
	function well mechanically. A very fine 1903A4 for the U.S. martial		left side but this is relatively unobtrusive. The cocking piece shows crisp
	collector. (13C9807-72) {C&R} [Vincent Coniglio Collection] (3000/4000)		markings with "U.S.A. 1918-MARK I / 28347 / REMINGTON
	Est. 3.000 - 4.000		BRIDGEPORT / PEDERSEN'S PAT'S. PENDING". The device appears
159	U.S. Model 1903 Rifle by Springfield Armory with Warner & Swasey		to function well mechanically when installed in the rifle. Also included are
	Telescopic Musket Sight		one original 40-round magazine with "SP" code retaining about 96-97%
	serial #667064, 30-06, 24" 6-17-dated Springfield Armory barrel with a		original Parkerized finish showing some small areas of mild discoloration
	bright excellent bore. The metal surfaces of this rifle have mostly toned		and handling marks, two special disassembly spanners in near excellent
	to a mix of dark gray and mild plum-brown patina showing some		condition, one RIA 1919 tan canvas bolt assembly pouch in very fine
	sparsely scattered minor oxidation staining and remnants of		condition showing some mild staining and handling marks, one RIA
	smoothed-over pinprick pitting. The receiver retains generous		1-20-dated tan canvas magazine pouch in near excellent condition, one
	oil-quenched case-hardening that is toning overall to an attractive silvery		original 1917-dated leather sling in very good condition showing some
	case-hardened patina also showing some mild oxidation staining. All		light staining, mild crackling and verdigris along the hardware, one full
	markings remain intact and quite crisp. The smooth straight grip walnut		40-round box of original cartridges dated 1919, the box showing some
	stock with dual crossbolts and high hump handguard remain in about		light scuffs and mild discoloration and the cartridges very fine to near
	very good plus condition showing perhaps an old cleaning very long ago		excellent with mild tarnishing, and finally a printed copy of the Ordnance
	with areas now darkened from the years, some scattered light dings and		Department notes and manual on the device. These iconic devices were
	handling marks. There is a faint circled "P" firing proof behind the		intended to be America's secret weapon to break the stalemate of the
	triggerguard, "253" stamped behind the upper tang, boxed "W.E.S."		Great War, but the war ended before they were needed and almost all of
			-
	along the left side and an "X" and "B" inside the left-side cutout. An		them were destroyed under military directives during the inter-war
	original scope base is affixed to the left side receiver wall, the screw		period. This is a very fine and desirable ensemble that would make an
	heads are not quite flush on the outside but they do show stake marks		excellent addition to any advanced martial collection. (13E9683-1)
	on the internal raceway although strangely there are also two filled holes		{C&R} (25,000/40,000)
	adjacent to the two rear screws. The included original Model of 1913		Est. 25,000 - 40,000
	telescopic musket sight is serial number "6694" and retains about 90%	161	Fine Remington Type I Split Breech Saddle Ring Carbine
	original black enamel finish showing some overall flaking that is toning to		46 RF, 20" round barrel with a bright very good plus bore showing a few
	pleasant ocher brass, some other minor handling marks and the screw		scattered small patches of minor oxidation mostly nearer the muzzle and
	heads showing light slot wear. The top cover plate is missing four of its		otherwise strong rifling throughout. The barrel of this attractive carbine
	screws and one has a broken head and the inside of the rail shows no		retains perhaps 50% original blue fading to a blue-gray patina overall
	stamped markings but is lightly scratched with the number "66811".		showing some scattered patches of cleaned light pitting along either
	Remarkably the rubber eyepiece is still almost entirely intact though it		side, the barrel band also showing scattered light pitting with strong
	shows the expected hardening and the sides are rather pinched in,		remnants of original blue and the rear sight retains 95% original blue.
	precluding full travel of the bolt when it is installed. The mount exhibits a		The action shows very attractive smoky case-hardened colors
	little bit of minor play when fitted to the rifle. The adjustment knobs are		throughout, remaining quit vibrant along the right side again showing a
	functional and the optics are about poor-fair showing significant flaking		few areas of old light pitting mostly along the right side and saddle ring
	in the field of view with mild discoloration, the reticle remains crisp and		hardware. The buttplate is similar with old pitting along its left edge but
	good detail can still be discerned when looking through it. The front		otherwise vibrant colors along the right. The hammer and breechblock
	band is marked with an "H", the front swivel shows a dark green enamel		are a dark gray patina and the main action screw heads show lovely rich
	paint, the bolt parts are unmarked and the action seems to function well		straw color. The Remington's address and patent dates along the upper
	mechanically. It seems likely that this rifle was originally fitted with a		tang remain crisp and clear and the components show strong
	sight base during the war, the holes then filled per 1920's arsenal		sub-inspector markings. The smooth walnut stocks remain in fine
	directives and then later neatly restored to "sniper configuration".		condition as lightly cleaned showing a period oil finish with areas
	Included are an original leather sling and scope case. The sling is dated		darkened from the years and there is a small area of filler along the toe
	1918 and rates about very good showing some overall mild staining,		line along with some scattered light dings. The buttstock retains a very
	light crackling and verdigris along the hardware. The scope case shows		good "MM" inspector cartouche along its left side. The original sights
	strong markings with "F.S. / ROCK ISLAND / ARSENAL / 1918 / T.C.C."		and the saddle ring are intact and the action seems to function well
	and rates very good plus to very fine showing some light staining, minor		mechanically. A handsome example of these early Rolling Block actions
	crackling along the strap, some mild scuffing an a 1 1/2" area of		seldom seen with any condition. Most of these Type I carbines were
	detached stitching along the top back edge on either side. A very		delivered quite late during the Civil War and many were repurchased by
	attractive "example" piece for the martial collector. (13D9807-186)		Remington post-war and sold to France. (13C9670-345) {ANTIQUE}
	{C&R} [Vincent Coniglio Collection] (2500/3500)		[David & Lore Squier Collection] (2000/3000)
	Est. 2,500 - 3,500		Est. 2,000 - 3,000
L	Lot. 2,000 - 0,000	l	L31. 2,000 - 3,000

162	Fine Remington Type II Split Breech Saddle Ring Carbine	1	164	Rare Whitney-Laidley Montreal Police Style I Rolling Block Saddle Ring
	serial #14807, 50 RF, 20" round barrel with a bright excellent bore. The			Carbine
	barrel of this handsome carbine retains about 85% original blue thinning			serial #6913, 43 CF, 20 1/2" round barrel with a bright very good plus
	and toning to a pleasant deep plum-brown patina showing some			bore showing some scattered light scratches 3-4" back from the muzzle
	scattered light dings and scuffs, a few perhaps a bit more moderate, and			and otherwise strong rifling throughout. The barrel of this carbine retains
	some sparsely scattered remnants of old oxidation staining. The top of			about 80% original blue thinning and toning to a pleasant gray-brown
	the front sight shows some light dings, the barrel band has mostly toned			patina and showing some scattered mild freckling and small dings. The
	to a mottled pewter-gray patina and the rear sight retains about 95%			rear sight shows flakes of original blue toning to a deep plum-brown
	original blue with some mild edge wear and its screw with strong straw			patina and the barrel is crisply marked "MONTREAL POLICE" behind
	color. The action likewise retains about 85% strong case-hardened			the barrel band. The action, barrel band and buttplate have mostly toned
	colors remaining particularly vibrant along the right side and upper tang,			to a nice silvery pewter patina showing a little mild brown freckling, a
	muting slightly to a pleasant silvery gray patina along the bottom tang			small area of cleaned light pitting along the right side and some faint
	and left side along with some scattered mild freckling and a small area			hints of smoky case-hardened colors lurking about the protected areas.
	of old oxidation staining on the left side receiver ring. The hammer,			The breechblock and hammer show some brown freckling with a few
	breechblock and trigger retain about 90% dark gray oil-quenched			tiny dings, the protected areas of the breechblock with strong
	case-hardening with some mild edge wear. The action screws and pins			case-hardened colors and the trigger retaining some nice brilliant fire
	show some very mild slot wear and retain a healthy amount of nice fire			blue along the sides. The Whitneyville Armory address and patent dates
	blue while the saddle ring hardware and buttplate have mostly toned to			at the upper tang remain intact, the first line softening somewhat and the
	a silvery pewter patina. The Remington's Ilion tang address and patent			heel of the buttplate shows police inventory number "43". The plain
	dates remain crisp and clear, the various parts show strong			walnut stocks remain in very good plus condition having darkened
	sub-inspector stamps, the heel of the buttplate shows "U*S" stamp and			slightly from the years and showing the scattered light dings and dents
	the underside of the barrel a large "2". The smooth walnut stocks remain			one would expect from police service with otherwise excellent
	in very good plus condition showing a little bit of older added varnish			metal-to-wood fit. The saddle ring and original sights are intact and the
	with a tiny thin flake forming at the upper tang, some old shallow			action seems to function well mechanically. An attractive example of
	abrasions along the butt near the buttplate on either side and some			these interesting Whitney carbines from a very small contract of only 60
	scattered light dings. There is a large "2" stamped on the underside			arms. (13B9670-532) {ANTIQUE} [David & Lore Squier Collection]
	forend and either side of the butt along with "1432" on the left side			(1200/1800)
	-			(1200/1800) Est. 1,200 - 1,800
	forend and heel of stock, all of these markings remaining very strong. The left side wrist also shows a "P" and two strong inspector cartouches		165	Extremely Rare and Possibly Unique Remington Hepburn No. 3 Saddle
			105	
	that have softened very slightly. The sling swivels, saddle ring and original sights are intact and the action seems to function well			Ring Carbine serial #95, 45-70, 27" round barrel with a bright excellent bore. The
	• •			
	mechanically. The vast majority of these carbines were sold back to			Remington Hepburn enjoyed success as a sporting and target rifle and
	Remington by the U.S. government who later resold them to France			here is a piece that was built to solicit military sales. The action appears
	making any examples with strong condition quite rare in this country.			identical to the sporting versions however the lever is longer than
	(13D9670-344) {ANTIQUE} [David & Lore Squier Collection]			normal, extending to the rear of the frame and it also has a larger
	(3000/4000)			thumbpiece; both improvements one would expect for a military version.
100	Est. 3,000 - 4,000	-		The barrel shows the "E. Remington & Sons" address and is rather
163	Remington New York State Prototype Rolling Block Rifle Formerly of the			lightweight. The gun features smooth walnut stocks and military sights
	Remington Arms Co. Factory Collection			and has a sling ring and bar fitted on the left side of the frame. The
	serial #3, 50-70, 36" barrel with a bright excellent bore. The metal			condition of the gun is superb with the barrel retaining 98% strong
	surfaces of this interesting rifle are in-the-white and mostly bright			original blue finish overall. The action retains 98% strong original color
	showing a little bit of sparsely scattered pinprick pitting along the barrel			case-hardened finish overall. The walnut stocks rate excellent with
	and rear sight, some mild gray freckling here and there and some			virtually all of their original finish and just a couple light handling marks.
	scattered light dings. The Remington address and patent dates along			The rear sight is military style however the factory holes are not spaced
	the upper tang remain partially crisp having been poorly struck at the			correctly so only the rear screw is in. This carbine is illustrated in Rowe's
	factory, the rear sight springs show pale fire blue and the left barrel			Remington's No. 3 Hepburn on page 205 where he describes it but
	shank flat is stamped "3". The rear sight leaf and base both show three			apparently only from the photograph which was courtesy of Butterfield's
	small punch marks and the buttplate appears to be erroneously			Auction House. Rowe calls this "An experimental design and the only
	numbered "22". The smooth walnut stocks remain in very fine condition			known one that was ever made". The gun is also illustrated in More
	retaining most of their oil finish showing a thin 2 3/4" sliver missing along			Single Shot Rifles by Grant when it was part of the Jack Appel
	the left edge ramrod channel behind the middle band, a small 7/8" area			collection. The rarity and condition of this piece make it truly an
	showing an old filler repair on the right side wrist and some scattered			investment quality Remington Hepburn carbine. (1D9790-65)
	light dings. The stock retains its Remington factory collection brass			{ANTIQUE} [Bob Borcherdt Collection] (8,000/12,000)
	inventory tag along the toe line numbered "74" and both the buttstock		L	Est. 8,000 - 12,000
	and forend are stamped with a small "3" on their left sides. The original			
	patented sling swivels, cleaning rod and military sights are intact and the			
1	action seems to function well mechanically. The action incorporates the			
	NYS contract mandated safe action, dropping the hammer to a half-cock			
	position upon closing the breechblock although the mechanism is a bit			
1	more complicated than that seen on the final model. The high spur			
	hammer is quite a bit thinner than those of the production model and is a			
	separate component from the locking piece which has a channel in the			
1	center for the hammer to rest. Upon cocking, the breechblock will			
	automatically open about three quarters of the way and upon pulling			
	back will actuate the extractor. Closing the breechblock drops the			
1	hammer to the safety position necessitating manual cocking like the final			
	production model, the breechblock cannot be opened when the hammer			
	is in the safety position or at full cock. Apparently the only way to unload			
1	the arm when at full cock would be to carefully lower the hammer			
	completely and then continue through cycling the action to get the			
1	cartridge out, this would be changed on the final production model which			
1	allows the breechblock to be opened manually when the hammer is at			
	full cock. A very fine and interesting prototype for the advanced			
1	Remington collector. (13C9670-359) {ANTIQUE} [David & Lore Squier			
	Collection] (2000/4000)			
	Est. 2,000 - 4,000	]		

167

166

Lot Title/Description

Interesting & Early Remington Hepburn No. 3 Sporting and Target Rifle	168	8 Very Rare Whitney Martially-Marked Saddle Ring Carbine
with U. S. Cartridge Co. Markings	100	serial #56384, 45-70, 22" barrel with a bright excellent bore. The barrel
serial #54, 40 1 7/8, 30 3/8" part octagon part round barrel with a bright		of this attractive carbine retains perhaps 80% original blue showing
very good plus bore showing some scattered spots of light pitting and		overall thinning and toning to a pleasant mild gray-brown patina with
crisp rifling throughout. The barrel of this rifle retains perhaps 70%		some areas of old oxidation staining and light pitting nearer the breech
original blue toning overall to a pleasant deep brown patina with areas of		around the rear sight base and left side. The "U"-marked barrel band
old minor oxidation staining scattered about, small sparsely scattered		retains a similar amount of bright blue showing moderate edge wear
spots of light pitting with one more moderate area for about 3 1/2" along		toning to gray-brown patina and some scattered light dings. The action
the left side flat near the breech. The E. Remington & Sons barrel		likewise retains about 80% original case-hardened colors that remain
address remains crisp, the underside is marked "40 1 7/8" and it is		quite stunning along the upper half of the right side, receiver ring and
stamp numbered matching the receiver beneath the forend. The action		throughout the left side still showing remnants of protective lacquer with
is toning to a pleasant gray case-hardened patina with some mild brown		overall toning to a pleasant silvery gray patina with some scattered light
freckling, a few pinprick pits and areas of generous smoky colors overall.		freckling and a small area of old light pitting on the left side. The
The breechblock retains perhaps 70% original bright blue flaking to a		hammer and breechblock remain partially bright showing some mild
pleasant gray-brown patina while the hammer and trigger show a few		brown freckling throughout while the split retainer plate is toning to mild
errant flakes of brilliant fire blue. The Hepburn patent marking on the		gray-brown. The retainer plate screw head shows very good fire blue,
right side edge of the frame remains crisp and the top of the action is		the sides of the trigger with pale fire blue and the buttplate retaining
neatly stamped "U.S.C.Co." The action screws show unique punch		about 80% original blue thinning along the edges. The tang is unmarked
marks on their heads and adjacent on the frame to insure their correct		and the breech end of the barrel is marked only "45". The smooth walnut
installation upon reassembly, very likely done by the cartridge company		stocks remain in very fine condition retaining much of their oil finish and
for convenience during their own testing. The smooth walnut forend with		showing some scattered light dings and handling marks, a bit more
steel schnabel tip and checkered round knob pistolgrip buttstock remain		noticeable near the buttplate and along the forend. The buttstock shows
in very good plus condition showing mostly worn finish, a neatly repaired		some rather attractive straight grain figure throughout and is stamped on
small chip at the toe, scattered light dings and handling marks		the left side wrist with a nice "ESA" inspector's cartouche and a smaller
consistent with use. Both forend and buttstock are stamp-numbered		boxed cartouche behind the triggerguard that is no longer legible. The
internally matching the receiver and the forend also shows a small "143"		front sight is a replacement silver bead commercial sight, the original
stamped along the bottom. The tangs are assembly numbered on the left interior sides "41", the rifle is sighted with a flattop sporting rear sight		military rear sight and saddle ring are intact and the action seems to
and small German silver blade front and the action seems to function		function well mechanically. The history of these Whitney carbines remains elusive but it is known that Whitney submitted some of their
well mechanically. A very interesting rifle, extremely early and with		rolling block designs to New York State and other federal trials. While
period U. S. Cartridge Co. property markings to boot, it remains in very		conforming to the simplified Whitney Type II action style this gun must
respectable handsome condition considering the extensive use cartridge		be from quite a bit earlier than Flayderman's production range of
test guns can be subjected to. This rifle would make an excellent		1881-1888 as Erskine Allin retired as Springfield Armory Master Armorer
addition to any advanced Remington collection. (13D9733-4)		in 1878. This is a very handsome carbine that would make an excellent
{ANTIQUE} (3000/5000)		addition to any advanced U.S. martial collection and represents likely
Est. 3,000 - 5,000		only one of a handful made for U.S. military testing. (13E9670-531)
Very Fine Remington Rolling Block Baby Carbine		{ANTIQUE} [David & Lore Squier Collection] (4000/6000)
serial #475, 44-40, 20" barrel with a bright excellent bore. The metal		Est. 4,000 - 6,000
surfaces of this lovely lightweight carbine retain about 97% original	169	9 Remington Egyptian Contract Rolling Block Rifle Captured From Tel El
nickel finish showing a few tiny scattered light flakes toning to dark		Kebir with Presentation
gray-brown patina most noticeably along the high edges of the buttplate		
		43 Egyptian, 35" barrel with a mostly bright about very good plus bore
and some on the breechblock spur, a number of small dings scattered		43 Egyptian, 35" barrel with a mostly bright about very good plus bore showing some scattered light pitting and frosting in the grooves with
and some on the breechblock spur, a number of small dings scattered		showing some scattered light pitting and frosting in the grooves with
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine piprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine piprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine piprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid sliver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept.
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine piprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2014 BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist urprising in Egypt resulting in British domination over the country and continued control of the Suez
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-L-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist uprising in Egypt resulting in British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a flew scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major ergagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist uprising in Egypt resulting in British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist uprising in Egypt resulting in British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist uprising in Egypt resulting in British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was acquired from Queen Victoria's collection and describes it as "four
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADLER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist uprising in Egypt resulting in British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was acquired from Queen Victoria's collection and describes it as "four soldiers from the Grenadier Guards who served in the Anglo-Egyptian
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-LL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel EI Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British Empire suppressed a nationalist uprising in Egypt resulting in British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was acquired from Queen Victoria's collection and describes it as "four soldiers from the Grenadier Guards who served in the Anglo-Egyptian War, from left to right
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2/ MBATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel EI Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British domination over the country and continued control of the Suez Canal. Research confirms the 2/nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was acquired from Queen Victoria's collection and describes it as "four soldiers from the Grenadier Guards who served in the Anglo-Egyptian War, from left to right are Quartermaster Sergeant Glynn, Private
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2nd BATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel El Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British domination over the country and continued control of the Suez Canal. Research confirms the 2nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was acquired from Queen Victoria's collection and describes it as "four soldiers from the granader Guards who served in the Anglo-Egyptian War, from left to right are Quartermaster Sergeant Glynn, Private Wynne, Sergeant Major Thomas
and some on the breechblock spur, a number of small dings scattered along the left side barrel that do not breach the finish and some overall minor handling marks. The screw heads show a little bit of light slot wear and the rear sight shows remnants of original blue along with two small dings along its right edge. The Remington Arms Co. address and patent dates along the upper tang remain crisp and clear and there is what appears to be a small "1H" stamped on the lower tang. The smooth walnut stocks remain in very good condition retaining a healthy amount of oil finish with a couple tiny flakes at the heel, small drying crack at the upper tang and some overall light dings and handling marks. There is a faint "H4" stamped behind the lower tang and a brass inventory tag ahead of the toe numbered "2493" that appears to be affixed over where a sling swivel hole may have been. The tag may be from the Remington Factory arms collection although its shape is slightly different and it is placed a bit lower than other examples. The original saddle ring and sights are intact and the action seems to function well mechanically. A very attractive example of these rare and desirable little carbines, most of which were furnished in Remington's full nickel finish. (13C9670-137) {C&R} [David & Lore Squier Collection] (2500/4000)		showing some scattered light pitting and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this rifle have mostly toned to pleasant medium plum-brown patina showing some scattered fine pinprick pitting, a bit more moderate along the rear sight, barrel bands and rear sling swivel but otherwise remaining mostly smooth. The markings remain intact and strong with legible "REMINGTONS ILION" address and patent dates at the upper tang and "U"-marked barrel bands. The left side of the barrel near the breech also shows a more modern Birmingham proof, likely applied when the arm was released from some sort of stores, and the top of the barrel with "HH3". The smooth walnut stocks remain in good condition having darkened from the years and showing the expected overall moderate dings and abrasions from military service along with a thin 1 3/4" chip along the right edge of the forend. The rear sight is missing its slider, the sling swivels and cleaning rod are intact and the action seems to function well mechanically. The left side butt shows a lovely inlaid silver plate that has taken on a mild tarnish and shows a few scattered light dents. It is neatly engraved "TROPHY FROM TEL-EL-KEBIR / Sept. 13th 1882 / Presented by / QTR MASTER SERGT GLYNN 2/ MBATTN GRENADIER GUARDS / TO THE / Sergeants Mess / NORTH MIDDLESEX RIFLES". The Battle of Tel EI Kebir was a major engagement of the short-lived Anglo-Egyptian War of 1882 in which the British domination over the country and continued control of the Suez Canal. Research confirms the 2/nd Battalion Grenadier Guards indeed took part in the battle and a picture of the good sergeant and his comrades was also located, a copy of which will be included. The original photo is held by the Royal Collection Trust, noting it was acquired from Queen Victoria's collection and describes it as "four soldiers from the Grenadier Guards who served in the Anglo-Egyptian War, from left to right are Quartermaster Sergeant Glynn, Private

Est. 1,500 - 2,500

#### Title/Description Lot

Title/Description Lot

170				
170	Handsome Henry Repeating Rifle by New Haven Arms Co. Identified to		172	Rare Smith & Wesson No. 3 Third Model Russian Revolver with British
	Oliver C. Hansbrough, Colorado Mine Owner and Sheriff of Boulder		=	Retailer Markings & 5 1/2" Barrel
	County			serial #50211, 44 S&W Russian, 5 1/2" ribbed round barrel with pinned
	serial #10397, 44 Henry RF, 24" octagon barrel with a good bore			front sight and a bright near excellent bore showing just a few tiny
	showing scattered light pitting and oxidation with strong rifling			pinprick pits scattered about and strong rifling throughout. The metal
	throughout. The barrel of this standard production rifle has mostly toned			surfaces of this revolver retain perhaps 45-50% original bright blue quite
	to a pleas ant deep plum-brown patina showing some scattered shallow			strong along the left side barrel with the balance toning to a deep
	old dings along the edges and some very sparsely scattered remnants			plum-brown patina showing some old light pitting and spots of old
	of old oxidation staining, the surfaces remaining mostly smooth. The			oxidation staining. The triggerguard and hammer have mostly toned to a
	lever and hammer are similar, the sides of the hammer more of a pewter			silvery case-hardened patina, the triggerguard showing a little cleaned
	gunmetal tone. The barrel address and serial number remain completely			pinprick pitting along the bow and the hammer with some good smoky
	intact and very strong, the serial number actually quite crisp. The action			colors along its back. The screw heads show a little minor slot wear and
	and buttplate have toned to a wonderful rich ocher patina, the action			all markings remain intact and strong, the major components stamped
	showing some scattered old dings and light tool marks that have mostly			with small British black powder proofs and the base with a small "P" and
	smoothed-over from the years and are mostly unobtrusive, a few			boxed "1874". The single line barrel address and patent dates remain
	perhaps a bit more moderate along the top with the edges remaining			crisp and clear with final date of August 24, 1869. The address starts
	quite strong and well-defined. The lower tang retains a very strong			with the familiar small Maltese cross but interestingly, due to the short
	italicized "W" factory inspection stamp of Oliver Winchester. The screw			barrel length the markings end abruptly with "RUSSIAN", sans "MODEL"
	heads show some light slot wear from the years and the lever shows a			or Maltese cross. The left side of the barrel is also neatly British
	little bit of lateral play. The smooth walnut buttstock remains in very			retailer-marked "WILLIAMS & POWELL, LIVERPOOL.", the marking
	good plus condition showing a worn oil finish with some scattered areas			obscured very slightly by some fine pinprick pitting but otherwise
	darkened from the years, a small old abrasion at the point of comb and			completely intact and legible. The smooth walnut grips remain in very
	scattered light dings. The toe of the buttplate is a little proud of the wood and it appears the stock was dented in at the toe long ago now showing			fine condition showing some scattered light dings, mild handling marks and their fit to the frame is excellent. The right panel is appropriately
	two small repaired cracks. The left side of the stock is affixed with a nice			stamp-numbered to the gun by serial number and the remaining parts
	German silver disc featuring an eagle and riband relief that shows mild			are matching by assembly number. Barrel-to-frame fit is excellent, the
	edge wear and is neatly stamped "OLIVE R C. HAN SBROUGH / DE			lanyard ring is intact and the action seems to function well mechanically
	NVE R, / COL." The stock is equipped with left side sling swivel and the			with solid timing and lock-up. Williams & Powell were prolific gunmakers
	barrel with corresponding swivel. The stock is stamp-numbered "6875"			and retailers in Liverpool from 1833-1905 when they were acquired by
	and the inside of the buttplate also showing "6875". It has no doubt been			Westley Richards. A solid example of a very rare short barrel variation
	with this rifle since the period of use, matching in patina and wear, its fit			with the added bonus of British retailer markings. (13D9815-5)
	to the frame is actually very nice, thin slivers of the tangs being ever so			{ANTIQUE} (3000/5000)
	slightly proud. The lower tang is appropriately stamped "10397"			Est. 3,000 - 5,000
	matching the barrel, and the barrel and barrel sleeve show matching		173	Smith & Wesson No. 3 Second Model Russian Revolver with Japanese
	assembly number "3383". The original sights are intact (the rear sight		-	Navy Markings
	sans slider retention screw) and the action seems to function well			serial #2443, 44 S&W Russian, 7" ribbed round barrel with a bright very
	mechanically. Oliver "O.C." Hansbrough is recorded as a claimant in a			good plus bore showing a few small areas of light pitting or oxidation
	list of patented mines from a survey of 1881 with a survey name of			nearer the breech and otherwise crisp rifling throughout. The metal
	"Seven Up" and it appears a number of his relatives were occupied in			surfaces of this revolver retain about 20% original bright blue, mostly
	the mining business over a period of time. Hansbrough later served as			present along the frame, with the barrel, cylinder and balance of the
	sheriff of Boulder County from 1887-1889 as well as superintendent of			frame toned to a pleasant deep plum brown patina showing some
	District 1 of the Sheriff's Association of Colorado. Hansbrough passed			scattered light dings or minor tool marks mostly along the frame. Some
	away in 19 05 and is buried alongside his wife in Boulder's Columbia			of the screw holes show circumferential wear, the screw heads show
	Cemetery. This is an attractive Henry rifle that has seen some use and			light slot wear and a few are period replacements and the hinge pin is
	remains a nice honest example. (13G9670-403) {ANTIQUE} [David &			an effective period replacement with slotted head. The triggerguard and
	Lore Squier Collection] (15,000/25,000)			hammer show remnants of silvery case-hardened patina and all of the
	Est. 15,000 - 25,000			markings remain intact and strong, the barrel address with reissue
71	Smith & Wesson No. 3 Third Model Russian Commercial Revolver			patent date is quite crisp and the bottom of the frame is stamped with
	serial #1077, 44 S&W Russian, 6 1/2" ribbed round barrel with a			the appropriate Japanese anchor. The smooth walnut grips remain in
	fair-good bore showing some moderate oxidation and light pitting			very good condition having darkened somewhat from the years showing
	throughout with otherwise good rifling. The metal surfaces of this			some scattered light dings and the right panel shows a moderate
	revolver retain about 80% original nickel finish with most of the flaking			internal crack and is warping slightly. The right panel is stamp-numbered
	along the left side and gripstraps toning to a mottled gray patina with			"2457" and the barrel, latch and cylinder are mismatched from the frame
	some smoothed-over light pitting, some scattered fine scratches and			but still no doubt from a Japanese revolver as they are numbered quite
	handling marks. The screw holes show some light circumferential wear			close "2545". Barrel-to-frame fit shows a little bit of play, the lanyard ring
	and the heads have light slot wear but this is relatively minor. The			is intact and the action seems to function well mechanically with solid
	triggerguard has mostly toned to a mild plum-brown patina showing a			timing and lock-up. A very good example of these desirable Japanese
	few flakes of silvery case-hardened patina while the hammer shows			contract Smith revolvers. (13C9815-1) {ANTIQUE} (2000/3000)
				Est. 2,000 - 3,000
	good smoky colors with a few vibrant wisps. The Smith & Wesson barrel		174	Smith & Wesson No. 3 Second Model Russian Revolver with Japanese
	address with reissue patent date remains crisp and clear and the butt is			
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory			Military Markings
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina,
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a couple light dings and mild handling marks. The right panel is
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a couple light dings and mild handling marks. The right panel is stamp-numbered "5087", the barrel is numbered "6794", cylinder "2958"
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a stamp-numbered "5087", the barrel is numbered "6794", cylinder "2958" and the latch is matching the frame. Barrel-to-frame fit shows a hint of
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and hammer are toning to a silvery case-hardened patina, the hammer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a couple light dings and mild handling marks. The right panel is stamp-numbered "5087", the barrel is numbered "6794", cylinder "2958" and the latch is matching the frame. Barrel-to-frame fit shows a hint of very minor play, the lanyard ring is intact and the action seems to
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and harmer are toning to a silvery case-hardened patina, the harmer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a couple light dings and mild handling marks. The right panel is stamp-numbered "5087", the barrel is numbered "6794", cylinder "2958" and the latch is matching the frame. Barrel-to-frame fit shows a hint of very minor play, the lanyard ring is intact and the action seems to function well mechanically with solid timing and lock-up. A solid
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and harmer are toning to a silvery case-hardened patina, the harmer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a couple light dings and mild handling marks. The right panel is stamp-numbered "5087", the barrel is numbered "6794", cylinder "2958" and the latch is matching the frame. Barrel-to-frame fit shows a hint of very winor play, the lanyard ring is intact and the action seems to function well mechanically with solid timing and lock-up. A solid Japanese contract No. 3 revolver. (13C9815-2) (ANTIQUE)
	address with reissue patent date remains crisp and clear and the butt is stamped with a small "P" and boxed "1874". The smooth antique ivory grips remain in very fine condition taking on a mellow patina and showing some very slight shrinkage and crackling along the base of the left panel. The right panel is numbered "10972" in antique ink. The topstrap cylinder retainer plate is missing and the serialized parts are matching. Barrel-to-frame fit shows a little bit of minor play, the lanyard ring is intact and the action seems to function well mechanically with excellent timing and lock-up. A solid third model commercial Russian for the Smith & Wesson collector. (13B9815-4) (ANTIQUE) (1800/2200)			serial #7217, 44 S&W Russian, 7" ribbed round barrel with a bright very good plus bore showing a few sparsely scattered areas of light pitting with otherwise crisp rifling throughout. The metal surfaces of this revolver retain about 85-90% arsenal quality refurbished rust blue showing high edge and holster wear, gripstraps thinning to gray patina, some overall light to perhaps moderate dings and a few sparsely scattered pinprick pits. The screw holes show moderate circumferential wear and the screw heads show light slot wear. The triggerguard and harmer are toning to a silvery case-hardened patina, the harmer with generous vibrant colors throughout. The barrel address with reissue date remains completely intact and strong and the rear barrel rib is stamped with a Japanese military proof. The smooth walnut grips remain in about very good plus condition having darkened from the years with a couple light dings and mild handling marks. The right panel is stamp-numbered "5087", the barrel is numbered "6794", cylinder "2958" and the latch is matching the frame. Barrel-to-frame fit shows a hint of very minor play, the lanyard ring is intact and the action seems to function well mechanically with solid timing and lock-up. A solid

#### Lot Title/Description

Lot Title/Description

175 Lovely Engraved Peabody Martini Long Range Creedmoor Target Rifle serial #226, 44-100, 32" part round part octagon barrel with a bright excellent bore. This rifle features Zettler rifling which has a narrow groove cut down the center of each land. The top of the barrel bears proper "MANUFACTURED BY THE PROVIDENCE TOOL COMPANY PROVIDENCE, RI U.S.A." address which remains crisp. The rifle is in the traditional Creedmoor configuration and has special animal scene engraving on each side of the action. The action shows finely punchdot shaded relief floral scroll with shell motifs and large open panels at the center. The right panel shows three bison, one large in the foreground walking and two in the background running. The left side shows a large portrait of a bison head at center. The engraving is very detailed with small whiskers visible and you can count the teeth in his mouth. The barrel is engraved with scroll at the breech along with "44 CAL. / 100 GRS." and the top ring of action is engraved in gothic letters "Creedmoor". The condition of the rifle is lovely with the barrel retaining 95% original blue overall with some light silvering on the high edges. The action shows perhaps 80% original color case-hardened finish which has faded to a mottled smooth pewter with subtle colors visible throughout. All markings in metal remain clear and legible and the engraving remains crisp. The outside bow of the triggerguard is engraved "PEABODY & MARTINI PATENTS". The checkered pistolgrip buttstock and forend rate excellent with lots of original finish remaining and with sharp checkering. The checkering is in the fancy pattern with finer cut checkered panels within the checkering on the forend. The forend tip is of iron and shows some faded old color case-hardening. The rifle is sighted with its original windgauge front with spirit level which is marked on front "PROVIDENCE TOOL CO.", there is no provision for a rear barrel sight and the original long range folding tang mounted peepsight is present, a second base is mounted on the top of the comb just ahead of buttplate, both bases are original and numbered to the gun. A beautiful example of these unusual and scarce American target rifles. (1E9670-18) {ANTIQUE} [David & Lore Squier Collection] (8000/12.000) Est. 8,000 - 12,000

Ornate German Percussion Jaeger Rifle by Morgenroth 29" ribbed and rounded octagon barrel with a bright excellent bore. This is a very interesting and very finely-made Jaeger rifle. The barrel was octagonal its full-length, but each flat has been reduced and a radius incorporated its full-length, leaving the sharp edges of what were once the octagonal flats as raised ribs, again running the full-length of the barrel. The treatment is very pleasing it would've taken an incredibly long time to do in the pre-industrial age-era. The barrel itself is a pewter gray patina showing damascus twist pattern its full-length with interspersed sprinklings of light oxidation staining here and there. There are gold inlaid bands at the muzzle, a simple German silver front sight in dovetail, nice adjustable u-notch rear sight and gold wire scroll inlay, with a thicker gold band at the junction of the breech plug. "Morgenroth in Gernrode" is inlaid in gold atop the rear barrel flat, the only portion of the barrel which was not rounded, and the breech plug and long tang show exquisite quality open foliate scroll with a chamois in a mountain scene on the tang proper. The nipple bolster is graceful with a dual recurving flared while the lockplate shows the same exquisite flowing scroll with a recumbent rhebok in a mountainous scene, scroll and filiaree gracing the hammer, which shows a gold eve on its right side, in a somewhat dolphin-like motif. The lockplate is dual-acting and features a pivoting hammer rest in addition to the normal half-cock stop present within the lock. There are two simple iron ramrod thimbles and a nicely engraved tailpipe and the smooth steel buttplate shows quality engraving along its tang. The triggerguard and its front extension are ornately carved horn showing a pineapple and scroll finial with a checkered bow and smooth forward-curving grip spur, showing some age cracking from drving here and there, which remains tight and will not flex, and certainly was not damaged from use but merely drving from the years. The rifle is stocked in a nice grade of what is likely French walnut, the stock rating very fine with much original varnish, the expected light handling marks, a small bite mark from a vise on the right side mid-stock and a duffel cut 7" from the horn forend tip. Interestingly the arm was constructed with both left and right side cheekpieces and the beautifully checkered wrist is accented by open flowing carved scroll which continues at the rear of each flared shadowline cheekpiece. The nicest amenity on the rifle is its slightly pendulum-shaped patchbox which shows excellent quality open foliate scroll with rococo bordering and a game scene vignette at its center showing a large Eagle preying on a rhebok, amidst a mountainous backdrop. The interior of the compartment is lined in green felt and the underside of the lid is polished to a true mirror finish. The lock functions properly and the arm is equipped with double set triggers, there is a base atop the tang for a diopter sight which is sadly no longer present. The duffel cut could be made to go away by a wood man who knew his business or with the addition of a horn insert which would act as an accenting stripe and be rather pleasing, matching the horn tip. Morgenroths were a gunmaking family in Gernrode as early as 1690, this rifle being percussion would likely be the third of the Gernrode Morgenroth's active sometime into the 1850s according to Stockel. This is a very handsome and very ornate rifle, clearly made for the hunting lodge of some nobleman or merchant of means, the dual cheekpieces meaning either left or right handed shooters could "borrow" and use the rifle afield. (3D9670-47) (ANTIQUE) [David & Lore Squier Collection] (3000/5000) Est. 3.000 - 5.000

#### Lot Title/Description

177

Lot Title/Description

Attractive Belgian Jaeger Style Schuetzen Target Rifle by Lardinois .44 cal, 25" round barrel with full-length integral rib and recessed muzzle for starter, showing a bright excellent bore. The barrel shows strong remnants of a lovely bright blue finish, most prominent in the protected area at the muzzle, the balance a very pleasing bright and gray-blue patina, showing a sparsely scattered light oxidation stain here or there, but remaining smooth and brilliant overall. There is a simple bead-style dovetailed front sight beneath the generous front sight hood, the rear sight is an elevation adjustable v-notch with flip-up aperture leaf and the graduations to 500 meters, and there is a diopter style aperture sight in place on the tang with a very generous screw-off aperture. The top flat features a prominent gold inlay of the Liège Perron with "L" and "G" flanking, with the makers name beneath "NC/Lardinois/1852". The long tang shows the very lightest foliate and floral engraving and is a smoky gray case-hardened patina as-is the stepped lockplate which shows the same very light, simplistic open foliate and rococo scroll which continues onto the hammer. The ramrod thimbles are simple bulbous affairs with dual medials, and the bottom metal is a full-length rib which runs from the tailpipe to the toe of the smooth steel buttplate, showing some light engraving and remnants of a bright fire blue, with light pitting nearer the toe. The ornate Schuetzen style triggerguard shows light engraving on the bow and has three finger grooves with a rearward grip swirl. It is actually hinged, with a threaded catch at its rear, this allows access to the adjustable double set target trigger beneath. The full-length Jaeger-style stock rates near very fine with much original varnish and overall very light dings and handling marks. It shows some coarse checkering in the area of the wrist and has a nice flared left side shadowline cheekpiece and horn forend tip. The lock is actually hand-detachable, the wing-shaped and lightly engraved sideplate has a somewhat bulbous trefoil at its center, which actually hinges-up and is the head of the lockplate screw, the plate hand-detaching to the right. What is likely the original ramrod is present as-is a loading rod with brass tip, collar and knob which fits the counter bore at the muzzle precisely. Nicholas C Lardinois was active in Liège roughly 1850-1865. This is a very finely-made target rifle that no doubt would perform extremely well off the bench with its lovely bore. (3C9670-101) {ANTIQUE} [David & Lore Squier Collection] (2000/4000) Est. 2,000 - 4,000

Ornate Austrian Reverse Action Percussion Schuetzen Rifle by Bartusch
About .48 cal., 33" barrel with a very fine bore which shows sharp rifling
but with minor oxidation, primarily within the grooves. The barrel is a
pewter and plum brown patina showing evidence of a one-time pale blue
finish, with some spots of light oxidation staining here and there and a
few minor handling or tool marks. The top flat was neatly matted its
full-length and the muzzle is very slightly swamped, the makers name is
inlaid in gold near the breech "F. Bartusch in Wien" with deep etching on
the left and right diagonal flats "Aus Eisenwaffa Gebohrter Lauf" (loosely
iron barrel/drilled bore) with some light geometric gold line engraving at
the junction with the engraved hooked breech plug. The front sight once
had a scant iron bead which now has gone missing, the rear sight with a
very shallow v-notch flat-top, adjustable for windage, with an iron
slip-over sunshield. The hooked breech shows open flowing scroll and a
Roman gladiator with the tang showing full scroll coverage with an effigy
of the green man and with a windage and elevation adjustable aperture
sight. The rearward-acting lock has open flowing scroll with filigree
bordering and the makers name in riband, the front showing the left-side
view of a reclining fellow sans his clothing, a lion's head near his feet, he
seems to have some manner of fowl by the neck. The hammer shows
light engraving and the generous percussion cap deflector shows the
same quality open flowing scroll. The arm features very heavy furniture
with a cast-in-relief front extension with an urn and floral motif, a bit of
light engraving on the rear of the triggerplate, and a heavy cast-in relief
toeplate showing the huntress Diana with her hound and bow. The
Schuetzen-style iron fingergrooved guard features a single
rearward-curving flourish, and there is a very heavy cast-in-relief
buttplate with oakleaf and acorn motifs, boar's head right with the deer
head left and a small owl on the recurving toe; all the hardware is a
tarnished pewter patina. The French walnut stock rates fine with the
expected light dings and handling marks that come from the years and
shows some exquisite relief scroll to the right rear of the comb and there
is a carved dragon thumb rest to the rear of the lockplate. The left side
features a very generous scooped shadowline cheekpiece
beneath-which is more open flowing carved-in-relief scroll with
background stippling, the rear seat of the triggerguard as well with bold
flowing open scroll. There is a diminutive iron cap box along the toeline,
neatly engraved with gold inlaid letter "S", this same initial is on the
removable rear sight sunshade, in addition to an engraved depiction of
Mr. Sun himself. The barrel is keyed with a single wedge and there is a
somewhat scalloped tip of the forend, it would appear as though there
was perhaps thought of including a ramrod in the nose of the stock, as it
shows a very well-done plug there, no doubt by the maker, and the left
stock flat shows a 5" crack which does not flex. The arm is equipped
with a rear set trigger and a very fine hair front and seems to function
properly mechanically. (3D9670-307) {ANTIQUE} [David & Lore Squier
Collection] (2500/4000)
Est. 2,500 - 4,000

#### Lot Title/Description

Lot Title/Description

179 New York Patent Breech-Loading Percussion Halfstock Sporting Rifle by Reynolds .40 caliber, 32" octagon barrel with patent Reynolds chamber and a bright very fine bore which shows strong rifling and just a bit of a very sparsely scattered very light oxidation. This is a very interesting rifle from the era of breech-loading experimentation, and uses a separate patented "chamber" or "cartridge", very similar to a Maynard cartridge, made of steel with a vent hole in the center of its base. An innovative design, it would've allowed the sportsman to carry a number of loaded charges afield, ready for a moments reloading should it be necessary. Rifle is sighted with a simple diminutive blade front sight and a three leaf rear, one standing, two folding, with shallow u-notches. It is maker marked on its top flat "F Reynolds New York patent", the barrel a dull pewter gray with minor oxidation staining here and there and with light engraving on the breech frame, breech block and long tang, the frame with inlaid bands of silver front and rear. The back action lock and hammer show some light engraving, with open scroll on the plate, maker marked at its rear and showing some nice silvery case-hardening. There is a pewter or German silver forend tip, German silver tailpipe with light engraving, German silver flat-bottom triggerguard, showing the remnants of an old spring riveted to its base (the purpose of-which is unknown). There is a nice engraved pendulum style patchbox which was once flip-up, showing an old repair and conversion to length-wise flip-open (rear-to-front opening rather than vertically) with a running hare on the face. There is light engraving on the tang of the steel crescent buttplate and there are German silver inlays on the left of a recumbent deer, spread-winged eagle and light scroll side plate, none of these however are engraved. The American black walnut stocks rate very good with much original varnish, a nice left-side cheekpiece, mullered border checkering pattern and the expected light dings and handling marks that come from a hunted arm. The mechanism and lock function as-designed, the arm is maker-equipped with sling eyelets and the original ramrod is included. Francis Reynolds was active in New York City until the mid to perhaps late 1860s, this very gun is pictured on pages 416-7 of The New York State Firearms Trade © Rowe. A very well-made gun with an ingenious auxiliary chamber which would have allowed for quick reloading. (3C9670-26) {ANTIQUE} [David & Lore Squier Collection] (2000/3000) Est. 2,000 - 3,000

180	Rare Factory Engraved Sharps Model 1853 Sporting Rifle Presented to New York Businessman and United States Congressman James M.
	Marvin
	serial #9404, 60 bore (.44 caliber), 25" barrel with a deeply rifled bore
	that shows pitting. This rifle is listed in factory records as "Fine
	Engraved" which is the second highest of the four levels of engraving
	offered. The frame and hammer show full coverage punch dot shaded
	scroll engraving. Also showing heavy engraving are the triggerguard,
	patchbox, buttplate tang, barrel breech and there is an engraved border
	at the muzzle as well. The left side of the stock shows a shield shaped
	silver presentation plate which is engraved "Presented to / James M.
	Marvin / by / M.D.B. / New Years / 1855". The rifle is equipped with its
	original adjustable double set triggers which seem to set and trip
	properly however the hammer does not hold on cock or half cock. The
	condition of the rifle is quite nice with the barrel showing an even gray
	brown patina with the high edges showing more gray and with some
	scattered light pitting. The barrel address remains clear and fully legible.
	The action is a pleasing brown patina overall with some fine pitting
	which is confined mostly to the top surfaces of the action to the front and
	rear of the breechblock. The engraving is in very full coverage leaving little room around the factory markings which all remain clear and fully
	legible. The walnut stocks rate very good plus with a lot of original finish
	remaining and with normal light handling marks. There is some light
	chipping just ahead of the action on the bottom of the forend, the pewter
	forend tip is in place and shows a lovely patina. The patchbox and other
	furniture show a pleasing even brown patina with some scattered light
	oxidation staining but they remain quite smooth. The presentation
	plaque shows a wonderful undisturbed rich tarnished patina overall and
	it fits very nicely. The rifle is sighted with its original folding rear barrel
	sight and a modern globe front. James M. Marvin was born in Ballston
	New York in 1809 and moved to Saratoga Springs in 1828 where he
	engaged in the hotel business. By 1839 he was a proprietor in the grand
	United States Hotel in Saratoga Springs. He was a member of the Whig
	party and was a representative in the New York Assembly in 1846. He
	went on to be a three term Republican Congressman serving during the
	end of the Civil War from 1863 to 1869. He later founded and served as
	president of the First National Bank of Saratoga Springs, he also served
	as a director of the Schenectady and Saratoga Railroad as well as the
	New York Central Railroad. The identity of the presenter "M.D.B." is
	unknown. More diligent research could uncover the identity of the individual, clearly they were a person of means at the time it was
	presented. In addition to confirming the engraving on this rifle, the
	factory records show the rifle shipped on December 12, 1854 just 20
	days prior to the presentation. There were only 53 of these 60 bore
	engraved 1853 sporting rifles ever made. A rare, fine and desirable
	factory engraved presentation Sharps sporting rifle worthy of the finest
	collection of Sharps arms. (1F9670-230) {ANTIQUE} [David & Lore
	Squier Collection] (10,000/15,000)
	Est. 10,000 - 15,000
181	Fabulous Sharps Second Model Pistol Rifle
	serial #394, .38 caliber, 28" round barrel with a bright excellent bore.
	This pistol rifle is completely original and remains in extremely fine
	condition. The left side of the frame is marked "C. SHARPS & CO.
	PHILADA PA" and the rifle has all-matching numbers on frame,
	breechblock, opening lever, barrel, rear sight and on the inside toe of
	buttplate. The barrel retains 95% lovely even original brown finish. The
	frame retains 95% original color case-hardened finish which has
	softened but remains visible overall. Some protected areas show
	brighter color but the overall surface and appearance of the frame is
	wonderful. All metal surfaces remain smooth and free of pitting. All
	markings in metal remain clear and legible and all screwheads remain
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel buttplate shows lots of color case-hardening as does the steel grip cap.
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel buttplate shows lots of color case-hardening as does the steel grip cap. The rifle is sighted with its original sights which are a standard German
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel buttplate shows lots of color case-hardening as does the steel grip cap. The rifle is sighted with its original sights which are a standard German silver blade front and hinged adjustable rear. This is a stellar example of
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel buttplate shows lots of color case-hardening as does the steel grip cap. The rifle is sighted with its original sights which are a standard German silver blade front and hinged adjustable rear. This is a stellar example of these interesting Sharps rifles, worthy of the finest collection of antique
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel buttplate shows lots of color case-hardening as does the steel grip cap. The rifle is sighted with its original sights which are a standard German silver blade front and hinged adjustable rear. This is a stellar example of these interesting Sharps rifles, worthy of the finest collection of antique American arms. (1E9670-39) {ANTIQUE} [David & Lore Squier
	markings in metal remain clear and legible and all screwheads remain clean and undamaged. The walnut buttstock and forend are equally as nice as the metal with 95% original finish remaining, nice raised grain and just the few normal light handling marks from the years. The steel buttplate shows lots of color case-hardening as does the steel grip cap. The rifle is sighted with its original sights which are a standard German silver blade front and hinged adjustable rear. This is a stellar example of these interesting Sharps rifles, worthy of the finest collection of antique

Rare Factory Engraved Sharps Model 1853 Sporting Rifle Presented to

#### Lot Title/Description

Lot Title/Description

182 Extremely Fine Remington No. 7 Rolling Block Rifle serial #300129, 25-210 Stevens RF, 26" part round part octagon barrel with a bright excellent bore. These rifles were made from left over 1871 Army Rolling Block pistol frames and with a total production of about 350 rifles, they rank among the rarest of the Rolling Blocks. This example remains in a very fine state of preservation. The barrel retains 98% original blue finish overall with markings remaining crisp. The frame shows 95% vivid original color case-hardened finish with markings remaining visible but a little light in areas, the original "P" and "S" marks are faint but there. The hammer and breechblock show 97% original blue and all screw slots remain clean. The rifle is equipped with English walnut checkered pistolgrip buttstock and schnabel tipped forend with ebony insert. The stocks show nice figure and are as crisp as the balance of the gun with 97% original finish remaining and with crisp checkering and just a few light normal handling marks. The original checkered hard rubber buttplate and scalloped grip cap are both in place and rate excellent with no chips. The rifle is sighted with a lovely gold washed Beach combination front and a Lyman folding peepsight mounted on rear of frame. An extremely fine No. 7 rifle for the Remington Collector. (1C9670-128) {ANTIQUE} [David & Lore Squier Collection] (6000/8000) Est. 6,000 - 8,000 183 Rare and Fine Percussion Buggy Rifle by Morgan James of Utica, New York .28 caliber, 14 3/4" part round part octagon barrel with an excellent bore. This is likely an extremely early Morgan James rifle built shortly after he returned to Utica and setup shop around 1841. The gun features an external lock made by Wyllys Avery in Salisbury Center, NY approximately 25 miles from Utica. The rifle also is built with a Remington barrel which is marked on the bottom flat "REMINGTON": Ilion is about 11 miles from Utica. The lockplate is marked "AVERY" beneath the top leg of the mainspring, Avery was active between 1820 and 1850. The top of the barrel is marked "M. JAMES / UTICA NY.". The condition of the rifle is fabulous with the barrel retaining about 95% original browning with most loss in breech area where there is also some oxidation staining and some salt & pepper pitting. The lock shows muted color case hardening overall showing darkening mottled color. The walnut stock is very finely made with a pewter forend tip, brass buttplate and finger spur triggerguard and a silver inlaid running dog on the left side center of butt. The sideplate is silver with stylized wings and the elongated octagonal wedge escutcheons are also of silver. The wedge passes through a dovetail cut in the bottom of the barrel rather than an underlug. The stock rates excellent plus with tons of original finish, beautiful crisp edges and the furniture all fits perfectly. The rifle is sighted with a simple dovetail mounted blade front and a lollipop tang mounted peepsight; there is no provision for a rear barrel sight. Morgan James was one of the most accomplished 19 century New York makers, this is a fine, early and very unusual example. The rifle is illustrated in Swinney & Rowe's The New York State Firearms Trade book, they call it an Avery style lock, they were on the right track but apparently didn't see the AVERY marking which is obscured partially by the mainspring. A lovely little rifle for the antique American arms collector. (1D9670-109) {ANTIQUE} [David & Lore Squier Collection] (3000/5000) Est. 3,000 - 5,000

Rare L.L. Hepburn Four Barrel Swivel Breech Percussion Rifle .32 cal, 22" four barrel cluster showing bright about excellent bores which may have a bit of light oxidation here and there. This is an absolutely wonderful swivel breech "double rifle" with two barrels top and two barrels bottom, made by famous gunsmith Lewis L. Hepburn, among other things, mechanical department superintendent at Remington Arms Co. and Hepburn action fame, and very much mirrors examples known by M. J. Whitmore of Potsdam, New York, with-whom Hepburn worked early in his career. The barrels retain perhaps 95% of a very pleasing plum brown, which is likely original to the arm, showing minor fading along the high edges and at muzzles, along with some very minor oxidation staining here and there that come from the years and a field-used arm. Both sets of barrels have a silver blade front sight and a scant v-notch rear, the "top" set marked "LL Hepburn/Colton NY". There is a slightly sculpted barrel catch on the underside of the barrel frame which contacts a simple square notch cut into the barrel assembly, allowing it to pivot for firing of the lower set of barrels. The barrel frame and back action locks are a mix of fading plum brown and pewter gray patina and show only the slightest wavy-edge borderline engraving. The arm is nicely appointed with German silver furniture having a flat-bottomed single spur triggerguard with a simple rearward grip flourish, the bottom of-which is neatly metal checkered. The crescent butt and toeplates show very light wavy borderline engraving as does the pendulum-shaped patchbox on right of butt, the lid with a loose fleur-de-lis-style. The left side of the butt shows a stylized German silver inlay of intertwining open flowing scroll of very simple character but extremely well done. Perhaps the most interesting feature of the rifle is the trapdoor muzzle which stores the arm's ramrod at the center between the four barrels. The arm is stocked in a nice grade of American black walnut with some very nice grain figure in the area of the butt. The stock retains nearly all of its original varnish, along with minor dings and handling marks here and there, a couple of areas have been affected by some manner of solvent over the years which has darkened the finish, it still remains in very fine condition. The hammers are in-time and the locks function well mechanically, each of the hammers has the edge of its double skirt chipped out, doubtless from someone attempting to turn the barrels with the hammers in the down position. LL Hepburn was mechanically very gifted and a holder of many patents and did work for both Remington and Marlin in his day. Having a rifle constructed by him is a wonderful piece of firearms history, not to mention the quality of the arm itself. (3C9670-61) {ANTIQUE} [David & Lore Squier Collection] (3000/5000) Est. 3.000 - 5.000

#### Title/Description Lot

Title/Description Lot

185	Fabulous Percussion Three Barrel Combination Gun by George H.
	Ferriss of Utica, New York 40 caliber rifled barrels over .78" smooth bore, 30" barrels all with bright
	excellent bores. This is a very finely crafted combination gun made by
	this well-regarded central New York maker who was partners with
	Morgan James for a number of years during the early to mid 1850's.
	This gun is built on a design that is generally credited to James with
	lobes on either side reaching back into the stock and with a lateral
	tapered takedown pin present. The double rifle barrels are service by traditional double triggers with the rear trigger (left barrel) being a set
	trigger and with the smoothbore trigger being a simple underhammer
	type which sets directly on a notch on the hammer itself. The top of the
	barrel breech between the hammers is marked "G.H. FERRISS / UTICA
	/ N.Y.", this appears to be the only marking on the gun. Each side of the
	barrels have a 9" ramrod housing with two thimbles ahead of each. The condition of the gun is wonderful with the rifle barrels retaining 90%
	original brown finish overall blending with a smooth brown patina. The
	shotgun barrel retains a similar amount of finish with damascus pattern
	visible along most of its length. The frame and barrel breeches retain
	95% original color case-hardened finish which is quite vivid in areas and
	has a lovely appearance. The checkered walnut stock is of a nicely
	figured piece of American black walnut and shows crisp checkering on the wrist. The right side of the butt shows a round iron patchbox which
	retains vivid original color case-hardening, the iron buttplate is finished
	in the same manner with colors slightly more muted. The iron toeplate
	has a slightly convex shape at its front, very typical of Morgan James
	and George Ferriss arms. The flat toeline of the stock shows a 2 1/2"
	long oval monogram plate which remains unengraved. The condition of the stock is excellent except for some finish peeling on the right side
	where there is also some crazing. The gun is sighted with a globe front
	and elevator rear barrel sight, both of which are original. The gun has
	two ramrods, a hickory rod mounted on the left for the rifle barrels and
	rosewood on the right to service the smoothbore barrel. This gun is
	illustrated and discussed in Swinney's The New York State Firearms Trade on page 619. The author's comments are as follows: "Three
	barrel combination gun with two rifle barrels over one smoothbore. The
	rifle is in nearly new condition.". A wonderful gun for anyone who
	appreciates American percussion sporting arms. (1F9670-75)
	{ANTIQUE} [David & Lore Squier Collection] (7000/9000) Est. 7,000 - 9,000
186	Rare and Unusual Three Barrel Percussion Sporting Rifle by HV Perry
	.36 cal, 28" three barrel cluster with bright excellent bores, perhaps
	showing a few spots of light oxidation here and there. The barrels
	remain quite nice showing much original browning, with some light
	flaking and toning to a pewter patina beneath, showing a bit of muzzle and high edge wear. Each of the barrels is maker marked "HV
	Perry/Jamestown/NY", each of the ribs in between stamped "Cast
	Steel". Additionally each of the barrels is neatly numbered at its breech
	1-3 and each barrel has a small simple blade front sight adjustable for
	windage. The barrel frame, long tang and both side and lock plates are
	a pleasing mottled pewter case-hardened patina with very light open simple foliate engraving, which continues onto the hammer. The tang
	has been maker drilled and tapped for a heart-shaped aperture sight
	which can also act as an open sight utilizing the v in its top surface. The
	barrel catch is a very nice spring-loaded button with stippled face,
	mounted at the rear of the tang, when pressed to the rear the barrels
	can be rotated until they lock in place. The arm features German silver
	hardware with a nice single spur triggerguard with a rearward grip flourish, crescent style buttplate with a steel insert at the heel and a
	simple toeplate. The rifle is stocked in a nice grade of American black
	walnut with much original varnish and rating very fine to perhaps
	excellent, with a couple darkened spots left and right, perhaps from
	some solvent. The patchbox is a nice pendulum shape and is
	unadorned. Perhaps the most endearing feature of the arm is the center-mounted ramrod which rides at the center of the three barrels in a
	hollow tube of its own. Included with the arm is an antique hand-made
	softwood carry case, stained and varnished a dark walnut on its exterior,
	with simple leather strap carry handles and keyed lock (key included).
	The case rates good to perhaps near very good with the expected
	overall light dings, scratches and handling marks from the years. It
	shows small dividers on the interior which would house the rifle, perhaps cleaning implements and any of the loading apparatus you may need; its
	Toleaning implements and any of the loading apparatus you may need; its
	fit is decent for a country-made case. This very arm is pictured in the
	fit is decent for a country-made case. This very arm is pictured in the monumental set The New York State Firearms Trade © 2003 Rowe, on
	monumental set The New York State Firearms Trade © 2003 Rowe, on page 1271 of Volume 3 and nicely photographed. Perry lived in Danville, Freedonia and finally Jamestown New York, where he eventually
	monumental set The New York State Firearms Trade © 2003 Rowe, on page 1271 of Volume 3 and nicely photographed. Perry lived in Danville, Freedonia and finally Jamestown New York, where he eventually passed away in 1897. The arm seems to function well and remains in
	monumental set The New York State Firearms Trade © 2003 Rowe, on page 1271 of Volume 3 and nicely photographed. Perry lived in Danville, Freedonia and finally Jamestown New York, where he eventually

	Sons
	serial #856, .48 cal, 29 1/2" octagon barrel with a bright about excellent
	bore which shows perhaps some sparsely scattered very light frosting,
	primarily within the grooves. The barrel shows a very nice contrasting
	darker gray-brown, light gray swirled damascus pattern its full-length,
	fading to pewter at the muzzle and on the sharp edges and contact
	points, the rear showing a few spots of sparsely scattered oxidation
	staining. The rifle was sighted with a simple bead front sight, there is
	currently only the base of that sight left, it would appear as though the
	top "bead" portion snapped off many years ago, now only an inverted
	"V" remains, there is a u-notch rear with platinum index line, the base
	graduated to 400 yards and flip-up adjustable ladder sight graduated to
	4800 yards. The top flat is maker marked "Geo Forrest & Sons Jedburg"
	and the rebated breech shows some smoky color case-hardening with
	excellent quality tight flowing scroll atop, a platinum blowout plug at the
	breech with a flared right side bolster. The lock and tang are a pewter
	gray patina and show the same exceptional quality tight flowing English
	scroll, the lock with light borderline engraving and makers mark in riband
	"Geo Forrest & Sons". The hammer shows an engraved dolphin nose
	and actually shows an old repair to the spur which is so well done it is
	missed at first glance, the lock is fitted with a sliding safety. There is a
	simple tailpipe and the triggerguard and its front extension show the
	same near full coverage excellent quality scroll, this continuing on to the
	domed steel pistolgrip cap and tang of the smooth butt. English walnut
	stock rates fine with sharp edges good flat-top checkering with mullered
	borders and the expected overall light dings and handling marks that
	come from a field-used arm. The lock functions well mechanically and
	what is likely an original bone-tipped ramrod is present. There are some
	minor peen marks on the right diagonal flat near the makers marking, a
	top-notch metalworker who knew his business could doubtless peen
	them back down and make them far less noticeable, they are not that
	obtrusive to begin with. George Forrest was evidently active in Jedburgh
	, , , , , , , , , , , , , , , , , , ,
	from around 1825 to perhaps 1885. This is a handsome, Scottish-made
	rifle and with its nice bore would likely perform amiably with the proper
	loads worked up. (3C9670-34) {ANTIQUE} [David & Lore Squier
	Collection] (2000/3000)
	Collection] (2000/3000) Est. 2,000 - 3,000
188	
188	Est. 2,000 - 3,000
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding,
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with storg bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with storg bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hocked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is included. The barrel, breech plug and triggerguard tang are all
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is included. The barrel, breech plug and triggerguard tang are all numbered alike. An absolutely beautiful little smallbore British
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is included. The barrel, breech plug and triggerguard tang are all numbered alike. An absolutely beautiful litte smallbore British
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is included. The barrel, breech plug and triggerguard tang are all numbered alike. An absolutely beautiful little smallbore British
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varnish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is included. The barrel, breech plug and triggerguard tang are all numbered alike. An absolutely beautiful litte smallbore British
188	Est. 2,000 - 3,000 Handsome British Single Shot Percussion Sporting Rifle by John Blissett serial #2480, .38 cal, 28 1/2" octagon barrel with an about very good bore which shows light pitting its full-length. This is a very handsome and clearly well-made diminutive sporting rifle of small bore. The barrel retains excellent original damascus twist pattern in contrasting browns and pewter its full-length. There is a very scant bead dovetailed front sight and three-leaf square notch rear, one standing, two folding, showing remnants of fire blue. It is maker marked on the top flat "John Blissett 321 High Holborn London" and has a lovely rebated color case-hardened hooked breech with dual inlaid gold bands and platinum blowout plug showing a very small buck's head atop the flat. The tang shows lovely tight scroll engraving, small sprays of which are on the lockplate and flat of the hammer. They are each a dull pewter gray patina, the plate maker marked "J Blissett" with a recumbent buck just ahead of the hammer. The ramrod thimble has a very lightly engraved tailpipe and there is a neat pineapple finial front extension, neatly engraved with strong bright original blue on the bow of the guard, which is also engraved with tight foliate scroll. There is a checkered flared grip extension to the rear of the bow and the tang extension is serial numbered. The English walnut buttstock rates very fine with lovely grain figure and much original varish showing the expected light dings and handling marks from the years. It has a horn forend tip, coarse checkering in a flawless wraparound pattern, un-engraved silver monogram plate along the toeline and a 14" length of pull to the smooth steel buttplate, with a nicely engraved tang, which shows some strong original blue. The lock features a robust hammer spring and will hold on its half-cock notch, not at full, and what is likely the original ramrod is included. The barrel, breech plug and triggerguard tang are all numbered alike. An absolutely beautiful little smallbore British

Scottish Percussion Halfstock Sporting and Target Rifle by Forrest &

#### Lot Title/Description

189

Beautiful British Percussion Single Barrel Fowler by Edge serial #1340, 16 bore, 29 1/2" barrel with Rigby flats at its rear and a bright fine bore which shows some scattered light oxidation or perhaps the widely scattered sparse light pit here and there. The barrel is lovely showing a three tone brown and pewter damascus twist pattern its full-length and features a simple brass bead front sight. As-mentioned there are Rigby flats at the rear and a rebated hooked tang breech with gold tone blowout plug and simple engraved gamebird. "John William Edge" is engraved on the top flat and there is a single gold inlaid band at the rear, the tang showing lovely quality tight flowing English scroll. The lockplate shows some strong remnants of original color case-hardening with nice banknote filigree bordering and excellent quality flowing scroll front and rear with gamebirds at its center along with the makers name; the nice filigree and engraving continues on the hammer, the nose engraved in a dolphin-head. The balance of the iron surfaces show remnants of bright blue or are smooth brown and pewter patina. The tailpipe shows light scroll engraving, the front extension lightly chiseled with exquisite engraving, which continues onto the bow of the guard and long tang of the butt. The English walnut stock rates very fine to near excellent, with light handling marks and much original varnish. It features a horn forend tip with coarse checkering at the grip and forend with nice mullered borders, there is an oval silver monogram plate atop the wrist engraved "FWW". The lock is crisp and mechanically functional and the length of pull to the smooth steel butt is 14". What is likely the original ramrod is present and there are very light bite marks from a vise at left and rear flat of breech plug but they are missed at first glance. A very beautiful single barrel British fowler in a very fine state of condition from this respected maker. (3B9670-97) {ANTIQUE} [David & Lore Squier Collection1 (1200/1800) Est. 1,200 - 1,800

Lot Title/Description

Extremely Rare Freund Alteration of a Sharps Model 1877 Rifle 40-90, 26" part round part octagon barrel with a near excellent bright bore. This is an extremely handsome rifle that has a very storied history. There are only 8 known Freund conversions using this model Sharps, which is perhaps the most handsome model of the Sharps line. This rifle features Freund's cam action breechblock, double extractor, hammer and sights. The lockplate is engraved with scroll and at center "FREUND'S PT. / WYOMING ARMORY / CHEYENNE WYO. T. U.S.A.". The frame is also engraved in lovely scroll with the right side of the frame engraved "R. Ashworth" and the left "Freund's / American / Frontier". This rifle was once part of John Amber's collection and images of the rifle appear in an early edition of Cartridges of the World as well as in the 1958 edition of Gun Digest. The rifle was in Amber's shop when it burned, reports are that his wife who suffered from mental illness set the fire. The rifle was recovered after the fire and all metal parts were placed in kerosene to stop the effects of the fire. The stocks were burned away and the sideplate and buttplate were missing. This is all documented in Pablo Ballentine's Freund & Bro. Pioneer Gunmakers to the West where the rifle is also illustrated in both color and black and white and discussed in detail including background information on R. Ashworth. When Amber received the rifle the name "R. Ashworth" had been defaced presumably by a period owner. After the rifle was acquired by Ballentine, in its post-fire condition, he sent it to Ed Webber of Big Timber Montana who is a well-respected gunsmith who actually built 1877 Sharps rifles. Mr. Webber was able to plane away tiny layers of the defaced metal and taking smoke tracings at regular intervals. Eventually he was able to decipher the letters so that this could be restored. The engraving on the rifle was executed and/or refreshed by none other than Lynton McKenzie. Webber also restocked the rifle which are the stocks that are seen in Ballentine's book which were more blonde in color. The current owner took the rifle to renowned gunsmith Warren Sellke in Colorado and had what he felt were a more appropriate set of stocks made for the rifle. They are of beautifully figured American Black walnut with rounded pistolgrip, horn schnabel tip and a beautifully made checkered steel buttplate with sliding trapdoor compartment. The condition of the rifle is fabulous with the barrel retaining 98% lovely rust blue finish with "FINE CAST STEEL" being boldly engraved on the top breech section. The frame and lock show 95% wonderful color case-hardened finish which has been expertly softened to show proper age, really a wonderful color case-hardening job. The lock shows slightly more softening in area where the shooter's hand would make contact. The breechblock pin shows light engraving with nicely sculpted tip. The rifle is equipped with adjustable double set triggers and original Freund sights. The front sight is engraved "F.W. FREUND'S PATENT", the rear barrel sight is engraved "Freund's Pat 1880". The stocks are expertly made and show crisp checkering and 98% hand rubbed oil finish. Richard Ashworth immigrated from England to Powder River, Wyoming in 1881 seeking his fortune as a cattle rancher. Ashworth purchased herds of cattle from Oregon and Nevada and later took on a British partner named Johnson. The two would become prosperous cattlemen and would return to England in the early 1890's. Ashworth would apparently return to the U.S. but we assume this rifle was sold or given away when he left in the 1890s. Freund altered rifles are very rare, highly sought after and are prized by those collectors fortunate enough to own them. They are the epitome of the Western Frontier rifle and today conjure up images of days past when well-to-do gentlemen would hunt buffalo on the plains. While these rifles do not trade often when they do, they are regularly trading in the six figures, even the more common 1874 Freund Converted rifles, of which there are far more known than these ultra-rare 1877 rifles. Many of these rifles are traded among private collectors who covet them and long for an opportunity to one day become their caretaker. This opportunity to purchase one at public auction is rare and should not be overlooked as your next chance at one could be 20, 30, 40 or more years down the road. A truly fabulous American rifle, once part of the celebrated John Amber collection and painstakingly restored to its current glory by true scholars of the subject and world class artisans. (1F9790-67) {ANTIQUE} [Bob Borcherdt Collection] (25,000/50,000) Est. 25,000 - 50,000

191	Fine U.S. Model 1871 Army Rolling Block Pistol by Remington	] [	194	Rare Freund Brothers Modified Remington Rolling Block Sporting Rifle
	serial #2162, 50 CF, 8" round barrel with a mostly bright very good plus			serial #D586, 40-70, 28" octagon barrel with a bright excellent bore. This
	bore showing a few scattered small areas of mild pitting and strong			rifle is engraved on the top flat of barrel in fancy script "Freund & Bro
	rifling throughout. The barrel of this pistol retains about 90-92% original			Denver Colorado U.S.A." with "E. REMINGTON & SONS" marking being
	blue showing a few small areas of old oxidation staining and some mild			closer to breech and partially beneath the rear sight. The belly of the
	thinning and toning to a pleasant gray-brown patina. The action retains			action is engraved just ahead of the Freund triggers "Pat July 28th 1874
	about 90% vibrant case-hardened colors muting slightly along the left			/ No. 153432". The left side of the action shows proper patent dates and
	side and tangs also with some sparsely scattered mild freckling and			the rifle shows matching serial numbers on the bottom of the barrel, end
	remnants of protective lacquer. The frame screw heads show a little mild			grain of the forend, lower exterior tang of action (just ahead of rear
	slot wear but otherwise retain strong fire blue, the trigger also with nice			screw hole), top tang inlet of stock, inside of buttplate and on the
	brilliant fire blue and action pins with fine straw color. The retainer plate,			underside of the Freund made triggerguard. This rifle appears to have
	hammer and breechblock remain mostly bright showing a little			arrived at Freund's as a standard No. 1 sporting rifle. The Freund
	gray-brown freckling. The Remington's Ilion frame markings and patent			alterations include shell carving at the cheeks of the stock and tip of the
	dates remain crisp and clear along with the appropriate "P" and "S"			forend, both appear to be original Remington stocks which were
	proof marks. The smooth walnut grip remains in very fine condition			checkered and carved by Freund. The rifle is equipped with Freund's
	showing a strong oil finish with some sparsely scattered tiny dings and a			adjustable double set triggers and nickel plated steel finger spur
	crisp "CRS" inspector's cartouche on the left side. The forend rates very			triggerguard with finely checkered "pistol grip". Additionally the rifle
	good plus showing a repaired thin crack along its length on the			features a large Freund breechblock spur which is affixed to the face of
	underside starting to flex very slightly at the tip and some other			the breechblock by three screws. The rifle is equipped with a German
	scattered light dings. The action seems to function well mechanically. A			Silver blade Rocky Mountain front and standard Remington rear barrel
	very handsome example of these short-lived army pistols that would			sight with sliding elevator. This dovetail is just about 4" from the frame
	make a fine addition to any U.S. martial or antique arms collection.			and the sight covers part of the barrel address, there is an addition
	(13B9857-14) {ANTIQUE} (2500/3500)			narrow (.280") dovetail and a single hole drilled and tapped just to the
100	Est. 2,500 - 3,500			rear of the narrow dovetail. Additionally, there is a long range unmarked
192	Rare & Very Fine Remington Model 1887 Navy Frame Rolling Block			Winchester folding tang mounted peepsight. The condition of the rifle is
	Target Pistol			quite nice considering these frontier arms typically saw hard use. The
	serial #3346, 22 RF, 8" round barrel with a bright excellent bore showing			barrel retains about 75% evenly thinning original blue finish which is
	a couple mild freckles and strong rifling throughout. The metal surfaces			blending with a smooth gray brown patina and generally free of any
	of this lovely "plinker" model retain about 94-95% original bright blue			pitting with all markings remaining clear and legible. The action retains
	with most of the loss due to some light flaking to a pleasant mild			about 80% original color case-hardened finish which has faded over
	gray-brown patina along the sides of the frame and bow of the			time but is pleasing in appearance and remains smooth with all
	triggerguard, some mild edge wear and faint thinning along the barrel,			markings being clear and legible. The adjustable double set triggers
	the barrel also showing two very small spots of old minor oxidation. The			function properly. The stocks show Freund's checkering and shell
	frame screw heads show a hint of mild slot wear and some faint straw			carving and retain perhaps 50% finish which appears to be the Freund
	color while the hammer retains almost all of its lovely rich straw color			applied finish. The checkering remains quite strong and carving is crisp.
	with some mild freckling. The trigger shows nice pale fire blue along the			The original Remington sporting buttplate is present and looks to have
	sides and the rear sight and front sight base show brilliant bright fire			been nickel plated at time of alteration. This rifle is illustrated and
	blue. The Remington Arms Co. barrel address and Remingtons Ilion			discussed in Roy Marcot's Remington Rolling Block Sporting and Target
	address and patent dates on the left side frame remain crisp and clear			Rifles on pages 216 & 217 when it was part of the David Carter
	and the arm retains its naval proof marks "P / F.C.W." along the right			collection. Frontier altered or improved rifles by makers such as Freund
	frame edge. The smooth walnut grip and forend remain in excellent			and Gove are very much sought after today. A very fine Freund altered
	condition showing a few scattered tiny dings and mild handling marks			Rolling Block rifle that exudes the romance of the Western Frontier.
	with strong original finish. The grip is stamp-numbered matching the			(1F9790-83) {ANTIQUE} [Bob Borcherdt Collection] (15,000/25,000)
	frame and the forend is pencil-numbered matching. The pistol is			Est. 15,000 - 25,000
	equipped with the correct No. 4 rifle rear sight and German silver blade		195	Very Fine Remington Model 1901 Target Rolling Block Pistol
	front and the action seems to function well mechanically. A wonderful			serial #1892, 25 Stevens RF, 10" part round part octagon barrel with a
	investment-grade Remington pistol, one of only about 100 produced.			bright excellent bore. The barrel of this attractive pistol retains about
	(13D9857-17) {ANTIQUE} (4000/6000)			96% original blue showing some scattered light dings, handling marks
	Est. 4,000 - 6,000			and minor edge wear. The frame retains about 95% original vibrant
193	Fine Remington Model 1891 Target Rolling Block Pistol			case-hardened colors with some small areas toning to a mild gray patina
	serial #1437, 25 Stevens RF, 10" part round part octagon barrel with a			on the right side, some silvering along the high edges and some
	bright excellent bore. The barrel of this lovely pistol retains about 92%			remnants of original protective lacquer along the left side. The
	original blue with most of the loss due to silvering at the high edges and			breechblock and trigger retain about 90% original blue with some light
	sides, some very fine pinprick pitting also noted along the sides and			operational wear, the hammer is mostly bright showing a few light
	scattered light handling marks. The action retains about 90% strong			freckles and the action pins retain all of their lovely straw color. The
	case-hardened colors muting slightly to a mild gray patina and the			barrel markings remain crisp with Remington Arms Co. address and
	gripstraps toning to silvery case-hardened patina. There are still a few			large "25-10 RF" designation on the underside. The checkered walnut
	flakes of original protective lacquer scattered about, the breechblock,			grip and forend remain in very fine condition retaining most of their
	hammer and trigger retain 95% original bright blue showing some light			antique varnish showing some scattered light dings and handling marks.
	high edge wear and the remaining small parts show very nice fire blue			This is a rather peculiar example as the frame does not bear any of the
	and straw finishes. The Remington Arms Co. barrel address, "25" caliber			usual markings and it is sighted with an 1891-style sporting rear sight
	designation and seven patent dates on the left side frame remain crisp			(elevation slider is a replacement) and silver bead front sight. A
	and clear. The smooth walnut stocks remain in very fine condition			wonderful Rolling Block target pistol for the Remington collector only a
	showing some areas darkened from the years, three small notches on			handful of which were made in 25 Stevens. (13B9362-49) {C&R}
	the bottom left edge and a few light dings. The internal number on the			[Edward W. Marron, Jr. Collection] (2500/3500)
	grip is difficult to discern and the barrel is matching the frame. The rear			Est. 2,500 - 3,500
	sight has been replaced with a later sporting sight similar to the			
	Remington offering and the front sight is a very tall replacement fine			
	bead. The half cock notch is worn but the action otherwise seems to			
	function well mechanically. A very handsome example of these desirable			
	Remington target pistols. [Former Fritz Baehr Collection] (13B9362-54)			
	{ANTIQUE} [Edward W. Marron, Jr. Collection] (13B9362-54)			
	Est. 2,500 - 3,500			
L	L3I. 2,000 - 0,000	1		

Lot Title/Description

		_		
196	British Brass Barrel Flintlock Blunderbuss by Bennett		198	Fine Winchester Model 1886 Lever Action Rifle
	About .60 cal, flaring to 1 1/8" at the muzzle with 13 1/2" part octagon,			serial #67745, 38-56 WCF, 26" octagon barrel with full magazine and a
	part round brass barrel with a lightly oxidized bore. The barrel is a very			bright near excellent bore showing a couple tiny scattered pinprick pits
	pleasing goldenrod patina and features a flared cannon-belled muzzle			and otherwise strong rifling throughout. The barrel and magazine of this
	with large medial and another turned medial at the point of transition. It			handsome rifle retain about 94% original blue with most of the loss due
	is marked "Royal-Exchange-London" on its top flat with British proofs			to some scattered specks of lightly cleaned old oxidation staining, some
	and makers touchmark "IB" on its left diagonal flat, the iron tang			small light pits mostly along the high edges of the left side and a few
	showing some very light engraving. The lock has a nice beveled edge			more minor handling marks. The action retains about 85% fine
	with a step at the rear and a small teat which shows a tiny bit of			case-hardened colors toning to a silvery pewter patina with some areas
	engraving, it is marked "Bennett" at its center beneath the pan. The			of light pitting along the edges and some fine scratches along the right
	swan neck cock shows a bit of light engraving as well and the arm			side. The colors are particularly vibrant along the left side, lower tang
	features a bridled frizzen and a lightly chiseled tail on the frizzen spring.			and inside of the lever still retaining remnants of protected lacquer. The
	The balance of the hardware is brass with simple ramrod thimble, lightly			buttplate is a mottled gray showing some old oxidation staining and the
	engraved tailpipe extension and an acorn finial on the triggerguard front			nosecap shows a healthy amount of vibrant colors. The bolt retains
	extension, the wide bow with very light floral engraving. The smooth			about 98% original bright blue showing a couple tiny pinprick pits, the
	brass buttplate shows a lightly engraved tang with an image of a bow			loading gate retains a similar amount of lovely pale fire blue and all
	and arrow with guiver and there is a simple oval brass monogram plate			markings remain intact and strong. The plain walnut stocks remain in
	atop the wrist which is un-engraved. The English walnut stock rates very			very good plus to perhaps very fine condition retaining about 90%
	fine with sharp edges and much original varnish, showing the overall			original finish thinning along the forend and showing a 7/8" rectangular
	light dings and handling marks that come from the years, what is likely			chip at the left side heel, some scattered light dings and handling marks
	the original horn-tipped ramrod is present. The lock is crisp and			with otherwise nice raised grain. The rear sight dovetail has been
	functions well mechanically. John Bennett was active at Royal Exchange			blanked and the rifle is sighted with a Lyman No. 52 tang sight and a
	London from about 1781 to around 1802, after-which he moved to			Beach combination front sight, the globe dented in very slightly. This is a
	adjacent Threadneedle Street and incorporated his wife Elizabeth in the			very attractive rifle made in 1892 with some wonderful original condition.
	trade. A very handsome British brass-barreled blunderbuss in a fine			
	state of condition. (3B9849-2) {ANTIQUE} (2000/3000)			(13D9746-38) {ANTIQUE} (4000/6000) Est. 4,000 - 6,000
	Est. 2,000 - 3,000		199	Winchester Model 1886 Lever Action Rifle
197	British Brass Barrel Blunderbuss with Top Snap Bayonet	{	133	
197				serial #114138, 50 Express, 28" octagon barrel with full magazine and
	About .80 cal, flaring to 1 1/4" at the muzzle. 15 1/2" barrel with an avidized here. The barrel is an achre and geldenred pating and features			an oxidized bore showing evident rifling throughout still quite strong for a
	oxidized bore. The barrel is an ochre and goldenrod patina and features			few inches ahead of the chamber. The barrel and magazine of this
	a widely flared cannon-belled muzzle with an astragal and fillet roughly			1897-made rifle retain perhaps 70-75% original blue thinning and toning
	2" to the rear of the face, showing two turned medials halfway down its			to plum-brown patina and showing some scattered old oxidation
	length, with British proofs on the left radius and a makers touchmark			staining, some light dings and minor pitting. The barrel address remains
	"TH" beneath a lion. There is a 14 1/2" top-snap bayonet with 13"			completely intact and strong and the caliber designation is slightly
	triangular blade with face and back flutes, the blade showing light and			obscured by some old pitting but legible. The action is toning to a mix of
	moderate pitting its full-length. The iron tang is a dull oxidized brown			mottled gray-brown and silvery case-hardened patina showing some
	patina and the sliding bayonet catch is somewhat loose but does catch			overall light pitting, old oxidation staining and small dings with some
	the tip, if only just. The unmarked lock plate, hammer and all the			more moderate tool marks along the back edge of the loading gate
	attendant parts show some light and moderate pitting and are a dull			assembly. Remarkably there are still some vibrant case-hardened colors
	brown patina, showing only remnants of what was likely a makers mark			lurking about the protected edges, particularly the rear corner right side
	at its center. It features a simple unbridled frizzen and appears to be			frame. The bolt has mostly toned to a deep gray patina showing some
	original to the gun although the wood has shrunk somewhat from the			light pitting while the nosecap and buttplate are a milder gray. Some of
	years along the bottom edge, with a chip missing at the top edge behind			the screw heads show light slot wear with some circumferential wear
	the cock. There is a simple sheet brass ramrod thimble which shows			evident along the nosecap screws and the frame markings remain intact.
	some dings and a rather heavy unadorned brass triggerguard which is			The plain walnut stocks remain in about very good condition as lightly
	very sea-service-like. The unadorned heavy sheet brass buttplate is			cleaned and refinished showing some scattered mild abrasions, light
	affixed with a single screw at the top tang and a number of iron brads			dings and small scratches with an area a little shy of the upper tang. The
	around the periphery at the butt and the brass sideplate is very second			rifle is sighted with a later 1927 patent sporting rear sight, silver bead
	model Brown Bess-like, being flat, serpentine, with rear teat. The			front sight and the action is a little bit sluggish but otherwise seems to
	English walnut stock rates very good showing an old cleaning many			function well mechanically. A very respectable example of a desirable 50
	years ago with deep comb flutes and a round cross-section at the wrist			Express rifle that has seen honest use. (13B9746-51) {ANTIQUE}
	showing the overall light dings and handling marks that come from the			(3500/5000)
	years, a deeply branded "2" on the right side of the butt, with some older			Est. 3,500 - 5,000
	drying cracks adjacent. The barrel is retained by two pins, the pin holes			
	show a more recent repair with the addition of some synthetic filler, no			
	doubt to tighten up a loose barrel, it rides snugly in the stock currently.			
		1		
	There is a 3" chip missing at the right front of the stock at its nosecap			
	There is a 3" chip missing at the right front of the stock at its nosecap and the toe of the buttplate hangs quite a bit proud, the triggerguard as			
	and the toe of the buttplate hangs quite a bit proud, the triggerguard as			
	and the toe of the buttplate hangs quite a bit proud, the triggerguard as well being somewhat loose in fit. The lock does function mechanically			
	and the toe of the buttplate hangs quite a bit proud, the triggerguard as well being somewhat loose in fit. The lock does function mechanically however the hammer spring seems quite light and the lock screws are			
	and the toe of the buttplate hangs quite a bit proud, the triggerguard as well being somewhat loose in fit. The lock does function mechanically however the hammer spring seems quite light and the lock screws are obvious replacements, their heads being quite small, a replacement			

top-snap bayonet, that could be spruced up a bit by a competent antique man. (3B9869-3) {ANTIQUE} (1800/2200) Est. 1,800 - 2,200

release spring button is missing, but these would be an easy repair. Still a rather respectable example of an early British blunderbuss with

German MG 34 Light Machine Gun by Brno with Lafette Tripod 8 Accessories serial #842a, 8mm Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation in the grooves and strong rifling throughout. This dot-coded and 1942-dated machine gun shows matching numbers on the receiver, barrel shroud and buttstock, with the remaining parts showing a mix of numbers, maker-codes and Waffenamts. The metal surfaces retain about 90% arsenal refurbished blue with most of the loss due to some areas along the rear receiver, gripstraps and triggerguard toning to a mild gray patina, some light high edge wear and scattered areas of blued-over light pitting. The dot code and 1942 date on the barrel shroud are very faint from refurbishment while the other markings remain intact and quite strong. The black grooved Bakelite grips remain in very good plus condition showing some scattered light handling marks and the left panel with a few tiny chips along the top edge. The dark brown smooth Bakelite buttstock is similar showing some overall light scuffs, some minor dings along the edges and strong serial number on the left side. The currently installed fire control group has been pinned to full auto only and a trigger group in original configuration is included; it is missing its left grip panel, the right panel is missing the two lower rivets and the metal surfaces retain about 90% arsenal refurbished blue showing some scattered light oxidation staining. The action seems to function well mechanically. Accompanying this arm is a whole host of wonderful original accessories including: Lafette tripod, four ammo cans containing ten 50-round belts each, two starter tabs, one "E" can with spare parts, one "P" can with lubricant containers, one ammo fortress box, one ammo can for cart mounting, one saddle drum with reproduction top cover, two assault drums with carrier, one ranging tool with case, a barrel changing mitt, leather sling, one brass catcher, one blank-firing barrel, two spare barrels with carry case, anti-aircraft mount, carry handle, winter trigger, a complete optical sight with case, light, battery case, periscope and rheostat and a complete gunner's case. The Lafette tripod is serial number "747a", dated 1943 with "ecy" maker code on the rear cover, matching "747" on the traverse arch and the search-fire mechanism is coded "bkh" with 1942 date and serial number that appears to be "4266a". The metal surfaces retain 80% of an old arsenal reapplied dark green paint that is flaking throughout exposing some of the underlying dark gray and red paint, the rear legs toning to plum-brown and the front a silvery gunmetal patina along with some other expected light dings from service. The green anodized aluminum sight mount is unmarked and appears to be a more modern replacement and the pads have been refurbished with a khaki cloth covering and a set of dvr 42-coded leather straps are included. All of the adjustment hardware seems to function well mechanically. The four ammo cans show varying shades of arsenal green paint with some light flaking and mild oxidation staining and the vast majority of belts are German wartime-made showing varying maker codes, dates and Waffenamt stamps. The spare parts "E" can shows a desert paint scheme with white stenciled "7055E" and contains a pair of tinted eye covers, three rubber caps, three belt starter tabs, two wrenches, brush, asbestos mitt, spare bolt carrier, complete spare bolt numbered "4668III" in very fine condition, spare feed tray and feed block, three-compartment tin with a number of assorted spare small parts, flash hider with case and spare recoil spring with case. The "P can also shows a desert paint scheme with stenciled white "P" on the lid and contains two green cans marked "OLEO" and "PETROLEO" in very fine condition. The 250-round "fortress" ammo can is coded "kr43" with faint Waffenamt and retains much of its arsenal green paint and shows a few scattered light dings and the cart-mounted can is similar showing some light pitting beneath the paint and strong "bow" code with 41 date and Waffenamt. The saddle drum is coded "wa42" and retains about 80% original black enamel finish flaking to pewter gunmetal and the strap with some light fraying with strong markings throughout; the reproduction top cover and its leather case rate near excellent. The two assault drums with metal carrier retain perhaps 90% dark gray paint flaking to gray-brown patina and showing a few minor dings and handling marks. The carrier is coded "euh43" and the drums "hqu43" and "ddf" (one with Finnish stamp). The aluminum range tool shows a crisp Waffenamt and rates near excellent as does the canvas case. The mitt and brass catcher rate about very good showing light staining and moderate wear. The blank firing barrel is coded "ixm", the rear insert "cnz" and "hth" and rates very fine retaining about 90% original blue with some scattered light oxidation and a fine bore. One of the spare barrels rates near excellent retaining most of its original blue with a bright excellent bore and the other rates very fine showing some scattered light pitting and a very good bore with frosting in the grooves. The green-painted metal barrel case shows a faint maker code and some overall light dings and dents. The anti-aircraft mounting arm rates very fine, the nuts on the mount assembly are replacements and the assembly shows scattered oxidation staining and appears to be unmarked. The original MG Z sight is serial number "94328" and retains crisp markings with "K.F." and "cme" maker code. The body retains

Lot Title/Description

about 92% dark green paint with areas thinning to underlying red-tone paint along with some mild high edge wear and some of the exposed hardware toning to gunmetal gray. All knobs and adjustments devices seem to operate smoothly and the optics are just a little bit discolored but very fine and completely serviceable. The green metal case with strap rates very fine showing some light flaking and handling marks along the exterior, the interior showing Emil Busch maker ink-stamp and an inked number "2017". The case contains the two original colored filter inserts, rubber eye piece, cleaning brush and cloth. Other sight accessories include a gray-painted battery box, Busch sight illuminator with intact plug, rheostat and unmarked green-painted periscope all in near excellent condition, the periscope showing some light flaking and a few areas of minor oxidation staining. Finally there is a leather gunner's case that rates very good showing two missing rivets, one lost strap, minor crackling and strong markings. The case contains a complete spare bolt showing some light oxidation staining, belt starter tab, anti-aircraft sight, oil can, broken shell extractor, chamber cleaning rod, wrench and combination screwdriver / shell extractor; the contents show some scattered light oxidation staining and handling marks otherwise rating very good plus to very fine. We have even more MG 34 accessories available in the Online Auction! This is a really wonderful ensemble with practically everything the German machine gun collector needs. (13G9912-3) {C&R} [Fully Transferable on ATF Form 3 or 4] {CLASS III} (30.000/40.000) Est 30 000 - 40 000

200

#### Title/Description Lot

Title/Description Lot

201	Excellent German MP40 Submachine Que by Otaur	000	Cormon M1019 T-Courser Anti Tonk Diffe by Mausar The E-Part
201	Excellent German MP40 Submachine Gun by Steyr serial #3136h, 9mm, 10" barrel with a mostly bright very good plus bore	203	German M1918 T-Gewehr Anti-Tank Rifle by Mauser, The Earliest Known Post-Kurz Example
	showing some light oxidation in the grooves and strong rifling		serial #281, 50 BMG / 13x92mm, 39" custom 50 BMG barrel currently
	throughout. The metal surfaces of this bnz.41-coded submachine gun		installed on the rifle with a bright excellent bore and the original 39"
	retain about 96-97% original blue with most of the loss due to some		barrel with a mostly bright very good plus bore showing some scatter
	scattered very fine oxidation that has been lightly cleaned and is toning		light pitting and oxidation in the grooves and strong rifling throughout.
	slightly to mild gray patina along with some scattered minor high edge		The custom barrel of this 1918-dated rifle retains about 95% original
	wear and light handling marks. Some of the pins show some light dings		blue showing some mild thinning to gray patina along the top of the
	or tool marks and there is a small scuff mark on the magazine release		breech, a few scattered light handling marks and minor freckles. The
	but this is very unobtrusive. Some of the oxidation left a few tiny pinprick		original barrel has mostly toned to a mottled deep gray and gunmetal
	pits. The black Bakelite barrel rest and dark brown grooved Bakelite		patina showing a few sparsely scattered small areas of minor oxidatio
	forend and grip panels remain in excellent condition showing a few		staining, some light pitting and scattered light handling marks with go
	scattered light scuffs or handling marks, the forend and grip panels		remnants of original blue here and there. The barrel retains crisp
	showing some subtle mottled patterns. All markings remain intact and		inspector stamps and shows all matching numbers to the receiver. The
	strong with proper "(Eagle) / 623" Waffenamts throughout, the eagle		receiver and bolt remain mostly bright showing some remnants of
	firing proof on the barrel somewhat off-struck and the left side front of		cleaned light pitting scattered along the top that is mostly
	receiver and the left rear above the stock button stamped "bnz". The		smoothed-over. The large Mauser banner on the receiver ring and 19
	magazine housing is of the ribbed variety and appears to be		date remain crisp and clear as do the Imperial inspection stamps. The
	un-numbered showing a very faint Waffenamt on the front edge, "3" on		barrel band and triggerguard retain much of a nice quality restored bl
	the inside front surface and "5" on the right side magazine catch. The		thinning to pewter along the top of the barrel band and showing some
	left side of the front sight is numbered "811", the bolt is the early hooked		smoothed over light pitting and strong markings. The hardwood stock
	variety, all remaining serialized parts are matching and the action seems		and pistolgrip remain in very good plus to very fine condition showing
	to function well mechanically. Included with this lovely MP40 are four		thin 2" drying crack and some smaller thin cracks along the butt, a few
	original 32-round magazines, an original brown leather sling in about		scattered shallow chips along the bottom and behind the upper tang a
	good condition showing some mild crackling, a reproduction magazine		otherwise just some scattered light dings and handling marks one wo
	pouch in near excellent condition and a reproduction magazine loader in		expect. The stock retains strong markings throughout and is clearly
	excellent condition. The magazines are coded as follows: ayf 43, kur 43,		stamp-numbered matching the receiver along the toe line also showing
	bte 42 and fxo 41 and remain in very good to very good plus condition,		good inspector stamps along the right side. All of the serialized parts
	some showing some light oxidation staining and light pitting with		matching, the action seems to function well mechanically and the
	otherwise strong original blue and serviceable springs; also please see		custom barrel is sighted with military-style sights. The included bipod
	the extra original magazines available in the online auction. This is a		retains about 95% arsenal green paint showing some scattered tiny
	wonderful example of these iconic German submachine guns; if you are		flakes, handling marks and the underside of the crosspiece stamped
	looking for an MP40 it would be difficult to improve upon this one.		with a "(Crown) / SA". This is the earliest known T-Gewehr with the ne
	(13G9912-1) {C&R} [Fully Transferable on ATF Form 3 or 4] {CLASS III}		standard longer 39" barrel. A copy of the book Das Tankgewehr Mau
	(20,000/30,000)		M 1918 by Wolfgang Kern is included and in the author's serial numb
	Est. 20,000 - 30,000		survey he notes serial #277 as a kurz model and 302 as a normal
2	Very Fine German MG 08/15 Light Machine Gun by Spandau		model, thus this rifle is only 3 numbers away from the latest kurz model
2	serial #345 8d, 8mm Mauser, 28 1/4" barrel with a bright excellent bore		surveyed! Another interesting note is that serial #277 is also held in the
	showing some small areas of faint frosting in the grooves and otherwise		USA, converted to 50 BMG and owned by the body armor company
	strong rifling throughout. This is a very attractive 1918-dated machine		Second Chance. Also included is a spare reproduction extractor, a
	gun with all matching parts including the lock components. The metal		reproduction ammo pouch in excellent condition and we have a few
	surfaces retain about 94-95% original blue with most of the loss due to		original rounds of German ammunition available in the Online Auction
	the edges of the fusee spring housing on the left side toning to		very fine example of these desirable early anti-tank rifles that can be
	plum-brown patina and showing some scattered light oxidation staining		enjoyed as-is or easily converted back into its original configuration b
	and a few minor dents along with some overall mild high edge wear, a		any competent gunsmith. (13E9736-85) {C&R} (10,000/15,000)
	little minor freckling and handling marks. The barrel jacket shows one		Est. 10,000 - 15,000
	very shallow minor dent along the bottom and retains strong remnants of	204	Very Rare German M16 Glasvisier Bifocal Scope with Case &
	flaking original dark green paint throughout, the small locking screw for	204	Accessories by Zeiss
	the large screw at the back of the jacket is missing but this is relatively		serial #6106. This is a wonderful example of these interesting and
	minor. The rear sight slider and some of the other small parts all retain		desirable scopes designed to be mounted over the existing sights of
	good bright fire blue and straw color. The original bipod retains much of		Gewehr 98 to provide a fast usable sight picture in low light condition
	its original dark green paint flaking and toning to a dark plum-brown		and other special scenarios. The scope retains about 97-98% origina
	patina showing a few light dings, mild handling marks and a crisp		black enamel finish showing a few scattered small flakes and minor
	imperial acceptance stamp. The walnut buttstock and checkered		crazing while the spring clip retains about 95% original blue showing
	pistolgrip are stamp-numbered to the gun and remain in very good plus		some scattered minor oxidation staining. The front sight with ivory
	condition, the buttstock showing a thin 3" drying crack along either side		triangle insert similarly retains about 98% original black enamel show
	that continue along the coarsely checkered butt, and the overall		a few tiny flakes and handling marks. The sunshade is matching the
	expected mild abrasions and light dings with otherwise strong imperial		body and both of these components, along with the front sight, are
	proofs. All markings remain completely intact and crisp and the action		stamped with the Carl Zeiss Jena logo. The body is marked "2,5x" ar
	seems to function well mechanically. Accompanying this gun is a		there is a neatly etched "K" below the serial number on the sunshade
	in the meetal and any robot inputying the gar is a		The optics are somewhat cloudy but serviceable and the flexible
	number of original and reproduction accessories including: original blank		eyepiece has broken off, only the leather rim is included, detached. T
	number of original and reproduction accessories including: original blank firing booster assembly, yent tube, one reproduction leather sling, two		
	firing booster assembly, vent tube, one reproduction leather sling, two		original black leather case rates very fine showing some scattered line
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not		
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that		flaking and edge wear, minor crackling and some wear along the close
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation		flaking and edge wear, minor crackling and some wear along the clos strap. All stitching and hardware remain intact, even the original char
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can		flaking and edge wear, minor crackling and some wear along the clos strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings		flaking and edge wear, minor crackling and some wear along the clos strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is t
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose		flaking and edge wear, minor crackling and some wear along the clos strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is to original tiny foldout instruction manual, the folds have torn and it does
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case		flaking and edge wear, minor crackling and some wear along the clos strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is to original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. Thes
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock		flaking and edge wear, minor crackling and some wear along the clos strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is t original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. Thes interesting advanced scopes are rare enough to find with just the
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched		flaking and edge wear, minor crackling and some wear along the closs strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is to original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched and seven cloth belts of various sizes and manufacturers, a couple are		flaking and edge wear, minor crackling and some wear along the closestrap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is a original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou make an excellent addition to any advanced German martial collection.
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched and seven cloth belts of various sizes and manufacturers, a couple are full 25 0-round belts, one shows a Russian maker stamp and a couple		flaking and edge wear, minor crackling and some wear along the closs strap. All stitching and hardware remain intact, even the original chan cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is t original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou make an excellent addition to any advanced German martial collection (13B7884-14BA) [Craig Brown Collection] (3000/4000)
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched and seven cloth belts of various sizes and manufacturers, a couple are full 25 0-round belts, one shows a Russian maker stamp and a couple are British. This is a wonderful ensemble for the advanced World War		flaking and edge wear, minor crackling and some wear along the closs strap. All stitching and hardware remain intact, even the original chan cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is t original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou make an excellent addition to any advanced German martial collection
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched and seven cloth belts of various sizes and manufacturers, a couple are full 25 o-round belts, one shows a Russian maker stamp and a couple are British. This is a wonderful ensemble for the advanced World War One collection, seldom-seen all-matching and the gun itself actually		fraying along the edges and overall mild staining. Finally included is t original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou make an excellent addition to any advanced German martial collectio (13B7884-14BA) [Craig Brown Collection] (3000/4000)
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched and seven cloth belts of various sizes and manufacturers, a couple are full 25 0-round belts, one shows a Russian maker stamp and a couple are British. This is a wonderful ensemble for the advanced World War One collection, seldom-seen all-matching and the gun itself actually appearing to have seen very little use. (13G9912-2) {C&R} [Fully		flaking and edge wear, minor crackling and some wear along the closs strap. All stitching and hardware remain intact, even the original chan cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is t original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou make an excellent addition to any advanced German martial collection (13B7884-14BA) [Craig Brown Collection] (3000/4000)
	firing booster assembly, vent tube, one reproduction leather sling, two reproduction drums in near excellent condition (the drum bracket is not present), an original wooden drum case and wooden ammo case that rates good showing some light chipping, moderate dings and oxidation along the hardware, the ammo case painted white, an original water can painted gray that rates very good plus showing some light flaking, dings and handling marks, two reproduction combination tools and water hose connector, a spare feed block spring, an original set of cartridge case tongs that show moderate overall wear, a spare complete lock numbered "2932d" some of the smaller parts of which are mismatched and seven cloth belts of various sizes and manufacturers, a couple are full 25 o-round belts, one shows a Russian maker stamp and a couple are British. This is a wonderful ensemble for the advanced World War One collection, seldom-seen all-matching and the gun itself actually		flaking and edge wear, minor crackling and some wear along the closs strap. All stitching and hardware remain intact, even the original char cloth tethered to its stud inside the lid is present showing some light fraying along the edges and overall mild staining. Finally included is to original tiny foldout instruction manual, the folds have torn and it does not appear to be complete, three separated pages are present. These interesting advanced scopes are rare enough to find with just the hardware, let alone with the original accessories. This ensemble wou make an excellent addition to any advanced German martial collection (13B7884-14BA) [Craig Brown Collection] (3000/4000)

Lot Title/Description

205	Very Fine German K98K High Turret Sniper Rifle by Mauser	]	207	British No. 4 MKI (T) Bolt Action Sniper Rifle by BSA with Original Case
	serial #13455f, 8mm Mauser, 24" barrel with a bright near excellent bore			serial #T34871, 303 British, 25 1/4" barrel with a bright excellent bore.
	showing two very small areas of moderate oxidation about 3" back from			The metal surfaces of this 1945-dated rifle retain about 95% arsenal
	the muzzle with otherwise crisp rifling throughout. The metal surfaces of			refurbished black enamel finish showing some scattered light high edge
	this attractive rifle retain about 96% original blue showing some mild			wear, minor handling marks and small areas flaking to the underlying
	toning to gray-brown patina along the floorplate, a few light dings along			dark gray Parkerized finish. All markings remain intact and strong, the
	the front band and a few errant mild brown freckles scattered about. The			left side socket with BSA maker code, date, serial number and proper
	extractor has taken on the familiar deep plum tone and the smooth			"TR" stamp, the left side of the receiver also showing the appropriate "T"
	cupped buttplate is a silvery pewter patina showing some remnants of			stamp. The arm shows a small "ENGLAND" import mark along the right
	old oxidation staining scattered about. The bek-coded 4X Dialytan scope			side receiver ring and British export proofs at the muzzle. The No. 32
	and its rings retain about 95% original blue showing some toning to			MKIII telescopic sight and its mount retain about 94% arsenal black
	gray-brown patina along the ocular bell, a few specks of light oxidation			enamel finish, the mount having mostly flaked to the underlying dark
	staining and minor handling marks. The scope itself is numbered			gray Parkerized finish and the scope showing some mild high edge wear
	"76846" and features the typical German reticle with very good plus			and handling marks. All markings remain intact with strong manufacturer
	slightly discolored optics. The smooth pistolgrip laminated hardwood			markings, "1946" date, blue-painted "B" and red "W". The scope mount
	stock and handguard remain in very fine condition showing a very thin 2"			has been arsenal-renumbered to match the rifle, the scope itself is serial
	scratch along the right side wrist, some scattered light dings and			numbered "28567" and the rings are matching the base by numbers
	handling marks. The stock retains a strong "(Eagle) / WaA135" on the			"523" and "524". The scope features typical single post with crosshair
	right side butt, a more faded Waffenamt along the toe line and what			reticle and very good optics, there is an area of crazing or crackling in
	appears to be a name written in ink inside the right sling cutout,			the center of the field of view along one of the internal lenses, it is not
	unfortunately no longer legible. The stock and handguard are both			particularly noticeable when focused on the reticle and the optics are
	numbered internally matching the receiver. All markings remain intact			slightly discolored but still quite serviceable overall. The hardwood
	and strong with the left side receiver ring stamped with firing proof, serial			stocks remain in very fine to near excellent condition showing some
	number and "(Eagle) / 135", the left side barrel shank is stamped only			
				scattered light dings and handing marks with otherwise strong arsenal
	with a firing proof and the right side rear sight base with "(Eagle) / 135".			oil finish and the cheek rest showing a darker stained finish. The stocks
	The floorplate and barrel bands are stamped with matching serial			retain crisp inspector stamps, the toe line is properly marked "S 51", the
	number, the stamped triggerguard with byf code and proper Waffenamts			fore-stock is stamp-numbered matching the receiver and the wrist is
	and the buttplate with bpr code and "(Eagle) / WaA497". The firing pin			stamped matching the scope number "28567". The bolt is matching the
	appears to be un-numbered and the remaining bolt parts including the			receiver, one un-numbered magazine in near excellent condition is
	correct milled safety are matching the receiver. The front surface of the			included and the action seems to function well mechanically. The
	front scope base is marked with a Mauser "RW" factory stamp, the rear			included wooden case rates very good showing some light chips and
	base with proper "(Eagle) / 135" on the left side, the right rear edge of			dings along the edges and overall light scuffs and the leather straps
	the tang stamped with a "U" and the front scope ring is matching the			show a few minor tears and overall crackling. The internal label is mostly
	receiver. An original front sight hood and cleaning rod are included and			intact and a canvas-covered 1946-dated scope case is included along
	the action seems to function well mechanically. A lovely correct and			with a very fine set of original leather scope covers. The case shows
	matching high turret sniper for the advanced sniper or martial collection.			strong stenciled markings and is numbered matching the scope along
	(13G9807-205) {C&R} [Vincent Coniglio Collection] (10,000/15,000)			with some mild staining and scuffs. The orange label shows a number of
	Est. 10,000 - 15,000			moderate flakes but is mostly intact. A very fine cased British sniper rifle
206	Scarce German Volkssturm VK98-VG5 Bolt Action Rifle by Steyr			for the martial collector. (13C9793-7) {C&R} (3500/5000)
200	serial #4896, 8mm Mauser, 21" bnz-coded barrel with counter-bored			Est. 3,500 - 5,000
	muzzle and a partially bright very good bore showing scattered light		208	British L42A1 Bolt Action Sniper Rifle with Original Case
			200	
	pitting in the grooves and strong rifling throughout. The metal surfaces			serial #AT3187, 7.62 NATO, 27 1/2" barrel with a bright excellent bore.
	of this bnz 45-coded rifle show light to perhaps moderate scattered buff			The metal surfaces of this rifle retain about 95% heavy arsenal-reapplied
	marks along the receiver ring and length of the barrel showing remnants			black enamel finish showing some light high edge wear, scattered small
	of Parkerized finish toning to a pale gray patina overall along with some			flakes and crazing along the barrel. The screw heads show the typical
	areas of silvering and light handling marks. The rear receiver bridge			light slot wear seen on British arms and all markings remain intact and
	retains much of its original Parkerized finish showing the familiar			strong. The arm was arsenal converted from a BSA No. 4 MKI(T) sniper
	late-war rough machining marks and the rudimentary triggerguard is a			rifle and shows original markings, 1943 date and "TR" on the left socket.
	silvery pewter patina. The receiver ring is stamped with the appropriate			The left side of the receiver is properly marked "L42A1" along with
	"bnz 45" behind the fixed rear sight, the marking somewhat off-center,			Enfield arsenal stamp, "71" date and "T". The smooth hardwood stocks
	and there is no visible "MOD.98" in front of the rear sight. The left side			remain in very good plus to very fine condition showing a few small
	barrel shank shows an eagle firing proof, serial number and Steyr			arsenal repairs, a very thin hairline crack at the bottom left edge of the
	factory stamp with bnz in a shield. The bolt retains about 90% late-war			fore-stock ahead of the socket, some scattered light dings and minor
	dull blue showing silvering along the extractor, light operational wear, an			handling marks. There is a painted white "1" on the left side butt, the
	area of silvering due to some light grinding marks ahead of the bolt			fore-stock is faintly numbered matching to the receiver while the wrist is
				properly stamped with the scope number "19313", the numbers rather
	handle and areas taking on a deep plum patina. The bolt handle root			
	handle and areas taking on a deep plum patina. The bolt handle root shows matching serial number, a firing proof on the back surface of the			
	shows matching serial number, a firing proof on the back surface of the			soft. The original arsenal-converted L1A1 scope and mount retain about
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr".			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid example of these interesting and desirable arms that keenly			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The included wooden case rates very fine retaining much of its olive drab
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid example of these interesting and desirable arms that keenly			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The included wooden case rates very fine retaining much of its olive drab
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid example of these interesting and desirable arms that keenly demonstrate the desperate measures of late-war Germany.			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The included wooden case rates very fine retaining much of its olive drab patina showing some light flaking and exterior scuffs. The interior labels
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid example of these interesting and desirable arms that keenly demonstrate the desperate measures of late-war Germany. (13C9736-24) {C&R} (4000/6000)			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The included wooden case rates very fine retaining much of its olive drab patina showing some light flaking and exterior scuffs. The interior labels are intact and show matching numbers to the rifle and scope and the
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid example of these interesting and desirable arms that keenly demonstrate the desperate measures of late-war Germany. (13C9736-24) {C&R} (4000/6000)			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The included wooden case rates very fine retaining much of its olive drab patina showing some light flaking and exterior scuffs. The interior labels are intact and show matching numbers to the rifle and scope and the included metal scope cover is also stencil-numbered to the scope and
	shows matching serial number, a firing proof on the back surface of the root and "V" on the underside and the magazine follower is coded "lxr". The remaining bolt parts are un-numbered, the body is properly lacking the guide rail and the bolt sleeve locking plunger and spring are missing or perhaps were never installed. The rudimentary smooth pistolgrip hardwood half stock remains in very good plus condition showing a couple of thin drying cracks at the toe of the butt and tip, some scattered light dings and mild abrasions. The twisted wire front sling swivel is intact and the action seems to function well mechanically. A solid example of these interesting and desirable arms that keenly demonstrate the desperate measures of late-war Germany. (13C9736-24) {C&R} (4000/6000)			soft. The original arsenal-converted L1A1 scope and mount retain about 95% heavy arsenal-reapplied black enamel finish showing some high edge wear, scattered light flaking and handling marks with otherwise strong markings. All markings remain strong and the scope mount is stamped matching the rifle along with a painted "1" and a Canadian broad arrow stamp with "57". The scope features single post with crosshair reticle and very good optics that are slightly discolored but completely serviceable. The bolt and magazine are also matching the receiver and the action seems to function well mechanically. The included wooden case rates very fine retaining much of its olive drab patina showing some light flaking and exterior scuffs. The interior labels are intact and show matching numbers to the rifle and scope and the included metal scope cover is also stencil-numbered to the scope and rates near excellent retaining much of its original paint showing some

left side of the receiver also showing the appropriate "T" shows a small "ENGLAND" import mark along the right and British export proofs at the muzzle. The No. 32 sight and its mount retain about 94% arsenal black e mount having mostly flaked to the underlying dark finish and the scope showing some mild high edge wear rks. All markings remain intact with strong manufacturer date, blue-painted "B" and red "W". The scope mount al-renumbered to match the rifle, the scope itself is serial 7" and the rings are matching the base by numbers The scope features typical single post with crosshair good optics, there is an area of crazing or crackling in field of view along one of the internal lenses, it is not eable when focused on the reticle and the optics are d but still quite serviceable overall. The hardwood very fine to near excellent condition showing some ngs and handing marks with otherwise strong arsenal cheek rest showing a darker stained finish. The stocks ector stamps, the toe line is properly marked "S 51", the np-numbered matching the receiver and the wrist is ng the scope number "28567". The bolt is matching the -numbered magazine in near excellent condition is action seems to function well mechanically. The case rates very good showing some light chips and edges and overall light scuffs and the leather straps or tears and overall crackling. The internal label is mostly vas-covered 1946-dated scope case is included along set of original leather scope covers. The case shows markings and is numbered matching the scope along taining and scuffs. The orange label shows a number of but is mostly intact. A very fine cased British sniper rifle ollector. (13C9793-7) {C&R} (3500/5000) olt Action Sniper Rifle with Original Case 7.62 NATO, 27 1/2" barrel with a bright excellent bore. ces of this rifle retain about 95% heavy arsenal-reapplied ish showing some light high edge wear, scattered small ng along the barrel. The screw heads show the typical een on British arms and all markings remain intact and was arsenal converted from a BSA No. 4 MKI(T) sniper original markings, 1943 date and "TR" on the left socket. he receiver is properly marked "L42A1" along with stamp, "71" date and "T". The smooth hardwood stocks ood plus to very fine condition showing a few small a verv thin hairline crack at the bottom left edge of the of the socket, some scattered light dings and minor There is a painted white "1" on the left side butt, the tly numbered matching to the receiver while the wrist is d with the scope number "19313", the numbers rather arsenal-converted L1A1 scope and mount retain about nal-reapplied black enamel finish showing some high tered light flaking and handling marks with otherwise All markings remain strong and the scope mount is ng the rifle along with a painted "1" and a Canadian np with "57". The scope features single post with and very good optics that are slightly discolored but ceable. The bolt and magazine are also matching the action seems to function well mechanically. The case rates very fine retaining much of its olive drab some light flaking and exterior scuffs. The interior labels now matching numbers to the rifle and scope and the cope cover is also stencil-numbered to the scope and lent retaining much of its original paint showing some air of leather scope covers are also present and rate showing light staining. A very fine example of these desirable post-war British sniper rifles. (13C9807-240) {C&R} [Vincent Coniglio Collection] (4000/6000) Est. 4,000 - 6,000

Title/Description Lot

209	Very Fine Canadian No. 4 MKI* (T) Bolt Action Sniper Rifle by Long	]	211	Very Fine British P.14 Bolt Action Sniper Rifle by Winchester
	Branch			serial #W216097, 303 British, 26" '17-dated barrel with a bright excellent
	serial #90L8046, 303 British, 25 1/4" five-groove barrel with a bright			bore. The metal surfaces of this handsome rifle retain about 95-96%
	excellent bore. The metal surfaces of this attractive 1945-dated rifle			original blue showing some mild high edge wear, thinning along the bolt
	retain about 97-98% original blue showing some light high edge wear,			knob and some scattered light handling marks. The bolt body remains
	minor operational wear along the bolt and the front scope base showing			mostly bright showing some mild gray freckling and all markings remain
	some areas toning to plum-brown patina. All markings remain intact and			intact and strong with the serial number properly stamped along the right
	crisp, the left side receiver with proper model designation and maker			side rear receiver (sans the "W" prefix). The scope is a correct 1918
	information and the major components stamped with Canadian inspector			model by Periscopic Prism Co. Ltd. and is matching the rifle. The scope
	marks. The rifle shows a small "ENGLAND" import mark along the right			body and objective bell appear to have been arsenal-refinished,
	side receiver ring and British export proofs at the muzzle. The rear sight			retaining about 95% rust blue showing some scattered brown freckling,
	assembly is of Savage manufacture and correctly stamped with			and some light pitting throughout the objective bell that is blued-over. A
	Canadian "Maltese Cross" inspector mark and is properly lacking the			small broad arrow has been engraved atop the objective bell
	fixed battle sight. The No. 32 MK.3 telescopic sight and its mount			post-finishing and the brass fittings retain about 95% black enamel finish
	likewise retain about 97-98% original blue and black enamel finishes			showing overall light flakes toning to ocher brass. The smooth walnut
	showing some very mild high edge wear and minor handling marks. All			stock and handguards remain in very fine condition showing some
	markings remain crisp and clear with nice manufacturer markings,			scattered light dings, handling marks and a small 3/4" repaired chip at
	"1945" date, blue-painted "CB" and red "W". The scope itself is			the toe that shows some cracks reforming. They retain much of their
	serial-numbered "11-C" and the mount is matching the rifle. The scope features typical single post with crosshair reticle and very fine optics.			arsenal oil finish, the stock is stamp-numbered to the rifle on the bottom ahead of the forward action screw and shows strong inspector marks
	The walnut stocks remain in near excellent condition showing a couple			and crisp "(Broad Arrow) (Star) / (IW) / PATT.14" on the right side butt.
	sparsely scattered light dings along the toe line, one on the right side			The stock disc is unmarked and the front volley sight hardware is still
	ahead of the socket and left side handguard otherwise with just a few			intact. All visibly marked parts appear to be of correct Winchester
	more minor handling marks and strong arsenal oil finish. The stocks			manufacture, strangely the correct fine-adjustment rear sight is
	show crisp Canadian inspector stamps and the wrist is stamped with the			numbered "45475", the number having been crossed-out, and the bolt is
	scope serial number "11C". One un-numbered magazine retaining 95%			matching the receiver. The scope features a large single post with fine
	black enamel finish is included, the bolt is matching the receiver and the			crosshair and the optics remain very good and serviceable showing
	action seems to function well mechanically. A wonderful example of			some scattered light flakes and very mild discoloration. There are no
	these desirable Canadian sniper rifles for the advanced martial			visible import marks and the action seems to function well mechanically.
	collection. (13C9807-189) {C&R} [Vincent Coniglio Collection]			Included is an original black leather sling and leather-trimmed canvas
	(4000/6000)			scope case. The sling is by Sheldon & Sons Ltd. dated 1914 and rates
	Est. 4,000 - 6,000			very good plus showing some mild crackling and staining. The
210	German K98K Claw Mount Sniper Rifle by Steyr			canvas-covered scope case with leather fittings does not appear to be
	serial #1175d, 8mm Mauser, 24" barrel with a bright excellent bore. The			maker-marked but is stencil-numbered to the gun and remains in very
	metal surfaces of this rifle retain about 92% original blue showing some			good condition showing some overall mild staining, some scuffs and
	sparsely scattered specks of mild oxidation staining, mild thinning along			minor crackling along the leather straps and moderate verdigris along
	the bottom metal and scattered light handling marks. The extractor has			the studs. A lovely First World War sniper for the advanced martial
	taken on the familiar dark plum patina showing some areas of old			collection, only Winchester was contracted to produce P.14 snipers for
	oxidation staining and the checkered buttplate is a silvery pewter patina.			the British military. (13D9807-41) {C&R} [Vincent Coniglio Collection]
	The bmj-coded 4X Dialytan scope and its rings retain perhaps 60%			(5000/7000)
	original blue toning overall to a mild plum-brown patina and showing		212	Est. 5,000 - 7,000
	scattered areas of light oxidation staining and fine pinprick pitting. The		212	Swiss ZFK 31/43 Bolt Action Sniper Rifle by Waffenfabrik Bern
	alloy adjustment hardware retains 90% black enamel finish and the			serial #451969, 7.5 Swiss, 25 3/4" barrel with a bright excellent bore.
	markings remain strong. The scope itself is numbered "75612" and			The metal surfaces of this scarce rifle retain about 90% original blue with
	features the typical German reticle and very fine optics that show the slightest hint of discoloration and a few tiny occlusions. The smooth			most of the loss due to overall high edge wear particularly along the scope body, a few scattered light dings and a few minor freckles here
	pistolgrip laminated hardwood stock and handguard remain in very good			and there. The bolt remains bright showing some light handling marks
	plus condition showing a thin sliver missing at the toe along with a thin			along the handle, all markings remain intact and crisp and the arm does
	drying crack and 2 1/2" crack with sliver forming also around the toe.			not appear to be import-marked. The 2.8 power Kern scope with folding
	The stock otherwise shows just some scattered light dings and handling			objective and distinctive Swiss reticle shows somewhat discolored optics
	marks and retains a strong "(Eagle) / H" stamp along the right butt and			with a number of moderate occlusions but is certainly still serviceable.
	no visible Waffenamts. The stock and handguard are both numbered			The smooth pistolgrip walnut stock and handguard remain in about very
	internally matching the barrel. All other markings remain intact and			good condition showing the usual overall light dings and mild abrasions
	strong, many of the smaller parts bearing "(Eagle) / 77" Waffenamts, the			seen on Swiss rifles with generous original finish and a strong cartouche
	barrel with "(Eagle) / WaA140" and the floorplate and triggerguard with			on the right butt. The serialized parts are matching, the action seems to
	"(Eagle) / 135". The floorplate, barrel bands, rear sight parts and bolt			function well mechanically and an original muzzle cover and quick
	parts are all matching the barrel. The scope bases are also matching			detach sling swivel are included. A fine example of these interesting
	although the rings are mismatched but numbered rather close "d / 2818"			Swiss sniper rifles, only a couple thousand of which were manufactured.
	and the scope locks in securely. An original front sight hood and			These wartime models were essentially test guns with the Swiss military
	cleaning rod are present and the action seems to function well			settling on the heavily-modified ZF 55 for standard use post-war.
	mechanically. While the scope is mismatched this is still a very attractive			(13B9807-74) {C&R} [Vincent Coniglio Collection] (4000/5000)
	and desirable example of these distinctive Steyr-made sniper rifles.			Est. 4,000 - 5,000
	(13G9807-96) {C&R} [Vincent Coniglio Collection] (7000/9000)			
	Est. 7,000 - 9,000	J		

Est. 2,500 - 3,500

213	Australian No. 1 MKIII SMLE Bolt Action Sniper Rifle by Lithgow	216	Rare and Desirable Egyptian Maadi ARM Semi-Auto Carbine
	serial #49321, 303 British, 25 1/4" barrel with a bright excellent bore.		serial #S001358, 7.62x39mm, 16" chrome-lined barrel with a bright
	This is a very nice arsenal-refurbished sniper rifle built on a 1916-dated		excellent bore. The metal surfaces of this AKM-clone imported by Steyr
	Lithgow. The metal surfaces of this low-mount rifle retain about 97%		retain 99% original gloss black enamel over Parkerized finish with minor
	arsenal Parkerized finish showing some mild high edge wear, a couple		high edge and bearing surface wear and a few scattered light handling
	tiny spots of pinprick pitting on the receiver and light handling marks.		marks. The checkered brown polymer pistolgrip and laminated
	The Lithgow markings on the socket remain quite crisp and the top		hardwood buttstock rate excellent while the laminated hardwood
	barrel flat is properly stamped "H". The Pattern 1918 (AUST.)/I scope		handguards remain in very good condition with a narrow 1" laminate
	retains about 96% arsenal quality blue and black enamel finishes		separation in the lower left edge of the upper handguard and some light
	showing some light high edge wear and some scattered very fine		flaking of the shellac finish. The right side of the receiver is stamped
	pinprick pitting along the scope body beneath the finish. All scope		"STEYR, SECAUCUS, N.J." behind the handguard, the left side displays
	markings remain intact with Australian property markings and 1945 date,		"ARM SEMI AUTOMATIC RIFLE / caliber 7.62 X 39 / MAADI
	"B.A.A. 3650 G.A." and "A.O.C. / V." The scope features a large single		COMPANY / MADE IN EGYPT" above the pistolgrip. The right side of
	post with fine crosshair and very fine optics. The '43-dated Slazenger		the rear sight block is properly marked with the Egyptian "Pharaoh's
	Coachwood stocks remain in very fine to near excellent condition		Crown", the left side displays the Maadi logo and the bolt, carrier and
	showing overall fine arsenal sanding marks, a small crack at the back		dustcover are serialized to the receiver. The original military sights,
	edge of the rear handguard, a few scattered light dings and minor		cleaning rod and "slant" muzzle device remain intact and one original
	handling marks. The forend is stamp-numbered to the gun and the		"MADE IN EGYPT" marked 30-round steel magazine in included. Also
	stocks show strong Australian inspector stamps, "H" atop the wrist, "B"		included is what appears to be the original unmarked Egyptian AKM
	on the forend and proper wooden plug in the screw hole behind the		Type 2 bayonet and scabbard in very good condition along with a green
	middle band. The scope bases are matching each other numbered		cotton canvas AK/Rasheed sling also in very good condition.
	"1642" and the remaining serialized parts are matching. There do not		Considered to be the closest copy of a Soviet AKM available in the
	appear to be any import marks and the action seems to function well		United States, it is estimated that only a couple thousand of these
	mechanically. Also included is a 1945-dated canvas sling in very good		carbines were ever imported. (23B9807-78) {MODERN} [Vincent
	plus condition and canvas-covered scope case that shows a faint		Coniglio Collection] (2000/3000)
	illegible number and remains in very good condition showing some		Est. 2,000 - 3,000
	scattered light staining and mild scuffs. This is a very fine and scarce	217	Colt Pre-Ban SP1 AR-15 Semi-Auto Rifle
	Australian sniper rifle that would make an excellent addition to any		serial #SP35120, 223 Rem, 20" 1:12" twist pencil barrel with a bright
	martial collection. (13C9807-54) {C&R} [Vincent Coniglio Collection]		excellent bore. The metal surfaces retain about 99% original gray
	(5000/7000)		Parkerized finish with a tiny ding on the rear of the A1 carry handle,
	Est. 5,000 - 7,000		some very faint light oxidation on the C-marked front sight tower and
214	Swiss ZFK 55 Bolt Action Sniper Rifle by Waffenfabrik Bern		some slight high edge and operational silvering. The checkered polymer
	serial #1442, 7.5 Swiss, 25 3/4" barrel (29" overall including		A1 pistolgrip, A1 buttstock and triangular handguards with head shields
	compensator) with a bright near excellent bore showing a hint of faint		rate very good plus to near excellent with a few light handling marks and
	frosting in the grooves and strong rifling throughout. The metal surfaces		there are a few tiny dings in the rubber coating of the front sling swivel.
	of this rifle retain perhaps 85% original blue showing moderate silvering		This desirable early Colt AR-15 is equipped with an A1 flash hider,
	along the compensator and the barrel thinning to a mild gray patina		bayonet lug, and mil-spec charging handle and correctly lacks a forward
	while the receiver and barrel band show some fine scratches and		assist, brass deflector and fencing around the magazine release. One
	scattered light dings. The bolt handle shows some handling marks, the		C-Products aluminum 30-round magazine is included and the action of
	bolt remains bright and all markings remain crisp, there do not appear to		this excellent condition SP1 appears to function well mechanically.
	be any import-markings. The scope retains about 95% plus original blue		(23A9787-17) {MODERN} (1200/1800)
	and the folding bipod retains a healthy amount of original black enamel		Est. 1,200 - 1,800
	finish flaking to pewter gunmetal overall. The checkered pistolgrip	218	Daewoo K1A1 Semi-Auto Carbine
	hardwood stock and handguard remain in about very good condition	2.0	
			serial #031664_5.56 NATO_17" chrome-lined barrel including flash
1			serial #031664, 5.56 NATO, 17" chrome-lined barrel including flash
	showing a tiny chip behind one of the sling bar screws, somewhat worn		hider with a bright excellent bore. The metal surfaces retain 98% original
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K11A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000)		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine
	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000)		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by 1.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by 1.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider,		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider,		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition, complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} (1500/2000)
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light ware behind the short flash hider, slight high edge wear and a couple light handling marks. The black		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition, complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} (1500/2000)
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition, complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} (1500/2000)
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding tubular metal buttstock. The rotating front sling swivel and original		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition, complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} (1500/2000)
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding tubular metal buttstock. The rotating front sling swivel and original military sights including the folding dual leaf aperture rear sight and folding grenade launcher sight are intact. The butstock locks up tightly		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition, complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} (1500/2000)
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding tubular metal buttstock. The rotating front sling swivel and original military sights including the folding dual leaf aperture rear sight and folding grenade launcher sight are intact. The buttstock locks up tightly in both positions, one C-Products aluminum 30-round magazine and a		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding tubular metal buttstock. The rotating front sling swivel and original military sights including the folding dual leaf aperture rear sight and folding grenade launcher sight are intact. The buttstock locks up tightly in both positions, one C-Products aluminum 30-round magazine and a black nylon sling are included and the action of this excellent condition		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding tubular metal buttstock. The rotating front sling swivel and original military sights including the folding dual leaf aperture rear sight and folding grenade launcher sight are intact. The buttstock locks up tightly in both positions, one C-Products aluminum 30-round magazine and a black nylon sling are included and the action of this excellent condition Paratrooper appears to function well mechanically. This unusual variant		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]
215	showing a tiny chip behind one of the sling bar screws, somewhat worn finish and the overall light dings and mild abrasions typically seen on Swiss service arms. The Kern 3.5 power scope shows moderate yellowing of the optics but they are certainly still serviceable and the adjustment knobs remain functional. All of the serialized parts are matching including the scope and magazine and the action seems to function well mechanically. Also included are a rather worn fair-condition correct leather sling, quick detach swivel and gray metal scope case that is stamp-numbered to the gun and remains in very good plus condition showing some light flaking and mild scuffs. A solid example of these exquisitely-manufactured sniper rifles that appears to have seen some honest use. About 4,150 of these rifles were manufactured in the late 1950's for the Swiss military. (13B9807-38) {C&R} [Vincent Coniglio Collection] (4000/5000) Est. 4,000 - 5,000 Excellent Fabrique Nationale Model FNC Paratrooper Semi-Auto Carbine serial #S011982, 5.56 NATO, 16" chrome-lined barrel with a bright excellent bore. Imported by Howco of Laurel MD, the metal surfaces of this rare and desirable carbine retain 99% original black enamel and anodized finishes with some light wear behind the short flash hider, slight high edge wear and a couple light handling marks. The black synthetic handguard and pistolgrip rate excellent as does the folding tubular metal buttstock. The rotating front sling swivel and original military sights including the folding dual leaf aperture rear sight and folding grenade launcher sight are intact. The buttstock locks up tightly in both positions, one C-Products aluminum 30-round magazine and a black nylon sling are included and the action of this excellent condition		hider with a bright excellent bore. The metal surfaces retain 98% original gray Parkerized finish with some scattered light handling marks and very light silvering on the high edges and bearing surfaces. The black polymer checkered pistolgrip and ribbed handguards rate excellent with the handguards appearing an attractive mottled dark green color under direct bright light. The right side of the magazine well is import-marked by I.A. Co. while the left side displays "MADE IN KOREA / 5.56MM K1A1" and the left side of the upper receiver is marked "DAEWOO PRECISION INDUSTRIES LTD." This desirable carbine is equipped with a three-position extendable metal buttstock, a right side reciprocating charging handle and a left side bolt release, the original sling swivels and military-style sights are intact including the M16 A1-style dual aperture rear, and it accepts standard NATO-style magazines with one Orlite Engineering polymer 30-round magazine included. Also included is an aftermarket aluminum drop-in quad rail in excellent condition complete with M1913-rail covers, Larue handstop and mounting hardware. An excellent condition, seldom seen Daewoo K1A1. (23A9787-13) {MODERN} [1500/2000]

serial #HC31068, 7.62 NATO, 18 3/4" chrome-lined barrel including       Salmond of Perth         muzzle brake with a 1:12" twist and a bright excellent bore. The barrel       serial #1615, .68 caliber, 30" E         and lower M1913 rail of this Belgian-produced rifle retain about 92%       bright excellent bore and very         original Parkerized finish with the loss primarily on the rail which shows       extremely high quality, remain:         silvering and high edge wear along with a handful of small moderate       with a full complement of origin         scratches. The monolithic aluminum upper receiver retains about 98%       engraved *Ancell & Salmond C         matte black hard-anodized finish with minor silvering of the high edges       Albert" with flowing border scr         and wear points and a few scattered tiny handling marks. The black       a sliding bolt to rear of hamme	cussion Sporting Rifle by Ancell and Brunswick rifled octagon barrel with a graceful swamped muzzle. This rifle is of s in wonderful condition and comes cased nal accessories. The top of the barrel is George St. Perth Makers to HRH Prince oll surround-ing the marking. The lock has r and shows lovely scroll engrav-ing with
muzzle brake with a 1:12" twist and a bright excellent bore. The barrel and lower M1913 rail of this Belgian-produced rifle retain about 92% original Parkerized finish with the loss primarily on the rail which shows silvering and high edge wear along with a handful of small moderate scratches. The monolithic aluminum upper receiver retains about 98% matte black hard-anodized finish with minor silvering of the high edges and wear points and a few scattered tiny handling marks. The black       serial #1615, .68 caliber, 30" E	graceful swamped muzzle. This rifle is of s in wonderful condition and comes cased nal accessories. The top of the barrel is George St. Perth Makers to HRH Prince oll surround-ing the marking. The lock has r and shows lovely scroll engrav-ing with
and lower M1913 rail of this Belgian-produced rifle retain about 92% original Parkerized finish with the loss primarily on the rail which shows silvering and high edge wear along with a handful of small moderate scratches. The monolithic aluminum upper receiver retains about 98% matte black hard-anodized finish with minor silvering of the high edges and wear points and a few scattered tiny handling marks. The blackbright excellent bore and very extremely high quality, remain- with a full complement of origin engraved "Ancell & Salmond C Albert" with flowing border scrue a sliding bolt to rear of hamme	graceful swamped muzzle. This rifle is of s in wonderful condition and comes cased nal accessories. The top of the barrel is George St. Perth Makers to HRH Prince oll surround-ing the marking. The lock has r and shows lovely scroll engrav-ing with
original Parkerized finish with the loss primarily on the rail which shows silvering and high edge wear along with a handful of small moderate scratches. The monolithic aluminum upper receiver retains about 98% matte black hard-anodized finish with minor silvering of the high edges and wear points and a few scattered tiny handling marks. The blackextremely high quality, remain with a full complement of origin engraved "Ancell & Salmond C Albert" with flowing border scrue a sliding bolt to rear of hamme	s in wonderful condition and comes cased nal accessories. The top of the barrel is George St. Perth Makers to HRH Prince oll surround-ing the marking. The lock has r and shows lovely scroll engrav-ing with
silvering and high edge wear along with a handful of small moderate       with a full complement of origin         scratches. The monolithic aluminum upper receiver retains about 98%       engraved "Ancell & Salmond C         matte black hard-anodized finish with minor silvering of the high edges       Albert" with flowing border scratches         and wear points and a few scattered tiny handling marks. The black       a sliding bolt to rear of hamme	nal accessories. The top of the barrel is George St. Perth Makers to HRH Prince oll surround-ing the marking. The lock has r and shows lovely scroll engrav-ing with
scratches. The monolithic aluminum upper receiver retains about 98%       engraved "Ancell & Salmond C         matte black hard-anodized finish with minor silvering of the high edges       Albert" with flowing border scra         and wear points and a few scattered tiny handling marks. The black       a sliding bolt to rear of hamme	George St. Perth Makers to HRH Prince oll surround-ing the marking. The lock has er and shows lovely scroll engrav-ing with
matte black hard-anodized finish with minor silvering of the high edges and wear points and a few scattered tiny handling marks. The black a sliding bolt to rear of hamme	oll surround-ing the marking. The lock has ar and shows lovely scroll engrav-ing with
and wear points and a few scattered tiny handling marks. The black a sliding bolt to rear of hamme	r and shows lovely scroll engrav-ing with
	, , , , , , , , , , , , , , , , , , , ,
polymer lower receiver, textured A2 pistolgrip and buttstock rate tasteful border work and "Ance	
	ell & Salmond / Perth" ahead of hammer.
excellent with a few faint signs of use. This desirable arm is the civilian The barrel shows a platinum b	and at the breech along with more lovely
version of U.S. Special Operations Command's latest service rifle, the scroll which also extends onto	the barrel tang in full coverage. The
	and shows a platinum blow out plug. The
ambidextrous safety levers, magazine releases, and sling points, left or triggerguard shows a folky gar	ne scene of two stag in a forest scene on
right side charging handle, two-position short stroke gas system, M1913 the bow and with a lovely fanc	y finial to the front and full length tang
rails at the 12, 3, 6, 9 o'clock positions, right side folding and telescoping which terminates at the beauti	fully engraved steel grip cap. The patch
buttstock with adjustable comb height, and the rifle is equipped with the box has a very folky and ender	aring image of a walking stag engraved
original factory folding sights and FN-logoed PWS muzzle brake. Also along with scroll and a lovely r	ope patterned border. The buttplate
	ring around the engraved screw-heads
	aved. The condition of the rifle is just as
wear from use. This lightweight and powerful rifle is in overall excellent fine as the craftsmanship. The	barrel retains 95% orig-inal brown finish
	ascus patten visible its entire length. The
	show virtually all of their original color
	just slightly darkened and under light
	kered pis-tolgrip stock with horn forend tip
	nut and rates excellent with 95% original
open top, square butt, scooped flute version of these fine Hopkins and finish remaining and showing of	crisp edges. There may have been a light
	t but the surface and appearance is
	and minor marks in the forend checkering.
	ng mix of faded color case-hardening and
	nooth and free of any oxidation or pitting.
	condition story the best with over 90%
	overall and with areas of loss showing a
	. The rifle is sighted with low profile blade
	a three leaf express rear, also dovetail
	eing completely flush with the barrel when
	sight is regulated for 100, 150 and 200
	th its original brass-tipped rosewood
	fle comes in its original oak casing with
	he case houses the following accessories:
	plements, turnscrews, nipple wrench,
	ped flask, two turned rosewood
	and pewter oilers, a turned bone cap
	elted Brunswick ball, and a number of cast
	id retains its Ancell and Salmond makers
	Council Medal for the Great Exhibition of
	re perhaps at the peak of their success
	the Royal Warrant of Appointment from
	His Majesty" in 1847 and by 1851 when
	hop employed nine men. It is interesting to
	le rifle for Prince Albert which was also
	ber is 2039. Records for Ancell and
	rifle likely would have had an interesting
	Scottish sporting rifle worthy of the finest
	70-605) {ANTIQUE} [David & Lore Squier
Collection] (10,000/15,000)	
Est. 10,000 - 15,000	

Est. 3,000 - 5,000

		-		
222	Fine & Scarce Bacon Navy Model Swing-Out Cylinder Revolver	] [	225	U.S. Colt First Model Dragoon Revolver
	Formerly of the William Locke Collection			serial #6826, 44 cal., 7 1/2" part round part octagon barrel with a bright
	serial #41, 38 RF, 7 1/2" octagon barrel with a mostly bright about very			excellent bore. This revolver shows matching numbers on the barrel,
	good plus bore showing some scattered spots of light pitting, minor			loading lever, frame, cylinder, arbor, triggerguard and backstrap. The
	frosting and strong rifling throughout. The barrel of this handsome			wedge appears to be a Colt wedge but it is unnum-bered and the
	revolver retains about 85% original bright blue with most of the loss due			backstrap channel of grip has faint pencil writing which is not
	to some overall light flaking to a pleasant gray-brown patina along with			decipher-able. The barrel bears the proper New York address and the
	some scattered mild freckling and a very small but moderate notch cut			cylinder shows the desir-able "U.S. DRAGOONS" marking and the
	into the top edge at the muzzle that does not impede into the bore. The			scene is about 90% visible. The left side of the frame is marked
	cylinder and frame show some generous scattered flakes of bright blue			"COLT'S / PATENT / U.S." and the revolver shows sub-inspector ini-tials
	having mostly toned to a mottled gray-brown patina with some areas of			"N" on loading lever, "A" and "K" on triggerguard, "K" on cylinder and "B"
	the frame more of a silvery pewter tone along with some old freckling			on top of backstrap. This revolver shows no finish but is very crisp with
	here and there. The cylinder crane and latch retain about 95% original			all markings being clear and legible and with metal surfaces remaining
	bright blue, the hammer shows strong vibrant case-hardened colors			quite smooth with just a couple patches of light pitting on one area of the
	along the sides and the original removable ejector rod has toned to a			cylinder. The metal surfaces bear a pleasing light to medium gray patina
	silvery case-hardened patina. The Bacon Mfg. Co. Norwich barrel			overall with all edges sharp. The gripstraps bear a pleasing rich pati-na
	address was rather poorly struck but remains legible along with the G.			and the one-piece walnut grip rates very good with good visible
	W. Hopkins patent mark on the left flat and the cylinder shows a crisp			cartouches on each side along with sub-inspectors initial "B" in butt. The
	Rollin White patent date. The smooth walnut grips remain in very good			grips fit nicely and show some thin original finish and smooth surfaces.
	plus condition retaining about 95% original varnish showing a few small			This is a very crisp First Model Dragoon, far better than average and
	flakes, a number of small moderate dings along the base of the right			remains a wonderful reference piece with clean markings and edges.
	panel and a few other light handling marks. The right panel is			(1D9670-443) {ANTIQUE} [David & Lore Squier Collection] (7000/9000)
	pencil-numbered to the gun and the barrel and cylinder are matching the			Est. 7,000 - 9,000
	frame. The action seems to function well mechanically with solid timing		226	Excellent Remington-Elliot Ring Trigger Pepperbox Pistol
	and lock-up. This is a very attractive example of these interesting and			serial #11990, 32 RF, 3 3/8" four-barrel cluster with mostly bright very
	desirable revolvers, important for their innovative swing-out cylinder			good bores showing a few small areas of light pitting and strong rifling
	design. This example is pictured on page 375 of the William Locke			throughout. The barrels of this lovely pistol retain about 80% original
	Collection book published by Antique Armory Inc. (13B9857-8)			bright blue with the undersides having mostly toned to a pleasant mild
	{ANTIQUE} (2000/3000)			gray patina and showing some overall light flaking to smooth gray-brown
	Est. 2,000 - 3,000	-		mostly noticeable under bright light. The E. Remington & Sons address
223	Scarce Bacon Navy Model Single Action Revolver			on the left rib and Elliot patent information on the right remain crisp and
	serial #59, 38 RF, 7 1/2" octagon barrel with an about good bore			clear. The frame retains about 98% original silver finish showing a few
	showing some moderate scattered pitting and oxidation with otherwise			scattered light handling marks and is taking on an attractive mild tarnish
	strong rifling throughout. The metal surfaces of this revolver have mostly			overall. The ring trigger has mostly toned to a silvery case-hardened
	toned to a pleasant mix of pewter-gunmetal and mild gray-brown patina			patina showing some smoky colors in the protected areas and the screw
	showing some remnants of light pitting around the breech and front of			heads and small internal parts retain almost all of their lovely brilliant fire
	cylinder, a few light dings along the base pin and some scattered thin			blue. The smooth rosewood grips remain in excellent condition retaining
	streaks of original bright blue along the barrel, quite strong around the			about 98% original varnish with just a hint of mild edge wear and a few
	front sight. The sides of the frame are factory embellished with some			tiny handling marks. The action seems to function well mechanically and
	tasteful light foliate scrollwork and the sides of the hammer show faint			the barrel cluster locks up securely. A wonderful example of these
	smoky remnants of color case-hardening. The top barrel flat shows a			popular pepperbox pistols that were generally well-carried and rarely
	strong small font Bacon Mfg. Co. address and the cylinder is not marked			retain any condition. (13B9857-34) {ANTIQUE} (1500/2500)
	with the Rollin White patent date. The smooth walnut grips remain in			Est. 1,500 - 2,500
	very good plus to very fine condition showing a few scattered light dings		227	Superb Remington Model 95 Double Deringer with Original Box
	more noticeable nearer the base of the right panel, somewhat worn			serial #407, 41 RF, 3" barrels with bright excellent bores. The metal
	finish and a small "H" on the base of each panel. The right panel is			surfaces of this lovely Type II pistol retain nearly 99% original nickel
	pencil-numbered to the gun and the remaining serialized parts are			finish showing just a couple small flakes and one tiny spot toning to
	matching. This is the first type variation with hinged lever base pin			brown along the muzzle flats and perhaps a few other minor handling
	assembly and cylinder that needs to be removed for loading and			marks here and there. The hammer and trigger retain 99% original blue
	unloading. The action seems to function well mechanically with excellent			while the small parts likewise retain about 99% bright fire blue. The
	timing and lock-up. A fine example of these interesting low-production			Remington Arms Co. address remains crisp and clear. The black
	revolvers, one of the many designs felled by Smith & Wesson's Rollin			checkered hard rubber grips remain in excellent condition with perfect fit
	White patent. (13B9857-9) {ANTIQUE} (1000/1500)			to the frame. Barrel-to-frame fit and the hinge remain solid and the
				action seems to function well mechanically. The maroon box is rather
224	Est. 1,000 - 1,500			
224	Rare Remington Zig-Zag Deringer			tender overall and rates about fair-good, one side of the lid is missing
	serial #732, 22 RF, 3 3/16" barrel cluster with good bores showing			and shows a piece of tape along its length, the other side and ends of
	scattered old pitting and oxidation with strong rifling throughout. The			the lid show glue repairs with a portion of one end missing. There is
	metal surfaces have mostly toned to a silvery pewter patina showing			moderate flaking overall but most of the maroon paper covering is intact
	some areas of pale brown undertones, a few areas of mostly			and the end label and print on the interior of the lid are almost entirely
	smoothed-over old pitting along the barrels and some finer scattered			intact and legible. There is what appears to be faint remnants of a pencil
	unobtrusive pinprick pits. The frame shows a few flakes of tarnished			number along the bottom but it is illegible. This fine pistol would make an
	silver plating lurking about the very protected areas and beneath the grip			excellent addition to any Remington collection. (13B9857-30)
	panels. The left arch of the rear sight at the top back of the frame has			{ANTIQUE} (2000/3000)
	broken off, it is a very thin portion about 3/16" in length. The right side of	l l		Est. 2,000 - 3,000
	the frame retains a completely intact and strong Remingtons Ilion			
1	address and the left side shows nice Elliot patent dates. The smooth			
	block gutte percha gripe are stomp numbered to the gup and remain in			
	black gutta-percha grips are stamp-numbered to the gun and remain in			
	very fine to near excellent condition showing a few tiny dings around the			
	very fine to near excellent condition showing a few tiny dings around the edges and some mild handling marks. All six of the small German silver			
	very fine to near excellent condition showing a few tiny dings around the edges and some mild handling marks. All six of the small German silver post front sights are intact and the action seems to function well			
	very fine to near excellent condition showing a few tiny dings around the edges and some mild handling marks. All six of the small German silver post front sights are intact and the action seems to function well mechanically. This is a fine example of these peculiar and desirable			
	very fine to near excellent condition showing a few tiny dings around the edges and some mild handling marks. All six of the small German silver post front sights are intact and the action seems to function well mechanically. This is a fine example of these peculiar and desirable Remington pistols, less than 1000 of which were made from about			
	very fine to near excellent condition showing a few tiny dings around the edges and some mild handling marks. All six of the small German silver post front sights are intact and the action seems to function well mechanically. This is a fine example of these peculiar and desirable			

#### Lot Title/Description

Lot Title/Description

Winchester Model 1873 Saddle Ring Carbine

228 Rare Remington-Beals First Model Pocket Percussion Revolver with Box & Accessories serial #75, .31 cal, 3" octagon barrel with a partially bright about very good bore showing some scattered light pitting and strong rifling throughout. The barrel of this fourth issue revolver retains perhaps 15-20% original bright blue with the balance flaked to a mix of pewter gunmetal and mild gray-brown patina also showing some scattered light scuff marks and a few small dings. The cylinder and frame have mostly toned to pewter-gunmetal patina showing a few light dings, some sparsely scattered pinprick pitting and the cylinder retaining some generous flakes of original bright blue. The hammer shows remnants of silvery case-hardened patina while the trigger and hand retain a healthy amount of bright fire blue. The left-side frame-mounted spring appears to be an older replacement or was repaired long ago and the triggerguard retains about 85% original silver finish taking on a lovely dark tarnish with some thinning to German silver along the bow. The Beals patent information along the barrel remains mostly strong and the Remington topstrap markings remain crisp. The smooth black gutta-percha grip remains in excellent condition showing just a couple tiny dings or mild handling marks. It is clearly stamp-numbered matching on the base and its fit to the frame remains excellent. The triggerguard is also matching, the silver cone front sight is intact and the action seems to function well mechanically with very good timing and lock-up. The revolver includes a scarce original black paper-covered box, small powder flask and dual cavity bullet mould. The box rates about very good-fine showing light flaking of the textured black exterior that still remains mostly intact. The corners of the lid are separated and there are a few small tears, but the flaps remain intact, the base shows detached corners on one side flap, a few small tears and overall mild staining with the model name lightly written in pencil along the interior. The internal partitions are intact and the blue paper base is mostly intact and shows number "1612" in red grease pencil. The small brass Federal Eagle powder flask with crossed pistols motif rates very good plus showing a couple small shallow dents, some mild tarnishing and the spring with a tiny crack. The spring shows some remnants of bright fire blue and the flask has toned to a pleasant ocher patina overall. The unmarked dual round ball mould remains partially bright showing some mild old oxidation staining and light dings. A seldom-seen ensemble that would make a fine addition to any advanced Remington collection. (13C9857-38) {ANTIQUE} (2000/2500) Est. 2,000 - 2,500 229 Excellent Remington Model 95 Double Deringer serial #832, 41 RF, 3" barrels with bright excellent bores. This is a wonderful Type II deringer retaining 99% plus original nickel finish showing just a few tiny scattered handling marks. The trigger and hammer retain 98% original blue showing some faint silvering while the extractor and latch similarly retain 98% attractive pale fire blue. The Remington Arms Co. address remains clear. The pistol wears a set of un-numbered smooth mother-of-pearl grips that remain in very fine condition showing just a couple of very tiny slivers missing along the edges. The action seems to function well mechanically, the hinge is intact and barrel lock-up is solid. A wonderful double deringer that would make an excellent addition to any Remington collection. (13B9362-63) {C&R} [Edward W. Marron, Jr. Collection] (1000/1500) Est. 1.000 - 1.500 230 Winchester Model 1892 Trapper Saddle Ring Carbine serial #786820, 32 WCF, 14" barrel with a very good plus bore which shows strong rifling but with some scattered light pitting, more prominent near the breech. The metal surfaces retain about 90-92% later lightly buffed blue, with the magazine tube, hanger and band being a dull pewter gray patina, as-is the left frame flat. The gumwood buttstock and forend rate very good plus as sanded and refinished, the metal now proud over all, with remnants of light handling marks beneath the finish. The left side saddle ring staple has been removed, there are two fillers screws in its place. The front sight blade is a later replacement but the correct original ladder-style rear is present. The arm seems to function well mechanically and likely would still spin a bullet very well. Included with the arm is a BATF letter which removes it by serial number from the provisions of the NFA as a C&R. An attractive and handy little smallbore trapper. (39854-3) {C&R} (3000/5000) Est. 3,000 - 5,000

231	Winchester Model 1873 Saddle Ring Carbine
	serial #236093, 44-40 WCF, 20" barrel with an about good bore which
	shows evident rifling but with light pitting its full-length. This is a very
	honest Third Model Saddle Ring carbine with a very "been there-done
	that" look. All the metal surfaces are a pleasing, mostly smooth, plum
	brown and pewter patina with scattered sparse oxidation here and there, the barrel showing some light pitting on the left side, the magazine tube
	on both sides, between the front band and forend. The receiver and
	plates show a bit as well and there is some silvery case-hardening on
	the hammer, the cartridge lifter an ochre patina with the caliber marking
	a bit light. The walnut buttstock and forend rate very good with the
	expected overall light dings and handling marks, the butt with some old
	added varnish, it is however un-sanded and the wood is proud of the
	metal overall. The forend shows more wear, as-is common, from the
	years of carry. There is a light scar along the left side front from band
	removal and installation and a couple more light scuffs, there is a small
	divot at the toe and a 3" crack at the right side of the comb but it is tight
	and will not flex. What is likely the original silver blade front sight is in
	place as-is the ladder style carbine rear and the saddle ring is
	appropriately in its left side stud. The gun seems to function well
	mechanically and is an overall very good example, made in 1887, that
	looks like it spent its share of time in a saddle scabbard. (3B9746-24)
	{ANTIQUE} (2500/4000)
232	Est. 2,500 - 4,000 Magnificent Engraved and Cased British Percussion Prize Rifle by
202	Joseph Lang
	.451 caliber, 33" part round part octagon barrel with flattened top
	sighting plane and a bright excel-lent bore. The top of the barrel is
	marked "J. LANG 22 COCKSPUR ST. LONDON" as well as HENRY'S
	PATENT / NO. 6 P / EDINBURGH". The lock, barrel breech and tang
	show wonderful relief floral scroll with lovely border work and lockplate is
	engraved just above front mounted sliding bolt "J. LANG". The round
	patchbox, buttplate tang and triggerguard show more of this lovely scroll
	engraving. The left side of the butt shows a large engraved oval silver
	plaque which is engraved "Presented / By / T. Sutton Western Esqre
	M.P. / to the / 23rd Maldon Essex Rifle Volunteers / and won by / Private
	George Low / August 7th 1862." A period account of this presentation is found in the September 6, 1862 edition of the The Illustrated London
	News on page 271 where the entry reads "A rifle given by Mr. T.S.
	Western M.P. and won by Private Low". The rifle is setup in long range
	military service rifle configuration with military barrel sights only and
	configured much like a pattern 1853 rifle with a checkered pis-tol grip
	stock. The condition of the rifle is fabulous with the barrel show-ing 95%
	of its original brown finish with vivid damascus pattern visible its entire
	length with just a little very light and scattered specks of oxi-dation
	staining. The lock, breech and tang show 90% original color
	case-hardened finish which is darkening slightly but still shows nice
	contrast. The patchbox shows 95% original color case hardened finish
	which is fading slightly but is all there, the buttplate is a mix of gray
	pati-na and faded color. The checkered English walnut stock rates
	excellent with nearly all of its original finish and with extremely sharp checkering. The edges are sharp and the dropper points are as crisp as
	can be. The rifle is sighted with a globe style front mounted close to
	muzzle along with a graduated adjustable rear ladder sight. The rifle
	comes in its original oak case with green baize lining and original Lang
	lid label. The case includes a bush pattern copper powder flask, two
	brass bullet moulds for casting different weight projectiles, two tins of
	percussion caps, two rosewood turned cannisters, one with patches, a
	bone cannister with a spare nip-ple along with a leather sling. The case
	is in about excellent condition overall with normal wear and marks on
	exterior, clean interior and it is sound. This is a stunning prize rifle
	exhibiting the finest 19th century British quality and remaining in superb
	condition. The period newspaper account of the presentation is a nice
	little extra. An investment quality British percussion prize rifle. (1G9670-600) {ANTIQUE} [David & Lore Squier Collection] (7000/9000)
	(1G9670-600) {AN FIGUE} [David & Lore Squier Collection] (7000/9000) Est. 7,000 - 9,000

Lot Title/Description

233	Winchester Model 1876 Saddle Ring Carbine	236	Wonderful Maynard Model 1882 Deluxe Rifle Two Barrel Set Cased
	serial #52969, 40-60 WCF, 22" round barrel with a good plus bore which		Sporting Outfit
	shows rifling its full-length and scattered light pitting. The metal surfaces		38-55 WCF, 28" part octagon, part round barrel with a bright excellent
	of this Third Model are an overall dull pewter gray and gunmetal patina		bore and 40-60 Maynard, 28" part octagon, part round barrel, also with
	with scattered light brown oxidation freckling and some light pitting, also		an excellent bore. The smaller bore barrel shows perhaps a bit more
	with the expected light dings and handling marks that come from a		wear retaining about 9 0-92% original blue, the 40 caliber closer to 95 to
	field-used gun that no doubt spent some time in a saddle scabbard.		perhaps 97%, the loss on each due to fading, light high edge wear, and
	There are some light vise bite marks at the muzzle and on the nosecap.		with some sparse very minor oxidation here and there and perhaps a
	The hammer and lever show some remnants of silvery case-hardening		few handling marks. The frame is guite nice with about 97% original
	and the caliber marking is legible on the cartridge lifter. The carbine style		color case-hardening, quite vivid in most areas, toning somewhat at the
	buttstock rates about good showing an old sanding which has left the		very front of the frame flats, with slight bit of oxidation staining on the
	metal somewhat proud and numerous moderate gouges or dings which		belly, but still showing colors in that area. The screws still show good
	were sanded-through to soften them; there are 2" cracks left and right of		blue and the hammer some smoky color case-hardening, each lever
	the comb which will not flex. The full-length forend is similar showing a		now toned to a silvery and pewter case-hardened patina. The deluxe
	3" sliver missing at the left side nose and the same sanded-through		American black walnut pistolgrip buttstock rates very fine with the
	divots here and there. The original silver blade front sight has worn		expected light handling marks and scratches that come from the years, it
	down somewhat and the appropriate ladder-style carbine rear is present,		exhibits beautiful crotch figured grain on left of butt with nice figure on
	as-is the saddle ring. The arm functions mechanically although it is a tad		the right. The checkered forearms match perfectly, the larger bore
	bit stiff, but to the gun remains a good example piece for the Winchester		forearm showing a bit more wear and some darkening from handling.
	collector without one of these large frame, full-bore rifles (or in this case		Checkering on all remains sharp, the buttstock with thin mullered front
	carbines), manufactured 1884. (3A9746-47) {ANTIQUE} (2000/4000)		borders, the large bore checkering showing a bit more wear. The butt is
	Est. 2,000 - 4,000		
234	Winchester Model 1892 Lever Action Rifle		fitted with what appears in every respect to be its original Swiss style
2.54			nickel plated buttplate which rates about excellent showing only some light wear to the brass beneath on each of the knobs. The smaller bore
1	serial #857156, 32-20 Win, 24" octagon barrel with a bright excellent		0
1	bore. The barrel and magazine tube retaining about 97% original blue,		barrel is sighted with a windage adjustable globe front sight with spirit
	the loss due primarily to even fading on the barrel, the blue on the tube		level and simple v-notch sporting rear, with a larger target sight dovetail
	stronger, the barrel with wear to pewter on the sharp edges and at the		cut 1" ahead of the breech; it is currently blank. The larger bore barrel
	muzzle, also showing its share of tiny scratches or light handling marks		features simple sporting sights with a blade front and v-notch rear. The
	from the years. The nosecap has flaked primarily to brown as has the		tang is equipped with a very nice Maynard medium-range tang sight with
	receiver, which shows strong trace original blue, but is primarily a flaked		supporting pedestal at the rear most portion of the tang. It rates very fine
	plum and pewter patina, each flat showing some light pitting, a bit more		with some pale fire blue still present on the aperture. A lovely sporting
	prominent on the left, along with some light handling marks. The lever		and target rifle in its own right, it comes in a nice quality layman-made
	and hammer are primarily a dark gray-blue, faded original blue, with		oak and walnut veneer carry case with accessories and a later green
	flaking to plum, the loading gate with some strong fire blue. The		baize lining. Accessories include a nickel plated steel loading pedestal
	American walnut stock rates very fine with much original varnish and		die and ram for the 38-55 caliber; a turned steel swedge die for the
	only light handling marks from the years, the left side of butt showing a		40-60 caliber, no ram is present for that die; a nickel plated capper with
	number of more moderate dings but they are unobtrusive. The buttplate		a butt-mounted decapping pin; a 40-6 0 breech seater; two boxes of 3 8
	shows some strong original blue, perhaps 95% remaining, with wear at		caliber cast projectiles in old U MC two piece boxes (the projectiles are
	the heel and toe. The forend shows a bit more wear as-is normal, with		not original to the boxes); an old wooden base sliding sleeve of
	some more dings and handling marks, but good original varnish. What is		Winchester primers; some 38 caliber paper wads and a small
	likely the original patent date front sight is intact as is the flattop v-notch		assortment of paper-patched 3 8 caliber projectiles. Inside the lid of the
	sporting rear. The gun functions well mechanically and with its lovely		case are 74 vintage 38-55 shell casings and two 40-60 Maynard
	bore would likely spin a bullet very well, while still maintaining monetary		casings. The carry case itself is heavy and well-made for a layman's job,
	value as the years pass. (39746-48) {C&R} (2000/3000)		it has two very simple leather carry handles affixed which are later to the
	Est. 2,000 - 3,000		case. Both sets of barrels mount up solidly and the arms seems to
235	Commonwealth of Pennsylvania 1797 Contract Flintlock Musket		function well mechanically. The barrels are numbered differently from
	.70 cal, 44" barrel with an oxidized bore. This is a very fine untouched		one another, there are no numbers at all on the frame, this set has
	example of a Melchior Baker Commonwealth of Pennsylvania musket in		clearly been together since new and was doubtless ordered this way by
	as-found condition. All of the metal surfaces are very pleasing soft plum		a previous owner, the fit, finish and wood treatments matching precisely.
	brown patina with minor scattered oxidation and pitting in the		An exceptionally nice little deluxe two-barrel set Maynard rifle, clearly
	appropriate flash areas around the touchole, pan and lock. The front		one barrel used for sporting purposes, the other for target. (3D9827-6)
	sight/bayonet lug remains in place with a good firing proof near the		{ANTIQUE} (4000/6000)
	breech and legible "CP" Commonwealth of Pennsylvania marking; there		Est. 4,000 - 6,000
	are also some minor tool marks on the left side of the barrel. The lock	237	U.S. Model 1817 Flintlock Rifle by Simeon North
	fits the stock precisely and is "M Baker" marked at its rear along with		1829-dated, .54 cal, 36" barrel with an oxidized bore which shows pitting
	"CP" near the teat. The arm remains in original flint in every respect.		its full-length. An honest 1817 rifle, the barrel is a silvery gunmetal gray
	The American black walnut stock rates fine as un-touched, with sharp		patina with overall remnants of light oxidation staining scattered about
	edges, light handling marks, original varnish and a 4" drying crack on left		the surface with some scattered light pinprick pitting. The original front
	side of butt. The lock will not hold at full cock but does on half cock and		and rear sights are intact and the U.S. markings are present on the left
	the original ramrod is present. This is a nice untouched as-found		radius of the barrel, the tang dated 1829. There are some minor dings
	Commonwealth of Pennsylvania musket as authorized by the		and handling marks, primarily around the bands but the arm is in original
	Pennsylvania State Legislature in 1797, this made by Melchior Baker,		flint in every respect. The lockplate is properly marked and 1829 dated
	the initial contract for 2000 muskets. (39845-4) {ANTIQUE} (2500/4000)		at its rear, the pan an ochre-green patina. The balance of the metal
	Est. 2,500 - 4,000		surfaces are all a pewter gray with light brown oxidation staining. The
			walnut stock rates very good to fine with an older very light cleaning,
			minor dings and handling marks and a slightly light left side cartouche;
			there is a small crack from the breech to the upper sideplate screw. The
			lock functions sporadically mechanically and can be made to fall from
			full cock, sometimes catching on half cock on the way down; the original
			brass-tip ramrod is present. An honest very good example overall of
			these quality-made flintlock rifles. (39845-3) {ANTIQUE} (2000/3000)
			Est. 2,000 - 3,000
		L	1

.

Lot Title/Description

238 Colt Model 1851 Navy Percussion Revolver	240	Cased Pair of Colt 1851 Navy Second Model Squareback Navy Pistols
serial #7268, .36 cal, 7 1/2" octagon barrel with a bright otherwise		serial #1752 and 2759, .36 caliber, 7 1/2" octagon barrels. This is a very
excellent bore were it not for a couple sparse spots of light pitting near		handsome and honest set of factory cased early and desirable Colt
the muzzle, one area a bit more moderate about mid-length and areas		1851 Navy revolvers. Revolver No. 1752 is all matching except for
of light pitting near the breech, otherwise a very stellar bore over all,		wedge which is numbered "947" and its bore is near excellent with just a
perhaps now rating fine. The barrel itself shows perhaps 75-80% origina	1	few specks of light surface oxidation. The barrel retains 75% original
blue, the balance flaked to a brown patina with the expected light dings		blue with loss due to light overall flaking and with those areas bearing a
and handling marks, conical brass front sight and New York address.		pleasing smooth brown patina. The cylinder shows 95% vivid naval
The cylinder is a pewter gunmetal gray with sparse remnants of		engagement scene and retains about 70% original blue with loss due to
oxidation staining and two small spots of pitting, the naval engagement		flaking and with those areas showing a pleasing smooth brown patina.
scene remains vivid and the hammer rest pins are mostly intact, a		The frame shows perhaps 40% original color case-hardened finish
couple just partially. The loading lever and frame are a pleasing mottled		which is turning dark and blend-ing with a medium gray brown patina.
pewter, gray and silvery case-hardened patina, the frame showing		The hammer and loading lever show some faded color and are mostly a
remnants of oxidation staining and a few scattered light pinprick pits, the		smooth brown patina. The gripstraps retain 97% original silverplated
hammer being similar with pits in the protected area beneath the frame.		finish with nice tarnish in front of trigger. The one-piece walnut grips rate
The triggerguard retains perhaps 85-90% original silver plate, toning to		excellent with 95% original finish remaining. Revolver No. 2759 is all
ochre in the grasping area of the frontstrap, the backstrap retaining		matching including the wedge and the bore is about good with bright
perhaps 92% strong original silver plate, toning along the sharp edges.		lands and pitting in the grooves. The barrel retains 75% bright original
The smooth walnut one piece grip rates very fine as lightly cleaned with		blue finish with silvering on the high edges and some light impact marks
a bit of added finish many years ago, but retaining light dings and		on right side of barrel lug in area of the wedge. The cylinder shows
handling marks beneath the finish, it fitting extremely well; it is ink pen		about 80% of its naval engagement scene and is an overall medium
numbered to the gun on its interior. All of the numbers are matching		gray brown patina with a section of pitting along one chamber partially
including the wedge and the gun times perfectly and seems to lock up		obscuring the "COLT'S PATENT" marking but with the serial number
well. A very respectable early 1851 Navy revolver that remains in very		remaining fully legible. The frame retains a mix of dull original color case
fine condition, appearing to have seen very little use and was well cared		hardened finish and a smooth gray patina. The hammer and lever show
for with a much nicer than normally-encountered bore. (3C9670-183)		a good deal of faded original color case-hardened finish. The gripstraps
{ANTIQUE} [David & Lore Squier Collection] (2000/4000)		show about 97% original silverplated finish and the one-piece walnut
Est. 2,000 - 4,000		grip rates very good with 85% original finish remaining with loss due to
239 Colt Model 1851 Navy Percussion Revolver	7	peeling. The revolvers come in a factory mahogany double casing which
serial #9155, .36 cal, 7 1/2" octagon barrel with a bright very fine to		rates excellent with 90% original finish remaining on the exterior, the
about excellent bore which shows strong rifling and some scattered very	·	burgundy baize lining is just slightly faded and fully intact and all
light pitting. The barrel is a pewter and dark blue-gray faded original		partitions remain firmly in place. The included accessories are a Navy
blue, retaining some strong trace blue, perhaps 15%, with a few spots of	f	flask with stand of arms, crossed flags and artillery piece in foreground
light oxidation or perhaps a few very light pinprick pits, primarily along		all beneath crossed pistols and Paterson rifles. The flask rates excellent
the right side of the barrel. Barrel features the conical brass front sight		with 70% original lacquer remaining. A brass two-cavity mould is present
with the New York address. The cylinder is a gunmetal gray with a		along with a tin of caps, the original case key and some cast projectiles.
strong cylinder scene showing some sparsely scattered areas of light		Cased pairs of percussion Colt revolvers are quite scarce. These being
pitting, primarily along the leading edge of the cylinder, a couple dings of	r l	squarebacks makes them that much more desirable and rare. A lovely
handling marks there as well; the hammer rest pins are all present. The		cased pair of Navies. (1D9670-189) (ANTIQUE) [David & Lore Squier
loading lever is a pewter gray case-hardened patina with some speckles	5	Collection] (15,000/25,000)
of oxidation and light pitting along its right side, the frame showing some		Est. 15,000 - 25,000
smoky mottled case-hardening with some very light pitting on the left	241	Sharps New Model 1863 Percussion Carbine
side recoil shield. The triggerguard and backstrap retain about 90-92%		serial #54339, .54 cal, 22" barrel with an about very good bore which
	.	
original silver plate with wear on the sharp edges and contact points and		shows strong evident rifling but with pitting its full-length. The barrel is a
some minor dings or handling marks here and there. The one piece		pewter gunmetal gray with soft brown oxidation spotting and some
walnut grip rates very fine, perhaps showing an old light cleaning many		scattered light pinprick pitting, the New Model 1863 marking slightly soft.
years ago with a bit of added finish, showing dings and handling marks		The frame and lockplate are a silvery and pewter case-hardened patina
beneath and reacquiring a few new ones, a tiny chip missing from the		showing scattered oxidation staining and some light pitting. The hammer
leading edge of the right grip, its fit remains excellent however and it		is more of a gray-plum case-hardened patina and shows some minor
appears to be numbered to the gun in ink pen on its interior, "91_5" is		impact marks on its right side. The walnut buttstock and forend rate very
legible, one character is not. A number of the screw heads show some		good as refinished a number of years ago, retaining some original minor
wear or light damage, however all of the numbers are matching		dings and handling marks from the years, the metal now proud overall.
including the wedge and the gun seems to function well mechanically.		There are cracks on the right side of the butt to the rear of the lockplate
Overall a very respectable early pre-war 1851 Navy with a rather nice		but they seem stable. The lock is crisp and mechanically functional and
bore. (3B9670-49) {ANTIQUE} [David & Lore Squier Collection]		the barrel is numbered to the frame. The original front sight is intact, the
(2000/3000)		rear sight has had the long ladder staff removed, it is now merely two
Est. 2,000 - 3,000		pivoting v-notch apertures. Still a very respectable example of an honest
L31. 2,000 - 0,000	→	
		New Model 1863 carbine for the fledgling Civil War collector.
		(3A9896-163) {ANTIQUE} (1800/2200)
		Est. 1,800 - 2,200
	242	Sharps New Model 1863 Percussion Carbine
		serial #C,20375, .54 cal, 22" barrel with a very good bore which shows
		strong rifling and some scattered light oxidation and light pitting. The
		barrel is a dull gunmetal gray patina and shows sparsely scattered light
		oxidation, a few light pits and some minor handling marks; the markings
		are soft. The frame and lockplate are similar showing remnants of some
		silvery case-hardening and some sparsely scattered very light pinprick
		pits. The buttstock and forend rate very good as lightly cleaned years
		ago, the forend retaining some minor dings and handling marks
		beneath, the buttstock a post-war replacement with center cartouche at
		left side of butt. There are a few cracks at the rear of the lockplate and
		the metal is slightly proud overall, the buttplate is from a patchbox
		example. The sights are intact as-is the saddle ring and the lock
		functions well mechanically: the barrel is numbered C.19776. A good

functions well mechanically; the barrel is numbered C,19776. A good late example for the Civil War collector or perhaps even reenactor.

(3A9896-117) {ANTIQUE} (1800/2200) Est. 1,800 - 2,200

Lot Title/Description

243	Palmer Bolt Action Civil War Carbine by E. G. Lamson & Co.	245	Very Fine British Experimental "Henry Patent" Single Shot Bolt Action
	50 RF, 20" barrel with a partially bright very good bore showing some		Military Rifle
	overall light pitting and oxidation with otherwise strong rifling throughout.		serial #7P, 577/450, 35" barrel with Henry patent rifling and a bright
	The barrel of this carbine retains a healthy amount of fading original blue		excellent bore. The barrel and receiver of this interesting rifle retain
	toning overall to a pleasant mild gray-brown patina under bright light and		about 95-96% original plum-brown finish showing some scattered light
	showing a few scattered small areas of pinprick pitting and old oxidation		handling marks, specks of fine old oxidation staining with one small area
	staining. The barrel band, lockplate and triggerguard are toning to an		of a bit more moderate old oxidation on the left side below the front
	attractive silvery case-hardened patina showing some mild brown		sight. The barrel bands retain about 85-90% original bright blue showing
	speckling and strong smoky colors lurking about the protected areas.		some flaking along the front band to deep plum-brown patina along with
	The buttplate shows some moderate scuffs along the edges and the bolt		a few light dings. The bolt housing or action cover retains about 60%
	has mostly toned to a pewter gunmetal patina showing some mild		original bright blue showing flaking to an attractive gray-brown patina
	pinprick pitting. All markings remain intact and strong with Palmer patent		while the checkered rear bolt piece shows attractive smoky
	information at the rear receiver, 1865 date and E. G. Lamson & Co.		case-hardening. The buttplate and triggerguard have mostly flaked to a
	Vermont address on the lockplate and sub-inspector stamps on the		deep plum-brown tone showing some scattered freckling and the
	various components. The smooth walnut stock remains in very fine		triggerguard with generous flakes of bright blue. The nosecap and the
	condition showing mostly worn oil finish, some scattered light dings and		large spur cocking lever on the left side retain most of their lovely vibrant
	a strong "MM" inspector's cartouche on the left flat. The original sights		case-hardened colors, the bolt stop screw and trigger show nice straw
	are intact and the action seems to function well mechanically. A very		color and the rear sight spring shows brilliant fire blue. The smooth
	handsome example of these scarce and desirable late-war carbines		walnut stock remains in very fine condition retaining much of its original
	representing the earliest U.S. adoption of a bolt action metallic cartridge		oil finish and showing some scattered light dings and mild scuffs overall.
	arm. (13B9819-5) {ANTIQUE} (2000/3000)		The rifle is stamped with London black powder proofs along with
	Est. 2,000 - 3,000		"HENRY'S PATENT" and a caduceus on the left side of the barrel and
244	British Albini-Braendlin Patent Single Shot Breechloading Trials Rifle by		the front barrel band has two very small stamped letters, perhaps "RD"
	Braendlin Sommerville & Co.		or "BD". Further disassembly reveals only the serial number "7P" on the
	serial #15835, 577/450, 31 1/4" barrel with Henry patent rifling and a		underside of the receiver and barrel and most of the major components
	bright near excellent bore perhaps showing a hint of minor frosting and		are also stamped with a matching "7". These appear to be the only
	strong rifling throughout. The barrel and bands of this rifle have mostly		markings and it seems most likely that the Henry patent marking on the
	toned to a deep plum-brown patina showing some fine overall pinprick		barrel pertains only to the rifling. A brass-tipped ramrod is present along
	pitting, a few patches a bit more moderate behind the front band and on		with a small brass hang tag stamped with the number "336". Quality of
	the bands themselves with good original blue lurking about the protected		construction is superb throughout and the action design is
	areas along the wood line. The triggerguard and buttplate are similar		well-thought-out, shows a high degree of development and seems to
	while the action is toning to a mottled gray-brown patina showing some		function well mechanically. The action is hammer-fired featuring a
	old pinprick pitting and a generous amount of vibrant case-hardened		shrouded internal hammer just above the trigger with a large external
	colors, the lockplate and hammer also with some nice colors lurking		left-side cocking lever. Opening the bolt will bring the hammer to
	about. The rear sight spring is missing its screw and shows good fire		half-cock before being brought to full-cock manually. The bolt itself
	blue and the breech shows British black powder proofs and "HENRY'S PATENT RIFLING" partially obscured by the rear sight base. The screw		features a large rounded housing or shroud which forms the breech face at the front and secures around the bold body at the rear via a collar.
	heads show some light slot wear and all remaining markings remain		The bolt locks with a single large lug that locks into a cutout along the
	intact and strong, the lockplate neatly engraved "BRAENDLIN		right side receiver wall. A small ejector is also provided along the bottom
	SOMMERVILLE & Co / BIRMINGHAM" and the pivoting breechblock with "ALBINI-BRAENDLIN / PATENT". The smooth walnut stock		of the raceway and the bolt is removed by loosening a large captive screw ahead of the triggerguard. It seems very likely that this arm was
	remains in very fine condition showing a strong arsenal oil finish and		designed for military trials although whether or not this was for the 1866
	with just some scattered light dings, handling marks and a few mild		trials remains to be discovered, a distinct "Henry" rifle is listed in the
	abrasions. There is a very thin 3" drying crack along the left stock flat		arms tested but this was of falling block design. This is a very attractive
	but this is very unobtrusive and the butt shows some subtle attractive		and interesting British long arm suitable for any advanced martial
	grain figure, metal-to-wood fit is excellent and the stock flats show crisp		collection. (13E9670-413) {ANTIQUE} [David & Lore Squier Collection]
	edges. The arm is equipped with a ramrod, right-side bayonet lug, sling		(4000/6000)
	swivels and military style sights. What appears to be the original sling in		Est. 4,000 - 6,000
	about good condition is also included and the action functions crisply, it		
	is of the typical Albini-Braendlin pattern seen on the Belgian contract		
	arms with linear hammer extension linked to the traditional hammer that		
	strikes the firing pin in the breechblock. Research confirms that the		
	Albini-Braendlin design was submitted to the British rifle trials opened on		
	October 22, 1866, although the exact nature of the design submitted		
	remains elusive. None of the rifles in this trial faired particularly well and		
	it was not until 1874 that the Martini-Henry entered service. This fine rifle		
	would make for an excellent addition to any advanced British martial		

would make for an excellent addition to any advanced British martial arms collection. (13D9670-593) {ANTIQUE} [David & Lore Squier

Collection] (2500/4000) Est. 2,500 - 4,000

248

#### Lot Title/Description

246

Lot Title/Description

Rare Remington Experimental Cook Patent Bolt Action Navy Trials Rifle Formerly of the Remington Arms Co. Factory Collection 6mm CF, 30" barrel with a bright near excellent Metford-rifled bore showing perhaps a little minor frosting and strong rifling throughout. This is an interesting rifle, referred to previously as an R. C. Fay patent Model 95 Special Navy rifle uti-lizing a patent from October 8, 1895. Further research reveals however that the arm follows the patent drawings of a Roswell F. Cook taken out on May 14, 1895 (number 539037) and the book The Remington-Lee Rifle by Myszkowski also cites Cook as the designer. Research does confirm Remington employee Rimmon C. Fay indeed took out two patents on October 8, 1895 (numbers 547602 and 547603) relating to a "Magazine-Firearm" and "Cartridge-lifter for mag-azine-guns", perhaps these were a later improvement of the arm but the patent drawings for these designs cannot be located. Remington submitted five rifles on March 15, 1894 for naval trials and this appears to be one of those arms. The descriptions of the arms' exact features in the naval report is rather vague and it can be surmised that this rifle is either Remington's No. 1, 2 or 5 as these all had right-side-mounted magazines. The report noted that the Remington bolt was of excellent design but that the magazine had significant issues and it seems that all of the models were ultimately doomed as a result of this. One further Remington rifle was tested in the later May 15, 1895 test, this one being fitted with a Russell-Livermore magazine designed by Major W. R. Livermore of the U.S. Army, Ultimately the trials came down to the Luger turn-bolt rifle and the Lee straight-pull rifle, with the Lee winning final selection. The rifle itself remains in very fine condition showing honest use consistent with trials testing. The barrel retains about 95% original blue showing some scattered light freckling and mild fading with an area of cleaned light pitting along the right side muzzle and front sight. The barrel is marked "REMINGTON ARMS CO. ILION.N.Y." beneath the handguard and the left side of the rear sight shows "300" and "400" range markings, these appear to be the only external markings. The action retains perhaps 85% original bright blue showing overall flaking to a pleasant gray-brown patina, some scattered light specks of minor oxidation staining and a few light dings. There are two small holes at the bottom left edge of the action possibly related to magazine disassembly or for drainage. The magazine is of a hopper-style design similar to that of a Krag, the cover situated at the top of the action rather than the side. The bolt body is partially bright showing some mild gray patina and remnants of pinprick pitting. Bolt design is similar to that of the Remington-Lee Model 1885 utilizing a cock-on-close action and featuring a rear bolt-stop lug also acting as an auxiliary safety lug and six interrupted thread forward locking lugs; one can appreciate the trials committee's praise of the bolt design. Interestingly the patent drawings show more traditional dual locking lugs; perhaps the interrupted thread design was an improvement by the aforementioned Mr. Fay. The rifle also fea-tures a left-side magazine cutoff and right-side spring-loaded button to remove the bolt. The smooth straight grip walnut stocks and handguard remain in about very good plus condition showing a strong arsenal oil finish with a number of moderate shallow chips at the toe, a period repair to a full-length crack through the handguard that is starting to flex once more, a few smaller drying cracks scattered about and light dings. The buttplate has toned to a gray-brown patina showing some scattered light pitting. The buttstock retains its Remington factory collection brass inventory tag along the toe line numbered "213". The rifle is equipped with military style sights and the action seems to function well mechanically. A very interesting Remington trials arm that would make for a wonderful addition to any advanced Remington or martial arms collection. (13F9857-3) {ANTIQUE} (6000/8000) Est 6 000 - 8 000

serial #A414, 50 CF, 32" barrel with Metford rifling and a bright very good plus bore showing a few scattered areas of pinprick pitting, mild frosting and good rifling throughout. The barrel and receiver of this interesting British rifle retain about 92% original blue showing some scattered mild freckling, a few small dings or scuffs at the back right edge of the receiver and some areas taking on a pleasant plum-brown patina. The barrel bands have mostly toned to gray-brown patina showing some remnants of black enamel and the rear sight parts show good straw and fire blue finishes. The bolt body remains mostly bright, the rear bolt lock shows nice straw color and bolt end piece has toned to a pleasant smoky gray case-hardened patina. The brass triggerguard, buttplate and nosecap have taken on a nice mild ocher patina showing a few minor dings. The rear sling swivel screw head is broken, the arm is stamped with Birmingham black powder proofs and the top barrel shank with "T. WILSON & Cos PATENT". The smooth walnut stock remains in about very good plus condition showing a rather worn oil finish, a small u-shaped hairline crack at the left edge near the rear of the bolt, a tiny hole in the left side butt and some overall light to perhaps moderate dings. The arm is equipped with sling swivels, cleaning rod, military style sights and the action seems to function well mechanically. The Wilson rifle was submitted to the British rifle trials conducted in 1867 and placed in the second tier list of arms, these were generally arms of more complicated design or ones that did not necessarily meet all of the initial requirements. It appears it actually ended up being a finalist and was tested again in the second round of 1869 but was felled by a breech failure. Despite this, it is impossible to overlook the interesting and rather advanced features of the design. The bolt is a straight-pull striker-fired design locked with dual rear locking lugs and cycled via rotating knurled collar at the rear and pushed home with the with the checkered end piece. There is a large flange at the rear of the action beneath the bolt that acts as a trigger block while the bolt is out-of-battery and the arm is equipped with a very modern flip safety within the triggerguard. A fascinating and very rare British experimental rifle. (13D9670-414) {ANTIQUE} [David & Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000 British Experimental Mayall Patent Single Shot Bolt Action Military Rifle serial #502 (bolt), 577 CF, 39" barrel with a bright excellent bore. The barrel of this lovely rifle retains about 96% original plum-brown finish showing some mild silvering at the muzzle, some scattered light handling marks and faint thinning along its length. The barrel bands retain about 95% original bright blue showing some scattered light flaking to pleasant gray-brown patina and their screw heads show some minor slot wear. The lockplate, hammer and bolt heads likewise retain about 95% vibrant case-hardened colors showing a few small areas of mild oxidation staining and remnants of protective lacquer. The bolt body itself is partially bright showing brown freckling along the turned-down handle and is crisply-marked in small lettering "T. J. MAYALL'S PATENT". There is a small ding at the right edge of the receiver from the hammer being let down when the bolt is retracted but this is unobtrusive. The bolt head screw and rear sight parts retain most of their lovely brilliant fire blue. The breech is stamped with Birmingham black powder proofs and the brass triggerguard, buttplate and nosecap have toned to a mild ocher patina. The smooth walnut stock remains in about very good plus condition showing a little period added finish, a few areas of old light scratches scattered along its length, light dents and a tiny flake and drying crack behind the receiver. There is a single small hole on the left side butt that does not appear to be from insect damage. instead perhaps where a small inventory disc was once affixed. The rifle is equipped with military-style sights, sling swivels, P1853-style ramrod and the action seems to function well mechanically. The action utilizes a conventional lockplate and hammer paired with a rather short low-profile bolt. The separate bolt head contains the firing pin and is linked to an extractor along the bottom of the raceway and the bolt body locks into the receiver via large forward locking lug and by the bolt handle root at the rear; the bolt can only be opened with the hammer at half-cock. Thomas Jefferson Mayall was a rather prolific inventor during the mid 1800's patenting numerous mechanical devices including this system and a number of early breechloading and automatic cannon designs. While this arm seems to be of the correct timeframe and construction for British trials, records indicate it was not part of the testing that would eventually adopt the Snider. This is a very fine example that would make an excellent addition to any advanced antique martial arms collection. (13D9670-412) {ANTIQUE} [David & Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000

British Experimental Wilson Patent Single Shot Bolt Action Military Rifle

252

#### Lot Title/Description

Lot Title/Description

249 Wonderful Sharps Model 1874 Special Order Sporting Rifle serial #159542, 45 2 7/8", 30" octa-gon barrel with a bright excellent bore. This rifle fea-tures adjustable double set trig-gers, checkered pistolgrip stocks and a checkered steel shotgun buttplate. The top of the barrel shows proper Bridgeport address and "Old Reliable" moniker. The top of barrel just ahead of action is marked "CAL. 45" and the right flat is marked "110" which represents the powder charge and is unusual as they typically just marked the case length. The condition of the rifle is wonderful with the barrel retaining 95% original blue overall with a little light silvering along the high edges. The action and lock shows 90% plus original color case-hardened finish which has softened in contact areas and is vivid in other areas. The loading channel shows a little scattered light oxidation staining but the rifle is free of any pitting. The checkered pistolgrip buttstock and forend are of walnut and rate excellent with 97% original finish remaining and with sharp checkering. The bottom of the pistolgrip features a round checkered panel and the tip of the forend at schnabel shows a heart shaped checkered panel. The rifle is sighted with a globe front, Lawrence rear and Vernier tang mounted peepsight. The included factory letter states the gun was ordered by D.W. Longfellow of Fort Bethold, North Dakota in December of 1876, six months after the Battle of Little Big Horn. Daniel Webster Longfellow was a post trader at Fort Berthold during the 1870's and 80's. In Labowskie's letter he states that three identical rifles were ordered at the time and that "It is easy to imagine that these rifles were ordered by three Army Officers who wished to own a kind of Sharps version of the Officer's Model of the trapdoor Springfield.". The rifle was formerly part of the Stagecoach Museum and is illustrated and described in the Stagecoach Museum Gun Collection book. In the book they also credit the gun to Longfellow who they state was from Minneapolis and that they purchased it directly from the original owner and he stated that he took it on a Buffalo Hunt on the Union Pacific Railroad where he shot buffalo from the windows of the train cars. While the details are conflicting the person is the same and the gun was shipped to Fort Berthold, not Minneapolis. This is a high condition, specially ordered Sharps rifle shipped to North Dakota during the height of the Buffalo trade. (1F9790-22) {ANTIQUE} [Bob Borcherdt Collection] (15.000/25.000)Est. 15,000 - 25,000 250 Very Fine British Experimental Soper Patent Single Shot Military Rifle serial #24, 450 CF (Straight Wall Case), 34 3/4" barrel with Henry patent rifling and a bright excellent bore. The barrel of this rifle retains about 90% original plum-brown finish showing overall thinning and toning to mild gray patina and some areas of mild brown freckling. The action and triggerguard retain perhaps 85% attractive smoky case-hardened colors remaining quite vibrant in the more protected areas also showing some light handling marks and toning to silvery pewter patina. The action is embellished with some tasteful light English scrollwork, the left side is neatly engraved "INVENTOR & PATENTEE / W. SOPER / READING" and the front tang of the triggerguard with "No. 24". The sideplates and breechblock release adjacent to the trigger retain very good fire blue and the trigger itself shows nice straw color along the sides. The rear barrel band and buttplate have toned to grav-brown patina while the front band with right-side bayonet lug retains about 90% original bright blue showing some light flaking. The rear sling swivel and its screw appear to be older replacements and the front swivel is very slightly bent but this is unobtrusive and the arm is stamped with London black powder proofs. The smooth walnut stock remains in very fine condition retaining most of its original oil finish and showing a very tiny drying crack at the heel, three tiny holes along the right side butt and some scattered light dings and handling marks. The stock shows some subtle straight grain figure and metal-to-wood fit is excellent with nice edges. An original sling and brass-tipped cleaning rod are present, the rifle is equipped with military style sights and the action seems to function well mechanically. The Soper is of excellent design featuring a sidelever that actuates essentially the whole mechanism, lifting the breechblock, cocking the hammer and ejecting the spent case while pushing the lever back up closes and locks the action and a breechblock release is provided adjacent to the trigger. The Soper was tested in the British military trials of 1866-67 and placed into the second tier of arms, these mostly being designs the committee considered overly complicated but still worthy of study. The testing committee was able to achieve firing 60 rounds in a minute with the Soper rifle and the arm did see some moderate commercial success as a high-end sporting rifle. This is a really lovely example of a very interesting and desirable British rifle made in a military configuration. (13F9670-416) {ANTIQUE} [David & Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000

Remington No. 2 Deluxe Rolling Block "Schuetzen" Rifle
serial #H40443, 25-20 Single Shot, 28 1/4" octagon barrel with a bright
very good plus bore showing some very fine oxidation and mild frosting
in the grooves with otherwise strong rifling throughout. The barrel of this
interesting rifle retains about 80% of a fine quality period restored
plum-brown finish showing some overall mild thinning under bright light,
a few light dings and scuffs along the edges and some remnants of fine
pinprick pitting beneath the finish. The Remington Arms Co. address
and caliber designation remain intact and guite crisp. The action retains
perhaps 70% original vibrant case-hardened colors that remain
particularly vivid along the left side, triggerguard and either side of the
hammer with most of the loss due to some cleaned light pitting along the
right side, top of breech and lower tang that are toning to a silvery
pewter patina. The hammer and breechblock retain about 90% original
blue with loss due to some old oxidation and light pitting along the spurs.
The checkered pistolgrip walnut Schuetzen-style buttstock and forend
with ebony tip insert remain in very fine condition as very lightly cleaned
and refinished long ago showing some sparsely scattered light dings
and handling marks. The forend is stamp-numbered matching the action
and the diamond point checkering shows light overall wear but remains
intact. The checkering along the pistolgrip is of a slightly different style
with finer points and the buttstock is un-numbered and likely a
replacement from the period of use. It has certainly been with the arm
for a very long time and was expertly crafted and fitted. The buttstock
features a generous left-side cheekpiece and heavy nickel-plated brass
buttplate retaining about 98% finish and showing some scattered light
dings. The name "C. H. BARNES" is stamped in small block letters on
the inside of the buttplate. The barrel is matching the frame, the rear
sight dovetail has been blanked and the rifle is sighted with a Lyman
target globe front sight and tang sight with wide aperture disc. The
action seems to function well mechanically. An attractive and interesting
No. 2 that can do doubt still be enjoyed at the range. (13C9670-130)
{C&R} [David & Lore Squier Collection] (1000/1500) Est. 1,000 - 1,500
 Scarce & Very Fine Remington No. 7 Rolling Block Rifle
serial #3177, 22 LR, 28" part round part octagon barrel with a bright
Senar #3177, 22 LIX, 20 part round part octagon barrer with a bright
excellent here. The harrel of this fine No. 7 retains about 08% original
excellent bore. The barrel of this fine No. 7 retains about 98% original
blue that is taking on a pleasant deep plum-brown patina under bright
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmer remains mostly bright showing some mild gray freckling and the breechblock retains about
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip premains
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmmer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild guite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the butstock is a bit plainer with
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the but. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip butstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the but. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing trig the scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmmer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original vanish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the butstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmmer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild gailvering and uite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the butstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmmer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild guite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild givering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the biotslorip remains some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "222". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple liny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples and there is no
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmmer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original vanish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the butstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip restolgrip checkering is also a different syle than other examples.
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The harmmer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild gilvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples and there is no Remington-rea
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild gilvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.E.L.Y." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the fored is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples, the pistolgrip checkering is
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples and there is no Remington-reap
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples and there is no Remington-reap
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple liny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples, the pistolgrip checkering is
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple tiny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip this may be some sort of factory test or prototype arm for the new No. 7 configuration.
blue that is taking on a pleasant deep plum-brown patina under bright light along with some very faint thinning at the muzzle, a couple sparsely scattered tiny dings and one or two errant freckles. The action retains about 96-97% original vibrant case-hardened colors that show some very mild muting and silvering along the lower tang and triggerguard along with a few faint freckles. The hammer remains mostly bright showing some mild gray freckling and the breechblock retains about 98% original blue showing some high edge wear. The action pins retain almost all of their nice straw color while the trigger, retainer plate and screws also retain much of their brilliant fire blue showing some mild silvering. The Remington Arms Co. barrel address and cartridge designation remain strong and quite crisp while the original 1871 pistol frame markings on the left side have softened somewhat but remain legible. The checkered walnut capped pistolgrip buttstock and smooth forend with slight schnabel remain in very fine condition retaining most of their original varnish showing some sparsely scattered light dings, a few tiny areas of discoloration and a couple liny thin drying cracks along the butt. The diamond point checkering along the pistolgrip remains crisp showing just a couple lightly chipped points and the forend shows some nice straight grain figure while the buttstock is a bit plainer with subtle figure. The scalloped hard rubber pistolgrip cap and Remington monogram buttplate are very nice with just some toning to mild brown patina. There is a small silver monogram plate affixed to the rear bottom of the forend that is engraved "D.V.ELY." Delevan Vaughn Ely was secretary of the Utica Daily Press newspaper. The tangs are stamp-numbered "3177" internally and the barrel and forend have a matching assembly number "292". The flat profile along the sides of the forend is rather different than that seen on other examples, the pistolgrip checkering is also a different style than other examples, the pistolgrip checkering is

Lot Title/Description

253	Winchester Model 52 Sporter Bolt Action Rifle	[	256	Handsome Custom Springfield 1903 Sporting Rifle by Bob Owen
	Pre '68, 22 LR, 24" barrel with an excellent bore. The metal surfaces			serial #785 (maker numbered), 30-06, 24" barrel with a bright about
	retain near 99% original blue with a tiny area of concentrated freckles on			excellent bore. This classic sporting rifle is the work of Bob Owen of
	the underside of the barrel near the muzzle and some small blemishes			Saquoit New York and is actually pictured in Custom Gunmakers of the
	on the "SPORTING"-marked bottom metal. The bolt body and the			20th Century (Volume 1 © 2005 Precision Shooting), in the introductory
	subsequent area on the receiver have been finely engine-turned and a			chapter. The barreled action retains perhaps 90% original fading deep
	tight band of checkering has been added to the knob. The checkered walnut capped pistolgrip stock with left-side cheekpiece and black tip is			gray-blue maker rust blue, the loss due to even fading, some wear to pewter and flaking to brown around the front sight ramp. The bottom
	near very good with some slight edge wear on the checkered steel			metal was neatly modified by Owen into a hinged-style floorplate, the
	buttplate, scattered handling marks and blemishes, the gun was			bow of the guard lightly sculpted, it is now a deep blue-gray with a bit of
	obviously used for its intended purpose but was well-cared-for. The rifle			very sparse light surface oxidation. The arm is stocked classic style with
	is sighted with a hooded bead front, a Lyman aperture is mounted to the			Bob Owen's signature rounded left side shadowline cheekpiece with a
	receiver and a Griffin & Howe see-through mount with a Lyman			rather flat-bottom, this example with dual shadowlines. His signature
	All-American 4X scope with crosshair reticle and clear optics has been			arrowhead is at the rear of mid-stock, ahead of the grip's checkered
	permanently-affixed to the receiver. This mount partially-obscures the			panels. The forend shows a wrap-around diamond "ribbon"-pattern, all
	serial number, only revealing the first two numbers, "33". This leaves the			of the checkering borderless, the stock satin-finished and rating fine with
	viewer to only speculate on the rest of the numbers but being in the			the expected light handling marks that come from a field-used arm, a
	33,000 serial range makes this a very early Model 52 Sporter. A single			small 1" crack behind the top tang and with a bit of oil soaking in this
	Winchester-marked magazine is included. A very fine early Sporter with			area. The arm features a nice blued steel trapdoor pistolgrip cap, bone
	tons of original metal finish for the serious collector or shooter alike.			forend tip and lightly engraved checkered trapdoor steel buttplate giving
	(22B9789-41) {C&R} (2500/4000)			a 13 3/8" length of pull. The rifle is sighted with a very nice banded
	Est. 2,500 - 4,000			sporting ramp front with a brass bead sight having a flip-up lowlight
254	Winchester Model 75 Sporter Bolt Action Rifle			white bead concealed within the ramp and push-button release for a
	serial #40039, 22 LR, 24" barrel with an excellent bore. The metal			hood (the hood is not present); a second such sight is present within the
	surfaces retain 99% strong original blue with crisp "SPORTING" marked			trapdoor gripcap. There is a Lyman 48 sight fitted on the receiver and
	on the bottom metal and the bolt with matching "40039" on the			the left side of the action has a nice Griffin & Howe single lever quick
	underside remains bright and unblemished. The checkered walnut			detachable base and ring set installed. Bob Owen's name is neatly
	capped pistolgrip stock with serrated metal buttplate is excellent with a			engraved atop the barrel "RG Owen-Saquoit New York No. 785" and th
	very light and expertly-applied touch of varnish. The rear dovetail is filled			top of the receiver ring is neatly hand matted with the bolt handle
	with a blank, the front sight is a beaded blade with hood and a Lyman			showing excellent quality tight flowing scroll with five round checkered
	57ES is mounted to the receiver. A single excellent condition			panels on the knob; the safety as well has been very neatly, very finely
	Winchester-marked magazine is included. A fantastic			metal checkered. The rings support a Carl Zeiss Zielklein telescopic
	1942-manufactured sporting rifle. (22B9789-39) {C&R} (1000/1500)			sight with crosshair reticle and bright excellent optics. The scope rates
	Est. 1,000 - 1,500			very good with light wear to both the tube and the ocular lens tube
255	Sharps Borchardt Model 1878 Short Range Rifle			showing a few scratches from a previous mounting. The rifle features
	serial #17346, 40 1 7/8", 26" tapered round barrel with a bright excellent			quick detachable super grade-style sling swivels and there is a gold
	bore. This rifle features an unpaneled action along with checkered			shield-shaped monogram plate along the toeline which remains
	walnut stocks with an uncapped curled pistolgrip and a checkered hard			un-engraved. Bob Owen made some of the nicest rifles of the classic
	rubber shotgun buttplate. The condition of the rifle is very fine and it is			American sporting rifle-era, this example is no exception and shows just
	all original. The barrel shows proper Bridgeport address along with the			enough wear one could still take it afield while letting it appreciate in
	"Old Reliable" moniker and is caliber marked on left side just ahead of			value as the years pass. (39721-2) {C&R} (2500/4000)
	breech "40 1 7/8". The barrel retains 98% rich original blue finish overall		057	Est. 2,500 - 4,000
	with all markings remaining clear and legible. The action retains about		257	Fine Griffin & Howe Winchester Model 70 Sporting Rifle
	95% original color case-hardened finish which has faded somewhat but			serial #445485; G&H No. 2410, 243 Win, 24" barrel with a bright
	remains visible on all surfaces. The right side of the action is slightly			excellent bore. The metal surfaces on this top-notch sporting rifle retain
	more faded than the left side, all markings are clear and legible, most screw slots are clean with a couple showing very slight wear. The			about 99% top-quality maker blue, the underside of the barrel showing a
				couple freckles of very light oxidation ahead of the forend tip. The
	checkered pistolgrip walnut buttstock and forend rate excellent with 95% original finish remaining and with sharp checkering. There is one minor			receiver ways remain bright with nice engine turning on the follower and the right race, the bolt body, extractor and guide lug as well with all of
	crack in the left side of the stock at the action running with the grain and			their lovely G&H engine turning. The barrel is neatly engraved with the
	ending where the checkering begins. The rifle is sighted with a			G&H address and number, with a nice wedge of quality scroll engraving
	windgauge front, Lawrence sporting rear and a Sharps short range			at the breech end above the chamber. The bolt knob has been very
	peepsight mounted in integral base. There are quite a few variations			neatly metal checkered around its circumference and the trigger very
	within the short range rifle including those with uncheckered capped			neatly, very finely checkered as well. The hinged floorplate one-piece
	pistolgrip stocks and those built with paneled actions. With a total of only			bottom metal shows exquisite, near full coverage, quality tight scroll and
	150 of these rifles produced, it is fair to say that it would be very difficult			borderline filigree engraving with a circular monogram at the center of
	to upgrade from this rifle. A wonderful, investment quality Sharps			the floorplate inlaid in gold in Art Deco-style monogrammed initials
	Borchardt rifle. (1E9790-88) {ANTIQUE} [Bob Borcherdt Collection]			"JBS". The rifle is stocked classic style in a very lovely grade of what is
	(7000/9000)			likely Circassian walnut, showing the classic G&H flared shadowline
	Est. 7,000 - 9,000			cheekpiece. The stock itself rates excellent showing only very minor,
		·		light handling marks here and there from careful use afield. It features
				the signature ebony forend tip, blued steel pistolgrip cap and checkered
				Niedner-style buttplate giving a 13 1/2" length of pull. The wraparound
				checkering patterns front and rear are flawlessly executed and the rifle
				fitted with G&H style detachable swivel studs. There is a Williams ramp
				front sight soldered to the barrel with a simple brass bead and hood,
				vintage Leopold "detacho" bases and rings, the rear base with the
				"emergency" peep aperture for use when the scope is removed. The
				rings mount a Pecar variable 3-7x telescopic sight with crosshair reticle
				and excellent optics, the scope itself rating excellent. As we have come
				to expect from G&H, this is a top-of-the-line sporting rifle, beautifully
				embellished and flawlessly executed in a fabulous light-recoiling caliber
				(3C9840-1) {C&R} (4000/6000)

(3C9840-1) {C&R} (4000/6000) Est. 4,000 - 6,000

258	Custom James Howe-Style Springfield Sporting Rifle in .400 Whelen	[	260	Early Henry Repeating Rifle by New Haven Arms Co. Pictured in the
	serial #4092122, 400 Whelen, 22" James Howe barrel, with a bright			Winchester Book
	excellent bore. This is a very interesting and quality-made rifle and one			serial #2260, 44 Henry RF, 24" octagon barrel with a good bore showing
	of the "original four" 400 Whelen barrels made by James Howe while in			some scattered light pitting and oxidation with some bright areas and
	Philadelphia. While mated to a later action, the barrel retains about 95%			otherwise strong rifling throughout. The barrel of this rifle has mostly
	of what appears to be original rust blue and is neatly engraved in the			toned to a mix of pleasant deep gray and plum-brown patina showing
	appropriate area "No. 10 Jas. V. Howe Phila PA". Mike Petrov mentions			some scattered remnants of old minor oxidation staining, some old dings
	in his second volume of Custom Gunmakers of the 20th Century that he			near the front sight and along the barrel sleeve and a 1" area of
	is aware of an identically marked rifle which was "No. 11", which he			moderate old scratches or scuff marks on the left side barrel sleeve. The
	surmised was one of the four original 400 Whelen rifles. The barrel was			lever and hammer are a mild gray patina, the lever showing some
	very neatly mated to a Model 03-A3 action which shows remnants of a			scattered areas of darker plum-brown and the hammer with some smoky
	fading grayish blue buffed finish, the bottom metal is nice quality milled			colors present along the protected front face. The follower stop screw on
	1903 style and retains perhaps 97% good-quality blue showing a bit of			the left side of the barrel is a replacement, a number of the screw heads
	wear. The floorplate is in-the-white and shows later engraving with open			show light slot wear and the trigger spring still retains a few flakes of
	flowing scroll front and rear surrounding a depiction of a snarling grizzly			bright fire blue. The barrel address is the correct smaller style and
	bear, face-on, mouth open and teeth bared; it is signed only "JA" at its			remains remarkably crisp and clear, the serial number as well albeit the
	rear. The bolt body remains bright with a neatly added bolt handle with a			"0" has been poorly struck by the factory. The action and rounded
	, , ,			
	rather pear-shaped knob with light engraving on the handle and open			buttplate have toned to a very nice rich ocher patina showing some
	scroll on the knob proper. The arm is very precisely stocked, very James			scattered light dings and mild handling marks, the dings a bit more
	Howe or Griffin & Howe-style in a nice grade of American black walnut			noticeable along the bottom of the cartridge lifter and top right edge. The
	with a classic comb, rounded left side shadowline cheekpiece and a nice			sideplates show very slight gaps and are a tad proud at their forward top
	rosewood forend tip. The stock rates excellent and shows some nice			corners, the edges of the frame otherwise quite nice and well-defined.
	shimmering figure and has a subtle satin finish with perhaps a very			The left side of the frame shows a lightly scratched name that appears
	minor handling mark here or there. The grip and forend feature			to be "G Gundlach" and the inside of the right sideplate is also scratched
	flawlessly executed wrap-around checkering patterns and there is an			"A E WG / 1887". The smooth walnut "perch belly" stock remains in very
	, , , , , , , , , , , , , , , , , , , ,			
	un-engraved silver monogram plate along the toeline. The stock has a			good condition showing remnants of original finish with some scattered
	nice Fisher style steel gripcap and there is a lightly engraved grooved			old abrasions along the left side, a couple smoothed-over shallow old
	steel trapdoor buttplate in place giving a 13 3/4" length of pull; the area			chips and a couple of small very thin cracks where the stock meets the
	beneath the trapdoor has not yet been inletted for cartridges or			frame and at the upper tang, these being very unobtrusive. The stock fit
	compartment, awaiting only your whim. The rifle features its original			at the forward corners of the upper tang shows some very thin gaps
	banded sporting ramp front sight with a custom bead style insert and			while the fit at the buttplate and lower tang is excellent and the "Henry
	hand-made hand-matted quarter rib at the rear, with two folding leaf			bump" on the left side below the sling swivel is still perceptible. The
	express sight blades regulated for 100 and 200 yards. There is light			stock is correctly stamp-numbered matching the rifle along the upper
	engraving of excellent quality around the ramp, on the sling swivel band,			tang inlet and the buttplate is matching stamped on the inside toe. As-is
	with light quality scroll and geometric engraving the flanking the			correct for an earlier rifle, all of the stock and buttplate screws are
	hand-matting above the chamber with "400 Whelen" very neatly hand			matching and the heads appropriately machined to fit the contours of the
	engraved; the barrel is numbered 183770 on its underside. The receiver			arm. The inside lower tang is matching and also stamped with an "N"
	has been drilled and tapped for a Lyman aperture sight designed for a			and "C", no external inspector stamp or punch mark is visible. The barrel
	1903 Springfield, it has been appropriately fitted and modified to work			and barrel sleeve are matching each other by assembly number "890".
	with this action, and there is a rather high Griffin & Howe style			The original sights and sling swivels are intact and the action seems to
	quick-detach ring and base set added at the left side of the receiver. The			function well mechanically. This rifle is pictured in The Winchester Book
	Carl Zeiss Zielklein scope itself is 7/8" diameter and features a nice			by Madis on page 32 and is noted as then being part of the Fred Miles
	Germanic three post reticle with clear optics, the scope rating very good			collection, also at that time the rear sight was located in the receiver
	showing only light wear. This is a very nicely-executed 1903 sporting			dovetail. Also included is a nicely made wooden plaque with brass plate
	rifle very much in the James Howe or G&H tradition, mimicking that work			engraved with the particulars of the rifle and a hand-written letter by
	very nearly precisely, with what is clearly an original Howe barrel from			Winchester collector Norman A. Vegely in which he describes the
	the classic American sporting rifle-era. An investment grade-rifle that			general features of the rifle, noting it is somewhat unusual for an early
	one needn't be afraid to take a afield. (39721-3) {MODERN} (2500/4000)			
	, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,			rifle to be equipped with sling swivels and that is was also once part of
	Est. 2,500 - 4,000	4		the Alvin Roberts collection. A fine Henry rifle with early features.
259	Very Early Winchester Pre-War Model 70 Purportedly Belonging to			(13F9739-1) {ANTIQUE} (15,000/25,000)
	Robert F. Kennedy			Est. 15,000 - 25,000
	serial #559, 220 Swift, 26" barrel with an excellent bore. A notarized		261	Winchester Model 1866 Fourth Model Lever Action Rifle
	letter from well-known New York collector and dealer Maurice Mudge			serial #150385, 44 RF, 24" octagon barrel with a very good bore
	accompanies this rifle and indicates that he purchased this rifle from			showing strong clean rifling with one area of light pitting. This is a nice
	Robert F. Kennedy's brother-in-law in 1964. Interestingly there are two			clean rifle. The barrel and magazine retain a pleasing and even smooth
	guns listed on the letter, the other rifle was a Stevens 416 and was sold			brown patina overall with traces of original blue in protected areas and
	to well-known collector and dealer Ron Peterson, who subsequently			with crisp clear markings. The rifle was built on a carbine action showing
	donated the arm to the NRA Museum. The barreled action retains			
				factory filled staple holes. The action bears a wonderful undisturbed
	perhaps 98% original blue with a couple tiny rub marks on the barrel, the			patina with sideplates being very tight. The hammer and lever show an
	bolt body has darkened somewhat and is marked with matching serial			even gray patina with mottled color case-hardening still visible on the
	number. The triggerguard is mostly brown with some flakes of original			hammer. The plain walnut stock and forend are iron mounted and rate
	blue, the floorplate fares better retaining 85% original blue with loss due			excellent with a good deal of original finish and perhaps a little added
	to scratches and handling marks. The checkered walnut pistolgrip stock			light oil. The rifle is sighted with standard sights. The screwheads remain
	with checkered steel buttplate is very good, there are a couple light			quite clean with some showing only the slightest evidence of being
	scuffs and thinned finish near the toe and some scattered signs of			turned. This is a very fine example of the late model 1866 rifle.
	handling. An adjustable Lyman No. 48 peep sight is attached to the			(1D9779-7) {ANTIQUE} (6000/8000)
	receiver, the rear barrel dovetail is filled with a blank and there is a			Est. 6,000 - 8,000
		1 I		
	hooded bead front sight. A very early first-year production rifle with some			
	interesting historical ties. (22B9721-1) {C&R} (5000/7000)			
	Est. 5,000 - 7,000	]		

Lot Title/Description

262	Extremely Handsome Factory "D" Engraved Colt New Frontier New	2	264	Early Burgess Gun Company Slide Action Shotgun
	Model Single Action Revolver			serial #14, 12 ga., 28" barrel, un-choked, with a bright excellent bore.
	serial #03706NF, 45 Colt, 7 1/2" barrel with a bright excellent, unfired			The barrel shows a nice two tone brown and gray damascus star pattern
	bore. This is a lovely new model New Frontier single action revolver			its full-length and features a simple raised front pedestal with matted
	engraved in Colts factory D-level engraving in 1978. The arm is			surface on-which the brass bead is set and there is a light geometric
	as-expected as-new, unfired, unturned since leaving the blue dome. All of the original blue and color case-hardened finishes are present with			engraving around the barrel's patent dates. The magazine tube shows some fading gray blue with remnants of a bright blue on the forend
	the bright-polished sides of the hammer remaining brilliant. Coverage is			nosecap, each showing light engraving. The frame is a pleasing dull
	near full, with open flowing scroll engraving with only the frontstrap and			pewter case-hardened patina with some silvery remnants of
	very edges of the triggerguard un-engraved. The smooth walnut grips			case-hardening. It shows nice quality flowing scroll at front and rear of
	with gold Rampant Colt medallions are excellent to as-new showing a			the flats ahead of and behind, with banknote filigree bordering the
	tiny ding in each, they are pencil-numbered to the gun on their interior.			Burgess name and address atop the sliding bolt cover. The right flat
	The arm comes in a Colt walnut presentation case with key and the			shows a game scene with woodcock, the left frame flat with quail, each
	orange hangtag is included; the case itself rates about excellent with			in their natural habitat; the bow of the guard as well shows some light
	light dings, scratches or handling marks about its exterior surface. The			scroll engraving. The English walnut buttstock and finely checkered
	interior of the frame is indeed stamped "Colt Eng" and is otherwise			forend both rate about very good with overall dings, dents and handling
	unsigned, quite possibly the work of Len Francolini or Bob Burt who			marks from the years. The walnut pistolgrip is somewhat coarsely
	were both factory engravers in 1978. The only detractor on the gun is a very tiny section of loss to the color case-hardening at the left front			checkered and shows a bit more wear, with a few chips and a small repaired crack, the Burgess Gun Company dogs head buttplate remains
	leading edge of the frame at the junction of the barrel where what			intact and shows just light wear. The arm is serial numbered "14" on the
	appears to be a miniscule amount of surface oxidation was removed. It			face of the frame and the breech end of the barrel just below the
	is unobtrusive, missed at first glance and does not detract the tiniest bit			chamber and seems to function properly mechanically. Overall a very
	from the wonderful work executed on this revolver. All of the numbers			nice graded example in fine condition with some very nice quality
	are of-course matching. New Fr000ontiers are far-less encountered			engraving. (39670-12) {ANTIQUE} [David & Lore Squier Collection]
	factory engraved than their common Single Action Army counterparts,			(1800/2200)
	this example is suitable for the best of Colt collections. (39740-17)			Est. 1,800 - 2,200
	{MODERN} (4000/6000)	2	265	Very Rare & Fine Winchester Model 1895 Deluxe Lever Action Short
	Est. 4,000 - 6,000			Rifle
263	Handsome Burgess Gun Company B-Grade Slide Action Shotgun Two			serial #33421, 30-40 Krag, 22" round barrel with a partially bright about
	Barrel Set			very good plus bore showing some scattered pinprick pitting and light oxidation in the grooves, a bit more noticeable approaching the muzzle,
	serial #1251, 12 ga., 26" solid rib barrel, un-choked, and 30" solid rib barrel, choked a tight modified, with bright excellent and very fine bores			with otherwise strong rifling throughout. The barrel of this handsome rifle
	respectively, the longer barrel showing some very light remnants of			retains about 90-92% original blue with most of the loss due to some
	oxidation staining or perhaps very light pinprick pitting scattered about			scattered very light pitting along its length that is toning to a mild brown
	half of its length. The shorter barrel shows nice star pattern gray and			patina, likely due to some poor storage in the past, a few smaller areas
	brown damascus its full-length with interspersed very light oxidation			of mild thinning and light handling marks. The action retains about
	staining here and there, with strong blue remaining on the nosecap, the			80-85% original bright blue with flaking mostly along the high edges
	magazine tube fading to a plum and pewter patina with strong blue on			toning to a pleasant gray-brown patina, a few tiny dings, specks of
	the magazine cap. The longer barrel shows a fading damascus pattern			brown and mild striations along the sides. The bolt retains about 97%
	its full-length, showing a bit more scattered oxidation staining and spots			lovely bright blue showing some mild edge wear and the extractor,
	of very light pinprick pits on the underside ahead of the magazine tube.			magazine follower and lever catch retain most of their brilliant fire blue,
	The attendant metal has mostly faded to a pewter gunmetal patina and			the trigger being a pale fire blue and straw tone. The hammer and lever
	there is a small impact mark at the right rear of rib. The nosecaps, magazine tubes and the tube cap of the shorter barrel show light, good			link retain about 95% vibrant case-hardened colors with some mild muting along the hammer. A couple of screw heads show some light slot
	quality scroll engraving and both are numbered in matching fonts at their			wear, all markings remain crisp and clear and the arm is properly not
	breech ends "1251". The receiver remains guite nice with perhaps 80%			stamped with Winchester's "WP" proof. The checkered straight grip
	original blue, with fading to pewter on the carry point at the belly and			deluxe walnut buttstock and schnabel forend with ebony tip insert
	rounded sections of the frame, the frame flats retaining their bright			remain in very fine condition showing generous amounts of original oil
	original polish with somewhat fading bright blue. The left flat shows a			finish that is thinning along the sides of the butt along with the expected
	woodcock game scene, the right with a bobwhite quail, with good quality			scattered light dings and handling marks. There is a very thin 1 1/2"
	scroll front and rear and geometric engraving on the belly and bow of			crack at the bottom right edge where the stock meets the frame that
	the triggerguard. The English walnut buttstock and both checkered			flexes very slightly along with a number of thin cracks that extend into
	forends rate very good with much original varnish and overall light dings			the interior inletting that are unobtrusive from the outside and can no
	and handling marks, both forends showing a bit more wear, the longer			doubt be addressed by a good wood man. The diamond point
	set with a couple of minor cracks and the checkering showing more			checkering with neatly mullered borders remains completely intact
	wear. The pistolgrip is more coarsely checkered and remains very good			showing only very light wear and the buttstock shows wonderful
	with small crack as well. A couple of the screw heads show some slot damage but they are certainly not beyond saving and certainly could be			feathercrotch grain figure throughout, the forend with some slightly subtler but very handsome fiddleback grain. The original black
	dressed, the toe of the buttplate has chipped off but again a talented			checkered hard rubber buttplate is intact and rates near excellent
	'smith could effect a repair with epoxy. The gun seems to function well			showing a few small handling marks. The forend and tangs are
	mechanically and both barrels mount solidly, the face of the receiver			unmarked and the buttstock shows a penciled number "11199" along the
	stamped with the gun serial number and a capital letter "B". This is a			upper inlet and is also stamped "95 / 11199" beneath the buttplate, their
	very attractive graded Burgess shotgun two-barrel set showing some			fit to the frame being excellent. The rifle is sighted with flattop sporting
	nice quality engraving. (3C9670-11) {ANTIQUE} [David & Lore Squier			rear sight, Lyman white bead front and the action seems to function well
	Collection] (4000/6000)			mechanically. Cody records indicate this rifle shipped as-described with
	Est. 4,000 - 6,000			22" barrel, fancy checkered and oil-finished stocks, shotgun butt with
				rubber plate and the aforementioned sights on November 25, 1901 as
				order number 122467. The records also indicate the arm was returned
				to the factory for repair on February 10, 1903, order number 177626. A very fine deluxe short rifle for the advanced Winchester collector in a
				wonderful and seldom seen configuration. (13E9710-75) {C&R}
				(6000/8000)
		1		·····/

(6000/8000) Est. 6,000 - 8,000

Est. 10,000 - 15,000

Lot Title/Description

266 Interesting German Gewehr 98 Bolt Action Rifle by Danzig with Dual 268 SS Marked and Reworked Gew 98 Bolt Action Rifle Claw Mounts & Oigee Scope serial #8666c, 8mm Mauser, 24" barrel with an oxidized bore with light serial #7993c, 8mm Mauser, 29" barrel with an about very good bore rifling. The arsenal blue finish has toned to brown patina on the receiver, showing darkness and oxidation in the grooves with otherwise strong barrel bands, and bottom metal with light wear on the contact points and rifling throughout. The barrel of this 1906-dated rifle has toned to a deep high edges, a few scattered spots of light oxidation and remnants of light gray-brown patina showing some scattered old oxidation staining and pitting, the barrel and rear sight base have a mottled gray patina with strong remnants of original blue along the wood line. The receiver spots of light oxidation staining, and scattered light handling marks; the remains in-the-white and shows some scattered brown freckling and bolt body and safety have toned to brown with thinning, light operational smoothed-over light pitting, as-does the bolt while the triggerguard and wear, and scattered light pitting. The laminated hardwood stock has floorplate are a dark brown patina showing old oxidation. All markings been converted to K98k specifications and is in about very good remain intact and strong. The Oigee Luxor 3X scope has mostly toned condition as lightly cleaned with a tight about 1/4" crack behind the to a mottled gray patina showing some scattered areas of triggerguard, a few tiny chips, an about 2" x 1" arsenal repair behind the smoothed-over light pitting and old oxidation, the brass hardware triggerguard where the original sling swivel was removed, scattered light showing strong black enamel finish and all markings remain strong. The handling marks, and the flat steel buttplate is proud at the toe and edges scope is numbered "100433" and features duplex-type reticle with of the heel; the buttplate has been cleaned to bright with scattered fine somewhat yellowed but serviceable optics, the crosshairs with some oxidation. The buttstock is marked with a few Imperial proofs , a soft mild "fraying" and some mild occlusions along the periphery. The rear Death's Head behind the triggerguard, and the stock and handguard are base screws are not quite indexed properly, the bolt handle is turned numbered to the rifle; the buttplate is crisply numbered to the rifle, as down a bit sharper than it ought to be and there is no cutout in the stock well. The maker mark has been removed from the receiver ring, the ring for the handle, but the hardware appears to be quite old with a similar is marked with a clear Imperial Eagle firing proof and serial number, as patina as the rifle. The smooth walnut stock and handguard remain in well as the faint remains of commercial proofs, three Imperial proofs. about very good condition showing areas darkened from the years, a The barrel is marked with a "SS / (Death's Head)" and "SS2 / (Death's few scattered shallow old chips, some mild abrasions behind the upper Head)" on the left side, the markings relatively clear with a little tang, light drying cracks along the butt and overall dings. There are faint softening, and two five-points stars are marked just ahead of the inspector stamps along the right side butt, no visible number along the receiver ring. The barrel, bolt, rear sight, barrel bands, follower, toe line and the disc is unit-marked "R.22.1.63." The rear sight parts are floorplate and triggerguard are all serialized and matching to the rifle; numbered "29" and the remaining serialized parts are matching, the tip the bolt stop is numbered to a different rifle. The rifle is sighted with the of the firing pin broken off and the action otherwise seems to function standard barleycorn front sight and leaf rear sight, and appears to well mechanically. An interesting Gew.98 sniper rifle, likely assembled function well mechanically. Included with the rifle is a detachable muzzle post-war but one that certainly looks the part. (13B9736-48) {C&R} cover, 10" cleaning rod, and leather sling. A very good early SS rifle. (1800/2200) (14C9736-4) {C&R} (2000/4000) Est. 1,800 - 2,200 Est. 2,000 - 4,000 German K98K Long Side Rail Sniper Rifle by Gustloff Werke SSZZA4 Marked K98k Bolt Action Rifle by Steyr 267 269 serial #6997, 8mm Mauser, 24" barrel with a very good bore with serial #55519, 8mm Mauser, 24" barrel with a bright excellent bore. The metal sur-faces of this very fine bcd 4-coded rifle retain about 95% intermittent light pitting and oxidation, but strong rifling. The metal original smooth gray Parkerized finish showing a few scattered areas of surfaces of this "bnz / 42" coded rifle have a mottled brown patina with freckling and mild brown patina mostly along the barrel nearer the remnants of original blue, light wear on the high edges and contact muzzle and front band along with some minor handling marks. The points, a few scattered traces of previous light oxidation and scattered stamped qnw-coded triggerguard and the front sight hood retain a light handling marks. The laminated hardwood stock is in very good plus similar amount of original blue showing some minor high edge wear condition with normal field wear, and a few scattered light handling while the extractor has taken on a slightly case-hardened tone. The rifle marks now devoid of finish. The cupped steel buttplate is a dull is equipped with the proper checkered buttplate that has toned to a gunmetal gray with scattered light oxidation staining and light pitting. silvery pewter patina and the scope base and mount retain about 98% The stock is marked with a crisp Death's Head behind the triggerguard, original blue showing some mild high edge wear. The Kahles H/4x60 and is lightly serialized and matching on the toe line; the upper barrel scope with sunshade retains about 95% original blue showing some band resists removal, so the numbering of the handguard cannot be scattered areas of light flaking and mild oxidation stain-ing and the alloy verified. The coding on the receiver ring remains clearly marked, the fittings retain a similar amount of black enamel finish. The scope itself is barrel is marked with the serial number and three correct crisp numbered "43551" and features the typical German reti-cle with slightly 'WaA623'' waffenamt on the left and a crisp "(Eagle) / SSZZA4" marking yellowed optics showing some minor occlusions around the periphery on the right side, just above the wood. The rear sight, bolt handle, and but otherwise remaining completely serviceable. The smooth laminated triggerguard are serialized and matching to the rifle and the remaining hardwood stock and handguard remain in about very good plus parts are unmarked; a crisp "77" waffenamt stamped on the extractor is condition, the stock showing a couple of scattered thin cracks with a 1 the sole other waffenamt marked on the rifle. The rifle is sighted with the 1/4" crack behind the triggerguard, 2" ahead of the scope base and a standard barleycorn front sight and leaf rear sight, the front sight hood is very small one ahead of the triggerguard. The stock is otherwise guite intact, the follower has been lightly modified to remove the bolt hold-open feature, and the rifle appears to function well mechanically. nice showing just some scattered light dings and handling marks with a strong "(Eagle) / H" on the right side butt and "c" along the toe line. The Included with the rifle is a 12 1/2" cleaning rod, a "SS (Death's Head) 1" stock and handguard are un-numbered inside and out and the stock marked leather sling in very good condition with a few light drying cracks does show a strong Waffenamt on the interior and "Br" beneath the and spots of light wear, and finally a hand-written note from Bob Jensen buttplate. All mark-ings remain strong and intact, the receiver ring with dated June 18, 2001 detailing the collection of nineteen serial numbers proper "(Eagle) / 749", the right edge of the rear sight base shows a of "SSZZA4" rifles he had recorded in thirty years, including the serial small "a" and "(Eagle) / 18", the right side receiver ring, follower and number of this very rifle: Mr. Jensen's final remark to the previous owner floorplate are stamped with a proper small "1" and the barrel bands are being that he had "...a rare item indeed." (14C9736-58) {C&R} unmarked. The scope base and mount are stamped with the correct (2000/3000) "(Eagle) / 359", the bolt is equipped with the proper scope clearance Est. 2.000 - 3.000 safety, all of the numbered bolt parts are matching and the scope mount is also matching the receiver. Included are a set of black leather scope covers and a brown leather sling. The covers rate very good plus showing some scuffs, crackling and a "(Eagle) / WaA414" on one cover while the sling rates very fine showing some mild staining and minor flaking along with a pencil-written name on the inside that is very difficult to discern. This is a very lovely correct late-war sniper that would make an excellent addition to any advanced sniper or martial collection. (13G9807-204) {C&R} [Vincent Coniglio Collection] (10,000/15,000)

70	Outstanding FN FAL G-Series Semi-Auto Rifle	272	Scarce and Excellent Heckler & Koch 91 Factory Camouflaged
	serial #G1574, 7.62 NATO, 24" barrel including flash hider with a bright		Semi-Auto Rifle
	excellent bore. This gorgeous G series FAL is one of only 1,836 rifles		serial #41-059984, 7.62 NATO, 18" barrel with a bright excellent bore.
	imported from Belgium by the Browning Arms Co. between September		Only a few hundred factory woodland camouflaged HK 91 rifles were
	5, 1959 and January 10, 1963 on which day the ATF classified them as		ever imported into the U.S. and this desirable pre-ban IH-date coded
	machine guns due to their ability to accept select fire components.		(1987) example retains about 98% original woodland camouflage
	Subsequently these rifles were exempted from the NFA by serial		pattern with the majority of the loss around the buttplate along with a
	number with this specific rifle falling within the stated G1570-G1784		very tiny scratch on the right side of the receiver and couple scattered
	range. The metal surfaces retain 99% original Parkerized and black		tiny chips exposing the black finish beneath. The receiver displays som
	enamel finishes with slight silvering on the high edges of the magazine		small and unobtrusive areas of water speckling around the action from
	well and front of the flash hider and a few very light handling marks. The		when the factory finish was applied which, if anything, enhances the
	beautiful smooth European walnut buttstock and handguards rate excellent plus with perhaps a faint handling mark or two, the black		pattern. The barrel retains 99% original black enamel while the bolt her
	polymer carry handle has a tiny and unobtrusive impact mark and the		and locking piece remain bright and display what appears to be the original factory preservative. The wide forend, pistolgrip with thumb res
	pistolgrip appears as-new. The receiver is correctly marked with		and A2 buttstock rate excellent with a perhaps a light handling mark or
	"FABRIQUE NATIONALE D'ARMES DE GUERRE_HERSTAL		two. The barrel is marked "IH5J" beneath the wide forend, the left side
	BELGIQUE" on the right side and "F.A.L. cal. 7,62" on the right and		of the magazine well displays "HK 91" along with the serial number over
	there are crisp Belgian proofs on the bolt, carrier and between the		"Cal.7.62x51" and the right side "Made in W-Germany / HK Chantilly
	charging handle and carry handle cut. The left side of the lower trigger		Va.". The rifle is equipped with the original diopter sights and sling
	housing features "S R A" select fire markings and the selector is factory		points, an excellent condition HK folding bipod is attached to the forend
	blocked from rotating to the automatic position. The serial number with		and two excellent condition factory 20-round gray Parkerized steel
	"G" prefix is correctly located just ahead of the magazine well while the		magazines are included with one date-coded "le" and the other "IH".
	bolt, carrier and pistolgrip are numbered to the gun. There is moderate		Also included is an excellent condition HK brown leather sling, a red
	slot damage to the screwhead of the factory flash hider with bayonet lug		spiral-bound HK 93 operator's manual, and a non-factory cardboard bo
	and the rifle is equipped with the original carry handle, rotating sling		This rifle appears to have seen little if any use and with its rare factory
	swivels, and military sights. One factory 20-round magazine is included		finish should make for an excellent investment. (23B9787-10)
	and the adjustable gas system and action appear to function well		{MODERN} (2000/3000)
	mechanically. This is a wonderful opportunity to own the crème de la		Est. 2,000 - 3,000
	crème of FALs rifles as it is as close to the original FN design as one	273	Excellent and Rare Heckler & Koch 93 Factory Camouflaged Semi-Aut
	can own without a Federal tax stamp. (23C9790-25) {C&R}		Rifle
	(8,000/10,000)		serial #42-137140, 5.56 NATO, 16 1/2" 1:7" twist barrel with a bright
	Est. 8,000 - 10,000		excellent bore. This extremely desirable IH-dated coded (1987) pre-bal
	Excellent Fabrique Nationale LAR 308 Match Semi-Auto Rifle		HK 93 is one of only 300 factory woodland camouflaged rifles ever
	serial #14777, 308 Win, 24" barrel including flash hider with a bright		imported into the United States. The barrel retains 99% original black
	excellent bore. The metal surfaces of this handsome rifle retain about		enamel finish with a few light handling marks. The remaining metal
	99% original black enamel and Parkerized finishes with the expected		surfaces and synthetic pistolgrip with thumb rest, A2 fixed stock and
	small area of light wear behind the ejection port, a few spots of faint high		wide forend retain about 97% factory woodland camouflage pattern wit
	edge wear and a few tiny light handling marks overall. The smooth black		majority of the loss on the buttplate with some light high edge and
	polymer pistolgrip rates near excellent with a few light handling marks		bearing surface wear and a few scattered light handling marks overall.
	and the smooth European walnut buttstock and handguards rate		The barrel is correctly-marked "IH5W" along with "178" beneath the
	excellent also with a few scattered and unobtrusive light handling marks.		handguard while the right side of the magazine well displays "Made in
	The right side of the Type 2 receiver is properly marked "FABRIQUE		W-Germany / HK Chantilly Va." One original "IE" marked 25-round stee
	NATIONALE HERSTAL BELGIQUE" with "STEYR SECAUCUS N.J."		magazine is included which retains 99% original factory woodland
	below the ejection port and "BROWNING ARMS COMPANY / ARNOLD,		camouflage finish as well. The rifle is equipped with the original flash
	MISSOURI AND MONTREAL P.Q." on the magazine well. The left side		hider and diopter sights, the three sling points are intact, and the rifle
	of the receiver displays ".308 MATCH" along with the serial number		includes the original folding bipod retaining about 98% original
	which is also on the bolt and bolt carrier. The rifle is equipped with the		Parkerized finish with slight high edge silvering and a few tiny specks of
	following original factory features: long flash hider with bayonet lug,		freckling. Also included is the original olive drab cotton canvas
	rotating sling swivels, trap buttplate, folding carry handle and adjustable		three-point sling, red factory manual showing some light corner wear
	military sights. This desirable and high quality Light Automatic Rifle		and minor soiling and an ancillary HK USA instruction manual. Please
	a.k.a. FAL comes with an unmarked black anodized aluminum 10-round		see the online auction for three additional HK factory woodland
	magazine and the action appears to function well mechanically. As the		camouflage 25-round steel magazines still in their original brown pape
	most prevalent 7.62 NATO military rifle in the world, this beautiful		wrapping. This rare and excellent HK 93 is sure to please even the mo
	example is a must have for any modern martial arms collection.		discerning Heckler and Koch collector. (23B9787-11) {MODERN}
	(23B9807-77) {MODERN} [Vincent Coniglio Collection] (2500/3500)		(3000/5000)
	Est. 2,500 - 3,500		Est. 3,000 - 5,000
		274	Heckler & Koch 94 Pre-Ban Semi-Auto Carbine
			serial #10695, 9mm, 16 1/2" barrel with a bright excellent bore. The
			metal surfaces of this 1986 date-coded West German-manufactured
			carbine retain about 98% original black enamel finish with very light
			muzzle wear, minor bearing surface wear on the A3 F retractable stoc
			a few light handling marks and a couple small scattered spots toning t
			gunmetal gray. The black polymer wide forend and pistolgrip with thun
			rest rate very good plus to near excellent with a few light handling man
			while the buttplate rates excellent. The left side of the magazine well is
			stamped "Kal. 9mm x 19" and the right "Made in W-Germany / HK
			Chantilly Va.". The original diopter sights and sling attachment points
			are intact, the stock locks open very solidly and the action appears to
			function well mechanically. The carbine includes four excellent condition
			HK factory 30-round curved magazines with two date-coded "IG" and
			two date-coded "IR", as well as an unmarked black polymer A2-style
		1	fixed stock in very good plus condition showing some light handling
			marks. This excellent condition and very desirable HK 94 will make a
			marks. This excellent condition and very desirable HK 94 will make a fine addition to your advanced modern firearms collection. (23B9787-1
			marks. This excellent condition and very desirable HK 94 will make a

275	Rare Heckler & Koch 41 Semi Auto Rifle	1	277	Handsome Colt Model 1878 Double Action Revolver
	serial #10B874, 7.62 NATO, 18" barrel with a bright excellent bore. It is			serial #31022, 45 Colt, 7 1/2" barrel with an a bright very fine bore which
	estimated that roughly 400 HK 41 rifles were ever produced with this			shows sharp rifling and is mostly bright but with some scattered light
	particular 1966-dated example being in the most desirable configuration			oxidation staining or perhaps light pitting. A very handsome revolver in a
	with a push pin receiver and paddle magazine release. The metal			lovely state of condition, the metal surfaces retain about 97% original
	surfaces retain about 98-99% original gray Parkerized finish with a few			nickel, the loss being a bit of light holster rub atop the topstrap and a bit
	light handling marks and slight high edge wear. The backplate retains			
				of light flaking on the ejector rod housing outer edge. There are the
	99% original black enamel finish and the black synthetic slimline			expected very sparsely scattered, very light handling marks or light
	handguard, pistolgrip with thumb rest and A2 fixed buttstock rate about			scratches here and there with a couple rub marks on the right of the
	excellent with a few light handling marks overall. The left side of the			frame which do not breech the nickel. The trigger retains some very
	magazine well is marked "HK 41 10B 874 / 5/66" while the left side of			lovely strong fire blue, as-does the spine of the hammer, its bright
	the "SF" marked steel trigger housing displays "MADE IN GERMANY			polished sides showing some light toning and speckling on the right but
	FOR / SANTE FE DIVISION / GOLDEN STATE ARMS CORPORATION			the left remaining mostly brilliant; many of the screws exhibit some
	/ PASADENA-CALIFORNIA-U.S.A. / CAL. 7,62 mm NATO". The left			strong trace fire blue, others are vibrant. The lanyard loop is intact and is
	side of both the trigger housing and backplate are properly stamped			a gray case-hardened patina and the checkered hard rubber Rampant
	"874" as are the bolt, bolt head and locking piece. The top of the bolt is			Colt grips rate fine with good checkering, nice Rampant Colts in the
	also marked "HK 5/66" while the bolt head shows "HK 3/66". As			panels and perhaps a minor scratch or handling mark here and there;
	mentioned above, this example is one of the early-imported rifles			they are pencil-numbered "22" on their interior. Both the frame and
	featuring the push pin receiver and paddle magazine release which			loading gate are matching in assembly number and the gun has minor
	would be removed from future importations. The rifle is further equipped			timing issues, occasionally working properly, occasionally failing to
	with a carry handle, removable flash suppressor, intact diopter sights			index. Really a very handsome-looking 1892-manufactured 1878 double
1	and two factory 20-round aluminum magazines with one marked "G3 P /			action very seldom encountered in such a very fine to excellent state of
	9/63" and the other "G3 / 12/64". Also included is the original			condition. (39752-1) {ANTIQUE} [Mike DeSantis Collection] (4000/6000)
	green-colored factory manual labeled "Self-Loading Rifle HK 41", an		070	Est. 4,000 - 6,000
	excellent condition unmarked bipod with extendable legs which clamps		278	Schoonover Colt Firearms Co Advertising Print "Tex and Patches"
	around the grenade launcher ring on the barrel complete with olive drab			This is an original, very nice, large-size Chromolithograph print of the
	canvas carrying pouch, magazine stripper clip guide, muzzle cover,			famous 1925 painting by Artist Frank Schoonover. Colt Patent Firearms
	excellent condition factory brown leather sling and later-issued factory			Manufacturing used Frank Schoonover's depiction of a Western marshal
	olive drab cotton three-point sling. Finally, there are some assorted			extensively in advertising of all kinds for years, the depiction today very
	spare parts including a bayonet adapter, firing pin with spring, charging			iconic of the time when the West was wild, and of the men who tamed it.
	handle, two buttstock push pins and one handguard push pin, extractor,			Purportedly "Tex Randerson" was the model for our marshal, seen
	pair of unmarked rollers, roller retainer plate, extractor spring and an			silhouetted against the great Western sky, turned slightly rearward to the
	article entitled The HK41 Precursor to the HK91 Cal. 7.62mm x 51-An			right, surveying the vista around him, right foot out of the stirrup to better
	HKPRO Exclusive Special In-Depth Feature by Daniel J. Svihra. This			gain his visage. His silver star pokes out from beneath his blue bandana
	rare and early HK 41 will make an excellent addition to the advanced			on the left breast of his vest, his Colt Single Action Army with carved
	Heckler & Koch collection. (23B9787-9) {C&R} (6000/8000)			steerhead mother-of-pearls rides snugly in its Mexican jockstrap holster.
	Est. 6,000 - 8,000			The depiction remains very vivid and the original May 11, 1926-dated
276	Fantastic SIGARMS SG 550-2 SP Semi-Auto Rifle	{		
270				promotional letter on Artist Frank Schoonover letterhead addressed to
	serial #10281, 223 Rem, 20 3/4" barrel with a bright excellent bore. This			the Colt's Patent Fire Arms Mfg. Co. is included, detailing his inspiration
	extremely desirable rifle is referred to by collectors as a "transitional"			for the painting and describing the man and the mount. The print
	model as the upper receiver has the current 1:7" twist barrel while the			measures 19 5/8" wide and was trimmed slightly along its bottom, now
	original 550-1 lower receiver has the earlier small magazine well. The			measuring 32" at one edge and 32 1/8" at the other, leaving only the
	barrel retains about 99% original blue while the upper receiver retains			vestiges of the top portion of Schoonover's signature, this example
	99% original SIG gray finish with a tiny area of wear behind the ejection			without the Colt's Patent markings, but again, with the "Colt letter"
	port and the lower receiver retains 99% plus original Sig green finish			included on the rear of the framing; the print is properly textured lightly
	with a few light handling marks overall. The slight variation in finish color			over its face. Interestingly, the rear of the print shows the ghost of an
	between the two receivers is another characteristic of these rare			antique framing, the backpiece showing an acid transfer image from
	"transitional" rifles. The green synthetic pistolgrip with internal storage			when it was originally mounted years ago with a packing crate backing
	compartment, handguards and folding buttstock rate excellent plus with			from "The Shredded Wheat Company" of Niagara Falls NY. The
	perhaps a faint handling mark or two. The lower receiver, bolt and			included Colt – Schoonover letter is glued to an antique piece of fibre
	carrier are properly serialized to the upper receiver which is marked on			board as well with 1920s-era patent dates imprinted. The frame itself is
	the left "SIGARMS INC. Herndon VA Made in Switzerland" and the			handsome with black lacquer edging and crackled faux walnut facade
	integral scope base on the top of the receiver displays the Swiss cross.			with a small gold-toned edge bead, measuring 32 3/16" wide by 43 3/8"
	The rifle is fully-equipped with an excellent condition folding bipod,			tall and is very attractively double matted with burgundy and textured
	diopter sights with a flip up tritium night sight front post and two-dot			eggshell mats. Clearly "THE" Colt print to be had by the serious Western
	tritium rear which no longer glow due to age, a two-position gas system,			or Colt collector, indispensable in any gun room, den or collection of
	a winter triggerguard that folds to the left or right, an ambidextrous			
	56° 6°			such arms, no such collection being complete without one. [Due to size
	safety lever and magazine release paddle, three sling attachment points			and glass, extra shipping will apply] (3D9689-1) (1800/2200)
	and the aforementioned right side folding buttstock. The threaded			Est. 1,800 - 2,200
	muzzle is equipped with a later added A1-style flash hider and mounted			
1	to the integral scope bases is an M1913 optics rail. Included with the			
	rifle is the original SIG-embossed gray-green hardcase in excellent			
	condition with a few light exterior scuffs containing the following			
	factory-new accessories: four original 20-round translucent smoke			
	polymer magazines, gray-green cotton sling, complete cleaning kit,			
	magazine loading tool, two optics mounts with one a Weaver-style rail			
	with a pair of 1" see-through rings and the other a pair of taller			
	see-through mounts. Finally, there is an extra charging handle missing			
	the rubberized coating at the end leaving the interior metal tip exposed			
	and the original factory manual. While this rifle does not have a bayonet			
1	lug, the correct Swiss Model 1990 bayonet, scabbard and frog for the			
	SIG 550 series is available in the online auction. This excellent condition			
	SG 550-2 SP is sure to be the prized centerpiece of any modern marital			
	arms collection as its quality is truly second to none. (23B9787-15)			
	{MODERN} (8,000/12,000)			
	Est. 8,000 - 12,000	J		

<ul> <li>serial #S841. 45 Cot. 5 1/2" barrel with a bright very good bore which shows organ (file with acterned oxidation do scattered dight billing, a fight or chousing above about 9% lister couldner quality blue with some very light marzle wear, a few very light handing marks and the barrel i address remaining probe of light princip, thirto, The tripregnated to misch be above above the scattere excellent quality blue with a bord be scattered with calibre designation or be scattered with calibre designation or be scattered principal blue. How the scattere scale (not inclus) the scattered with calibre designation or the scattered scattered with calibre designation or be scattered with calibre designation relative scattered with calibre designation or be scattered with a but and a tag the scattered with a but and the scattere scattered with a but and the scattere scattered with a but and the scattered with a but and the scattered with a scattered with a but and the scattere scattered with a scattered with a but and the scattere s</li></ul>		
<ul> <li>shows strong rifling with scattered oxidation and scattered light priting, a general stand, scattered with a scattered oxidation stand the scattered mild prior with a scattered with most of the loss due to overall scattered in the over Hybrid prior with most of the loss due to overall scattered mild prior scattered mild brown speckling and prior scattered mild brown speckling matched scattered mild brown speckling matched scattered mild brown speckling matched scattered mild prior scattered mild brown speckling matched scattered mild prior scattered mild brown speckling matched scattered mild prior scattered mild brown speckling matched scattered mild matched scattered matched scattered matched scattered matched scattered mild matched scattered mild matched scattered matched matched scattered matched matched scattered matched matched scattered matched matched matched scattered mathow matched brance matched matched matched scattered matched</li></ul>		n
<ul> <li>pector toroloxing show board BS issters. Checkening enably bue with some very light muzzle wear, a few very light handing marks and the barrel addess remaining light readbets. The children transport of the lox bue to vorsell scattered some invey paced of the lox bue to vorsell scattered some invey paced of the lox bue to vorsell scattered some invey paced does remaining and light the some torse paced does remaining rest of light priority lithting. The triggerguard, there, builpate and some the regressing and board the triggerguard to mark the factory polish patterns, the backstrap show some ware at the but and alop the scattered mild brown specific advecting and paced to the triggerguard along to the scattered mild brown specific advecting and paced context. They are been neatly dressed and have the singer addition, the ordined is clashy, the numeral store with handshes the characters that do not match forts precisely, the numeral S and 4 are slightly along the pare and crise with the paced sin the scatter muscle on the singer addition with matches the scatter mark in the paced is the interference of the figures mains storeg with Almoworth is amperiated to the imperiant storegard than the paced at a store with the backstrap interms, the appropriate fort which is attended with a larger 27, yeass sign pace with the scattered mild hown specific addition the ordined is clashy and number in the scatter within the backstrap interms, and alor of number the was abilitered down in paced the scatter addition the scattered with the scattered mild hown specific addition and a first with matches the and soliter within the backstrap interms, and alor of the first. The enable distribute mark is a model deferment the was abilitered down and alor the specific addition and a large tradition to possing and the scattered with a larger 27, at the order scattered with the scattered with the specific addition and a larger scattered mild hown specific addition anow the scattered with a larger 27, weaks specific additing a</li></ul>		
<ul> <li>ejector rod housing show about 98% later, excellent quality blue with harding marks and the barrel address remains (rely mark address remains (rely and classing and light harding marks and the barrel address remains (rely and classing and light harding marks) the social standard with relations and a few spots of light princip king runs and and a few spots of light princip king runs and and a spot spots and and runs and a few spots of light princip king runs and and a spot spots and and hardward runs and runs and and and princip king runs and and a spot spots and and hardward runs and runs and the spots runs and and spot spots and and hardward runs and register and and a spot spot spot spot spot spot spot spot</li></ul>	scattered light pitting, a serial #1193, 45-70, 26" part round part octagon barrel with a bright	t
<ul> <li>some very light muzzle wear, a few very light handling marks and the Barrel address remaining thy levelates. The provider response scattered light oxidian and a leve provider response scattered light oxidian and a leve provide and the barrel address provide provide and about the factory polish patterns, the backstrap phons Some and harcoal however, as the colors are not quite correct. They are billiant nonefleless and all of the munderside of U.S." marking remains strong with Ainsworth "A" on the underside of U.S." marking remains group the target and the action sense are replacements of have been energified to the sum color discrete discrete and the action retains about 27% later group in the appropriate tori within markets the characters on the arm parfeetly. The triggerguard standing, marks are matching and perfersion. The triggerguard standing and a leve provide to the gun project waits that the number visa merely in the appropriate tori with a longer reversis that the number was merely unebating on barding marks. The scheding remains crips and the strong of the light of the light there are matching and the remarks direct due to the remark is over stands that markets the buctitate at remosity uncbarraity approver and inspection. The triggerguard, with a large 27. The strong bare with he backstrap intension, backstrap intension, backstrap intension, backstrap intension, and sightly proud of the farmer, and sightly roud at its first the totic of the light constrains are used to the long and the strong strong of the light constrains and the scale strong the sight of the light constrains and the scale strong the sight with the buck, the farmed and the larger 27. The totic sight light the sight are not the light the sight are not sight by could the farme and its not strong of the light the sight with the buck the sight are not sight by could the farme and the actors seems to function regress that do not mumber was the strong the sight with the buck, the farmed and the larger 27. The term specifies o</li></ul>	derate. The barrel and excellent bore. The barrel of this lovely Hepburn retains about 95-9	6%
<ul> <li>barrel address remaining fully readable. The cylinder relatins portage</li> <li>de 560% biter quality buy, with wear to power in spots, some scattered</li> <li>fight oxidation and a few spots of light pingrick pitting. The triggerguard, frontstrap and backstrap all show the same excellent quality restored</li> <li>bue, efforts have been made on the triggerguard to match the factory</li> <li>polish patterns, the backstrap all not bone and chanceal however, as</li> <li>the cotore are not quite correct. They are brillinn nonethelees and all of</li> <li>the screws are replacements or have been nealty dressed and have</li> <li>bright buik. The left side of the barrel and one on the cylinder which is</li> <li>rather deepy struck and may be a later addition, the cylinder is clearly</li> <li>anumbered to the gun properly in the appropriate fort which matches the</li> <li>characters that do not match horse precisely, the rumeral 5 and 4 are</li> <li>slightly different, the balance of the figures match however, and</li> <li>inspection with a loope reveals that the numeral 8 is over stamped an</li> <li>identical number 7°: breacht, it may be that this number was merely</li> <li>re-stamped over the od 10 mother tat was oblichreide during the relinish.</li> <li>The smooth one piece wainut gip rates very good as relinished many</li> <li>years agit, there is discored the learger structure.</li> <li>As-mentiond numbers away, was 'timed in the fellows'.</li> <li>As-mentiond numbers away, was 'timed in the fileway.</li> <li>As mentioned numbers away, was 'timed in the fileway.</li> <li>As mentioned numbers away, was 'timed in the fileway.</li> <li>As mentioned numbers away, was 'timed in the Solue All the loses. An ander octored Collection (40006000)</li> <li>East 4.000 - 6.000</li> <li>East 4.000 - 6.000</li> <li>Yeas the bard in smoch dings the inflam.</li> <li>As mentioned numbers away, was 'timed in the loses.<td>ent quality blue with original blue with most of the loss due to overall scattered light free</td><td>kling,</td></li></ul>	ent quality blue with original blue with most of the loss due to overall scattered light free	kling,
<ul> <li>barrel address remaining fully readable. The oxinder relations perhaps</li> <li>BAS-60% Kater quality hue, with wear operveil in spots, some scattered inght oxidation and a few spots of light pinycick pitting. The triggerguard, frontstrap and backstrap all sow the same excellent quality restored plaue, efforts have been made on the triggerguard to match the factory polish patterns, the backstrap all sow was same the but and alop the function. The frame relations about 37% kiter quality hue that alop the case-hardened patterns, show gave and sub-triggerguard along scattered mild brown speckling and generous annount of line query critical numbers about 37% kiter quality hue that the but and alop the case-hardened corns. shill quite but to the screws are replacements or have been neatly dressed and have bright blue. The left disk of the barrel and one on the cylinder which is charty numbered to the gun properly in the appropriate fort which matches the characters that do not match however, and inspection with a backstrap and now, triggerguard simplical box some characters that do not match hows precisibly. The unified box some characters that do not match hows precisibly the function. The cylinder which is a sightly different, the balance of the figures match however, and indepotion number in Xes and all of the special with in backstrap and now, triggerguard sing the forter side durity and number that was merely re-stamped over the od humoter that was a bidreted during the refinish. As-metined numbers are matching on bave been original any, years ago, there is no discingerguard is angle has some. The some side with the trage serial some of the side of the targerguard is angle has some. The some series to free ourd some prevised with a lerger 27, at the top. The fortic lis sighted with a fragerguard is sightly proud of the finals on adhere the some original any, years ago, there is no discingerguard is sightly proud of the finals on the tangerguard is sightly proud of the finals on the linals and t</li></ul>	dling marks and the some tiny specks of minor oxidation staining and light handling ma	rks.
<ul> <li>85-90% is the rquality blue, with war to pewter in spots, some scattered light oxidation and a few spots of light product plain, for this ray and backstrap all show the same excellent quality restored blue, efforts have been made on the riggergurant to match the factory polish patterns, the backstrap all show thes some excellent quality restored to the same retains about 37% later good quality color (case-hardening, likely cyanide and charoa en dharcoal however, as the colors are not quite correct. They are brilliant nometheless and all of the same retains about 37% later good quality color (case-hardening). Ikely cyanide and charoa end charcoal however, as the colors are not quite correct. They are brilliant nometheless and all of the same and the underside of the barrel al one neatly dressed and have bright blue. The left side "U.S." marking remains strong with Answorth characters on the abrene of the cylinder tis clearly number rol the sign and are signify different, the balance of the figures match however, and inspectors that do not mumber it was escelent on the cylinder the refinish. The single different dening on bard, frame, cylinder, and single different dening on bard, frame, cylinder, and sonding. As-mentioned number area socialized all single actions are not full and socialized and mine describe area matching on bard, frame, cylinder, and social consender unders are matching on bard, frame, cylinder, and social consender unders are matching on bard, frame, cylinder, frame, cylinder, and social consender unders are matching on bard, frame, cylinder, and social consender unders are matching on bard, frame, cylinder, frame, cylinder, frame, cylinder, frame, cylinder, and social consender unders are social conder and area social consender unders are social consender unde</li></ul>		
light oxidation and a few spots of light piprick pitring. The triggerguard.frontstrap and backtrap all show thes are excellent quality reatoredblue, efforts have been made on the triggerguard to match the factorypolish patterns, the backtrap shows some wear at the builty of the carges and bower, asthe colores are not quied curred. They are brilliant nonetheless and all ofthe screws are replacements or have been neady dressed and havebright builty. The left side of the barrel and one on the cylinder which is'A' on the underside of the barrel and one on the cylinder which is'A' on the underside of the barrel and one on the cylinder which is'A' on the underside of the barrel and one on the cylinder which ischaracters on thar may be alter and think matches thecharacters on thar may be hast thin numeral 8 is over stamped anidentical number '8' beneath, it may be that this number was merelythe source wainut gip rates very good as refinished manyyears south one yies wainut gip rates very good as refinished manyand no remants of carbuche due to the refinish and sanding.As-mentiond numbers away wais sued to CA. Try Covaly inAs-mentiond numbers away wais sued to CA. Try Covaly inand no fermes stamp and the issued to Calculate the subset of spinglied Research Service ablow than issue to Lawa'The toru of the Size and Barder during the refinish.The samodo on piece wainut gip rates very good as refinished manyand no remands to carbuche due to the refinish and sanding.As-mentiond numbers away wais sued to CA. Try Cavaly inAs-mentiond numbers away wais sued to CA. Try Cavaly inand no rem		
<ul> <li>tronstrap and backstrap all show the same excellent quality restored blue, efforts have been made on the triggerguard to mark the factory polish patterns, the backstrap shows some wear at the but and atop the knuckle. The inter retains about 97% later good quality color case-hardening. Ikely yanide and not bone and charcoal however, as the colors are not quice correct. They are brilliant nonetheless and all of the screws are replacements or have been nealty dressed and have bright blue. The lot side "U.S." marking remains strong with Ainsworth "A" on the underside of the barrel and one on the cylinder is clearly numbered to the gun proprive in the appropriate fort which is characters on the am perfectly. The triggerguard stamping shows some characters is not do not mark forts precisely, the numeral 5 and 4 are slightly different, the balance of the figures was merely re-stamped over the old number that was oblicerated during the refinish. The smooth one piece waltur gir rates way good as refinished many years ago, there is no discernible number within the backstrap intering and no remants of cascernible number within the backstrap intering anyway. A quick check of Springfield Kesseart. Service shows no his around this arms serial numbers and, was: (3C9670-507) (ANTICUE) [David at Life sing the fitting and fure early am, manufactured in 1874, this remains a very attractive example post-refinish and unduberly a veterian of the fidue with a thig serial #2620, 40 2 1/2, 281 coston barrel with a bit is a bit blow. The barrel is much larger than the during the fitting and for early am, manufactured in 1874, this remains a very attractive example post-refinish and unduberly a veterian of the fidue with the type. the finish on the rear signt particularly while and a liteli bit of 2070-507). (ANTICUE) [David at Life With Wason (3C9670-507). (ANTICUE) [David at Life or with a word the wason early am, manufactured in 1874, this remains a very attractive example post-refinish and undubberly a veterian of the f</li></ul>		
<ul> <li>blue, efforts have been made on the triggerguard to match the factory polish patterns, the backstrap shows some wear at the built and atop the knuckle. The frame retains about 97% later good quality color case-hardening. Ikely cyanide and not bone and charcoal however, as the colors are not quite or the correct. They are fulliant nonetheless and all of the sortews are replacements or have been neatly dressed and have bright built. The left side ULS." marking meanins strong with circums and thick the softwards and may be a later addition, the cylinder which is rather deeply struck and may be a later addition, the cylinder which is characters on the amy perfectly. The triggerguard stamping about 59%, to numeral 8 is over straped an inspection with a longe reveals that the non-text however, and inspection with a longe reveals that the numeral 8 is over straped an inspect with a longe reveals that the numeral 8 is over straped and indiging marks. The checkening regressive, and inspection with a longe reveals that the numeral 8 is over straped an inspect with a longe regressive shows no hits any on parter, frame, cylinder, backstrap inletting and no momeral 8 is over straped an number 8" beneath; it may be that this number was merely re-stamped over the od interaid at numeral 8 is over straped an number 8" beneath; it may be that this number was merely years and now, stringerguard, which has packstrap intesting and nor scattured due to the refinish and sanding. As-mentioned number, built interesting 5740 was issued to Troop 1, 7th Cavalry in 1888, 5743 was issued to Co. H. 7th Cavalry, and segreture 180°, rever shows no hits arm osci full and the built. The condition property mechanical way attractive example and number, with retesting 454 was issued to Co. H. 7th Cavalry, and galetic das "damaged" June 25, 1876 (the day of the battle) and number, with retesting 5740 was issued to Co. H. 7th Cavalry, and 586, 105 numbers away, was "turned in'by Stouw Whitning Whithe Head is Beptomer 1867. The left side</li></ul>		
<ul> <li>polish patterns, the backstrap shows some wears at the butt and atop the knowledge. The fiver, buttplate and seel schnabel forend tig uper outs amount of case-hardened colers, still quite vibring to the sorter and the correct. They are brilliant nonetheless and all of the sorters are replacements or have been neaty dressed and have bright blue. The left side "U.S." marking memans strong with Ainsworth "A" on the underside of the barrel and one on the cylinder which is rather deeply struck and may be a later addition, the cylinder is clearly numbered to the gun properly in the appropriate fort which matchbes the characters on the arm perfectly. The triggerguad stamping shows some characters that do not match forts precisely, the numeral S and 4 are slightly different, the balance of the figures match however, and inspection with a loope reveals that the numeral S and 4 are slightly different, the balance of the figures match however, and indencing number is no discernible number that was obletarated during the refinish. As-mentioned numbers are matching on barrel, frame, cylinder, backstrap inding. As-mentioned numbers are matching to terfinish and and-agregradure. Which as a longer 22, was ago, there is no discernible number within the backstrap inding. As-mentioned numbers are matching to terfinish and and undoubled was issued to C.H. J. MC avairy, and is listed as "damaged" June 25, 1876 (the day of the battle) and numbers away. A quick check of Springfled Research Service shows no hits around this as a "damaged" June 25, 1876 (the day of the battle) and numbers away. Was issued to C.H. J. MC avairy, manufactured in 1874, white mains a very struck and white butt, the arm fine and assight y atternand a wey free collection (4000000) Est. 4,000 - 6,000</li> <li>280</li> <li></li></ul>		
<ul> <li>knuckie. The frame retains about 97% later good quality color case-hardening, likely cyanide and not bone and charcoal however, as the colors are not quality cyanide and not bone and charcoal however, as the colors are not quality creaters are placements or have been neatly dressed and have bright blue. The let side U.S." marking remains storey attive has neated in the cylinder wich is the characters on the arm perfectly. The triggerguard stamping shows some characters on the arm perfectly. The triggerguard stamping shows some characters on the arm perfectly. The triggerguard stamping shows some characters that do not match fonts precisely, the numeral 5 and 4 are sightly different, the balance of the figures match however, and inspection with a loop reveals that the numeral 5 and 4 are assightly different, the balance of the figures match however, and inspection with a loop reveals that the numeral 5 are verst stanged an identical number 3" beneath, it may be that this number was merely restamped over the of unmober that was obliterated during the refinish. The song the prevals that the numeral 6 are verst stamped an inspection within the backstrap intenting the arm of the ladder engraved with a large 2", years ago, three is no discernible number within the backstrap intenting the adder engraved with a large 2", years ago, three is no discernible number within the backstrap intenting the refinish. The art field is different within the backstrap intenting the refinish. The art field is different within the backstrap intenting the refinish. The art field is different enging 5.74 words issued to Co. H. 7th Cavalry, and is listed as "damaged". June 25, 116 fold ady of the battly and the set is sole that again to make supersystical the the tracking and maxing 1.400° across the flats ying the refine any way, manufacture to a sole addres remains a very strated were statched patina. The breekholock oper strategore and any way, A quick check of Springfield Research Service shows no his any may manu does fu</li></ul>		
<ul> <li>case-hardening, likely cyanide and not bone and charcoal however, as the colors are not quite correct. They are brilliant nonetheless and all of the screws are replacements or have been neatly diressed and have bright blue. The left side "U.S." marking remains strong with Ainsworth "A" on the underside of the barrel and one on the cylinder which is trather deeply struck and may be a later addition, the cylinder is clearly numbered to the gun properly in the appropriate fort which matches the characters on the arm perfectly. The triggerguard stamping shows some characters that do not match fronts precisely, the numeral 5 and 4 are slightly (difternt, the bearks) than young some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this showing some areas darkening slightly from the years, this slight withis the reflection the file. The file is slight with the inspection with a larger years and the areas souther and the action seems to function the gar and the action seems to function the reflection the range sand slightly grouid as reflinished many way areas clanuble withis in the backs</li></ul>		
<ul> <li>the colors are not quite correct. They are brilliant nonetheless and all of the scores are replacements or have been neatly dressed and have bright blue. The left side "U.S." marking remains strong with Ainsworth "A" on the underside of the barrel and one on the cylinder wich is is rather deeply struck and may be alter addition, the cylinder wich is is rather deeply struck and may be alter addition, the cylinder wich is is cover stamped an inspector. The triggerug and stamping shows some characters that do not match horts precisely, the numeral 5 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 5 is over stamped an identical number "3" beneath, it may be that this number was merely ire-stamped vore the doi number that was obliterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discemble number within the backstrap inletting and no remnants of cartouche due to the refinish and asnding. As-mentioned number site as in backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits arow steal number, in the restingly 3740 was issued to Troop 1, 7th Cavalry in 1888, 5743 was issued to C. H, 7th Cavalry, and is listed as 'tamaged''. June 25, 1786 (the day of the battle) and number 1876. The left side of the triggerguard is slightly proud at list twit the butt, the arm des unclose restample post-refinish and undubtedly a veteran of the Indian Wars. (3CGFO-507) (ANTICUE) [Davk &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>281</li> <li>281</li> <li>281</li> <li>280</li> <li>280</li> <li>280</li> <li>281</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>280</li> <li>281</li> <li>280</li> <li>280</li> <li>281</li> <li>380</li> <li>390</li> <l< td=""><td></td><td></td></l<></ul>		
<ul> <li>the screws are replacements or have been neatly dressed and have bright blue. The left side "U.S." marking remains storag with Ainsworth "A" on the underside of the barrel and one on the cylinder which is rather deeply struck and may be a later addition, the cylinder which is characters on the arm perfectly. The triggerguard stamping shows some characters on the arm perfectly. The triggerguard stamping shows some characters that do not match forts precisely, the numeral 3 is over stamped an identical number "S" beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The smooth one piece wahurt gir artis very goad as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of carouche due to the refinish and sanding.</li> <li>As-mentioed numbers, but interestingly 5740 was issued to C. H. 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number softs. The bareal of this issued to Co. H. 7th Cavalry in 1888, 5743 was issued to Co. H. 7th Cavalry, and is listed as "damaged" June 25, 1877 (the day of the battle) and muster 546, 105 numbers away, was "turned in "by Sloux Whinling White Head in September 1876. The led side of the reface long 4000/6000) Est. 4.000 - 6.000</li> <li>280</li> <li>280</li></ul>		
<ul> <li>bright blue. The left side "U.S." marking remains strong with Ainsworth "A" on the underside of the barrel and one on the cylinder which is rather deeply struck and may be a later addition, the cylinder is clearly numbered to the gun properly in the appropriate font which matches the characters on the arm perfectly. The triggerguard stamping shows some characters that do not match fonts precisely, the numeral 5 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 5 is over stamped an identical number 7b beneath, it may be that this number was merely re-stamped over the of dnumber that was oblicaretad during the refinish. The smooth one piece wainut grip rates very good as refinished many years ago, there is no discretible number within the backstrap intetting and no remnants of cartouche due to the refinish and sadning. As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, was "subured to C. H, 7th Cavally, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in "by Sloux Whiling White Head in September 1876. The left side of the triggerguard is slightly proud the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically abiel tokous jis a billose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undubiedly a veteran of the triggerguard is slightly proud the trame, and is flat, with serve sain is wery heavy called the collection (4000/6000) Est. 4,000 - 5000</li> <li>280</li> <li>280</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #2620, 40.7 0. Jargos Straight, 33' very heavy calgon barel with a bright excellent bore. The barrel is much large that the triggerguard signt with a bright excellent bore. The barrel is much area is markening serial #200, 40.2 112, 28' octagon barrel with a bright excellent bore. The</li></ul>		
<ul> <li>"A" on the underside of the barrel and one on the cylinder which is rather deeply struck and may be a later addition, the cylinder is clearly numbered to the gun properly in the appropriate fork which matches the characters on the arm perfectly. The triggerguard stamping shows some characters that do not match forts precisely, the numeral 3 and 4 are slightly different, the balance of the figures match however, and indentical number "5 beneath, it may be that this number as a matching the refinish. The site of the balance of the figures match however, and indentical number "5 beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The setamped over the old number that was obliterated during the refinish. The straine during the refinish and sanding.</li> <li>As-mentined numbers are matching on barrel, them, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no his around this am's serial number, to the triggerguard is slightly proud of the frame, and slightly proud at the frame, and slightly proud at the frame, and slightly proud at the frame, and slight or by Sloux Whirling While Head in September 1376. The left side of the triggerguard is slightly proud of the frame, and slightly proud at the triggerguard is slightly proud of the frame, and slightly proud at the tream of the ladder end beards est of Freund slights. (ANTICUE) [David &amp; Lore Squier Collection] (4000/6000) Est 4.000 - 6.000</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #2627, 40-70 Sharps Straight, 33' very heavy catagon barrel with a bright excellent book the adges and some faint oning to sliph without ab tright excellent book the adges and some faint oning to sliph without ab the file was an lise and is number; by heavy catagon barrel with a bright excellent book the adges and some faint oning to sliph withing serial #2627, 40-70 Sharps Straigh</li></ul>	dressed and have hammer, trigger and screw heads retain most of their lovely brilliar	t fire
<ul> <li>rather deeply struck and may be a later addition, the cylinder is clearly numbered to the gun properly in the appropriate font which matches the characters on the arm perfectly. The triggerguard stamping shows some characters that do not match fonts precisely, the numeral 8 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 8 is over stamped an indentical number '3' beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The smooth one piece wahut grip rates very good as refinished many years ago, there is no discemble number within the backstrap inleting and no remnants of carouche due to the refinish and sanding. As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original arouths are stamped but the backstrap inleting which appears to have been original arouths as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, way. Yuedir 97, 40, 703 harps Straight, 33' very heavy catagon barrel with a bright exert and the findin Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rar Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #2627, 40-70 Sharps Straight, 33' very heavy catagon barrel with a bright exert and the findin Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rar Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #2627, 40-70 Sharps Straight, 33' very heavy catagon barrel with a bright exert of the findin Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rar Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #2627, 40-70 Sharps Straight, 33' very heavy catagon barrel with a fine and earies bady fight worderful with the first was all the tory</li></ul>	strong with Ainsworth blue. The checkered round knob pistolgrip walnut buttstock and sn	ooth
<ul> <li>numbered to the gun property in the appropriate font which matches the characters on the arm perfectly. The triggerguard stamping shows some characters that do not match fonts precisely, the numeral 8 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 8 is over stamped an identical number '8' beneath, it may be that this number was merely re-stamped over the old number states that do as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cartouche due to the refinish. As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits arround this arm serial number, but interestingly 5740 was issued to Troop 1, 7th Cavalry in 1888, 5743 was issued to Co. H. 7th Cavalry, and is listed as "funished built, and the trange and the action seems to function well This rifle is listed as "funished built, and the trange and the action seems to function well This rifle is listed as "funished built, and the remainaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirting White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud of the frame, and slightly ordu at the frame, and slightly ordu at the frame, and slightly could at the stream of the action. The infli sti with the built, the arr does function property mechanically abbit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a very targer than the frame, and slight scolent the tores. The portel of the function show the action. The action is marked on the top flat with the adge area and as active slivey case-hardened patina. The betweet to the remainal weight of 19 1/2 pounds. The barrel of the loss due to some so t</li></ul>	cylinder which is forend remain in very fine condition retaining about 95% original oi	finish
<ul> <li>characters on the arm perfectly. The triggerguard stamping shows some characters that do not match fonts precisely, the numeral 5 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 8 is over stamped an identical number "8" beather of the figures match however, and inspection with a loupe reveals that the numeral 8 is over stamped an identical number "8" beather of the figures match generating the set is sightly with a loupe reveals that the numeral 8 is over stamped an identical number "8" beather of the this was oblicated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cartouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop 1, 7th Cavaling in 1888, 5743 was issued to Co. H. 7th Cavaling, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm dees function properly mechanically albeit lockup example post-refinish and undoubtedly a veteran of the Indian Wars. (3C96700) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-700 Sharps Straight, 33' very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS Co., LLION N.Y." address and is very heavy measuring 1.490° across the flats giving the rifle an overall weight of 1</li></ul>	the cylinder is clearly showing some areas darkening slightly from the years, the left side	butt
<ul> <li>characters that do not match fonts precisely, the numeral 5 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 8 is over stamped an identical number "8" beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cardouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop 1, Th Cavalry in 1889, 5743 was issued to C. H, Th Cavalry, and is listed as "itamaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sloux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and sightly proud is slightly proud of the frame, and sightly produ at 187, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4.000 - 6.000</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rille serial #2527, 40-70 Sharps Straight, 33' very heavy octagon barrel with a bright excellate to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside butplate. The condition of the rifle is worderful with</li> </ul>	ont which matches the showing a small curved dent and three small 3/4" abrasions near t	ıe
<ul> <li>characters that do not match fonts precisely, the numeral 5 and 4 are slightly different, the balance of the figures match however, and inspection with a loupe reveals that the numeral 8 is over stamped an identical number "8" beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cardouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop 1, Th Cavalry in 1889, 5743 was issued to C. H, Th Cavalry, and is listed as "itamaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sloux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and sightly proud is slightly proud of the frame, and sightly produ at 187, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4.000 - 6.000</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rille serial #2527, 40-70 Sharps Straight, 33' very heavy octagon barrel with a bright excellate to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside butplate. The condition of the rifle is worderful with</li> </ul>	stamping shows some buttplate that are mostly unobtrusive, along with some other light	
<ul> <li>slightly different, the balance of the figures match however, and inspection with a loope reveals that the numeral 8 is over stamped an identical number 78" beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remants of carbouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this am's serial number, but interestingly 5740 was issued to Troop 1, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sloux Whiring White Head in September 1876. The left side of the triggerguara is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function ytell provend y acterian dottedly a veteran of the Indian Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #2267, 40-70 Sharps Straight, 33' very heavy measuring 1.40° across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is marked on the top flat with the "REMINGTON ARMS CO., LILON N.Y.' address and is very heavy measuring 1.40° across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is marked on the top find with the frame. The checkered round knob pistolgrip walnut by serial numbers, on the tang, barrel, end grain of fored, end grain of burtsock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>inspection with a loupe reveals that the numeral 8 is over stamped an identical number 8" beneath, it may be that this number was merely re-stamped over the old number that was obliciterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of carouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this am's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was 'turned in' by Sioux Whilfing work fough the sights ere of Freund sights. ( (ANTIQUE) [Bob Borcherdt Collection] (4000/6000) Est 4,000 - 6,000</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #267, 40.7 0 Sharps Straight, 33" very heavy cotagon barrel with a bright excellent bore. The barrel is marked on the top flat with the 'REMINGTON ARMS CO., LILON N.Y.' address and is very heavy measuring 1.490° across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely charafered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		1
<ul> <li>identical number "8" beneath, it may be that this number was merely re-stamped over the old number that was obliterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cartouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interesting by 5740 was issued to Troop 1, 7th Cavalny in 1888, 5743 was issued to Co. H, 7th Cavalny, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sloux Whiting White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C8670-507) (ANTIQUE) [Davia &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 4-07 Charps Straph, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.". address and is very heavy measuring 14.490°, and is lockup to the address remains crisp and clear and the barrel bue, the finish on the rear sight particularly brillat. The fi Sons barrel address remain in very fine condition retaining a hal profile an oreal in file an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle an worall weight of 19 1/2 pounds. The barrel is much larger in dire noverall weight of 19 1/2 pounds. The b</li></ul>		
<ul> <li>re-stamped over the old number that was obliterated during the refinish. The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cartouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4.000 - 6.000</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #6257, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the fife an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>The smooth one piece walnut grip rates very good as refinished many years ago, there is no discernible number within the backstrap inletting and no remnants of cartouche due to the refinish and sanding. As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1874. This refile side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4.000 - 6.000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.40° across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action, The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside butplate. The condition of the rifle is wonderful with</li> </ul>		r
<ul> <li>years ago, there is no discernible number within the backstrap inletting and no remnants of catouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sloux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arr does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490° across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the brench to meet the action. The rifle has maching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>and no remnants of cartouche due to the refinish and sanding.</li> <li>As-mentioned numbers are matching on barrel, frame, cylinder,</li> <li>backstrap and now, triggerguard, which appears to have been original</li> <li>anyway. A quick check of Springfield Research Service shows no hits</li> <li>around this arm's serial number, but interestingly 5740 was issued to</li> <li>Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry,</li> <li>and is listed as "damaged" June 25, 1876 (the day of the battle) and</li> <li>number 5946, 105 numbers away, was "turned in" by Sloux Whifing</li> <li>White Head in September 1876. The left side of the triggerguard is</li> <li>slightly proud of the frame, and slightly proud at its fit with the butt, the</li> <li>ar does function properly mechanically albeit lockup is a bit loose. An</li> <li>early arm, manufactured in 1874, this remains a very attractive example</li> <li>post-refinish and undoubtedly a veteran of the Indian Wars.</li> <li>(3C967-S07) (ANTIQUE) [David &amp; Lore Squier Collection] (4000/6000)</li> <li>Est. 4,000 - 6,000</li> </ul> 280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., LILON N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with		1000
<ul> <li>As-mentioned numbers are matching on barrel, frame, cylinder, backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy ortagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>backstrap and now, triggerguard, which appears to have been original anyway. A quick check of Springfield Research Service shows no hits arround this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H. 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #3267, 40-70 Sharps Straight, 33' very heavy octagon barrel with a bright excellent bore. The barrel is mack and nue to flat with the "REMINGTON ARMS CO., ILION N.'.' address and is very leavy measuring 1.490° across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>anyway. A quick check of Springfield Research Service shows no hits around this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		•
<ul> <li>around this arm's serial number, but interestingly 5740 was issued to Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is marked on the orginal micely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>Troop I, 7th Cavalry in 1888, 5743 was issued to Co. H, 7th Cavalry, and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., LLION N.Y." address and is very heavy measuring 1.490° across the flats giving the rifle an overall weight to f 19 1/2 pounds. The barrel is much larger than the frame and is incely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		
<ul> <li>and is listed as "damaged" June 25, 1876 (the day of the battle) and number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>		·62)
number 5946, 105 numbers away, was "turned in" by Sioux Whirling White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David & Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000280280Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with282Very Fine Remington Hepburn No. 3 Sporting and Target serial #6290, 40 2 1/2, 28" octagon barrel with a bright excellent bare. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with282	Co. H, 7th Cavalry, {ANTIQUE} [Bob Borcherdt Collection] (4000/6000)	
<ul> <li>White Head in September 1876. The left side of the triggerguard is slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280</li> <li>280</li> <li>Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>	y of the battle) and Est. 4,000 - 6,000	
<ul> <li>slightly proud of the frame, and slightly proud at its fit with the butt, the arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>	by Sioux Whirling 282 Very Fine Remington Hepburn No. 3 Sporting and Target Rifle	
<ul> <li>arm does function properly mechanically albeit lockup is a bit loose. An early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000)</li> <li>Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel the matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>	he triggerguard is serial #6290, 40 2 1/2, 28" octagon barrel with a bright excellent bo	re.
<ul> <li>early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>	s fit with the butt, the The barrel of this lovely rifle retains about 96-97% original blue wit	ı
<ul> <li>early arm, manufactured in 1874, this remains a very attractive example post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David &amp; Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000</li> <li>280 Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with</li> </ul>	ckup is a bit loose. An most of the loss due to some scattered light freckling, a few light d	ngs
post-refinish and undoubtedly a veteran of the Indian Wars. (3C9670-507) {ANTIQUE} [David & Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000The action retains about 97% wonderful vibrant case-hard showing some areas of very faint muting mostly along the and a little bit of mild gray-brown speckling. The buttplate 90% vibrant colors toning to silvery gray around the edge lever is a smoky gray case-hardened patina. The breechblock 98% original bright blue and the remaining small parts ret blue, the finish on the rear sight particularly brilliant. The I sons barrel at the breech to meet the action. The rifle has matching serial mubers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful withThe action retains about 97% wonderful vibrant case-hard showing some areas of very faint muting mostly along the and a little bit of mild gray-brown speckling. The buttplate 90% vibrant colors toning to silvery gray around the edge lever is a smoky gray case-hardened patina. The breechblock 98% original bright blue and the remaining small parts ret blue, the finish on the rear sight particularly brilliant. The I Sons barrel address remains crisp and clear and the barr the frame. The checkered round knob pistolgrip walnut bu smooth forend remain in very fine condition retaining a he of original oil finish showing some lightly chipped points, a		-
(3C9670-507) {ANTIQUE} [David & Lore Squier Collection] (4000/6000)       showing some areas of very faint muting mostly along the and a little bit of mild gray-brown speckling. The buttplate         280       Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19       90% vibrant colors toning to silvery gray around the edge lever is a smoky gray case-hardened patina. The breechblock 98% original bright blue and the remaining small parts ret blue, the finish on the rear sight particularly brilliant. The fill bit of 19         1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with       Sons barrel address remains risp and clear and the barrel is more flat sitoly chipped points, and the of original oil finish showing some lightly chipped points, and the of original oil finish showing some lightly chipped points, and the of original oil finish showing some lightly chipped points, and the of original oil finish showing some lightly chipped points, and the other series and the solution of the rifle is wonderful with		-
Est. 4,000 - 6,000and a little bit of mild gray-brown speckling. The buttplate280Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful withand a little bit of mild gray-brown speckling. The buttplate 90% vibrant colors toning to silvery gray around the edge lever is a smoky gray case-hardened patina and the nose attractive silvery case-hardened patina. The breechblock 98% original bright blue and the remaining small parts ret blue, the finish on the rear sight particularly brilliant. The J Sons barrel address remains crisp and clear and the bar barrel is morch larger in of bouttstock and inside buttplate. The condition of the rifle is wonderful with		
280         Rare Remington Hepburn No. 3 Special Order Heavy Target Rifle serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with         90% vibrant colors toning to silvery gray around the edge lever is a smoky gray case-hardened patina. The breechblock 98% original bright blue and the remaining small parts ret blue, the finish on the rear sight particularly brilliant. The I Sons barrel address remains crisp and clear and the barr the frame. The checkered round knob pistolgrip walnut bu smooth forend remain in very fine condition retaining a he of original oil finish showing some lightly chipped points, at the stractive silvery classes and is very heavy		-
serial #9267, 40-70 Sharps Straight, 33" very heavy octagon barrel with a bright excellent bore. The barrel is marked on the top flat with the "REMINGTON ARMS CO., ILION N.Y." address and is very heavy measuring 1.490" across the flats giving the rifle an overall weight of 19 1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful withlever is a smoky gray case-hardened patina and the nose attractive silvery case-hardened patina. The breechblock 98% original bright blue and the remaining small parts ret blue, the finish on the rear sight particularly brillinant. The f Sons barrel address remains crisp and clear and the barr the frame. The checkered round knob pistolgrip walnut bu smooth forend remain in very fine condition retaining a he of original oil finish showing some lightly chipped points, at 		
a bright excellent bore. The barrel is marked on the top flat with the       attractive silvery case-hardened patina. The breechblock         "REMINGTON ARMS CO., ILION N.Y." address and is very heavy       98% original bright blue and the remaining small parts ret         measuring 1.490" across the flats giving the rifle an overall weight of 19       blue, the finish on the rear sight particularly brilliant. The I         1/2 pounds. The barrel is much larger than the frame and is nicely       Sons barrel address remains crisp and clear and the barrel         serial numbers on the tang, barrel, end grain of forend, end grain of       smooth forend remain in very fine condition retaining a he         buttstock and inside buttplate. The condition of the rifle is wonderful with       of original oil finish showing some lightly chipped points, at		
"REMINGTON ARMS CO., ILION N.Y." address and is very heavy       98% original bright blue and the remaining small parts ret         measuring 1.490" across the flats giving the rifle an overall weight of 19       blue, the finish on the rear sight particularly brilliant. The I         1/2 pounds. The barrel is much larger than the frame and is nicely       Sons barrel address remains crisp and clear and the barr         chamfered at the breech to meet the action. The rifle has matching       serial numbers on the tang, barrel, end grain of forend, end grain of         buttstock and inside buttplate. The condition of the rifle is wonderful with       of original oil finish showing some lightly chipped points, and point of the rifle is wonderful with		
measuring 1.490" across the flats giving the rifle an overall weight of 19       blue, the finish on the rear sight particularly brilliant. The I         1/2 pounds. The barrel is much larger than the frame and is nicely       Sons barrel address remains crisp and clear and the barr         chamfered at the breech to meet the action. The rifle has matching       the frame. The checkered round knob pistolgrip walnut bu         serial numbers on the tang, barrel, end grain of       smooth forend remain in very fine condition retaining a her         buttstock and inside buttplate. The condition of the rifle is wonderful with       of original oil finish showing some lightly chipped points, a		
1/2 pounds. The barrel is much larger than the frame and is nicely chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with       Sons barrel address remains crisp and clear and the barr the frame. The checkered round knob pistolgrip walnut bu smooth forend remain in very fine condition retaining a he of original oil finish showing some lightly chipped points, a		·
chamfered at the breech to meet the action. The rifle has matching serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful withthe frame. The checkered round knob pistolgrip walnut but smooth forend remain in very fine condition retaining a he of original oil finish showing some lightly chipped points, a		
serial numbers on the tang, barrel, end grain of forend, end grain of buttstock and inside buttplate. The condition of the rifle is wonderful with of original oil finish showing some lightly chipped points, a		-
buttstock and inside buttplate. The condition of the rifle is wonderful with of original oil finish showing some lightly chipped points, a		
the barrel retaining 95% original blue with just light thinning and silvering drying crack forming at the upper tang and some scattere		·
	nt thinning and silvering drying crack forming at the upper tang and some scattered light direction of the second se	igs.
on the edges. The action retains 95% original color case-hardened finish Interestingly it appears the gun was struck with some bird	or case-hardened finish Interestingly it appears the gun was struck with some birdshot as t	nere
which remains quite vivid with just a couple very fine and light abrasions are about eight small dents on the left side butt and botto	ine and light abrasions are about eight small dents on the left side butt and bottom of the	
on the left side of action. The rifle is equipped with factory adjustable pistolgrip and one on the comb line that still has a piece of	h factory adjustable pistolgrip and one on the comb line that still has a piece of lead sh	ot
		0
		-
		na
	Remington sporting rifles. (13C9790-79) {ANTIQUE} [Bob Borcher	٦t
Est. 7,000 - 9,000 Collection] (3500/5000)		
Est. 3,500 - 5,000	Est. 3,500 - 5,000	

#### Lot Title/Description

Lot Title/Description

283 Rare Samuel Adams Patent Combination Break-Open Sporting Percussion Rifle-Shotgun serial #17, .42 cal./16 ga., 30 1/2" rifle barrel insert and 30" shotgun barrel, with a bright very fine to excellent rifle bore which shows some very sparsely scattered very light oxidation staining or perhaps a sparse pit here or there. The shotgun barrel rates very good with scattered light pitting, its chamber insert is not present. These very well-made guns were the brainchild of Samuel Adams, gunsmith of Troy, New York, previously Springfield Mass., likely later Battle Creek Michigan, located in Troy 1839-40, the patent for this very interesting and well-thought-out combination gun having been issued in 1838. The part octagon part round barrel shows what is likely original plum brown, its full-length, with toning to pewter on the sharp edges, and the scattered light dings or handling marks here and there. The barrel is fitted with a simple post-style silver blade front sight and a sheet of German silver riveted to the rear sight dovetail base, which is likely a later repair. It features nice turned medial at the point of transition and is marked "Samuel Adams Patent" near the breech to the rear of the sight. The frame is rather interesting and incorporates two 5" arms left and right upon-which the barrel pivots for breechloading of the auxiliary chambers which hold the powder charge for both rifled and smoothbore barrels. There is a back-action lock and the base frame for the entire assembly has a spring-loaded thumb catch which engages a hooked protrusion at the breech of the barrel, locking the barrel-to-frame securely. There is the very lightest, loosest open foliate engraving with very rudimentary gamebirds and a semi-fancy scroll-like sideplate, with "Troy NY" on the right pivot arm. The bow of the iron triggerguard shows a running hare and the tang of the smooth buttplate shows a running sporting dog. The American walnut buttstock rates very good to fine with some added varnish and the expected dings and handling marks from the years, showing some very lovely grain figure. The forend shows more wear and rates very good with the same added finish, with a German silver forend tip and lightly engraved German silver band at its rear. The chamber insert for the rifle barrel only is present, it, the barrel retention nut and the removable insert are numbered "17", as-is the side of the barrel itself, there is no discernible number on the frame but it doubtless is present were the arm to be disassembled. Barrel lockup is tight and the mechanism seems to function as-designed and what is likely an antique replacement ramrod is present. The printed text of the original patent is included. This arm is pictured on pages 58-59 of The New York State Firearms Trade, volume 1 © 2003 Rowe. An ingenious and well-made Troy New York gun from this competent maker. (3C9670-167) {ANTIQUE} [David & Lore Squier Collection] (1500/2500) Est. 1,500 - 2,500 284 Rare Samuel Adams Patent Combination Break-Open Sporting Percussion Rifle-Shotaun serial #14, .48 cal,/12 ga., 29 1/2" rifle barrel insert and 28 5/8" shotgun barrel, with a bright very fine rifled barrel showing sharp rifling and with scattered light frosting and some very light pitting in the grooves. The shotgun barrel rates about very good showing perhaps a bit more light oxidation and light pitting. There is no chamber insert present for either shotgun or rifle barrel (replacements would be extremely simple to make for any modern gunsmith with machinery). The barrel shows remnants of a damascus twist pattern its full-length, now primarily a pewter gray patina, with scattered light oxidation staining and some light pitting. It features a simple bead style front sight and a scant v-notch rear and is neatly marked "Samuel Adams Patent" to the rear of the sight. The balance of the metal surfaces are similar with light oxidation staining and overall very simplistic foliate engraving, the back action lockplate maker marked with "Troy NY" on the right barrel pivot arm. There is light foliate engraving on the long buttplate tang with gamebirds at the very heel and a bit of engraving on the bow of the triggerguard. The American black walnut stock rates very good with much original varnish and the expected light dings and handling marks from a field-used arm, a small divot at the point of comb. The forend is similar showing a bit more wear with a small chip forming at its rear, which may have been re-applied. There is a lightly engraved German silver nosecap and a lightly engraved German silver ferrule encircling the rear of the forearm. The lock functions well mechanically, the gun locks up tightly and a brass-tipped steel ramrod is included, which may be original equipment although it fits the thimbles sloppily. The barrel insert and barrel proper are both numbered alike. Samuel Adams started off in Springfield Massachusetts, later moving to Troy New York, there is speculation as to whether he is the "Samuel Adams" that later lived in Battle Creek Michigan but it is surmised they are one and the same. A very attractive example of these innovative percussion arms. (39670-164) {ANTIQUE} [David & Lore Squier Collection] (1500/2500) Est. 1.500 - 2.500

285	Remington Hepburn No. 3 Short Range Creedmoor "C" Grade Rifle
	serial #221, .38-45 Rem. Special, 28" part round part octagon barrel with
	a bright excellent bore. This is an extremely handsome rifle which is
	equipped with a period full-length Malcolm telescopic sight in original
	adjustable mounts. This is an early rifle which bears the "E.
	REMINGTON & SONS" address on top flat of barrel. The rifle has
	matching numbers on the tang, barrel and end grain of buttstock, the
	forend is numbered "883". Both stocks are of English walnut and they
	match in color, grain and condition and both fit perfectly. The rifle is
	configured with a checkered horn shotgun buttplate and matching horn
	forend tip. The condition of the rifle is very fine with the barrel retaining
	97% original blue overall with one area of light oxidation staining on the
	left side of the barrel at muzzle. The frame retains 95% original color
	case-hardened finish which has just ever so slightly toned and remains
	quite vivid. There are a couple dings in the top edge of the action to left
	of breechblock. The checkered pistolgrip buttstock and forend rate
	excellent with 95% original finish remaining and with sharp checkering.
	The scope is mounted with a windage adjustable front mount in the front
	sight dovetail and an elevation adjustable rear mount in an added
	dovetail just ahead of the frame; the rear sight dovetail is presently
	vacant. The condition of the scope is excellent with 95% original brown
	finish with Malcolm's maker mark on top of scope at rear mount. The
	optics are a little dirty but the crosshairs are fully intact. This rifle is
	illustrated and discussed in Rowe's Remington's No. 3 Hepburn on
	pages 124 & 125. This is a very handsome scoped Hepburn rifle.
	(1D9670-13) {ANTIQUE} [David & Lore Squier Collection] (6000/8000)
	Est. 6,000 - 8,000
286	
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899,
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunnetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunnetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another around the toe. There are the expected tiny chips and handling marks
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another around the toe. There are the expected tiny chips and handling marks from the years with awesome feathercrotch figure throughout, all the
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunnetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another around the toe. There are the expected tiny chips and handling marks from the years with awesome feathercrotch figure throughout, all the aforementioned blemishes do very little to detract from the beauty of the
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunnetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another around the toe. There are the expected tiny chips and handling marks from the years with awesome feathercrotch figure throughout, all the aforementioned blemishes do very little to detract from the beauty of the wood and are for the most part unobtrusive and hard-to-spot. The rifle is
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunnetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another around the toe. There are the expected tiny chips and handling marks from the years with awesome feathercrotch figure throughout, all the aforementioned blemishes do very little to detract from the beauty of the wood and are for the most part unobtrusive and hard-to-spot. The rifle is equipped with special order Lyman No. 47 Windgauge adjustable
286	Rare Special Order Winchester Model 1885 Semi-Deluxe High Wall Rifle serial #83650, 38-55, 30" half octagon half round barrel with an excellent bore. This is a rare factory double set trigger rifle manufactured in 1899, it is all-parts-matching with "768 XX" on the interior of the lower tang and "768" marked on the interior of the buttstock and buttplate. The no. 3 weight barrel retains perhaps 98% plus original blue with some slight thinning and edge wear along the octagon portion and at the muzzle, the two-line address and caliber marking remain crisp. The lever has toned to gunmetal gray with nice remnants of case-hardened color, the frame retains near 99% original blue with some small blemishes and the beginnings of some edge wear and thinning along the tang, there are very light scratches that do not penetrate the surface with all factory markings remaining strong. The smooth finely-figured XX Grade walnut stock and forend with ebony inlay are very good as having some added varnish, two small repairs both sides of the wrist at the frame, a non-flexing superficial crack near the tip of the top tang and another around the toe. There are the expected tiny chips and handling marks from the years with awesome feathercrotch figure throughout, all the aforementioned blemishes do very little to detract from the beauty of the wood and are for the most part unobtrusive and hard-to-spot. The rifle is equipped with special order Lyman No. 47 Windgauge adjustable aperture sight mounted on the tang and a rear sporting sight and a

Pomington Henburn No. 3 Short Pange Creedmoor "C" Grade Pifle

LUI

287	Very Fine Remington No. 2 Rolling Block Off-Hand Target Rifle	28	89	Interesting Engraved Remington No. 4 Rolling Block Rifle with Heavy
	serial #18689, 25-20 Single Shot, 25 3/4" part round part octagon barrel			Silver-Plated Brass Forend & Presentation
	with a bright very good plus bore showing a few small areas of light			serial #J216672, 22 RF, 22 1/2" octagon barrel with a good bore
	pitting and oxidation ahead of the breech and otherwise crisp rifling			showing light pitting and oxidation in the grooves with good rifling
	throughout. The barrel of this handsome rifle retains about 98%			throughout. The barrel of this rifle retains about 95-96% original blue
	excellent quality period rust blue showing just a hint of mild fading to			showing some mild high edge wear, light handling marks and a small
	gray patina under bright light and a couple of small dings along the left			area of old oxidation staining with a couple tiny pinprick pits along the
	side. There are four expertly filled holes, two ahead of the breech and			right side. The frame and forend retain about 98% fine period silver
	two about 8" back from the muzzle, no doubt originally intended for			finish showing some very mild thinning along the high edges of the
	mounting a long telescopic sight. The Remington Arms Co. address			frame, some thinning along the forend to mellow brass and the silver
	remains crisp and clear and the underside is marked with the cartridge			has taken on a very attractive tarnish overall. The action is embellished
	designation. The frame, schnabel forend tip and Schuetzen buttplate			with very fine quality engraving in near full coverage that appears to be
	retain about 94% original nickel finish with most of the loss due to an			factory quality in every respect showing finely detailed flowing foliate
	area of flaking toning to mild gray-brown patina along the right edge of			scrollwork with punch-dot shading. There are patches of fine punch-dots
	the frame also showing some scattered light handling marks and mild			along the bottom of the action and sides of the triggerguard along with a
	overall clouding. The small parts retain about 98% original bright blue			fancy "L" in a shield behind the hammer and the bow of the triggerguard
	showing some very fine flaking, the action pins show strong straw color			is neatly engraved in script "S. R. Large / 1916". The forend is similarly
	and the five patent dates on the left side frame remain crisp and clear.			embellished with panels of attractive foliate scrollwork along either side,
	The sights retain about 90% original bright blue showing some mild			fine stippling along the bottom and tip, flower petals around the screw
	flaking to pleasant gray-brown patina. The checkered walnut capped			hole and the remaining surfaces with an interesting wavy fine line
	pistolgrip buttstock and smooth forend remain in very fine condition			pattern. The forend appears to be unmarked both externally and
	showing a light period-added varnish that is crazing slightly along with			internally. The hammer and breechblock retain about 90% original blue
	some scattered light dings and handling marks and they retain excellent			showing light high edge and operational wear and the takedown lever
	fit to the frame. There is a 1" piece of walnut neatly inletted behind the			has been replaced with a floral-engraved screw. The walnut buttstock is
	lower tang, the checkering remains intact and strong and the hard			a more modern nicely-fitted replacement with a small checkered panel
	rubber pistolgrip cap is taking on a mild brown tone. The buttstock and			on either side of the wrist and remains in excellent condition showing a
	buttplate are un-numbered, the tangs are assembly-numbered "1221",			few light handling marks. The grooved steel buttplate shows a full blued
	the barrel and forend are "18689" and the front sight is also numbered			finish and is secured by two Phillips head screws and the replacement
	"623". The action seems to function well mechanically and the rifle is			buttstock screw is actually beneath the tang sight which is now secured
	sighted with a spirit level globe front sight with fine post insert and a			only by the single forward screw. The front sight is a Lyman target globe
	short range Vernier tang sight; there is one more extra hole beneath the			retaining about 90% original bright blue with some scattered oxidation
	tang sight. This rifle is featured in Marcot's Remington Rolling Block			staining, the rear is a Lyman peep in similar condition with wide aperture
	book on page 269. A very attractive and interesting example for the			insert and the rear sight dovetail on the barrel remains vacant. The
	advanced Remington collector. (13C9670-131) {C&R} [David & Lore			action seems to function well mechanically. Cursory research does not
	Squier Collection] (2000/3000)			reveal any "S. R. Large" of note but further study may prove interesting.
	Est. 2,000 - 3,000			A very fine and ornate little No. 4 for the advanced Remington collector.
288	Remington Hepburn No. 3 Sporting and Target Rifle			(13E9670-537) {C&R} [David & Lore Squier Collection] (3500/5000)
200	serial #8890, 38-40 Remington-Hepburn, 28" octagon barrel with a			Est. 3,500 - 5,000
	bright very good plus bore showing some scattered very light pitting in	20	90	Scarce U.S. Smith & Wesson No. 3 First Model American Revolver
		28	90	
	the grooves and strong rifling throughout. The barrel of this rifle retains			serial #1738, 44 S&W American, 8" ribbed round barrel with a partially
	about 70-75% fading original blue with areas toning to mild gray patina			bright fair-good bore showing scattered light pitting and some moderate
	and should be as a second by a stand light discound second states of states and			
	and showing some sparsely scattered light dings and areas of cleaned			oxidation with strong rifling throughout. The metal surfaces of this
	minor oxidation staining. The action retains about 85-90%			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechboxt retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger thas been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear ib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and edge wear. The
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatty repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faintest
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and edge wear. The grip fit to the frame remains quite nice overall, the right panel is
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faintest ghostly outline of the boxed cartouche. Barrel-to-frame fit shows some moderate play and the action seems to function well mechanically with
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear ib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows to some moderate play and the action seems to function well mechanically with solid timing and lock-up a little loose. This revolver is listed by serial
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised grain and the checkering remains crisp. There is a brass-filled hole in			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear ib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows some moderate play and the action seems to function well mechanically with solid timing and lock-up a little loose. This revolver is listed by serial number in the survey of known government-purchased No. 3 revolvers
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised grain and the checkering remains crisp. There is a brass-filled hole in the bottom of the forend just ahead of the action, probably where some			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faintest ghostly outline of the boxed cartouche. Barrel-to-frame fit shows some moderate play and the action seems to function well mechanically with solid timing and lock-up a little loose. This revolver is listed by serial number in the survey of known government-purchased No. 3 revolvers and remains a good example of a rare and desirable arm for the
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised grain and the checkering remains crisp. There is a brass-filled hole in the bottom of the forend just ahead of the action, probably where some type of palm rest was once affixed. The rifle is sighted with a standard			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faintest ghostly outline of the boxed cartouche. Barrel-to-frame fit shows some moderate play and the action seems to function well mechanically with solid timing and lock-up a little loose. This revolver is listed by serial number in the survey of known government-purchased No. 3 revolvers and remains a good example of a rare and desirable arm for the advanced U.S. martial or Smith & Wesson collector. (13C9474-72)
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised grain and the checkering remains crisp. There is a brass-filled hole in the bottom of the forend just ahead of the action, probably where some type of palm rest was once affixed. The rifle is sighted with a standard sporting rear sight, German silver blade front and the action seems to			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faintest ghostly outline of the boxed cartouche. Barrel-to-frame fit shows some moderate play and the action seems to function well mechanically with solid timing and lock-up a little loose. This revolver is listed by serial number in the survey of known government-purchased No. 3 revolvers and remains a good example of a rare and desirable arm for the advanced U.S. martial or Smith & Wesson collector. (13C9474-72) (ANTIQUE) [Dr. John W. Hall Collection] (2500/4000)
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechlock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised grain and the checkering remains crisp. There is a brass-filled hole in the bottom of the forend just ahead of the action, probably where some type of palm rest was once affixed. The rifle is sighted with a standard sporting rear sight, German silver blade front and the action seems to function well mechanically. An attractive late-style Hepburn with some			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing some scattered small areas of old oxidation staining, some light pitting along the right side barrel and a few old dings along the cylinder edges. There are some areas of good original bright blue adjacent to the hammer and behind the recoil shield. Some of the screw heads show light to perhaps moderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on the rear rib, small "A" on the cylinder flute, left side topstrap and frame and small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, the right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. The grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faintest ghostly outline of the boxed cartouche. Barrel-to-frame fit shows some moderate play and the action seems to function well mechanically with solid timing and lock-up a little loose. This revolver is listed by serial number in the survey of known government-purchased No. 3 revolvers and remains a good example of a rare and desirable arm for the advanced U.S. martial or Smith & Wesson collector. (13C9474-72)
	minor oxidation staining. The action retains about 85-90% case-hardened colors quite vibrant along the sides and protected areas around the triggerguard that still show some protective lacquer, with areas muting to gray and showing some mild freckling. The hammer and breechblock retain about 95% original bright blue showing some mild thinning and the sides of the trigger and many of the screw heads show nice fire blue. The front surface of the trigger has been thinned out slightly and the frame shows a 1" welded repair running from the top edge to the uppermost screw. The barrel shows crisp Remington Arms Co. address and is marked "38 40" ahead of the forend tip. The rifle is fitted with a brass Swiss buttplate that has toned to a nice ocher patina and has the correct shape and style but the profile as it meets the stock is slightly different. The buttplate is un-numbered but appears to be factory. The checkered pistolgrip walnut buttstock and smooth schnabel forend with ebony tip insert are stamp-numbered to the gun and remain in very fine condition retaining about 95% original finish that is thinning somewhat along the forend, there is a small ding and scuff along the toe line and some other minor handling marks. The stocks show nice raised grain and the checkering remains crisp. There is a brass-filled hole in the bottom of the forend just ahead of the action, probably where some type of palm rest was once affixed. The rifle is sighted with a standard sporting rear sight, German silver blade front and the action seems to			oxidation with strong rifling throughout. The metal surfaces of this revolver have mostly toned to a deep plum-brown patina showing sor scattered small areas of old oxidation staining, some light pitting alon the right side barrel and a few old dings along the cylinder edges. The are some areas of good original bright blue adjacent to the hammer a behind the recoil shield. Some of the screw heads show light to perfamoderate slot wear and the hammer and latch show strong silvery case-hardened patina. The barrel address and patent dates remain completely intact and strong along with the proper "U.S." stamp on th rear rib, small "A" on the cylinder flute, left side topstrap and frame ar small "P" on the right side bottom edge of barrel and behind the right side recoil shield. The smooth walnut grips remain in good condition, right panel showing some neatly repaired small chips and thin crack near the base along with some scattered light dings and edge wear. T grip fit to the frame remains quite nice overall, the right panel is appropriately stamp-numbered to the gun and the left shows the faint ghostly outline of the boxed cartouche. Barrel-to-frame fit shows sommoderate play and the action seems to function well mechanically wit solid timing and lock-up a little loose. This revolver is listed by serial number in the survey of known government-purchased No. 3 revolver and remains a good example of a rare and desirable arm for the advanced U.S. martial or Smith & Wesson collector. (13C9474-72) (ANTIQUE) [Dr. John W. Hall Collection] (2500/4000)

Lot Title/Description

291	Sharps Borchardt Model 1878 Mid-Range Rifle		294	Smith & Wesson No. 3 First Model American Revolver
	serial #17144, 40 2 1/2", 30" round barrel with a bright excellent bore.			serial #3671, 44 S&W American, 8" ribbed round barrel with a bright
	This is a nice honest rifle that remains in a very nice state of			very good plus to near excellent bore showing a few small areas of faint
	preservation. The caliber marking was originally "CAL 40 1 7/8" but has			oxidation and strong rifling throughout. The barrel of this
	had "2 1/2" added directly adjacent to the original length marking. This			transitional-style revolver retains perhaps 20% original bright blue
	looks to us to be a factory change. The rifle shows matching serial			strongest along the right side with the balance flaked to a mottled
	numbers on the barrel, frame, end-grain of forend and buttstock. The			gray-brown patina showing some overall light pitting and small dings.
	barrel shows the proper Bridgeport address, bears the "Old Reliable"			The 1.423" long cylinder is mostly gray-brown showing a few moderate
	moniker and retains 98% original blue finish overall. The frame retains			small dings and some light pitting. The frame retains about 70% original
	its original hard rubber panels and shows over 90% original color case			bright blue with the balance toned similar to the other parts again with
	hardened finish which has softened but remains visible overall and			some areas of light pitting and scattered moderate dings along the
	shows some scattered specks of light oxidation staining. The checkered			edges. The screw heads and holes show moderate wear overall and the
	pistolgrip buttstock and schnabel tipped forend are of highly figured			single line barrel address and patent dates remain strong and legible.
	walnut and rate excellent with 95% original finish remaining and perhaps			The hammer retains a generous amount of vibrant case-hardened
	a little added light oil. The checkering remains sharp and the original			colors, the triggerguard toning to a pleasant silvery case-hardened
	hard rubber grip cap is excellent with no chips. The checkered shotgun			patina. The revolver is fitted with a handsome pair of smooth antique
	style buttplate appears to be of horn and shows the Sharps Rifle			ivory grips that rate very fine showing some lovely age crackling
	Company initials in center panel. The rifle is sighted with a windgauge			throughout and toning to a rich patina, the right panel shows shallow
	front with spirit level, R.S. Lawrence sporting rear and a mid-range			chips along the bottom edge and base that are unobtrusive. The grips
	Vernier peepsight mounted in integral tang. A fine and very honest			are un-numbered and fit the frame very well and the barrel, cylinder and
	Mid-Range Borchardt rifle. (1D9670-21) {ANTIQUE} [David & Lore			latch are matching the frame by serial number. The lanyard hole shows
	Squier Collection] (5000/7000)			a large factory filler screw and barrel-to-frame fit shows moderate play.
	Est. 5,000 - 7,000			This example is equipped with the notched hammer and the action
292	Early Smith & Wesson No. 3 First Model American Vent Hole Revolver			remains functional with solid timing and lock-up, the extractor system will
	serial #161, 44 S&W American, 8" ribbed round barrel with a fair bore			require a little mechanical attention as the barrel gets stuck forward on
	showing moderate oxidation and pitting throughout with somewhat worn			the ejector lever when opened to its full extent, the lever must be
	but good rifling. The metal surfaces of this revolver have mostly toned to			manually pushed back to free the barrel for closing. A very good First
	a deep plum-brown patina showing some scattered remnants of old			Model American for the Smith & Wesson collector. (13B9474-79)
	oxidation staining, minor light pitting and a few small dings mostly along			{ANTIQUE} [Dr. John W. Hall Collection] (1200/1800)
	the edges of the cylinder. There are some old light scratches along the			Est. 1,200 - 1,800
	cylinder and screw holes, the screw heads showing light slot wear. The		295	Savage Model 1899-B Lever Action Rifle
	hammer shows some remnants of silvery case-hardened patina and the			serial #73.280, 303 Savage, 26" octagon barrel with a bright excellent
	barrel address and patent dates remain completely intact and quite			bore. The barrel of this 1907- manufactured rifle retains about 98%
	strong. The revolver wears an attractive set of smooth antique ivory			beautiful original even high polish bright blue with a few small spots of
	grips that rate very good showing moderate age crackling and toning to			oxidation staining and a small 1 inch skip line scratch on the right side
	a rich patina with some mild shrinkage and the right panel showing a			barrel flat near the muzzle. The receiver retains about 95% original blue
	repaired chip at the toe and small chip on the base. The grips are			with some oxidation streaking visible under bright light, mostly located
	un-numbered and the other parts are matching by assembly number.			on the underside carry point of the receiver and scattered tiny scratches
	Barrel-to-frame fit shows light play and the action seems to function well			throughout. The lever displays some nice case-hardening on the sides
	mechanically with good timing and lock-up a little loose. A good example			with the bottom having toned to a pleasing smooth gray patina with
	of an early desirable Smith with a lot of character. (13C9474-67)			vibrant colors in the protected areas. The action is very smooth and the
	{ANTIQUE} [Dr. John W. Hall Collection] (2500/3500)			rifle appears to function well mechanically. The stock and forearm rate
	Est. 2,500 - 3,500	ļ		near excellent and retain the original finish with the expected scattered
293	Smith & Wesson No. 3 Second Model American Revolver			light scratches and minor handling marks. The buttstock has a small
	serial #7646, 44 S&W American, 8" ribbed round barrel with a mostly			chip at the toe and there is a 3/4" tight non flexing crack on the left side
	bright very good bore showing some scattered light pitting and oxidation			of the fore end tip. The rifle is sighted with the optional and desirable
	with otherwise strong rifling throughout. The metal surfaces of this early			Model 21B fully adjustable rear sight and the Sheards patent No.9B
	second model have mostly toned to a medium gray and mild gray-brown			copper bead front sight. A wonderful early 99-B that has been well cared
	patina showing some scattered smoothed-over light pitting and small			for these past 100 plus years. (25A9908-11) {C&R} (1500/2000)
	dings. The screw heads show light slot wear and there are generous			Est. 1,500 - 2,000
	amounts of original bright blue along the barrel rib and sides of the			
	hinge. The hammer and latch retain a little bit of silvery case-hardened			
	patina and the barrel address and patent dates remain completely intact			
	and quite crisp. The smooth walnut grips remain in good condition			
	showing a small notch on the left panel, some light dents on the edge of			
	the right panel, overall handling marks and the left panel thinned out			
	slightly along the front edge. The right panel is appropriately			
		1		
	stamp-numbered to the gun and the remaining parts are matching by			
	stamp-numbered to the gun and the remaining parts are matching by assembly number. Barrel-to-frame fit shows a little minor play, the half			

cock notch is worn and the action otherwise remains functional with generally good lock-up and timing a little off when cocked slowly. (13B9474-83) (ANTIQUE) [Dr. John W. Hall Collection] (1000/1500) Est. 1,000 - 1,500

296

297

Exceptionally Nice Winchester Model 1866 Rifle	298	Winchester Model 1866 Lever Action Rifle
serial #170096, 44 RF, 20" round barrel with an unusually nice, bright		serial #152146, 44 RF, 24" octagon barrel with full magazine and an
about excellent bore, which shows a few very sparsely scattered very		about good bore showing scattered light pitting and oxidation with good
light spots of oxidation or the very sparse, very light pinprick pit here or		rifling throughout and a bit more moderate pitting at the muzzle. The
there, but which was clearly very well-cared-for. The barrel and		barrel and magazine of this 1879-made fourth model rifle have mostly
magazine tube of this excellent Fourth Model rifle retain perhaps		toned to a mix of pewter gunmetal and mild brown patina showing some
95-97% original blue, showing some even toning and light wear on the		sparsely scattered remnants of fine pitting, mostly smoothed-over from
sharp edges at the muzzle and magazine tube hanger, the nosecap still		the years, and a few scattered light dings, a couple perhaps a bit more
showing some very nice blue, wearing to pewter on its left side. The		moderate at the tip of the magazine. The barrel address and patent dates remain completely intact and strong, the address itself actually
frame shows nice sharp edges and an ochre patina with what appears to be extremely light striations from a steel-wool buffing years ago, no		quite crisp. The lever and hammer have mostly toned to a medium gray
doubt by some well-meaning individual trying to "brighten up" grandpas		patina, the lever with a few spots of old minor pitting and showing some
'66 rifle. As-mention however all of the edges are crisp, the caliber		nice silvery case-hardened patina in the protected areas, and the
marking on carrier remains crisp and the gun is starting to reacquire a		hammer with some good vibrant colors along the protected face. Some
nice patina, retaining the few extremely light handling marks that verify		of the screw heads show some light slot wear and the trigger spring still
the arm was not actually "cleaned", the areas around the root of the		retains a generous amount of fire blue. The brass frame has taken on a
lever and the radii of the flats showing an original dark deep ochre		lovely rich ocher patina showing some scattered old mild scratches,
patina where the brass was not touched. The hammer and lever are a		specks of discoloration and some minor verdigris staining along the
nice smooth plum patina, with the lever showing some trace colors on		edges where it meets the stock. The edges remain strong and
the left flat and at its root, with a bit of colors along the spine of the		well-defined and the sideplate fit is excellent. The smooth walnut
hammer and left side at the frame, the loading gate with some trace fire		buttstock and forend remain in very good condition as lightly cleaned
blue. The walnut buttstock rates very fine with much original varnish,		and refinished long ago showing a thin 1 1/8" crack at the upper tang
light dings and handling marks from the years, and excellent edges		and scattered smoothed-over darkened abrasions from the years. There
proud of the metal. The buttplate shows some smoky remnants of		is what appears to be a series of ghostly letters scratched along the left
case-hardening and some light oxidation staining. The forend rates fine		side forend but they are illegible and the metal-to-wood fit remains very
showing perhaps a bit more wear and a bit of light play as it has		good. The serial number on the lower tang remains strong and the
shrunken slightly from the years, it actually exhibits some nice grain and		interior lower tang shows a series of stamped assembly numbers "65 68
the wood remains proud of the metal as well. The original silver blade		1292" and the stock and buttplate are stamped matching with the "68"
front sight is intact as is the Rocky Mountain rear which shows some		assembly number. The rifle is equipped with steel buttplate, two factory
very nice original blue. The gun functions well mechanically and is a		tang sight holes and the left side receiver shows factory-filled saddle ring
really wonderful example of the Fourth Model Yellowboy Winchester '66.		holes. The rifle is sighted with semi-buckhorn rear sporting sight and
(3F9908-18) {ANTIQUE} (10,000/15,000)		German silver blade front that has been slightly regulated during the
Est. 10,000 - 15,000		period of use. The lever rests snugly against the frame and the action
Excellent Winchester Model 1873 Lever Action Musket		seems to function well mechanically. Included is a nicely made wooden
serial #570864B, 44 WCF, 30" round barrel with full magazine and a		plaque with brass plate engraved with the particulars of the rifle and a
bright excellent bore. The barrel and magazine of this wonderful		hand-written letter by Winchester collector Norman A. Vegely in which
1903-made musket retain about 97-98% original blue showing a few		he describes the general features of the rifle. A solid honest 1866 rifle
scattered very light dings along its length and left side near the muzzle,		with some respectable character. (13C9739-2) {ANTIQUE} (5000/7000)
one tiny spot of minor pinprick pitting on the right side below the front		Est. 5,000 - 7,000
sight and a little mild freckling. The action retains a similar amount of	299	Fine and Rare British Percussion Match Rifle by John Rigby
lovely original bright blue with most of the loss due to a few small areas		serial #14166, .451 caliber, 34" round barrel with Rigby flats and a bright
of very light pinprick pitting along some of the high edges and dust		excellent bore. This is a fabulous rifle and is the type used by the Irish
cover, a little flaking to gray-brown patina along the top and some mild		during the long-range matches against the Americans at Creedmoor and
handling marks. The barrel bands and rear sling swivel retain about 95%		Dollymount in 1874 and 1875. This rifle dates to 1873 or 1874 and may
original blue showing some light flaking to gray-brown patina and some		well have been used in these matches. It conforms to Creedmoor rules
light scuffs along the rear band. The lever, hammer, buttplate and lever		with a single standard trigger and the rifle weighs exactly 10 pounds with
lock retain about 97% wonderful vibrant case-hardened colors showing		the long-range sight installed. It is interesting that the Irish team who
some very light oxidation staining and muting to mild gray along the buttplate along with a small unobtrusive ding at the right edge of the		shot Rigby percussion rifles were competing against Americans who
lever with otherwise strong protective lacquer. The loading gate and rear		were almost exclusively shooting Remington and Sharps breechloaders. The top of the barrel is engraved "John Rigby & Co. Dublin & London"
sight spring retain all of their brilliant fire blue and the screw heads		and the lock is engraved "Jno Rigby & Co.". There is no engrav-ing or
remain very clean, many of them also showing fine fire blue. The		
cartridge lifter has toned to a nice ocher patina and retains crisp caliber		
carinage inter has toned to a nice ocher patina and retains chop caliber		embellishments on the rifle, it was built with one purpose, to perform at
markings all other markings likewise remaining intact and crisp. The		the target. The quality is exactly as we would expect from this world
markings, all other markings likewise remaining intact and crisp. The		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 -
plain walnut stocks remain in very fine condition retaining much of their		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning.
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% original blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are retains about 40% bright original blue and the case color on the
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb.
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock deges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased ste of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in all respects and extra front sight inserts are included
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in lar espects and extra front sight inserts are included along with tiny adjustment turnscrew and wrench. The case is correct
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The triggerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in all respects and extra front sight inserts are included along with tiny adjustment turnscrew and wrench. The case is correct and original and rates very good plus to excellent. Also included is the
 plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock deges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in all respects and extra front sight inserts are included along with thy adjustment turnscrew and wrench. The case is correct and original and rates very good plus to excellent. Also included is the original false muzzle which is numbered to the gun and is secured by a
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in all respects and extra front sight inserts are included along with tiny adjustment turnscrew and wrench. The case is correct and original false muzzle which is numbered to the gun and is secured by a small stud on barrel similarly to a socket bayonet. A superb example of
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% original blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light riggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in all respects and extra front sight inserts are included along with tiny adjustment turnscrew and wrench. The case is correct and original and rates very good plus to excellent. Also included is the original false muzzle which is numbered to the gun and is secured by a small stud on barrel similarly to a socket bayonet. A superb example of
plain walnut stocks remain in very fine condition retaining much of their original oil finish, there is a small, perhaps moderate, dent on the right side forend 3" back from the rear band and there are some smaller dings along the edges and some mild striations along the right side forend all of these being very unobtrusive, the buttstock also with some minor handling marks. Stock fit remains excellent and the butt contains five original cleaning rod segments. The original sights are intact and the action seems to function well mechanically. A top-shelf 1873 musket that would make an excellent addition to any advanced Winchester collection. (13C9899-25) {C&R} (5000/7000)		the target. The quality is exactly as we would expect from this world class gunmaker and the condition is fabulous. The barrel retains 90 - 95% origi-nal blue overall with the only loss due to light even thinning. The lock, barrel breech and tang show about 95% original color case-hardened finish which remains quite colorful. The bolster has handsome curved flash shield and has its original clean out screw in place. The checkered English walnut stock shows nice figure and rates excellent with horn gripcap, forend tip and a coarsely checkered steel shotgun buttplate. The stock retains 95% original finish and shows just normal light handling marks, sharp checkering with just a couple of light dings in the forend checkering flattening several points. Stock edges are crisp and the dropper points are very well defined. The trig-gerguard retains about 40% bright original blue and the case color on the triggerplate is bright. The stock has a heel position base which is precisely inlet on three screw base that follows the contour of the comb. This fabulous rifle shows no alterations of any kind and comes with its original and very rare cased set of long-range sights. The long-range staff is numbered to the rifle, the front windgauge with spirit level appears original in all respects and extra front sight inserts are included along with tiny adjustment turnscrew and wrench. The case is correct and original false muzzle which is numbered to the source to the gun and is secured by a small stud on barrel similarly to a socket bayonet. A superb example of these extremely high quality lrish percussion target rifles from the Golden Age of long range competitive shooting. Investment quality and

800				
	Scarce Colt Model 1855 Half Stock Sporting Rifle	] Г	304	Winchester Pre '64 Transitional Model 70 Bolt Action Rifle
	serial #1322, .36 cal, 31 1/4" round barrel with a good bore showing			serial #51673, 270 WCF, 24" barrel with a bright excellent bore. The
	scattered light pitting and oxidation with otherwise strong rifling			barrel and Type I action with Pre-War safety retains 98% original blue
	throughout. The metal surfaces of this rifle show evidence of an old			with some wear at the muzzle and some tiny blemishes, the bolt body
	cleaning, having now mostly toned to a silvery pewter patina showing			has dulled somewhat and is numbered to the gun with the knob toned t
	somewhat softened edges, scattered remnants of smoothed-over light			pewter and a couple light freckles on the extractor. The bottom metal
	pitting, some scattered light dings and an area of brown freckling along			retains perhaps 90% original blue with wear along the typical carry
	the left side barrel. The hammer shows what appears to be an older			points and the triggerguard has toned to gunmetal. The checkered
	reapplied plum-brown finish over smoky case-hardened colors. The			walnut pistolgrip buttstock with red Winchester pad is near excellent with
	topstrap address has softened somewhat but remains legible and the			just a couple handling marks. Two factory holes are found on the front
	patent mark in the cylinder flute is partially intact. The checkered deluxe			bridge and one later-added hole in the rear bridge, the rear barrel sight
	walnut buttstock and forend with German silver tip and wedge			is a factory semi-buckhorn sporting and the front is a hooded bead. Thi
	escutcheons remain in about good condition, the buttstock having			is a great mid-40s Model 70 with desirable Pre-War features.
	broken through the wrist at some point and showing a number of			(22A9868-3) {C&R} (1200/1800)
	· · ·			
	extensive repairs with camouflaged areas of filler around the tangs,		005	Est. 1,200 - 1,800
	where the stock meets the frame and along the wrist. The repair job was		305	Desirable & Rare Berdan Sharps New Model 1859 Percussion Rifle
	competently executed though there are cracks starting to form once			serial #56364, .52 cal, 30" barrel with a very good bore showing strong
	again and a good wood man could perhaps do some more work to			rifling with sparsely scattered light pitting its full-length, a bit more
	neaten it up. The forend is mostly devoid of finish and shows a repaired			prominent near the breech. This is a solid honest rifle with all of the
	thin crack along its left side and some scattered old dings. Most of the			correct features including double set triggers, no lever locking catch an
	checkering along the wrist actually remains intact and the buttock shows			falls squarely within the proper serial number range of those rifles issue
	some very attractive grain figure along the toe line. There is a plain			to Col. Hiram Berdan's First and Second Sharpshooter Regiments
	brass pendulum-style patchbox that has toned to a deep ocher patina			(54,374 to 57,567). The barrel is an overall plum brown patina with
	along the right side butt, it is somewhat rudimentary and was no doubt			pewter gunmetal gray beneath, showing some scattered oxidation
	added long ago. This example is equipped with the hinged sporting rear			staining and perhaps a few pinprick pits, most prominently near the
	sight and German silver blade front, fancy triggerguard and buttplate			muzzle and around the front sight. There are a few minor dings in the
	with removable screw cover to house a cleaning rod extension. An			areas of the bands, from being disassembled and reassembled over th
	0			
	antique replacement hickory ramrod with brass tip is included, it is rather			years, but they are honest and unobtrusive and the barrel markings
	bent as there is a repaired crack near the tip. Matching serial numbers			remain intact. The frame is a pewter gunmetal gray patina with some
	are found on the lower tang, barrel, triggerguard, cylinder and buttplate			silvery case-hardening speckled about, more prominent on the lockplat
	and the action remains functional with generally good timing and lock-up			with a few spots of light pitting as-is to be expected from an issued arm
	quite loose. Included is a nicely made wooden plaque with brass plate			with all of the principal markings strong and remnants of color beneath
	engraved with the particulars of the rifle. This is a good example of a			the hammer, the pellet priming mechanism intact. The smooth walnut
	scarce and desirable sporting rifle for the Colt collector. (13C9739-9)			
	,			stocks rate fine showing an old light cleaning with the expected light
	{ANTIQUE} (3000/5000)			dings and handling marks throughout, the wood remaining mostly prou
	Est. 3,000 - 5,000			of the metal however and with a nice patina. There are a couple of
1	Winchester Pre '64 Model 70 Bolt Action Rifle			repaired divots or chips that can be seen along the forend beneath the
	serial #318432, 375 H&H Magnum, 25" barrel with an excellent bore.			finish, and the buttstock has a small 1" crack to the left of the comb but
	The metal surfaces retain near 99% original blue with some handling			is unobtrusive; the band retaining springs actually showing some nice
	• •			
	marks mostly found near the muzzle. The bolt body is bright with a			original blue. There are only ghostly remnants of the cartouche barely
	matching serial number DC-penciled on the underside with the knob			visible at left of wrist and the inside of the patch box door shows the
	showing the faintest hints of dark pewter. The checkered walnut			proper ordnance punch-dot. All original hardware is present, a couple of
	pistolgrip low comb stock is excellent with the factory Winchester red			the screws may be later replacements as they exhibit some brilliant fire
	pad slightly-darkened from the years but remaining pliable. This 1954			blue and the barrel is properly numbered to the frame. The lock and se
	rifle is sighted with a Winchester 70B rollover rear sight and a hooded			triggers both function well mechanically. A very attractive Berdan Sharp
	• •			
	brass bead front. A solid and honest "Pre-Alaskan" for the discerning			that would make an excellent addition to any U.S. martial collection.
	collector or serious big game hunter. (22B9789-54) {C&R} (3500/5000)			(3B9845-2) {ANTIQUE} (5000/7000)
	Est. 3,500 - 5,000			Est. 5,000 - 7,000
0	Winchester Pre '64 Model 70 Bolt Action Rifle		306	Sharps Model 1853 Slant Breech Carbine
2				
2	serial #181389, 22 Hornet, 24" barrel with an excellent bore. The metal			serial #13705, .52 cal, 21 1/2" barrel with a verv fine bore showing a
2	serial #181389, 22 Hornet, 24" barrel with an excellent bore. The metal surfaces retain 98-99% original blue, there is some light wear on and			serial #13705, .52 cal, 21 1/2" barrel with a very fine bore showing a small area of light to perhaps moderate pitting nearer the breech and
2	surfaces retain 98-99% original blue, there is some light wear on and			small area of light to perhaps moderate pitting nearer the breech and
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere
Z	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere remnants of light oxidation toning to brown, the barrel toning a bit more
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle.
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patchess of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear
2	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R}			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg.
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varnint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varnint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showin
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Shary's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showin good oil finish with some scattered light dings, a couple thin cracks and
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showin
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patchess of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Shary's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patchess of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scattere remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain yeny fine condition having darkened slightly from the years and showing small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarrish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 88% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarrish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarrish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 88% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patchess of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side checkpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks with still-sharp checkering			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches? In the brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps wore moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain wery fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varnint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks. There is an extra drilled			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing. good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to be
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varnint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks with still-sharp checkering and an excellent condition hard rubber grip cap. There is an extra drilled and tapped hole in the rear bridge to accommodate scope base with			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to bi a mystery and a precise military connection remains elusive. One
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varnint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks. There is an extra drilled			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to bi a mystery and a precise military connection remains elusive. One
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varnint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks with still-sharp checkering and an excellent condition hard rubber grip cap. There is an extra drilled and tapped hole in the rear bridge to accommodate scope base with			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to be a mystery and a precise military connection remains elusive. One example (serial #17861) bears both "JPC" and "RHKW" stamps and was
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks with still-sharp checkering and an excellent condition hard rubber grip cap. There is an extra drilled and tapped hole in the rear bridge to accommodate scope base with factory open sights present, the fron sight is a brass bead with hood and the rear barrel sight is a semi-buckhorn sporting with elevator. A			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patches of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to be
3	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks with still-sharp checkering and an excellent condition hard rubber grip cap. There is an extra drilled and tapped hole in the rear bridge to accommodate scope base with factory open sights present, the front sight is a brass bead with hood and the rear barrel sight is a semi-buckhorn sporting with elevator. A great 1938 Super Grade in a fantastic state of preservation.			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patchess of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to be a mystery and a precise military connection remains elusive. One example (serial #17861) bears both "JPC" and "RHKW" stamps and we believed to be one of the 250 or so martial test guns issued to the First Regiment of Dragoons. Whatever their history, this is a very respectable.
	surfaces retain 98-99% original blue, there is some light wear on and around the muzzle area and a few minor handling marks and some faint edge wear here-or-there. The interior of the floorplate is properly marked with an "H", the bolt knob is toning to dull silver and the underside of the bolt body is correctly-numbered to the gun. The checkered walnut Monte Carlo-style stock is near excellent with some varnish added some time ago and scattered very light handling marks. The rear barrel slot is filled with a blank, the front hood has been removed to accommodate a Marbles 50W-style serrated blade with brass bead and a Lyman 48WJS aperture sight is mounted to the receiver. A great Pre '64 varmint rifle manufactured in 1951. (22B9789-68) {C&R} (2500/3500) Est. 2,500 - 3,500 Winchester Pre-War Model 70 Super Grade Bolt Action Rifle serial #26826, 300 H&H Magnum, 26" barrel with an excellent bore. The metal surfaces retain perhaps 98% original blue with some slight wear at the muzzle and just a few scattered light handling marks. The Super Grade on the floorplate and all other factory markings remain crisp, the bolt body with matching serial number on the underside is bright and the knob shows the faintest hint of dark pewter. The wraparound checkered walnut pistolgrip stock with left-side cheekpiece and ebony tip is very good plus with just a touch of varnish some time ago, there are some scattered light blemishes and handling marks with still-sharp checkering and an excellent condition hard rubber grip cap. There is an extra drilled and tapped hole in the rear bridge to accommodate scope base with factory open sights present, the fron sight is a brass bead with hood and the rear barrel sight is a semi-buckhorn sporting with elevator. A			small area of light to perhaps moderate pitting nearer the breech and otherwise crisp rifling throughout. The metal surfaces of this nice carbin have mostly toned to a pewter gunmetal patina showing some scatterer remnants of light oxidation toning to brown, the barrel toning a bit more darker brown as you approach the muzzle, also showing a few patchess of light pitting and perhaps more moderate old oxidation at the muzzle. The brass barrel band, patchbox and buttplate have taken on a mild goldenrod patina as perhaps very lightly cleaned long ago showing a few spots of mild tarnish and some dings along the buttplate. The rear sight still retains a generous amount of bright fire blue and all of the markings remain quite crisp and clear with nice Sharp's Rifle Manufg. Co. (with apostrophe) barrel address and Sharps patent dates on the lockplate and upper tang. The smooth walnut stock and forend remain very fine condition having darkened slightly from the years and showing good oil finish with some scattered light dings, a couple thin cracks and small chip forming at the toe and some nice raised grain throughout. The left side of the stock near where it meets the frame shows a crisp small "JPC" martial-style inspector stamp. The barrel is matching the frame, the pellet priming mechanism parts are intact and appear to be functional and the hammer functions crisply. The patchbox contains a spare nipple, spare pellet mechanism spring and an original copper pellet tube that shows moderate wear. A small number of 1853 carbine with this "JPC" stamp are known but their exact history still seems to be a mystery and a precise military connection remains elusive. One example (serial #17861) bears both "JPC" and "RHKW" stamps and we believed to be one of the 250 or so martial test guns issued to the First

307	Sharps Model 1853 Percussion Sporting Rifle	310	Winchester Model 1885 Deluxe Special Single Shot Rifle
	serial #18189, .48 cal, 25 1/2" octagon barrel with a bright otherwise		serial #74337, 38-55, 30" part round part octagon No. 3 weight barrel
	excellent bore were it not for a couple spots of light pitting about 1/3 the		with a bright excellent bore. This is a high condition and extremely
	way down its length. The barrel is a mix of dull pewter gray and plum		handsome rifle however the assembly numbers do not match. The rifle
	patina, showing some sparsely scattered spots of oxidation staining and		shows assembly codes "2607 XXXSBC" on the left side of the lower
	scattered light pitting, but it is unobtrusive. The frame and lockplate are		tang, the top tang inlet of buttstock shows assembly number "394" and
	a pewter gray case-hardened patina with some speckles of oxidation		the forend channel has the full serial number stamped in a small later
	staining here and there and some scattered light pitting. The arm		looking fonts. When the stock is removed from the rifle the lower tang is
	features a pewter nosecap and brass buttplate and patchbox and the		a tad loose which leads us to believe that the stocks are correct and the
	smooth walnut buttstock rates very good to fine with much original		trigger and lower tang has been replaced. When mounted, the stock is a
	varnish and the expected light dings and handling marks from the years.		little loose on the top but it is our belief that this is a result of the tang not
	The forend rates very good showing a bit more wear, with the		being the original that was fitted to the gun, as the stock will fit nicely
	associated light dings and handling marks. The original front sight is		when not screwed to the lower tang. The rifle appears to be originally
	intact while the rear has been replaced with a correct blued reproduction		scoped with this Malcolm full-length scope from the factory as there are
	sight. The arm is equipped with double set triggers and functions well		no other dovetails and the tang does not show any evidence of having a
	mechanically. There is a single factory drilled and tapped hole atop the		tang sight installed. The condition of the rifle is fabulous with the barrel
	tang for mounting of a peepsight and the barrel and frame are numbered		retaining about 95% evenly thinning original blue finish overall just
	alike. A fine example over all with an uncommonly nice bore (3A9721-7)		beginning to blend with a smooth brown patina where thinning. The
	{ANTIQUE} (2500/4000)		scope retains 95% lovely original brown finish with maker marking
	Est. 2,500 - 4,000		remaining crisp at rear mount. The action retains 97% brilliant original
308	Joslyn Model 1864 Breechloading Carbine		color case-hardened finish with some tiny scattered specks of light
	serial #15076, 52 RF, 22" barrel with a bright very fine bore showing a		oxidation staining on the left side. The checkered pistolgrip buttstock
	little light pitting at the muzzle and crisp rifling throughout. The barrel of		and forend are of beautifully figured American black walnut and feature
	this carbine retains perhaps 75% original blue taking on a deep gray		a cheekpiece on left side of stock, a rounded pistolgrip with ebony insert
	tone, some scattered light dings and areas of deep plum-brown patina		and schnabel tipped forend, also with an ebony insert. The stocks rate
	with no visible markings. The remaining metal surfaces have toned to a		excellent with 95% original finish overall. There are just the normal light
	pleasant deep gray-brown patina showing some sparsely scattered light		handling marks and one round impression on the left cheek. The Swiss
	oxidation staining and remnants of silvery case-hardened patina lurking		buttplate is aluminum and fits very well with some scattered casting pits
	about the protected areas of the lockplate, hammer and breechblock.		visible on its exterior. This is an extremely attractive High Wall which
	The patent markings on the back surface of the breechblock and Joslyn		remains in a very fine state of preservation. (1E9670-15) {ANTIQUE}
	address with 1864 date on the lockplate remain mostly crisp and clear		[David & Lore Squier Collection] (6000/8000)
	and the buttplate tang is stamped with "US". The smooth walnut stock	311	Est. 6,000 - 8,000 Early Colt Model 1862 Police Percussion Revolver
	remains in very good plus condition showing somewhat worn finish, a	511	
	thin 1 1/4" crack at the upper tang, tiny crack at the heel and some scattered light dings. There are no visible cartouches and the stock		serial #1415, .36 cal, 5 1/2" round barrel with a mostly bright very good bore showing some overall light oxidation and mild pitting with strong
	otherwise retains very nice metal-to-wood fit. The saddle bar and ring		rifling throughout. The barrel and cylinder of this attractive first
	are intact and the action seems to function well mechanically. A solid		year-production revolver retain about 40% plus original bright blue
	example of these popular Civil War carbines, this one a commercial		strongest in the cylinder flutes and underside of the barrel with the
	variant. (13A9833-18) {ANTIQUE} (1200/1800)		balance having flaked to a nice gray-brown patina showing a few small
	Est. 1,200 - 1,800		spots of old oxidation staining along the cylinder and some scattered
309	Spencer Model 1865 Repeating Carbine by Burnside Rifle Co.		very light dings mostly around the wedge. Three of the cylinder safety
505	serial #12923, 56-50 Spencer, 20" three-groove barrel with a partially		pins remain almost entirely intact. The frame, hammer and loading lever
	bright good bore showing scattered areas of light pitting, some moderate		retain a few wisps of vibrant case-hardened colors lurking about the
	oxidation and otherwise strong rifling throughout. The barrel of this		protected areas with overall toning to a silvery case-hardened patina
	carbine has toned to a dark gunmetal patina showing some areas of		along with some areas of mild brown freckling and perhaps some
	mild brown and some scattered remnants of old pitting. The action and		sparsely scattered fine pinprick pits here and there. The backstrap and
	lockplate retain about 50% of an arsenal quality dull blue with the		triggerguard retain about 95% original silver finish having taken on a
	balance toned to dark gray patina with scattered old pitting that is mostly		wonderful dark tarnish with overall mild thinning to ocher brass along the
	smoothed-over. The patent and maker markings atop the action show a		high edges. The barrel shows proper Hartford address and remains
	few small areas of mild softening and otherwise remain mostly intact and		strong, the "COLTS PATENT" on the frame having softened very slightly
	strong and the major components show visible sub-inspector stamps.		and the patent date in the cylinder flute remains crisp. The smooth
	The smooth walnut stock and forend remain in about very good		walnut grip is ink-numbered to the gun and remains in very fine condition
	condition showing a number of thin lengthy drying cracks along the butt,		retaining about 95% original varnish showing some light wear along the
	scattered light dings and areas darkened from the years. The barrel is		edges and some scattered light dings. The cylinder is un-numbered, all
	matching the frame and the Stabler cutoff switch is intact. There is no		of the serialized parts are matching including the wedge and the action
	rear sight spring and the rear sight pin is broken, the sight itself is		seems to function well mechanically with solid timing and lock-up. A very
	included along with a nicely made wooden plaque with brass plate		handsome early example for the Colt collector. (13C9833-67)
	engraved with the history and particulars of this carbine model. The		{ANTIQUE} (2000/3000)
	saddle ring is intact and the action seems to function well mechanically.		Est. 2,000 - 3,000
	A good example of these iconic post-Civil War carbines with plenty of	L	
i	character. (13B9739-6) {ANTIQUE} (1200/1800)		
	Est. 1,200 - 1,800		

Title/Description Lot

<ul> <li>Cali First Model Dingson Percession Revolver set (#2522); 40, 17 (25 trust) for a large-option. The meal public plans, and outdoor with poor first phroughout. The meal public plans, and outdoor with poor first phroughout. The meal public plans, and outdoor with poor first phroughout. The meal public plans, and a set of the plans that the large option plans that the plans and handling marks. The source heads into kill plans that the plans that the plans and handling marks. The source heads into kill plans that the plans and handling marks. The source heads into kill plans that the plans and handling marks. The source heads into kill plans that the plans and handling marks. The source heads into kill plans the plans and handling marks. The source heads into kill plans the plans and handling marks. The source heads into kill plans that the populate during days that the most into plans that the plans and the plans that during the first part of the source heads in the populate during the most into plans that the plans</li></ul>				
<ul> <li>gip parting and oxistion with good rifting throughout. The method over the first 186-mode events and through good to mice of gips parting, moderate a strength gibble over the method over the me</li></ul>	312	Colt First Model Dragoon Percussion Revolver	314	Colt Model 1861 Navy Percussion Revolver
<ul> <li>suffises of the 18-8-must environment on the service for an environment of the service means of which appears in howe been finished over why for log appears and doing you prime a service of the service means of which appears in howe been finished over why for log appears and the service means a</li></ul>		serial #5292, .44 cal, 7 1/2" barrel with a fair-good bore showing overall		serial #14691, .36 cal, 7 1/2" round barrel with a good bore showing
<ul> <li>plur-bown and dark gray paties abound grow paties calculated emmand of mildie of printing source way by large age that as thoring that where the infinited over way (ang age that as thoring a four source in the source and the source a</li></ul>		light pitting and oxidation with good rifling throughout. The metal		some areas of light pitting, moderate oxidation and otherwise strong
<ul> <li>Init of plaining, some sense outwork appears to howe been finished over wey low gap at an energing a case gap, along wey have an one fight drags and handing marks. The screek heads alow fight dow were and it is week and handing marks. The screek heads alow fight dow were and it is week and handing marks. The screek heads alow fight dow were and it week and handing marks. The screek heads alow fight dow were and it week and handing marks. The screek heads alow fight dow were and it week and handing marks. The screek heads alow fight dow were and the screek head handing marks. The screek heads alow fight dow were and seed number of the transmit of wey fight dow were and the content fisher was validely. The ample of the hist dow where the seed number of the transmit dow weight dow fight dow were and handing fished dow fight dow were and handing marks, there are parts allowing some scattered fight dows and the mark seed number of the transmit dow weight dow fight dow were anothed over do the transmit dow weight dow fight drags. The plants in two good controls have scattered fight dows and the attransmit dow weight dip to the toggap and allow downey scattered fight dows and the content fight dows and the attransmit dow scattered fight downey and the attransmit</li></ul>		surfaces of this 1849-made revolver have mostly toned to a mix of deep		rifling throughout. This is a very handsome all-matching down to the
<ul> <li>evel your gap that are toring to a deep gay, storg with some gift dings and the weight entitier scow appears to be an off replacement. The New Yok deep dings entities research and the system is an entity appears to be an off replacement. The New Yok deep dings are the weight entitier scow appears to be an off replacement. The New Yok deep dings are the weight entitier scow appears to be an off replacement. The New Yok deep dings are the weight entities are the weight entities are the weight entities and the system is an entity appears at board of the start appears at board of the board appears at board of the board appears at board of the start appears at board of the start appears at board of the start appears at board of the board appears at board of the board appears at board of the start appears at board of the board appears at board appears at board of the board appears at board of the board appears at the start appears at board appears at board appears at t</li></ul>		plum-brown and dark gray patina showing some scattered remnants of		wedge Colt Navy made in 1863. The barrel has mostly flaked to a
<ul> <li>and handling mats. The scree basis for built but were and the 'inter datasets' mains complexely interain a direry and screep. The New York address remaine origination is a direct of the original is length and the how York address remaine origination of the origination is a direct of the origination of the origination is a direct of the origination of the origination is a direct of the origination origination or originatis the origination or origination origination or origination or</li></ul>		mild old pitting, some areas of-which appear to have been finished over		pleasant smooth gray-brown patina showing a few small spots of old
<ul> <li>wedge entainer score appears to be an of epilocener. The New York bare and access remains complexity intact and crose a does the "COLTS PATENT" on the frame and the cipilate increding the ange of horizonta a does the "COLTS PATENT" on the frame and the cipilate increding the ange of horizonta and the cipilate increding the ange of horizonta and the inframe and these entains calls. It has not entered to a scale the remains a does the "COLTS PATENT" on the frame and these entains a does the "ColtS PATENT" on the frame and these entains a does the "ColtS PATENT" on the frame and these entains a does the "ColtS PATENT" on the scale angebra and the left side of the horizont of a does of the scale product of the scale angebra and the scale y bars are an entain a does the scale y bars and the scale y bars are and the scale y bars and the scale y bars are and the scale y bars and the scale y bars are and the scale y bars and the scale y bars are and the scale y bars and the scale y bars are and the sc</li></ul>		very long ago that are toning to a deep gray, along with some light dings		minor oxidation staining, some very light dings near the wedge and
<ul> <li>barel address remains complexity intact and icroge a does the http://ccl.TSPATTMT on the finame and the cyliciter transes is few ghost is howing some strained in the frame and the cyliciter transes is few ghost is howing some framework of the colling the frame and the cyliciter transes is few ghost is howing some strained is the there were sequided to the there were sequided to the there were sequided to the there were the the dist of the transmer, there is a similar distribution of the second distribution. The is a similar distribution of the second distribution of the second distribution of the second distribution of the second distribution. The is a similar distribution of the second distribution of th</li></ul>		and handling marks. The screw heads show light slot wear and the		flakes of original bright blue on the sides nearer the breech. The
<ul> <li>COLTS PATENT on the frame and the opinder retains a few plotably shadows of the original count, it many can be assessed in the original count, it many can be assessed in the original count, it may any shadow galow g</li></ul>		wedge retainer screw appears to be an old replacement. The New York		protected underside of the barrel also retains a healthy amount of strong
<ul> <li>shadows of the original scene, the ranger on horeback in the informative transmission of the original scene, the range on horeback in the informative transmission of the original scene in the status prime are sceled in the scene informative scene sceled in the scele informative scele informati sc</li></ul>		barrel address remains completely intact and strong as does the		bright blue along its length and the New York address remains crisp.
<ul> <li>foreground being the most visible. The printer has been ne-numbered to here the serial number was reception. The formal engagement scene of the forma and science of spin series a visible of stamped on the left side of the harmer, and the backstrap and tiggerguard have mostly long to an one of spin series a visible of stamped on the left side of the harmer, and the backstrap and tiggerguard have mostly long to an one of spin series a visible of the series is numbered as the series in unter-tervises as the grad of the singerguard as showing some interefections in the satisfy and the spin series and tiggerguard have mostly long to backstrap, and the backstrap and tiggerguard have mostly comes and as the series in unterback and webs are material period spin series. The satisfy besid to the series is unterback to a show york of the series is unterback to be show the series is unterback to be show the series and the</li></ul>		"COLT'S PATENT" on the frame and the cylinder retains a few ghostly		The cylinder has mostly toned to a mild gray patina showing some
<ul> <li>to match the famine and shows a very shallow grind mark where the series of the state of the same state of the state of the</li></ul>		shadows of the original scene, the ranger on horseback in the		remnants of very light pitting along the face and nipple recesses along
<ul> <li>evial number was reapplied but it ofference is a solice 15 stands of the harmer, and the backstrap and tiggerguard have mostly fored to a place ocher partial soluces from the set as solice 15 stands of the transmit grant and soluce the set and the place ocher partial soluces from the set as solice 15 showing a constraining and set are set as uncertained to the set and index of the transmit grant and soluce the set and index of the transmit of the set and index of the set an</li></ul>		foreground being the most visible. The cylinder has been re-numbered		with some scattered flakes of bright blue. The naval engagement scene
<ul> <li>cylinder. There is a visible "C" stamped on the let side of the hammer, and the backstrap and tiggeng and have mostly incored to a paic observing some scattered light digg and handling musis, the area just abasel of the triggeng regular data solvoving some is an uning to a some observing some scattered light digg and handling musis, the area just abasel of the triggeng regular data solvoving some and a solvoving some and a solvoving some and a solvoving some data solvoving solvoving data solvoving data solvoving solvoving data solvoving</li></ul>		to match the frame and shows a very shallow grind mark where the		remains almost entirely intact and guite crisp and the safety pins are
<ul> <li>cylinder. There is a visible "C" stamped on the let side of the hammer, and the backstrap and tiggeng and have mostly incored to a paic observing some scattered light digg and handling musis, the area just abasel of the triggeng regular data solvoving some is an uning to a some observing some scattered light digg and handling musis, the area just abasel of the triggeng regular data solvoving some and a solvoving some and a solvoving some and a solvoving some data solvoving solvoving data solvoving data solvoving solvoving data solvoving</li></ul>		serial number was reapplied but it otherwise is a correct first model		also largely intact. The "COLTS PATENT" on the frame and cylinder and
<ul> <li>paties aboving some scattered light dings and handling marks, the area lust aboving some scattered light marks into area more provided of the triggergrand. The unimber of handling more shall some spatial number of hereines strong and correct. The semech strong and correct is a product with some strong the base inclus of the semech strong and the semech strong strong the states. A number of the scattered is the semech strong spatial strong the states inclus on the strong base strong and the strong the strong the scattered is the scattere is scattered is the scattered is the sca</li></ul>		cylinder. There is a visible "G" stamped on the left side of the hammer,		
<ul> <li>paties aboving some scattered light dings and handling marks, the area lust aboving some scattered light marks into area more provided of the triggergrand. The unimber of handling more shares and the samothet-over ald chips at the tess. The loading lever is handling marks, and read the trigger relation is and set of patient is mark to all register that marks and the samothet-over ald chips at the tess. The loading lever is handling marks, and reading lever is handling marks and reading lever is handling marks. The samothe lever is handling marks and reading lever is handling marks an</li></ul>		and the backstrap and triggerguard have mostly toned to a pale ocher		The frame retains perhaps 90% vibrant case-hardened colors showing
<ul> <li>just allead of the triggerup and axis showing some imperfections in the cassing, but the sarial number or herwise strong and correct. The smooth subrey graphina. The loading lever likewise shows wonderful vibrant colors at the hings point, the arm like point, the arm like</li></ul>				
<ul> <li>casting, but the serial number otherwise strong and correct. The smooth well vig tremains in very good condition showing some small the good condition showing some strategood condition showing constraints provide the sides of the vigod erramine strategood reaction strategood condition showing constraints provide the sides of the vigod erramine strategood reaction strategood condition showing constraints provide constraints and constraints the sides of the vigod erramine strategood reaction strategood constraints and constraints the sides constraints of a particular with social strategood constraints and constraints the side strategood constraints and constraints</li></ul>				
<ul> <li>walnu grip termins in very good condition showing some small smooth-over old chips at the toos, mild dop werr at a lew light dings. The grip has the toos, mild dop werr at a lew light dings. The grip has been re-numbered to match along the backstap inlet in heavy black in Kan dher are as aloi legible remnants of a panel number along the backstap trained level ther are as aloi legible remnants of an anot a more and the scares has a matching the frame. The original Grindman level of the scares has a spectra of the grindman and some areas along the scares along the scare has a spectra of the scares has a spectra of the scare has a spectra spectra bas a spectra of the scare h</li></ul>				
<ul> <li>smoothed-over old vips at the loss, milled edge wear and a few light dings. The pip has been re-numbered of match along the backstop index in heavy black ink and there are also lingble remnants of a pencil number along the base lineb. The totading lever is unnumbered but is a correct first model lever, the actoric sensers to unnumbered and the backstrap, figgerguad. Danser black format spin to a stratch mit for terms. The original German silver black formation weak and the backstrap, regreguad. Danser black format spin terms and source analysin gene scattered light handling marks, and retain a generous amount of silver finish taking on a nice dark tarrish. The strongenue accellent condition retaining and finageon, (13E9779-9) (ANTIQUE); (2000/5000)</li> <li>Stat. 3000 - 5.000</li> <li>Stat. 3000 - 4.000</li> <li>Stat. 3000 -</li></ul>		•		
<ul> <li>dings. The grip has been re-numbered to match along the backstrap inlet in heavy black ints and there are also lighle iteransits of a pencil number along the base inits. The totage great and billions. The trigger great and backstrap are toring to a matching and the match along the stars of a second to the wedge remains billions. The trigger great and backstrap are toring to a matching and the tot sight is that having been won dwn sightly from the years and the action seems to function well mechanically with yood timing and lock-up. Despite a few apologies this revolver remains ago of "example" piece of a desirable first model dragoor. (1859779-9) (1470/UEE) (3000/600)</li> <li>Est 3.000 - 5.000</li> <li>Colf Meddel 1851 Nays Procussion Revolver stars about 80% plus original bright be firsting or and diation with the and the great on grip and the set of the matching and descube locked in the real Nays Pattern Boh Action Rile Nays. (1389278-9) (1480/UEE) (3000/4000)</li> <li>Est 3.000 - 5.000</li> <li>Colf Meddel 1851 Nays of the safety partown pating along the sides and showing a few pinprick pits and some light drings around the wedge. The real Nays Pattern Boh Action Rile Nays. (1389278-9) (1480/UEE) (1300/4000)</li> <li>Est 3.000 - 1000</li> <li>Stars and sense along the fraise, specks of did oxidation with transe, hang and greany states of original bright bue at the rear. The naval engagement cylinder scene remains along the sistile and sense along the frame, hang and persons flakes of original bright bue at the rear. The naval engagement cylinder scene remains origin a deep greas with a couple light handing marks. The scene heads show wonderful filter main and the scene heads show wonderful bries and the list is ourbourse. The scene heads show wonderful bue pathes scene heads show wonderful bue there are submy stars or even heads show some fains may frager and thera era of the fains and sense area showing a couple timy handing marks. and retains to a finant cyline hasse.</li></ul>				
<ul> <li>Intel in heavy black ink and there are also illegible remnants of a pencil number of any the base into: The loading lever, the arbor is also un-numbered and the backstrap, triggengurad. There lackstrap are finish triggengurad and backstrap are finish triggengurad backstrap in backstrap are and trining and some areas along the fine merian and tringengurad back</li></ul>				
<ul> <li>number atong the base inter. The loading lever is un-numbered out is a correct first model lever, the abort assour-numbered and the backstrap, triggerguard, barrel and verge are matching the frame. The original Gamma alive Hadron training and lock-up, or A lever and the aton agents on another distribution of aliver first hatong been won down alightly from the ywars and the action agents to function well mechanically with adoit liming and lock-up, or A lever sense is 0. Anction well mechanically with adoit liming and lock-up active secolient condition or alive first histing and a few minor frame trainis case. The test of the first model dragono. (1389778-9) (14710-UE) (30004000)</li> <li>Est 3.000 - 5.000</li> <li>Colt Model 1851 Navy Percussion Revolver fastina should graph to be handscreen and desirable Model 1861 Navy. (138928-9) (ANTIQUE) (30004000)</li> <li>Est 3.000 - 4.000</li> <li>Stati Sattered about and there were light dings annoth gray-brown patina along the second the secolem to distribute Model 1861 Navy. (138928-9) (ANTIQUE) (30004000)</li> <li>Est 3.000 - 4.000</li> <li>Stati Sattered about and there were light dings annoth gray-brown patina along the second there were light dings annoth gray-brown patina along the second there were light dings and another the second there were light dings and the rear. The naval matching of the adoin the rear Navy Pattern Bolt Action Rifle 45-70, 29 (14 branet with a bight second there are instage and there were light dings and there rear instage and there are instage and there are instage and there are instage and there and there are instage and there are instage and there are navely and there rears instage and there are instage and there rears instage and there are navely and there are navely and there are navely and the rear navely and there are navely and the rear navely and the rear navely and the rear navely and there are navely and there are navely and there rears in a neatify and there are navely and there arears and</li></ul>				
<ul> <li>correct first model lever, the abor is also un-numbered and the backstrap, triggerguard, burger finish taking on the particular state in a generous amount of silver finish taking on sightly from the years and the action seems to function well mechanically with good timing and lock-up. Despite a few apologies this revolver remains a good "example" piece of a desirable first model dragoon. (1987/77-90) (178</li></ul>				
<ul> <li>backstrap, triggerguard, barel and wedge are matching the frame. The original German silver black forms algority from the years and the action seems to function well mechanically with good timing and lock-up. Despite a few apologies this revolver remains a good "example" piece of a desirable first model dragoting. If EST 3000 - 5000</li> <li>313</li> <li>Coht Model 1851 Navy Percussion Revolver sensing and the action seems to function well mechanically with solid liming and lock-up. A fine azempted of the hadrosci and the fits hadrosci and the fits the hadrosci and the fits the hadrosci t</li></ul>				
<ul> <li>and remains in very fine to perhaps near excellent condition retaining about 97% original summits howing some light diags and 1 dew minor suffix dispanse in the action seems to function well methanisming about 97% original variants howing some light diags and 1 dew minor suffix social seems to function well methanisming about 97% original variants howing some scattered light hilting and oxidation with strong rifling throughout. The barrel of the 188 make revolver retains about 97% original variants howing some scattered light hilting and oxidation with strong rifling throughout. The barrel of the 188 make revolver retains about 97% original variants howing some scattered light hilting and oxidation with strong rifling throughout. The barrel of the 188 make revolver retains about 97% original variants howing a text production example were the safety parts are submarking and thread sets of the safety bas are accellent bar showing a could the frame, and hammer toring to a smooth silvery patha and some areas along the frame and hammer toring to a smooth silvery patha and some areas along the frame and hammer toring to a smooth silvery patha and some areas along the frame and hammer toring to a smooth silvery patha and some areas along the frame and hammer toring to a smooth silvery patha and some areas along the frame and hammer toring to a dege veri and fail throughout. The very silvely and there are bas showing a couple liny flakes and the rear signers and the frame descuring the samoth silvery reading the ward mether is a small scaling that hadring marks. The server is the distribute at the reading the second server hard tables, the left abde reading lever retain a habitry amount of vibrant case-hardned color throughout, the lever singerguard. The same server and tables along the sade prime area and hammer toring to a dege of the cylinder and frame and hammer toring to a dege of the cylinder and frame and hammer toring to a dege of the cylinder and frame and hammer toring to a dege of the cylinder a</li></ul>				
<ul> <li>slightly from the years and the action seems to function well mechanically with good timing and loc-w. Despite a few applogies this revolver remains a good "sxample" piece of a desirable first model dragoon. (13E9779-9) (ANTIQUE) (3000/5000)</li> <li>313</li> <li>Colt Model 1851 Navy Percussion Revolver constraints of addition with strong rifting throughout. The bardel to the 1868-meda revolver remains accult and the handsome and desirable Model 1861 Navy. (13B8823-91) (ANTIQUE) (3000/4000)</li> <li>Est 3,000 - 1.000</li> <li>Sturning X Very Rare Remington-Keene Navy Pattern Bolt Action Refle to the sides area to here volver retains abouid path strong rifting throughout. The bardel to the 1868-meda revolver retains abound path even volver retains abound path were retain a showing a teve volver retains abound path were volver retains abound path were retain a bane light dings around the verdes. The oxinder about and the first scellent bore showing a even inferit path about path for the area. The naval engagement cylinder scene remains almost entirely intract and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the leve store torong to a smooth silvery patina and some areas along the frame and hammer toring to a deep gray with a couple light handing marks. The screw heads show somellight silve area right and the side rear triggegrauer. The backmark and the side reart riggegrauer the backstrap and triggergrauer date is a small scuff mark on the bottom of the frame obscuring the side interver oning to a smooth silvery patina and some areas along the frame and hammer toring to a deep regrassing and the side reart riggergrauer. The backet about and the first showing a couple timy handling marks. The screw heads show some light side were and the side reart riggergraver the backet rapp and triggergraver the side mare rart riggergraver the backet rapp were retains along the</li></ul>				
<ul> <li>mechanically with good timing and lock-up. Despite a few applogies this revolver remains a good "example" pice of a desirable first model dragon. (13E9779-9) (ANTIQUE) (3000/5000)</li> <li>313</li> <li>Cott Model 1851 May Percussion Revolver serial \$200599, 33 cal, 71/2" cottagon barrel with a partially bright good bore showings one scattered light ptime and oxidation with strong rifting throughout. The barrel of the StBMS made revolver retains about 80% pulso ofiginal bright blue failang to a smooth gray-brown paine along the wedge. The cylinder has mostly flaket to a mild gray patian showing some cleaned light pitting and the fits the action scene remains along the wedge. The cylinder has mostly flaket to a mild gray patian showing some cleaned light pitting and the fits the action scene retains along the secone retains along the dog along the advect and there retain here the the state for morphoce the site secone retains along the secone retain along the secone retains along the secone retains along the sec</li></ul>				
<ul> <li>revolver remains a good "example" piece of a desirable first model dragoon. (1359779-9) (ANTIQUE): (3000/5000)</li> <li>Est. 3.000 - 5.000</li> <li>313</li> <li>Colt Model 1851 Navy Percussion Revolver set and account with a partially bright good bore showing some scattered light pitting and oxidation with strong rilling throughout. The bardel to this 1888-made revolver relatins about 80% provides with a partially bright good bore showing some scattered light pitting and oxidation with strong rilling throughout. The bardel to this 1888-made revolver relatins about 80% provides and showing a few ervolver relatins about 80% provides and the rare Navy Pattern Bolt Action Rille 45-70, 23 1/4' barrel with a bright excellent bore showing a tew inty freeckes scattered about and otherwise circle rilling. This is an absolutely wonderful rille made in the rare Navy Pattern, although lacking a Remington collection lag it is every likely a per-production example relating and generous flakes of original bright blue at the rear. The naval ergapsement cylinder scene remains alout entirely intract and quite crisp overall and two of the safety pins are also intact. The frame, hardmed colors throling intact and quite crisp overall and two couple light handling marks. The scree heads show some light gives are also intact. The frame, hardmed colors thand the ever toning to a smooth silvery patina and some areas along the first end on the two of the strame to ring to a samoth after the scree heads show some light silve wear and thare its a small sculf mark on the bottom of the frame orbitable like wear and there is a small sculf mark on the bottom of the frame orbitable like wear and thare its a small sculf mark on the bottom of the frame orbitable silve rear in the strate frame and hardware is a small sculf throwing some scattered light handling marks. The backstrap and triggerulat hard free taids are and the scattered along the deep of the cylinder as and the scattered along the deep of the cylinder has and some arey sad</li></ul>				
<ul> <li>dragoon. (13:E3773-9) (ANTIQUE) (3000/5000)</li> <li>Etal. 3.000 - 5.000</li> <li>313</li> <li>Coti Model 1851 Navy Percussion Revolver serial #20639936 cal, 7 1/2° cotagon barrel with a partially bright good bore showing a set tarefel diph triting and oxidation with strong rifling plus original bright bue tarking to a smooth gray-brown patina along the sides and showing a few pinprick pits and some tight dings around the wedge. The cylinder has mostly fiaked to a mild gray partial axing the sides and showing a few pinprick pits and some light dings around the wedge. The cylinder has mostly fiaked to a mild gray partial axing the sides and showing a few pinprick pits and some light dings around the wedge. The cylinder has mostly fiaked to a mild gray partial axing of some cleaned light pitting along the face, specks of old oxidation staining and generous fiakes of old original bright blue at the rear. The naval engagement cylinder scene remains along the trane and harmer toring to a smooth silvery patina and some areas along the frame and harmer toring to a semoth silvery patina and some areas along the frame and harmer toring to a semoth silvery patina and some areas along the frame and harmer toring to a semoth silvery patina and some areas along the frame and harmer toring to a semoth silvery patina and some areas along the frame and harmer toring to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrasive. The single line New York address remains crisp and clear as do the 'COLTS PATENT' on the cylinder and frame, data and emants of dark tamisfied silver pitet turing about fee atong the dege of the c, free frame and triggery drahave tends to a mix of goldenci and mill ocher patina showing some scattered light thandling marks and remnants of dark tamisfied silver pitet turing about fee trane the sextrap in that shows a very finit turing about</li></ul>				
<ul> <li>Est 3.000 - 5.000</li> <li>Stati 3200 - 5.000</li> <li>Cott Model 1851 Navy Percussion Revolver sofial #206399, .36 cal, 7 1/2° octagon barrel with a partially bright good bore showing some scattered light pitting and oxidation with strong rifling throughout. The barrel of this 1868-mate revolver retains about 80% wedge. The cylinder has mostly flaked to a mid gray patina showing some cleaned light pitting along the face, specks of old oxidation staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors with scene schwing a couple tiny flakes and the rear sight small parts and screw heads diver and there is a small scutt is unobtrusive. The single line New York dardess remains crisp and clear as do the "COLTS PATENT" on the cylinder and rame, date along the edge of the cylinder and calibre designation on the list side rear triggerguard. The backstrap and triggerguard have loned to a mix of puble origin at bright scuttering at the safety pins. The screw heads show some light stok was and there is a small scutt scile rear triggerguard. The backstrap and triggerguard have loned to a mix of goldenrod and mild cher patin showing some scattered light handling marks and remnants of dark taminishe diver pistel uniting abut protected deges. The revolver is fitted with a lovely smooth analyme into the backstrap and triggerguard have loned to a mix of goldenrod and mild cher patin showing some scattered light handling marks and remnants of dark taming on explosing three is a small scutt ing about the protected deges. The revolver is fitted with a lovely smooth antique invorted deges. The revolver is fitted with a lovely smooth antique into maints of fack taming and using share the action seems to function well mechanically. The U.S. Navy titest dabout 200 Remington-Keemen</li></ul>		• · ·		, , ,
<ul> <li>Colt Model 1811 Navy Percussion Revolver</li> <li>Colt Model 1811 Navy Percussion Revolver</li> <li>Stain 2003 4000</li> <li>Stain 102 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stunning &amp; Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 102 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 102 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 103 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rare Remington-Keene Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rifle Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rare Remington Cleare Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rifle Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rifle Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rifle Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 104 Very Rifle Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 204 Very Rare Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 204 Very Rare Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 204 Very Rare Rare Rare Navy Pattern Bolt Action Rifle</li> <li>Stain 204 Very Rare Rare Rare Navy Pattern Bolt Rare Rare</li></ul>				
<ul> <li>serial #206339, 36 cal, 71/2° otagon barrel with a partially bright good bore showing some scattered light pitting and oxidation with strong rilling throughout. The barrel of this 168-made revolver retains about 80% plus original bright blue flaking to a smooth grav-brown patina along the wedge. The cylinder has mostly flaked to a mild gray patina showing a generous flakes of original bright blue at the rear. The naval engagement cylinder scales of original bright blue at the rear. The naval engagement cylinder scales of original bright blue at the rear. The naval engagement cylinder scale and bluey in pace, specks of old oxidation staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scale were realing as most of hitery patina and some ender the ever toning to a smooth silvery patina and some areas along the frame and harmer toning to a deep gray with a couple light handling marks. The screw heads show wonderful buillant free issa bad 98% original blight use. The bare bads, sling savelle light handling marks. The screw heads show wonderful buillant free bads, sling savelle light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottrow of the frame obscuring the serial number very slightly but his is unobtrusive. The frame, braine flate designed and cales designation on the left side freer ritggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina and some scattered light handling marks and the excitens exerced is the vortice are ritggerguard. The backstrap in the risk and a small rear signa delare are string backs. The ecodition showing attractive age strations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some incer carkling along the back of the right side and some incer carkling along the back of the right side and some incer carkling along the backstrap in let shows a very flat natidue ink number that appears to be ma</li></ul>				
bore showing some scattered light pitting and oxidation with strong rifting throughout. The barrel of this 1868-made revolver retains about 80% original bright bue flaking to a smooth gray-brown patina along the sides and showing a few pinprick pits and some light dings around the wedge. The cylinder has mostly flaked to a mild gray patina showing some cleaned light pitting along the face, specks of old oxidation staining and generous flakes of original bright but et at the rear. The naval engagement cylinder scene remains almost entirely initiatca and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas 300 methors. The scene heads show some light stature and there is a small scriff mark on the bottom of the frame obscuring the serial number ver silight by but this is unobtrusive. The single line New York address remains crisp and clear as do the 'COLTS' PATENT' on the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder and frame, date along the edge of the cylinder that the issense to functions well mechanically. The bott, loading gate, trigger and left side error operation and a fine rich patina throughout, there is a thin age crack along the backs of the right side and some rice crackling along the backs of the right side and some nice crackling along the backs of the right side and some site southing return along along the backs of the right side and some site southing the back of the right side and some site southing and the date, site period cylinder and frame date along the backs of the right side and some	313			
throughout. The barrel of this 1868-made revolver retains about 80% plus original bright blue flaking to a smooth gray-brown patina along the sides and showing a few piprick pits and some light dings around the wedge. The cylinder has mostly flaked to a mild gray patina showing some caened light pitting along the face, specks of do voldation staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pips are also intact. The frame, harmer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a deep gray with a couple light handling marks. The screw heads show some light slow arand there is a small scuff mark on the farme obscuring the serial number very slightly but this is unobtrusive. The single line here is a small scuff mark on the detorn of the farme obscuring the serial number very slightly but this is unobtrusive. The single line we toned to a mix of godemot and mild ocher patina and sobard stere than dealary device the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, to date doubt dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date along the dege of the cylinder and frame, date date, the left side frace of the action seeme intere is a small scule as thoring or the farme on harding the void dege. The trone sight is a period replacement bid ne heatly workall motific workand the the attion seems to function well mechanically, with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful soft pits of the antitype collection. (150007000			315	
plus original bright blue flaking to a smooth gray-brown patina along the sides and showing a few pinprick pits and some light drigs around the wedge. The cylinder has mostly flaked to a mild gray patina showing some cleaned light pitting along the face, specks of old oxidation staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATEM" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and to edge wear and faint muting. The botl, loading gate, trigger and left-side-mounted cleaning rod treamin mostly bright showing just a hint of very mild gray freckling. The top of the bott shows the familiar E. Remington & Some sattered light handling marks and researes to function and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and researes. The backstrap intel shows a very finit antique ink number that appears to the action is stamped "45 / 70", the barrel bands with small U's and the sling swivels with patient dates. The societ weak along the back of the right side and some nice crackling along the backs. The fitted with a lovely smooth antique ink number that appears to be matching the gun and the it to the grip frame remains very				
sides and showing a few pinprick pits and some light dings around the wedge. The cylinder has mostly flaked to a mild gray patina showing some cleaned light piting along the face, specks of old oxidation staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, harmer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some gray with a couple light here is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and rame, date along the edge of the cylinder and mild cocher patina showing some scattered light handling marks and remants of dark tarmished silver pate lurking about the protected edges. The revolver is fitted with a lovely smooth antique invo yright with viving interal spacer that remains in very fine condition showing attractive age striations and a fine right side and some nice crackling along the bases. The backstrap intert shows a very finat antique ink number that appears to be matching including the wedge. The front sight is a period replacement bidden early doversited into place and the action seems to function well mechanically. The Us. Navy itested about 250 Remington-Keene rifles in this configuration in 1880. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Cott collector. (1389833-90) (ANTIQUE) (25003500)		•		
<ul> <li>wedge. The cylinder has mostly flaked to a mild gray patina showing some cleaned light pitting along the face, specks of old oxidation</li> <li>staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number vory slightly but this is unobtrusive. The fame, have and there is a small scuff mark on the bottom of the frame obscuring the serial number vory slightly but this is unobtrusive. The fame, fate along the edge of the cylinder and calibre designation on the loft side rear riggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarmished silver plate like wisits and los deep. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina thruige ink number that appears to be matching the space and worder light and ling and the rearis generation of the art and lor driganal brake and the remaining serialized parts are marking in loworder light in the source remains engine face and the action seems to function well mechanically. The U.S. Navy it ested abour 250 Remington-Keene rifles in this configuration in 1880. The brave hald deges. The revolver is a nerolate sell and control of the rink slot the sing and the reans and the remaining serialized parts are marking or the site and ring appears to be matching the gause and the remaining serialized parts are mathating including</li></ul>				
some cleaned light pitting along the face, specks of old oxidation staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remeinancis origs and clear as oth the 'CoLTS PATENT' on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild coher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age strations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the backs of the right side and some nice crackling along the backs of the right side and some nice crackling along the back of the right vibral of the right side remaining serialized parts are matching including the wedge. The front sight is a perior place and the side remain to sapazine cultural arms. (13E9670-23) (ANTIQUE) [David & Lore Squier Collection] (5000/7000) Est. 5,000 - 7,000		sides and showing a few pinprick pits and some light dings around the		Remington collection tag it is very likely a pre-production example
staining and generous flakes of original bright blue at the rear. The naval engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unothrusive. The single line New York address remains crisp and clear as do the "COLTS" PATEINT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarmished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique invo grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the backs of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains yery fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically. The U.S. Navy tested about 250 Remington-Keene rifles in this configuration in 1880. This beaufful rifle would be right and there drig thes the and to replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of		wedge. The cylinder has mostly flaked to a mild gray patina showing		retained by the factory as it does not bear any U.S. naval markings or
engagement cylinder scene remains almost entirely intact and quite crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS" PATEINT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarrished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some ince crackling along the backs of the right side and some ince crackling along the backs of the right side and some ince crackling along the backs of the right side and some ince crackling along the backs of the right side and some ince crackling along the backs of the right side and some ince crackling along the backs of the right side and some ince crackling along the patenent blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		some cleaned light pitting along the face, specks of old oxidation		visible serial number on the bolt. The barrel, receiver and triggerguard
crisp overall and two of the safety pins are also intact. The frame, hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever torning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the 'COLTS PATENT' on the cylinder and frame, data along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age stratiations and a fine rich patina throughout, there is a thin age crack along the backs of the right side and some nice crackling along the bases. The backstrap in let show a very fine condition showing attractive age stratiations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap in let side very faint antique invery fine overall. The loading lever is un-numbered and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		staining and generous flakes of original bright blue at the rear. The naval		retain nearly 99% original blue perhaps showing a couple tiny handling
hammer and loading lever retain a healthy amount of vibrant case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with sold timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		engagement cylinder scene remains almost entirely intact and quite		marks and a small rub mark on the left side from operation of the
case-hardened colors throughout, the lever toning to a smooth silvery patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the 'COLTS PATENT' on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		crisp overall and two of the safety pins are also intact. The frame,		magazine cutoff switch. The nosecap retains about 98% original bright
patina and some areas along the frame and hammer toning to a deep gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarrished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the backs. The backstrap inlet shows a very faint antique ink number that appears to be matching inter shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid timing and lock-up. This is a very handsome 1851 Navy with solid tinting parts o		hammer and loading lever retain a healthy amount of vibrant		blue showing a couple tiny flakes and the rear sight small parts and
gray with a couple light handling marks. The screw heads show some light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a sold timing and lock-up. This is a very handsome 1851 Navy with a sold fitting for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		case-hardened colors throughout, the lever toning to a smooth silvery		screw heads show wonderful brilliant fire blue. The barrel bands, sling
light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		patina and some areas along the frame and hammer toning to a deep		swivels and buttplate likewise retain almost all of their stunning vibrant
light slot wear and there is a small scuff mark on the bottom of the frame obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		gray with a couple light handling marks. The screw heads show some		case-hardened colors with some small areas showing some very mild
obscuring the serial number very slightly but this is unobtrusive. The single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains yery fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		light slot wear and there is a small scuff mark on the bottom of the frame		edge wear and faint muting. The bolt, loading gate, trigger and
single line New York address remains crisp and clear as do the "COLTS PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains yery fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		-		
PATENT" on the cylinder and frame, date along the edge of the cylinder and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				of very mild gray freckling. The top of the bolt shows the familiar E.
and caliber designation on the left side rear triggerguard. The backstrap and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age straitons and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains yery fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		• ·		
and triggerguard have toned to a mix of goldenrod and mild ocher patina showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				
showing some scattered light handling marks and remnants of dark tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				· · ·
tarnished silver plate lurking about the protected edges. The revolver is fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				
fitted with a lovely smooth antique ivory grip with ivory internal spacer that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the backs of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				
that remains in very fine condition showing attractive age striations and a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				
a fine rich patina throughout, there is a thin age crack along the back of the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)		, , , , , , , , ,		
the right side and some nice crackling along the bases. The backstrap inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				· · · · · · · · · · · · · · · · · · ·
inlet shows a very faint antique ink number that appears to be matching the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) (ANTIQUE) (2500/3500)				5
the gun and the fit to the grip frame remains very fine overall. The loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with a wonderful set of grips for the antique Colt collector. (13B9833-90) {ANTIQUE} (2500/3500)				
loading lever is un-numbered and the remaining serialized parts are matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) {ANTIQUE} (2500/3500)				
matching including the wedge. The front sight is a period replacement blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) {ANTIQUE} (2500/3500)		• • • •		, , , , , , , , , , , , , , , , , , ,
blade neatly dovetailed into place and the action seems to function well mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) {ANTIQUE} (2500/3500)				
mechanically with solid timing and lock-up. This is a very handsome 1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) {ANTIQUE} (2500/3500)				
1851 Navy with a wonderful set of grips for the antique Colt collector. (13B9833-90) {ANTIQUE} (2500/3500)				ESI. 3,000 - 7,000
(13B9833-90) {ANTIQUE} (2500/3500)				
Est. 2,500 - 3,500				
		EST. 2,500 - 3,500		

(1800/2200) Est. 1,800 - 2,200

316	U.S. Colt Model 1860 Army Percussion Revolver	]	319	Colt Model 1861 Navy Percussion Revolver
	serial #99611, .44 cal, 8" round barrel with an oxidized bore showing			serial #4766, .36 cal, 7 1/2" round barrel with an about good bore
	evident rifling throughout. The barrel and cylinder of this 1863-made			showing overall pitting and oxidation with some small bright areas and
	revolver have mostly toned to a deep gray-brown patina showing some			otherwise strong rifling throughout. The barrel and cylinder of this
	sparsely scattered mild pinprick pitting, some scattered light dings and			1862-made revolver have mostly toned to a mottled gray patina, the
	old tool marks. The frame, steel backstrap, loading lever and hammer			barrel showing some strong older reapplied blue toning to a deep
	are similar showing some faint remnants of silvery case-hardened patina			blue-gray patina along the underside and sides at the rear with some
	lurking about. The triggerguard is a pale goldenrod patina showing some			scattered remnants of smoothed-over light pitting and mild brown
	light handling marks and a small ding at the left edge. The New York			speckling. The frame, loading lever and hammer are a slightly lighter
	barrel address and "COLTS PATENT" on the cylinder and frame remain			gray with some areas of mild brown. The New York barrel address
	completely intact and strong and the major components show strong			shows a few slightly softened edges but remains intact and legible, the
	sub-inspector stamps. The naval engagement scene remains almost			"COLTS PATENT" on the frame and cylinder are strong as is the caliber
	completely intact showing a few small areas obscured but otherwise			designation on the left side rear triggerguard. The naval engagement
	remaining very strong and the safety pins are largely intact. The smooth			cylinder scene is rather faded with perhaps 60% of the scene visible. A
	walnut grip is ink-numbered to the gun and remains in very good			number of the screw heads and the wedge still retain good fire blue. The
	condition showing three notches carved on either side, some dings			triggerguard and backstrap retain perhaps 60% thinning silver plate
	along the bases and scattered light handling marks. Both sides of the			mixing with mild goldenrod patina and showing some scattered light
	grip show ghostly inspector cartouches and the fit to the frame is very			dings. The smooth walnut grip is ink-numbered to the gun and remains
	nice. The wedge and arbor are un-numbered, the remaining serialized			in about very good plus condition showing a little older added finish, a
	parts are matching and the action seems to function well mechanically			tiny spot of filler at the right edge and some scattered light dings with the
	with solid timing and lock-up. A nice martial 1860 for the Colt collector.			fit to the frame remaining quite nice. All of the serialized parts are
	(13B9833-87) {ANTIQUE} (2000/3000)			matching including the wedge and the action seems to function well
	Est. 2,000 - 3,000	4		mechanically with solid timing and lock-up. A solid Colt 1861 Navy
317	U.S. Colt Model 1860 Army Percussion Revolver			revolver with some nice character. (13B9833-84) {ANTIQUE}
	serial #90217, .44 cal, 8" round barrel with a bright about very good plus			(2000/3000)
	bore showing some scattered light pitting and oxidation with strong rifling			Est. 2,000 - 3,000
	throughout. The barrel and cylinder of this 1863-made revolver have		320	Superb British Long Sporting and Target Rifle by J.W. Edge
	mostly toned to a deep gray patina showing some scattered light dings			serial #1676, .451 caliber, 30" round barrel with Rigby flats and a bright
	along the edges and near the wedge, some remnants of mild pinprick			excellent bore. The quality and condition of this rifle are superb. The top
	pitting and the rear of the cylinder showing some remnants of original			Rigby flat is engraved "J.W. EDGE'S PATENT No 78". The barrel
	blue. The muzzle shows some honest holster wear along its right edge.			breech and tang show wonderful relief scroll with extremely fine border
	The frame, steel backstrap, loading lever and hammer are similar, the			work to front and rear of the breech. The lock shows the same scroll and
	frame a deep plum-brown while the hammer and loading lever retain			is marker marled "J.W. EDGE" above the forward mounted sliding bolt.
	some smoky hints of case-hardened colors. The triggerguard is partially			Within the scroll on the hammer is the depiction of a raptor and snake
	bright showing evidence of an old cleaning with some fine striations visible. The New York barrel address and "COLTS PATENT" on the			with locked eyes. The right side of the stock shows a typical round
				patchbox which is engraved with a running stag being chased by two
	cylinder and frame remain completely intact and strong and the major			dogs with rope style bor-der and full coverage scroll on hinge piece. The buttplate tang shows nice scroll as does the triggerguard which also
	components show strong sub-inspector stamps. The naval engagement scene shows small areas obscured overall with the vast majority			shows a fancy trefoil finial to the front. The condition of the gun is
	remaining strong. The smooth walnut grip remains in about very good			wonderful with the barrel retaining 98% original brown with vivid
	plus condition showing a small chip at the toe on either side and some			damascus pattern visible its entire length. The bolster and tang show
	scattered light handling marks with otherwise fine fit to the frame. There			nearly all of their original color case-hardened finish with platinum blow
	is a visible inspector's cartouche on the left side and a previous owner			out plug in side of bolster. The lock shows 90% original color case
	has stamped "IAN" in small block letters on the right side and along the			hardened finish which is darkening slightly and has a lovely antique
	base of the gripstrap. The ink number is rather difficult to make out but			appearance. All metal surfaces remain smooth and free of pitting. The
	appears to be matching and the remaining serialized parts are matching			triggerguard and buttplate are mostly a smooth gray with some original
	including the wedge. The action seems to function well mechanically			finish visible. The checkered pistolgrip stock features a horn tip and
	with solid timing and lock-up. A very respectable martial Colt for the			smooth steel shotgun buttplate. The triggerguard forms a pistolgrip and
	antique arms collector. (13B9833-77) {ANTIQUE} (2000/3000)			a standard trigger is in place. The rifle is sighted with a simple globe
	Est. 2,000 - 3,000			front and military style ladder rear barrel sight. There is no provision for
318	U.S. Colt Model 1860 Army Percussion Revolver	1		a tang sight. Rifles of this style, quality and condition are quite rare and
	serial #131724, .44 cal, 8" round barrel with a very good bore that is			the opportunity to acquire them is more rare. An investment quality
	mostly dark with some fine overall oxidation but otherwise strong rifling			absolutely top-shelf British percussion sporting and target rifle.
	throughout. The barrel, cylinder and steel backstrap of this 1863-made			(1F9670-51) {ANTIQUE} [David & Lore Squier Collection] (8,000/12,000)
	revolver have mostly toned to mild gray patina showing some overall			Est. 8,000 - 12,000
	remnants of very fine mostly smoothed-over pinprick pitting, the cylinder			
	showing some scattered light dings and a patch of good original bright			
	blue along the bottom right edge of the barrel. The frame, loading lever			
	and hammer are similar to the barrel and the triggerguard has toned to			
	mild goldenrod patina showing a few light dings along the frontstrap.			
	The New York barrel address remains strong, the "COLTS PATENT" on			
	the frame and cylinder show some softened edges but remain legible.			
	The naval engagement scene is mostly faded and the major			
	components show strong sub-inspector stamps. The smooth walnut grip			
	remains in good condition as lightly cleaned, the corners a little shy of			
	the frame and showing some scattered light dings. There is no visible			
	ink number or cartouches on the grip. The wedge is un-numbered and			
	missing its spring and the remaining serialized parts are matching. The			
1	loading lever shows side-to-side play and the action seems to function			
	well mechanically with excellent timing and lock-up. A very good Colt			
	made during the height of the Civil War. (13B9833-88) {ANTIQUE}			
1	(1800/2200)	1		

Lot Title/Description

321 Burnside Rifle Co. Fifth Model Civil War Carbine Issued to Company C. 12th NY Volunteer Cavalry & Part of a Consecutively Numbered Pair serial #18723, .54 cal, 21" barrel with a bright very good plus bore showing some light pitting and moderate oxidation nearer the breech and otherwise crisp rifling throughout. The barrel of this carbine retains perhaps 90% evenly thinning original blue toning slightly to a mild gray patina along with some scattered mild freckles and a few light dings, one at the top edge near the muzzle that is unobtrusive. The frame, lockplate and breechblock release lever show strong vibrant case-hardened colors throughout, perhaps 80-85%, muting slightly to a deep gray patina with some mild brown freckling. The breechblock parts retain about 90% original bright blue showing some mild overall flaking, some specks of old oxidation staining and a few light dings. The buttplate and barrel band are toning to a silvery case-hardened patina and the upper tang retains generous brilliant fire blue flaking to gray-brown. A couple of screw heads show light slot wear and some of the markings are somewhat lightly struck but are otherwise intact and legible. The smooth walnut buttstock and forend remain in about very good plus condition as lightly refinished long ago, the forend showing a repaired 1 1/2" sliver at the top left edge, some scattered light dings, handling marks and the finish somewhat unevenly applied along the butt. The buttstock retains two visible cartouches along the left side wrist and all original hardware is intact. All of the serialized parts are matching, the barrel having been re-struck in the same font no doubt due to an honest factory error and the action seems to function well mechanically. This carbine is listed in Springfield Research by serial number as being issued to Company C, 12th NY Volunteer Cavalry on September 15, 1863. The regiment served in the Department of North Carolina and undertook extensive patrols and maneuvers throughout the state from 1863-1865 and took part in the Battle of Wyse Fork. During its two years of service, the unit suffered 209 causalities to battle and disease. An attractive example with some strong original condition, this carbine is consecutively numbered with the next lot. (13C9833-51) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Burnside Rifle Co. Fifth Model Civil War Carbine Part of a Consecutively 322 Numbered Pair serial #18724, .54 cal, 21" barrel with a partially bright about very good bore showing some light pitting and oxidation throughout with otherwise strong rifling. The barrel of this carbine retains about 70% thinning original blue that is toning to a deep plum-brown patina approaching the muzzle also showing a few sparsely scattered spots of old minor oxidation staining and light handling marks. The frame, lockplate and breechblock release lever are toning to a mottled gray patina showing scattered deep brown speckling, flakes of silvery case-hardened patina and generous smoky colors with some vibrant areas along the left side. The breechblock parts retain about 40% original bright blue mostly along the bottom with the balance flaked to gray-brown patina showing a number of old light dings along the bottom of the lever and top of breechblock. The buttplate and barrel band are taking on a silvery case-hardened patina, a couple of screw heads show light slot wear and a number of them retain strong original blue. The markings have softened somewhat from the years but remain completely legible. The smooth walnut buttstock and forend remain in very good plus condition having darkened somewhat from the years and showing a strong oil finish with scattered light dings, a couple small abrasions and a few repaired thin drving cracks along the butt. The buttstock retains two good cartouches on the left side wrist and all original hardware remains intact. All of the serialized parts are matching, the barrel having been re-struck in the same font no doubt due to an honest factory error (similar to the previous carbine) and the action seems to function well mechanically. Unlike its compatriot this example is not listed in Springfield Research though it of course possible it was issued to the same unit. A nice Burnside carbine and an interesting opportunity for the collector to acquire a pair of arms rarely seen consecutively numbered. (13C9833-52) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000

323	Maynard Second Model Civil War Carbine by Mass. Arms Co.
	serial #24389, .50 cal, 20" round barrel with octagonal breech and a
	bright excellent bore. The barrel of this handsome carbine retains nearly
	90% original blue with the underside approaching the muzzle toning to
	plum-brown patina and showing some scattered light pinprick pitting and
	some areas of old minor oxidation staining. The action retains a similar
	amount of vibrant case-hardened colors with an area muting to a
	pleasant mild gray patina along the right side and showing some old
	oxidation staining along the lower tang, lever and some of the high
	edges. The buttplate has mostly toned to a dark plum-brown patina
	showing some scattered flakes of bright blue and the small action parts
	retain strong original bright blue with some scattered light oxidation
	staining. The frame markings remain intact and strong and the various
	major components are stamped with small sub-inspector marks. The
	smooth walnut buttstock remains in about very fine condition retaining
	most of its arsenal oil finish and showing some scattered light dings and
	minor scuffs, more noticeable along the left side which also retains two
	crisp inspector cartouches. The original sights and saddle ring are intact,
	the barrel locks up well and the action seems to function well
	mechanically. A very attractive Second Model Maynard. (13C9833-10)
	{ANTIQUE} (2000/3000)
	Est. 2,000 - 3,000
324	Smith Civil War Percussion Carbine by American Machine Works
	serial #6675, .50 cal, 21 5/8" part round part octagon barrel with a bright
	excellent bore. The barrel of this carbine retains about 95% original blue
	showing some very mild toning to gray-brown, a few sparsely scattered
	specks of old oxidation staining and some light handling marks. The
	barrel shows remnants of some hardened preservative that would
	probably clean up if one wished. The action shows the same old
	preservative throughout and retains perhaps 92% original vibrant
	case-hardened colors with areas muting to smooth silvery gray patina.
	The triggerguard and buttstock collar retain a similar amount of bright
	blue showing a little brown freckling and some handling marks along the
	bow of the guard while the top latch retains about 94% brilliant bright
	blue showing some scattered light oxidation staining. The left barrel flat
	shows a strong sub-inspector stamp and the markings on the left side of
	the action remain completely intact and strong, the maker markings
	below the sling bar obscured somewhat by preservative. The smooth
	walnut buttstock and forend remain in very good plus condition as very
	lightly cleaned long ago now having darkened from the years with some
	scattered light dings and handling marks. Metal-to-wood fit remains very
	nice and the left side wrist shows a softened inspector cartouche. All
	original hardware is intact, the barrel locks up tightly and the action
	seems to function well mechanically. A very handsome American
	Machine Works Smith carbine. (13B9833-7) {ANTIQUE} (1500/2000)
	Est. 1,500 - 2,000

5	Fine Whitworth Rifle Company Percussion Target Prize Rifle	2	27	Experimental U.S. Navy Model 1870 Rolling Block Musketoon by
)	serial #B319, .50 cal, 32" round barrel with a bright excellent	3	21	Springfield Armory
	· · · · ·			serial #10, 50-70, 24 3/4" barrel with a bright very fine bore showing a
	Whitworth-rifled bore. A very interesting and obviously quality-made rifle,			
	it retains some lovely case colors and overall condition and has a			few sparsely scattered pinprick pits and strong rifling throughout. The
	circular silver presentation plate inletted into the left side of the butt. The			metal surfaces of this interesting rifle have mostly toned to a mix of
	barrel itself is an overall soft plum brown patina, showing some			gunmetal gray and pale brown patina showing some overall light to
	remnants of original browning in the protected areas, the barrel now with			perhaps moderate old pitting that has mostly smoothed-over from the
	remnants of light pinprick pitting about its surface. The bands have			years, a bit heavier along the rear band, along with some scattered old
	primarily flaked to a smooth brown with some generous trace bright			dings along the action. The markings on the right side action remain
	original blue toward their rears. The rifle is sighted with a windgauge			crisp and clear, the Remington patent information on the upper tang ar
	adjustable Goodwin patent flat-top platinum index line front sight and			likewise very strong and there is a small anchor atop the breech. The
	Whitworth service style target rear, also with platinum index lines. The			rear sight assembly shows strong remnants of original blue, the barrel
	left side of barrel features appropriate British proofs and the serial			bands show "U" stamps, the buttplate tang "US" and the left side breed
				with "P / H.B.R" proof. The smooth walnut buttstock and forend remain
	number with "Whitworth Patent" atop to the rear of the sight. The breech			
	shows very light borderline engraving and lovely brilliant original color			in very good condition as lightly cleaned and refinished showing a few
	case-hardening, as does the lockplate. The lockplate shows Whitworth's			thin drying cracks and mild oxidation leaching along the butt, small cra
	Crown over W at rear with "Whitworth Rifle Co. Manchester" along its			at the left edge wrist, scattered light dings and areas a little shy at the
	bottom edge with light borderline engraving. In addition to the nice case			wrist. There is a faint inspector's cartouche on the left side wrist and the
	colors the sliding safety still exhibits some pale purplish temper blue.			inside stock inlet is stamped "10 FWS". The tangs and a number of the
	The bottom metal has toned to a plum with some trace case colors on			major components are also stamped with a small "10", the rifle is
	the bow but the patchbox still shows a very nice color case-hardening			equipped with military-style sights and sling swivels and the action
	along with a bit of toning and sparse oxidation staining. The stock rates			seems to function well mechanically. The consignor's notes indicate he
	excellent with crisp checkering at the wrist, forestock and the thumb rest			purchased this rifle from the collection of Jay Lewis, technical advisor
	·			
	area to the rear of the hammer. There is some nice fiddleback grain in			Marcot's Remington Rolling Block book. An interesting rolling block rifl
	the area of the butt and as-mentioned there is a silver presentation plate			for the advanced Remington collector. (13B9857-5) {ANTIQUE}
	which reads: "National Rifle Association/1863" "Queens First Thirty",			(1800/2200)
	sadly due to someone's overzealous polishing over the years the	L		Est. 1,800 - 2,200
	gentleman's name cannot be made out, but the capital letter "C" and the	3	28	Rare Early U.S. Navy Model 1870 Rolling Block Rifle by Springfield
	capital letter "B" can be made out. Some diligent research from a good			Armory
	friend "across the pond" turns up the likely recipient as a "Captain			50-70, 32 5/8" barrel with a fair bore showing a ring of heavy oxidation
	Benning" of the 2nd Bedfordshire Rifle Volunteers. The actual "Queen's			about 7" back from the muzzle, a ring of moderate oxidation ahead of
	Prize" that year was won by a Sgt Roberts; the reference source of this			the breech, scattered light pitting and otherwise strong rifling througho
	information the Volunteer Gazette of July 18th, 1863. The plate shows			The barrel of this rifle is a mostly bright silvery pewter tone showing
	some dings and dents from the years and there is a small dent in the			some sparsely scattered remnants of cleaned light pitting, some mild
	wood at its bottom edge where it appears as though someone			brown freckling and a few light dings. The rear sight is of the early first
	contemplated prying the plate off, thankfully unsuccessfully. What			contract batch being set just ahead of the action, all of the early guns
	appears to be the original Whitworth ramrod with hexagonal rotating			were initially rejected due to this and the later sights were moved
	head is present and the lock is crisp and functions very well			forward about 3". The rear sight leaf is bent up slightly but this is
	mechanically. The buttplate is a bit proud at the heel and toe but this is			unobtrusive. The action has mostly toned to a mottled silvery
	likely due only to shrinkage as the wood appears completely			case-hardened patina showing some scattered fine pinprick pitting and
	unmolested. Interestingly an old paper tag within the patchbox reads			few light dings with generous vibrant colors along the left side and
	"No 319/800 yards 2° (minute marking is faded and lost to the			protected areas around the triggerguard. The naval markings on the
	years)/900 yards 2° 35' /1000 yards 2° 56' " and there is a small plastic			right side frame remain crisp and clear, the Remington patent
	container which holds a tiny barleycorn style dovetail front sight which			information along the upper tang likewise very strong and the barrel is
	would fit into the raised base at the muzzle were the current front sight			unmarked. The smooth walnut buttstock and forend remain in about
	removed. Really a very lovely, very handsome Whitworth rifle in a fine			very good condition as lightly cleaned and refinished long ago, the
	state of condition. (3D9670-53) {ANTIQUE} [David & Lore Squier			buttstock showing a number of lengthy thin drying cracks along the
	Collection] (7000/9000)			sides (the most noticeable about 8 1/2" and 7 1/2" long on either side)
	Est. 7,000 - 9,000			along with some scattered light dings and handling marks. There is a
	Interesting Remington No. 1 1/2 Rolling Block Cadet Rifle			faint inspector's cartouche visible on the left side wrist. The original
	45-70, 28" barrel with a bright very fine bore showing a small but			sights, sling swivels, cleaning rod and under-slung bayonet lug remain
	· · · · · · · · · · · · · · · · · · ·			intact and the action seems to function well mechanically. The
	moderate ding or tool mark about 2" back from the muzzle at around 12			
	o'clock with otherwise crisp rifling throughout. This is an unusual rifle			consignor's notes indicate he purchased this rifle from the collection of
	built on the smaller No. 1 1/2 frame but with a large caliber 45-70 barrel			Jay Lewis, technical advisor to Marcot's Remington Rolling Block bool
	and military-style furniture installed. The work is undoubtedly original			A solid example of a seldom seen early navy contract rolling block rifle
	from the factory and the consignor's notes speculate it was likely done			(13B9857-4) {ANTIQUE} (2000/3000)
	for a special military academy contract or something similar and that the			Est. 2,000 - 3,000
	arm was purchased from the collection of Jay Lewis, technical advisor to	3	29	Excellent Remington New York State Style Rolling Block Rifle
	Marcot's Remington Rolling Block book. The barrel retains perhaps 70%			50-70, 35" barrel with a bright excellent bore. This is a lovely rifle built
	original blue that is toning to a deep plum-brown patina under bright light			New York State specifications that, although lacking a Remington
	and showing some sparsely scattered light oxidation staining and a			factory collection tag, was very likely retained by the factory. The barre
	number of small to perhaps moderate dings along its length. The action			retains about 98% original blue with most of the loss due to some mild
	is toning to a deep gray patina showing some mild brown speckling and			silvering around the muzzle from bayonet attachment. The action and
	generous smoky colors throughout with some of the more protected			rear sling swivel retain 99% stunning vibrant case-hardened colors
	areas remaining quite vibrant. The hammer and breechblock retain			retaining much of their original protective lacquer. The action small
	about 95% original bright blue showing some mild flaking and light			parts, barrel bands and buttplate retain about 97-98% original blue
	handling marks, the rear barrel band is toning to plum-brown patina and			showing some very mild silvering along the high edges and the E.
	the front band and rear sight assembly retain generous original blue.			Remington & Sons tang address and patent dates are somewhat poor
	The left side of the action is stamped with Remington's five patent dates,			struck as is typical, otherwise mostly legible. The right side of the rear
	the right side with some sort of inventory marking "HOP / 909", the tangs			sight ramp is bent in very slightly and the rear sight screw shows some
	with assembly number "1335", the rear band is U-marked and the front			light slot wear but this is relatively minor and unobtrusive. The barrel
	band with a crown. The smooth walnut buttstock and forend remain in			bands are U-marked and the arm does not bear any martial markings.
	about very good plus condition showing strong remnants of oil finish, a			The smooth walnut stock and forend remain in excellent condition
	thin 1 3/4" crack at the upper tang, some overall mild abrasions and light			having darkened from the years and showing just a few tiny dings with
	dings with otherwise excellent metal-to-wood fit. The rifle is equipped			otherwise fine raised grain and excellent fit. The action seems to
	•			-
	with military-style sights and sling swivels, the front sight having been			function well mechanically and the rifle includes a correct socket
	slightly modified during the period and with a notch cut in its center and			bayonet in similarly excellent condition. Really a beautiful rolling block
	the action seems to function well mechanically. This interesting and rare			rifle for the Remington collector. (13C9670-24) {ANTIQUE} [David &
	variation would make an excellent addition to any advanced Remington			Lore Squier Collection] (1800/2200)
	collection. (13B9857-6) {ANTIQUE} (1800/2200)			Est. 1,800 - 2,200

331

#### Lot Title/Description

330

Very Fine Cased New England Two Barrel Set Underhammer Percussion Rifle by Nicanor Kendall serial #851, .41 caliber rifled barrel and .50 cal smoothbore barrel, both about 30 1/4", the rifle barrel octagonal, the smoothbore barrel part octagon, part hexadecagonal. The rifle barrel rates very fine with mostly bright sharp rifling and some very sparsely scattered light frosting within the grooves. The smoothbore barrel rates very good with remnants of scattered light pitting. Both barrels have light open engraving at the front near the sights, again at the breech and surrounding the makers name, a bit ahead of the rear sight and again at the point of transition on the other barrel. The rifle is sighted with a scant silver blade front and flat-top v-notch rear, step adjustable for elevation, with a simple half-moon silver blade front sight and buckhorn rear on the smoothbore barrel. The barrels retain generous original plum brown, flaking to a near even mix of the pewter gunmetal beneath, with scattered light oxidation, near overall, but it is light in character and unobtrusive. Each barrel is maker marked on the top flat "N Kendall/Windsor VT" and each is properly serial numbered to the frame on its underside, the smoothbore being a Remington "twisted" steel barrel, showing only remnants of the damascus pattern. The barrel frame shows light open engraving on the octagonal sections with dual turned medials and shows Win. Smith's "Smith's Improved Patent Stud Lock" patent marking on the long upper tang, also with light open engraving front and rear. The arm has lovely German silver furniture with a dual spur triggerguard, toeplate, crescent buttplate and nice patchbox, all with lightly chiseled extensions and with light open flowing rudimentary engraving typical of Kendall's arms. The tang of the buttplate is numbered to the gun, there is a lozenge-shaped German silver inlay on the cheekpiece and two open swirls inlaid left and right for the lock mechanism screws. The very close-grain stock appears very much to be of cherry, but possibly butternut, it has been stained a red-russet with a bit of darkening beneath the finish. The left side flared cheekpiece has a dual ribbed edge and the varnish is wonderful showing tiny antique age crackling throughout. Kendall, later of " Robbins, Kendall & Lawrence" fame, had his arms made in the Vermont State Prison, each of the makers paid 32 cents per day, interestingly if one of Kendall's rifles was returned by a purchaser, the craftsman who built the rifle was charged back for it until such time as the arm was made right. This example comes nicely cased in a walnut carry case with brass corners and handle in the lid with a wad punch, ebony handled turn screw, Bush pattern common top flask and a three cavity iron bullet mould casting two smaller projectiles and one of the larger. The sprue cutter is stamped "84", as-is the face of the rifled barrel. The interior shows a fading burgundy baize interior, neatly fitted to each of the arms components, externally the case rating very good with the expected minor dings and handling marks that come from the years. A single ramrod is included that neatly fits both sets of barrels, each of the barrels mounts solidly but turns just a whisker past top dead center. A very handsome two-barrel set, doubtless made for a customer of means, as most of Kendall's arms are very Spartan and very "Yankee", this example nicely embellished and is a two-barrel set to boot. (3C9905-1) {ANTIQUE} (3500/5000) Est. 3,500 - 5,000

Lot Title/Description

Connecticut Percussion Offhand Target Rifle Personal Gun Of Gunsmith Walter Dennis .38 cal, 30" octagon barrel drilled for false muzzle which is turned for starter, showing a bright excellent bore; both the false muzzle and starter are included. The barrel shows strong original plum brown with some smatterings of light oxidation and areas of pitting nearer the muzzle, becoming more moderate on the left and right flats, the false muzzle polished bright and showing only some very light oxidation externally. The rifle is sighted with a globe front sight with simple diminutive lollipop insert and shows some very light engraving near the breech and is maker marked on the left diagonal flat "WL Dennis Maker Bridgeport CT". The breech shows some smoky gray blue case-hardening with light open scroll and is maker marked on the left "WL Dennis/Bridgeport CT". The barrel frame shows some strong original blue along its top surface, left edge and the long tang, flaking on the bottom area where one would normally carry the rifle, showing only light borderline engraving. The tang shows the same open scroll at front and rear and there is a lollipop style sight fitted midway down its length. The lockplate is maker marked and shows a bit of open scroll and is now a duller grav case-hardened patina, sadly showing some light pitting; the hammer shows a nice dragon head at its front with a nice cap deflector swirl and a bit of scroll on its side. The German silver furniture is bright and quite fancy, the single forward spur quard showing nice quality open flowing scroll, with another bit of scroll on the rearward grip flourish and its rear extension. The tang of the crescent buttplate and the toeplate show the same sparse nice quality scroll with the front extension in a nice pineapple finial motif. The rifle is stocked in a nice grade of American black walnut showing lovely burl and crotch figure with a flared left-side cheekpiece. It rates about excellent, the finish flaking a bit along the toeline and with a nice engraved German silver patchbox on the right of the butt. The arm is equipped with double set triggers and a single-acting lock and what is likely a later ramrod is included. Included with the arm is a homemade carry case, with a floral fabric interior, and a placard on the lid with WL Dennis' trade stamp. On the interior is an antique powder tin, a small japanned tin of percussion caps, two conical bullet molds, two swages, a selection of cast projectiles, an old range rod, a few patches, and telescopic sight mounts which fit in the front dovetail and the tapped hole on the tang of the arm; sadly there is no telescopic sight present. Included within is Mr. Dennis' original business card listing "all kinds of repairing done with dispatch" showing a 97 Water St., Bridgeport, CT address. Penciled on the back is written "died in 1878" a short narrative about the business closing, and how the rifle was made by Dennis and kept by his wife and was bought from his son George Dennis who was 86 years old at the time, on June 6, 1957. Also included is an October 17, 1957 dated target from the PAL range in Strafford Connecticut shot by R.C. Hitchcock of Fairfield Connecticut. There are three targets shot with the rifle showing very nice groups. Walter L Dennis was located in Bridgeport Connecticut from roughly 1865 to 1877, his rifles are quality-made and rival any of those made by the New York makers, this gun is no exception. (3C9670-59) {ANTIQUE} [David & Lore Squier Collection] (2500/4000) Est. 2,500 - 4,000

332			
	Large Bore South African Percussion Stopping Rifle by J.S.F. Botha	334	Auguste Francotte Model 14E Boxlock Double Ejectorgun Consecutively
	About .86 cal, 27 1/2" octagon barrel with a bright about excellent bore		Numbered
	which shows perhaps a few spots of very light oxidation here or there.		serial #72982, 20 ga. (2 3/4"), 26" Siemens Martin steel barrels choked
	This is a fabulous big-bore stopping rifle from the percussion era,		about cylinder and improved cylinder, with bright excellent bores. The
	marked by this famous South African gunmaker and retailer. The barrel		barrels retain about 98% original plum brown with some sparsely
	is a plum brown damascus showing fading pattern beneath, with overall		scattered very light handling marks here and there. The concave rib is
	scattered very light oxidation and some spots of light pitting, also		neatly matted its full-length and there is tight scroll engraving at the rear
	showing a few light handling marks and a couple of tool marks nearer		of the rib, the barrels V.L. & D. marked with small bands of engraving at
	the breech. It is sighted with a simple German silver blade front sight		the breech. The frame retains perhaps 97% original color
	and four leaf rear, one standing, three folding, the three folding leaves		case-hardening which is quite vivid, toning to pewter on the sharp edges
	not yet regulated, showing remnants of a pale fire blue. The barrel is		and at rear of frame. It shows near overall tight flowing scroll with floral
	marked on its top flat "JSF Botha Cape Town". The breech plug shows		patterns on the screw heads and a light foliate engraving on the fences,
	remnants of color case-hardening, primarily a pewter case-hardened		each flat maker marked. The top lever and safety show strong original
	patina. The lockplate is rather spartan and shows borderline engraving		blue while the bow of the guard is flaking somewhat, the long tang
	with two small sprays of open flowing scroll and maker marked identical		fading to plum in the grasping area. The checkered European walnut
	to the barrel sans the address. The long tang, lockplate and hammer		scant pistolgrip buttstock rates excellent , much of the finish worn from
	show some very nice fading color case-hardening, the balance a lovely		the butt area, which appears now a bit lighter than the head of the stock,
	tarnished case-hardened patina. The stock features a German silver		showing only a few light dings and handling marks here and there. The
	nosecap, simple iron tailpipe and long tang iron triggerguard which		splinter forend rates excellent with its iron and nosecap showing some
	shows light oxidation and some handling marks, the smooth buttplate is		fading case colors. The checkering remains nice with the cheeks left and
	similar giving a 14 1/2" length of pull. The English walnut buttstock rates		right neatly checkered as well with a carved wavy border and the stock
	very good for a gun of this age and where it would've been used,		features the Auguste Francotte marking just behind the pistolgrip. The
	showing the expected light dings and handling marks that come from		length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 5/8"
	use afield, but with the checkering remaining crisp. The arm is		and 2 3/4". The gun locks up tightly on face with dual under bites and
	maker-fitted with sling swivels, there is a circular silver monogram plate		Greener crossbolt, with the top lever drifting ever so slightly left of center
	along the toeline which is un-engraved, the barrel is captivated with a		and seems to function well mechanically. The top lever screw slot shows
	single wedge. Its underside of course exhibits British proofs and "SH"		a tiny bit of damage but it is unobtrusive. Like its predecessor, the
	which was likely the barrel maker or perhaps even the gunmaker,		chamber length was measured using an appropriate plug gauge, the
	although greener was known to have made many of Botha's arms. The		underside of the barrels are stamped 2 1/2", yet under very close
	lock is crisp and mechanically functional and the original ramrod with		scrutiny the chambers on this example also do not appear to have been
	brass tips is included. Also included with the arm is a single cavity round		altered. Features double triggers, ejectors and automatic safety with "S"
	ball mould of appropriate caliber which is lightly oxidized on its exterior,		inlaid in gold and the gun weighs in at just a tad over 5 1/2 pounds. A
	the interior mostly clean showing just a bit of light surface oxidation. A		super 20 bore double ejectorgun from this quality maker, that really
	very handsome large bore African stopping rifle, with a bore nice		should stay together with its sister in the previous lot, this arm
	enough that it no doubt could still be used by some hearty soul were		consecutively numbered to it. (39670-459) {C&R} [David & Lore Squier
	they to work up appropriate loading data. (3C9827-4) {ANTIQUE}		Collection] (2500/4000)
	(2000/4000)		Est. 2,500 - 4,000
	Est. 2,000 - 4,000	335	Fine John Dickson & Son Round Body Assisted Opening Double
333	Auguste Francotte Model 14E Boxlock Double Ejectorgun Consecutively		Ejectorgun
	Numbered		serial #7182, 12 ga. (2 1/2"), 27" barrels choked about improved cylinder
	serial #72981, 20 ga. (2 3/4"), 26" Siemens Martin steel barrels choked		and a tight modified, with bright about excellent bores. The barrels retain
	about cylinder and modified, with bright excellent bores. The barrels		about 98% plus excellent quality re-blacking, the concave slightly
	retain about 97% original plum brown with some light handling marks		
			I sunken rib with the Hanover St. Edinburgh address. There are small
			sunken rib with the Hanover St., Edinburgh address. There are small
	along the sides of each tube for most of their lengths, consistent with a		engraved bands at the breeches with nice engraving on the rib and rib
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D.		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets,
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid,		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue,
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the faces, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttscok and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so,
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent for on is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 15/8" and 2 1/2" and 3/8" cast off. The right barrel shows no wall thickness below
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 15/8" and 2 1/2" and 3/8" cast off. The right barrel shows no wall thickness below .025", most well over that, the left tube shows one spot that is .022",
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the sufface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt,		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttscok and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2 1/2" and 3/8" cast off. The right barrel shows no sone spot that is .022", most well over .025" and the arm is a Nitro proofed for 1 1/8 ounce 2
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkerde European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly night of center and seems to function well		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2 1/2" and 3/8" cast off. The right barrel shows no wall thickness below .025", most well over that, the left tube shows one spot that is .022", most well over .025" and the arm is a Nitro proofed for 1 1/8 ounce 2 1/2" shells, the water table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt, with the top lever still slightly right of center and seems to function well mechanically. Interestingly, the chamber length was measured using an		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2 1/2" and 3/8" cast off. The right barrel shows one splot that is .022", most well over .025" and the arm is a Nitro proofed for 1 1/8 ounce 2 1/2" shells, the water table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an oval gold monogram plate along the toeline which has been engraved
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt, with the top lever still slightly right of center and seems to function well mechanically. Interestingly, the chamber length was measured using an appropriate plug gauge, the underside of the barrels are stamped 2 1/2", yet under very close scrutiny the chambers do not appear altered.		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent as the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2 1/2" and 3/8" cast off. The right barrel shows one spot that is .022", most well over that, the left tube shows one spot that is .022", most well over .025" and the arm is a Nitro proofed for 1 1/8 ounce 2 1/2" shells, the water table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an oval gold monogram plate along the toeline which has been engraved with the initials "JCC". The copy of the factory ledger shows on August
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt, with the top lever still slightly right of center and seems to function well mechanically. Interestingly, the chamber length was measured using an appropriate plug gauge, the underside of the barrels are stamped 2 1/2", yet under very close scrutiny the chambers do not appear altered.		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "11" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 15/8" and 2 1/2" and 3/8" cast off. The right barrel shows one spot that is .022", most well over that, the left tube shows one spot that is .022", most well over table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an oval gold monogram plate along the toeline which has been engraved with the initials "JCC". The copy of the factory ledger shows on August the 8th, 1929, guns 7182 & 7183 being made for William Watson, giving
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkerd European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt, with the top lever still slightly right of center and seems to function well mechanically. Interestingly, the chamber length was measured using an appropriate plug gauge, the underside of the barrest are stamped 2 1/2", yet under very close scrutiny the chamber do not appear altered.		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent as the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2 1/2" and 3/8" cast off. The right barrel shows one spot that is .022", most well over that, the left tube shows one spot that is .022", most well over .025" and the arm is a Nitro proofed for 1 1/8 ounce 2 1/2" shells, the water table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an oval gold monogram plate along the toeline which has been engraved with the initials "JCC". The copy of the factory ledger shows on August
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkered European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt, with the top lever still slightly right of center and seems to function well mechanically. Interestingly, the chamber length was measured using an appropriate plug gauge, the underside of the barrels are stamped 2 1/2", yet under very close scrutiny the chambers do not appear altered. Features double triggers, ejectors and automatic safety with "S" inlaid in gold. A handy little 20 bore double ejectorgun that points well and weighs in at just over 5 1/2 pounds; the following lot is consecutively		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent and the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 15/8" and 2 1/2" and 3/8" cast off. The right barrel shows no wall thickness below .025", most well over that, the left tube shows one spot that is .022", most well over .025" and the arm is a Nitro profed for 1 1/8 ounce 2 1/2" shells, the water table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an oval gold monogram plate along the toeline which has been engraved with the initials "JCC". The copy of the factory ledger shows on August the 8th, 1929, guns 7182 & 7183 being made for William Watson, giving the dimensions of each. A very lovely and quick-handling best quality double that really needs to be back afield for fall birds. (3D9720-1)
	along the sides of each tube for most of their lengths, consistent with a field-used arm. The concave rib is neatly matted its full-length and there is tight scroll engraving at the rear of the rib, the barrels V.L. & D. marked and show small bands of engraving at the breech. The frame retains perhaps 97% original color case-hardening which is quite vivid, toning to pewter on the sharp edges. It shows near overall tight flowing scroll with floral patterns on the screw heads and a light foliate engraving on the fences, each flat maker marked. There is excellent original blue on the top lever and safety and the bow of the guard, the long tang fading to plum in the grasping area. The checkerde European walnut scant pistolgrip buttstock rates very fine to excellent showing only a few very light handling marks about the surface, the splinter forend is similar, its iron and nosecap showing some fading case colors. The checkering has mullered borders and the stock features the Auguste Francotte marking just behind the pistolgrip. The length of pull to the grooved horn buttplate is 14 1/8" with drops of 1 3/8" and 2 1/2". The gun locks up tightly on face with dual under bites and Greener crossbolt, with the top lever still slightly right of center and seems to function well mechanically. Interestingly, the chamber length was measured using an appropriate plug gauge, the underside of the barrest are stamped 2 1/2", yet under very close scrutiny the chamber do not appear altered.		engraved bands at the breeches with nice engraving on the rib and rib extension with a gold inlaid numeral "1". The round bodied triggerplate frame is a very pleasing smooth smoky pewter case-hardened color with near overall excellent quality tight English scroll and floral bouquets, showing some stronger trace case colors beneath the fences and their nicely chiseled bolsters, the belly gold inlaid "Dickson's Patent". The long tang triggerguard, safety and top lever show excellent quality blue, "safe" inlaid in gold, the top lever with the numeral "1" inset as well; the gold inlaid "1" is repeated at the Anson forend tip. The straight grip English walnut buttstock and splinter style forend both rate about excellent as very lightly refinished some years ago, metal-to-wood fit still excellent as the checkering is crisp as recut, somewhat coarsely-so, with a few light handling marks in the finish and a diminutive wrist. The length of pull to the checkered butt is 14 3/4" with drops of 1 5/8" and 2 1/2" and 3/8" cast off. The right barrel shows one spot that is .022", most well over .025" and the arm is a Nitro profed for 1 1/8 ounce 2 1/2" shells, the water table showing the patent use number 1684. The arm locks up tight on-face and functions well mechanically. There is an oval gold monogram plate along the toeline which has been engraved with the initials "JCC". The copy of the factory ledger shows on August the 8th, 1929, guns 7182 & 7183 being made for William Watson, giving the dimensions of each. A very lovely and quick-handling best quality

339

### Lot Title/Description

Lot Title/Description

336	Winchester Model 21 Boxlock Double Ejectorgun
	serial #20371, 12 ga., 28" ventilated rib barrels choked modified and full with excellent bores. The barrels retain perhaps 97-98% original blue
	with some even fading to dark plum toward the breeches and some light
	edge wear. The boxlock frame fares about the same and retains 97%
	strong original blue with some faint wear to gunmetal on the belly's carry
	points and the lower tang and some freckling on the left fence. The
	checkered walnut capped pistolgrip buttstock with Noshoc pad and
	beavertail forend are very good plus with scattered light handling marks
	and two cracks, one hairline and one more prominent, running from the
	frame to the rear of the forend metal and some added varnish some time ago, the evidence being a couple thicker finish areas on the forend
	and an errant small run coming down from the comb. The finish does
	nothing to detract from the fantastic grain figure in each piece,
	particularly the dark feathercrotch pattern going diagonally across the
	left-side butt, a professional wood man could easily tone down the finish
	on each if one wished. The length-of-pull to the single selective trigger is
	13 3/4" with drops of 1 5/8" and 2 1/2", the safety is non-automatic and
	the ejectors are strong. A solid collector's piece that could benefit greatly from a little TLC. (22B9789-17) {C&R} (2500/4000)
	Est. 2,500 - 4,000
37	Wonderful Charles Daly Diamond Quality Double Ejectorgun
	serial #1514, 12 ga. (2 1/2"), 28" Excelsior Witten steel barrels choked
	improved cylinder and a light full or tight modified, showing bright very
	fine to excellent bores, each with a few very sparsely scattered very light
	remnants of oxidation or light pinprick pitting. This is a very attractive
	Lindner made Daly shotgun with some absolutely wonderful engraving.
	The barrels retain about 98% plus exceptional quality restored rust blue with the makers name engraved on the lovely concave rib; there are
	light engraved bands on the breeches and on the rib extension. The
	scalloped boxlock sideclipped frame is lovely and retains perhaps 80%
	original color case-hardening, quite vivid in spots and muting in others
	with toning to silver on the sharp edges of the sideclips and front belly of
	frame. It features overall excellent quality tight scroll with some banknote
	filigree and bordering and the makers name in riband left and right. The underside of the frame shows a sporting dog and pheasant scene of the
	finest quality, with flying waterfowl on the bow of the guard, it too with
	overall lovely tight scroll. The checkered round knob pistolgrip European
	walnut buttstock rates excellent with all its original varnish showing only
	light dings or handling marks very sparsely scattered about its surface. It
	features checkered cheeks with dropper points and the checkered
	panels are flawlessly executed, with the typical oval ebony inlay on the
	bottom of the pistolgrip proper. The butt features a nice pinched comb,
	unengraved silver monogram plate along the toeline and a solid 1" pad giving a 14 1/4 length of pull to the front of the two neatly checkered
	triggers, showing drops of 1 1/2" and 2 1/8". The lovely engraving
	continues onto the iron and the forend rates very fine as well with its
	horn tip intact and the very beginning of the tiniest crack at the rear near
	the iron. The gun locks up tightly on face with the top lever still right of
	center and features double triggers, ejectors, pin-style cocking indicators
	and automatic safety with "safe" inlaid in gold. The gun seems to
	function well mechanically for the most part, if the left trigger barrel is
	fired first ejectors work properly, if the right tube is fired first both trip simultaneously, timing is no doubt an easy issue any 'smith of any
	talent. A very handsome Diamond Quality Lindner Daly with top-notch
	engraving and nice dimensions. (3D9720-2) {C&R} (3000/5000)
	Est. 3,000 - 5,000
38	Exceptional Winchester Model 21 Smallbore Skeet Ejectorgun
	serial #18048, 20 ga., 26" barrels choked WS-1 and WS-2 with excellent
	bores. The metal surfaces retain 99% strong original blue, with "SKEET"
	marking just in front of the triggerguard. The gold single selective trigger
	retains all its original finish. The finely-figured checkered American black
	walnut capped pistolgrip buttstock and beavertail forend with standard diamond checkering pattern are excellent as expertly and lightly-cleaned
	leaving a wonderful satin finish and having fantastic feathercrotch figure
	radiating down from the comb and flowing nicely along the forend. The
	length-of-pull to the checkered butt is 14" with drops of 1 9/16" and 2
	1/2", the safety is automatic, the ejectors very strong and the barrels
	lock-up tight and are on-face. The Model 21 is known as both a solid
	and reliable field gun as well as a sought-after collectible, this is a
	fantastic-looking smallbore sure to check both of these boxes.

Prussian Jaeger Style Flintlock Rifle With Wootz Steel Barrel .72 cal., 34 1/2 part round barrel with a straight-rifled bore which shows light oxidation its full-length. This is a very well-made rifle that seems to have had an interesting life. It clearly started off as a Prussian Jaeger rifle, no doubt stocked to the muzzle, and at some point in its history has had a nice quality Mediterranean-Turkish style damascus steel barrel fitted by a gunsmith of some talent. The barrel is a dark brown and light pewter with a wootz damascus pattern its full-length and with heavy silver and gold-toned chiseled damascening near the muzzle, flanking the half moon silver blade front sight, with a number of medials. Halfway down its length the barrel transitions from round to dodecagonal with Middle Eastern style geometric silver and gold-toned chiseled inlays, this continuing at the breech end of the barrel for about 7 1/2", with the same silver and gold-toned overlays and damascening, with four silver stars, two of which have orange coral inlaid within. The European lockplate shows beveled edges and has relief chiseled game scene engraving with scroll on the swan neck cock, faceted pan and unbridled frizzen, the frizzen spring lightly chiseled with a foliate tail. The arm retains its heavy chiseled-in-relief Germanic hardware with chiseled rococo tailpipe, triggerguard front extension, with similar sideplate and buttplate tang. The bow of the guard, sideplate and heel of buttplate all showing deep chiseled game scenes with stags and hounds. The European walnut stock rates very good with some nice open foliate carving in the area of the forestock, to the right of the comb and to front and rear of the square bottom Jaeger style cheekpiece. The arm was likely short-ened when the later barrel was fitted and the stock nose narrowed and the horn forend tip re-fitted. The stock rates very good showing older repairs to a number of cracks along the forend and barrel channel, a sliver or chip missing along the left of barrel channel and an older spliced repair to a moderate chip along the edge of the cheekpiece, with some filed-in splices in the highly figured wood of the butt, perhaps done when the arm was constructed. The lock functions well mechanically and the arm is equipped with a single trigger and there is an antique bone-tipped ramrod included, retained by simple thimbles soldered to the underside of the barrel. Really a very interesting amalgam of these two gun cultures, the original craftsman who built the Jaeger arm was gifted, the fellow who made and fitted the barrel a master of his trade as well. (3F9670-310) {ANTIQUE} [David & Lore Squier Collection] (4000/6000) Est. 4,000 - 6,000

## Title/Description

Title/Description Lot

340	Ornate German Percussion Double Shotgun by Klett	1	342	Fine U.S. Navy Winchester-Lee Model 1895 Bolt Action Rifle-Musket
	About 16 bore, 31" octagon barrels with about very good straight-rifled			with Fort Mifflin Tag
	bores, thought at the time to improve shot patterns, but which also			serial #19222, 6mm Lee Navy, 28" barrel with a bright excellent bore.
	improved performance when shooting a single patched projectile. The			The metal surfaces of this rifle retain about 85% original blue with most
	barrels show a fading two tone swirled damascus pattern their full			of the loss due to the exposed areas of the barrel toning to a deep
	length, with interspersed light spots of oxidation staining and perhaps			brown patina and showing a few scattered patches of old light pitting
				along with an area of light oxidation staining along the receiver ring, light
	the odd light pinprick pit here or there. They are sighted with a simple			
	German silver blade front sight and the makers name is inlaid in gold at			freckling and handling marks. The barrel bands and buttplate have
	the rear of the rib "Veit Klett in Suhl", surrounded by fine silver and gold			mostly flaked to gray-brown patina while the front sight hood retains
	wire inlays. There is a small foliate spray and five silver and gold inlaid			generous amounts of original bright blue and the small parts of the
	lines at the junction of the casehardened breeches, with a small			action likewise retain most of their bright blue. All markings remain crisp
	two-tone silver and gold cornucopia inlay. The long tang has nice open			and clear, the receiver ring with proper U.S.N. marking, naval anchor,
	flowing scroll of excellent quality with a circular monogram plate at its			serial number and "J.N.J." inspector. The smooth pistolgrip walnut stock
	center marked "Leonardy". The lockplates show open loose flowing			and handguard remain in very fine condition retaining most of their
	scroll of excellent quality, each with a small gold inlay amidst a forest			arsenal oil finish showing some scattered light dings, a few shallow tiny
	scene at its rear, a sporting dog right and fox left. "Veit Klett" and "in			chips along some edges and mild handling marks, a bit more noticeable
	Suhl" are inlaid in gold left and right and the hammers are decorated,			along the toe line. The stock shows a small star inspector stamp at the
	chiseled and pierced with dragon's head noses, each with gold inlaid			heel and the rear sling swivel is somewhat loose in its mount. The action
	eyes;. The locks feature a safety rest which keeps the hammer off the			seems to function well mechanically and the rifle includes an interesting
	face of the nipple, square protrusions extend from the left and right			brass naval inventory disc that is stamped on the front "U. S. N. /
	lockplate and engage a flat resting spot on the lower portion of the			(Anchor) / FORT MIFFLIN" with inventory number "111" on the back.
	hammer, when the hammer is brought to the half-cock position these			Fort Mifflin was commissioned on the banks of the Delaware River
	safety rests disengage and retract back into the lockplate, allowing the			outside of Philadelphia in 1771 and was decommissioned in 1954 and
	hammer full travel from full cock to ignition. The arm features ornate			continues to serve as a museum and the only intact fort complex in
	German silver hardware with a chiseled and engraved tailpipe showing a			Philadelphia. A very attractive Lee Navy not often seen in such nice
	nesting bird, a foliate and scroll front extension with a bird of prey			condition. (13B9807-56) {C&R} [Vincent Coniglio Collection]
	perched, with stag and doe in a woodland seen on the bow of the guard,			(1800/2200)
	flanked by open scroll. The German silver buttplate shows some light			Est. 1,800 - 2,200
	engraving with flowing scroll and a fox game scene on the upper tang,		343	British Home Guard Ross M-10 Bolt Action Rifle
	the quality of the work excellent. The gun is stocked in what is likely			serial #12593, 303 British, 30 1/2" barrel with a bright excellent bore
				showing a couple tiny freckles nearer the muzzle and crisp rifling
	French walnut showing some very nice grain figure in the butt and the			
	expected light dings and handling marks here and there, with a small			throughout. The metal surfaces of this rifle retain perhaps 60% plus
	sliver missing ahead of the right lock. The wrist is finely checkered, this			arsenal refurbished blue showing areas of moderate silvering along the
	accented with open carved flowing scroll and floral motifs, the right			high edges, the barrel showing some very fine scattered pinprick pitting
	pattern with an image of the green man at its rear. There is a simple			and is mostly toning to a pleasant deep gray patina along with some
	fleur-de-lis scroll and checkering at the forestock and some ornate			areas of light oxidation staining here and there. There is a small shallow
	carving to the rear of the flared cheekpiece, with a recumbent sporting			dent on the right side of the magazine and the name "Simpson" and a
	dog against a woodland backdrop, mister fox is suspended from the			few tiny indecipherable letters scratched at the edge of the triggerguard
	branch of a nearby tree. The hammers are in time and the locks seem to			adjacent to the magazine. The left edge of the receiver and bolt stop
	function well mechanically, the right hammer showing an old brazed			show fading original case-hardened colors while the bolt body itself
	repair to its spur, but it was well done and is unobtrusive. What is likely			retains much of its lovely vibrant colors. All markings remain intact and
	the original bone-tipped ramrod is present. While Veit Klett does not			strong with proper "HG" stamped in the left barrel shank along with the
	make himself easily found, he is likely a descendent of Johan Christian			added Home Guard serial number. The smooth walnut stock and
	Klett, Veit was a family name on his wife's side, the Klett family			handguard remain in very good condition as lightly cleaned and nicely
	extremely prolific gunmakers in the city of Suhl. A lovely and			refinished showing a small moderate dent on the left side forearm, a 1
	quality-made percussion double. (3F9670-306) {ANTIQUE} [David &			1/4" hairline crack behind the right receiver rail, a neatly repaired
	Lore Squier Collection] (3000/5000)			u-shaped crack below the right side rear sight bridge and a few other
	Est. 3,000 - 5,000	-		more minor handling marks. The stock still retains some good markings
341	Winchester Model 21 Boxlock Double Ejectorgun			with visible "B. OF M. / H G" stamp on the right side butt and some
	serial #22857, 12 ga., 30" barrels choked modified and full with excellent			inspector markings at the edges on either side of the barrel shank. The
	bores. The metal surfaces retain 99% strong original blue with a small			original sights and sling swivels are intact and the action seems to
	cluster of miniscule marks on the belly near the forend metal and very			function well mechanically. A very nice example that saw auxiliary
	faint silvering at the muzzles, there is a professionally raised dent about			service in the Second World War. (13A9807-222) {C&R} [Vincent
	8" back from the muzzle on the right tube, it is well-done and			Coniglio Collection] (1000/1500)
	unobtrusive. The checkered walnut pistolgrip buttstock with red			Est. 1,000 - 1,500
	Winchester pad and beavertail forend are near excellent as having a			
	very light coat of varnish some time ago and a tiny 1/4" drying crack on			
	the right-side butt, there are just a few light handling marks and the			
	figure is nice with particularly attractive feathercrotch along the forend.			
	The length-of-pull is $14 3/8"$ with drops of $1 1/2"$ and $2 1/2"$ . The frame,			
	interior forend metal and barrels are all stamped with matching "22857",			
	the safety is automatic, the single trigger is selective and the barrels			
	lock-up tight and on-face. The Model 21 is a timeless and popular			
	double among collectors of fine firearms, this example was likely			
	manufactured in the Late-40s and remains in overall near excellent			
	condition. (22C9908-17) {C&R} (4000/6000)			

condition. (22C9908-17) {C&R} (4000/6000) Est. 4,000 - 6,000

Lot

344	Fine & Scarce Canadian Ross MK II** Bolt Action Rifle	[	346	Cased Tranter Third Model Two-Trigger Percussion Revolver
	303 British, 30 1/2" barrel with a bright excellent bore. The metal			serial #14763.T, 54 bore (.44 cal), 6" octagon barrel with a partially
	surfaces of this handsome rifle are a relatively even mix of pleasant dark			bright good bore showing light pitting throughout and otherwise strong
	pewter patina and fading blue-gray original finish showing silvering along			rifling. The metal surfaces of this revolver retain about 80% original
	the high edges, a few scattered light dings and a small spot of light			bright blue with scattered areas flaking to gray-brown patina, a few small
	oxidation staining on the barrel. There are a few tiny dings atop the rear			areas of light oxidation staining and scattered handling marks. There are
	sight base and the screw heads of the distinctive arsenal-fitted MK II**			some moderate dings along the bottom right edge of the frame and
	rear charger bridge show slot wear but this is unobtrusive and all			underside of the barrel, mostly around the base pin from improper
	markings remain intact and strong. The bolt body retains 90% plus			removal attempts and the base pin itself is a nice quality period
	original vibrant case-hardened colors showing some silvering along the			replacement. The cylinder with reeded edge has toned to a pleasant
	knob and strong protective lacquer and the extractor shows 95% brilliant			deep gray patina showing some scattered flakes of silvery
	original fire blue. The smooth walnut stock and handguards remain in			case-hardened patina while the nipples are clean and show a pale straw
	very fine condition retaining most of their arsenal oil finish showing some			finish. The double trigger, Tranter patent loading lever and hammer are
	scattered light dings and the expected overall minor handling marks.			mostly bright showing some scattered mild gray freckling. There is a thin
	The stock markings have softened very slightly and are otherwise intact			stress crack forming at the back neck of the hammer but this is relatively
	and legible showing "380" on the pistolgrip and the right side butt with			unobtrusive and the screw heads show light slot wear. A number of
	Quebec cartouche, mark designation and "645 / 1911 CH" denoting year			screw heads retain generous bright fire blue, the front sight also with a
	of production and the original assigned serial number. There are four			few flakes of bright blue and the frame is tastefully embellished with nice
				· · ·
	lines of crossed-out markings above the serial number that appear to be unit markings and they are rather difficult to decipher. There is also a			quality English scrollwork, the cylinder shows Birmingham black powder proofs and the frame shows a small "F.O." stamped on the left side. The
	metal disc pinned into the toe line stamped with a large "11". All of the			checkered walnut grip remains in very fine condition having darkened
	sling swivels and the front sight hood are intact, the rear aperture sight			somewhat from the years and showing a few light handling marks and
	fitted to the charger bridge has been removed but the correct Sutherland			crisp diamond point checkering. The action seems to function well
	rear sight is intact and the action seems to function well mechanically. It			mechanically with solid timing and lock-up. The original mahogany case
	is estimated that only about 13,700 long-barreled MK II Ross rifles were			rates very fine showing some scattered light dings, fine scratches and
	produced; this example remains in fine condition and would make an			minor scuffs along the exterior, otherwise retaining much of its original
	excellent addition to any martial collection. (13C9807-237) {C&R}			varnish. The interior is lined in green baize which shows some areas of
	[Vincent Coniglio Collection] (1800/2200)			minor staining and light scuffs; there are a few small loose spacers and
0.45	Est. 1,800 - 2,200			the edge of one compartment is loose. The case holds an assortment of
345	Rare U.S. Smith & Wesson No. 3 First Model American Revolver			period accessories including a number of cast lead bullets, key for the
	serial #2007, 44 S&W American, 8" ribbed round barrel with a good bore			functioning lock, a small empty wooden container that shows a number
	showing scattered areas of light pitting, minor frosting and otherwise			of extensive glue repairs, nearly full japanned tin of Eley percussion
	strong rifling throughout. This revolver is listed in the survey of U.S.			caps with label partially intact, a nice ebony cleaning rod with brass jag
	purchased nickel-plated first model revolvers. The metal surfaces retain			tip and a very fine James Dixon & Sons powder flask that retains about
	about 80% original nickel finish, the loss due to overall flaking to dark			70% silver finish thinning to ocher brass and showing a small moderate
	gray patina also showing some scattered minor pinprick pitting, bubbling			dent at one edge and the spring with nice fire blue. A very nice cased
	and light dings. Some of the screw heads show moderate slot wear, the			example of these mechanically interesting and rather advanced
	barrel address and patent dates remain crisp and clear as does the			percussion revolvers. (13B9833-74) {ANTIQUE} (2000/3000)
	proper "US" at the rear of the rib and there is a small "A" inspector			Est. 2,000 - 3,000
	stamp on the left side of the topstrap and frame. The trigger and latch		347	Excellent British Webley MK V Double Action Revolver
	have mostly toned to a deep gray patina while the hammer is a more			serial #142892, 455 Webley, 4" barrel with a bright excellent bore. The
	mild gray showing some hints of smoky case-hardened colors in the			metal surfaces of this lovely 1915-dated revolver retain about 97%
	protected areas. The smooth walnut grips remain in very fine to near			original blue showing some faint edge wear, very mild thinning along the
	excellent condition as lightly cleaned showing a couple minor dings and			gripstraps and triggerguard, a few minor handling marks and one or two
	light handling marks. The right panel is numbered "27400" and the left is			tiny freckles. The small parts retain a similar amount of their original
	un-numbered and shows no visible cartouche though their fit to the			black enamel finish showing a little thinning along the hammer spur and
	frame is otherwise very good. The remaining numbered parts are			a few tiny flakes. All markings remain crisp and clear and there are
	matching by assembly number, barrel-to-frame fit shows a little bit of			opposing broad arrow out-of-service stamps on both the left side frame
	lateral play and the action generally seems to function well mechanically			and barrel but no other import marks or export proofs. Interestingly, the
	with very good timing and lock-up a little loose. The cylinder bolt is			barrel shows a 1914 proof date but the frame is dated 1915, very likely
	somewhat worn and with the hammer down the cylinder will			the revolver was made around the year change. The original black
	counter-rotate. A fine example of the rarer nickel-plated U.S. contract			checkered horn grips remain in very fine condition showing one tiny
	revolver, only about 200 of which were supplied, which would make an			insect bite along the edge of the left panel and some crackling and thin
	excellent addition to any advanced U.S. military or Smith & Wesson			drying cracks along the bases of either panel, more noticeable along the
	collection. (13D9474-73) {ANTIQUE} [Dr. John W. Hall Collection]			left. This is very unobtrusive and almost unavoidable given the nature of
	(			the material and the grips are otherwise very nice still even retaining
	(7000/9000)			lasi i zar <del>z</del> ri i rei
	(7000/9000) Est. 7,000 - 9,000			their broad arrow proofs near the bases. The barrel and cylinder are
				matching the frame, barrel-to-frame fit is excellent and the action also
				matching the frame, barrel-to-frame fit is excellent and the action also
				matching the frame, barrel-to-frame fit is excellent and the action also seems to function well mechanically with excellent timing and lock-up.
				matching the frame, barrel-to-frame fit is excellent and the action also seems to function well mechanically with excellent timing and lock-up. Military Webley revolvers in such nice original condition are almost

#### Lot Title/Description

348

Lot Title/Description

Antique Burl Walnut Cylinder Top Desk The Personal Property of William B. Ruger Sr. This is a lovely Eastlake-style cylinder top kneehole desk that was owned and used for years by William Batterman Ruger Sr. who needs no introduction here. The desk is constructed of oak with a lovely walnut burl veneer, the hidden interior bones constructed of pine. Dating to the 19th Century and once owned by Attorney and U.S. Senator Chancey Mitchell Depew, this is really a fantastic example of the cylinder design exhibiting high craftsmanship and attention to detail. The top cylinder and work surface of the desk is set on two pedestals of four drawers each, the right bank modified during the period of use into a single top drawer with simple four position vertical file beneath, suitable for ledger books or similar types of files, hidden beneath pivoting door which mimics the façade of the other drawers on the piece. The center cabinet section behind the kneehole has double doors, the left features a hidden fastener which, when the door is unlocked serves to free it for opening (currently does not function). The edge of the pedestals flanking the drawers show small incise-carved pillars accenting the raised burl veneer panels and the drawer pulls are cupped under-cut nickel silver-colored art deco-era replacements, each with a small geometric motif cast-in. The upper cylinder frame and work surface area of the desk features four oak cubbies, each to left and right, with lightly carved facade accents, these mounted above the four functional drawers with button accented pulls and a larger open center cubby. There is a pull-out working surface with five dummy-front drawers at its rear, which match identically the functional drawers above them. These are concealed when the writing surface is slid back into the desk for locking of the complete unit, and are exposed giving the appearance of eight drawers when the work surface is deployed. There is a leather writing surface set in the center of the pullout work surface, with embossed inner edge, the outer edge embossed with gold imprinted open foliate and floral decoration, the surface proper measuring 44" by 17 1/4" in depth, the surface showing a couple minor scuffs but remaining in excellent condition overall. There is a keyed lock atop the façade which actuated an automatic locking system that locks the pivoting top of the desk and left bank of drawers shut; the interior locking bar was removed years ago and it is currently not functional but could likely be restored if one wished. There is a short 5" façade atop the top-most flat surface of the desk, also showing two very nice raised burl panels with a circular carved oak "bull's-eye" between the two, a stepped oak grooved pillar above this. The overall condition is about excellent showing much original varnish with some light wear here and there, perhaps the very sparsely scattered very light drying crack, but drawers, pivoting top, work surface and all doors are fully functional. The outside dimensions of the desk are 60" wide by 50" to the top shelf, 55 3/8" to the top of the rear accenting façade. The desk is 31 1/2" deep when the writing surface is stowed, with work surface extended it is roughly 43" deep. British architect and furniture designer Charles Eastlake was responsible for "The Eastlake Movement" generally considered part of the late Victorian period. Eastlake felt that the furniture in people's homes should be as good looking as it was functional and should be made by craftsmen who enjoyed their work. Included with the desk is a copy of Ruger & His Guns in-which the desk is pictured; a copy of After the Hunt, The Art Collection of William B Ruger, a black and white glossy photo of Bill Ruger holding a Ruger Blackhawk, the desk pictured over his left shoulder: a color photo of the desk in Ruger's office in Connecticut (the identical image used in the book); and a glossy color photo of Ruger and his son Tom in front of the desk. Also included is a May 12, 2020 dated hand-written statement in blue ball point pen from Caroline Ruger Vogel, Bill's daughter, authenticating the desk and a very nicely made custom-engraved plaque mentioning that the desk belonged to Ruger and that it was used by him at the Southport office from 1959 until his retirement in 2000; it is unfastened and unmounted but includes brass screws should you wish to mount the plaque somewhere on the desk. This desk is well-documented, published and has unquestionable provenance. This would be the ultimate centerpiece for the advanced Ruger collector. (39798-1) (4000/6000) Est. 4,000 - 6,000

349	Scarce Belgian Model 1877 Gendarmerie Double Barrel Rolling Block
	Pistol by Nagant serial #1692, 9.4mm Nagant, 5 1/2" barrels with bright near excellent
	bores. The metal surfaces of this interesting pistol retain about 90%
	original blue showing some moderate high edge and holster wear, an area of mild dings on the left side frame, and some smaller dings and
	handling marks scattered about. The hammer, breechblock and trigger
	retain generous amounts of bright fire blue, remaining particularly
	brilliant along the sides showing some moderate overall silvering, light freckling and a tiny spot of pinprick pitting on the right side breechblock.
	The action pin retainer plate is toning to a pale straw tone and a number
	of the screw heads also retain remnants of fire blue. All markings remain
	intact and strong with "EM & L NAGANT / LIEGE" and "BREVET / NAGANT" on the right side frame, "W / 1692" on the butt and small
	Belgian inspector stamps throughout. The checkered walnut grips are
	stamp-numbered to the gun and remain in about very good plus
	condition having darkened somewhat from the years and showing a few scattered lightly chipped points and some overall light dings. All of the
	serialized parts are matching, the lanyard ring is intact and the action
	seems to function well mechanically. Nagant's improvements of the rolling block action include rebounding hammers and a unique single
	mechanical trigger. A very fine example of these desirable Belgian
	police pistols, about 2000 of which were produced. (13B9670-487)
	{ANTIQUE} [David & Lore Squier Collection] (1800/2200) Est. 1,800 - 2,200
350	Belgian Model 1877 Gendarmerie Double Barrel Rolling Block Pistol by
	Nagant
	serial #4480, 9.4mm Nagant, 5 1/2" barrels with mostly bright very good bores showing some scattered areas of light pitting and mild oxidation
	with otherwise strong rifling throughout. The metal surfaces of this pistol
	have mostly toned to a deep plum-brown patina showing some sparsely scattered light dings and areas of old minor pitting. The hammers and
	breechblock retain hints of bright fire blue in the protected areas, the
	screw heads show some light slot wear and all markings otherwise
	remain intact and strong with "EM & L NAGANT / LIEGE" and "BREVET / NAGANT" on the right side frame, "W / 1692" on the butt, Remington
	patent on the left side frame and small Belgian inspector stamps
	throughout. The checkered walnut grips are stamp-numbered to the gun and remain in very good condition showing overall darkening from the
	years, some scattered lightly chipped points and minor dings. This
	example appears to have been arsenal reworked at some point as the
	external numbers on the hammers and breechblock have been scrubbed and most of the other numbered parts appear to be re-struck.
	The lanyard ring is intact and the action seems to function well
	mechanically. Nagant's improvements of the rolling block action include rebounding hammers and a unique single mechanical trigger. A good
	example of these interesting Belgian police pistols, about 2000 of which
	were produced. (13B9857-16) {ANTIQUE} (800/1200)
351	Est. 800 - 1,200 Sharps New Model 1859 Percussion Civil War Carbine
	serial #50008, .52 cal, 22" six-groove barrel with a partially bright good
	bore showing a few scattered rings of moderate oxidation and pitting with otherwise strong rifling. The metal surfaces of this carbine have
	mostly toned to a pewter gunmetal patina with areas along the barrel
	taking on more of a brown patina also showing some scattered light
	dings, small tool marks and areas of cleaned old pitting. All of the markings remain completely intact and actually quite crisp and the inside
	surfaces of the patchbox cover show remnants of color case-hardening,
	crisp sub-inspector stamp and arsenal punch-mark. The smooth walnut stock and forend remain in about very good condition showing some
	scattered dings and mild abrasions, one area a bit more moderate along
	the left side butt, a couple repaired thin cracks at the toe and a repaired
	small chip at the top corner of the stock above the lockplate. Stock fit remains very good overall and there is a faint ghostly remnant of a
	cartouche on the left side wrist. The barrel is matching the frame, the
	saddle ring is missing from the bar but all other hardware is intact including the pellet priming mechanism and the action seems to function
	well mechanically. Included is a nicely made wooden plaque with brass
	plate engraved with the history and particulars of this carbine model. A
	solid honest Sharps carbine with a lot of character. (13A9739-5) {ANTIQUE} (1500/2000)
	Est 1 500 - 2 000

352	Sharps New Model 1863 Percussion Civil War Carbine	356	U.S. M1D Garand Sniper Rifle by Springfield Armory	
	serial #75722, .52 cal, 22" six-groove barrel with a fair bore showing		serial #674968, 24" 7-51-dated Springfield Armory barrel with a	bright
	moderate oxidation and pitting throughout the grooves, a bit heavier		excellent bore. The metal surfaces of this DCM rifle retain about	98%
	nearer the breech and good rifling throughout. The metal surfaces of this		arsenal refurbished gray Parkerized finish showing a few scatter	ed
	carbine have mostly toned to a mix of deep pewter and dark gray patina		specks of minor discoloration and some minor handling marks.	
	showing some scattered remnants of light pitting that have mostly		original markings remain unmolested and quite crisp overall. The	
	smoothed-over from the years and some minor handling marks. The		included M84 scope is serial numbered "36105" and retains abo	
	barrel maker markings and patent date on the left side action have		original blue showing a few scattered tiny specks of mild oxidation	
	softened somewhat but remain mostly intact and the other markings are		staining and one small area of loss from oxidation staining along	
	strong and legible. The inside surfaces of the patchbox cover show good		sunshade; the mount retains about 98% Parkerized finish. The s	cope
	case-hardened colors, crisp sub-inspector stamp and arsenal		features fine single post and crosshair reticle with very nice optic	s that
	punch-mark. The smooth walnut stock and forend remain in about good		are just a touch discolored. The smooth walnut stock and handg	uards
	condition having darkened from the years, the forend showing a few		remain in very fine condition as-arsenal-refurbished showing a fe	ew
	small moderate abrasions and the buttstock a little shy of the metal		scattered light dings and mild dents, a tiny shallow chip at the to	e and
	overall with scattered light dings and a small hole atop of the comb and		some other light handling marks. There is a crisp non-serif "P" fi	
	on the left side. The barrel is matching the frame and all hardware is		proof on the pistolgrip and nice DoD cartouche on the left side.	0
	intact including the pellet priming mechanism and the action seems to		leather cheekpiece is marked "MRT / 10 52" and rates very fine	
	function well mechanically. A very good example of these iconic Civil		excellent showing some light handling marks. The trigger housin	-
	War carbines. (13A9833-36) {ANTIQUE} (1500/2000)		Winchester part but most of the other major components appear	
	Est. 1,500 - 2,000		Springfield Armory manufacture and the action seems to function	n well
353	Sharps New Model 1859 Cartridge-Converted Carbine		mechanically. The rifle includes its original shipping box, access	ories,
	serial #44728, 50-70, 22" three-groove barrel with a mostly bright good		paperwork and extra sling; the box rating good showing some lig	ht
	bore showing some overall light pitting and frosting with strong rifling		staining and moderate scuffs around the ends. The oil brush, sli	ng,
	throughout. The barrel of this carbine has mostly toned to a deep		cleaning implements, lubricant and carrying case all remain seal	-
	plum-brown patina showing some sparsely scattered spots of old minor		their arsenal packaging and the opened scope packaging is nun	
			in pen matching the scope. Also included is a Basic Issue Items	
	oxidation staining and streaks of arsenal blue finish here and there. The			
	remaining surfaces have toned to gray-brown patina and are otherwise		addressed to Tooele Army Depot from USAWECOM in Rock Isla	
	similar to the barrel showing a small raised area of metal at the bottom		a DD Form 1348-1A dated 1995 showing shipment from the Def	
	right edge where the breechblock pin locks into place. The screw heads		Distribution Depot in Anniston listing the arm by serial number a	
	show some light slot wear and the barrel markings are no longer visible		M1D, Condition A, Service Grade. A very fine example for the U	.S.
	but the rear sight patent markings are strong and the frame markings		martial collector. (13B9807-286) {C&R} [Vincent Coniglio Collect	ion]
	also remain mostly legible. The inside surfaces of the patchbox cover		(3000/5000)	
	show smoky case-hardened colors, crisp sub-inspector stamp and		Est. 3,000 - 5,000	
	arsenal punch-mark. The smooth walnut stock and forend remain in	357	U.S. M1 Garand Rifle by International Harvester	
	about good condition having darkened from the years and the buttstock		serial #4448248, 30-06, 24" 1-53 dated LMR barrel with a bright	
			-	
	showing a thin 5" crack on either side along with a couple smaller more		excellent bore. The metal surfaces retain about 95% original par	
	minor drying cracks, scattered light dings and some spots a little shy of		finish with overall thinning, light wear on the high edges and con	
	the metal; there are faint remnants of a cartouche along the left side		points, oxidation staining on the stamped triggerguard, and a few	v light
	butt. The barrel is matching the frame and also stamped with matching		handling marks. The walnut stock is in about very good to very g	lood
	extractor assembly number, the firing pin is intact and the action seems		plus condition as lightly cleaned with an excellent arsenal quality	repair
	to function well mechanically. (13A9833-1) {ANTIQUE} (1500/2000)		to the buttstock at the buttplate, a small chip at the heel, and a fe	ew
	Est. 1,500 - 2,000		scattered light dings and handling marks. The stock is marked w	ith a
354	Maynard Second Model Civil War Carbine by Mass. Arms Co.		softened DoD acceptance stamp on the left side, and a softened	
	serial #16824, .50 cal, 20" round barrel with octagonal breech and a		"P" proof on the inside of the pistolgrip; the barrel channel is bol	
	bright excellent bore. The barrel of this fine carbine retains about 97%		stamped "OR 1792". The receiver and barrel markings, as well a	•
	-			
	original blue with most of the loss due to a number of thin minor		drawing numbers, remain crisp, and all marked parts are of "IHC	
	scratches on the right side ahead of the octagonal portion and a few		manufacture; the exception to this being the barrel, as Internatio	
	scattered small specks of old oxidation. The action is muting to a nice		Harvester subcontracted barrel manufacture to LMR, and the ba	
	smooth silvery gray case-hardened patina showing a little minor		correctly marked so. An aperture insert has been neatly placed i	
	speckling and some light stains with generous smoky colors throughout		rear sight, reducing the size of the aperture. The rifle correctly fe	atures a
	remaining quite vibrant along the left side and protected areas. The		2-slot gas plug, marked "IHC", a stamped triggerguard, and T10	5 rear
	buttplate retains generous flaking bright blue and the action small parts		sight drums. An attractive all-matching International Harvester N	1
	retain about 98% original blue, some of the screw heads thinning to gray		Garand. (14A9807-284) {C&R} [Vincent Coniglio Collection] (150	
	and showing some very mild slot wear. All markings remain completely		Est. 1,500 - 2,000	,
	intact and crisp; interestingly the left side frame was originally stamped	358		morv
	with the maker markings, the Maynard patent information subsequently		serial #6099494, 30-06, 24" 7-56 dated Springfield Armory barre	•
	stamped over them. The smooth walnut buttstock remains in very fine		bright excellent bore with a few specks of oxidation near the mut	
	condition retaining most of its original oil finish and showing some		The metal surfaces retain 98-99% original dark gray-green parke	
	sparsely scattered light dings and handling marks. The stock fit is		finish with very light operational wear on the bolt and receiver, a	
	excellent and the left side wrist shows two crisp inspector cartouches.		very light handling marks. The walnut stock is in excellent condit	
	The original sights and saddle ring are intact, the barrel locks up well		a few light handling marks, and the stock is marked with a crisp	DoD
	and the action seems to function well mechanically. A lovely Maynard for		acceptance stamp on the left side and a crisp circled "P" proof of	n the
	and the action seems to function were meenanically. A lovery maynard for		inside of the pistolgrip; the last four digits of the serial number ar	е
	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000)	1 1	penciled inside the barrel channel. The receiver markings remain	
				n crisplv
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000			n crisply
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle		struck, all parts appear to be post-WWII Springfield Armory	
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore.		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the	correct
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw	correct een the
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc	correct een the cluded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "MM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification.	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild abrasions and a shallow old chip at the right edge behind the stripper		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild abrasions and a shallow old chip at the right edge behind the stripper clip guide. As-is typical, the barrel and bolt are numbered differently and		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild abrasions and a shallow old chip at the right edge behind the stripper clip guide. As-is typical, the barrel and bolt are numbered differently and the action seems to function well mechanically. A lovely example of		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild abrasions and a shallow old chip at the right edge behind the stripper clip guide. As-is typical, the barrel and bolt are numbered differently and the action seems to function well mechanically. A lovely example of these interesting and desirable American rifles. (13B9807-184) {C&R}		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild abrasions and a shallow old chip at the right edge behind the stripper clip guide. As-is typical, the barrel and bolt are numbered differently and the action seems to function well mechanically. A lovely example of		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,
355	the antique arms collector. (13C9833-9) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Very Fine Johnson Automatics Model 1941 Semi-Auto Rifle serial #A7387, 30-06, 22" 41-dated barrel with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original Parkerized finish showing some mild high edge wear, a few tiny spots of minor oxidation staining along the bottom of the magazine and some areas of mild discoloration along the barrel shroud. The meter rear sight retains most of its black enamel finish showing a few minor flakes and all markings are crisp and clear with the right side rear of the receiver stamped with Cranston Arms Co. logo and small Dutch acceptance star. The smooth walnut stocks remain in very fine condition retaining strong arsenal oil finish and showing some scattered light dings, a few mild abrasions and a shallow old chip at the right edge behind the stripper clip guide. As-is typical, the barrel and bolt are numbered differently and the action seems to function well mechanically. A lovely example of these interesting and desirable American rifles. (13B9807-184) {C&R}		struck, all parts appear to be post-WWII Springfield Armory manufacture, the barrel is marked "T" for targeted and bears the drawing number, and is marked "NM (star)" on the left side betw gas cylinder rings. While there is no corroborating paperwork inc the serial number of the rifle is within the correct N.M. range. An altogether excellent example of the early National Match M1s, fr before the rules were relaxed to allow greater modification. (14B9807-276) {C&R} [Vincent Coniglio Collection] (2000/3000)	correct een the luded,

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

## Lot Title/Description

Lot Title/Description

250				
359	Interesting U.S. M1 Garand Rifle by Springfield Armory with Offset	] [3	362	Polish Eagle VIS-35 Semi-Auto Pistol by Radom
	Markings			serial #7532, 9mm, 4 5/8" barrel with a bright near excellent bore
	serial #3794521, 30-06, 24" 5-45 dated Springfield Armory barrel with a	I I	I	showing a couple errant freckles in the grooves and strong rifling
	bright excellent bore. The metal surfaces retain about 96% original dark	I I	I	throughout. The metal surfaces of this fine 1937-dated pistol retain
	parkerized finish with light wear on the high edges and contact points,		1	about 92% original blue showing some silvering due to light high edge
	light thinning with light oxidation staining on the stock ferrule and	( I		and holster wear overall, thinning along the slide stop and grip safety
	handguard metal, and scattered light handling marks. The walnut stock		1	and the slide showing a couple small thin scratches and specks of light
	is in very good plus condition as lightly cleaned with a few scattered light		1	oxidation staining along the high edges that are mostly unobtrusive. The
	impact and handling marks, primarily around the pistolgrip and		1	barrel remains mostly bright showing a couple of mild brown freckles,
	triggerguard on the right side. The stock is marked a largely crisp boxed	I I	I	the grips screws show a hint of minor slot wear but otherwise retain
	"S.A. / N.F.R." and Ordnance Wheel that show light fading near the top		I	most of their brilliant fire blue, the smaller internal parts also showing
	of the marks, a partial circled "P" proof is stamped behind the		1	nice fire blue. All markings remain intact and crisp, the left side slide
	triggerguard, and a small but clear Ordnance Wheel is stamped on the		1	showing the iconic Polish Eagle. The original checkered Bakelite grips
	underside of the pistolgrip; the stock markings are correct for the serial		1	with "VIS" on the right and "FB" are actually more of a deep brown tone
	number of the rifle. The receiver markings are crisp but are curiously		I	under bright light, though not the paler color of the later occupation
	struck off-center toward the right edge, causing it to read "U.S. RIFL /		I	pistols, and remain in near excellent condition showing a few scattered
	CAL. 30 (partial M) / SPRINGFIE / ARMOR". All marked parts are of		1	light handling marks. All of the serialized parts are matching, one correct
	Springfield Armory manufacture and are dated to approximately 1945,	( I		magazine with Polish inspector stamps is included and the action seems
	and the operating rod has not been relief cut. The rifle features a		1	to function well mechanically. A very nice and still quite early example of
	stamped triggerguard, 2-slot gas plug, and the Type 2 "lock-bar" rear	I I	I	these desirable Polish arms. (13C9837-10) {C&R} (3500/5000)
	sight drums. A fine example of a late WWII produced rifle that appears	I L		Est. 3,500 - 5,000
	to have avoided arsenal rework. (14B9807-280) {C&R} [Vincent Coniglio	[3	363	German P.35 (p) Semi-Auto Pistol By Radom
	Collection] (1500/2000)		1	serial #R8154, 9 mm, 4 3/4" barrel with a bright about excellent bore
L	Est. 1,500 - 2,000	ļ l	1	showing strong evident rifling with some very fine frosting and a few
360	Excellent Polish Eagle VIS-35 Semi-Auto Pistol by Radom		1	specks of fine oxidation. The metal surfaces on this type II three lever,
	serial #32930, 9mm, 4 5/8" barrel with a bright excellent bore. This is a		1	non-slotted pistol retain about 85% evenly thinning original blue toning
	stunning 1939-dated pistol retaining about 99% original blue showing		1	to brown with some sparse fine oxidation, light edge and operational
	some very faint silvering along some high edges of the slide and grip		1	wear at the decocking lever and grip safety. The original black
	safety, a hint of silvering from decocker use and a few scattered very		1	checkered plastic grips remain very good plus showing minimal wear. All
	light handling marks. The barrel remains bright, the grip screws are		1	serialized parts are matching and the left side of the slide and frame
	immaculate and, along with the extractor and other small internal parts,		1	have appropriate E/77 and "(eagle) / 623" waffenamt markings, the
	retain almost all of their brilliant fire blue. All markings remain intact and		1	mainspring is un-numbered. Included is a single magazine with (K)
	crisp, the left side slide showing the iconic Polish Eagle. The original		1	marked on the heel of the spine. A nice, honest type II Nazi-occupied
	checkered black Bakelite grips with "VIS" on the right and "FB" on the		1	pistol, (5A9804-20) {C&R] (1200/1800)
	left remain in excellent condition showing just a couple sparsely	I L	20.6	Est. 1,200 - 1,800
	scattered tiny handling marks. The serialized parts are matching, one	3	364	Scarce Steyr-Assembled German P.35(p) Semi-Auto Pistol
	correct magazine with Polish inspector stamps is included and the action			serial #K9028, 9mm, 4 3/4" barrel with a bright near excellent bore
	seems to function well mechanically. This is a truly wonderful pistol that	( I		( apolying a pint of miner treating in the second of the s
	would be peoply impressible to impress to the termination of termination	I I		showing a hint of minor frosting in the grooves and strong rifling
	would be nearly impossible to improve upon and would make an			throughout. The metal surfaces of this desirable late-war pistol retain
	excellent addition to any fine military arms collection. (13C9837-5)			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss
	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000)			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation
264	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F.
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive,			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws,			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left side and "S" on			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left side and "S" on the right, perhaps unit markings of some kind. The original checkered			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenants or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R}] [Vincent Coniglio
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge,			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R} [Vincent Coniglio Collection] (3000/4000)
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge, the right with a hairline crack near the top screw along with some overall			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenants or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R}] [Vincent Coniglio
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge, the right with a hairline crack near the top screw along with some overall light handling marks. Strangely, the slide and its attendant parts are			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R} [Vincent Coniglio Collection] (3000/4000)
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge, the right with a hairline crack near the top screw along with some overall light handling marks. Strangely, the slide and its attendant parts are mismatched from the frame but still quite close, numbered "1441"; its fit			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R} [Vincent Coniglio Collection] (3000/4000)
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge, the right with a hairline crack near the top screw along with some overall light handling marks. Strangely, the slide and its attendant parts are mismatched from the frame but still quite close, numbered "1441"; its fit to the frame is excellent and it has certainly been with this pistol for quite			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R} [Vincent Coniglio Collection] (3000/4000)
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side slide with the iconic Polish Eagle and the frame with "9L" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge, the right with a hairline crack near the top screw along with some overall light handling marks. Strangely, the slide and its attendant parts are mismatched from the frame but still quite close, numbered "1441"; its fit to the frame is excellent and it has certainly been with this pistol for quite some time. The mainspring housing, grip safety and hammer are all			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R} [Vincent Coniglio Collection] (3000/4000)
361	excellent addition to any fine military arms collection. (13C9837-5) {C&R} (4000/6000) Est. 4,000 - 6,000 Early & Desirable Polish Eagle VIS-35 Semi-Auto Pistol by Radom serial #1336, 9mm, 4 5/8" barrel with a bright very good plus to near excellent bore showing a hint of faint frosting in the grooves and strong rifling throughout. The metal surfaces of this attractive 1936-dated pistol retain about 90% original blue showing thinning to pewter-gray patina along the high edges, frontstrap and triggerguard, a small area worn to pewter along the right side slide and the slide showing a number of scattered light dings and handling marks that are mostly unobtrusive, one small one a bit more moderate at the front lower edge. The barrel remains bright showing a couple mild gray freckles and the grip screws, extractor and other small internal parts retain much of their lovely fire blue. All markings remain intact and crisp, the left side and "S" on the right, perhaps unit markings of some kind. The original checkered black Bakelite grips with "VIS" on the right and "FB" on the left remain in very fine condition, the left panel showing a tiny chip at the bottom edge, the right with a hairline crack near the top screw along with some overall light handling marks. Strangely, the slide and its attendant parts are mismatched from the frame but still quite close, numbered "1441"; its fit to the frame is excellent and it has certainly been with this pistol for quite			throughout. The metal surfaces of this desirable late-war pistol retain perhaps 90% original gray-green phosphate finish with most of the loss due to some scattered areas of light to perhaps moderate oxidation staining more prominent along the left side slide, some high edge wear and handling marks. The hammer, grip screws and rear sight show a dark dull blue finish and the Radom-proofed slide stop shows a tempered fire blue finish. The left side of the slide is marked with the F. B. Radom information which is somewhat soft but completely legible and the arm does not appear to bear any Waffenamts or firing proofs beyond a single Steyr "(Eagle) / 623" on the barrel lug. The grooved hardwood grips remain in very fine to near excellent condition, the right panel showing a few small dings and the grip screws with light slot wear. All of the serialized parts are matching, the action seems to function well mechanically and the pistol includes one correct late-style magazine with "(Eagle) / 623" Waffenamt along the right edge. According to serial numbers listed in Jan C. Still's book, this is very likely one of the last pistols assembled, the last number listed being "K9150". A very attractive example that would make an excellent addition to any advanced martial collection. (13B9807-348) {C&R} [Vincent Coniglio Collection] (3000/4000)

stamps is included and the action seems to function well mechanically. A very attractive and early example of these superb military pistols. (13C9837-2) {C&R} (3500/5000) Est. 3,500 - 5,000

#### Title/Description Lot

Lot Title/Description

365	Wonderful Pair of French Model An XIII Flintlock Cavalry Pistols	] [	367	British Pattern 1759 Light Dragoon Flintlock Pistol with J. & W. Richards
	Captured in the Battle of Albuera with Inscriptions			Lock
	.70 cal, 8" round barrels with lightly oxidized bores. The metal surfaces			.69 cal, 9" barrel with a moderately oxidized bore. This pistol has been
	of both pistols have mostly toned to a pleasant pewter gunmetal patina			re-converted to flint utilizing a correct style antique lock and parts, the
	mixing with areas of darker gray smoothed-over light pitting and some			breech showing a noticeable halo around the enlarged flash hole. The
	other minor handling marks. The brass hardware has toned to a nice			metal surfaces of this pistol show evidence of an old cleaning, the barrel
	untouched ocher patina showing some mild tarnishing and some light			a silvery pewter patina showing some sparsely scattered cleaned light
	dings mostly along the butts. The lockplates of both pistols show			pitting, a bit more moderate nearer the breech. The lockplate is similar
	manufacture by Charleville, the markings being quite soft overall but still			with the pitting a bit heavier overall and partially smoothed-over showing
	mostly legible, the tang model markings are no longer present and there			some fracturing of the frizzen spring. The lockplate is banana-shaped
	are ghostly remnants of proofs at the breeches. The brass parts			with pronounced teat at the rear, bridled frizzen and simple line
	however retain strong markings with nice French inspector stamps			bordering. There is no visible date at the rear but "J & W RICHARDS"
	throughout and the butts with a large "JW" or "IW" engraved in script.			remains legible along with a good "(Crown) / GR" Royal Cypher in the
	The front bands also show a wonderful matching inscription "Taken from			center and any proof marks along the breech are no longer visible. The
	a Polish Lancer / in the Battle of Albuera / Spain, May 16, 1811", clearly done by the same hand and completely consistent with the period. The			brass hardware has toned to a pleasant ocher patina showing a few mild
				handling marks and the ramrod thimble is somewhat loose. The smooth
	walnut stocks remain in about very fine condition showing the overall light dings and handling marks one would expect. One pistol shows a			walnut stock remains in about good condition as lightly cleaned and refinished long ago showing a number of small cracks near the lock and
	tiny hole on the left side below the flat and the other pistol shows a few			sideplate, a number of shallow smoothed-over chips more noticeable at
				the upper tang, a small hole along the right side above the rear barrel
	small drying cracks at the rear lock screw and either end of the lockplate			
	with a small period repair to a 1" crack behind the lockplate. Both stocks			pin and some other handling marks. A simple antique hickory ramrod is
1	retain otherwise excellent metal-to-wood fit with good edges and both			included and the lock remains functional. A good "example" piece of these desirable British martial pistols. (13B9833-57) {ANTIQUE}
1	show a large carved starburst ahead of the triggerguard and a notch behind the lockplate that were certainly done during the period of use.			(1000/1500)
	The ramrod on one pistol appears to be a more modern quality			Est. 1,000 - 1,500
	replacement while the other is original, and both locks seem to function		368	Scottish All-Metal Flintlock Martial Pistol by John Waters
	well mechanically. The Battle of Albuera was an engagement during the		500	.58 cal, 7" round barrel with a lightly oxidized bore. The iron surfaces of
	Peninsular War (1807-1814) which saw Spain, Portugal and Great			this attractive pistol have mostly toned to a mild gunmetal patina
	Britain pitted against the French Empire and its allies for control of the			showing some sparsely scattered small areas toning to brown and some
	Iberian Peninsula; the end result a long and hard-won victory by the			minor smoothed-over light pitting. The breech shows proper period
	coalition. The Battle of Albuera itself apparently had little effect on the			British proof marks that remain intact and strong with "(Crown) / P",
	overall outcome of the war but research confirms that the Polish Uhlan			"(Crown) / IW" maker stamp and "(Crown) / V". The lock is of typical
	unit the 1st Vistulan Lancers did play a major role in the battle and were			simple construction with swan neck cock, unbridled frizzen and lightly
	arguably one of the finest cavalry units in Napoleon's army. The lancers			chiseled frizzen spring and distinctive external half cock notch. There
	single-handedly destroyed three British foot regiments and captured			are some light tool marks along the jaw screw and the cock spur shows
	numerous colors. Evidently the British did make off with at least one pair			an old repair that is unobtrusive. The forward top edge of the lockplate
	of lancer's pistols. A very fine and honest pair of French pistols with			shows assembly hash marks "IIVXX", the internal parts of the lock also
	wonderful inscriptions and history that would make a spectacular			showing visible assembly marks. The 6 1/8" iron belt hook remains
	addition to any antique martial arms collection. (13D9849-3,4)			intact mounted on the left side of the frame. The brass frame has toned
	{ANTIQUE} (4000/6000)			to a wonderful rich ocher patina and remains in very fine condition
	Est. 4,000 - 6,000			showing a thin 1" Y-shaped crack forming at the left edge where the
366	Very Scarce Prussian Model 1742 Flintlock Cavalry Pistol From	1		forend steps down along with some scattered light dings most
	Potsdam			noticeable along the base of the grip and some other minor handling
	.69 cal, 14 1/2" barrel with an oxidized bore. This is a fine uncut example			marks. The stock is equipped with a thin tubular tailpipe that holds what
	of these long Prussian cavalry pistols. The barrel is an overall soft brown			appears to be a proper original ramrod. The half cock notch is somewhat
	patina showing some spots of scattered pitting, its brass blade front			worn but will hold if gently manipulated and the lock otherwise seems to
	sight remains intact. The stepped lockplate with pronounced teat at rear			function well at full cock. This is a very respectable example of these
	is a similar soft brown patina and features a faceted pan with unbridled			desirable Scottish pistols as-used by the Highland Regiments.
	frizzen and is marked "Potzdammagaz", only a portion of which is still			(13B9906-3) {ANTIQUE} (2000/4000)
	visible. The brass stock band, tailpipes, faceted triggerguard, side plate			Est. 2,000 - 4,000
	and a dual-lobed buttcap are all a very pleasing deep ochre patina with		369	U.S. Model 1836 Flintlock Pistol by Robert Johnson
	the expected minor handling marks here and there from the years, the			.54 caliber, 8 1/2" barrel with a lightly oxidized smooth bore. The lock
	lanyard loop on the buttcap is missing leaving only a vacant hole. The			bears standard markings and is dated 1837 and the barrel is marked
	walnut stock rates very fine for its age with crisp edges on the island			"U.S. / N.W.P. / P". This is an early 1837 dated pistol which shows
	carving surrounding the ramrod rib, the stock flats and dovetail tang.			honest service. The lockplate is a medium to dark brown patina with
	There is a small chip along the barrel line ahead of the lock plate and a			some patchy pitting which obscures parts of the marking but it can be
	couple very minor cracks but they are unobtrusive. It exhibits the overall			made out and the date is clearly visible. The brass pan shows a very
	expected dings and handling marks that come from an issued arm but			rich patina while the barrel, triggerguard and other brightly finished parts
	no evidence of cleaning. The oval monogram plate atop the wrist has			show a predominately smooth silvery surface with some scattered very
	been cleaned with no remnants of the original marking remaining. There			light pitting here and there. All barrel markings remain clear and legible.
	is a later replacement ramrod included and the arm will hold on half-cock			The walnut stock shows use and some old added light oil finish but
	but not at full cock. A fine and very seldom-encountered long-length			retains good edges and shows a very faint outline of the original
	Prussian cavalry pistol, possibly used on these shores by the Hessians			cartouche on the left stock flat. There are some dings in the stock
	during the War for American Independence. (39670-445) {ANTIQUE}			around the trigger pin on the left stock flat. These attractive pistols saw
	[David & Lore Squier Collection] (2000/3000)			use in both the Mexican and Seminole wars. A nice example of an early
L	Est. 2,000 - 3,000	]		dated Johnson pistol. (1B9833-54) {ANTIQUE} (1500/2500)
		Ļ	370	Est. 1,500 - 2,500
			310	Winchester Model 1886 Saddle Ring Carbine
				serial #51853, 40-65, 22" barrel with a frosted lightly-pitted bore. The
				barrel and tube are a dusky gray patina with scattered darker blemishes,
				the barrel address and caliber marking remain crisp and
				perfectly-legible. The receiver and smooth buttplate are a mixture of silver and gunmetal gray with some minor slot damage on a couple
				screw heads and the typical scattered blemishes and small rub mark
				from the ring. The smooth walnut buttstock and forend are excellent and
				are later-added replacements that fit quite well. Carbine is sighted with a
				blade front sight missing its bead and a Lyman No. 6 folding leaf sight
				sits in the rear dovetail. (22B9779-6) {ANTIQUE} (2000/4000)
				Est. 2,000 - 4,000
				201 2,000 4,000

371	Custom Winchester Model 1886 Takedown Lever Action Rifle	[	374	Scarce U.S. Model 1911 Semi-Auto Pistol by Colt
	serial #159564A, 33 WCF, 24" barrel with an excellent bore. The metal			serial #131062, 45 ACP, 5" Colt barrel with an excellent bore showing
	surfaces retain 99% deep maker blue and have been near			very slight streaks of frosting at the breech end. This pistol falls into a
	fully-engraved with well-done flowing swirls of scroll with stipple-shading			range of serial numbers that are somewhat of mystery as they do not
	and three game scenes: two doe and a buck on the run right, a large	1		appear in Colt legers, shipping records or Government procurement
	grizzly face-to-face with a hunting dog left and a lone doe on the belly.			records but they obviously received them as they do appear in the
	The checkered walnut straight-grip buttstock and metal-capped forend			Springfield Armory Research Service material (sadly this gun was not in
	are excellent with stunning flowing feathercrotch figure throughout			there). The metal surfaces of this interesting gun retain about 95%
	becoming iridescent and appearing to change in direct light. The			original "Army Black" finish, the grip safety and flat mainspring housing
	checkering is sharp with a minor handling mark here-or-there and the			are toning to gray with streaks of strong blue remaining, light scattered
	checkered hard rubber WRA-marked buttplate is excellent. The rifle is			feathering on the slide and high edge wear. There are a few light
	factory-sighted with a bead front sight sans bead, semi-buckhorn rear			assembly and handling marks but the gun remains in excellent
	and the takedown feature is smooth. An attractive and unique			condition. All parts appear correct for the period but the magazine catch
	Winchester rifle for the discerning collector. (22C9779-5) {MODERN}			appears to be a replacement. The grips are factory double diamond
	(2500/4000)			checkered walnut in wonderful condition, the left panel is Springfield
	Est. 2,500 - 4,000			manufactured and the right Colt. The serial number range of this pistol
72	Very Fine Winchester Model 1886 Lever Action Rifle	1		was originally assigned to Springfield Armory but was reassigned to Colt
	serial #43812, 40-82 WCF, 26" octagon barrel with full magazine and a			when Springfield ceased pistol production to concentrate on rifles. Serial
	bright near excellent bore showing some scattered small spots of			numbers between 128,617 and 129,616 are Springfield numbers and
	pinprick pitting and otherwise crisp rifling throughout. The barrel of this			are found in Colt's legers but from there to serial no. 133,186 they are
	lovely 1890-made rifle retains about 95% original blue with most of the			not in the factory nor the Government records. The pistols in this serial
	loss due to mild high edge wear, a few errant freckles and light handling	1		number range usually have no assembler numbers and lack final
	marks. There are areas thinning and toning to a pleasant gray-brown			acceptance marking on the frame. It is theorized Colt used left over
	patina under bright light and a very small moderate ding along the left			Government frames to assemble them and no final acceptance mark
	sharp edge just behind the nosecap that is unobtrusive. The magazine			was required as they were already Government property. This gun
	retains about 85% original blue toning overall to a nice smooth	1		follows those observations. Frank Hosmer's "H" correctly appears on the
	gray-brown patina and showing a few small freckles, and some tiny scuff			top of the barrel, rear of the slide and on the frame above the
	marks at the rear. The action retains about 92% wonderful original	1		disconnector hole at the 12 o'clock position. A second "H" with serifs is
	case-hardened colors showing some scattered old mild brown freck-ling	1		present on the lower right of the frame at the 5 o'clock position from the
	from oxidation, and a couple tiny pinprick pits mostly along the high	1		disconnector hole and is believed to be a Colt in-house inspection mark.
	edges, some areas muting along the exterior of the lever and the bottom			All of the provisional inspection marks by Hosmer are without serifs and
	of the frame mostly toned to a pleasant silvery case-hard-ened patina.	1		as was occasionally observed on guns in this range a "G" for
	The colors otherwise remain strong and vibrant with some particularly			Government contract was applied by Colt is located at the 6 o'clock
	stunning areas in the protected areas along the lower tang and inside of			position. To muddy the waters even further Charles Clawson in Colt .45
	the lever. The nosecap likewise retains generous vibrant colors			Service Pistols indicates Springfield armory reported they assembled
	throughout showing a little minor brown freckling and the bolt retains			close to 1,000 pistols in 1921 and some of the frames may have been in
	about 98% strong original bright blue. The loading gate and trigger show			the 127,978 – 133,186 serial number range but kept no records. One
	strong original blue, the rear sight, front sight base and magazine			thing that is not a mystery is this pistol's fine condition. It includes a
	hanger also with nice bright blue. All markings remain crisp and clear.			two-tone Colt magazine with lanyard loop on the welded baseplate.
	The plain walnut stocks remain in very fine condition retaining about			There were not many guns assembled in this "mystery" range and
	94% original varnish showing some mild flaking along the forend, a little			finding one in as good a condition as this one will be difficult. A great
	darkening and some thin streaks from oxidation leaching near the			collecting opportunity. (8B9807-273) {C&R} [Vincent Coniglio Collection]
	buttplate, along the toe and comb lines and a few small mild abrasions			(2500/3000)
	around the upper tang. The initials "BHD" are very lightly scratched			Est. 2,500 - 3,000
	behind the lower tang, the crescent steel buttplate is toning to a mix of	í ł	375	U.S. Model 1911A1 Semi-Auto Pistol by Ithaca Gun Company
	silvery case-hardened patina and mild brown and the stocks retain		0/0	serial #1451219, 45 ACP, 5" Flannery barrel with a very lightly frosted
	excellent metal-to-wood fit. The rifle is sighted with standard sporting			bore. Overall, this mid-war produced gun remains in wonderful condition
	rear sight, small German silver blade and the action seems to function			with about 98-99% original Parkerized finish showing scattered light high
	well mechanically. This is a wonder-ful and desirable antique 1886 in			edge wear, slight thinning on the grip safety and the occasional handling
	seldom-seen condi-tion that would make a superb addition to any			mark. The checkered synthetic Keyes Fibre grips features reinforcing
	advanced Winchester collection. (13E9746-40) {ANTIQUE} (5000/7000)			ribs on the back, reinforcing rings around the screw holes and rate
	Est. 5,000 - 7,000			excellent. All the parts on the gun are correct for the period of
'3	Winchester Model 1873 Saddle Ring Carbine			manufacture and it appears to function mechanically. Colonel Frank J.
5	serial #322633B, 38 WCF, 20" barrel with a frosted bore showing strong			Atwood's acceptance mark is crisp as are the other factory and
	rifling. The metal surfaces are a mostly dark brown and gunmetal gray	1		ordnance markings. The pistol includes a single Scovill Manufacturing
	with some silvering of the high edges, expected scattered blemishes	1		Company magazine with welded base. This gun has seen very little use
	5 5 5 1	1		
	and crisp factory markings. The elevator is a dull ochre patina with a	1		in the last seventy-six years and would be a great addition to a WWII martial collection. (8B9807-270) {C&R} [Vincent Coniglio Collection]
	small convex mark and the caliber mostly-legible. The smooth walnut	1		
	buttstock and forend are perhaps very good considering their age, there	1		(1500/2000) Fot 1 500 - 2 000
	are the expected handling marks throughout and evidence of some		270	Est. 1,500 - 2,000
	cleaning and added finish although the wood is still mostly-proud around	1	376	U.S. Model 1911A1 Semi-Auto Pistol by Remington Rand
	the smooth buttplate and the wood is structurally-sound. This			serial #1451219, 45 ACP, 5" Flannery barrel with a very lightly frosted
	1889-manufactured Third Model Carbine is missing its ring and is			bore. This mid-war gun remains in great condition with about 99%
	equipped with a graduated ladder rear sight and a small blade front. The	( I		original Parkerized finish showing a few insignificant handling marks,
	action remains strengt and compare to work as it is the first concernent to	1		assembly mark and one stray oxidation blemish on the triggerguard. The
	action remains strong and appears to work as it should. (22B9779-4)	, ·		checkered synthetic Keyes Fibre grips feature reinforcing ribs on the
	{ANTIQUE} (2000/4000)			
				back, reinforcing rings around the screw holes and rate excellent. All the
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is crisp as are the other factory and ordnance markings. The pistol
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is
	{ANTIQUE} (2000/4000)	]		parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is crisp as are the other factory and ordnance markings. The pistol includes a single General Shaver Division magazine with welded base
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is crisp as are the other factory and ordnance markings. The pistol
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is crisp as are the other factory and ordnance markings. The pistol includes a single General Shaver Division magazine with welded base and unique welded seam running the length of the back of the magazine
	{ANTIQUE} (2000/4000)			parts on the gun are correct for the period of manufacture and it appears to function mechanically. Colonel Frank J. Atwood's acceptance mark is crisp as are the other factory and ordnance markings. The pistol includes a single General Shaver Division magazine with welded base and unique welded seam running the length of the back of the magazine body. This gun remains in excellent condition and must have spent most

		_		
377	U.S. Model 1911 Semi-Auto Pistol by Colt		380	Interesting British Experimental Single Shot Lever Action Military Rifle
	serial #591476, 45 ACP, 5" High Standard barrel with a very lightly			577 CF, 34 7/8" barrel with standard Enfield-style rifling and a mostly
	frosted bore. This pistol has been completely refurnished by Augusta			bright very good bore showing some light pitting and oxidation in the
	Arsenal and has seen light use since then. The metal surfaces retain			grooves with strong rifling throughout. This rifle appears to be
	-			
	about 98% reapplied arsenal Parkerized finish showing light high edge			completely unmarked and un-proofed, and its construction suggests it is
	wear, a few areas of very light staining from oxidation on the right side of			likely a proof-of-concept arm perhaps assembled by its original inventor.
	the slide and frame and handling marks. The checkered synthetic Keyes			The metal surfaces retain about 95% period reapplied plum-brown finish
	Fibre grips feature reinforcing ribs on the back, reinforcing rings around			showing some scattered light dings, handling marks and some sparse
	the screw holes and rate about good to very good with light to moderate			remnants of light pitting beneath the finish in some areas. Some of the
	handling marks. Most of the parts on the gun are correct for the period			screw heads show some light slot wear and a number of them retain
	of manufacture, the mainspring housing was changed to the coarse			nice straw color, the rear sight parts also showing some nice fire blue
	checkered arched variety with a lanyard loop and it appears to function			and straw color. The brass buttplate, lower tang, forward lever housing
	mechanically. The acceptance stamp is very soft but appears to be an			and nosecap have toned to a pleasant deep ocher patina. The smooth
	"[eagle] / S20", the other factory markings remain strong and there is a			walnut stock remains very good plus showing four areas of light
	crisp "AA" stamped on the left side of the frame forward of the slide stop			scratches or mild abrasions along its length, one small sliver missing
				5 5 F
	hole. The pistol includes a single unmarked magazine with welded base.			along the ramrod channel, scattered light dings and handling marks. The
	This gun remains in excellent condition and is another variation for the			stock was reworked from a percussion arm, the inletting for the lockplate
	complete martial collector. (8B9807-274) {C&R} [Vincent Coniglio			and lock screws having been neatly plugged with walnut and lightly
	Collection] (1000/1500)			finished-over. The arm is equipped with sling swivels, military-style
	Est. 1,000 - 1,500			sights, cleaning rod (modified from a ramrod) and a small brass
378	U.S. Model 1911A1 Semi-Auto Pistol by Colt	1		inventory disc numbered "335". The action seems to function
				-
	serial #837466, 45 ACP, 5" Colt barrel with an excellent bore. This early			as-intended and is of rather interesting design, the lever system is
	war Colt (1942) remains in excellent condition. The metal surfaces retain			somewhat reminiscent of the Farquharson although a bit more
	about 97% arsenal grade reapplied Parkerized finish, the checkered			rudimentary, and connected to the bolt via a small linkage. The bolt is
	arched mainspring housing is starting to tone to brown in addition to a			extremely similar to the Thomas Wilson patent rifle that was submitted to
	few handling marks. The Coltwood synthetic checkered grips feature			the 1866-67 trials, the similarity leads this writer to believe the rifle is
	internal ribs with large reinforcing rings around the screw holes and rate			mostly likely an early attempt by Wilson. The later system completely
	excellent. This gun does not have the ordnance escutcheon but Colonel			dispensed with a lever instead utilizing rotating rear locking lugs,
	Waldemar S. Broberg's inspection stamp is present as are the proof			operating in an early straight-pull manner. This rifle locks with a vertical
	marks. The slide is correctly numbered to the gun under the firing pin			rising locking block connected to the lever locking into about the
	stop and all parts appear correct for the period of manufacture. The			mid-point of the bolt. The bolt is fitted with an action cover and the claw
	pistol includes a Risdon Manufacturing Company marked magazine with			extractor, rear bolt piece and striker system again are all very similar to
	welded base and a contemporary Colt commercial magazine. An			the Wilson patent. This fascinating experimental arm would make for an
	excellent example of an early war Colt. (8A9830-59) {C&R} [Dr. William			excellent addition to any advanced martial collection. (13C9670-417)
	C. Nugent Collection] (1500/2000)			{ANTIQUE} [David & Lore Squier Collection] (3000/5000)
	Est. 1,500 - 2,000			Est. 3,000 - 5,000
379	U.S. Model 1911 Semi-Auto Pistol by Colt with Augusta Arsenal Rework		381	British Experimental Carle Patent Single Shot Breechloading Needle
	Marks			Rifle
	serial #516006, 45 ACP, 5" replacement barrel with an excellent bore.			.48 cal, 35" barrel with Henry patent rifling and a bright near excellent
	As was typical with arsenal rebuilds, several parts on this gun have been			bore showing a little mild oxidation nearer the breech and strong rifling
	replaced when it was refinished. The metal surfaces retain about 99%			
				throughout. The barrel of this rifle has mostly toned to a deep
	reapplied arsenal Parkerized finish showing light high edge wear plus a			plum-brown patina showing some overall light pitting that has mostly
	few handling and assembly marks. The grips are later replacement			smoothed-over and some mild freckling. The action and triggerguard
	Keyes Fibre checkered synthetic panels with reinforcing ribs on the back			have mostly toned to a pleasant pewter-gray patina showing some
	and large reinforcing rings around the grip screw holes. The slide is an			remnants of old minor oxidation staining and attractive silvery
	Ithaca Gun Company replacement with replacement hammer,			case-hardened patina. The protected internal surfaces of the action and
	mainspring housing and slide stop. The "[eagle] / S17" acceptance mark			needle housing retain much of their brilliant fire blue. The rifle is
	was struck off center but remains visible with strong factory markings			stamped with London black powder proof marks and the top of the
	and crisp "AA" Augusta Arsenal mark on the left side of the frame. The			action neatly engraved "J. F. C. CARLE. / PATENTEE." The military
	pistol includes a single post-war military replacement magazine with			style smooth walnut stock remains in very fine condition retaining strong
	assembly and manufacturer numbers on the base. This gun did not see			oil finish and showing a few scattered areas of light scratches, one small
	much use after it left Augusta and remains in excellent condition as			hole along the left side butt, scattered light dings and handling marks.
	refurbished. (8A9838-1) {C&R} (1000/1500)			There are a few small areas darkened from the years and the stock
				retains excellent metal-to-wood fit, nice edges, and is equipped with
	Est. 1,000 - 1,500	J		<b>3 1 1 1</b>
				heel and toe plates and a nice horn nosecap. The action is of
				break-open type similar to the U.S. Gallager carbine utilizing an
				underlever, there is a leather obturator at the breech and the action is
				automatically cocked upon opening the lever. The action seems to
				function well mechanically, there is no cleaning rod present and the arm
				is equipped with sling swivels and military-style sights. Johannes
				Friedrich Christian Carl (or sometimes "Carle") was a German arms
				designer who patented an improvement of the Dreyse system, his
			1	design was adopted by the Russian Empire for a short time before the
				design was adopted by the Russian Empire for a short time before the
				adoption of the Berdan. This rifle was evidently intended for British
				adoption of the Berdan. This rifle was evidently intended for British military testing and remains a very fine example. (13C9670-415)
				adoption of the Berdan. This rifle was evidently intended for British

Lot Title/Description

382	British Benson-Poppenburg Patent Single Shot Breechloading Military Rifle		384	British T. Mabbutt Mathews Patent Conversion Breechloading Military Rifle
	serial #211, 577 CF, 32 1/2" barrel with a bright excellent bore. The			577 CF, 36 1/4" barrel with a bright very good plus bore showing some
	barrel and receiver retain about 85% original plum-brown finish with			spots of light pitting and minor oxidation nearer the muzzle and strong
	÷ .			
	most of the loss due to some fine scratches and overall silvering for			rifling throughout. The barrel of this converted P.1853 rifle retains about
	about 5" around the muzzle, some scattered more minor edge wear and			90% period reapplied plum-brown finish showing some scattered areas
	handling marks. The breechblock retains perhaps 50% of a period bright			of thinning and light pitting along its length. The barrel bands,
	blue finish showing overall thinning and toning to silvery pewter patina			breechblock and lockplate are a deep gray patina showing evidence of
	along with a few errant freckles and minor handling marks. The barrel			an old light cleaning along with some scattered light dings and mild
	bands show evidence of a light cleaning and are now a bright pewter			brown freckling. The hammer has been cleaned bright showing some
	patina with remnants of pinprick pitting and the triggerguard shows			remnants of mild erosion and pitting while the brass triggerguard,
	strong smoky case-hardened colors throughout. The arm is stamped			nosecap and buttplate are a mild ocher patina. The rear sight parts
	with Birmingham black powder proofs, the breechblock with "BENSON /			show good fire blue and straw finishes, the original Tower markings and
	& POPPENBURG'S / PATENT" and all visibly numbered parts of the			Royal Cypher on the lockplate have mostly worn away and the
	breech mechanism are matching "211". The smooth walnut stock			breechblock is clearly marked "T. MABBUTT / MATHEWS / PATENT
	remains in very fine condition showing a strong oil finish showing a small			No. 10", strangely other examples and period advertising spell the name
	drying crack due to the grain along the left side butt, some scattered			"Matthews". The smooth walnut stock remains in very good plus
	light dings and handling marks. There are ghostly remnants of some			condition as lightly cleaned and refinished long ago showing some
	small numbers, perhaps once painted, on the right side butt along with a			scattered light dings and handling marks. There are two strong inspector
	crisp "J. BENSON & CO. / BIRMINGHAM" roundel and three crowns			stamps behind the triggerguard and the rifle is equipped with sling
1	stamped behind the triggerguard. Metal-to-wood fit remains excellent			swivels, military sights and original cleaning rod. The action seems to
	with nice stock flat edges. The arm is equipped with sling swivels,			function well mechanically and the design is comparable to its
	right-side bayonet lug, cleaning rod and military style sights. The action			competitors featuring an upwards hinged breechblock similar to the
	features a tilt-up breechblock, operated manually via left side checkered			Albini-Braendlin, extractor system similar to the Snider and a rear
	release button. Upon closing the action the striker assembly must be			locking piece. A very good example of a seldom-seen British conversion
	pushed forward and locked into place, thus making the arm ready to fire.			with an early patent use number. (13C9670-411) {ANTIQUE} [David &
	The action can be de-cocked by again pressing the button on the			Lore Squier Collection] (2000/3000)
	breechblock. A very attractive example of these interesting arms, one of			Est. 2,000 - 3,000
	the many systems tested by the British military. (13D9670-410)		385	Providence Tool Co. Peabody Patent Conversion Breechloading Military
	{ANTIQUE} [David & Lore Squier Collection] (4000/6000)			Rifle
	Est. 4,000 - 6,000			577 CF, 30" barrel with a bright very good plus bore showing some
383	Very Fine British Experimental Breechloading Percussion Military Rifle			scattered light pitting and frosting in the grooves with otherwise strong
	.577 cal, 39" barrel with a bright excellent bore. The barrel of this			rifling throughout. The barrel of this converted P.1853 rifle retains about
	interesting rifle retains about 96% original blue showing a few scattered			95% arsenal-refurbished blue showing some mild thinning and light
	light dings, mild handling marks and some toning to deep plum-brown			dings nearer the muzzle and a few other scattered light handling marks.
	patina. The breechblock, hammer and upper tang retain about 92%			The action is taking on a pleasant smoky gray case-hardened patina
	attractive smoky case-hardening remaining quite vibrant in the more			showing some generous colors along the protected edges, particularly
	protected areas along with a few small areas toning to a mild gray-brown			vibrant along the left side, also showing some remnants of a protective
	patina. The barrel bands are mostly flaking to a gray-pewter patina			lacquer. The lockplate is similar, toning to smoky gray and retaining
	showing generous bright blue in the protected areas while the brass			strong original markings with "1863 / TOWER" in the center and a large
	buttplate, triggerguard and nosecap have toned to an attractive deep			crown at the rear. The left side action markings also remain intact and
	ocher patina. The left side of the breech shows British military proof			strong showing Peabody patent information and Providence Tool Co.
	marks and the upper tang is marked with large painted numbers "10 /			Rhode Island address. The barrel bands show remnants of a flaking
	29" in antique white paint that shows a few areas flaking along the "1"			black enamel finish and what appear to be assembly numbers "S51" on
	and "0". The smooth walnut stock remains in very fine condition			the rear band and "KA70" on the front. The brass triggerguard, nosecap
	retaining strong arsenal oil finish with some overall light dings and			
				and buttplate have toned to a deep ocher patina showing a few light
	handling marks. There are two tiny holes behind the upper tang,			dings, the triggerguard also numbered "S51" and the buttplate "3 / 951".
	perhaps where a brass inventory tag once was and the butt shows some			The smooth walnut stock remains in very good condition showing a
	rather nice subtle grain figure along either side. The right side butt			somewhat worn oil finish with a thin u-shaped crack behind the
	shows a crisp "MA / 1479" and the left "8747 / 14". The rifle is fitted only			lockplate, small hairline crack at the rear lock screw, scattered light
	with a single sling swivel on the front band, military sights and a cleaning			dings and mild abrasions. There are two small holes on the left side butt
	rod. The action seems to function well mechanically and the arm			where a brass tag may have been affixed and the stock shows a small
	appears to have seen very little actual use. The action is rather			star stamp behind the triggerguard and the number "1675" along the left
	interesting and reminiscent of an enlarged Flobert-style system with a			edge behind the nosecap. The arm is equipped with sling swivels,
	rolling breechblock and large hammer assembly that comes down to			military sights and ramrod and the action seems to function well
	both strike the cap and lock against the breechblock. The arm is			mechanically. Peabody's simple tilting block conversion saw moderate
	chambered for a special rimmed cartridge with separate ignition by			success although like all conversion systems were short-lived, about
	percussion cap similar to the American Maynard system, although the			60,000 rifles were produced in various contracts to Serbia and France.
	flash hole in the case would have to be quite a bit up from the base and			(13C9670-406) {ANTIQUE} [David & Lore Squier Collection]
	to the side and there is only about 5/8" of "chamber" from the breech to			(1500/2000)
	the start of rifling. A very peculiar rifle no doubt from the early days of			Est. 1,500 - 2,000
	British breechloading experimentation. (13D9670-418) {ANTIQUE}		L	•
	[David & Lore Squier Collection] (4000/6000)			
	Est. 4,000 - 6,000			
		J		

.

				r
386	British Cornish Patent Conversion Breechloading Military Rifle		388	British Experimental Rotating Breech Percussion Rifle-Musket
	577 CF, 32 1/4" barrel with a bright very good plus to perhaps near			.577 cal, 35 1/2" barrel with a bright very good plus bore showing some
	excellent bore showing a few scattered light pits and minor frosting with			scattered light oxidation and strong rifling throughout. The metal
	strong rifling throughout. The barrel of this rifle retains about 80%			surfaces of this converted P.1853 rifle have mostly toned to a mottled
	original plum-brown finish with overall thinning and streaking toning to			gray patina showing some scattered patches toning to mild brown patina
	silvery gray patina along with a few scattered light dings and freckles.			and remnants of smoothed-over old pitting. The breech handle,
	The action is toning to a pleasant smoky case-hardened patina showing			hammer, rear sight and barrel bands are a dark blue-gray tone, the
	generous vibrant colors lurking about the protected areas along with			bands and rear sight showing moderate old pitting. The lockplate and
	remnants of a protective lacquer. The lockplate is crisply marked			rotating breech show some good remnants of silvery case-hardened
	"TOWER / 1867" in the center and with a large crown at the rear, the			patina and the lockplate retains crisp markings with "1860 / L.A. Co." in
	arm is stamped with Birmingham black powder proof marks and			the center and "(Crown) / V.R" at the rear. The brass triggerguard,
	"CORNISH'S PATENT" atop the breech. The rear sight parts show hints			buttplate and nosecap have toned to a mild ocher patina showing a few
	of fire blue while the barrel bands have toned to silvery pewter patina			scattered light dings. The hammer and lock screws are slightly
	and the triggerguard, buttplate and nosecap are a pale ocher tone, a			undersized older replacements and one side of the breech handle root
	small screw is missing ahead of the triggerguard. The smooth walnut			has detached from the breech proper but is still retained by the handle
	stock remains in very good plus to very fine condition as lightly cleaned			pin. The smooth walnut stock remains in about very good condition as
	and refinished during the period of use showing a small repaired drying			lightly cleaned and refinished showing a repaired 4" crack ahead of the
	crack along the right side butt and rear lock screw, an area of light			lockplate, a somewhat hastily repaired 5 1/2" crack on the left flat
	scratches on the left side behind the front band, some scattered light			through the forward lock screw, some scattered light dings and handling
	dings and handling marks. There is no ramrod present and the arm is			marks. Only one sling swivel is present and the rifle is equipped with
	equipped with sling swivels, military sights and the action seems to			military sights and a somewhat misshapen cleaning rod. The
	function well mechanically. The system is respectable in its simplicity,			breechloading conversion is quite simple with an about 2" cutout
	featuring a hinged door-type breechblock housing the firing pin and			performed at the breech and a rotating sleeve with hinged handle
	actuating a spring-loaded extractor with a deep rear trough for loading			installed. It is perhaps almost too simple, the handle flops around a bit
	and unloading. This system was obviously intended for British trials,			and one wonders how effective the overall sealing of the breech would
	though the patent name does not appear on the list of those arms			be. Obviously this is a very early conversion attempt. A very interesting
	tested. A very nice example utilizing a simple and effective system.			rifle that would make a fine addition to any antique arms collection.
	(13C9670-592) {ANTIQUE} [David & Lore Squier Collection]			(13C9670-409) {ANTIQUE} [David & Lore Squier Collection]
	(1800/2200)			(2000/3000)
	Est. 1,800 - 2,200			Est. 2,000 - 3,000
387	Interesting British Trapdoor Breechloading Military Rifle		389	British Pattern 1796 Heavy Dragoon Flintlock Carbine with 2nd Dragoon
	577 CF, 35 3/4" barrel with a mostly bright very good plus bore showing			Guards Markings
	some scattered light oxidation, some areas of light pitting nearer the			.78 cal, 25 3/4" barrel with a partially bright bore showing some light
	muzzle and strong rifling throughout. The barrel of this converted P.1853			oxidation and scattered old pitting. The metal surfaces of this scarce
	is toning to a deep plum-brown patina showing generous amounts of			carbine have mostly toned to pewter gunmetal patina as lightly cleaned
	original brown finish nearer the muzzle with overall patches of old			long ago showing some areas with mild brown undertones, and the
	oxidation and some smoothed-over old pitting; the barrel bands are			barrel with mostly smoothed-over old pitting overall, and the lockplate
	similar. The lockplate and trapdoor show scattered patches of old			with remnants of more mild pinprick pitting. The brass hardware has
	oxidation toning to deep brown with overall toning to a nice silvery			mostly toned to goldenrod patina as lightly cleaned long ago showing a
	case-hardened patina and the lockplate shows strong markings with			few mild dings and handling marks. The breech shows two strong British
	"1863/ TOWER" in the center and a large crown at the rear. The			martial proofs and the lockplate retains very strong markings with
	breechblock is marked on its interior with a conversion number "295", its			wonderful "(Crown) / GR" Royal Cypher, martial proof and "TOWER" at
	interior surfaces also showing vibrant case-hardened colors. The edge			the rear. The lockplate is of the distinctive Nock's patent "screwless"
	of the breech is also stamped "250 / 295". The brass triggerguard,			design with internally mounted cock and frizzen; this example is not
	nosecap and buttplate have toned to a pale ocher patina showing some			equipped with the large pan shield and there is an old shallow chip
	scattered light dings. The smooth walnut stock remains in about very			along the base of the frizzen that is unobtrusive. The correct ramrod
	good condition showing evidence of a period refinish with some overall			shows a visible "E / 48" stamp near the tip and the buttplate is
	moderate dings and handling marks and the buttplate a little bit proud.			regimentally marked with a clear "D / 53" at the heel and the tang with
	The stock retains some good markings showing inspector stamps			slightly softened "2D D GDS" indicating the 2nd Dragoon Guards (who
	behind the triggerguard, "W.S." on the left flat and "PATENTED /			went by the moniker "The Queen's Bays). The walnut stock remains in
	FEB.27.1866" also on the left flat. The rifle is equipped with sling			very good condition showing a bit of added varnish over the expected
	swivels, military sights and ramrod and the action seems to function well			dings and handling marks from long military service. There is a thin 2
	mechanically, the breechblock showing a little vertical play. The action is			1/2" drying crack along the left side butt, a few smaller scattered light
	extremely similar to the ubiquitous American trapdoor system first			cracks, some tiny antique repairs and a large "B / 2" stamped behind the
	designed by Erskine Allin and is equipped with an automatic ejector.			sling bar on the left flat. The lock seems to function well mechanically.
	There is no spring-loaded lever on the rear right side like that on the			The 2nd Dragoon Guards were active from 1685-1959 and about the
	American system, instead there is just a simple fixed knob at the rear.			time of this model's use, units of the regiment took part in the disastrous
	There does appear to be some spring tension applied to the assembly			Walcheren Campaign of 1809 in the Netherlands during which the
	forward of the hinge which is also allowed to slide forward and			British forces were ravaged by illness. The Guards were stationed in
	backwards very slightly, the system otherwise appears to be locked via			Scotland at the time of the Battle of Waterloo but were sent over to Paris
	the accurate of its ports. An interaction breachloading wife suitable for			during the occupation of the coalition forces post-war, eventually
	the geometry of its parts. An interesting breechloading rifle suitable for			
	the advanced American or British martial collection. (13D9670-408)			returning to Britain in 1818. This is a very respectable example of an
	the advanced American or British martial collection. (13D9670-408) {ANTIQUE} [David & Lore Squier Collection] (2500/3500)			interesting British martial carbine seldom seen in this country.
	the advanced American or British martial collection. (13D9670-408)			

Lot Title/Description

390 U.S. Model 1896 Krag Carbine Issued to the 1st U.S.V. Cavalry "Rough Riders" serial #68119, 30-40 Krag, 22" barrel with a fair bore showing light pitting throughout and worn rifling toward the muzzle. This historically significant arm was, according to Springfield Research Service, issued to the fabled "Rough Riders"; 1st U.S. Volunteer Cavalry, during the Spanish American War. Mallory and Olson, authors of The Krag Rifle Story, specify on page 253 that it was issued to Private Richard Richards, of Troop G which was recruited in New Mexico and was comprised largely of cowboys. The metal surfaces of the carbine have aged to a blend of dark gray and plum patinas with light high edge wear along with a few scattered small areas of light pitting and light freckling. The bolt displays a light gray patina and the extractor retains remnants of its original fire blue. The Model 1896 smooth black walnut stock and handguard rate very good-very good plus for their age with a light coat of period-added finish, a few hairline cracks around the intact sling bar with ring and the rear of the action, and some expected light handling marks from military service. The left side of the wrist displays the remnants of two boxed "JSA" inspector's cartouches with one appearing to be dated "1897" and the other "1898", a faint circled "P" firing proof is behind the triggerguard and "A.G." is neatly carved into the right side of the buttstock forward of the trap buttplate. The sights remain intact including the "C" marked Model 1896 rear sight, a Model 1901 front sight protector is included and the action of this important piece of U.S. military history appears to function well mechanically. Private Richards of Albuquerque enlisted into Troop G of the "Rough Riders" in Santa Fe and while it is unclear if Richards was in Cuba on the fateful day of July 39 1, 1898, his unit, Troop G, was amongst the first to reach the top of Kettle Hill during the Battle of San Juan Hill. Richards' service records show that he was, along with the rest of the 1st U.S.V. Cavalry, quarantined after the war at Camp Wikoff, N.Y. where they were mustered out of service on September 15, 1898, (23B9807-67) {ANTIQUE} [Vincent Coniglio Collection] (1500/2000) Est. 1,500 - 2,000 U.S. Model 1896 Krag Carbine Issued to Troop M U.S. 6th Cavalry 391 serial #71368, 30-40 Krag, 22" barrel with a bright excellent bore. Springfield Research Service verifies that this historic carbine was issued to Troop M of the "Fighting Sixth" Cavalry for use during the Spanish-American War. The 6th Cavalry arrived in Cuba on June 24, 1898 and despite being pinned down by heavy fire, the troopers managed to take the heights of San Juan Hill on the first day of July which they held until the fourth day of that month. After the end of hostilities, the troopers embarked for quarantine at Camp Wikoff, Montauk Point NY at which point the troops were stationed to various western frontier posts; Troop M was assigned to Jefferson Barracks, MI. This carbine served with Troop M until April of 1900 when it was turned into the depot for arsenal renovation. The barreled action retains about 90% arsenal blue which is evenly thinning along the barrel revealing some faint streaks toning to gray under direct light along with some softened faint pitting around the breech toning to brown, light silvering on the muzzle and a couple scattered tiny spots of loss and light handling marks toning to gunmetal gray. The band and triggerguard retain much of their original blue displaying light handling marks and flaking toning to gray. The loading gate and sideplate retain strong smoky oil-quenched case-hardening with light high edge wear and a few tiny spots of staining and pinprick pitting. The bolt is mostly bright with the handle toning to dark gray while the extractor shows nice amounts of original fire blue which is particularly brilliant on the claw. The handguard is missing and the smooth walnut stock rates fine with a beautiful arsenal finish, a very small and unobtrusive wood-filled arsenal repair with a tiny chip which is behind the intact sling bar and ring along and a few scattered very light handling marks. The stock features the faint remnants of a boxed inspector's cartouche behind the sling bar along with a crisp circled "P" firing proof and "8" inspection mark behind the triggerguard. The barrel is sighted with a blade front and a Model 1896 rifle rear sight, the buttplate features a trap door and the action is characteristically smooth and appears to function well mechanically. Included is the original Springfield Research Service letter signed by Chief Researcher Franklin B. Mallory and photocopies of the Jefferson Barracks depot inventory and inspection report on file with the National Archives. This Model 1896 carbine remains in a fine state of condition and served with the brave men of the "Fighting Sixth" during the campaign to capture Santiago. (23B9908-24) {ANTIQUE} (2000/4000) Est. 2,000 - 4,000

392	U.S. Model 1898 Krag Bolt Action Rifle by Springfield Armory
	serial #112668, 30-40 Krag, 30" barrel with a very good plus bore with
	light frosting in the otherwise strong rifling. The loading gate and
	sideplate retain nearly all their original smoky oil-quenched
	case-hardening with some light fading on the high edges and a tiny
	impact mark on the gate below the thumbpiece. The remaining metal
	surfaces retain about 90-95% original blue which is lightly thinning along
	the barrel showing a few scattered small spots of loss toning to
	gunmetal gray with a little light oxidation around the muzzle. There is
	some light flaking and a few small areas of light oxidation on the bow of
	the triggerguard, a few tiny handling marks on the bands, and minor
	wear on the toe and heel of the buttplate. The bolt is mostly bright with
	the handle toning to a lightly-freckled gray patina while the extractor
	shows much of its original fire blue which is quite brilliant on the claw.
	The smooth American black walnut straight grip stock and handguard
	rate very good plus with a nicely-done filled repair in the left wood line of
	the forend and some scattered light handing marks from the years. The
	stock is likely a field replacement as there is no cartouche and there is a
	crisp circled "P" firing proof and "45" inspection mark behind the
	triggerguard. The rifle is sighted with the original blade front and a Model
	1901 Buffington rear, the sling swivels are intact, stored within the trap
	buttplate is a three piece cleaning rod and oiler and the smooth action
	appears to function well mechanically. A very fine example of the Model
	1898 Krag service rifle that is sure to be a welcome addition to your U.S
	martial arms collection. (23A9908-3) {ANTIQUE} (1000/1500)
	Est. 1,000 - 1,500
393	Ornate Dutch Flintlock Officers Fusil by Brandt
	.69 cal., 39" barrel with a lightly oxidized bore. The barrel is a lightly
	cleaned bright silvery gunmetal patina with remnants of light oxidation
	staining scattered about its surface. The convex lockplate is maker
	marked "JC Brandt/Amsterdam" and shows light martial engraving at the
	rear. The swan neck cock is unengraved and it features a bridled
	frizzen. The brass hardware is starting to reacquire a copper-toned
	patina, showing remnants of an old polish many years ago. The
	triggerguard features a Bess-like front teat which is lightly engraved, with
	the same martial panoply seen on the lock, on the bow of the guard. The
	First Model Bess-style serpentine sideplate with pronounced teat at rear
	shows some light engraving while the tang of the flat buttplate shows the
	same martial themed panoplies front and rear, the butt of the plate
	proper with punch-dot stamped initials "RNH" (GNH is also stamped
	beneath this, at a much later date with modern steel stamps). Quite a
	fancy musket, in addition to the engraving there are numerous silver
	wire inlays scattered about, found to the rear of the rear band,
	surrounding the entire bottom metal and the periphery of the buttplate,
	extending fully across the point of comb. The left stock flat shows
	extensive silver wire inlay around the sideplate and flowing scroll silver
	wire inlay around the oval monogram plate atop the wrist, a silver crown surmounting the monogram plate, which is otherwise un-engraved
	showing, only foliate borderline engraving. The stock itself rates very
	good showing an old light cleaning but it was indeed light and has left
	the overall light dings and handling marks one would expect from a
	field-used arm. The lock will hold on half cock but not on full-cock and
	what is likely the original trumpet-shaped ramrod is included. A very
	handsome officers fusil or private purchase musket. (3C9670-2)
	{ANTIQUE} [David & Lore Squier Collection] (2500/4000)
	Est. 2,500 - 4,000

Est. 3,000 - 5,000

Lot Title/Description

394 British Single Barrel Flintlock Fowler by Hawkes 396 Winchester Model 1873 Saddle Ring Carbine About 14 ga., 31 1/4" part octagon part round barrel transitioning to serial #463537B, 44 WCF, 20" round barrel with full magazine and a fair decagonal at the end of the octagonal section, with a small turned bore showing moderate pitting and oxidation throughout along with medial at the point of transition to round showing a very good to fine some bright areas and good rifling. The metal surfaces of this carbine bore which is mostly bright with sparsely scattered oxidation. The barrel show evidence of an old moderate cleaning and retain about 70% of an is overall plum-brown patina showing scant damascus pattern with older reapplied dull blue thinning and toning to plum-brown patina along with scattered freckling and sparse remnants of light pitting. The muzzle simple bead front sight and inlaid platinum bands and single gold band at breech, maker marked in sunken gold panel "LONDON". The stepped shows moderate saddle scabbard wear and the magazine, lever and lockplate and its attendant parts are a soft brown and a dull pewter gray hammer are more of a gunmetal gray patina showing some areas of patina, the plate with the beveled edge and light engraving, marked "S. mottled brown patina. The barrel address and caliber designation on the HAWKES" in gold sunken panel. Features, swan neck cock, water proof cartridge lifter are no longer present, the model marking on the tang and pan and bridled roller frizzen. The balance of the iron surfaces are soft caliber on the barrel are rather soft, but mostly legible and the serial plum brown, the bow of the guard with light floral engraving, the front number is also difficult to discern but appears to be the number listed extension in a pineapple finial with a small starburst on the rear grip above. The plain walnut stocks remain in fair condition as cleaned and swirl; the tang of the buttplate shows light engraving. The English walnut refinished showing a number of lengthy thin repaired cracks at the tip of buttstock rates about very good with coarse checkered wrist, flared the forend, tangs and wrist, one running almost the full-length back from the lower tang to the buttplate but they are mostly camouflaged and shadowline cheekpiece, much original varnish and the expected light dings and handling marks that come from the years; the head has missed at first glance. There is a small filled plug on the right side butt broken off of the single wedge, it remains functional however and retains and some other scattered light dings as well. The lever lock is somewhat the barrel solidly. The arm functions well mechanically and what is likely loose and a few screws appear to be old replacements. The dust cover. saddle ring and proper carbine sights remain intact and the action the original ramrod is included. The shotgun comes cased in a walnut seems to function well mechanically. A salty but desirable old saddle presentation case with Edward London maker label, with accessories including a shot flask, leather-covered nickel top powder flask with fixed ring carbine made in 1893. (13B9746-46) {ANTIQUE} (1800/2200) charger, cleaning rod, powder and shot dipper an assortment of wads Est. 1.800 - 2.200 397 Fine Colt Model 1878 Double Hammergun and some cleaning accessories. The case rates fair-good, the lid's serial #13404, 12 ga (2 3/4"), 32" damascus barrels choked about handle engraved "CG Thornton". An attractive late single barrel flintlock fowler. (39670-447) {ANTIQUE} [David & Lore Squier Collection] improved modified with partially bright good bores showing patches of (1500/2000)old light pitting nearer the breeches, the right barrel with a few more Est 1 500 - 2 000 moderate areas along its length and the left with a very shallow ding at Very Fine Westley Richards Percussion Double Shotgun 395 its top edge of muzzle. The barrels of this handsome 1882-made serial #7604, 14 ga., 29 1/2" barrels with bright excellent bores. This is a shotgun retain about 90% original contrasting blue and plum-brown very handsome British double percussion gun once owned by damascus patterns with most of the loss due to some scattered areas of Philadelphia attorney Jonathan Dickinson Sergeant, the Sergeant family cleaned light pitting, a bit more noticeable along the left side barrel and were Philadelphia "blue-bloods" going back to colonial days. The barrels likely due to poor storage, a few areas of old oxidation staining and light retain a lovely gray and brown twist damascus pattern their full length, handling marks. The barrel rib is unmarked. The frame proper is toning as strong on the barrels as it is on the rib, showing the tiniest bit of to a mix of gunmetal gray and plum-brown patina showing some fading at the muzzles with silvery breeches showing a single inlaid scattered spots of old oxidation staining and generous vibrant colors in platinum band, light open scroll and platinum blowout plugs. The rib is the protected areas. The lockplates retain about 94% wonderful vibrant marked "Westley Richards 170 New Bond St., London" and is sighted case-hardened colors with loss due to some mild oxidation staining, a with a simple bead front and the barrels are British proofed and serial spot on the left lockplate having been lightly cleaned and both retain numbered matching on their underside. The tang shows the same nice crisp Colt markings. The top lever, triggerguard and trigger plate retain quality scroll and is a pewter patina with a bit of light brown speckling. about 95% original bright blue showing some mild flaking to gray-brown The lockplates are very nice showing perhaps 50-60% color and a few specks of old oxidation staining mostly along the triggerguard, case-hardening, muting a bit more on the right plate, each maker a tiny ding on the top lever and some other mild handling marks. The marked and with light sprays of excellent quality tight scroll which screw heads retain much of their lovely brilliant fire blue, the top lever continue onto the flats of the beveled edge hammers; each hammer screw head taking on a fine straw tone. The checkered pistolgrip walnut nose neatly engraved in a gryphon-like face. There are dual ramrod buttstock and forend with ebony tip insert remain in very fine condition thimbles showing damascus pattern and an engraved tailpipe with a showing strong original oil finish, a very tiny drying crack on the right lightly chiseled extension. The long straight tang triggerguard shows side butt and some scattered light dings. The diamond point checkering with neatly mullered borders remains in excellent condition along the strong remnants of original blue on the bow, with excellent quality tight scroll; the front of the triggerplate chiseled and engraved in a pineapple grip, the forend showing a bit more wear with some scattered mild finial extension. The smooth steel buttplate provides a 14 1/2" length of abrasions. Length-of-pull to the smooth steel buttplate is 14 1/8" with pull with nice scroll atop its tang. The English walnut stock rates very drops of 2" and 3 1/4", the arm is sighted with a single large brass bead and the barrels and forend are matching the frame. Lock-up is solid fine with some nice grain figure, coarse checkering and the expected light dings and handling marks that come from a field-used arm. The on-face with the top lever resting about dead center and the rebounding hammers are in-time and function crisply. A very attractive example of barrel is retained by a single wedge through German silver escutcheons these desirable Colt shotguns that generally saw hard use. and the silver oval monogram plate along the toeline is neatly engraved "J.D. Sergeant/Philada". The locks are crisp. in time, and mechanically (13C9746-29) {ANTIQUE} (2000/3000) functional and the original ramrod with screw-off wad pull end is Est. 2.000 - 3.000 included. The arm comes cased in its original walnut makers cased with accessories and makers label on the interior of the lid, ink pen serial numbered to the gun. The interior green baize lining appears to be original in every respect and included therein is a leather shot pouch, leather covered Hawksley powder flask with fireproof screw-off top and four position charger, nipple wrench, leather pouch with spare nipples, a number of cleaning implements, two small japanned tins, one with percussion caps, the other with tallow and a small button hook. What are likely original bore mops are included as well. The flask shows a bit of separation of the seam stitching along its bottom edge, and a bit of a verdigris at the top collar. The case itself rates very good with brass bands affixed to the lid in an effort to stymie age cracking from drying. It features heavy brass corners and Mr. Sergeant's name is engraved in a plaque on the lid; the key is included. Mr. Sergeant was an attorney in Philadelphia, graduating from the University of Pennsylvania in 1842 and being admitted to the bar in 1845. His grandfather by the same name was a member of the Continental Congress, member of the New Jersey Provincial Congress and one of the framers of New Jersey's constitution, eventually becoming the Commonwealth of Pennsylvania's first Attorney General. A very lovely, and doubtless very usable shotgun from this quality British maker that was clearly very well-cared-for by this Philadelphia gentleman. (3C9894-2) {ANTIQUE} (3000/5000)

398	Very Rare Marlin Model 94 Trapper Carbine with Chilean Police		400	Winchester Model 1885 High Wall Special Order Semi-Deluxe Single
	Markings			Shot Rifle
	serial #421506, 44-40, 15" round barrel with full magazine and a bright			serial #96422, 38 WCF, 32" No. 3 weight octagon barrel with a bright
	very good plus to perhaps near excellent bore showing some scattered			very good plus bore showing some areas of light pitting ahead of the
	very fine pitting with otherwise crisp rifling throughout. This carbine has			chamber, a few smaller pinprick pits scattered about and otherwise
	been removed by serial number from the provisions of the NFA and			strong rifling. This 1903-made rifle is equipped with factory helm
	comes with the BATFE letter stating such. The barrel and magazine			buttplate, checkered pistolgrip stock and close-coupled set triggers. The
	retain about 60% thinning original blue toning to a pleasant mild			barrel retains about 80-85% original blue with loss due to mild overall
	gray-brown patina and showing some overall freckling and a few tiny			toning to plum-brown patina, scattered freckling and a few light dings
	dings. The action retains about 25-30% original bright blue flaking to			along the edges behind the front sight. The action has mostly flaked to a
	mild gray-brown similar to the barrel and showing a few scattered very			pleasant gray-brown patina showing some scattered specks of old mild
	fine scratches. The lever has mostly toned to a deep gray patina			oxidation staining and a few light dings with remnants of original bright
	showing some wisps of vibrant case-hardened colors in the protected			blue here and there. The hammer, breechblock and lever are toning to
	areas along the sides. The screw heads show some light slot wear, the			an attractive silvery case-hardened patina, the lever retaining a
	saddle ring hardware has been removed long ago and filler screws			generous amount of smoky colors along the sides. The buttplate has
	installed and the pin end of the rear band screw has broken off causing			mostly toned to smooth deep plum-brown patina and all markings
	the band to be a little loose but this screw should prove to be an easy			remain intact and legible. The checkered capped pistolgrip walnut
	replacement. All markings remain intact and crisp, the top of the action			buttstock and forend with hard rubber tip insert remain in very good plus
	factory-stamped with Chilean police markings "POLICIAS FISCALES			condition retaining about 85% original varnish, thinning along the forend,
	CHILE". The plain walnut stocks remain in about very good plus			along with some overall light dings, mild abrasions and a small chip at
	condition showing mostly worn finish and the expected light dings and			the toe of the pistolgrip. The checkering shows moderate wear, the
	handling marks from service. The original carbine sights and buttplate			black hard rubber pistolgrip cap is intact showing a few tiny chips along
	are intact and the action seems to function well mechanically. The			the edges and the stock fit remains excellent. The bottom buttstock
	Policias Fiscales was formed in the late 1800s to serve Chile's municipal			screw is a replacement and the buttstock and buttplate are matching the
	areas until 1927 when all police agencies were merged to form the			frame by assembly number. The rifle is sighted with a standard sporting
	national Carabineros de Chile. This is a very respectable example of a			rear sight, German silver blade front, that appears to have been slightly
	rare and desirable Marlin carbine, only 935 were made with 15" barrels			modified during the period of use as it is rather short, and a rare Lyman
	and fewer still for Chile. (13C9670-529) {C&R} [David & Lore Squier			103 tang sight stamped "WM" on its underside. The action seems to
	Collection] (3000/5000)			function well mechanically and the rifle includes a Cody factory letter
	Est. 3,000 - 5,000			confirming the described features (aside from the sights which are not
399	Custom Winchester Model 1873 Lever Action Rifle			listed) and showing shipment on October 22, 1903 as order number
	serial #49809, 44-40, 20" neatly shortened and crowned octagon barrel			197052. A very attractive special order 1885 with some nice desirable
	with full magazine and a bright very good plus bore showing a couple			features. (13B9721-8) {C&R} (2500/4000)
	tiny pits and some mild frosting with strong rifling throughout. The barrel			Est. 2,500 - 4,000
	of this 1880-made second model "short rifle" has mostly toned to a mild		401	Colt Third Model Dragoon Revolver Custom-Engraved for Colt Historian
	gray patina showing a few light dings and some patches of light pitting			Kathy Hoyt with Hank Williams Jr. Letter
	along the left side. The magazine tube retains about 97% excellent			serial #2341, 44 cal, 7 1/2" barrel with a bright excellent, unfired bore.
	quality restored blue showing some mild edge wear and some pinprick			This is an interesting and very beautiful revolver, once the property of
	pits beneath the finish. The action retains about 40-45% original bright			two rather important folk, one being Colt Historian Kathy Hoyt, the other
	blue quite strong in the protected areas with the balance toned to a nice			being celebrity Hank Williams Jr. The second-generation revolver is
	mix of gunmetal gray and mild gray-brown patina showing a few light			beautifully embellished with open flowing scroll of the finest quality with
	dings along the edges, some smoothed-over pinprick pitting and mild			very fine background punch-dot shading and dual inlaid gold bands at
	striations along the sides. The lever has toned to a mottled gray patina			both ends of the round portion of the barrel. In fact the included factory
	showing some silvery case-hardened patina, the hammer retains some			letter, addressed to Mr. Williams, mentions that the arm was shipped in
	good colors along the sides and the loading gate retains a healthy			1977 to the "Employee Sale Department" to the attention of George
	amount of brilliant fire blue. The bottom of the cartridge lifter has been			Dean, for Colt employee Kathy Guinan, later our familiar friend Kathy
	cleaned bright and shows no markings, the barrel is also devoid of			Hoyt (after she married). The revolver retains all of its original brilliant
	caliber markings but the address and patent dates remain strong and			deep blue and color case-hardened finishes, the triggerguard and
	completely intact as do the serial number and model markings on the			backstrap a pleasing goldenrod patina. The one-piece ivory grip of
	tangs. The smooth walnut stocks remain in very good condition as			course rates as-new and shows lovely grain and mellowing with age.
	cleaned and refinished showing a couple repaired thin drying cracks along the butt, a few light dings and handling marks. The rifle is sighted			The revolver is of course absolutely unturned, unfired since leaving the floor at Hartford. Coverage appears to be what one would consider
				factory B or perhaps C level, the quality is exceptional, the bottom of the
	with flattop sporting rear sight, Marble's No. 3 white bead front and the action seems to function well mechanically. A solid custom rifle, nicely			butt ahead of the screw hole is neatly engraved "WKH" in tiny letters.
	executed and in a desirable chambering that may make for a fine			While the factory letter does not mention engraving, the arm is clearly
	shooter with its nice bore. (13B9897-86) {ANTIQUE} (1500/2000)			factory embellished and was presented to this wonderful lady of
	Est. 1,500 - 2,000			importance who would later become our beloved "Kathy", the first
L	E0. 1,000 · 2,000	1		woman to hold the title of Colt Historian, working for that venerable firm
				for 44 years, 21 of those as their historian. As-mentioned the revolver
				comes with a factory letter dated 2015 and addressed to Mr. Hank
				Williams Jr., also included is a piece of Mr. Williams' stationary on which
				he discusses the fact that the arm is no doubt factory engraved,
				although the factory letter mentions nothing about engraving or ivory
				grips, he surmises because it was an interior "employee sale". It's not
				often that one can acquire a lovely factory engraved second-generation
				Colt Third Model Dragoon, to have one connected to these two
				important individuals makes it all-the-more desirable. (3C9674-1)
				{ANTIQUE} (3000/5000)
				Est. 3,000 - 5,000
			L	

Lot Title/Description

402 Colt Single Action Army Revolver with Hank Williams Jr. Letter serial #347728, 38-40 WCF, 5 1/2" barrel with a bright excellent bore. The barrel retains perhaps 97% original blue, showing only some very light wear on the left side at the muzzle, the ejector rod housing showing more wear, toned primarily to a pewter along its outer edge, retaining perhaps 90% original blue with one very small spot of light oxidation or extremely light pitting. The barrel itself does show the "Colt Single Action Army 38-40" marking, likely a transitional install, as this is serial number is right on the cusp of the old-style barrel marking (which merely had the caliber stamped) this marking purportedly in full use by 1929. The cylinder retains perhaps 90% original blue with numerous light rotational marks but strong blue within the flutes and one small area with very light pinprick pitting, likely where the gun lay on its side over the years. The frame retains perhaps 95% smoky color case-hardening, more brilliant in the protected areas and along the flats, drifting to a smoky case-hardened blue and gray on the outer edges of the recoil shield and loading gate, the hammer with very good color case-hardening as well. The triggerguard and backstrap retain perhaps 92% original blue, showing light wear and handling marks from the years. A few of the screw slots show some light damage but the principal ones show very good original blue. There is a very neat period addition in the form of a tiny layer of brass, brazed to the top of the front sight blade, providing a very nice "gold bead" sight picture, the blade showing a couple very light tool marks from being dressed post-application. The arm wears a nice pair of checkered walnut grips with recessed silver Rampant Colt medallions, they are un-numbered on their interior but their fit is perfect and they are doubtless original to the gun. The reverse impression of the serial number stamped on the straps can be seen imprinted into the right grip, they appear to have shrunk a tiny bit as the rear corner of the butt is very slightly proud. The arm functions well mechanically and all the numbers are matching including the cylinder, the right side root of the triggerguard stamp with Colts "&" indicating factory service of some kind. Included with the gun is a factory letter addressed to Mr. Hank Williams Jr., showing shipment in March 1924 to the TB Davis Arms Company, firearms distributors in Portland Maine, for the "JF Hill Company", a printing and lithograph firm out of Augusta. The checkered walnut stocks and the balance of the configuration of the arm are confirmed in the letter (save for the sights). There is a hangtag on the gun which reads "Hank Williams Jr." listing the make, model, serial number and the fact that the arm has a factory letter; there is a tiny photocopy of the factory letter affixed to the back of the tag. A very nice, and no doubt very usable, Single Action Army that will continue to appreciate in value, clearly once owned by this talented gentleman who has given us all so much over the years. (3B9696-1) {C&R} (2000/3000) Est. 2,000 - 3,000 403 Colt Single Action Army Revolver with Hank Williams Jr. Letter serial #335549, 38-40 WCF, 5 1/2" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 95% original blue, the loss due to some light outer edge and muzzle wear with perhaps a minor handling mark here or there, the left side with the caliber marking only. The cylinder shows perhaps 90% original blue, with a number of circumferential rotational marks, and three grav stripes of wear which lineup with the flutes, exactly where the arm would lay were it laid down on its side. The frame is guite nice retaining about 98% original color case-hardening, very vivid in spots and toning slightly on the loading gate and outer edge of the recoil shield, and a bit at the front top; the hammer still retains excellent color case-hardening. The backstrap retains perhaps 95% original blue, the triggerguard 97%, each with light wear on the sharp edges and a few very light handling marks. The checkered hard rubber Rampant Colt grips rate very fine, the right grip showing a bit of light wear, they are scratch-numbered to the gun. All of the numbers are matching including the cylinder and the arm seems to function well and lockup properly. The screw heads remain unmolested for the most part, a couple showing a tiny bit of wear, and there are a couple light freckles on the right side of the frame showing old oxidation staining, a couple more along right side of topstrap, which have tiny tiny pinprick pits, but they are unobtrusive. The included factory letter addressed to Mr. Hank Williams Jr. shows shipment in March 1917 to the Wyeth Hardware & Manufacturing Co. of St. Joseph Missouri in a two gun shipment, verifying the configuration of the arm as well. Included with the gun is a small Hank Williams Jr. hangtag listing the make, model, configuration, serial number and the fact that the arm features a factory letter, a small photocopy of that pertinent data on the back of the tag. A very nice pre-First World War shipped 38-40 with some lovely color, still that will continue to appreciate monetarily, but which could still take the occasional trip to the range. (3B9696-2) {C&R} (2500/3500)Est. 2.500 - 3.500

404	Colt Single Action Army Revolver with Hank Williams Jr. Letter
	serial #354074, 45 Colt, 4 3/4" barrel with a bright excellent bore. The
	barrel retains about 95-97% original blue, the only loss being some light
	left side wear, primarily at the muzzle, with some freckles of light
	oxidation which have resulted in very light pinprick pitting, but they are
	small. The ejector rod housing shows wear to pewter along its outer
	edge, the balance good original blue. The cylinder retains perhaps 95%
	original blue, showing a light rotational mark, wear at the leading edge of
	the cylinder consistent with holster carry and one small area of light
	pitting between two of the flutes. The frame is quite honest with perhaps
	90% original color case-hardening, muting in spots to a silvery-gray with
	strong colors at the front of the frame and across the topstrap and
	flanking the hammer, the recoil shield and loading gate faded to silver
	with some oxidation staining on the right side of the frame. The hammer
	shows some very good color case-hardening on left, toning and muting
	somewhat on the right, with very good pale fire temper blue on the
	trigger. The straps and bow have faded primarily to a pewter patina with
	strong original blue around the bow of the guard. The checkered hard
	rubber Rampant Colt grips rate very fine to near excellent, the right grip
	with some slight chipping at the border ahead of the Rampant Colt, each
	with some very minor handling marks at the butt, they are
	scratch-numbered to the gun. All of the numbers are matching including
	the cylinder and the arm features the "Colt Single Action Army" roll
	marking the left side of the barrel, as was proper at this time period. The
	arm times well and locks up properly and the screw heads are
	unmaligned. Included is a Colt factory letter from 1990 addressed to Mr.
	Hank Williams Jr., showing shipment in May 1930 to Hibbard Spencer
	Bartlett & Company in Chicago with two guns, and verifying the configuration of the revolver; also included is a small Hank Williams Jr.
	hangtag with make, model, details, serial number and "factory letter" on
	its face, a very small facsimile of the factory letters details is affixed to
	the rear of the tag. The quintessential Single Action Army in the big 45
	Colt and 4 3/4" "gunfighter length" barrel, this remains a very attractive
	and honest Single Action Army revolver. (3B9696-3) {C&R} (2500/3500)
405	Est. 2,500 - 3,500
405	Special Order Winchester Model 1892 Lever Action Rifle
	serial #48830, 32-20 Win, 24" octagon barrel with a bright about excellent bore which shows a couple spots of very sparsely scattered
	very light frosting. This is a very handsome antique 1892 with a special
	order button magazine. The barrel retains about 90% original blue, the
	loss is due to even fading or toning to plum with wear to pewter on the
	high edges and a bit of oxidation staining at the muzzle, which has left a
	few light pinprick pits. The nosecap retains very good original blue and
	there is some lovely strong pale fire temper blue on the loading gate.
	The receiver shows excellent bright original blue on the flats with the
	belly flaking and toning a bit to plum at the natural carry point near the
	serial number. The top of the receiver retains about 92% original blue
	with strong fire blue on the extractor. Both the lever and hammer retain
	strong color case hardening which has darkened a bit from the years,
	the face of the lever a silvery gray case-hardened patina. The straight
	grip walnut buttstock and forend rate very good to fine with much
	original varnish and the expected light dings and handling marks that
	come from the years, the buttplate a smoky silvery and plum patina. The
	original silver blade front sight is intact as is the Rocky Mountain rear
	and the gun seems to function very well mechanically. Overall a very
	handsome antique Model 1892, all the better with its special order
	magazine tube, and antique to boot! (3B9746-25) {ANTIQUE}
	(2000/4000)
	Est. 2,000 - 4,000

Lot Title/Description

405			
406	Winchester Model 1873 Special Order Lever Action Rifle	408	Winchester Model 1886 Lever Action Rifle
	serial #239885B, 38 WCF, 30" octagon barrel with full magazine and a partially bright very good bore showing some overall light pitting, frosting		serial #101921, 40-70 WCF, 26" octagon barrel with full magazine and a mostly bright about very good plus bore showing some scattered light
	and otherwise strong rifling throughout. This rifle features an unusual		pitting and oxidation in the grooves with otherwise strong rifling
	special order extra length barrel and factory set trigger. The barrel and		throughout. The barrel and magazine of this 1895-made rifle retain
	magazine retain perhaps 25% original blue lurking about the protected		perhaps 40% original blue strongest along the magazine and protected
	areas with the balance toned to a deep plum-brown patina showing		bottom flats of the barrel with the balance toning to a mild plum-brown
	some scattered old brown speckling, an area of old light pitting along the		patina showing some scattered light dings mostly near the rear sight
	right side barrel nearer the muzzle and a few sparsely scattered small		dovetail and some specks of old oxidation staining. The action, nosecap
	moderate dings. The action retains perhaps 50% original bright blue,		and buttplate have taken on an attractive silvery case-hardened patina
	quite strong in the more protected areas along the sides and lower tang		overall showing some remnants of old oxidation staining and lightly
	with the balance flaked to a pleasant plum-brown patina showing some		cleaned pinprick pitting scattered about. The right side of the action and
	light dings along the edges and dust cover, some remnants of old		protected areas of the lever retain hints of smoky case-hardening and
	oxidation staining and the screw holes with some circumferential wear.		the loading gate shows some faint fire blue. The bolt retains about 80%
	The lever is mostly toning to a mild gray-brown patina showing a few		original bright blue showing mild flaking and toning to gray and the
	wisps of color in the protected edges, the hammer has mostly toned to a		extractor shows some faint hints of fire blue. The plain walnut stocks
	pleasant silvery case-hardened patina with bold colors along the face		remain in very good plus condition with the sides of the butt retaining a
	and the loading gate retains a healthy amount of bright fire blue along its		healthy amount of original finish, the wrist area and forend darkened
	edges. A small bit of material has been added to the back of the bolt		from the years along with some scattered light dings and handling
	likely to aid in reliable cocking of the hammer and all markings remain		marks. The stock fit remains excellent. The rear sight dovetail has been blanked, there is a Marble's peep sight at the tang, the front sight is a
	intact and strong. The plain walnut stocks remain in very good plus condition as lightly cleaned and refinished long ago showing a couple		Lyman No. 4 ivory bead and the action seems to function well
	tiny repaired cracks along the edges, some scattered light dings and		mechanically. A very respectable antique 1886 for the Winchester
	handling marks. The stocks otherwise still retain a nice fit overall and the		collector. (13B9746-22) {ANTIQUE} (2000/3000)
	butt holds four original iron cleaning rod segments mostly toned to an		Est. 2,000 - 3,000
	oxidized brown patina. The set screw is missing and the tail of the	409	Winchester Model 1886 Lever Action Rifle
	trigger has broken where the threads are so the set function is no longer		serial #93986, 38-70 WCF, 26" octagon barrel with full magazine and an
	working but the action otherwise seems to function well mechanically.		oxidized bore showing evident rifling throughout. The barrel and
	The rifle is sighted with standard sporting rear sight and thin platinum		magazine of this 1894-made rifle show evidence of an old light cleaning
	line insert blade front sight. A very respectable example of an interesting		having mostly toned to a dark gray patina showing some scattered
	special order Winchester made around 1888. (13B9746-32) {ANTIQUE}		remnants of smoothed-over pinprick pitting and some light dings and
	(2000/3000)		tool marks near the front sight and tip of the magazine. The action has
	Est. 2,000 - 3,000		mostly toned to an attractive silvery case-hardened patina with smaller
407	Winchester Model 1873 Rimfire Lever Action Rifle		areas toning to dark gray and showing some sparsely scattered pinprick
	serial #243864B, 22 LR, 24" octagon barrel with full magazine and an		pitting. The nosecap, buttplate and loading gate are a dark gray patina
	expertly relined bore that will accept 22 LR and remains bright and		and the bolt shows strong remnants of original blue throughout, the top
	excellent. The barrel and magazine of this 1888-made rifle retain		surfaces of the locking lugs showing some light dings. All markings
	perhaps 20-25% original blue quite strong along the lower flats and		remain intact and legible, the barrel markings softened very slightly. The
	protected areas with the balance toned to a deep gray-brown patina showing some scattered light dings and freckling. The action retains		plain walnut stocks remain in very good condition as lightly cleaned and refinished showing a tiny hairline crack at the upper tang and the right
	about 45-50% original bright blue flaking to a pleasant gray-brown		side butt, some scattered mild abrasions and the expected light dings.
	patina showing some scattered light dings and mild freckling, the		The rifle is sighted with a standard sporting rear sight with replacement
	sideplate screw hole showing circumferential wear. The hammer retains		elevation slider, small German silver front worn to brass and the action
	hints of smoky colors while the lever has toned to gray-brown showing		seems to function well mechanically. (13B9746-35) {ANTIQUE}
	some silvery case-hardened patina. The markings have softened a little		(1800/2200)
	from the years but otherwise remain completely legible and the cartridge		Est. 1,800 - 2,200
	lifter has toned to a nice ocher patina and retains strong markings. The	410	Winchester Model 1886 Lever Action Rifle
	plain walnut stocks remain in very good condition having darkened from		serial #6978, 40-82 WCF, 26" octagon barrel with full magazine and a
	the years showing worn finish, a few tiny thin drying cracks around the		mostly bright very good bore showing some scattered light pitting and
	upper tang and where the stock meets the frame and some other		oxidation, a bit more noticeable nearer the muzzle, with otherwise strong
	scattered light handling marks. The stocks otherwise maintain a nice		rifling throughout. The barrel and magazine of this 1887-made rifle retain
	honest appearance with fine metal-to-wood fit. The rifle is sighted with a		about 25% plus original blue scattered about the protected areas and
	slightly later vintage Lyman tang sight, standard sporting rear sight and		fading to a mottled gray and gunmetal patina showing some scattered
	a plain blade front sight that has been modified slightly during the period		light dings along the edges, a few small areas of pinprick pitting and mild
	of use. The lever hangs down a bit but the action otherwise seems to		brown speckling. The action and nosecap have mostly toned to a
	function well mechanically. A very respectable rimfire 1873 that can still		pleasant silvery case-hardened patina showing some scattered old
	be enjoyed at the range. (13B9810-3) {ANTIQUE} (2000/3000) Est 2 000 - 3 000		oxidation staining, a few pinprick pits and small dings mostly along the
L	Est. 2,000 - 3,000		edges and the left side of the action showing a number of scattered fine scratches. The right side back edge of the action shows an area of
			strong vibrant colors, the lower tang also retaining much of its wonderful
			colors and the left side of the action with some generous smoky
			remnants. The bolt retains about 95% original bright blue showing some
			hardened old preservative and the buttplate is a dark gray patina
			showing evidence of an old cleaning. All markings remain intact and
			strong. The plain walnut stocks remain in about very good plus condition
			showing mostly worn finish, a few scattered mild abrasions and light
			dings otherwise retaining excellent fit overall. The rifle is sighted with an
			unmarked standard sporting rear sight, small German silver blade front
			sight and the action seems to function well mechanically. A handsome
			and early Winchester Model 1886. (13C9746-33) {ANTIQUE}
			(2000/3000)

(2000/3000) Est. 2,000 - 3,000

411	Winchester Model 1892 Saddle Ring Carbine	414	L.C. Smith Crown Grade Sidelock Double Ejectorgun
	serial #816141, 44 WCF, 20" round barrel with full magazine and a		serial #RE117565, 12 ga., 32" ventilated rib barrels choked full and
	bright excellent bore. The barrel and magazine of this handsome		modified with excellent bores. The barrels retain 99% plus
	1917-made carbine retain about 94% original blue with most of the loss		museum-quality rust blue with still-crisp border engraving at the
	-		
	due to some mild thinning and toning to gray-brown patina along the		breeches and muzzles. The left barrel is inscribed "MADE TO ORDER
	magazine, one small spot of light pitting on the right side barrel behind		BY THE HUNTER AMRS CO. INC. FULTON.N.Y.", the right is simply
	the rear sight and some scattered fine scratches. The action retains		marked "L.C. SMITH CROWN GRADE" and there is no measured wall
	about 60% original bright blue toning to a mild gray-brown patina along		thickness less than .032". The locks and frame have been
	the bottom and left side and showing some lighter flaking along the right		intricately-engraved with flowing scroll and geometric patterns as well as
	with some scattered light dings along the high edges and minor handling		a pair of hunting dogs right-and-left and a gold crown inlay on the lever.
	marks. The rear barrel band retains about 95% original blue, the lever		The surfaces retain perhaps 40-50% original case color, strongest
	with strong original blue flaking lightly throughout and the hammer with		around the fences and portions of the belly, the balance a warm pewter
	light operational wear. All markings remain intact and crisp with two-line		gray with hints of faint blue color scattered about. The checkered walnut
	address and patent dates along the left side barrel, cartridge designation		capped pistolgrip buttstock with white line Pachmayr pad and
	at the breech and the tang with full "MODEL 1892" markings. The plain		beavertail-style forend with schnabel-style tip are excellent as expertly
	walnut stocks show a little period added finish but no evidence of		and lightly refinished, likely when the barrels were restored. The
	cleaning still with some nice raised grain and remain in otherwise very		checkering is still quite crisp and the figure is superb with a 13 3/4"
	fine condition showing a few scattered small dents along the comb line		length-of-pull with drops of 1 1/2" and 1 3/4". The chambers are 2 3/4",
	and mild handling marks. The arm is equipped with correct carbine		there is a "Hunter One Trigger", the safety is non-automatic, the ejector
	sights, the saddle ring is intact and the action seems to function well		are strong and lock-up is tight with just the faintest wisp of light visible
	mechanically. A very fine saddle ring carbine in a desirable chambering		between the barrels and fence. Included is a very good plus condition
	and with a wonderful bore. (13C9854-1) {C&R} (3000/4000)		fitted red interior luggage style case with L.C Smith/Hunter Arms interior
	Est. 3,000 - 4,000		label and "C.R.C." on the lid. Only 842 Crown Grade guns were
412	Scarce Ithaca Flues Grade 5E Single Barrel Trap Shotgun		produced between 1913-1945, serial number records are
	serial #306803T, 12 ga., 32" ventilated rib barrel choked full with an		sketchy-at-best but this shotgun appears to have been manufactured
	excellent bore. The barrel retains perhaps 98% strong original blue with		around 1930. An outstanding American-made and aesthetically-pleasing
	faint thinning at the muzzle and at the breech with crisp loose scroll		Crown Grade double touted as "NO BETTER GUN for all-around use"
	engraving on the bolster flats. The special order Grade 5 fully-engraved		by the early L.C. Smith catalogs. (22D9746-62) {C&R} (4000/6000)
	frame is stunning with flowing scroll and highly-detailed game scenes		Est. 4,000 - 6,000
	left and right and a Federal Eagle and more scroll with a nice	415	Scarce Westley Richards Left Hand Boxlock Double Ejectorgun
		410	
	cross-hatch pattern on the belly. The work is unsigned but was no-doubt		serial #7497, 12, ga., 30" nitro-proofed damascus barrels choked
	done by Master Ithaca Engraver Bill McGraw in 1920, comparisons to		cylinder and improved modified with excellent bores. The barrels are a
	other known McGraw guns and knowledge from reliable sources		dark brown patina with some nice laminate pattern remaining and a cris
	indicate he was the only person in the shop at that time that could		"WESTLEY RICHARDS & CO. LONDON." Rib address. The
	execute this type of work on special-order shotguns. The metal is mostly		triggerguard and bottom metal retain 99% later-added blue and the
	dark pewter with some small blemishes but retains nice remnants of		frame is a silver patina, the surfaces have been engraved with areas of
	case-hardened color under the lever and on the water table with hints of		tight flowing scroll with the work remaining crisp and the left-swinging
	faint color scattered about, the pheasant and partridge found on the flats		lever's screw head and the tang safety show nice fire blue. The
	have fantastic blue undertones and all engraving remains crisp. The		checkered walnut straight-grip buttstock and forend with inlaid horn tip
	checkered walnut straight-grip buttstock with what looks to be a London		are near excellent with a 3/4" hairline crack at the right rear of the
	Guns red recoil pad has a very attractive fleur-de-lis checkering pattern		forend, some light fabric impressions from storage and some small
	and is very good plus, there is a small drying crack that follows the grain		blemishes. The length-of-pull is 14 1/2" with drops of 1 1/2" and 1 7/8"
	near the right-side toe and some light-to-moderate signs of handling with		and the butt is cast-on for a left-hand shooter. The ejectors are strong,
	the feathercrotch figure being quite nice and near all its original finish		there are double triggers that are swept to the left and the safety is
	left. The semi-beavertail forend with ebony inlay at the tip is very good,		automatic. Included is a leather luggage-style case with fitted red baize
	there are two hairline cracks on the left rear with more attractive grain		interior. The outside of the case has a weathered look with bumps and
	÷		
	figure and fleur-de-lis checkering. The length-of-pull is just shy of 14"		bruises throughout, the interior has been re-lined and is excellent with a
	with drops of 1 3/8" and 1 3/4". All serialized parts are matching, the		pristine Westley Richards label affixed to the lid. A really nice
	ejector is quite strong and the barrel locks up tight and on-face. With		turn-of-the-century Westley Richards made for a lefty but
	only around 40 of these shotguns produced in 1920 this is a scarce and		perfectly-suitable from both sides. (22B9741-1) {C&R} (2000/3000)
	very desirable piece of Ithaca history. (22D9768-24) {C&R} (4000/6000)		Est. 2,000 - 3,000
			2,000 0,000
	Est. 4,000 - 6,000		
413	AYA No. 2 Sidelock Double Ejectorgun		
	serial #283-99, 20 ga., 27" Briley screw-choke barrels with excellent		
	bores. The barrels and lever retain 99% original blue with faint silvering		
	at the muzzles and at the tip of the lever and a nice bit of tight scroll		
	engraving on the rib. The triggerguard with right-side rolled edge has a		
	slight bit of wear to silver along the tang where a right-hand shooter's		
	palm would rest. The locks and frame have been full-engraved with tight		
	flowing foliate scroll and geometric patterns, they retain 99% plus		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and the wraparound checkering is tight. The shotgun is equipped with gold		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and the wraparound checkering is tight. The shotgun is equipped with gold		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and the wraparound checkering is tight. The shotgun is equipped with gold line dial-style cocking indicators, ejectors and double triggers, included are two Briley tubes, modified and improved cylinder. The length-of-pull		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and the wraparound checkering is tight. The shotgun is equipped with gold line dial-style cocking indicators, ejectors and double triggers, included are two Briley tubes, modified and improved cylinder. The length-of-pull is 14 1/4" with drops of 1 1/2" and 2 1/2" with the butt being slightly		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and the wraparound checkering is tight. The shotgun is equipped with gold line dial-style cocking indicators, ejectors and double triggers, included are two Briley tubes, modified and improved cylinder. The length-of-pull is 14 1/4" with drops of 1 1/2" and 2 1/2" with the butt being slightly cast-off. A solid smallbore Aguirre & Aranzabal shotgun ready for the		
	flowing foliate scroll and geometric patterns, they retain 99% plus original deep case-hardened color with nicely-contrasting dark blues and hints of straw. The checkered walnut straight-grip buttstock with Old English Pachmayr pad and splinter-style forend are very good with handling marks and blemishes that could easily be associated with a working smallbore shotgun, the dropper points are nicely-defined and the wraparound checkering is tight. The shotgun is equipped with gold line dial-style cocking indicators, ejectors and double triggers, included are two Briley tubes, modified and improved cylinder. The length-of-pull is 14 1/4" with drops of 1 1/2" and 2 1/2" with the butt being slightly		

Est. 2,000 - 2,500

Lot Title/Description

416 Ornate Engraved Remington 11-48 Shotgun by Kurt Jaeger 418 Custom Rizzini Aurum Teutonic Over Under Ejectorgun serial #5837602, 20 ga., 28" ventilated rib barrel choked improved serial #46102, 12 ga., 28" screw-choke ventilated rib barrels with cylinder with a bright excellent bore. This is a stunningly embellished excellent bores. The barrels, lever and triggerguard retain 99% original shotgun by this well-known German master, no doubt done when he blue with border engraving around the breech and splashes of scroll on was at the Ramstein Rod & Gun Club post-war. The metal surfaces the lever and triggerguard. The coin-finishes frame is excellent and has retain about 98% plus excellent quality post-engraving blue. The rib has been extensively-engraved by the Bottega C. Giovanelli Firm, signature been expertly fitted with a nice aluminum ventilated rib by Polychoke is next to the triggerguard. The engraving features wonderful relief game with dual beads, and features nice sprays of open foliate scroll scenes right and left with crisp interlocking floral patterns found engraving to the left and right of the rib. The receiver features extensive throughout. The finely-figured checkered walnut forend with Schnabel tip full coverage engraving with exceptional quality open flowing Germanic and customized buttstock with round knob pistolgrip are excellent, there foliate scroll with the very finest background stippling accenting the are some very minor signs of handling and the grain patterns are engraving wonderfully. The scroll coverage is near full but for game fantastic with subtle fiddleback figure left and subtle crotch figure right. scenes on left and right flats. The left shows two ringneck pheasants, a The stock has been expertly lengthened by the folks at New England hen taking flight and a cock on the run, showing a setter at the rear of Custom Gun, they used a beautiful 1 9/16" piece of walnut to extend the the scene on point, the animals beautifully inlaid and engraved in silver. length-of-pull to 15 5/8" with drops of 1 1/2" and 2 1/2". The safety is The right side game scene is of waterfowl amidst a marsh scene, the non-automatic, the chambers are 3", the trigger is single selective and birds also inlaid in silver, a mallard at the rear of the scene, the two the ejectors are strong. Included is the original hard case with the waterfowl at the front of the scene are missing a small portion of their original Rizzini wooden buttplate and a set of five choke tubes: extra full, inlays, the head of the center one is gone and the body of the forward full, improved modified, modified and improved cylinder. A very attractive duck missing; perhaps something that a professional engraver may be custom shotgun perfectly-suited for a slightly taller-than-average individual. (22C9830-13) {MODERN} [Dr. William C. Nugent Collection] able to rectify. The left side of the receiver is very neatly signed by the engraver below the Remington model designation "Kurt Jaeger Mainz", (2000/2500) the serial number as well neatly hand-engraved and moved to the Est. 2.000 - 2.500 Beretta S-3 EL Over Under Sidelock Ejectorgun bottom forward of the receiver. The aluminum triggerguard as well 419 serial #17825, 12 ga., 26 1/2" solid rib barrels choked improved modified shows the same lovely foliate engraving on its surfaces with the bright aluminum beneath providing a lovely stunning contrast. The bolt and and full with excellent bores. The barrels and lever retain 99% original carrier have been neatly engine-turned and show very little wear, the blue with very faint wear at the muzzle and at the lever's tip with the center of the carrier with a tiny bit of oxidation staining. The stocks maker's mark on the left bolster. The excellent-condition sidelock action. appear to be English walnut and are exquisitely embellished as well, forend metal, triggerguard and lever have been extensively and showing beautiful marbled grain figure throughout and the left side with intricately-engraved with loose floral scroll, more detailed floral motifs a nice rounded cheekpiece. The stocks themselves rate about excellent around the fences and fine-line shading, the signature "U.G." is found to showing crackling varnish finish rather than any mentionable handling the right of the triggerguard. The checkered straight-grip Turkish walnut marks, a few showing atop the comb. The forend is overall relief-carved buttstock and shallow finger-groove forend are very fine to excellent with in a wide oakleaf pattern, again with extremely fine background a very light coat of added varnish and scattered light blemishes, the stippling. The buttstock shows the same excellent quality relief scroll at wood figure is fantastic with attractive coffee and caramel-colored the grip with a very nice pheasant game scene on the right side of the swirling grain patterns. The toe is slightly cast-off with a 14 5/8" length of butt in a somewhat rococo border. The scalloped ebony-colored hard pull with drops of 1 3/8" and 2 3/8". The gun features dial-style cocking rubber gripcap features faux ivory inlays emanating from the center indicators, 2 3/4" chambers, double triggers, Greener-style crossbolt button and the arm has been fitted with a 1" ventilated recoil pad with closure and a non-automatic safety. Just an awesome example of Italian the Ramstein Rod and Gun club name on its rear; the arm features a skill and craftsmanship combining to create a fully-functional work of art 13/2" length of pull. Kurt Jaeger's work is very sought-after these days (22C9818-2) {C&R} (5000/7000) and is becoming more difficult to find, this is a stunning example of that Est. 5,000 - 7,000 420 Merkel 200E Over Under Ejectorgun gifted gunsmiths work. It was no doubt made for some Major or Colonel stationed at the base, who appears to have used it very little serial #47784, 20 ga., 28" solid rib Bohler Stahl barrels choked tight post-embellishment. A wonderful example of the makers art in steel and cylinder in both with excellent bores. The barrels and triggerguard retain walnut. (3B9884-1) {C&R} (2500/4000) near 99% original blue with some very faint wear at the muzzle and a Est. 2,500 - 4,000 crisp maker's mark on the left diagonal bolster. The barrels, forend metal Ithaca Minier Model Grade 4E Double Ejectorgun 417 and frame all show matching "47784" serial number. The scalloped serial #143852, 12 ga., 28" barrels choked improved cylinder in both boxlock frame retains perhaps 70-75% original beautifully-contrasting with bright about excellent bores which show some sparsely scattered case-hardened color with wear to a pleasing gunmetal patina along the very light remnants of light oxidation or perhaps light pitting, the right belly and top tang and the tip of the blued lever toning to silver. The tube shows a couple old raised dents which were well done. The Minier frame also displays crisp scroll and borderline engraving with geometric model is seldom-encountered, even more-so in a graded gun. The patterns on the hinge pin and gold pin-style cocking indicators. The barrels retain about 98-99% excellent quality restored rust blue, the rib checkered walnut straight-grip buttstock and three-piece forend are near with dual beads. The Grade 4 engraved frame and the attendant metal excellent as slightly-modified, there are scattered small blemishes and a parts have been lightly, carefully cleaned and are a silvery gunmetal 1 1/2" piece has been expertly fitted at the butt, the length-of-pull remains a very manageable 14 1/2" with drops of 1 5/8" and 2 3/4", the patina showing the nice early excellent quality scroll and gun dog toe is ever-so-slightly cast-off. The gun features ejectors, double triggers vignettes left and right these grade fours were known for. The motif continues onto the belly with a flying drake mallard duck and a and a non-automatic safety with dual under bites and Kersten crossbolts keeping the lock-up tight and barrels on-face. A solid Merkel for the woodcock on the bow of the guard. There are a few light remnants of some very light pitting, they are sparse and unobtrusive. The straight hunter who enjoys the best in fine German firearm engineering. (22B9818-1) {C&R} (1500/2000) grip American walnut stock rates excellent as carefully refinished many years ago, the checkering pattern neatly chased . It shows the beginning Est. 1.500 - 2.000 of a 1" crack at the right cheek and a repaired chip at the left edge of the lower cheekpiece. The length of pull to the solid red recoil pad is 13 7/8" with drops of 1 1/2" and 2 3/8". The beavertail forend rates excellent as well, its checkering pattern nicely chased and the ebony forend tip intact. The gun locks up tightly with the top lever still right of center and features automatic safety, double triggers and ejectors. Currently the right ejector does not trip, the left works as-designed and the top lever-bolt catch spring is a modern slightly modified replacement, yet works perfectly. A solid and rare Minier-model grade 4E that likely will perform well afield after a bit of attention to the right ejector. (3B9771-6) {C&R} (2000/2500)

421	Weatherby Athena Grade IV Field Master Sideplate Boxlock Ejectorgun	425	Perugini & Visini Maestro Boxlock Double Ejectorgun
	Skeet Set		serial #2710, 12 ga., 29 1/2" solid rib monobloc barrels choked modified
	serial #D005970, 12 ga., 28" ventilated rib barrels choked skeet in both		and improved modified with excellent bores. The barrels, lever and
	with excellent bores. This is a skeet gun set complete with six as-new		guard retain 98-99% original blue with some very slight thinning, faint
	• ·		
	aluminum Briley inserts with each top and bottom being scratch-marked		edge wear and the maker mark in gold on the left-side bolster. The
	"970". The inserts are .410 Bore, 28 ga. and 20 ga, each with a nicely		engraved frame is coin-finished and remains excellent, the metal
	engine-turned breech and extractor and each choked skeet. The barrels		surfaces have been expertly-engraved with both loose and tight scroll
	retain 99% original blue with a deep plum undertone, there is an		with roses and incredibly-detailed floral bouquets, the signature of P&V
	engraved border around the breech with a small silver mid-rib bead and		Master Engraver "RGreco" is found next to the triggerguard. The
	•		
	a large white front. The coin-finished sideplates and frame are excellent		checkered French walnut capped pistolgrip buttstock and forend are
	with tasteful splashes and wedges of loose scroll engraving and a gold		near excellent with a couple small blemishes, the fiddleback figure is
	crown on the lever. The high-gloss checkered claro walnut buttstock with		very attractive and the checkering sharp. These shotguns are provided
	rosewood-capped pistolgrip and finger-groove forend are excellent with		with two trigger groups, currently the single trigger is installed and a
	fantastic figure, there are nice tight burls in the forend with bold		double trigger unit is included, swapping triggers is accomplished by
	6		
	fiddleback figure in the butt. The safety is non-automatic, the ejectors		simply pulling back on the tang safety. The length-of-pull is 14 3/8" with
	are strong, the single selective gold trigger shows some wear to silver		drops of 1 3/8 and 2", the non-automatic safety is marked "SICURA"
	on the right-side, the chambers are 2 3/4" with a 14" length-of-pull with		and "BLOCCATO" and the shotgun is sighted with two silver beads.
	drops of 1 3/8" and 2 1/2". Included is a Zero Corporation		Included is a Maestro-marked hard case. A correspondence with
	Weatherby-marked fitted aluminum hard case with Briley instruction		Perugini & Visini indicates that this Maestro was manufactured and
	sheet. The perfect all-around set for the avid skeet-shooter in a compact		exported from Italy in December of 2001. (22D9839-1) {MODERN}
	easily-transported package. (22B9838-4) {MODERN} (2000/3000)		(4000/6000)
	Est. 2,000 - 3,000		Est. 4,000 - 6,000
422	Lefever E Grade Sidelock Double Shotgun by Turnbull	426	Fantastic Ithaca Flues Model Grade 3 Boxlock Double Ejectorgun
	serial #49006, 12 ga., 30" Krupp Flussstahl barrels choked cylinder and		serial #209500, 10 ga, 32" barrels with excellent bores. The "KRUPP
	full with excellent bores. The barrels and triggerguard retain 99%		FLUID STEEL" marked matted rib barrels retain about 99% strong
	66 6		ů,
	high-quality restored blue with the breech border engraving and other		museum-quality restored rust blue with a geometric border engraved at
	markings remaining crisp. The sideplates, frame and forend metal have		the breech, detailed jeweling on the breech face and some wear at the
	been expertly-rejuvenated as only Turnbull can with deep contrasting		muzzle. The No. 3 engraved frame displays stunning case-hardened
	colors found throughout. The metal surfaces also show crisp, detailed E		color with wedges of tight scroll, geometric borders and patterns and
	Grade engraving with hunting dogs right-and-left, a duck on the		game scenes, the right-side shows a hunting dog testing the wind, the
	triggerguard, wedges of scroll and nice pattern borders. The checkered		left-side another hunting dog and the belly shows a goose in the midst o
	select walnut buttstock with checkered hard rubber "LAC" buttplate and		a water take-off. The checkered walnut pistolgrip buttstock with ebony
	splinter-style forend are very good plus with two roughly 1/2" filled areas		cap and splinter-style forend with ebony inlaid tip are excellent with
	on the left side and some handling marks along the toeline with		superb feathercrotch grain pattern appearing to emanate from the tip of
	absolutely fantastic burl grain figure. There is a bit of lateral play in the		the comb, they retain nearly all their original finish with some scattered
	barrels, they are slightly off-face and are warped slightly to the right. The		blemishes and a couple compressed points. All parts show matching
	shotgun is equipped with silver pin-style cocking indicators on each side,		"209500" serial number, the chambers are 2 7/8", lock up is tight and
	double triggers, an automatic safety and the ejectors have been		the shotgun weighs in at 11 1/2 lbs., it is housed in a dark brown
	disabled. A very attractive restoration from the folks in Bloomfield, NY.		leg-o-mutton case in about very good condition. An absolutely superb,
	(22B9806-1) {C&R} (2500/4000)		investment quality big bore Ithaca Grade 3 Flues shotgun. (22C9700-2)
	Est. 2,500 - 4,000		{C&R} (2000/3000)
400			
423	Browning Superposed Pigeon Grade Skeet Over Under Shotgun Two		Est. 2,000 - 3,000
	Barrel Set	427	L.C. Smith Field Grade Featherweight Sidelock Double Shotgun
	serial #51988 S6, 12 ga., 28" ventilated rib barrels choked skeet in both		serial #FW72788, 16 ga., 26 1/2" barrels choked modified and full with
	with excellent bores and 20 ga.,, 28" ventilated rib barrels choked skeet		excellent bores. This shotgun has seen a museum-quality restoration
	in both with excellent bores. Both sets of barrels retain 99% original blue		and, although the gun is not signed, looks like the high-quality work
	with some very minor edge wear and the typical rub mark from		typically-seen coming from Turnbull Restorations. The barrels and
	forend/barrel removal, each set are marked with matching "5198 S6".		triggerguard retain 99% deep blue with both barrel addresses crisp and
	The engraved silver gray frame is excellent with two pigeons surrounded		legible. The sideplates and frame retain 99% vivid color case-hardening
	by scroll right and left, oak leaf motif around the fence and bolsters and		with very attractive swirls of blue, straw and brown and crisp "L.C.
	tight floral scroll on the belly and triggerguard. Each barrel set is		SMITH" on both sides. The checkered walnut capped pistolgrip
	equipped with its own forend, the 12 ga. forend is near excellent with a		buttstock with Hawkins pad and splinter-style forend are near excellent
	small hairline crack forming on the left-side at the bolster and light		condition, likely replacements, with two shallow drag marks on the
	handling marks, the 20 ga. forend is excellent with less evidence of		left-side butt being the only notable blemishes. The length-of-pull is 13
	handling. The high-gloss checkered walnut round-knob pistolgrip		5/8" with drops of 1 1/2" and 2 5/8" and the barrels are on-face and tight
	buttstock with double white line pad is very good plus to near excellent		Shotgun is equipped with double triggers, an automatic safety and
	with the typical crackling and a bit of flaking around the bottom tang and		extractors. A very attractive restoration for one of these popular
	forend metal. There is a small filled area on the left butt obviously		Featherweight Smiths. (22B9789-20) {C&R} (1200/1800)
	factory-done and the figure is outstanding with very prominent		Est. 1,200 - 1,800
	, , , , , , , , , , , , , , , , , , , ,		
	slightly-iridescent fiddleback pattern. The single selective trigger has	428	Custom Mannlicher Schoenauer Model 1910 Takedown Bolt Action Rifle
	worn to silver toward the middle and right-hand side, the safety is		with Kenyan Retailer Marking
	non-automatic, both sets are sighted with a small mid bead and an		serial #8374, 9.5x57 (375 RNE), 28" barrel with an excellent bore. The
	orange fiber optic-style front and the ejectors are strong. Included is an		metal surfaces retain 99% maker blue with some small blemishes and a
1	s and the second s		few faint freckles scattered about, the barrel is marked "SPECIALLY
	excellent-condition factory fitted lungage-style case. A well-cared for		
	excellent-condition factory fitted luggage-style case. A well-cared-for		MADE FOR CHAS. A. HEYER & CO". All original factory markings are
	1967 Pigeon set sure to be a versatile companion on the skeet field.		
	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000)		crisp, interestingly the barrel and receiver are marked "8374" and the
	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000		crisp, interestingly the barrel and receiver are marked "8374" and the underside of the butter knife bolt handle is marked "8375" no doubt a
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000)		
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin,
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice with well-defined dropper points and sharp checkering. There is a single		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the triggerguard. The rifle is sighted with a small German silver blade front
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice with well-defined dropper points and sharp checkering. There is a single trigger and the length-of-pull is 14 1/2" with drops of 1 1/2" and 2 1/8". At		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the triggerguard. The rifle is sighted with a small German silver blade front sight and four-leaf rear barrel sight with a fixed 100 meter shallow
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice with well-defined dropper points and sharp checkering. There is a single		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the triggerguard. The rifle is sighted with a small German silver blade front
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice with well-defined dropper points and sharp checkering. There is a single trigger and the length-of-pull is 14 1/2" with drops of 1 1/2" and 2 1/8". At just over 6.25 lbs. this is an agile and desirable hard-to-find British		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the triggerguard. The rifle is sighted with a single Graman silver blade front sight and four-leaf rear barrel sight with a fixed 100 meter shallow V-notch and the flip-up leaves graduating to 500 meters. A solid
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice with well-defined dropper points and sharp checkering. There is a single trigger and the length-of-pull is 14 1/2" with drops of 1 1/2" and 2 1/8". At just over 6.25 lbs. this is an agile and desirable hard-to-find British smallbore double. (229824-1) {C&R} (2000/4000)		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the triggerguard. The rifle is sighted with a single German silver blade front sight and four-leaf rear barrel sight with a fixed 100 meters. A solid Mannlicher big bore made for the Chas A. Heyer Company of Nairobi,
424	1967 Pigeon set sure to be a versatile companion on the skeet field. (22C9789-2) {C&R} (3500/5000) Est. 3,500 - 5,000 Harrison & Hussey Smallbore Scalloped Boxlock Double Ejectorgun serial #8206, 20 ga., 27 1/2" barrels choked modified and tight full with excellent bores. The metal surfaces retain near 99% original blue with some small factory blemishes on the frame and minor slot damage to a few screw heads, "HARRISON & HUSSEY LONDON" is marked on the rib. The checkered walnut straight-grip buttstock with checkered butt and beavertail-style forend are very good plus with some signs of handling and shallow impact marks around the butt, the figure is subtle but nice with well-defined dropper points and sharp checkering. There is a single trigger and the length-of-pull is 14 1/2" with drops of 1 1/2" and 2 1/8". At just over 6.25 lbs. this is an agile and desirable hard-to-find British		underside of the butter knife bolt handle is marked "8375" no doubt a mere factory error. The checkered walnut capped pistolgrip takedown stock is very good plus as lightly-refinished with some scattered light handling marks and the checkering worn mostly flat-top. The serrated horn buttplate is intact although it has begun to develop age cracks, the grip cap has a neat quick-release feature that reveals a tiny compartment underneath and the rifle is equipped with a single trigger. The takedown feature works as it should by pulling the front stock pin, removing the magazine and manipulating a small lever to the front of the triggerguard. The rifle is sighted with a single Graman silver blade front sight and four-leaf rear barrel sight with a fixed 100 meter shallow V-notch and the flip-up leaves graduating to 500 meters. A solid

429	Winchester Pre-War Model 70 Super Grade Bolt Action Rifle	433	Colt Single Action Army Revolver
	serial #19698, 220 Swift, 26" barrel with an excellent bore. The barrel		serial #171813, 45 Colt, 7 1/2" barrel with a bright excellent bore. This is
	and receiver retain perhaps 98% original blue, there is some faint wear		a very handsome Colt Single Action that was redone at some point by
	at the muzzle and some very light freckling toward the breech end of the		
			the factory. The barrel and ejector rod housing retain 98 to near 99%
	barrel. The triggerguard, checkered buttplate and floorplate have toned		original blue, the only true loss being some very light left side muzzle
	to mostly silver with some original blue visible on the flats, the bolt body		wear, also showing a widely scattered sparse spot of surface oxidation
	is mostly bright with matching serial number and the knob shows faint		here or there, the barrel likely a more-modern replacement from the time
	pewter undertones. All factory markings remain crisp. The wraparound		of the factory refinish. The triggerguard, grip frame and cylinder retain a
	checkered walnut stock with capped pistolgrip, left-side cheekpiece,		similar amount of blue, again with perhaps the sparsely scattered
	ebony tip and Super Grade swivels is perhaps very good with a		surface oxidation spot here or there, but they are unobtrusive, the
	lightly-added finish many years ago, some flaking and scattered light		triggerguard showing a minor scratch. The frame remains lovely with
	handling marks. The stock shows some hints of nice fiddleback figure		99% factory color case-hardening, again with a few speckles of light
	particularly toward the butt and the hard rubber grip cap remains		surface oxidation here or there. The bright-polished sides of the hammer
	excellent. This rifle was manufactured in 1938 and is in overall very fine		remain brilliant and the gun seems to function flawlessly mechanically.
	condition. The rear barrel dovetail is filled with a blank, the front sight is		The interior of the triggerguard, grip frame and face of cylinder are all
	a hooded brass bead, there are two later-added drilled and tapped holes		stamped "211", being a Colt assembly code for internal use when an
	in the rear bridge and a Lyman 48WJS aperture sight is mounted to the		arm is disassembled and refinished. The checkered hard rubber
	receiver. A great Pre-War varmint rifle known for its reliability and		Rampant Colt grips rate very fine showing only light wear, they fit
	•		
	durability. (22B9789-63) {C&R} (2500/4000)		perfectly and are un-numbered. A beautiful antique Colt revolver made
	Est. 2,500 - 4,000		in 1897 that appears very nearly as-new following its factory refinish.
430	Custom Engraved Ruger No. 1-H Tropical Falling Block Rifle		(3B9827-3) {ANTIQUE} (2000/3000)
	serial #134-20214, 450/400 Nitro Express 3", 24" heavy barrel with an		Est. 2,000 - 3,000
	excellent bore. The barrel and lever retain 99% original blue while the	434	Colt Single Action Army Revolver
	frame retains 99% maker blue with nicely-engraved silver game scenes		serial #273739, 38 Colt, 5 1/2" barrel with a bright excellent bore. The
			· · · · · ·
	and tight detailed floral scroll with black ink background motif on each		barrel and ejector housing retain perhaps 90-92% original blue showing
	flat, a cape buffalo right and a lion left. The checkered walnut Alexander		muzzle wear and wear on the outer edge of the housing, with some very
	Henry forend is very good with some light impact marks on the		miniscule scratches or handling marks. The cylinder retains perhaps
	right-side, the checkered walnut capped pistolgrip buttstock with black		85-90% blue, showing numerous light rotational marks or scratches. The
	rubber pad is excellent. There is an adjustable flip-up white diamond		grip frame and triggerguard retain about 98% original blue showing light
	rear sight affixed to the quarter rib and there is a brass bead front sight.		sharp edge wear and some very miniscule handling marks. The frame
	The giant 450/400 N.E. cartridge and the tasteful engraving make this		and hammer are quite nice retaining perhaps 98% original color
	an excellent rifle for the hunter looking to add a little something extra to		case-hardening, fading somewhat on the left outer edge which shows
	their next dangerous big game hunt. (22C9740-11) {MODERN}		one small silvery spot with some extremely light pinprick pitting. The
	(2000/3000)		screws all show nice fire blue, silvering somewhat on the higher
	Est. 2,000 - 3,000		protruding areas, and there are a couple freckles of very light surface
404			
431	Remington New Model Army Percussion Revolver		oxidation on the right of frame. The arm wears a pair of period stag grips
	serial #93383, 44 cal., 8" octagon barrel with a bright excellent bore. The		which show nice yellowing with age and while un-numbered fit extremely
	serial #93383, 44 cal., 8" octagon barrel with a bright excellent bore. The revolver is in standard configuration except there is no serial number on		which show nice yellowing with age and while un-numbered fit extremely well, the frontstrap being just slightly proud. Interestingly the rear face of
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The		well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the		well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully		well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN}
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various		well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000)
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about		well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000)
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S.
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S.
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE}	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep
	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000)	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard
400	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) (MODERN) (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S" Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S" Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) (MODERN) (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S' Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small faming bomb and circled "1" at the top right egge of the socket and on the chamber beneath the handguard. The rifle is equipped with
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S" Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly period, fit beautifully and are very likely original. The hammer shows a	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S" Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece (again Savage-marked) and Mark I rear and front sights. One
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S" Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly period, fit beautifully and are very likely original. The hammer shows a medium gray brown patina and remains smooth with some light	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S" Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece (again Savage-marked) and Mark I rear and front sights. One
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grian feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of farme. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly period, fit beautifully and are very likely original. The hammer shows a medium gray brown patina and remains smooth with some light oxidation staining. A very crisp Lightning. (1B9898-11) {ANTIQUE}	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) {MODERN} (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S' Savage-marked and there is a lightly-struck "P" at the back of the both handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece (again Savage-marked) and Mark I rear and front sights. One un-numbered S-marked magazine and an unmarked original canvas sling are included and the action seems to function well mechanically.
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly period, fit beautifully and are very likely original. The hammer shows a medium gray brown patina and remains smooth with some light oxidation staining. A very crisp Lightning. (1B9898-11) {ANTIQUE} (2000/3000)	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) (MODERN) (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S' Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece (again Savage-marked) and Mark I rear and front sights. One un-numbered S-marked magazine and an unmarked original canvas sling are included and the action seems to function well mechanically. This important rifle would make for an excellent addition to any
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grian feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of farme. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly period, fit beautifully and are very likely original. The hammer shows a medium gray brown patina and remains smooth with some light oxidation staining. A very crisp Lightning. (1B9898-11) {ANTIQUE}	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) (MODERN) (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S' Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece (again Savage-marked) and Mark I rear and front sights. One un-numbered S-marked magazine and an unmarked original canvas sling are included and the action seems to function well mechanically. This important rifle would make for an excellent addition to any American or British martial arms collection. (13B9735-13) (C&R)
432	revolver is in standard configuration except there is no serial number on the bottom of the barrel and no evidence of one ever being present. The serial number listed was taken from the left side of the gripframe at the butt. The condition of the revolver is very fine. The barrel address is fully legible as are numerous sub-inspector's initials which appear on various parts of the revolver. The metal surfaces of the revolver retain about 65% bright original blue finish. The loss is due primarily to flaking which is most prevalent on the right side of barrel and rammer as well as the cylinder. There is one notable ding on the left side of the frame between the screws and a couple more minor dings along the frame edge beneath the cylinder. The hammer shows nice faded original color case hardened finish and the brass triggerguard shows a lovely patina. The two-piece walnut grips rate excellent with virtually all of their original finish remaining, having nice raised grain feel and a perfect cartouche on left grip. This is a very nice New Model Army with odd unnumbered barrel that appears original in all respects. (1B9833-92) {ANTIQUE} (2000/3000) Est. 2,000 - 3,000 Colt Model 1877 Lightning Double Action Revolver serial #27125, 38 Colt, 3 1/2" round barrel with an about very good bore with a small area of light oxidation. This revolver is in nickel plated finish and shows a fully visible etched panel on left side of barrel. The metal surfaces of the revolver retain 98% bright original nickel plated finish with just the finest flaking starting on left side of frame. All markings in metal remain crisp and clear. The mother-of-pearl grips are clearly period, fit beautifully and are very likely original. The hammer shows a medium gray brown patina and remains smooth with some light oxidation staining. A very crisp Lightning. (1B9898-11) {ANTIQUE} (2000/3000)	435	well, the frontstrap being just slightly proud. Interestingly the rear face of the cylinder is numbered "353" but the arm times and locks up well and functions properly mechanically. Really a very attractive smaller bore Single Action Army manufactured in 1906. (3B9908-25) (MODERN) (2000/3000) Est. 2,000 - 3,000 Very Rare Pre-Production Savage No. 4 MKI Enfield Bolt Action Rifle 303 British, 25" six-groove barrel with a bright excellent bore. This is an interesting rifle that, according to the consignor, came out of Springfield Armory. Given the characteristics of the arm it is no doubt a pre-production example likely retained as a sample piece. Production of the No. 4 rifle by Savage began at the end of 1941, this example is dated 1941 and remains un-serialized and is not marked "U.S. PROPERTY". The metal surfaces retain about 96% original dark gray Parkerized finish showing some silvering near the muzzle, some scattered light handling marks and a few small areas toning to a deep gray-brown patina. The smooth walnut stocks with grooved handguard remain in very fine condition showing a strong armory oil finish with some scattered light dings, handling marks and a small scuff on the underside of the forend near the tip. All components appear to be properly "S' Savage-marked and there is a lightly-struck "P" at the back of the bolt handle, small flaming bomb on the bolt head, and a small flaming bomb and circled "1" at the top right edge of the socket and on the chamber beneath the handguard. The rifle is equipped with early-style parts one would expect including button head cocking piece (again Savage-marked) and Mark I rear and front sights. One un-numbered S-marked magazine and an unmarked original canvas sling are included and the action seems to function well mechanically. This important rifle would make for an excellent addition to any

436	Very Rare Soviet 1936 Experimental Mosin Nagant Bolt Action Rifle by	4	39	Japanese Type 2 Paratrooper Arisaka Bolt Action Rifle by Nagoya
	Tula			serial #1277, 7.7 Arisaka, 26" barrel with a bright excellent bore. The
	serial #02259, 7.62x54mmR, 29" barrel with a bright near excellent bore			metal surfaces of this rifle retain about 92% original blue showing some
	showing a few scattered light pits and strong rifling throughout. This is a			thinning along the front band, muzzle and bottom metal, a few small
	very nice example of what is sometimes referred to as the "Simonov"			areas of minor oxidation staining and other handling marks. The rear
	trials rifle or "stable rifle", made in small numbers in 1936 and featuring			barrel band and buttplate have mostly toned to dark gray patina and the
	experimental pillar bedding, single piece barrel bands and rather			receiver ring shows a partially bright grind mark from where the
	Mauser-like nosecap with bayonet lug to accept a blade-style bayonet.			chrysanthemum was removed, also removing part of the model
	They also featured a unique front sight, though it has been lost on this			designation. The smooth Asian hardwood stocks remain in very good
	example and replaced with a standard 91/30 front sight. The metal			plus to perhaps very fine condition showing remnants of original finish
	surfaces retain about 80% original blue showing overall thinning and			with the usual scattered light dings and mild abrasions overall. A few of
	toning to deep gray-brown patina along with some sparsely scattered			the screws remain staked, the wedge is numbered "1" though its screw
	light oxidation staining and minor handling marks. The bolt remains			head is matching the remaining assembly-numbered parts with "32".
	partially bright showing some overall gray freckling and minor pinprick			The bolt parts and front band are matching the receiver by serial number
	pitting. The barrel shank markings remain crisp and clear showing			and the dust cover is a mismatched "623". An original long cleaning rod
	strong inspector stamps, Tula arsenal star, 1936 date and serial			is present, the action seems to function well mechanically and the two
	number. The smooth hardwood stock and handguard remain in very			halves lock together securely. A fine example of these desirable
	good plus condition retaining about 94% of their distinctive deep			Japanese paratrooper rifles. (13B9793-18) {C&R} (1800/2200)
	reddish-brown, almost black, original varnish showing a thin 2 1/2" crack			Est. 1,800 - 2,200
		4	40	Early Soviet SVT-40 Semi-Auto Rifle by Podolsk
	on the left side ahead of the sling escutcheon, overall light dings, mild	4	40	• •
	abrasions and other minor handling marks. The stock retains strong			serial #OP2669, 7.62x54mmR, 24 1/2" barrel with a fair bore showing
	small inspector marks scattered about, a very nice Tula star with 1936			darkness and moderate oxidation in the grooves with some good rifling
1	cartouche on the right butt and "??-??-3?" experimental designator on			throughout. The metal surfaces of this 1940-dated rifle retain about
1	the left side. The rifle is fitted with simple sling swivel bars, all of the			85-90% original blue with loss due to thinning to pewter along the action
	serialized parts are matching and appear to be of Tula production, there			cover and overall mild high edge wear, some scattered tiny spots of
	are no added import marks and the action seems to function well			minor oxidation staining and light handling marks. The bolt and carrier
	mechanically. A very fine example of an extremely desirable			remain in-the-white toning to a pewter gunmetal patina with some areas
	experimental Mosin that would make an excellent addition to any			of mild gray-brown freckling. All markings remain crisp and clear. The
	advanced martial collection. (13C9807-102) {C&R} [Vincent Coniglio			smooth hardwood stock and handguard remain in very good condition
1	Collection] (3500/5000)			retaining a healthy amount of original shellac with the stock showing a
	Est. 3,500 - 5,000			lengthy 17" thin crack along the right side running back from the band,
437	Commercial British Long Lee MKI* Bolt Action Rifle by LSA Co.			this shows an old period repair with a number of pins inserted through
	Regulated by G. Fulton			the top edge, visible when the handguard is removed. Beyond this the
	serial #6320 / 4910, 303 British, 30 1/4" barrel with a bright excellent			stock shows the usual expected overall light to perhaps moderate dings
1	bore. This is a very handsome rifle retaining about 80% original blue			and mild abrasions and is clearly stamp-numbered matching on the left
1				side butt also showing a nice Podolsk cartouche and the "1940" date
	with most of the loss due to some overall light oxidation staining and			-
	mild freckling, some light pitting along the bottom of the magazine and			obscured somewhat by a moderate dent. An original cleaning rod is
	triggerguard and small areas toning to a deep gray-brown patina. All			present along with the earlier 8-hole piston cover. All of the serialized
1	markings remain crisp and the arm is stamped with commercial proof			parts are matching aside from the magazine, the arm bears no Finnish,
	marks, "G. FULTON" atop the barrel shank, "632O" serial number on the			import or refurbishment markings and the action seems to function well
	receiver ring and another number "4910" on the top right edge of the			mechanically. The included magazine is numbered "AK736.2", shows
	socket. The barrel is numbered "X128" beneath the handguard, stamped			two Finnish property stamps on the floorplate and retains most of its
1	"NITRO PROOVED" along with commercial proofs, circled "E" and			arsenal blue with some light pitting beneath the finish. An attractive and
	circled "V". The smooth walnut stocks remain in very good plus condition			desirable Podolsk for the martial arms collector. (13B9807-100) {C&R}
				. ,
1	showing overall light dings and dents from moderate use with otherwise			[Vincent Coniglio Collection] (1800/2200)
	generous amounts of fine period varnish and lovely tiger stripe grain			Est. 1,800 - 2,200
	figure throughout. There is a vacant hole and 2" neatly filled inlet ahead	4	41	Scarce Czechoslovakian vz.54 Bolt Action Sniper Rifle
	of the brass buttplate upper tang, perhaps originally intended for some			serial #E4733, 7.62x54mmR, 27 1/2" barrel with a bright excellent bore.
	sort of heel-mounted rear sight, along with three small nail holes and			The metal surfaces of this rifle retain about 98% Czech arsenal blue and
1	faint outline of a shield shape on the right side butt, no doubt where			black enamel finishes showing some light flaking along the barrel band
	some manner of monogram plate or prize presentation once was. The			and a few scattered mild freckles along the barrel. All markings remain
	bolt is matching by number "4910", the magazine remains chained to			crisp and clear with arsenal "she" code and "57" date along with military
	the triggerguard and the magazine cutoff, volley sights and dust cover			proof marks. The arm also shows more modern 1992 Czech commercial
	are intact. The action seems to function well mechanically and features			proofs on the receiver and barrel and does not appear to be
	a very nice single-stage trigger pull. Also included is an original canvas			import-marked. The smooth pistolgrip hardwood stock and handguard
	sling with leather attachment tabs marked "BISLEY WORKS / AGA" on			remain in very fine to near excellent condition retaining most of their light
	the leather that rates very good, the leather with some mild to perhaps			arsenal varnish with some scattered light dings and a couple tiny
	moderate crackling and the canvas with mild staining. A very fine rifle			scratches below the scope mount. The mount is numbered "Z1005" and
	worked on by this renowned Bisley gunsmith. (13B9807-187) {C&R}			the original 2.5 power scope is yal-coded serial number "F4809" with
	[Vincent Coniglio Collection] (1500/2000)			German-style reticle and moderately yellowed but serviceable optics. All
	Est. 1,500 - 2,000			of the remaining serialized parts are matching and the action seems to
438	Scarce Japanese Type 99 Arisaka Pressure Test Rifle by Kokura			function well mechanically. A very fine example of these interesting and
	serial #50, 7.7 Arisaka, 26 1/2" barrel with a bright excellent bore. The			desirable sniper rifles, only made for three years. (13B9807-106) {C&R}
	metal surfaces retain about 85% original blue with most of the loss due			[Vincent Coniglio Collection] (4000/5000)
	to overall mild oxidation staining and areas toning to a deep gray-brown			Est. 4,000 - 5,000
	patina. All markings remain intact with the left side receiver stamped			
	only with the Kokura arsenal mark and small "50" on the receiver ring.			
	The Asian hardwood stock remains in about good condition showing a			
1	slightly flexing 2 1/2" crack on the right side behind the chamber, a			
	number of moderate dents and dings scattered throughout with			
	remnants of original finish and chatter marks along the wrist. The barrel			
	÷ •			
	and chamber are matching the receiver, the chamber nut is numbered			
	"10" and the bolt is un-numbered. A nice example of these interesting			
	pressure test guns for the Japanese arms collector. (13A9807-117)			
	{C&R} [Vincent Coniglio Collection] (1500/2000)			
	Est. 1,500 - 2,000			
	200 1,000 2,000			

445

#### Lot Title/Description

Lot Title/Description

Nationale serial #34098, 8mm Mauser, 23" barrel (24 1/2" overall including compensator) with a bright excellent bore. The metal surfaces of this rifle retain about 97-98% original black enamel finish showing a few scattered light flakes along the high edges and bottom of the magazine, some areas of minor bubbling of the finish along the scope body and some other scattered light handling marks. All markings remain intact and crisp and there do not appear to be any import marks. The smooth pistolgrip walnut stock and handguard remain in very good plus condition showing some scattered small but perhaps moderate dings here and there, a few mild abrasions and strong arsenal oil finish. The stock markings remain strong and the brass stock disc shows stamped Arabic writing. The stock and 2.5 power Meopta scope are matching the receiver, the action cover is numbered "34505" and the scope mount "822". The scope features a German-style reticle and slightly yellowed but serviceable optics, a cleaning kit is housed in the butt and the action seems to function well mechanically. The late pattern snipers are equipped with FN factory-offered Echo mounts on-which the Egyptians then fitted their earlier pattern Meopta scopes. A very fine example of these excellent quality military rifles in proper sniper configuration, generally considered the last battle rifle of "old world quality" (13B9807-76) {C&R} [Vincent Coniglio Collection] (3000/5000) Est. 3.000 - 5.000 443 Swedish M41 Bolt Action Sniper Rifle by Carl Gustafs serial #349278, 6.5x55mm Swedish, 29" barrel with a bright very good plus bore showing some scattered tiny pinprick pits and strong rifling throughout. The metal surfaces of this 1915-dated rifle retain about 95% arsenal refurbished blue showing some light high edge wear, a few errant freckles and minor handling marks. The bolt remains mostly bright showing some mild gray freckling and the small parts retain strong fire blue. All markings are intact and strong and the rifle does not appear to be import-marked. The area behind the trigger has been relieved slightly and the trigger itself has been "straightened" somewhat as it is not as curved as a factory example, these discrepancies however are rather unobtrusive. The 3-power AGA M/42 scope is numbered "974" and retains about 96% original blue and black enamel finishes showing some high edge wear and minor handling marks. The scope features a German-style reticle and very slightly cloudy but serviceable optics. The smooth hardwood stock and handguard remain in about very good plus condition showing some scattered fine scratches and mild staining, minor dings and the expected overall light handling marks. The stock shows crisp crown inspector stamps behind the triggerguard and the stock disc is stamped "KIK / i16 / No 1311". The safety is numbered "209", the rear sight parts are "558", the scope base is "1311" while the mount and rings are "1313". The remaining serialized parts are matching and the action seems to function well mechanically. An original front sight hood is present and a set of leather scope covers, leather sling and quick detach swivel showing moderate wear are included. A very good example of these fine Swedish sniper rifles. (13B9807-58) {C&R} [Vincent Coniglio Collection] (1800/2200) Est. 1,800 - 2,200 444 Japanese Type 97 Arisaka Bolt Action Sniper Rifle by Nagoya serial #2667, 6.5 Arisaka, 31" barrel with a bright excellent bore. The metal surfaces of this first series rifle retain about 95% original blue showing some high edge wear, some areas of mild thinning and scattered small spots of minor oxidation staining. The dust cover shows some more moderate old oxidation staining overall toning to a mix of blue and deep plum-brown patina. All markings remain intact and crisp and the chrysanthemum is completely intact and unmolested. The 2.5 power scope retains about 96% original black enamel finish showing some minor flaking and handling marks. As-is typical the scope is mismatched with the mount marked with a first series kanji and number "13182", the scope body is numbered "14363" and the rubber eyepiece has mostly been lost showing some hardened remnants. The optics with correct Japanese reticle are very good showing some scattered fine black flakes in the field of view, otherwise remaining serviceable. The Asian hardwood stock and handguard remain in very fine condition retaining most of their original finish and showing a few darkened areas along the comb, handguard and edges, a mild abrasion along the bottom right edge, some scattered light dings and handling marks. The stock retains crisp kanji stamps behind the pistolgrip and along the toe line. The rifle is equipped with a monopod-style barrel band (sans monopod hardware) and an original cleaning rod is present. The dust cover is numbered "836", the remaining bolt parts and front band are matching the receiver and the action seems to function well mechanically. A very fine Type 97 for the Japanese martial collector. (13B9807-112) {C&R} [Vincent Coniglio Collection] (3000/4000) Est. 3,000 - 4,000

Egyptian FN-49 Late Pattern Semi-Auto Sniper Rifle by Fabrique

	serial #A0054T, 303 British, 25 1/4" barrel with a bright near excellent bore perhaps showing a few areas of faint frosting in the grooves with strong rifling throughout. The metal surfaces of this FR 1962-dated rifle retain perhaps 60% arsenal black enamel finish showing overall flaking to mottled gray patina, some scattered light dings and handling marks. All markings remain intact and strong with maker-markings on the right side socket, mark designation on the left side receiver wall along with "T" and a discreet SPR import mark at the rear right side of receiver. There are matching serial numbers on the right side receiver ring, right side socket, bolt handle and barrel shank beneath the handguard and a number of the smaller parts show various manufacturer markings. The rifle is equipped with a No. 32 Mk.3 telescopic sight and mount that retain about 95% black enamel and dark gray Parkerized finishes showing some light high edge wear and the scope with some flaking along the objective. All markings remain intact and crisp with strong manufacturer markings, red-painted "W", blue "B" and the scope is numbered "24671". The scope rings are matching the mount by numbered "N36850". The scope features typical single post with crosshair reticle and very good optics that are slightly yellowed but completely serviceable. The smooth hardwood stocks remain in about very good condition showing some scattered shallow light chips, mild abrasions and dings. There are remnants of a painted green "1" on the right side butt along with a softened carouche, the fore-stock appears to be faintly numbered "20935" and the original scope number on the wrist is also quite faint but appears to have been either "6771" or "6772". The included magazine has been arsenal-renumbered to match the rifle and the action seems to function well mechanically. Also included are a 1941-dated canvas action cover that shows some moderate foxing, pair of leather scope covers with Broad Arrow stamp that rate very good and an original loive drab metal sc
446	Scarce Norinco NDM-86 Dragunov Semi-Auto Sniper Rifle serial #20019, 7.62x54mmR, 24 1/2" barrel (27 1/2" overall including compensator) with a bright excellent bore. The metal surfaces of this 1980's imported commercial rifle retain about 96% original black enamel finish showing some scattered tiny flakes, light handling marks, some light wear along the scope mount rail and an area of small marks behind the ejection port. The bolt and carrier are a pleasant mild gray tone and all markings remain intact and strong with "NORINCO / CHINA" etched on the right side receiver and the left side showing a small "CSI ONT CA" import mark. The laminated hardwood pistolgrip buttstock with Bakelite pistolgrip cap and two-piece forend remain in near excellent condition retaining most of their arsenal-quality varnish showing some scattered light dings and handling marks. The buttstock is numbered "300638" and is equipped with a removable cheek rest that is numbered matching the rifle. All remaining serialized parts appear to be matching, one original unmarked magazine in near excellent condition is included and the action seems to function well mechanically. A tan Russian-made sling in very fine condition and an unmarked correct style commercial scope with mount are also included that rate near excellent showing some scattered light handling marks along the exterior. The scope features illuminated reticle function (no batteries present), range-finding reticle and the optics show moderate yellowing but remain very serviceable. A very fine example of these increasingly desirable and excellent quality Dragunov clones. (13B9807-182) {MODERN} [Vincent Coniglio Collection] (5000/7000) Est. 5,000 - 7,000

Indian No. 4 Mk1/2 (T) Bolt Action Sniper Rifle by Ishapore

442

447			
447	Custom Armscorp M14 Semi-Auto "Sniper" Rifle with ART II Scope	450	Very Rare Chinese Military Type 59 Makarov Semi-Auto Pistol
	serial #A003162, 7.62 NATO, 22" 6-62-dated H&R barrel (25" overall		serial #4062183, 9mm Makarov, 3 3/4" barrel with a bright excellent
	including compensator) with a bright excellent bore. This is a very nicely		bore. This is a wonderful example of a rare and desirable Chinese
	constructed rifle retaining about 98% original and arsenal quality		Makarov pistol. The metal surfaces of this "59SHI"-marked pistol retain
	Parkerized finishes showing some light high edge and operational wear		about 98-99% original blue showing a few small handling marks
	along with a few minor handling marks along the barrel. The scope and		scattered about and a small minor mark from safety lever operation. The
	its mount retain about 97% Parkerized finish showing some light		hammer and safety lever are a lovely deep plum tone and all markings
	handling marks and edge wear. The mount is properly marked		remain crisp and clear with the appropriate "Triangle 66" factory stamp
	"LEATHERWOOD ADJUSTABLE RANGING TELESCOPE / MILITARY		and "59SHI" on the left side frame. The checkered reddish brown
	ARMAMENT CORPORATION U.S.A." and the ART II sticker is intact		synthetic grip with Chinese shield and five star emblems remains in
	and serial-numbered "6300". The scope features the correct ART II		excellent condition. The slide, safety and triggerguard are
	reticle with very good plus optics, they are very slightly yellowed with		stamp-numbered matching the frame while the trigger and smaller
	some scattered tiny flakes in the field of view but otherwise completely		internal components are electro-penciled matching. The action seems to
	serviceable. The checkered pistolgrip brown synthetic stock and		function well mechanically, there are no added importer markings and
	handguard remain in about very good plus condition showing some		the pistol includes two magazines, one is the correct original magazine
	scattered mild scratches and handling marks overall. The rifle is		stamp-numbered to the gun and the other is likely a Bulgarian magazine
	composed of various USGI parts, a set of commercial scope covers and		numbered "356-2". Also included is a blued cleaning rod and a correct
	green nylon sling are included and the action seems to function well		original Chinese leather flap holster with blue corduroy lining that rates
	mechanically. No magazine is present but these are plentiful on the		very good showing some scuffing along the lining, some edge wear and
	secondary market. Also included is an original green synthetic case for		small darkened areas from staining along the exterior with otherwise
	the ART scope that rates very fine showing some overall scuffs along		tight stitching. True Chinese military Type 59 pistols are some of the
	the edges, handling marks and some spots of minor discoloration. The		rarest and most desirable Makarov variants as they were only made for
	strap and catches are intact. A very fine rig that certainly looks the part		a couple of years and are seldom encountered in this country. A superb
	and will probably make for a fine shooter. (13B9807-63) {MODERN}		example for the advanced military collection. (13B9807-308) {C&R}
	[Vincent Coniglio Collection] (2500/3500)		[Vincent Coniglio Collection] (2500/3500)
	Est. 2,500 - 3,500		Est. 2,500 - 3,500
48	Danish Model 1910/21 Bergmann Semi-Auto Pistol by Haerens Tojhus	451	German LP.08 Artillery Luger Pistol by Erfurt with Unit Marking
	serial #658, 9mm Bergmann, 4" ribbed round barrel with a bright		serial #5010A, 9mm, 8" barrel with a bright near excellent bore showing
	excellent bore. The metal surfaces of this pistol retain about 90-92%		a hint of minor frosting in the grooves with crisp rifling throughout. The
	original blue showing some light high edge wear and thinning to pewter		metal surfaces of this 1914-dated pistol retain about 90% plus original
	along the sides of the barrel and gripstraps, some scattered light		blue with most of the loss due to some overall specks of light oxidation
	freckling and minor handling marks. The small parts remain mostly		staining, a bit more moderate along the gripstraps, a few small patches
	bright showing some scattered mild gray-brown freckling and the		of light pitting at the right side muzzle, left side barrel and sideplate. The
	extractor retains almost all of its brilliant fire blue. All markings remain		small parts retain much of their rich straw color showing some scattered
	intact and crisp with arsenal markings on the left side receiver, inverted		mild freckling while the sear spring, rear sight blade and slider retain a
	"(Crown) / 24" acceptance date on the right side receiver and barrel,		healthy amount of brilliant fire blue. All markings remain intact and crisp
	"RKV" stamp on the bottom of the frame and "5500" Danish inventory		and the backstrap is stamped with artillery unit marking "A.R.95.4.12.",
	number on the right side. The walnut grips with checkered circular motifs		the "4" having been struck over a "3". The checkered walnut grips are
	are stamp-numbered to the gun and remain in very good condition		stamp-numbered to the gun and remain in very fine condition showing a
	showing some overall light dings, handling marks and the left panel with		few lightly chipped points, some minor handling marks and the left pane
	a small chip at its top rear point. One original magazine numbered		showing some mild play. All of the serialized parts are matching
	"8647" is included and the action seems to function well mechanically. A		including the un-grooved firing pin and fine tune-adjustable sights.
	very nice example of these interesting and desirable pistols that served		Included is an excellent bright-bodied wood base magazine numbered
	the Danish military for quite some time. (13B9848-1) {C&R} (2000/3000)		"6324c" and the action seems to function well mechanically. A very
	Est. 2,000 - 3,000	4	attractive early Erfurt artillery Luger that would make a fine addition to
49	Scarce German C96 Six-Shot Large Ring Semi-Auto Pistol by Mauser		any martial collection. (13C9807-314) {C&R} [Vincent Coniglio
	Oberndorf		Collection] (1800/2200)
	serial #29568, 30 Mauser, 4" barrel with an about very good bore		Est. 1,800 - 2,200
	showing scattered light oxidation and a few fine pinprick pits with	452	German P.08 Luger Pistol by DWM
	otherwise strong rifling throughout. The metal surfaces of this pistol		serial #1071g, 9mm, 4" barrel with a bright very good plus bore showing
	retain about 98% museum-grade restored rust blue showing some very		some scattered very fine oxidation and strong rifling throughout. The
	mild toning to plum-brown patina around the muzzle, a few light handling		metal surfaces of this 1915-dated pistol retain about 96% original blue
	marks and a couple scattered tiny pinprick pits beneath the finish. There		showing some light high edge wear and mild thinning along the
	is a small ding at the heel of the grip frame but this is very unobtrusive		gripstraps and there are a few light dings along the bow of the
	and the markings are unmolested and remain completely intact and		triggerguard and top rear edge of the frame but these are very
	strong. The bolt shows some moderate discoloration from some sort of		unobtrusive. Curiously, the sideplate shows a reapplied arsenal quality
	contaminant and is taking on a pale brown tone while the interior areas		rust blue with some fine pinprick pitting beneath the finish but the
	of the bolt remain bright and the fire control group is a mild gray. The		balance of the pistol is unmistakably original. The small parts retain
	trigger retains 98% restored bold straw color and the balance of the		strong rich straw color with some mild silvering along the trigger and
	small parts similarly retain about 98% wonderfully restored brilliant fire		safety while the sear spring, toggle pins and front sight show lovely pale
	blue. The grooved walnut grips are stamp-numbered to the gun and		fire blue. The grip screws show some light slot wear and still retain a few
	remain in very fine condition as nicely refinished showing a few slightly		flakes of fire blue and all markings remain intact and strong. The
	darkened areas, a small perhaps moderate ding at the base of the left		checkered walnut grips are stamp-numbered to the gun and remain in
	panel and a few more minor handling marks. A segment of the lanyard		near excellent condition showing just a couple lightly chipped points and
			a few minor handling marks and both remain tightly fitted to the frame.
	ring has broken off but it otherwise remains retained, all of the serialized		All of the periodiced perto are motohing including the up groups of firing
			All of the serialized parts are matching including the un-grooved firing
	ring has broken off but it otherwise remains retained, all of the serialized		pin and the pistol retains its correct long sear. One excellent
	ring has broken off but it otherwise remains retained, all of the serialized parts are matching and the action seems to function well mechanically.		
	ring has broken off but it otherwise remains retained, all of the serialized parts are matching and the action seems to function well mechanically. A very finely restored example of a scarce and seldom-seen early C96		pin and the pistol retains its correct long sear. One excellent
	ring has broken off but it otherwise remains retained, all of the serialized parts are matching and the action seems to function well mechanically. A very finely restored example of a scarce and seldom-seen early C96 variation. (13B9790-18) {C&R} [Bob Borcherdt Collection] (2000/3000)		pin and the pistol retains its correct long sear. One excellent bright-bodied wood base magazine numbered "634a" is included and
	ring has broken off but it otherwise remains retained, all of the serialized parts are matching and the action seems to function well mechanically. A very finely restored example of a scarce and seldom-seen early C96 variation. (13B9790-18) {C&R} [Bob Borcherdt Collection] (2000/3000)		pin and the pistol retains its correct long sear. One excellent bright-bodied wood base magazine numbered "634a" is included and the action seems to function well mechanically. A very fine Imperial

453	Rare German Kriegsmarine P.08 Luger S/42 Pistol by Mauser	457	Winchester Model 42 Slide Action Shotgun
	serial #3087i, 9mm, 4" barrel with a partially bright about very good bore		serial #159485, 410 Bore, 26" plain barrel choked (and marked) full with
	showing light oxidation throughout and otherwise strong rifling. The		an excellent bore. The metal surfaces retain 98 to near 99% strong
			-
	metal surfaces of this 1938-dated pistol retain about 95% original blue		original blue, there are a few concentrated freckles and tiny pinprick pits
	with loss due to mild thinning to gray patina along the gripstraps, light		along the top of the receiver, these blemishes are mostly unobtrusive
	high edge wear, some scattered handling marks and a few small areas		and do very little to detract from the overall quality of the arm. There are
	taking on a deep plum tone under bright light. All markings remain crisp		a couple other tiny blemishes and a couple faint scratches with the
	and clear with proper droop wing eagle firing proofs and "(Eagle) / 63"		Winchester proof marks and all other markings remaining crisp and the
	Waffenamts. The backstrap shows a crisp engraved naval "Nordsee"		bolt body bright. The smooth walnut pistolgrip buttstock with checkered
	property number "N / 2468". The checkered walnut grips are		hard rubber buttplate and grooved forend are excellent with just a
	un-numbered and remain in very fine condition showing some scattered		couple barely-noticeable signs of handling. An overall excellent
	lightly chipped points, minor dings and remain tightly-fitted. All of the		1961-manufactured 3" chamber Standard Model 42 that will make a
	serialized parts are matching including the grooved firing pin and the		solid investment or better-than-average small game gun. (22B9789-26)
	action seems to function well mechanically. One blue-boded aluminum		{C&R} (1800/2400)
	base naval magazine is included, it retains perhaps 80% thinning blue		Est. 1,800 - 2,400
	along the body and the base shows some scattered light dings. The	458	Winchester Model 54 Super Grade Bolt Action Rifle
	magazine is numbered "2679i" along with a "+", "(Eagle) / 63" and		serial #41922A, 22 Hornet, 24" barrel with an excellent bore. The metal
	"N2436X" property number. A very attractive and desirable Kriegsmarine		surfaces retain near 98% original blue with some small areas toning to
	Luger, one of about 2400 units procured in 1938, most naval pistols did		plum, small blemishes and some wear to silver at the muzzle. The
	not survive the war. (13C9837-11) {C&R} (3000/5000)		floorplate is unmarked, the bolt handle retains all its original blue and the
	Est. 3,000 - 5,000		bolt body is bright. The checkered walnut capped pistolgrip stock with
454	German P.08 Luger S/42 Pistol by Mauser		left-side shadowline cheekpiece and ebony tip is very good plus to near
	serial #4868d, 9mm, 4" barrel with a bright very good plus bore showing		excellent with typically-found light handling marks and the checkered
	some very light oxidation in the grooves and strong rifling throughout.		buttplate worn to silver on the edges and at the heel and toe. The front
	The metal surfaces of this 1938-dated pistol retain about 96% original		sight is a hooded brass bead, there is a target block just in front of the
	blue showing some thinning to mild gray along the gripstraps, some light		filled rear barrel dovetail and there is a Griffin & Howe scope mount and
	high edge wear mostly along the sideplate and handling marks. There is		a Lyman 48W attached to the receiver. An all-around excellent mid-30s
	a small ding at the top left edge at the rear of the frame but this is		Model 54 with a variety of sight options. (22A9864-7) {C&R} (1500/2000)
	unobtrusive. The extractor has taken on a deep plum tone and all		Est. 1,500 - 2,000
	markings remain intact and strong with proper droop wing eagle firing	459	Colt Medium Frame Semi-Deluxe Lightning Slide Action Rifle
	proofs and "(Eagle) / 63" Waffenamts. The checkered walnut grips are		serial #12773, 38-40 cal, 26" barrel with a near very good bore, there
	un-numbered and remain in very fine to perhaps near excellent		are scattered light pits but the metal is shiny with strong rifling. This
	condition showing a few lightly chipped points along the left panel and		1886 rifle was beautifully and expertly-restored some time ago, the high
	some other mild handling marks, both grips are tightly fitted to the frame.		edges are sharp and the barrel markings are crisp and perfectly legible,
	All of the serialized parts are matching including the grooved firing pin		great care was taken to preserve the often-missing Rampant Colt on the
	and the action seems to function well mechanically. Included is a		receiver's left-side. The metal surfaces retain near 99% museum-quality
	blue-bodied aluminum base magazine that is matching the pistol. A very		re-applied blue, there are small blemishes and handling marks
	attractive S/42 with the added bonus of a matching magazine.		here-and-there but the overall quality of the work supersedes any of
	(13B9807-340) {C&R} [Vincent Coniglio Collection] (1200/1800)		these minor imperfections. The checkered walnut straight-grip buttstock
	Est. 1,200 - 1,800		with crescent buttplate and two-piece forend are perhaps very good as
455	Early German G.43 Semi-Auto Rifle by Berlin Lubecker		lightly cleaned and nicely-refinished, there are two non-flexing
400			
	serial #176, 8mm Mauser, 22" barrel with threaded muzzle and a bright		unobtrusive cracks where the right wrist meets the receiver and
	very good plus to near excellent bore showing some light frosting in the		scattered light handling and impact marks. Rifle is sighted with a
	grooves and strong rifling throughout. The metal surfaces of this duv		semi-buckhorn rear and a small bead front. The action appears to
	44-coded rifle retain perhaps 90% original blue showing some thinning		function as it should and the triggerguard mounted sliding release is not
	and light oxidation staining along the barrel, triggerguard toning to mild		present. A wonderfully-done restoration for this Antique Colt.
	gray-brown patina and moderate silvering along the housing. All		(22C9896-158) {ANTIQUE} (2000/3000)
	markings remain intact and quite crisp, there is a very faintly scratched		Est. 2,000 - 3,000
	social security number below the rear sight on the right side, it is really	460	Colt New Service Target Model Revolver
		400	-
	very light and unobtrusive. The smooth pistolgrip laminated hardwood		serial #325982, 45 Colt, 7 1/2" barrel with an excellent bore. This
	buttstock is stamp-numbered to the gun and remains in very fine		1926-manufactured revolver remains in very good plus condition with
	condition showing a few scattered light dings, handling marks and a		striking later added ivory grips. The metal surfaces retain about 92-94%
	small spot of old varnish on the right side butt. There are some very fine		original blue, the checkered grip frame starting to thin to brown,
	lamination cracks along the butt that are unobtrusive and the buttplate		scattered freckling, high edge wear plus oxidation blemishes and pitting,
	shows some scattered light pitting and old oxidation staining having		some lightly cleaned, on the cylinder and right side of the frame. The
	toned mostly to a silvery pewter patina. The stock retains very good		checkered trigger has rich full blue finish as does the hammer with bright
	markings with strong "(Eagle) / 214" Waffenamts that have softened		sides and light operational wear. The grips are beautiful smooth
	somewhat but remain quite nice. The smooth reddish-brown Durofol		fossilized Alaskan Walrus ivory with silver Rampant Colt medallions
	handguard rates near excellent showing just a few light handling marks.		skillfully crafted by an unknown artisan. The gun features an elevation
	This very fine rifle is all-matching and stamped with the appropriate		adjustable Patridge front sight, windage adjustable black blade rear
	"(Eagle) / 214" Waffenamts and retains its correct early features		sight with windage witness marks and it times and locks up correctly.
	including serial number stamped atop the bolt carrier. One original		This gun has seen light but honest use over the years and remains a
	aye-coded G43 magazine retaining about 90% black enamel finish is		solid investment. (8A9794-25) {MODERN} (2000/3000)
	included along with an original sling in very good condition and cleaning		Est. 2,000 - 3,000
	rod. This example would make for an excellent addition to any martial	461	U.S. Model 1911A1 Semi-Auto Pistol by Remington Rand
		401	, .
	collection. (13C9807-174) {C&R} [Vincent Coniglio Collection]		serial #1509484, 45 ACP, 5" High Standard barrel with an excellent
	(3500/5000)		bore. This attractive pistol has seen very little use since Remington
	Est. 3,500 - 5,000		produced it in 1943. The metal surfaces retain about 98-99% original
456	Winchester Pre '64 Model 70 Bolt Action Rifle		Du-Lite bluing over sandblasted finish with minor high edge wear, slight
	serial #423295, 220 Swift, 26" barrel with an excellent bore. The metal		thinning on the grip safety and a few handling marks. The grips are
	surfaces retain near 99% original blue with a slight hint of silver at the		synthetic factory Keyes Fibre with reinforcing ribs and rings around the
	muzzle with some scattered tiny blemishes and edge wear. The bolt		screw holes, both panels rate excellent. The parts are correct for the
	body is bright and is correctly matching, the bolt knob is toning to		time of manufacture plus Colonel Frank J. Atwood's inspection stamp is
	gunmetal and there is a bit of operational wear on the extractor. The		crisp as are the Ordnance wheel, proof marks and serial number. It
	checkered walnut pistolgrip Monte Carlo-style stock with white line		includes a single Scovill Manufacturing Company marked magazine with
	Pachmayr pad is very good with just a hint of added varnish some time		welded base and very light wear to the blue finish. Springfield Armory
	ago and a 13 1/2" length of pull, there are scattered signs of handling,		Research Service could provide no clue to the guns past but it appears
	some flaking and some small rub marks around the front swivel. The		it spent most of its life sitting in an armory rather than in the field. A
	rear barrel dovetail is filled with a blank and the front sight is a brass		wonderful gun for the martial collector. (8A9854-4) {C&R} (2000/3000)
	bead missing its hood. A solid 1957 varmint rifle. (22B9789-67) {C&R)		Est. 2,000 - 3,000
	(1500/2000)		
	Est. 1,500 - 2,000		

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

#### Lot Title/Description

Lot Title/Description

463 Sc 463 Sc 463 Sc 463 Sc	nith & Wesson Fourth Model target 44 Hand Ejector Revolver rial #S141091, 44 Special, 6 1/2" barrel with an excellent bore. This volver remains in incredible condition and retains about 99% original use with sparse toning at the muzzle and a few stray handling marks. In gun features a .500" target trigger and .500" target hammer owing vibrant case-hardened colors with light operational wear. The ips are very desirable diamond checkered walnut "coke bottle" factory ocks with silver S&W medallions. They rate about very good to cellent with light operational marks on the ejector cutout, a tiny irface chip at the bottom of the backstrap cutout on the right panel and cond one forming on the left panel. The numbered parts are correct to e gun and it times and locks up as good as when it left Springfield in e mid-1950's. The gun has been fitted with Patridge front sight and nite outline micro adjustable rear sight. An outstanding Model of 1950 r the collector with fantastic condition. (8A9790-8) {C&R} (2000/2500) it. 2,000 - 2,500 rarce "Fat Barrel" Colt Super 38 Government Model Semi-Auto Pistol rial #108259, 38 Super Auto, 5" Colt "fat barrel" with an excellent we. Post war 38 Super Auto, 5" Colt "fat barrel" with an excellent wrels". They were used from 1947 when 38 Super Auto pistol features the of those scarce barrels and remains in wonderful condition with	465	U.S. M1A1 Paratrooper Carbine By Inland Division serial #550574, 30 Carbine, 18" Inland/General Motors marked barrel that is dated "7-43" and has an excellent bore. The metal surfaces retain about 95-97% arsenal applied parkerized finish that has some light edge and bearing surface wear and areas of brown patina scattered throughout. The markings on this 3rd variation example remain crisp. The wood portions of the low-wood collapsible stock rate near excellent as arsenal refinished. The narrow, two-rivet handguard is marked "OI" on the underside. There are a few small dings and chips throughout along with a couple of minor impressions that are consistent with the positioning of the metal folding buttplate. The "AAR" Augusta Arsenal rework mark is still visible on the left side above the Overton pistolgrip which is "P" stamped, the "R" is a bit faint on its upper edges. The sand cast buttplate bears the correct "B257614" cast numbering and is marked "(wheel) 6" afterward. The leather pad has some light handling marks, the brass rivets have an ochre patina and are stamped "7/4". Carbine is equipped with the Type III barrel band with bayonet lug, has the adjustable rear sight and later trigger group, all of the parts appear to be of Inland and correct contractor issue. A single "IA" marked 15 round magazine, oiler and green canvas GI sling are included. The serial number indicates that this carbine was built in July of 1943 and falls within the range of the first round of M1A1 Paratrooper builds. This example likely later arsenal reconditioned at Augusta where is received
98- ma Thi mo	-99% original blue showing mostly sparse handling and assembly arks with a pair of small surface scratches on the left side of the slide. le grips are checkered post war synthetic "Coltwood" stocks with olded-in "Rampant Colt" on each panel and rate excellent. All the nall parts are correct for the period of manufacture and the slide is	466	its later style parts. Overall an excellent example of these desirable and collectible U.S. Military carbines. (4B9830-31) {C&R} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Colt Pre-Ban SP1 AR-15 Semi-Auto Rifle
ma sai box fac the sho Als exu yel wit (20	arked "COLT'S MFG. CO. HARTFORD CT. U.S.A.", used during the me short period of manufacture. It includes the original hinged brown ix that is correctly end labeled and numbered to the gun and a single ctory marked magazine. The grease pencil numbers on the bottom of e box are faded but still legible. The box rates about very good lowing scattered surface scuffing and one corner on the cover is torn. so included is the original instruction manual that rates very good to ccellent with minor tears in the ends of the folds, slight soiling and llowing. An excellent example of a scarce post-war 38 Super Auto th box and fine investment for the collector. (8A9779-1) {C&R} 000/3000) tt. 2,000 - 3,000	400	Serial #SP66080, 223 Rem, 20" pencil barrel marked "C" & "MP" and has a bright, excellent bore. The metal surfaces on this 1976 vintage rifle retain about 98-99% original phosphate finish that has some light handling marks and some light high edge wear. Rifle is equipped with the correct Zytel triangular handguard that has some light handling marks and a slight chip along one of the fins on the underside, the standard pistolgrip and the fixed A1 buttstock rate excellent. There is a factory cleaning kit in the butt trap, the hard rubber buttplate has a few tiny cracks around its heel. This desirable early rifle features a flash hider, A1 sights and a bayonet lug, there is no brass deflector or forward assist. The bolt has a chromed firing pin is "MP" & "C" stamped, the carrier is "C" stamped. The upper receiver does not bear any identifying
464 Izh ser exc ena	nmach Tiger Dragunov Rifle By Izhevsk rial #33773, 7.62x54R, 21" barrel with flash hider and a bright, cellent bore. The metal surfaces retain about 97-98% original black namel and anodized type finish that have a few light handling marks d some light wear along the bearing and working surfaces. This is the		marks, cast or otherwise. There is no magazine present, but a fading green nylon sling is included. An overall excellent condition earlier production AR-15 SP1 rifle, these early guns now quite collectible and becoming harder to find. (4A9908-16) {MODERN} (1800/2200) Est. 1,800 - 2,200
Thi rec we to f Thi hau oriu is r the Ma det (M	mmercial version of the famous Russian SVD "Dragunov" sniper rifle. is example was made in 1993 {marked along the right side of the ceiver) and imported just prior to the infamous Clinton assault eapons ban. With its importation limited only a few examples made it the U.S. and demand for these quality arms has been high ever since. is rifle features a set of black polymer stocks including a forearm with indrail and a SVD thumbhole buttstock with cheekrest pad. The iginal sights remain intact and a correct left side mount for optics that marked "Made In Belarus" is included. Mounted to the underside of a receiver is a factory folding bipod, a small unmarked laser sight with antarail wire guard cover is mounted to the forearm rail. A single tachable magazine and a correct canvas sling are included. A superb ample of these desirable quality tactical arms. (4B9796-16) IODERN} (4000/6000) at. 4,000 - 6,000	467	Colt SP1 AR-15 Pre-Ban Semi-Auto Carbine serial #SP186218, 223 Rem, 16" "C" & "MP" marked pencil barrel with a bright, excellent bore. The metal surfaces retain about 98-99% original parkerized finish that has some light handling marks and some very light edge wear. Carbine is equipped with the correct ribbed carbine handguard, a standard pistolgrip and has the factory two-position collapsible buttstock. The stock retains all of its gloss enamel finish and it and the remaining furniture rate excellent. This early carbine features a set of A1 sights, flash hider and has a bayonet lug, there is no brass deflector or forward assist. The upper receiver is marked "C" & "H" which is cast into the carry handle channel. The firing pin in chromed, the bolt and carrier are "C" marked and the bolt is additionally stamped "MP". A single 20 round Colt factory magazine and the black nylon sling are included. Made in the early 1980's this collectible carbine is in excellent overall condition and has seen very little use. (4A9908-14) (MODERN) (2000/2500) Est. 2,000 - 2,500
		468	Colt SP1 AR-15 Pre-Ban Semi-Auto Carbine serial #SP175153, 223 Rem, 16" pencil barrel that is "C" & "MP" marked and has a bright, excellent bore. The metal surfaces retain about 95-97% original parkerized finish that has some light handling marks and areas of light edge and bearing surface wear throughout. The carbine is equipped with a round carbine ribbed handguard, the standard pistolgrip and has a factory two-position collapsible buttstock. The furniture all rates excellent, the buttstock has all of its original glossy enamel finish. Carbine features the early A1 sights, a flash hider and a bayonet lug, there is no brass deflector or forward assist. The upper receiver is cast marked "C" & "M" in the carry handle channel, the bolt is "MP" & "C" marked, the carrier is stamped with a "C" and the firing pin in chromed. A single 20 round factory magazine that has a typical amount of wear is included. An overall excellent example of these desirable and collectible AR-15 carbines. (4A9908-13) {MODERN} (1800/2200) Est. 1,800 - 2,200

chambering. (4B9806-2) {C&R} (2500/3500)

Est. 2,500 - 3,500

Lot Title/Description

469 Colt Pre-Ban AR-15 A2 HBAR Sporter Semi-Auto Rifle 472 Winchester Pre-64 Model 64 Deluxe Lever Action Rifle serial #SP232153, .223 / 5.56mm, 20" HBAR barrel with a 1:7" rate of serial #1411316, 32 W.S., 24" barrel with a bright, excellent bore. The twist and an excellent bore. The metal surfaces retain about 99% metal surfaces on this WWII production rifle retain about 90% original original parkerized finish that has a few very light handling marks. The blue that is lightly toning to brown and has some light handling and tool black Zytel round handguard, standard pistolgrip and the A2 fixed marks throughout and some moderate edge and bearing surface wear buttstock all rate excellent. Rifle features include A2 sights, a flash hider, that is most visible around the receiver and edges of the buttplate. There bayonet lug, brass deflector and forward assist. The upper receiver is are a few very light specks of fine surface oxidation scattered throughout "C/M" cast marked on the right side just ahead of the rear sight, the as well. The factory markings remain crisp including the Winchester firing pin is chromed and the bolt is marked "MP" & "C" and the carrier is factory proofs located at the top of the barrel and receiver. The deluxe "C" stamped. The original green label box is included and contains the grade checkered walnut stocks rate near excellent and have some manual, a black nylon sling, one 30 round magazine marked "NHMGT lovely rich figure to both the forearm and the pistolarip buttstock. The S/42", the muzzle cover and cardboard bore protector. The box is in fair wood has some light dings and other handling marks associated with to good condition, the ends have been ripped and taped, the end label period use, the buttstock is fitted with a factory gripcap, factory inset was renumbered to match the rifle. This is a near-pristine example of deluxe sling swivel base and checkered steel buttplate and has some these early HBAR Sporter rifles that would make a fine addition as either light chipping at its toe. The original hooded front sight remains intact, a potential collectible or super target rifle at the range. (4A9908-15) the rear sight has been removed and its dovetail is filled with a {MODERN} (1800/2200) grayed-edge slot blank. A Redfield adjustable rear sight with aperture Est. 1,800 - 2,200 has been installed at the rear of the receiver. Overall this is a very fine 470 Custom Winchester Pre-64 Model 70 Alaskan Bolt Action Rifle By mid-1940's production Deluxe Grade Winchester lever action that has Pachmayr seen some use but was apparently valued and appreciated by its former bearer. (4B9864-1) {C&R} (2000/3000) serial #537643, 338 Win Magnum, 25" factory barrel with an excellent bore. Originally built in 1961, the metal surfaces retain about 97-98% of Est. 2,000 - 3,000 473 a professionally applied polished blue finish that has some light handling Reminaton New Model Army Percussion Revolver wear, small tool marks and few areas of fine surface oxidation. The serial #36793. .44 cal., 8" octagon barrel with a bright minty bore. This barrel has been stamped "CUSTOM MADE BY PACHMAYR LA revolver retains lots of bright original blue. The barrel and loading lever CALIF. U.S.A." above the factory Winchester address. The follower and retain about 85% original blue with most loss due to just some light bolt body are machine polished, the underside of the bolt is electric flaking. The cylinder retains about 75% bright original blue with loss due pencil etched serial numbered to the receiver and is still mostly visible. to flaking. The frame shows about 60% original blue with flaking. All the bolt knob is finely checkered in a custom teardrop pattern. The rifles areas of flaking on the revolver show a pleasing smooth brown patina. is stocked in a lovely piece of highly figured checkered walnut that rates The hammer shows a good deal of strong original color case hardened near excellent and has some small dings and other light handling marks finish. The triggerguard shows a wonderful mellow patina but doesn't fit throughout. The wide beavertail forend stock features an ebony forend quite as nicely as perhaps it should but it is not really noticeable unless tip that has a small crack on its upper left corner, a black gripcap with a you run your finger along the front and rear edges. The two-piece walnut blank brass oval monogram plate, a left side cheekrest, a solid red grips rate excellent retaining nearly all of their original oil finish and nice rubber Old English rifle pad and has a 13 3/8" length of pull. The original raised grain coming through. There is no cartouche but the bottom of sights remain intact, minus the front sight hood, the front sight blade has each grip shows inspector's initials "M" and "A". The left grip panel is been replaced with a sourdough sight. A one-piece Redfield scope base undersized along the front and rear gripstraps. Various metal surfaces has been mounted to the receiver and includes a set of 1" rings, the show sub-inspectors initials "A", "C" and "U". This is a very fine revolver base screws have some minor slot damage. Other features include a with lots of condition which was likely a state purchased piece. custom bolt release, Pachmayr triggerguard and bottom metal, and a set (1C9362-31) {ANTIQUE} [Edward W. Marron, Jr. Collection] (2000/3000) of Pachmayr flush mount quick-detach swivel bases which do not sit quite flush and were likely added well after the rifle left the Pachmayr Est. 2,000 - 3,000 474 Cased Pair of British Percussion Pocket Pistols by William Ellis shop. Also included is a Butler Creek padded nylon sling. America's Master Gunsmith, Frank Pachmayr, provided many highly valued .45 cal., 1 3/4" barrels with near excellent bores. This is a lovely little custom rifles over the 50 plus years he was in business. Frank came pair of pistols. The round-body action and barrels each retain about from a gunsmithing family learning his trade from his father Gus, a 95-97% original color case-hardening, muting somewhat in spots with German immigrant and old-world smith. He began turning barrels at a some minor handling marks or dings from the years. There is a tasteful young age and has since produced many high-end sporting arms that ring of engraving at the muzzle with light scroll on the left and right of are highly sought after today. A true blending of American and European each action, the left with a square bordered panel with "William Ellis" at styles are seen in many of his works, this example is certainly no its center. The hammers are neatly engraved as well and retain nearly exception. A very collectible Winchester in its own right that is only all of their original color case-hardening; there are rear-sliding safeties which currently seem frozen in place. The bag shaped English walnut improved by the reputation of the gunsmith who performed the work. This is a highly desirable sporting rifle that has seen some honest use grips rate excellent with much original varnish and some minor dings and would be a fine addition to any custom rifle collection. (4C9808-17) and handling marks from the years. They feature un-engraved silver {MODERN} (2000/4000) diamond-shaped monogram plates atop the wrist. The guns function Est. 2.000 - 4.000 well mechanically. The pistols are cased in a nice walnut presentation 471 Scarce Winchester Pre-64 Model 88 Lever Action Rifle case with brass reinforced corners. Inside is what is likely the original serial #113941, 358 Win, 22" barrel with an excellent bore. The metal combination nipple and barrel wrench, it is nicely color case-hardened, surfaces retain about 99% original blue that has some light handling an iron bullet mould, a brass-bodied fixed common top flask which rates marks and a few specks of very light surface oxidation mingling very good and percussion caps included. A very pretty set of pistols throughout. The barrel is lightly toning to brown while the lever shows overall in a rather nice period casing, remaining in very fine condition. more of a rich plum hue when held under a light. The Winchester proofs (3C9654-3) {ANTIQUE} (2000/3000) on the left side of the barrel and receiver are lightly stamped on one of Est. 2,000 - 3,000 each of their edges, the remaining factory markings remain crisp. The diamond checkered walnut stock rates near excellent and has some light dings and other light handling marks and some very light chipping around the edges and perhaps some added lacquer finish throughout. The wood has some nice grain and the sling swivels, steel gripcap and checkered hard rubber buttplate all remain intact. The original sights, including the front sight hood, remain intact and the receiver is factory tapped for mounts. The action appears to function correctly and included is a single concave arrow based magazine. Made in 1961, toward the end of this models production, this is a terrific example of these desirable lever action sporting rifles that is in the most collectible

Est. 2,000 - 3,000

	Wonderful Engraved Colt Model 1908 Pocket Hammerless Pistol by Leo Ferguson	478	Colt Government Model Pre-War Semi-Auto Pistol serial #C94149, 45 ACP, 5" barrel with a lightly frosted bore. The metal
	serial #116799, 380 ACP, 3 3/4" barrel with a bright near excellent bore		surfaces retain perhaps 90% original blue with some thinning, an
	showing a hint of minor frosting and strong rifling throughout. This		assembly mark and light-to-moderate blemishes scattered throughout.
	1935-made pistol has been beautifully embellished in near full coverage		All Roman-style markings are crisp with the Rampant Colt behind the
	by master Texan engraver Leo Ferguson. The arm features lovely flowing foliate scrollwork with stippled background shading and the scroll		serrations on the left-side of the slide and "COLT AUTOMATIC /
			CALIBRE 45" to the front of the ejection port on the right. The checkered
	with fine line detailing. There is some additional light borderline embellishment, a nice repeating foliate motif along the edges of the		walnut double diamond grips are near excellent with some very light signs of handling. The pistol is equipped with the correct flat-top rear
	frame around the grip panels and bow of the triggerguard. The model		and tapered oval front sight. Included is a single two-tone unmarked
	and caliber designation on the right side slide are tastefully bordered		magazine. This is a nice and honest early Commercial, the included
	with gold inlay and the engraver's monogram is found beneath the right		factory letter shows this gun to be part of a 75-pistol shipment to H&D
	grip panel. The metal surfaces retain 99% fine-quality post-engraving		Folsom Arms Co. in April 1917. (22B9650-13) {C&R} (2000/3000)
	blue showing perhaps a few light handling marks and all original		Est. 2,000 - 3,000
	markings remain completely unmolested and visible including the	479	Lovely Engraved Colt Third Generation Single Action Army Revolver by
	Rampant Colt. The custom smooth antique ivory grips by Dennis		Tom Hicks
	Holland remain in excellent condition showing a nice mellow patina and		serial #SA06605, 45 Colt, 7 1/2" barrel with a bright excellent bore. The
	are fitted with silver Colt medallions. One original two-tone magazine in		metal surfaces of this revolver retain 98-99% engraver-applied nickel
	near excellent condition is included and the action seems to function		and gold finishes showing just a couple errant small flakes and a few
	well mechanically. This superb pistol is one of a trio of arms		scattered light handling marks; the screws, trigger and base pin are
	so-embellished and there is also a handsome case available in the		blued. The revolver is embellished in about 90% coverage with
	online auction. If the same bidder is awarded all three of these lots, the		wonderful foliate scrollwork with fine line detailing and punch-dot
	case will be included. (13D9526-1A) {MODERN} (2500/3500)		shading. There is a lovely continuous foliate motif running the
	Est. 2,500 - 3,500		circumference of the cylinder at its rear and wedges of nice
476	Wonderful Engraved Colt Model 1903 Pocket Hammerless Pistol by Leo		cross-hatching at the sides of the breech, front sight and behind the
	Ferguson		hammer. The original markings are completely intact and clear, the
	serial #499759, 32 ACP, 3 3/4" barrel with a bright near excellent bore		Rampant Colt and patent dates on the left side frame now in riband. The
	showing a hint of minor frosting and strong rifling throughout. This		revolver wears a lovely set of custom checkered ivory grips by Dennis
	1930-made pistol has been beautifully embellished in near full coverage		Holland that rate excellent showing a few small spots of discoloration on
	by master Texan engraver Leo Ferguson. The arm features lovely		the right side that are largely unobtrusive. The arm appears to be
	flowing foliate scrollwork with stippled background shading and the scroll		unsigned although the consignor indicates to us this work was
	with fine line detailing. There is some additional light borderline		commissioned from Texas engraver Tom Hicks and the quality certainly
	embellishment, a nice repeating foliate motif along the edges of the		speaks for itself. All of the serialized parts are matching and the gun
	frame around the grip panels and bow of the triggerguard. The model		appears unturned since finished. Included is a very nice fitted Colt
	and caliber designation on the right side slide are tastefully bordered		Custom Shop presentation case with maroon lining showing just a few
	with gold inlay and the engraver's monogram is found beneath the right		light scuffs and handling marks on the exterior. The case also holds a
	grip panel. The metal surfaces retain 99% fine-quality post-engraving		complement of handsome accessories including large gold-plated oiler,
	blue showing perhaps a few light handling marks and all original		ivory handle brush, turn screw and cleaning rod. A wonderfully
	markings remain completely unmolested and visible including the		presented revolver embellished by a true master of his craft.
	Rampant Colt. The custom smooth antique ivory grips by Dennis		(13C9526-4) {MODERN} (3000/5000)
	Holland remain in excellent condition showing a nice mellow patina and		Est. 3,000 - 5,000
	are fitted with silver Colt medallions. One original two-tone magazine in	480	Very Fine Colt Model 1861 Navy Percussion Revolver
	near excellent condition is included and the action seems to function		serial #28667, .36 cal, 7 1/2" round barrel with a bright excellent bore.
	well mechanically. This superb pistol is one of a trio of arms		The barrel of this lovely 1866-made revolver retains about 75% original
	so-embellished and there is also a handsome case available in the		bright blue, the loss due to scattered fine flaking, toning to a pleasant
	online auction. If the same bidder is awarded all three of these lots, the		gray-brown patina, along with some light handling marks and a few
	case will be included. (13D9526-1B) {MODERN] (2500/3500)		spots of minor pinprick pitting. The cylinder has toned to a deep
	Est. 2,500 - 3,500		blue-gray patina retaining a wonderful cylinder scene, clean chambers,
477	Wonderful Engraved Colt Model 1908 Vest Pocket Hammerless Pistol		nipples and intact safety pins. The frame, loading lever and hammer are
	by Leo Ferguson		toning to a mild silvery gray patina with a few spots of tiny pinprick
	serial #225390, 25 ACP, 2 1/8" barrel with a moderately oxidized bore		pitting, some minor dings along the loading lever and wisps of bold
	showing evident rifling throughout. This 1919-made pistol has been		colors lurking about some of the protected areas. The backstrap and
	beautifully embellished in near full coverage by master Texan engraver		triggerguard are toning to a pleasant mild goldenrod patina showing a
	Leo Ferguson. The arm features lovely flowing foliate scrollwork with		few light dings along the base and good silver finish in the protected
	stippled background shading and the scrolls with fine line detailing.		areas of the triggerguard. The New York barrel address, "COLTS
	There is some additional light borderline embellishment, a nice repeating		PATENT" on the frame and cylinder and the caliber designation on the
	foliate motif along the edges of the frame around the grip panels and		triggerguard all remain crisp and clear. The smooth walnut grip is
	bow of the triggerguard. The model and caliber designation on the right		ink-numbered to the gun and remains in near excellent condition
	side slide are tastefully bordered with gold inlay and the engraver's		retaining 95% antique varnish with some light flaking, scattered minor
	monogram is found beneath the right grip panel. The metal surfaces		dings and a small repair at the top left corner. The wedge is numbered
	retain 99% fine-quality post-engraving blue showing perhaps a few light		"97417", the remaining serialized parts are matching and the action
	handling marks, the Rampant Colt on the slide is no longer present		seems to function well mechanically with solid timing and lock-up. A very
	having been replaced by foliate flourish and all remaining original		lovely example, these 1861 Navy revolvers are rarely seen with any
	markings are otherwise intact and clear. The custom smooth antique		condition. (13B9606-59) {ANTIQUE} (3000/5000)
	ivory grips by Dennis Holland remain in excellent condition showing a		Est. 3,000 - 5,000
	nice mellow patina and are fitted with silver Colt medallions. One original		
	magazine in near excellent condition is included and the action seems to		
	function well mechanically. This lovely little pistol is one of a trio of arms		
	so-embellished and there is also a handsome case available in the		
	online auction. If the same bidder is awarded all three of these lots, the		

481	Rare Early James Warner Belt Model Percussion Revolver	485	Winchester Model 12 Slide Action Shotgun
	serial #1c, about .34 cal, 5" round barrel with a partially bright good bore		serial #1297941, 16 ga., 28" plain barrel choked full with a bright
	showing scattered light pitting and oxidation mostly nearer the muzzle		excellent bore. The metal surfaces retain 99% strong original blue with
	with otherwise strong rifling throughout. The metal surfaces of this		some tiny scattered blemishes and a faint 2" line on the left receiver flat
	interesting revolver have been lightly cleaned to a silvery pewter patina		that does not penetrate the finish. The smooth walnut buttstock and
	showing some scattered smoothed-over light pitting, a bit more		grooved flat bottom forend are excellent with a couple very minor and
	moderate in some areas along the cylinder. The etched cylinder scene is		hard-to-find handling marks and an excellent-condition checkered hard
			J J
	partially intact, perhaps 50% remaining strong and the triggerguard has		rubber factory buttplate. This 1950-manufactured shotgun comes with
	toned to a mild ocher patina. As on other known examples there are no		the original Kraft-style box with matching end label in about good plus
	markings beyond the serial number "1" and its letter code "c", the		condition and the original Model 12 pamphlet in excellent condition. A
	relation of this letter to the serial numbering is somewhat mysterious		virtually as-new Model 12 complete with box and manual. (22B9789-1)
	given the low number of examples encountered but this very well may		{C&R} (1000/1500)
	be the first belt model produced. The cylinder is of the scarce five-shot		Est. 1,000 - 1,500
	variety. The smooth walnut grips are stamp-numbered to the gun and	486	Pre-War Winchester Model 42 Slide Action Shotgun
		400	•
	remain in very good condition showing some light wear around the		serial #29215, 410 Bore, 28" plain barrel choked full with an excellent
	escutcheons, a strong older added antique varnish and some scattered		bore. The metal surfaces retain perhaps 95-96% original blue with
	minor dings. All of the visibly numbered parts are matching and the		scattered freckles and tiny blemishes throughout and some faint thinning
	revolver is sighted only with a small German silver cone. The action is		around the breech, the bolt body is mostly bright with some tarnished
	equipped with an unusual finger-actuated cylinder stop and the cylinder		areas and all markings are crisp and legible. The smooth walnut
	is rotated by the trigger. The action will require some mechanical		pistolgrip buttstock with checkered hard rubber buttplate is very good
	attention as the hammer does not drop and cylinder rotation is guite stiff		with light handling marks from the years, the grooved forend is near
	but functional. A very good example of an interesting and low-production		excellent. A nice 1937 Winchester .410 for the discerning quail hunter or
	revolver for the advanced antique arms collector. (13B9770-2)		smallbore aficionado. (22A9790-54) {C&R} [Bob Borcherdt Collection]
	{ANTIQUE} (2000/3000)		(1200/1800)
	Est. 2,000 - 3,000		Est. 1,200 - 1,800
482	Colt Model 1877 Thunderer Revolver	487	Marlin Model 1888 Lever Action Rifle
	serial #63649, 41 Colt, 3 1/2" round barrel with a bright excellent bore.		serial #23668, 38-40, 24" octagon barrel with a near excellent bright
	This 1888 production revolver shows proper two-line address and is		bore with just a handful of very tiny pits near the muzzle and strong
	marked on left side "COLT. D.A. 41". The frame shows proper three-line		rifling. The receiver, barrel and tube retain 99% plus museum-quality
	patent dates which are poorly struck with the upper right section		restored blue with some minor handling marks and old blemishes under
	missing, the Rampant Colt in circle is strong. The barrel and cylinder		the fantastic new finish, these marks are really only visible under very
	show 90 - 95% strong original blue with most loss at muzzle and leading		close scrutiny. The metal work must have been painstakingly-done, all
	edge of cylinder. The frame shows about 50% original color case		edges and factory markings are sharp and crisp. The lever, buttplate
	hardened finish with areas of loss showing a pleasing brown patina with		and hammer show strong original case-hardened color remaining,
	a little light oxidation staining. The gripstraps retain 60% bright original		particularly around the pivot pin and hammer. The smooth walnut
	blue with majority of loss on the straps. The two-piece hard rubber grips		straight-grip buttstock and metal-capped forend are structurally excellent
	rate near very good with considerable wear on the left panel and less on		with light handling marks, the later-added lacquer finish has nicely
	the right. This is a very fine example of these early Colt double action		crackled throughout giving the wood a nice "antique" look; the metal
	revolvers. (1B9898-23) {ANTIQUE} (1500/2500)		proud in spots, the wood in others The front sight is a Rocky Mountain
	Est. 1,500 - 2,500		blade and the rear sight is a semi-buckhorn sporting sight with elevator.
483	Colt Model 1849 Pocket Revolver		Only 4,800 of these rifles were made between 1888-89, a very
	serial #200386, .31 caliber, 5" octagon barrel with a very good bore.		high-condition restoration for this relatively-scarce Antique Marlin with an
	This revolver shows all matching numbers except for the unnumbered		uncharacteristically nice bore. (22C9899-27) {ANTIQUE} (2000/3000)
	wedge. The barrel shows the two-line Hartford address and retains an		Est. 2,000 - 3,000
	-	488	Colt Single Action Army Revolver
	even brown patina overall with some patches of light pitting present in a	400	<b>o</b>
	couple areas. The cylinder shows 95% of its deeply rolled stagecoach		serial #134762, 38 Special, 5 1/2" replacement factory barrel with a
	holdup scene with perhaps 65% bright original blue remaining but with		bright excellent bore. This 1890-manufactured revolver was factory
	some scattered pitting which is confined primarily to one chamber. The		refurbished and remains in very good condition with about 60-70%
	frame shows a mix of fading original color case hardening and gray		original and reapplied blue finishes. The replacement barrel and cylinder
	patina with a few patches of pitting present. All markings remain clear		have original blue, the grip frame assembly later applied dull blue, all
	and legible on the revolver. The loading lever shows strong original color		showing high edge wear and handling marks. The black powder frame
	case hardened finish. The brass gripstraps retain about 40% original		has toned to mostly gray but there are a few vestiges of original
			case-hardened colors in the sight groove and protected areas of the
	silverplated finish with loss coming on the front and rear strap where the		
	brass has taken on a pleasing mellow patina. The one-piece walnut grip		right side of the frame around the ejector rod swell. The hammer is
	rates about excellent with 95% original finish remaining and with light		toning to gray but has strong swirls of case-hardened colors on the
	handling marks. The revolver comes in a custom case handmade in the		sides. The grips are checkered hard rubber replacements numbered to
	same style as the originals with softwood base and mahogany sides and		another gun, featuring a Rampant Colt in an oval at the top showing light
	top. The case has been refinished and is lined in burgundy baize and		wear overall with slightly soft "ponies" but rate very good to excellent. An
	includes an eagle flask, two cavity mould, an Eley cap tin and some cast		interesting observation is the left front triggerguard bow has a Colt
	projectiles. This set has a nice appearance. (1B9898-4) {ANTIQUE}		verified proof with a small assembler's letter "G" above it. It can be
	(1500/2500)		surmised that Colt re-barreled and added the new cylinder in 38 Special
	· ,		
	Est. 1,500 - 2,500		and then proofed the gun post-1908, marking the bow with the verified
484	Scarce Pre-War Winchester Model 61 Smoothbore Slide Action Rifle		proof. The straps are correctly numbered to the gun using the same
			style font and the barrel has correct address and caliber markings for a
	serial #51725, 22 Shot, 24" Winchester counter-bored barrel with an		pre-war barrel. The gun still times and locks up correctly, the front sight
	serial #51725, 22 Shot, 24" Winchester counter-bored barrel with an excellent bore. The barrel retains 98-99% original blue with the only		
			was "regulated" by one of the owners and the safety notch will need
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The		
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered steel buttplate retains near all its original blue and the rifle is sighted with		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered steel buttplate retains near all its original blue and the rifle is sighted with		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered steel buttplate retains near all its original blue and the rifle is sighted with a small silver front bead. Interestingly, serial #51726, one number after this gun, is pictured and described in Ned Schwing's Winchester		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered steel buttplate retains near all its original blue and the rifle is sighted with a small silver front bead. Interestingly, serial #51726, one number after this gun, is pictured and described in Ned Schwing's Winchester Slide-Action Rifles Volume II, that rifle is also configured with a matted		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered steel buttplate retains near all its original blue and the rifle is sighted with a small silver front bead. Interestingly, serial #51726, one number after this gun, is pictured and described in Ned Schwing's Winchester Slide-Action Rifles Volume II, that rifle is also configured with a matted receiver and a Winchester counter-bore barrel. A very collectible version		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)
	excellent bore. The barrel retains 98-99% original blue with the only notable blemishes being rub marks from operation of the forend. The receiver retains perhaps 93-95% original blue, there is edge wear and some light scratches with a matted top and a "W" stamped in front of the triggerguard. The smooth walnut buttstock and 17-groove flat-bottom forend are very good plus with scattered handling marks, the checkered steel buttplate retains near all its original blue and the rifle is sighted with a small silver front bead. Interestingly, serial #51726, one number after this gun, is pictured and described in Ned Schwing's Winchester Slide-Action Rifles Volume II, that rifle is also configured with a matted		was "regulated" by one of the owners and the safety notch will need attention. This is a fine old Colt that shows honest use but continues to retain collector value (8A9848-2) {ANTIQUE} (2000/3000)

<ul> <li>remain crisp. The piscle features the poil: Clober, 1944, servind ramp from the text by the quarter ordering and the first handling marks. The observing the piscle features the poil. In additional text of the body. Also included is an original kind to box that shows all to staking but all the correst are in text. The totem of the box has roughly 34° high grease spence in text. The bottom of the box has roughly 34° high grease spence in text and the box that state addition. The cover and corresponding base show (ight) with the buttatock and in very code plus condition, while verticing the state addition. The cover and corresponding base show (ight) addition to pi, finded the box 4. Statement of the box has roughly 34° high grease spence in and marked. The 14. 40° marked team of the box statement of the box 14. Statement of</li></ul>			. –	
<ul> <li>as a large Variant Service Variants in the service variant of the service Variants of the</li></ul>	489	British Lend-Lease U.S. Model 1903 Pocket Hammerless Semi-Auto	492	2 U.S. M1D Garand Sniper Rifle By Springfield Armory
<ul> <li>selicit (5607, 12.47): 3 W barrie with an acceleration. This body this operation is the selection of the selection is the selection of the selection is the selecti</li></ul>		Pistol by Colt		serial #1044769, 30-06, 24" 3-52 dated Springfield Armory barrel with a
<ul> <li>It is Model M emotion encodient condition with about 20% original product on the source of equiver control of equiver control of equiver control equive</li></ul>				
<ul> <li>Parko-Lubble finish undarg minor dage week. The luby check-week week minor the parkow provide the strength terms are at hear a contrast or the parkow provide the strength terms are at hear a contrast or the parkow provide the strength terms are at hear a contrast or the parkow provide terms and the strength terms are at hear a contrast or the parkow provide terms and terms are at hear a contrast or the parkow provide terms and terms are at hear a contrast or the parkow provide terms and terms and terms and terms are at hear a contrast or the parkow provide terms are at hear a contrast or the parkow provide terms and terms and terms are at hear a contrast or the parkow provide terms and terms and terms are at hear a contrast or the parkow provide terms and terms a</li></ul>				
<ul> <li>what share yips with ye Rangelin Can Meetaline's that excellent.</li> <li>The papel in market' U.S. RPCRETY' on the digit than and has an order that in the share of the theory that is the share that was share of control to the share that and that was share of control to the share that and that was share of control to the share that and that was share of control to the share that and that was share of control to the share that and that was share of control to the share that and the share that and that was share that is the share that was share that is the share that and that was share that is the share that and that was share that is the share that and that was share that is the share that and that was share that is the share that and that was share that is the share that and that was share that is the share that and that was share that is the share that and that was share that is the share that and that that that the share that and that that the share that that that the share that that that the share that that that that that that the share that that that that that the share that that that that the share that that that that that that the share that that that that that the share that that that that that that the share that that that that that that that tha</li></ul>				
<ul> <li>The platel is marked 'US. PROFERT' on the right frame and heas in order and the most study of control. To be iden, chamber and frame have varius finding order and view marks that or increment. The iden chamber and frame have varius finding professor is and the control of the top the plate that the excellence finding plate the control of the top the plate that the excellence is the excellence finding plate that the excellence is the excellence is the excellence in the plate that the excellence is the excellence is the excellence in the plate that the excellence is the excellence in the plate that the excellence is the excellence is the excellence in the plate that the excellence is the excellence is the excellence is the excellence in the plate that the excellence is th</li></ul>				
<ul> <li>a character where on the left next that was struct of center. The side, character data was structed on the construction of the constructi</li></ul>				
<ul> <li>Inductor and finance have various. Brieke proof and view marks that in terminal circles is a contrast to possible the post circles. This patiest denotes the post circles. The posted in the post circles. The posted into a contrast posted is the post circles. The posted into a contrast posted is the post circles. The posted into a contrast posted is the post circles. The posted into a contrast posted is the post circles. The posted into a contrast posted is posted into a contrast posted is the contrast posted is</li></ul>		· ·		T37 flash suppressor, and traces of oxidation staining on the floorplate
<ul> <li>In pravia right, The patel features the part Coldber, 1944, semital range for the patel physical induces a Coll marked blue finded magazine showing lightly demonsplaining on the task of the oxy. Also routed and a original statu blue finded is a contrast in semilated blue in the contrast in semilated blue blue in the contrast in semilated blue blue blue semilated blue blue blue blue semilated blue blue blue semilated blue blue blue blue blue blue blue blue</li></ul>		ordnance wheel on the left rear that was struck off center. The slide,		and buttplate; the "NM" marked operating rod has a darker gray
<ul> <li>In ont sight, square, north, nare sight and side with noteon servations. The peak includes a CM mutable to be instead metabolise showing logith in the start in the sock of the body. Also included is an original tool body that includes a CM mutable side single single, mutable context and inclust. Two contexts on the cover and corresponding base showing logith greases percent number and lose single single, mutable site single si</li></ul>		chamber and frame have various British proof and view marks that		parkerized finish compared to the rest of the rifle. The walnut stock is in
<ul> <li>In ont sight, square, north, nare sight and side with noteon servations. The peak includes a CM mutable to be instead metabolise showing logith in the start in the sock of the body. Also included is an original tool body that includes a CM mutable side single single, mutable context and inclust. Two contexts on the cover and corresponding base showing logith greases percent number and lose single single, mutable site single si</li></ul>		remain crisp. This pistol features the post October, 1944, serrated ramp		excellent condition as cleaned with a few light handling marks. The stock
<ul> <li>The pixel includes a Colt marked blue finisher maguzine showing liphing of the lock of the body. Also cludes an ongrank drift is an ordinal with genes and compareding base also light of the butters and the contrast are body. Also cludes are how light controls the butters are hinked bene included. The control is the butters are hinked bene included. The control is the butters are hinked bene included. The control is the butters are hinked bene included. The control is the butters are hinked bene included. The control is the butters are hinked bene included. The control is the butters are hinked bene included. All provides the butters are hinked bene included. The control is the butters are hinked bene included. All provides the butters are hinked bene included. The control is the butters are hinked bene included. All provides the butters are hinked bene included. The control is the butters are hinked bene included. The control is the butter include the hinked bene included bene inclu</li></ul>				
<ul> <li>decined putting on the back of the body. Also induced is an original furth boot the instance into a constrained of back of the body. Also induced is an original furth constrained is a display of the analysis of the body. Also indicate the back of the back o</li></ul>				
<ul> <li>bot that shows light soling, moderate oil solving but all the corrers are instact. The output of the both as roughly 347 high genes general corresponding 347 high genes general mitact. The bottom of the both as roughly 347 high genes general mitact. The bottom of the both as roughly 347 high genes general mitact are diversed genes general mitact. The bottom of the both as roughly 347 high genes general mitact are diversed genes general mitact. The bottom of the both as roughly 347 high genes general mitact. The bottom of the both as roughly 347 high genes general mitact. The bottom of the both as roughly 347 high genes general mitact. The bottom of the both as roughly 347 high genes general mitact. The bottom of the both as roughly 347 high genes general mitact. The bottom of the both as roughly 347 high genes genes are shown of a second to roughly a second to rough as roughly and second to roughly second to an even bot roughly (2000-2000).</li> <li>Scarce Blaca Moedra 27 Destinger (D.S.) Police Special Trench. Shown on the genes genes are exupted with diverse genes are available of the both as roughly and the both as roughly and the bottom. The reaction of the language, and a new roughly control form. The reaction of the genes genes are available diverse and a roughly second to an event of the genes genes are available diverse and a roughly and the both as roughly and the reaction of the second control with the genes are available diverse and a roughly and the both as roughly and the reaction of the second control with the genes are available diverse and a roughly and the roughly second to an event of the genes genes with diverse available diverse and and the reaction of the second control with the genes are available diverse are available diverse and and the reaction of the second control with the reaction of the second control with the genes are available diverse and and the reaction of the second control with the genes are available diverse and a roughly and the reaction of the reaction of</li></ul>				
<ul> <li>Initat. The commission the cover and consequence of the couples of the least here and least hysicity, and one leg of the receiver instruments are least hysicity, and one leg of the receiver instruments are least hysicity, and one leg of the receiver instruments are least hysicity, and one leg of the receiver instruments are least hysicity, and one leg of the receiver instruments are least hysicity, and h</li></ul>				
<ul> <li>crusting but remain instat. The bottom of the box has roughly 34<sup>1</sup> high grosses parentl number and later addad penol number on the top, Instein the box has accounted in the Acceleration (Mercel 20, 44, 47, 46, 46, and cold and and steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 2000 gas shipment.</li> <li>the steppend to Explore Document - 1, 164 in a 1,</li></ul>				
<ul> <li>gresse panciel sensitivity of the bare in a commercial "M-HBS2 AL 9-44" marked manual to private the bary of locating and small 3.34" are on the front page. A very vice example of a Lemit-Lease Model 1503 Pocket Hammerless shapped to Engined December 4. (1944 in a 2000 gun shipmert. (BAR899-69) (CAR) (20002500)</li> <li>Bez 2000 - 2600</li> <li>Scarce Ilmace Model 37 Dentskyer (D. 3.) Police Special Trench setting in a nerve-bar control of the bare bare and part of grant police frequency in the correct '074/2662' dimension with grant setting in the available defective part of a grant part of the bare barea that is childed motion with one order to 274/2662' dimension with grant setting in the available defective part of the grant part of the dimension with grant and the dimension with grant setting in the available defective part of the grant part of the dimension with grant and the dimension with grant setting in the available dimension and in meeting of the available dimension and in meeting of th</li></ul>		intact. Two corners on the cover and corresponding base show light		
<ul> <li>cover has a gresse percil number and the marked percil number on the top, local scales, and a small 1.34" term on the front page. A wey noise example of a lane-Carlel M particular, with exception of the M GARBNE Conflict. A great marked management. (BARB906) (CAR) (2000/CAR) Hormorelises a shaped to Englicid December 4, 1944 in a 2000 gan shipment. (BARB906) (CAR) (2000/CAR) and beam of the top and the scale perciling ord, with a december on the base of sharped to Englicid December 4, 1944 in a 2000 gan shipment. (BARB906) (CAR) (2000/CAR) and the M CARBNE VEX. The provide Carles of the top and the scale perciling ord, with a correct 1070/2325</li> <li>Storgon is no scene box condition with on a same box condition with a name of the M is a number of the scale of the scale management of the scale of the scale of the scale management of the scale of the scale of the scale management of the scale of t</li></ul>		crushing but remain intact. The bottom of the box has roughly 3/4" high		receiver markings are slightly soft but still easily legible, and one leg of
<ul> <li>tip. Inside the box is a commercial (M-1682) ALE 9-44" market menual to that into the of To GRANNE and the TCARENNE 0 Camfield. All parts appear to the very noise example of a Land-Lease Model 1903 Probat Harmanneles (LABBSE-69) (CRR J (2000)2500)</li> <li>Eatz. 2000 - 2.500</li> <li>Sarce Iffrace Model 37 Detailinger (D.S.) Police Special Tranch Stocker 100 (1900) 1901 (1902) 1902 (1902) 1</li></ul>		grease penciled serial number that matches the gun. One end of the		the receiver is hand marked "T E / 4-69", denoting conversion to M1D
<ul> <li>top. Inside the box is a commercial (McH82) AL 9-44" marked mexual A top. Inside the box is a commercial (McH82) AL 9-44" marked mexual A set is a commercial (McH82) AL 9-44" marked mexual A set is a commercial (McH82) AL 900 (McH82)</li></ul>		cover has a grease pencil number and later added pencil number on the		configuration at the Tooele Depot, as described in Complete Guide to
<ul> <li>that shows heavy oil soaking and a small 13/2 flarer on the from page. A way hole sample of 1 AucMatches Model 1300 Poschel Harmonetter (8) 43996 (SR1) (2000) 2000 (JR1) Harmonetter (SR1) (SR2) (JR2) (</li></ul>				
<ul> <li>wery nice example of a Lend-Lense Model 1903 Pocket Hammeries shipped to England December 4, 1944 in 2000 gu htpment. (kA8989-69) (CA81 (2000/2500)</li> <li>Strice Ilheas Model 37 Deetsiyer (D.8.) Police Special Trench Shogun an an-enw-box condition with get to activate the top of the barrel beneath the handgund, an is marked sevening with the correl 1903 Police Special Trench Shogun an is marked burge to the top of the barrel beneath the handgund, an is marked with the correl 1903 Police Special Trench Shogun the sevening with the Armed Services tang of Initiated within stacks wholg an is the sevening with the Armed Services tang of Initiated within stacks wholg are supposed with december 1994 Police 1994 Police 1994 Police 1994 Police barpias. This indegran is equipped with the miting trench have tabiled movement. The Olded With a Miting trench have tabiled movement. The Olded With a Miting trench have tabiled movement the police tability of the barrel beneration and the thermal provide barpias. This indegran is equipped with the miting trench have tabiled movement. The Olded With a Miting trench have tabiled movement. The Olded With a Miting and Service With interflore and a dard tabile movement. The Olded With a Miting Armony Bars. The original libeac have tabilet in the box is a dark of tabilet movement. The Olded With Barber Charge Service With Market Carry Case seciel 4233. This is nog an interflore Viterian movement the observice for Without Carry Case seciel 4233. This is nog an is started of the cose service tabilet of the box indicates shoreed with and the original barber with ight with some space in a with and and table of police of the With and the original barber movement with hight carry Case 1994 Police Armony Barber Mither and the cose of the police and the movement and the and the original barber movement of the police and the movement and the and the original barber movement of the police and the movement and the anore any treace and the started stress of the the theoreed har</li></ul>				
<ul> <li>shoped to England December 4, 1944 in a 2000 gun shipment.</li> <li>(BAB9050) (CSR) (200022000)</li> <li>Est 2, 200 - 2,500</li> <li>Storet Imisea Model 37 Deensityer (D.S.) Police Special Trench Shopun</li> <li>serial 387019, 12 ga., 20' rife sight barrel that is choked modified with an as-new, seemingly unfired bore. This 1900's winage law enforcement shopung in a serve-two condition with any as manual of vera to the gray parkerized finish located on a time of the moving parts. The target server assembled or conflion with any as manual of vera to the gray parkerized finish located on a time of the moving parts. The target server as a semial condition with any as manual of vera to the gray parkerized finish located on a time of the moving parts. The target server the server the server the server the server the server that a substande and rubber to explain the optical services the server that a substande and rubber to explain the optical services the service that a substande and rubber to explain the optical services the service that a substande and rubber to explain the optical services the service that a substande and rubber to explain the optical services that a substande and rubber to explain the optical services that a substande and rubber to explain the optical services that a substande and rubber to explain the optical services that the target service that as substande and rubber to explain the optical services that the service that and substande services that and the services that the service services that the service service that the service services that the sevolution the service services that the service ser</li></ul>				
<ul> <li>(Add896-66) (CARR) (2000/2500)</li> <li>M1D rifes, as the yave reasonabled using the available effective parts. First 0.00 - 2.600</li> <li>Scarce Ithrea Model 37 Deerskyer (D.S.) Police Special Trunch Shotgun is in as-me-bac condition with only a small amount of wear to the gray parketrate finish botted. This 1996 virtual site without and the shotgun is in as-me-bac condition with only a small amount of wear to the gray parketrate finish botted. This 1996 virtual site without and the shotgun is in as-me-bac condition with only a small amount of wear to the gray parketrate finish backet with the moving parts. The original times thange is a glay bit with the moving parts. The original times thange is a glay bit with the miting trench theat thick and backgone to gray bit with defaults as a hard tubber operation. The bardie of the Start 1996 virtual site is a shot 10.1897 dated maneered to this hongen. Nickode in the box is a July 10.1897 dated maneered to this hongen. Nickode 1996 virtual site is a shot 10.1897 dated maneered to this hongen. Nickode 1996 virtual site is a shot 10.1897 dated maneered to this hongen. Nickode 1996 virtual site is a shot 10.1897 dated maneered to this hongen. Nickode 1996 virtual site is a shot 10.1897 dated maneered to this a hongen. Nickode 1996 virtual site is a shot 10.1897 dated maneered to this a hongen. Nickode 1996 virtual site is a shot 10.1897 dated maneered bits in a forgen. Nickode 1996 virtual site is a shot 10.1897 dated maneered bits in a forgen. The parent of the start shot is a shot 10.1897 dated maneered bits and hangen. Nickode 1996 virtual site is a shot 10.1897 dated maneered bits and manual site is a hongen in the site is a shot 10.1897 dated maneered bits in anterne virtual site is a hongen in the site is a shot 10.1897 dated maneered bits and manual wirtual site is a hongen in the site is a shot 10.1897 dated maneered bits in a model wirtual site is a hongen in the site is a hongen in the site is a hongen in the site is a hongen</li></ul>		· · ·		
<ul> <li>Est. 2.00 - 2.000</li> <li>Scate Minda Model 37 Deersinger (D.S.) Police Special Trench</li> <li>Songun</li> <li>Songun</li> <li>Songun</li> <li>Songun</li> <li>Songun</li> <li>The rife has an only and results the handgungt and single device and second the prove background of the barrel beneral the handgungt and second the handling marks. The scope is sub-scope and second to the struct beneral device and to the struct beneral device and the second tens and</li></ul>				
<ul> <li>480 Scarce Imaca Model 37 Dearlayer (D.S.) Police Special Trench Shogun</li> <li>480 Scarce Imaca Model 37 Dearlayer (D.S.) Police Special Trench Shogun is in astemation to the scarce Model Normal Scarce Model with an assence seemingly unified toorn. This 1990's vintage law enforcement shogun is in astemation at fault the moving parts. The shogun is fitted with the Armed Services tung of Iniside walnut stocks which are ouppod with dearlabels sing systems and a hard tubber putples. This shogun is equipped with a subger bub is high a stocks which are ouppod with dearbabe sing systems and a hard tubber putples. This shogun is acquipped with a subger bub is high a stock and asynet tay which will be the the time of the sarker and included is the original Woepiece candocator low with end label that is stell and asynet tay which will be box in a dub. 1997 stell pricing options for the Model 37 Millary &amp; Police and guar. The ahipping label on the box indicates Special Information and Law Enforcement pricing options for the Model 37 Millary &amp; Police and guar. The ahipping label on the box indicates Special Information and Law Enforcement pricing options for the Model 37 Millary &amp; Police and guard. The appendix Post in San Bernardino, California with an order date of U July 27, 1967. You will not find a noice example of these Vietnam War ens special purchase shoguns. (Ad898-54) (C&amp;R) (2000/3000) Est. 2000 - 3,000</li> <li>491 Simil C-Vi War Cathine by American Machine Works and wore blance of original bub (appearing much strong millar box showing some light pitting at the breech and strong milling throughout. The barriel of this active has mostrip ording the aver hore whost an overall amber tub and the sing bar. A and a subgerison bub show only 39% strong Warts and Warts and a ware stronk ond and define collecting in the syngen. The barrel labels that the sing a strong three averages and an even balance of original bub (appearing much strong milling in a show only 39% strong Warts and Warts and a models and a st</li></ul>		(8A9899-69) {C&R} (2000/2500)		M1D rifles, as they were assembled using the available effective parts.
<ul> <li>Shotgun</li> <li>seriel 28710, 12 ga., 20' rife sight barrel hal is choked modified with an as-new, seemingly unified box. This 19075 virtuge law enforcement shotgun, in a s-new box condition with not a reamal amount of were to the gray parkenzed finish Located on a few of the moving parts. The shotgun is ediged with a sunshade and clubber expeice. And has mostly deal withich are equipped with dealcable sing suvels and a hard rubber bubplase. This shotgun is edigiped with a millar typeroduction mount, the only flew that he angular file a dealing root data mouth the only flew that has any milling and a few infilm test of the singeroux of the sin</li></ul>		Est. 2,000 - 2,500		The rifle has an original M1D barrel, with the correct "D7812555"
<ul> <li>Shotgun</li> <li>seriel 28710, 12 ga., 20' rife sight barrel hal is choked modified with an as-new, seemingly unified box. This 19075 virtuge law enforcement shotgun, in a s-new box condition with not a reamal amount of were to the gray parkenzed finish Located on a few of the moving parts. The shotgun is ediged with a sunshade and clubber expeice. And has mostly deal withich are equipped with dealcable sing suvels and a hard rubber bubplase. This shotgun is edigiped with a millar typeroduction mount, the only flew that he angular file a dealing root data mouth the only flew that has any milling and a few infilm test of the singeroux of the sin</li></ul>	490	Scarce Ithaca Model 37 Deerslayer (D.S.) Police Special Trench		drawing number along the top of the barrel beneath the handguard, and
<ul> <li>serial #387104, 12 ga., 20" rife sight barrel that is chaled modified with         an as-we, seemingly unifed born. This Edgy sintage law architecomement         shoguns is nan-we-box condition with only a small amount of vear to         the gray parkerized finish located on a lew of the moving parker         butplate. This shogun is equipped with the moving park. The         original thrace harmed Sarvines tung oil finished valuut stocks         which are equipped with dense chale but logies. This         original thrace harmed services tung oil finished valuut stocks         and bayon thug with how the accept the U.S. 1917 style bayones. The         original thrace hange tags is storial         numbered to this alongent the U.S. 1917 style bayones. The         pricing options for the Model 37 Milling A Police shotguns. The shipping         label on the box indicates to a Genes Trading         Post in Sam Bernardine, Callornia with an order date of July 27, 1967.         You will not find a naice example of these Views         and throng thrading marks. The         secial #487, 50 cit., 12 (SR) (2000/3000)         Est. 2000 - 3.000         </li> <li>Smith Ckill War Cathrine by American Machine Works         are subple with the acomple of these Views         secial HARS, 50 cit., 12 (SR) (2000/3000)         Est. 2000 - 3.000         </li> <li>Smith Ckill War Cathrine by American Machine Works         are sized and US PS stored with a hording throughout.         The borgen runnes functiones criterion         showing some light hilding and the main were the serve head         showing some light patime and througe function         and were hard stored of finds         through the and serve hard store griterion         showing some light hilding marks. The barrel         locks upposed by the store of the price store whead         showing some light hilding throughout.         The barrel of thic cathrine harmed finds through marks         showing some light hilding thore during throughout</li></ul>				
<ul> <li>an as-new. seemingly unfired boin. This 1960's virtage law enforcement he gray parkerized finish located on a few of the moving parts. The shortgoin is in as-new-boxen goil finished with that semidal sets ing any end to cated the part parkerized finish located on a few of the moving parts. The shortgoin is final with that sets ing any end in the shortgoin oncurt. It eo virginal thorp-piece cardboard box with end label that is serial numbered to his shortgoin. Included if with the riggerguard and included is the original two-piece cardboard box with end label that is serial numbered to his shortgoin. Included if with the riggerguard and included is the original two-piece cardboard box with end label that is serial numbered to his shortgoin. Included if with the Si a July 10.1097 dided that is serial numbered and included as short of these Vertram War are appeared in the file is a deviating advantable. The scope is marked '1.1NIRFRL'USMC-SNIPER' box that is serial advantable in the scope and provide the scope with Meanta Cary Case is enalded '1.1NIRFRL'USMC-SNIPER' box the scope in the cardboard box with end label that is serial advantable. The scope is marked '1.1NIRFRL'USMC-SNIPER' box the scope is marked '1.1NIRFRL'USMC-SNIPER' box the scope with Meanta Cary Case is enalded '1.1NIRFRL'USMC-SNIPER' box the scope is marked '1.1NIRFRL'USMC-SNIPER' box the scope shorts. The scope is marked '1.1NIRFRL'USMC-SNIPER' box the scope shorts is advent and be lose cases as the index of the scope shorts. The scope is marked '1.1NIRFRL'USMC-SNIPER' box the scope shorts. The scope is marked '1.1NIRFRL'USMC-SNIPER' box the scope is narked'1.1NIRFRL'USMC-SNIPER' box the scope shorts and the lose cases as the index of the scope scope shorts and the lose cases as the index of the scope scope</li></ul>		•		
<ul> <li>shdgun is in as-new-loc condition with only a small amount of vear to the grapp parkniczk (finish located on a few of the moving parkniczk (finish located on a few) the moving park (finish multipark (finish</li></ul>				
<ul> <li>the gray parkerized finish located on a few of the moving parts. The scope is mounded in an update line schedung is finised with hermal Services una polin histed wature stocks which are equipped with detachable sing swivels and hard hubber burptate. This schedung in equipped with the ulls. I selve that shield and bayonet lug which will accept the U.S. 1917 style bayonets. The original threah hard tags is still attached to the threignerguard and included is the original two-piece cardboard box with end libel that is serial numbered to this schegun. Included in the box is a July (1) BPG dated threac Support with lists special information and Law Enforcement pricing options for the Model 37 Millitary &amp; Police scheguns. The schege bayonet diverse threak of the schedule and movie reasonable of these Vietnam War era special purchase stoptame. (Advanced 37 Millitary &amp; Police scheguns. The schedule and ender 37 Millitary &amp; Police scheguns. The schedule and ender 37 Millitary &amp; Police schedules. The schedule and ender 38 Millitary and these of these Vietnam War era special purchase stoptame. (Advanced 37 Millitary &amp; Police schedules. The schedule 37 Millitary &amp; Police schedules. The schedule and the schedules are schedule to the schedule 37 Millitary &amp; Police schedules. The schedules are schedule 37 Millitary &amp; Police schedules. The schedules are schedule and schedules are schedules and schedules are schedules. The schedule 37 Millitary &amp; Police schedules. The schedules</li></ul>				
<ul> <li>shongun is fitted with the Armed Services tung of Initiated waluut stocks which are equipped with deschable sing services and tubber butplate. This shongun is equipped with the military turnch heat shid and bayover tug which will accept the ULS 1917 style bayovers. The original threach services are activated with the military turnch heat shid and tabover tug which will accept the ULS 1917 style bayovers. The original threaches cardboard to with well Services are its area in the date of the services are activated with the military turnch heat shigher thread the tas special information and Law Enforcement pricing options for the Model 37 Military &amp; Police shoguns. The shipping label on the tox indicates shipment from thraca to a Gene's Trading Prosi in San Bernardino. California with an order date of UJP 7, 1967. You will not find a nicer example of these Vietnam War are aspecial purchases shogunes. (1400-1400): Est 2.000 - 3.000</li> <li>491 Sing Services and Strong fitting brunches and strong fitting brunches. The songe mounts are an overall amber the and the lates caps are torning to brown with scattered fine oxidation and minor date and the strong difference of the solution. The basenel of these vietnam War are aspecial purchases shogunes. (1400-1400): California with and strong fitting brunches. The songe mounts are an overall amber caps are torning to brown with scattered fine oxidation and in media ter allow the trade and the streng as a strong time streng streng the streng and the streng scatce in the solution or show basene or original bule (appearing much strong run marks) thread to a neveral and the streng as a strong time streng streng the streng scatce in the solution or show basene or original bule (appearing much strong run marks) and a strong life scatce and strong miles the strong the strong scatce in the solution or show basene original bule (appearing much strong run marks) and strong time strong much strong run marks thread scatce and the streng scatce in the strong streng strong scat</li></ul>				
<ul> <li>which are equipped with detachable sing swivels and a hard rubber butpates. This shopp in equipped with the shidy and a hard rubber provides and bayonet lug which will accept the U.S. 1917 style bayonets. The original two-piece cardboard box with end label that is serial numbered to this shopp. Included in the box is a July 10, 1967 dated in the box is a July 10, 1967 dated in the box is a July 10, 1967 dated in the box is a July 10, 1967 dated in the box is a shore shore through the date is a constrained on the box indicates shore through the date is a constrained of July 27, 1967. You will not find a rice rubample of these Vietnam War era special purchase shorights. (Ad8985-50) (C&amp;R) (20004000) Est 2, 2000 - 3.000</li> <li>Smith Civil War Carbine by American Machine Works serial #4257. Soci. 21, 155 'barred with a bright near excellent with softer and the center crosshar is broken and in need to gate of the activate a special purchase shoright at the series in a special purchase shoright at the brace hadrone diming throughout. The barrel of this carbine shore in organic works. The barrel chartenism organic and the SMS to constance and the large scale shore of organ at blue and stronger under antibies of the activate and strong rifting throughout. The barrel of this carbine is numbered to a new torwong nature with generation at July 27, 1967. The scope is through a special purchase shore gate and strong rifting throughout. The barrel of this carbine is annothy and the date of an even torwong nature with generation at July 28, 200 - 3.000</li> <li>Smith Civil War Carbine by American Machine Works and the series of organial blue present. The active mease asserte inpact and stronger under and the stronger under and the stronger under and the set of and the stronger under and the stronger under and the set of and stronger under and the stronger under and the stronger under and the set of and the stronger under and the set of and th</li></ul>		the gray parkerized finish located on a few of the moving parts. The		glass with a post and crosshair reticle. The scope is mounted in an
<ul> <li>butplate. This shotgun is equipped with the military trench heat shield and bayonel Light with all accept the U.S. 1917 Style bayonets. The original theorems is shotguns included in the lock is a July 10, 1967 dated thread Ganogram which lists special information and Law Enforcement pricing options for the Model 37 Millars A Police shotguns. The shipping label on the box is a July 10, 1967 dated thread Sanogram which lists special information and Law Enforcement pricing options for the Model 37 Millars A Police shotguns. The shipping Post in San Bernardino, California with an order date of July 27, 1967. You will not find a nicer example of these Vietnam War era special purchase shotguns. (Advested Sange Sand) (SRN (2000)3000)</li> <li>Est. 2.000 - 3.000</li> <li>481</li> <li>Smith Chill War Cathine by American Machine Works serial reading some light pitting at the breach and storong rilling throughout. The barrel difficult departs mand through to Light cathine throwing the mains very good pits to bard storong rilling throughout. The barrel of this cathine has monity toreal to an even brown patina. The action readin and editic calceling in the segares in action that storong rilling throughout. The barrel difficult deparent much patina. The action readin abut 97% storong to a different arm. The barrel bioty will store a courbee shared med finish and handling marks and woh phyly visible carbine has notally toreal to an even brown patina. The action remain near excellent with a handling different arm. The barrel lock with a handling different arm. The barrel lock with a mandful of light dems and handling marks and woh phyly visible to actude. The Brown dems different arm. The barrel lock with a handling marks and woh phyly visible to actude. The barrel frame add frame are mumbered alike, the barrel is numbered with a handling marks and woh phyly visible carbonemer frame frame add frame are mumbered biologradifies and barrel frame addifies and barrel frame add frame are anumbered with the store of the barr</li></ul>		shotgun is fitted with the Armed Services tung oil finished walnut stocks		excellent quality reproduction mount, the only flaw that the angular line
<ul> <li>and bayonet tug which will accept the U.S. 1917 style bayonets. The indigital those hang rags is still attached to the triggergued and included in the triggergued and handled is the original two-piece cardboard box with end label that is serial number of the box indicates shipment from thac to a Genés Trading Post in San Bernardino, California with an order date of July 27, 1907. You will not find a nice example of these strading and the of July 27, 1907. You will not find a nice example of these strading and the of July 27, 1907. You will not find a nice example of these results are special purchase shotguns. (A4899-94) (C&amp;R) (2000/0000) Est 2, 2000 - 3,000</li> <li>491 Smith Civil War Carbine by American Machine Works as a left of the strading and the origin and the services are listed these cases are contigued by research. The scope is housed in an original CD. green Mining and the same strate control or the scare hardened finis and advertis collection (S28905-386) (Vincent Consiglio Contented 1883 Carbine and the antige results are strated free ordinals buick and forend termain near excellent with a handful of light dents and handing marks and how highly visible cardouches. The barrel frame and rame are numbered is an even balance of original bright stok war. The smooth wainub butsok and forend termain near excellent with a handful of light dents and handing marks and how highly visible cardouches. The barrel frame and frame are numbered list, the barrel is numbered to a different among the state strate and the rame are numbered is incurbed to the strate prevers the strate strate and the strate are frame and the result and the strate are frame and the result of the strate strate is an even balance. The barrel is numbered to a new bhore how and the strate are frame and the result of the strate strate is an even balance of original bright strate scrate hardening. The barrel list was a strate strate the str</li></ul>		which are equipped with detachable sling swivels and a hard rubber		up stud has been removed, resulting in a few millimeters of vertical
<ul> <li>and bayonet tug which will accept the U.S. 1917 style bayonets. The indigital those hang rags is still attached to the triggergued and included in the triggergued and handled is the original two-piece cardboard box with end label that is serial number of the box indicates shipment from thac to a Genés Trading Post in San Bernardino, California with an order date of July 27, 1907. You will not find a nice example of these strading and the of July 27, 1907. You will not find a nice example of these strading and the of July 27, 1907. You will not find a nice example of these results are special purchase shotguns. (A4899-94) (C&amp;R) (2000/0000) Est 2, 2000 - 3,000</li> <li>491 Smith Civil War Carbine by American Machine Works as a left of the strading and the origin and the services are listed these cases are contigued by research. The scope is housed in an original CD. green Mining and the same strate control or the scare hardened finis and advertis collection (S28905-386) (Vincent Consiglio Contented 1883 Carbine and the antige results are strated free ordinals buick and forend termain near excellent with a handful of light dents and handing marks and how highly visible cardouches. The barrel frame and rame are numbered is an even balance of original bright stok war. The smooth wainub butsok and forend termain near excellent with a handful of light dents and handing marks and how highly visible cardouches. The barrel frame and frame are numbered list, the barrel is numbered to a different among the state strate and the rame are numbered is incurbed to the strate prevers the strate strate and the strate are frame and the result and the strate are frame and the result of the strate strate is an even balance. The barrel is numbered to a new bhore how and the strate are frame and the result of the strate strate is an even balance of original bright strate scrate hardening. The barrel list was a strate strate the str</li></ul>		buttplate. This shotgun is equipped with the military trench heat shield		movement. Included with the rifle is a cleaning rod and oiler. An
<ul> <li>original thrace famps tag is still attached to the trigginguard and included is the original two-pices cardboard box with and label that is serial numbered to this shotgun. Included in the box is a July 10, 1987 dated thrace Gunogram which lists special information and Law Enforcement pricing options for the Model 37 Millary &amp; Police shotguns. The shipping label on the box indicates shipment from thrace to a Gene's Trading 10, 200, 200, 200, 200, 200, 200, 200,</li></ul>				-
<ul> <li>is the original two-piece cardboard box with end label that is serial number to this storycall. Included in the box is a July 10, 1967 dated thaca Gunogram which lists special information and Law Enforcement pricing options for the Model 37 Military &amp; Police shorgurs. The shipping label in the box is a July 10, 1967. The scope is marked "JUNERTL / USMC-SNIPER" abox serial #2339. This scope is marked "JUNERTL / USMC-SNIPER" abox serial #2339. This scope is marked "JUNERTL / USMC-SNIPER" abox serial mumber with lube retaining abour 95% eventy thinning original purchase shorgurent from factor and emer special purchase shorgurent from thace to a General special purchase shorgurent from thace to a General special purchase shorgurent from thace to a General special purchase shorgurent from the special purchase shorgurent from the special context and the lens caps are to reason and reason and the lens caps are to reason and the lens data of original blue (present. The scope housed in an original OLD, generally removed them server straces of original blue (present mumber data) and the price special purchase shorgurent from fail-subscept shoused in an original OLD, generally removed them the special and the price special price special purchase and the lens or original blue (present mumber data) and hording marks from the special and them the special and the special price special</li></ul>				
<ul> <li>numbered to this shotgun. Included in the box is a July 10, 1967 dated lithaca Gunogram which lists special information and Law Enforcement pricing options for the Model 37 Military &amp; Police shotguns. The shipping label on the box indicates shipment from thrace to a Gene's Trading Post in San Bernardino, California whith an order date duity 27, 1967. You will not find a nicer example of these Vietnam War era special purchase shotguns. (Ad899-54) (C&amp;R) (2000/3000) Est. 2.000 - 3.000</li> <li>491 Smith Chill War Carbine by American Machine Works serial #4857, 50 cal., 21 58' barrel with a bright near accellent bore showing some light pitting at the breech and strong filing throughout. The barrel of this carbine thas mostly toned to an even brown patina. The action retain about 97% strong vibrant color case-hardened finish multing to a bright silver-gray patina at high dege. a couple of the screw heads show only slight solt wear. The same and frame and remain nuer-rayed. Overall a nice Unertit SU S.M.C. LetSueope package needing only relicite replacement to complement any U.S. Marine Corp sniper rifie or marial collection. (5B9807-368) [Vincent Conglio Cellection] (2500/3500)</li> <li>Est. 2,000 - 3,000</li> <li>Est. 2,000 - 3,000</li></ul>				
<ul> <li>Ithaca Gungaraw which lists special information and Law Enforcement pricing options for the Moxidel 37 Military &amp; Police shotguns. The shipping label on the box indicates shipment from Ithaca to a Gene's Trading Post in San Bernardino, California with an order date of July 27, 1967.</li> <li>You will on the date or example of these Vietnam War era special purchase shotguns. (A49899-64) (C&amp;R) (2000/3000)</li> <li>Est 2:000 - 3;000</li> <li>A91 Smith Civil War Carbine by American Machine Works are accellent bore showing some light pitting at the breech and strong rilling throughout. The barrel of this carbine has mostly toned to an even Drown patine with adding the application with a high the area recellent work and a result of the carbine has mostly toned to an even Drown patine with collecting in the spring. The Marines Generally removed then from field-used scopes). The scope is housed in an original O.D. green the balance of original blue torong under ambient light) with some sparse impact marks. The barrel catch retains are even balance of original blue torong under ambient light with a handlur of light dents and handling marks and two highly visible carbuckes. The barrel frame and frame are numbered a different arm. The barrel flock way solid and the hammer functions crisply. (SC9896-116) (ANTTOUE) (2000/3000)</li> <li>Est 2:000 - 3:000</li> <li>494 Sharps Civil War Cartridge-Converted 1863 Carbine serial #66374, 50-70 Govt. 22' barrel with a bright excellent three groove box rease handening unity and by the scope of the later of the carbine provide of the later of the conversion, showing some light store were plate and frame are frame and frame are numbered bis defined and the pare of the later of the conversion. Storego of carbine serial #66374, 50-70 Govt. 22' barrel with a bright excellent three groove box rease hardening. The frame and breech block retaining perfase 90-20' or single and the storego conversion. Showing some light storego and barrel serial #66374, 50-70 Govt. 22' barrel with a b</li></ul>		÷ .		
<ul> <li>pricing options for the Model 37 Military &amp; Police shotguns. The shipping label on the box indicates shipment from thaca to a Gene's Trading Post in San Bernardinc, California with an order date of July 27, 1967. You will not find a nicer example of these Vietnam War era special purchase shotguns. (AV8999-54) (C&amp;R) (2000/3000)</li> <li>491 Smith Civil War Carbine by American Machine Works serial #4857, 50 cal., 21 5/8 barrel with a bright near excellent bore showing some light pitting at the breech and strong rifling throughout. The barrel of this carbine has mostly tonde to an even balance of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an abut 97% strong how nonly slight slow ear. The scrope is housed in an original O.J. group of July to about excellent with light diver-gray patina at high edges, a couple of the screw heads show only slight slow ear. The semoth wainut buttstock and forend remain near excellent with a handling thigh diver song barrel is numbered to a different mm. The barrel lacke (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>Est. 2,</li></ul>		numbered to this shotgun. Included in the box is a July 10, 1967 dated	493	
label on the box indicates shipment from thract to a Gene's Trading Post in San Bernardino, California with an order date of July 27, 1967. You will not find a incer example of these Vietnam War era special purchase shotguns. (A49899-54) (C&R) (20003000) Est. 2000 - 3,000491Smith Civil War Carbine by American Machine Works serial #4857, 50 cal., 21 5/8' barrel with a bright near excellent bore showing some light pitting at the breech and strong rifing throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appengring much stronger under ambient light) with some sparse impact marks. The barrel carbine many strong vibrant color case-hardened finish muting to a bright silve-gray patina at high edges, a couple of the screw heads show only slight silve carbuces. The barrel frame frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTTIQE) (2000300) Est 2,000 - 3,000Heat and support of the same frame are remain near excellent with a handful of light dents and handling marks and two highly visible carbuces. The barrel frame frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTTIQE) (2000300) Est 2,000 - 3,000Heat and support and a support and a support of the same frame and frame are and two highly visible or advections. Science as well shows come strong color case-hardening. The frame and breche barrel site of the carbuces. The locklea as well shows come strong color case-hardening. The frame and breche barrel site of the carbuces. The socient and frame are and two highly visible carbuces. The socient different arm. The barrel locks up solid and the harmer frame frame frame frame frame and two highly visible		Ithaca Gunogram which lists special information and Law Enforcement		serial #2339. This scope is marked "J.UNERTL / USMC-SNIPER" above
<ul> <li>Post in San Bernardino, California with an order date of July 27, 1967.</li> <li>You will not find a nicer example of these Vietnam War era special purchase shotguns. (4A899-54) (CAR) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>Smith KOill War Cathrine by American Machine Works serial 44857, 50 cal., 21 5/8 barrel with a bright near excellent bore showing some light pitting at the breach and strong rilling throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel trains an even balance of original bing (appearing much stronger under strong with a bord) for strong withing to a bury for strong withing to a barrel carb. Hearden finish multig to a barrel and the arron metric as and trave fulls of the screw heads show only slight slot wear. The somoth wainut butstock and forend remain near excellent with a handliu of light dents and handling marks and two highly visible carbuches. The barrel frame and frame are rumebred alike, the barrel to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTIOLEJ (2000/3000) Est. 2,000 - 3,000</li> <li>Est. 2</li></ul>		pricing options for the Model 37 Military & Police shotguns. The shipping		serial number with tube retaining about 95% evenly thinning original
<ul> <li>Post in San Bernardino, California with an order date of July 27, 1967.</li> <li>You will not find a nicer example of these Vietnam War era special purchase shotguns. (4A899-54) (CAR) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>Smith KOill War Cathrine by American Machine Works serial 44857, 50 cal., 21 5/8 barrel with a bright near excellent bore showing some light pitting at the breach and strong rilling throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel trains an even balance of original bing (appearing much stronger under strong with a bord) for strong withing to a bury for strong withing to a barrel carb. Hearden finish multig to a barrel and the arron metric as and trave fulls of the screw heads show only slight slot wear. The somoth wainut butstock and forend remain near excellent with a handliu of light dents and handling marks and two highly visible carbuches. The barrel frame and frame are rumebred alike, the barrel to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTIOLEJ (2000/3000) Est. 2,000 - 3,000</li> <li>Est. 2</li></ul>		label on the box indicates shipment from Ithaca to a Gene's Trading		blue toning to brown with scattered fine oxidation and minor ring wear.
<ul> <li>You will not find a nicer example of these Vietnam War era special purchase shotguns. (4A9899-54) (C&amp;R) (2000/3000)</li> <li>Est 2.000 - 3.000</li> <li>491</li> <li>Smith Civil Var Carbine by American Machine Works</li> <li>serial 44957, 50 c.12, 15/8' brarel with a bright near excellent bore showing some light pitting at the breech and strong rilling throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel carb retains an even balance of original bight blue and brown patina. The action presh patient corres are and thin at the spresh. The Marines generally removed them arms in ear excellent with a handful or light dents and handing marks and two highly visible caractories. The barrel face of the part light scale of the part li</li></ul>				
<ul> <li>purchase shotgurs. (4A9899-54) (C&amp;R) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>491</li> <li>Smith Civil War Carbine by American Machine Works</li> <li>serial #4857, 50 cal., 21 5/5 barrel with a bright near excellent bore</li> <li>showing some light piting at the bearech and strong rifling throughout.</li> <li>The barrel of this carbine has mostly toned to an even brown patina with</li> <li>generous traces of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>an even balance of original blue (appearing much stronger under</li> <li>and two highly visible cartouches. The barrel latins thand form afres</li> <li>and two highly visible cartouches. The barrel frame and frame are</li> <li>numbered alike, the barrel is numbered to a different arm. The barrel</li> <li>locks up solid and the hammer functions crisply. (5C9896-116)</li> <li>(ANTIQUE) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> </ul> 494 Sharps Civil War Cartridge-Converted 1863 Carbine sniper rifle or matia collection. (5B9807-386) (Vincent Coniglio Collection) (250/3500) Est. 2,000 - 3,000 Est. 2,000 - 3,000 494 Sharps Civil War Cartridge-Converted 1863 Carbine serial #66374, 50-70 Govt., 22" barrel with a bright excellent three groove bore. This is crued the than with exp gods snoky aiver case-hardening. The frame and breach block retaining perhapse 29-850 original color case-hardening. The frame and breach block retaining perhapse 29-850 original color case-hardening. The fature of the conversion, showing some strong group with strong ye case hardening, origin				
<ul> <li>Est 2,200 - 3,000</li> <li>replacing: repair services are listed on CMP forums. As common on issued-scopes the return spring has been removed (concerned with direct and the theorem of this carbine has mostly toned to an even brown patina with generous traces of original bile (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original bile (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original bile (appearing much stronger under ather bard) strong vibrant color case-hardened finish muting to a bright silver-gray patina at high edges, a couple of the screw heads show only slight silve war. The somoth walnub tubtstock and forend remain un-frayed. Voerall a nice Unertl &amp; U.S.M.C. telescope package needing only reticle replacement to complement any U.S. Marine Corp sniper rifle or martial collection. (5B907-386) [Vincent Coniglio Collection] (2500/3360)</li> <li>Est 2,000 - 3,000</li> <li>Est 2,000 - 3,000</li></ul>				
<ul> <li>491 Smith Civil War Carbine by American Machine Works serial #4857, 50 cal., 21 5/8' barrel with a bright near excellent bore showing some light pitting at the brench and strong rifling throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel cath retains an even balance of original bright blue and brown patina. The action retain about 97% strong vibrant color case-hardened finish muting to a bright silver-gray patina at high edges, a couple of the screw heads show only slight slot wear. The smooth walnut buttstock and formed remain near excellent with a handful of light dents and handling marks and two highly visible carbouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000</li> <li>494 Sharge Civil War Cartidge-Converted 1863 Carbine serial #66374, 50-70 Govt., 22' barrel with a bright excellent three groove bore. This is quite a handsome little carbine. The barrel retains about 97-98% arsenal blue, done at the time of the conversion, showin come light fliking to plum, the left flat quite strong, with the stong out to pewter. The lockplate as well shows some strong color case-hardening. The frame and braneling perhaps 92-95% original color case-hardening, toring mostly on the front edge of the left fram flat, the barrel black creation and the dentility and in the strong with smoky case colors on the harmer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similan with sharp edges and only minor drigs and handling marks, one esmall divot to the rear of the bard in series and maching ranks, one esmall divot to the rear of the bard in series and maching ranks, one esmall divot to the rear of the bard</li></ul>				
<ul> <li>serial #4857, 50 cal., 21 5/8" barrel with a bright near excellent bore showing some light pitting at the breech and strong rifling throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original billue (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original billue (appearing much stronger under ambient light) with some of original billue table on patina. The barrel catch retains show only slight slot wear. The samoth walnut butstock and forend remain near excellent with a handful of light defts and different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000)</li> <li>Est 2,000 - 3,000</li> <li>Est 2,000 - 3,000<th></th><td></td><td></td><td></td></li></ul>				
<ul> <li>showing some light pitting at the breech and strong rifling throughout. The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (dopearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original blue (dopearing much sorth and brown patina. The action retain about 97% strong vibrant color case-hardend finish multing to a bright silver-gray patina at high edges, a couple of the screw heads show only slight slot wear. The smooth wahnut buttstock and forend iremain near excellent with a hardful of light denises and handling marks and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000</li> <li>494 Sharps Civil War Cartridge-Converted 1863 Carbine strong right faking to plum, the barrel barrel brains about 97-98% arsenal blue, done at the time of the conversion, showin some light flaking to plum, the barrel barrel traing and with very good smoky silver case-hardening. The farme and brench block retaining perhaps 92-95° original color case-hardening. The farme and brench block retaining perhaps 92-95° original color case-hardening. The farme and harding marks, one small divot to the rear of the but. The forend is similar with sharp edges and only minor dings and handing marks, one small divot to the rear of the but. The forend is similar with sharp edges and only minor dings and handing marks, one small divot to the rear of the but. The forend is similar with sharp edges and only minor dings and handing marks, one small divot to the rear of the but. The forend is similar to the site of the cortine of the dore darm. The straight grip wahnut buttstock rates very fine with harding thread space or the but. The forend is similar with sharp edges and only minor dings and handing marks, one small divot to the rear of the pre</li></ul>	491	Smith Civil War Carbine by American Machine Works		issued-scopes the return spring has been removed (concerned with dirt
<ul> <li>The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original bright blue and brown patina. The action remain near excellent with a handling marks from the years and a thin stress crack in the with light handling marks from the years and a buspension bille remain un-frayed. Overall a nice Unertl &amp; U.S.M.C. telescope package needing only reticle replacement to complement any U.S. Marine Corp sniper rifle or martial collection. (5B907-386) [Vincent Coniglio Collection] (2500/3500)</li> <li>Est. 2,000 - 3,000</li> <l< td=""><th></th><td>serial #4857, 50 cal., 21 5/8" barrel with a bright near excellent bore</td><td></td><td>and debris collecting in the spring, the Marines generally removed them</td></l<></ul>		serial #4857, 50 cal., 21 5/8" barrel with a bright near excellent bore		and debris collecting in the spring, the Marines generally removed them
<ul> <li>The barrel of this carbine has mostly toned to an even brown patina with generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original bright blue and brown patina. The action remain near excellent with a handling marks from the years and a thin stress crack in the with light handling marks from the years and a buspension bille remain un-frayed. Overall a nice Unertl &amp; U.S.M.C. telescope package needing only reticle replacement to complement any U.S. Marine Corp sniper rifle or martial collection. (5B907-386) [Vincent Coniglio Collection] (2500/3500)</li> <li>Est. 2,000 - 3,000</li> <l< td=""><th></th><td>showing some light pitting at the breech and strong rifling throughout.</td><td></td><td>from field-used scopes). The scope is housed in an original O.D. green</td></l<></ul>		showing some light pitting at the breech and strong rifling throughout.		from field-used scopes). The scope is housed in an original O.D. green
<ul> <li>generous traces of original blue (appearing much stronger under ambient light) with some sparse impact marks. The barrel catch retains an even balance of original bright blue and brown patina. The action retain about 97% strong vibrant color case-hardened finish muting to a bright silver-gray patina at high edges, a couple of the screw heads show only slight solt wear. The smooth walnut buttstock and forend remain near excellent with a handful of light dents and handling marks and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIOUE) (2000/3000) Est. 2,000 - 3,000</li> <li>494 Sharps Civil War Cartridge-Converted 1863 Carbine serial #66374, 50-70 Govt., 22" barrel with a bright excellent three groove bore. This is quite a handsome little carbine. The barrel tarins some light flaking to plum, the barrel band with very good smoky silver case-hardening. The frame and breech block retaining perhaps 92-95° original color case-hardening. The frame and breech block retaining perhaps 92-95° original color case-hardening, the ight flaking to plum, the barrel band with treag tone to perker. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong flef-side carbuche at the center of the burt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the left-side saddle iring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with numbered is conclear the cohesing example of the cartridge converted Sharps Carbine still retaining some rather nice color case-hardening weigh solution to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining som</li></ul>				Micarta carrying case which remains very good plus to about excellent
<ul> <li>ambient light) with some sparse impact marks. The barrel catch retains an even balance of original bright blue and brown patina. The action retain about 97% strong vibrant color case-hardened finish muting to a bright silver-gray patina at high edges, a couple of the screw heads show only slight slot wear. The smooth walnut buttstock and forend remain uner excellent with a handful of light dents and handling marks and two highly visible cartouches. The barrel frame and rame are numbered to a different arm. The barrel locks up solid and the harmer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000</li> <li>494 Sharps Civil War Cartridge-Converted 1863 Carbine serial #66374, 50-70 Govt., 22" barrel with a bright excellent three groove bore. This is quite a handsome little carbine. The barrel retains about 97-98% arsenal blue, done at the time of the conversion, showin some light flaking to plum, the barrel block retaining perhaps 92-95% original color case-hardening, to left flat quie strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with swaps case colors on the harmer. The straight grip walnut buttstock rates very fine with much original varish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame and gwith numbered of the flat quies some strong color it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color.</li> </ul>				
<ul> <li>an even balance of original bright blue and brown patina. The action retain about 97% strong vibrant color case-hardened finish muting to a bright silve-gray patina at high edges, a couple of the screw heads show only slight slot wear. The smooth walnut buttstock and forend remain near excellent with a handful of light dents and handling marks and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to aliferent arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>Est. 2,0</li></ul>				5 5 5
<ul> <li>retain about 97% strong vibrant color case-hardened finish muting to a bright silver-gray patina at high edges, a couple of the screw heads show only slight slot wear. The smooth walnut buttstock and forend remain near excellent with a handful of light dents and handling marks and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>494</li> <li>Sharps Civil War Cartridge-Converted 1863 Carbine sub-three groove bore. This is quite a handsome little carbine. The barrel retains about 97-98% arsenal blue, done at the time of the conversion, showin some light flaking to plum, the barrel band with very good smoky silver case-hardening. The frame and breech block retaining perhaps 92-95% original color case-bardening, toning mostly on the front edge of the left frame flat, the right stronger, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddler ing is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel cole sharps carbine still retaining some rather nice color</li> </ul>				
<ul> <li>bright silver-gray patina at high edges, a couple of the screw heads show only slight slot wear. The smooth walnut buttstock and forend remain near excellent with a handful of light dents and handling marks and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000)</li> <li>Est. 2,000 - 3,000</li> <li>Est.</li></ul>				
show only slight slot wear. The smooth walnut buttstock and forend         remain near excellent with a handful of light dents and handling marks         and two highly visible cartouches. The barrel frame and frame are         numbered alike, the barrel is numbered to a different arm. The barrel         locks up solid and the hammer functions crisply. (5C9896-116)         (ANTIQUE) (2000/3000)         Est. 2,000 - 3,000             Solution (Control		0 0		
remain near excellent with a handful of light dents and handling marks and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000       Sharps Civil War Cartridge-Converted 1863 Carbine serial #66374, 50-70 Govt., 22" barrel with a bright excellent three groove bore. This is quite a handsome little carbine. The barrel retains about 97-98% arsenal blue, done at the time of the conversion, showin some light flaking to plum, the barrel band with very good smoky silven case-hardening. The frame and breech block retaining perhaps 92-95% original color case-hardening noning mostly on the front edge of the lef frame flat, the right stronger, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the but. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the butplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color				
and two highly visible cartouches. The barrel frame and frame are numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000Sharps Civil War Cartridge-Converted 1863 Carbine serial #66374, 50-70 Govt., 22" barrel with a bright excellent three groove bore. This is quite a handsome little carbine. The barrel retains about 97-98% arsenal blue, done at the time of the conversion, showin some light flaking to plum, the barrel band with very good smoky silver case-hardening. The frame and breech block retaining perhaps 92-95% original color case-hardening, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut butstock rates very fine with much original varnish and a strong left-side carouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel for the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color		show only slight slot wear. The smooth walnut buttstock and forend		Collection] (2500/3500)
numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000 Est. 2,000		remain near excellent with a handful of light dents and handling marks		Est. 2,500 - 3,500
numbered alike, the barrel is numbered to a different arm. The barrel locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000 Est. 2,000		and two highly visible cartouches. The barrel frame and frame are	494	4 Sharps Civil War Cartridge-Converted 1863 Carbine
locks up solid and the hammer functions crisply. (5C9896-116) (ANTIQUE) (2000/3000) Est. 2,000 - 3,000 Est. 2,000 - 2,000 Est. 2,000 - 3,000 Est. 2,000 - 3,000 Est. 2,000 - 3,000 Est. 2,000 - 2,000 Est. 2,000 - 2,000 - 2,000 Est. 2,000 - 2,00				
(ANTIQUE) (2000/3000) Est. 2,000 - 3,000 Est. 2,000				
Est. 2,000 - 3,000 some light flaking to plum, the barrel band with very good smoky silven case-hardening. The frame and breech block retaining perhaps 92-95% original color case-hardening, toning mostly on the front edge of the lef frame flat, the right stronger, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color				<b>o</b>
case-hardening. The frame and breech block retaining perhaps 92-95% original color case-hardening, toning mostly on the front edge of the lef frame flat, the right stronger, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color		,		
original color case-hardening, toning mostly on the front edge of the lef frame flat, the right stronger, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color		EST. 2,000 - 3,000		
frame flat, the right stronger, the left flat quite strong, with the tang tone to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color				case-hardening. The frame and breech block retaining perhaps 92-95%
to pewter. The lockplate as well shows some strong color case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color				original color case-hardening, toning mostly on the front edge of the left
case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color				frame flat, the right stronger, the left flat quite strong, with the tang toned
case-hardening with smoky case colors on the hammer. The straight grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice color				to pewter. The lockplate as well shows some strong color
grip walnut buttstock rates very fine with much original varnish and a strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				case-hardening with smoky case colors on the hammer. The straight
strong left-side cartouche at the center of the butt. The forend is similar with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				· · · ·
with sharp edges and only minor dings and handling marks, one small divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				
divot to the rear of the band. The lock is crisp and mechanically functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				-
functional and the left-side saddle ring is intact on the sling bar, the buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				
buttplate showing some smoky gray case hardening, originally from a patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				divot to the rear of the band. The lock is crisp and mechanically
patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				functional and the left-side saddle ring is intact on the sling bar, the
patchboxed arm. The barrel is serial numbered to the frame along with number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				buttplate showing some smoky gray case hardening, originally from a
number "45" stamped adjacent to it. A very pleasing example of the cartridge converted Sharps Carbine still retaining some rather nice colo				
cartridge converted Sharps Carbine still retaining some rather nice colo				
case-hardening. (39779-3) {ANTIQUE} (3000/5000)				
Est. 3,000 - 5,000			1	L East 2 000 E 000

Lot Title/Description

495	Very Early Smith & Wesson No. 3 First Model American Vent Hole	49	98	Very Fine Colt Second Model Deringer Pistol
	Revolver Serial Number Six			serial #5708, 41 RF, 2 1/2" barrel with a bright excellent bore. This is a
	44 S&W American, 8" ribbed round barrel with a fair-good bore showing			wonderful second model deringer with handsome nickel-plated barrel
	overall light pitting and oxidation with good rifling throughout. The metal			and silver-plated iron frame. The barrel retains about 96-97% original
	surfaces of this revolver retain perhaps 70% original nickel finish with			nickel finish showing some mild thinning to smooth gray patina along the
	scattered areas flaking to gray patina along with some mostly			edges of the muzzle and left top edge, a few scattered tiny flakes and
	smoothed-over light pitting and fine scratches from cleaning along either			minor freckles. The Hartford barrel address remains crisp and clear. The
	side of the frame. The screw heads show light to perhaps moderate slot			frame retains nearly 90% original silver finish that is flaking along the
	wear along with some evident damage around some of the screw holes.			sides and blending in nicely with mild gray-brown iron and showing a
	The single line barrel address and patent dates remain quite crisp and			few tiny spots of old oxidation staining. The silver has taken on a lovely
	clear. The lanyard ring has been removed from the butt, the spacing			dark tarnish overall and the frame is embellished with tasteful
	around the serial number indicates that there were indeed never any			finely-detailed foliate flourishes that remain crisp. There is a small scuff
	other numbers beyond the "6". The revolver is fitted with a fine set of			mark at the back edge of the checkered barrel catch and the screw
	smooth antique ivory grips that show wonderful extensive age crackling			heads show some very light slot wear but this is unobtrusive. The small
	and toning to a nice rich patina with slight shrinkage overall and the left			parts retain 95% brilliant fire blue and the hammer retains a similar
	panel showing a small chip at the base. The right panel shows a faint			amount of vibrant case-hardened colors. The checkered walnut grips are
	old penciled "6" on the interior and the barrel and cylinder are matching			ink-numbered to the gun and remain in excellent condition retaining
	each other by assembly number "E1". There is no number on the latch			about 98% original varnish showing just a few scattered light handling
	and the assembly number on the frame is no longer visible due to			marks. The barrel is matching the frame and the action seems to
	pitting. The revolver is appropriately not equipped with the notched			function well mechanically. An excellent example for the advanced Colt
	hammer and the cylinder measures 1.45". Barrel-to-frame fit shows a			collector, these pistols generally saw extensive time in the pocket and
	little bit of minor play and the action seems to function well mechanically			are very rarely seen with any finish at all. (13B9762-14) {ANTIQUE}
	with solid timing and lock-up. A solid example of an extremely early and			(2000/3000)
	desirable revolver for the advanced Smith & Wesson collector.			Est. 2,000 - 3,000
	(13C9474-66) {ANTIQUE} [Dr. John W. Hall Collection] (3000/5000)	49	99	Maynard Second Model Civil War Carbine
	Est. 3,000 - 5,000			serial #2350, 50 cal. 20" round barrel with octagonal breech and a bright
496	Colt Model 1851 Navy Percussion Revolver	1		excellent bore. The barrel on this lovely carbine retains 95-97% evenly
	serial #92060, .36 cal, 7 1/2" octagon barrel with an about good bore			thinning original blue with light silvering along the muzzle and high
	showing some scattered light pitting and perhaps moderate oxidation			edges and a few tiny nicks and scratches from the years with a longer 2
	with some bright areas and otherwise strong rifling throughout. This is a			1/4" thin scratch in the left side at the muzzle. The frame retains bold
	handsome 1859-made revolver all-matching down to the wedge. The			brilliant case-hardened colors scattered throughout and particularly
	· · ·			- · · ·
	barrel is flaking and toning to a deep plum-brown patina showing some			brilliant on the bottom and lower right side, with a speck or two of fine
	scattered small perhaps moderate dings or tool marks along some of the			oxidation and light muting on the left side of frame. The Maynard patent
	high edges, a little light pitting along the muzzle and breech and			markings on the left side and Massachusetts Arms. Co. maker markings
	generous streaks of original bright blue scattered throughout. The			on the right side are very clear, there is a crisp "1865" stamp on the
	cylinder is a dark gray patina showing some scattered light dings and old			lower tang along with serial number. The trigger and hammer show
	light pitting along the edges. The frame, loading lever and hammer are			strong bright original blue in the more protected areas with a few specks
	mostly a pleasant smooth gray patina showing some faint smoky colors			of fine oxidation, a number of the screw heads retain strong original blue
	lurking about. The triggerguard and backstrap retain perhaps 50%			as well. The straight grip walnut buttstock remains very good plus to
	original silver finish strongest in the protected areas that is taking on a			about near excellent with a handful of shallow dents and handling marks
	lovely dark tarnish and the balance toned to a mild goldenrod. The			and a 1 3/4" thin dent in the left side at the buttplate. The dual "JM"
	Hartford barrel address remains completely intact and strong as does			cartouches on the left side remain crisp and clear. The saddle ring and
	the "COLTS PATENT" on the frame. The cylinder markings have			original sights are intact, barrel lockup remains tight and the action
	softened somewhat from the years with much of the naval engagement			functions nicely. A very attractive Maynard carbine with lovely
	scene still visible. The smooth walnut grip is ink-numbered to the gun			case-hardened colors. (5C9896-118) {ANTIQUE} (1800/2400)
	and remains in very fine condition retaining about 95% original varnish			Est. 1,800 - 2,400
	showing some mild edge wear, a few scattered light dings and the	50	00	Exquisite WWII Japanese Gendaito by Yasukuni Shrine Sword Smith
	initials "AB" very lightly scratched on the right side edge and base. The			Yasuhiro/Kunimori
	action seems to function well mechanically with solid timing and lock-up.			This beautiful traditionally-made officer's sword with measures 36 3/4"
	A nice honest 1851 Navy for the Colt collector. (13B9833-86)			overall and bears a 27" shinogi-zukuri blade showing a striking mirror
	{ANTIQUE} (1800/2200)			polish, crisp straight hamon line and tight wood-grain hada just visible
	Est. 1,800 - 2,200			under close inspection. The tang is signed "Toto Ju Nin / Ikkansai
497	Colt Model 1851 Navy Percussion Revolver	1		Kunimori Kin Saku" (Yasuhiro's later signature) on the reverse face.
	serial #74883, .36 cal, 7 1/2" octagon barrel with a fair-good bore			Except for a tiny speck of gray patina at the tip, the blade is wholly
	showing overall pitting and oxidation still with strong rifling throughout.			unblemished, razor sharp and near mint. The officer's mounts are of
	The metal surfaces of this 1857-made revolver have mostly toned to a			exceptional quality and condition, comprising a silver-plated habaki and
	mild gray and gray-brown patina showing some scattered remnants of			gilt brass tsuba, fuchi, menuki and kabuto-gane with ocher-brown matte
	minor pinprick pitting and a few light dings here and there. The loading			finish on the fuchi and kabuto-gane. The wood grip is bound in traditional white shagreen and brown cloth tape and a red/brown field
	lever retains a hint of case-hardened colors in the protected corners, the			, i i i i i i i i i i i i i i i i i i i
	frame with some remnants of silvery case-hardened patina and a small			grade officer's sword knot hangs from the brown-finished brass sarute.
	patch of vibrant colors below the serial number. The triggerguard and			The sword knot is lightly frayed at the edges and the cloth tape shows
	backstrap show thinning silver finish throughout mixing with pale			expected handling stains at the edges, otherwise the hilt is excellent.
	goldenrod patina and showing some scattered fine scratches and a few			The scabbard is likewise quite minty, featuring a dark brown-painted
	minor dings. A number of the screw heads still retain some faint fire blue			steel body and ocher-brown-painted gilt brass mounts matching the hilt
	along their edges. The Hartford barrel address remains completely intact			and showing only the barest light finish wear at the exposed edges of
	and strong as does the "COLTS PATENT" on the frame and small			the mounts. Miyaguchi Yasuhiro (real name Miyaguchi Shigeru, b. 1897)
	internal factory inspector stamps. The cylinder markings are somewhat			is noted for his work as a 'smith at the esteemed Yasukuni Shrine;
	soft and the naval engagement scene remains partially visible overall.			swords bearing his later "Kunimori" signature were made post-1936 at
	The smooth walnut grip remains in good condition as lightly cleaned and			Okura forge, after his time at Yasukuni. A truly splendid Japanese sword
	refinished showing a few small filler repairs and scattered light dings.			from a renowned craftsman. (129807-14) [Vincent Coniglio Collection]
	The internal ink number is faded and difficult to discern and the			(5000/7000)
	remaining serialized parts are matching including the wedge. The			Est. 5,000 - 7,000
	revolver is sighted with a period dovetailed silver blade and the hammer			
	nose has been modified during the period of use to provide a wider sight			
	picture. The action seems to function well mechanically with solid timing			
	and lock-up. A solid 1851 Navy for the Colt collector. (13B9833-89)			
	{ANTIQUE} (1500/2000)			

{ANTIQUE} (1500/2000) Est. 1,500 - 2,000

Title/Description Lot

501	Japanese Naval Pattern 1937 Kai-Gunto	503	WWII Japanese Gendaito by 23rd Generation Swordsmith Fujiwara
	This WWII-era Naval Officer's sword measures 35 1/2" overall and		Kanefusa
	bears a 25" single-edged traditional shinogi-zukuri blade with an		This fine officer's sword measures 36 3/4" overall and bears a 26 1/4"
	irregular billowing hamon line and a plain brass habaki. The plain tsuba		shinogi-zukuri blade with single unstopped fullers, a tight just-visible
	is black-finished copper set between blackened copper dai-seppa		wood-grain hada and a bright undulating irregular hamon line. The tang
	decorated by sun rays in alternating plain and stippled finish. The		is signed "Noshu Seki Ju Ni Ju San Dai Fujiwara Kanefusa Saku Kore",
	wooden handle is bound in black shagreen and traditional brown cloth		a signature of the 23rd Generation Fujiwara Kanefusa. A Minatogawa
	tape wrap; the fuchi, menuki and kabuto-gane are gilt brass. The tang is		kiku-sui crest is engraved on the reverse face of the blade above the
	signed on the reverse face; information from the consignor translates		habaki; swords with this blade stamp are not made at Minatogawa
	the signature as "Zagiyama Tadamasa"; no military proofs are visible on		Shrine (which stamps this symbol on the tang) and have no known
	the sword or scabbard, suggesting an officer's private purchase.		connection to it. Some researchers believe the blades may be a special
	Polishing marks can be seen along the length of the blade concentrated		order by a group of naval officers associated with the Minatogawa
	at the tip, otherwise the steel is mirror-bright and in fine condition with		battleship. The blade is in excellent condition with a bright mirror polish
	few blemishes. The hilt shows some instances of copper-toned finish		showing sparsely scattered instances of speckled gray patina, very light
	wear on the edges of the tsuba and strong amounts of gilt finish remain		handling marks and minute polishing marks. The edge is razor sharp,
	on the fittings with slivers of dark patina at the high edges. The		nearly unblemished with the barest instances of roughness visible under
	shagreen and grip wrap are unblemished and overall the hilt is in		light. The hilt is of typical officer's configuration with brass tsuba,
	excellent condition. The scabbard is wood bound in polished black		menuki, fuchi and kabuto-gane; the fuchi and kabuto-gane retain
	shagreen with gilt brass mounts. Drying of the shagreen has split the		generous original ocher-brown paint wearing to exposed brass at the
	binding along the seam and areas of finish flaking can be seen here and		edges. The white shagreen and brown cloth tape binding are excellent
	there on the surface but the material shows no more than superficial		with few if any blemishes and the hilt rates very fine to excellent overall.
	loss. The shagreen remains largely well-fitted to the wood and is		The included scabbard is wood in a fine textured brown lacquer shell, in
	secured by a (perhaps redundant) strip of cellophane tape beneath the		near-mint condition with only the barest wear of the mounts. A silvered
	throat. The brass retains strong original gilt with some occasional		brass belt hanger is included which retains strong original finish with
	instances of exposed patinated brass at the exposed edges; all fittings		some very light finish wear at the edges. The Kanefusa lineage dates
	remain tightly fitted save the throat, which has come loose. A fine		back to the 1400s and continues today with the 25th Generation. The
	example of these Japanese naval blades. (12B9807-7) [Vincent Coniglio		23rd Generation Kanefusa, born 1900 (real name Kato Koichi), was an
	Collection] (1000/1500)		award-winning 'smith active during the Second World War-era. He was
	Est. 1,000 - 1,500		ranked 1st Seat (National Swordsmith) in the 6th Exhibition of Swords
502	WWII Japanese Gendaito by Akiyoshi		held in 1941 and made many blades for military use and for civil officials
	This traditionally-made WWII-era Army Officer's sword measures 28"		over the war years. Really a quite marvelous officer's blade from this
	overall and bears a 27 1/2" shinogi-zukuri blade with a straight grain		renowned 'smith. (12C9807-8) [Vincent Coniglio Collection] (1500/2000)
	hada lightly stippled with activities and a soft yet distinct subtly		Est. 1,500 - 2,000
	undulating hamon line. The tang is signed on either face; information	504	Superb Signed WWII Japanese Officer's Sword
	from the consigner confirms the signature to read "Made by Fujita		This beautiful minty officer's weapon measures 37" overall and bears a
	Akiyoshi" and "Resident of Ushu, Yamagata [province]" on the reverse		27 1/2" shinogi-zukuri blade with a bright white hamon line and a
	and "Made on a Lucky Day in August 1944" on the reverse. The blade is		beautiful tight wood-grain hada. The tang is signed on either face. The
	bright and excellent with a near-perfect razor edge, only the slightest		blade is near mint, showing a bright mirror finish with only a couple
	polishing marks here or there visible under light and no blemishes of		minute handling marks barely worth mention. The hilt features splendid
	note besides occasional tiny forging imperfections. The hilt features		officer's mounts, including a lacquered brass tsuba, painted brass fuchi
	standard officer's mounts, comprising a wood grip bound in white		and kabuto-gane, gilt brass menuki and excellent yellow-tasseled
	shagreen and brown cloth tape and brass tsuba, fuchi, pair of menuki		red/brown General Officer's knot hanging from a cloth cord sarute. Also
	and kabuto-gane all cast-in-relief with sakura blossom designs. A		includes a silvered brass belt hanger with light finish wear at the edges
	blue/brown company-grade officer's sword knot hangs from the		and a darkened patina on the exposed brass. The olive green painted
	silver-washed copper sarute. Handling stains and light instances of		steel scabbard is also nearly unblemished save the slightest finish wear
	thread wear are visible on both the knot and cloth tape; both similarly		on the mounts. Overall an exquisite near-mint officer's sword.
	worn, suggesting the knot is indeed original to the sword. The metal		(12C9807-25) [Vincent Coniglio Collection] (2000/3000)
	surfaces are worn pale at the corners and edges, otherwise the hilt		Est. 2,000 - 3,000
	shows no serious wear and rates near excellent. The included scabbard		
	is brown-painted steel with brown-painted brass mounts including a		
	single suspension ring. Aside from expected paint wear at the edges		
	with exposed steel darkened to smooth brown, the scabbard shows few		
	if any handling marks or blemishes and rates very fine. A beautiful		
	traditional Japanese sword from the late-war period. Research indicates		
	Fujita Akiyoshi (b. June 26, 1904, real name Fujita Tokusaburo) was an		
	Army Commission swordsmith listed as active throughout the Showa		
	period (1926-1989). (12C9807-6) [Vincent Coniglio Collection]		
	(1200/1800) Est. 1,200 - 1,800		

#### Title/Description Lot

Lot Title/Description

505 Magnificent Ivory-Mounted Wakizashi This beautifully mounted shortsword measures 26" long and bears a steeply curved 18" single-edged blade with single unstopped fullers and an undulating acid-etched temper line. Bright and near excellent, the blade shows areas of roughness along the edge and some fine sharpening marks visible at the tip. Hints of smoky patina or light oxidation remnants can also be seen here or there but otherwise the blade shows few blemishes. The true highlights of this piece are the carved ivory mounts: the hilt and scabbard feature a beautiful carved relief in four panels (one on the hilt, three on the scabbard) bordered by clouds, waves and foliate scroll. The panels depict expertly detailed scenes of Japanese lords and their attendants practicing Takagari, the Japanese tradition of falconry, in pastoral Japanese landscapes. The hilt depicts a band of hunters in hot pursuit of their falcon as it pins a struggling crane in the water. The scabbard shows the falconers erecting portable perch stands, caring for the birds, and preparing hunted game including the aforementioned crane carried on a pole between two men. The lowermost panel shows a samurai in formal dress attire, complete with a Daisho sword pair tucked into his sash, with his falcon perched upon his left glove. The tip depicts a winged gargoyle-like creature surrounded by rolling clouds. The relief is exquisitely rendered in the finest detail, from the bark of the trees to the shading on the individual feathers of the birds, varied in depth throughout to show volume and dimensionality from any angle. Transporting the viewer to the beautiful countryside of feudal Japan. these mounts could only be the work of a master craftsman. The ivory is toned to a pleasing yellow-tinged cream color. Several very thin cracks, including some following the lines of the carving, can be seen sparsely scattered here and there on the body. The tip segment has been reattached by a careful adhesive repair, traces of which are visible only under close inspection of the seam. These blemishes are largely negligible and do little to nothing to detract from the beauty of this marvelous carving. Truly an imitable piece of Japanese artwork and a splendid prize for any collector. (129718-14) [Deaccessioned New Britain Youth Museum] (2000/3000) Est. 2,000 - 3,000

506	U.S. General Officer's Sword & Two-Scabbard Set Belonging to	
	Massachusetts Surgeon General Edward J. Forster	
	36 1/2" overall, 30" double-edged diamond-shaped blade marked "G.M. Simmons & Co. / Boston Mass." on the reverse face of the ricasso. The	
	bright excellent blade is beautifully frost-etched on either face with crisp	
	panels depicting foliate scroll and panoplies of arms, centered by a	
	Federal Eagle on the obverse and U.S. lettering on the reverse. Some	
	barely visible scabbard marks can be seen on the faces of the foible and	
	specks of gray patina are present near the tip and over the maker's	
	mark, otherwise the blade shows few blemishes. The hilt is cast brass in	
	gilt relief with a folding reverse counterguard showing U.S. Shield &	
	panoply of arms in an oak & laurel wreath and a silvered grip inlaid with	
	a gilt spiral band. Aside from a fleck or two of verdigris, the hilt shows no blemishes of note and rates excellent with generous gilt in the relief. A	
	correct regulation two-scabbard set is included, the first nickel-plated	
	with a single Brigadier General's silvered brass star for dress wear and	
	the second service-browned for field use, both mounted in gilt brass.	
	Some handling marks are visible under light and instances of verdigris	
	can be seen on the drag of the nickel scabbard but otherwise both are in	
	excellent condition. Also included is one buff kidskin cover marked "Brig.	
	General / Lieut. Colonel (struck through) / E.J. Forster. / Surgeon	
	General / Mass" on the front face. The cover is in good condition overall:	
	the last few inches of the tip have been lost and the surface shows light age yellowing, a few small perforations and occasional stains. The	
	lettering is a bit faded but remains legible. Contact wear at the side is	
	perfectly consistent with this sword, leaving little doubt that this is the	
	correct sleeve for that arm. According to information from the	
	Massachusetts National Guard Museum & Archives, Edward Jacob	
	Forster "enlisted in the 26th Unattached Infantry Company, Mass.	
	Volunteer Militia in Sep 1864; discharged in Oct 1866. He did not serve	
	on active duty during the Civil War. He received his MD from Harvard in	
	1868 and was commissioned as surgeon with the rank of major, 5th	
	Infantry in 1871. Discharged in 1892. Commissioned as lieutenant colonel in 1894 and assigned as medical director, 1st Brigade,	
	appointed Surgeon General with rank of brigadier general by Gov.	
	Frederic T. Greenhalge on 23 Apr 1895. Died in office 15 May 1896."	
	Presented with this lot is a dossier of research pertaining to the General	
	including the above statement, excerpts from period publications such	
	as Adjutant General's annual reports and obituaries for Dr. Forster, an	
	excerpt from A History of the Massachusetts Medical Society 1781-1922	
	by Walter L. Burrage, A.M., M.D. and a 25-page printout of The	
	Pedigree and Descendants of Jacob Forster, Sen. of Charlestown,	
	Mass. by none other than Dr. Edward J. Forster himself. This excellent attributed Massachusetts General's sword presents a rare and enticing	
	opportunity for the collector. (12A9838-6) [Bruce Schroyer Collection]	
	(1200/1800)	
	Est. 1,200 - 1,800	
507	Beautiful U.S. Model 1860 Officer's Cavalry Saber Retailed by Tiffany &	
	Co.	
	This high-end officer's weapon measures 41" overall and bears a 35" single-edged trailing point blade with wide stopped and narrow	
	unstopped fullers. Either face of the blade is etched with intricate frosted	
	panels depicting assorted complex floral and foliate sprays, panoplies of	
	arms, the Federal Eagle, a uniformed Union soldier, U.S. lettering and	
	the Tiffany & Co. logo. The ricasso is stamped "Collins & Co. / Hartford /	
	Conn" on the reverse face and dated "1861" on the obverse. The	
	etching is in marvelous condition, only showing the barest flecks of	
	smoky patina under light. Similarly tiny flecks and minute handling marks	
	can be seen on the bright foible. The few blemishes are negligible and	
	overall the blade is excellent. The hilt is gilt brass crisply engraved with foliate designs and a U.S. shield on the back of the pommel; a Federal	
	Eagle is embossed on the underside of the rear quillon. The grip is black	
	shagreen wound by twisted brass wire. A few instances of finish wear	
	expose bright brass, otherwise the guard retains strong original brass;	
	the grip is unblemished and the hilt rates excellent as a whole. The	
	scabbard is steel with gilt brass mounts, finely decorated with foliate	
	engraving, a pierced foliate relief at the throat and a gilt brass	
	escutcheon of Federal Eagle on U.S. Shield affixed to the drag. The	
	steel has been strongly polished, showing remnants areas of cleaned pinprick pitting and cloudy spots of light burnished pewter patina; the	
	body has been restored to very fine bright condition, the blemishes	
	negligible until viewed closely. The mounts are excellent with slight wear	
	to bright brass at the edges, retaining strong beautiful gilt finish	
	particularly in the intricate detailing. The reverse face of the upper collar	
	is inscribed to "Capt. John W. Haaren". The 1872 Annual Report of the	
	Adjutant General of the State of New York lists a Capt. John W. Haaren	
	of the 3rd Cavalry Regiment of the New York National Guard; Capt.	
	Haaren's resignation from the service was accepted September 30th of that year. A wonderful Civil War-era sword exemplifying Tiffany & Co.'s	
	high standards of excellence. (12C9838-15) [Bruce Schroyer Collection]	
		L
	(1200/1800)	L

Lot Title/Description

508	Historic Heirloom Marine Corps Mameluke Sword inscribed to Fred D.	510	Lovely Cased Pair of Swiss Percussion Target Pistols by A Vannod &
	Kilgore		Rochat
	37" overall, 31 1/2" single-edged slightly curved spear point blade with		.50 cal., 9 1/4" octagon barrels with fine 16-groove rifling and bright very
	wide single fullers turning to double narrow fullers at the foible. Either		fine to near excellent bores which show just a bit of very light oxidation
	face of the blade is etched with 18" frosted panels depicting foliate		in the grooves. The barrels are lovely showing exceptional two tone
	sprays, panoplies of arms, "United States Marines" riband on either face and the name "Fred D. Kilgore" on the reverse face. The blade is bright		pewter gray and gray-blue damascus pattern their full lengths with a fev scattered areas of extremely light oxidation present which does not
	and excellent, showing few blemishes except traces of unobtrusive		detract from the lovely pattern. The breeches and tangs show some nic
	patina near the guard and some very fine-grained bubbling on the		smoky blue-gray color case-hardening, toning on the rear of each tang.
	obverse face which does little to detract from the clarity and beauty of		There are lovely fire blued fine bead front sights with fire blued u-notch
	the etching. The brass surfaces of the grip are lightly mottled with		rears mounted atop each tang. The top flat is maker marked "Vannod &
	cleaned tarnish and tones of verdigris staining. The ivory grips each		Rochat a Lausanne" surrounded by light borderline engraving. There is
	show several non-flexing cracks, one of which has been expertly		some excellent quality scroll on each tang and "1" and "2" are inlaid in
	filler-repaired. A leather sword knot hangs from the pommel and shows		gold on each tang and breech. The back action locks and hammers are
	a bit of light wear. The scabbard is nickeled steel in brass mounts, rating		a smoky case-hardened patina, the tops of each hammer with some
	near excellent with a bit of cloudiness in the finish and few handling		smoky blue-gray colors evident. Both show excellent quality open
	marks or blemishes of note. The ensemble comes in a soft leather		flowing scroll, the skirt of the hammer on gun No. 1 is chipped out. The
	carrying case in excellent condition with only a few handling scuffs from		triggerplate's front extensions show excellent quality open flowing scroll
	the years. According to the included research dossier compiled by a		as do the single spur triggerguards. The arms are stocked in a lovely
	previous owner, this sword belonged consecutively to no fewer than		grade of French walnut showing exquisite grain figure throughout with
	three distinguished United States Marines The sword was made for the		fabulous wraparound checkering patterns at the grip with tiny mullered
	inscribed Fred D. Kilgore, commissioned 2nd Lieutenant in the U.S.		borders. Barrels are keyed through German silver escutcheons to the
	Marine Corps on Oct. 23, 1903. Kilgore served in France during World		rear of the neat little schnabel tips and there are nice scalloped
	War I, then as Aide to then-Secretary of the Navy Franklin Delano		rosewood gripcaps with silver inserts at their centers. Each arm is
	Roosevelt himself. Kilgore was appointed Commanding Officer of the		equipped with a single set trigger and the guns seem to function well
	4th Marine Regiment in Shanghai, where he died of illness on May 15th,		mechanically. These come cased in a European walnut case with
	1933, having achieved the rank of Colonel. Kilgore's widow gifted the		French fitted green baize lining rating very fine overall. On the interior is
	sword to Lt. Col. Emile P. Moses, then serving as Executive Officer of		a very nice single cavity bullet mould, patch cutter with nice sunken "VR
	that regiment. Moses was eventually promoted to Brigadier General on		touchmark, a horn handled turn screw, loading rods, rod ends, horn
	Feb. 1, 1939 and acted as President of the Marine Corps Equipment		"spares" bottles (one with patches, the other nipples), small powder
	Board from May 1939-Sep 1941, during which time he oversaw such		flask, loading/disassembly mallet, a selection of cast projectiles and the
	projects as the Amtrak and Higgins boat; Moses retired as a Major General on May 1, 1944. Emile P. Moses Jr. was given the sword by his		key to the case. Vannod & Rochat were partners in Lausanne Switzerland from roughly 1839-1850 and were purveyors of very fine
	father upon his commission as 2nd Lt. in the U.S.M.C. on Sep. 5, 1941.		quality arms. This pair of pistols is certainly no exception and exhibit
	Moses Jr. participated in the Marshalls and Okinawa campaigns during		quality of craftsmanship throughout. (3D9654-13) {ANTIQUE}
	WWII, later made the landing at Inchon during the Korean War and		(3500/5000)
	stayed in Korea until August 1951. He assumed command of the		Est. 3,500 - 5,000
	Pioneer Bn. in Okinawa on Aug. 1st, 1958 until his retirement as Lt. Col.	511	German Model 640(b) High Power Semi-Auto Pistol by Fabrique
	on Jul. 1, 1962. Lt. Col. Moses Jr. took the sword with him for this		Nationale
	command, evidenced by the aircraft cabin tag still affixed to the leather		serial #92094a, 9mm, 4 11/16" WWII replacement barrel with a lightly
	case. Colonel Kilgore's sword was given to a (here unnamed) friend of		frosted bore. This barrel is serial numbered 59230 with "[Eagle] /
	Lt. Col. Moses, Jr. upon his death in 1988. Having accompanied three		WaA613" Waffenamt marks. The pistol displays the typical wartime
	remarkable Marines over 59 years of service and two World Wars, this		coarse finish with about 92% original blue remaining on the metal
	marvelous storied sword is an exquisite artifact of Marine Corps history,		surfaces showing light handling marks. The pistol also shows high edge
	not to be ignored. (12B9838-30). [Bruce Schroyer Collection]		wear, thinning finish on the grip frame and scattered light pitting with a
	(1500/2500)		few oxidation blemishes. The checkered walnut factory grips rate very
	Est. 1,500 - 2,500		good with light handling marks and slight darkening from oil soaking.
509	Unmarked Confederate Artillery Short Sword		The pistol features an internal extractor, ring hammer, round blade front
	This artillery footman's arm measures 23 1 /2" overall and features a 17		sight, drift adjustable standard rear sight and thumb print. It includes a
	3/4" double-edged spear point blade with an oval cross-section. The hilt		single factory magazine. The pistol's frame, slide and magazine are
	is cast brass with a 8 pattern grip and block letters "C" and "S" on the		marked with "[Eagle] / WaA140" Waffenamt marks. The markings
	side faces of the quillons. While the specific maker of this unmarked		remain crisp and the gun appears to function mechanically. The pistol
	sword remains unknown, the materials and features all appear correct and authentic to Confederate production. The years have toned the		includes a brown calf skin Browning High Power break away soft shell flap holster with "jkh / 43" stamped on the back (Carl Busse, Frabrik fue
	blade to an overall black mottled with dark ocher-brown patina		Ausruestungen aus Stoff u. Leder Manz, Kurfuerstenstr, 11). The holste
	throughout. Previous light cleanings have smoothed the surface so that		rates about fair with moderate wear on the high edges, limited crazing,
	only occasional remnants of oxidation texture remain visible under light.		several small holes and the stitching is generally strong with the bottom
	A few subtle polishing and maintenance marks can be seen beneath the		of the breakaway flap starting to fail and the belt loop completely
	age patina from a long-previous sharpening, as can several shallow		separated from the holster on the bottom rows of stitching. This gun has
	impact nicks in the otherwise fine sharp appleseed edges. The		seen some use over the years but remains in very good condition and a
	crossguard shows a tobacco patina on the faces with areas of coppery		fine wartime collectible. (8A9855-2) {C&R} (1500/2000)
	ocher at the quillons and hints of green verdigris in the lettering. The grip		Est. 1,500 - 2,000
	is worn bright from handling and the scales have somewhat softened but		
	still show the characteristic imperfections of the sand-casting process		
	common to Confederate arsenals. Numerous tiny handling marks can be		
	seen across the pommel, otherwise the hilt shows no major blemishes.		
	A well-kept Southern-made weapon in quite fine honest condition.		
	(12B9718-8). [Deaccessioned New Britain Youth Museum] (2000/3000)		
	Est. 2,000 - 3,000		

	.50 cal., 9 1/4" octagon barrels with fine 16-groove rifling and bright very fine to near excellent bores which show just a bit of very light oxidation in the grooves. The barrels are lovely showing exceptional two tone pewter gray and gray-blue damascus pattern their full lengths with a few scattered areas of extremely light oxidation present which does not detract from the lovely pattern. The breeches and tangs show some nice smoky blue-gray color case-hardening, toning on the rear of each tang. There are lovely fire blued fine bead front sights with fire blued u-notch rears mounted atop each tang. The top flat is maker marked "Vannod & Rochat a Lausanne" surrounded by light borderline engraving. There is some excellent quality scroll on each tang and "1" and "2" are inlaid in gold on each tang and breech. The back action locks and hammers are a smoky case-hardened patina, the tops of each hammer with some smoky blue-gray colors evident. Both show excellent quality open flowing scroll, the skirt of the hammer on gun No. 1 is chipped out. The triggerplate's front extensions show excellent quality open flowing scroll, as do the single sput triggerguards. The arms are stocked in a lovely grade of French walnut showing exquisite grain figure throughout with fabulous wraparound checkering patterns at the grip with tiny mullered borders. Barrels are keyed through German silver escutcheons to the rear of the neat little schnabel tips and there are nice scalloped rosewood gripcaps with silver inserts at their centers. Each arm is equipped with a single set trigger and the guns seem to function well mechanically. These come cased in a European walnut case with French fitted green baize lining rating very fine overall. On the interior is a very nice single cavity bullet mould, patch cutter with nice sunken "VR" touchmark, a horn handled turn screw, loading rods, rod ends, horn "spares" bottles (one with patches, the other ripples), small powder flask, loading/disassembly mallet, a selection of cast projectiles and the
	(3500/5000) Est. 3,500 - 5,000
_	German Model 640(b) High Power Semi-Auto Pistol by Fabrique
	Nationale serial #92094a, 9mm, 4 11/16" WWII replacement barrel with a lightly frosted bore. This barrel is serial numbered 59230 with "[Eagle] / WaA613" Waffenamt marks. The pistol displays the typical wartime coarse finish with about 92% original blue remaining on the metal surfaces showing light handling marks. The pistol also shows high edge wear, thinning finish on the grip frame and scattered light pitting with a few oxidation blemishes. The checkered walnut factory grips rate very good with light handling marks and slight darkening from oil soaking. The pistol features an internal extractor, ring hammer, round blade front sight, drift adjustable standard rear sight and thumb print. It includes a single factory magazine. The pistol's frame, slide and magazine are marked with "[Eagle] / WaA140" Waffenamt marks. The markings remain crisp and the gun appears to function mechanically. The pistol flap holster with "jkh / 43" stamped on the back (Carl Busse, Frabrik fuer Ausruestungen aus Stoff u. Leder Manz, Kurfuerstenstr, 11). The holster
	rates about fair with moderate wear on the high edges, limited crazing

		1		
512	Rare Smith & Wesson No. 2 Old Model Army Revolver with 4" Barrel		515	German Pattern 1933 SS Dagger by Carl Eickhorn
	serial #37064, 32 RF, 4" ribbed octagon barrel with an about good bore			This Third Reich Schutzstaffel dagger measures 13 1/2", including the
	showing scattered light pitting and oxidation with otherwise strong rifling			tang nut, and features an 8 3/4" double-edged spear point blade with a
	throughout. The metal surfaces of this revolver retain perhaps 40%			diamond cross-section. The obverse face of the blade is crisply etched
	original bright blue scattered about having mostly flaked to a pleasant			with a nicely centered "Meine Ehre Hei?t Treue" motto and the reverse
	gray-brown patina showing sparsely scattered specks of old oxidation			is marked with RZM logo and code "941/40 SS". Bright and excellent,
	staining and a few minor dings. The ejector spud has mostly toned to a			the blade is near-mint except for the barest of scabbard marks. The solid
				·
	smoky case-hardened patina and the hammer is toning to a silvery			German silver guard and pommel show a few instances of gray patina
	patina with some generous vibrant colors in the protected areas. The			here or there and a few light handling marks under light. The correct
	screw heads show some light slot wear and the holes also show some			Parteiadler and SS runes are nicely centered and excellent, the
	minor tool marks but this is unobtrusive. The barrel address and patent			contoured ebony grips near excellent with no discernible handling marks
	dates along the cylinder remain completely intact and strong. The			and a very slight fading of the black from light handling over the years.
	smooth rosewood grips remain in very good plus condition retaining			The scabbard is black japanned steel with silvered brass mounts; the
	about 75% original varnish with most of the loss along the left panel, a			finish of the steel is near pristine with the barest handling marks visible
	small ding also on the left panel and thin tight drying crack on the right.			under light and the mounts show a few hints of wear but overall rate
				ů, s
	The right panel is appropriately stamp-numbered to the gun and the			near excellent. An altogether very fine example of these desirable SS
	remaining parts are matching by assembly code. Barrel-to-frame fit			daggers for the collector of German militaria. (129833-99A) (1800/2200)
	shows a little bit of minor play and the action will require mechanical			Est. 1,800 - 2,200
	attention as the hammer does not hold. Included is a Smith & Wesson		516	German Standard Modell Rifle by Mauser Oberndorf with Deutsche
			0.0	-
	factory letter explaining how the records on these arms are very vague			Reichspost Marking
	and that they believe all the 4" barrel guns were made on special order			serial #61883, 8mm Mauser, 24" barrel with a very good plus bore with
	with only 21 guns specifically listed, although Mr. Roy Jinks mentions			scattered spots of light oxidation but strong rifling. The metal surfaces
	that they cannot be sure this was the total number produced. Thirteen			retain about 92% original blue with thinning of the finish on the receiver
	were with ivory grips sold to J. W. Storres and the remaining eight were			and breech, light wear and oxidation staining on the barrel bands,
	likely with standard rosewood grips, sold on December 22, 1864 to H.			magazine floorplate, and triggerguard, a series of tiny dings on the lower
	Foot & Co. This example therefore falls within the serial number range			barrel band, light muzzle wear, and scattered light handling marks on
	and features of the eight sold to H. Foot & Co. A very rare variation for			the barrel; the bolt shows light operational wear, and some light
	-			
	the advanced Smith & Wesson collector. (13B9474-45) {ANTIQUE} [Dr.			oxidation staining. The European hardwood stock is in near excellent as
	John W. Hall Collection] (2000/3000)			perhaps very lightly cleaned with a light abrasion on the toe line, a very
	Est. 2,000 - 3,000			small flaking chip just ahead of the forward triggerguard screw, a small
513	Smith & Wesson No. 2 Old Model Army Revolver with B. Kittredge & Co.			ding on the underside of the forend about 1" from the lower band, and a
010				<b>.</b>
	Markings			few light handling marks; the flat steel buttplate has been cleaned to
	serial #35001, 32 RF, 6" ribbed octagon barrel with a moderately			bright with fine surface oxidation. The buttstock is marked with a crisp
	oxidized bore showing evident rifling throughout. The metal surfaces of			"D.R.P. / 601883" Reichspost cartouche on the left, and both handguard
	this revolver retain perhaps 25% original bright blue strongest along the			and stock are internally serialized and matching to the rifle. The top of
	barrel flutes and sides of the frame with the balance toned gunmetal			the forward receiver ring is marked with a Mauser banner and is
	gray showing some scattered light pitting, light handling marks and			1933-dated, the left side of the receiver is marked with "(Crown) /
	some dings near the hinge. The hinge screw shows moderate slot wear			BUGN" proofs, serial number, and the Mauser address; all markings
	and may be an older replacement and the hammer retains a healthy			remain mostly crisp with a few factory imperfections due to a flawed die.
	amount of smoky case-hardened colors. The barrel address remains			The bolt is marked with two "(Crown) / BU" proofs, and has been
	intact and legible and the left side of the barrel is stamped with			renumbered to match the rifle; the triggerguard and magazine floorplate
	semi-circular "B. KITTREDGE & CO. / CIN.O." markings, the stamping			are numbered to the rifle. The rifle retains the standard barleycorn front
	rather poorly applied and double struck actually appearing to read			sight and leaf rear sight, and appears to function well mechanically. A
	"KTREDGE". The revolver wears a set of period smooth mother-of-pearl			fine example of these early Third Reich rifles. (14B9878-1) {C&R}
	grips that remain in very fine condition showing a couple insignificant			(1800/2200)
	thin cracks, a thin flake along the back edge of the left panel and a few			Est. 1,800 - 2,200
	other mild handling marks. The grips are un-numbered and their fit to the		517	German K98k Bolt Action Rifle by Steyr with V7 Stamp
	frame is very nice. The barrel and cylinder are matching the frame by		• • •	serial #9776, 8mm Mauser, 24" barrel with a very good plus bore with
	assembly code, barrel-to-frame fit shows just a little bit of play and the			scattered pinprick pitting but strong rifling. The metal surfaces of this
	action seems to function well mechanically with solid timing and lock-up			"bnz / 44" rifle retain about 90% original blue finish with light wear on the
	a little loose. A very good example with desirable retailer markings and a			high edges and contact points, a droplet pattern of spots of lost finish on
	nice set of grips. (13B9474-44) {ANTIQUE} [Dr. John W. Hall Collection]			the barrel. A few spots show a light cleaning and there is some very light
	(1000/1500)			scattered pitting and scattered light handling marks; the bolt shows light
	Est. 1,000 - 1,500			operational wear and the extractor has toned to plum. The laminated
514	Rare U.S. Model 1898 Krag Bowie Bayonet			hardwood stock is in very good condition as lightly cleaned with an
	This experimental Krag rifle bayonet measures 13 3/4" overall and			about 1 1/2" lamination crack behind the receiver with a touch of
	features a 9 1/4" broad single-edged blade with a concave clipped point			
	5 5 T T			synthetic filler at both ends of the crack, a few small dings on the
	and a 2 1/2" V-ground cutting surface on the reverse edge starting 5			pistolgrip and toe line, an old abrasion on the right side below the
	1/2" from the point. The ricasso is marked "US" on the obverse and			receiver, the cupped steel buttplate has been light cleaned with spots of
	"1900" on the reverse; both markings remain crisp. The bright polished			light oxidation and is proud at the heel, and scattered light handling
	blade shows pinprick remnants of cleaned pitting and light flecks of gray			marks; the upper barrel band resists removal and internal numbering
	patina scattered sparsely throughout. A few scabbard marks can be			could not be verified. The large font coding remains crisp, the firing proof
	seen on the faces, otherwise the blade rates quite fine as cleaned. The			on the barrel is soft, a near illegible waffenamt is marked on the right
	metal surfaces of the hilt are similarly polished to near mirror bright with			side of the receiver ring, the rear sight assembly is numbered to the rifle
	remnant black flecks of texturing and the contoured walnut grips are			and marked with two crisp "WaA623" waffenamts, the bolt body and
	about excellent, nearly unblemished save for the tiniest handling marks			safety are numbered to the rifle with the shroud and cocking piece
	and two barely visible pinholes in the obverse grip. The blued steel			unnumbered, the stamped barrel bands are numbered to the rifle, the
	scabbard retains about 80% original blue, the exposed steel toned to a			triggerguard and floorplate are "135" waffenamt marked and the
	brown-tinted pewter and flecked by tiny instances of dark brown patina			floorplate is numbered to a different rifle, and the front sight is marked
	in scattered areas throughout. No dings, indentations, or any more than			with a "77" waffenamt; interestingly, the right side of the receiver ring is
	very light handling marks are present and the scabbard rates very good			marked with a small circled "V / 7" proof, which denotes manufacture at
	plus to excellent. A very good example of these distinctive and			the Gusen concentration camp. The rifle retains the standard barleycorn
	short-lived jungle utility bayonets. (129833-99B) (1500/2000)			front sight and leaf rear sight, and appears to function well mechanically.
	Est. 1,500 - 2,000			Included with the rifle is a cleaning rod and leather sling. An honest
		1		÷ •
				Steyr rifle with possible dark origins. (14A9896-99) {C&R} (2000/4000)
				Est. 2,000 - 4,000

<ul> <li>Eastered proprick, stirtly be attrog rifting. The meal aufbase of this working of each construction in the starts and the store starts are a meal starts are a meal starts are and the store starts are at a store start at a store start are starts and the store starts are at a store start at</li></ul>	518			
<ul> <li>The barrel starts of the major igns is a starts and the major igns is a start is is start is a start</li></ul>		Scarce French K98k Bolt Action Rifle by Mauser	521	Quality Contemporary Flintlock Long Rifle by Joseph Scorsone
<ul> <li>a nuclearman level in order from a grint in a base base of the registry of the grint order in a degree state. The registry of the grint order is an order in a state base of the registry of the grint order is an order in a state base of the registry of the grint order is an order in a state base of the registry of the grint order is an order in a state base of the registry of the grint order is an order of the state base of the state and the registry of the grint order is an order of the state base of the state and the registry of the grint order is an order of the state the state and the registry of the grint order is an order of the state and the state</li></ul>		serial #15655c, 8mm Mauser, 24" barrel with a very good plus bore with		.32 cal., 38" lightly swamped octagon barrel with a bright excellent bore.
<ul> <li>a nuclearman level in order from a grint in a base base of the registry of the grint order in a degree state. The registry of the grint order is an order in a state base of the registry of the grint order is an order in a state base of the registry of the grint order is an order in a state base of the registry of the grint order is an order in a state base of the registry of the grint order is an order of the state base of the state and the registry of the grint order is an order of the state base of the state and the registry of the grint order is an order of the state the state and the registry of the grint order is an order of the state and the state</li></ul>				
<ul> <li>the or in the groups and control points. Some surfaces are a gim metal group thill by colosition surfaces in the colosities in the point of the structure in the point of the structure in the colosities in the colosi</li></ul>				
<ul> <li>Scotter<sup>4</sup> regreet to its net. The totigener to its and potential with a strong moment or particular series in progression with a discontant operational series in the strong to its and potential series is and the strong to its and potential series in the strong to its and potential series is and the strong to its and the strong to its</li></ul>				
<ul> <li>rest to object a law in the protocol and status, perpendic philos, and general trans and a development of the philos and trans and the philos and trans and trans and the philos and trans and tr</li></ul>				
<ul> <li>am that bened introduce operiorizing the proper pairs. The introduce data is in any goad put condition were means of all gives and according to the introduce data is in any goad put condition were means of all gives and the condition were even (big particle data is used) and the condition were even (big particle data is used) and the condition were even (big particle data is used). The condition data is an analysis of the condition were even (big particle data is used) and the condition were even (big particle data is used). The condition data is an analysis of the condition were even (big particle data is used). The condition data is an analysis of the condition were even (big particle data is used). The condition data is an analysis of the condition were an analysis of the condition data is an analysis of the any method is the condition data is an analysis of the any method is the condition data is an analysis of the any method is the condition data is an analysis of the condition data is an analysis of the condition data is any method were any data is any data</li></ul>				
<ul> <li>projek jalang, and generally using to a power pains. The leminant is due light and macroscer, is low sign of any direct dire and the post of the standard standar</li></ul>				
<ul> <li>serie wery fait planning on the source is and of or burgers and b</li></ul>		moderate operational wear, light cleaning on the bolt body and extractor,		arm has faceted thimbles and the simple tailpipe with dual dovetailed
<ul> <li>Inter digit allow the income the manual of a level (dig) and allow the income the manual of a level (dig) and dig) control (dig) manual (the output level) and the income the</li></ul>		pinprick pitting, and generally toning to a pewter patina. The laminated		triggerguard which sports a wide bow and single rearward spur. There is
<ul> <li>when exists above the tright, the emmants of two igns drags and the tright above the tright abo</li></ul>		hardwood stock is in very good plus condition with remnants of old light		some very light pitting on the bow of the guard but it is unobtrusive.
<ul> <li>white to presses with a light surging rule remains to level juik dogs and surgest surgest and the surgest surgest</li></ul>		abrasions on both sides below the receiver, a spot of synthetic filler on		There is a wide iron buttplate with faceted tang simple iron patchbox
<ul> <li>point cattered byt handling transf. The outpet service and the output to her the transformation of the final decision o</li></ul>				
<ul> <li>ben clanated to hight with light suffice outflow ownell. The stock grapper surflow of the light stock is a wary his grade of using register with a light software light stock is a wary his grade of using register with a light software light stock is a ward light stock. The stock is a wary his grade of using register with a light software light stock is grave and the barren light stock is grave and the light stock is grave and light s</li></ul>				
<ul> <li>appears unrune-era of unracted and the handpaged is unclead on the dimensional according of the original varies of the unresolution. The second varies and the unresolution including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sing sevel that handpaged is appropriate including the left-side sevel that handpaged is appropriate including that handpaged is appropriate including that handpaged is appropri</li></ul>				
<ul> <li>be inflict on the understand. The risk beam all of the piecularities as a discription of the piecularities and in paperciable drings or family present as a discription of the destination agrees. It shows (by it iterates before despines). The set of gline set that one of the finate destination agree destination is an understand by iterates that the destination agree destination is an understand by iterates that the destination agree destination is an understand by iterates that the destination agree destination is an understand by iterates that the destination agree destination is a new piece destination is an understand by iterates that the destination agree destination is a new piece destination is an under destination agree destination is an under destination agree destination is a new piece destination is an under destination is a new piece destination in the new piece destination is a new piece destination of the new piece destination is a new piece destination of the new piece destination is a new piece destination of the new piece</li></ul>				
<ul> <li>associated with French production including the left solar Bayworld hardware construction. The area sight asserting is unumatered but marked with the appropriate "158" and "1" added asserting the patients the first with the triggery and marked with the appropriate "158" and "1" added asserting the patients the first with the triggery and marked with the appropriate "158" and "1" added asserting the patients of the first with the triggery and marked with the appropriate "158" and "1" added asserting the patients of the first with the triggery and marked with the patients" added asserting the patients of the first with the triggery and marked with the patients of the construction of the added asserting the same to the</li></ul>				
<ul> <li>Redware, Neargonal tabing not assembly a unruneted but marked with the appropriate "Swe" assembly a unruneted to the with the appropriate "Swe" assembly a unruneted to the with the appropriate "Swe" assembly a unruneted to the with the appropriate "Swe" assembly a unruneted to the with the appropriate "Swe" assembly a unruneted to the with the appropriate "Swe" assembly a unruneted to the swer the appropriate "Swe" assembly a unruneted to the swer the appropriate "Swe" assembly a unruneted to the swer the appropriate "Swe" assembly a unruneted with a "SS" and "Swer" the swertee to any the control with the appropriate "Swe" assembly a unruneted with a "SS" with the appropriate "Swe" assembly a unruneted with a "SS" with the appropriate "Swe" assembly a unruneted with a with a state and the appropriate "Swe" assembly a unruneted with a with a state and the appropriate "Swe" assembly a unruneted with a with a state and the appropriate "Swe" assembly a unruneted with a with a state and the appropriate "Swe" assembly a unruneted with a with a state and the appropriate "Swe" assemble as a unruneted with a with a state and the appropriate "Swe" assemble as a unruneted with a with a state appropriate "Swe" assemble as a unruneted with a with a state and the appropriate "Swe" assemble as a unruneted with a with a state appropriate "Swe" assemble as a unruneted with a with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state appropriate "Swe" assemble as a unruneted with a state approprise "Swe" assemble as a unr</li></ul>				and no appreciable dings or handling marks. It shows light island carving
<ul> <li>In the derivative The ensemble is numbered but mining the graditous, each old of the free front and relating the graditous, each old of the free front and relating the graditous, each old of the free front and relating the graditous, each old of the free front and relating the graditous, each old of the free front and relations and each old of the free front and relations and each old of the free free front graditous and the free free free front graditous and the free free free front graditous and the free free free free free free free fr</li></ul>		associated with French production including the left-side sling swivel		around each stock flat, around the dovetailed tang, flanking the point of
<ul> <li>with the appropriate "13" wafferning, the triggerguid and footplate with the targerguid marked with appropriate "two" at any and "13" wafferning and exceedences are allower and lead built and the barrel footplate is thy "market, the bolt body, showing and the showing and t</li></ul>		hardware, hexagonal stacking rod assembly and large star stamp on the		the faceted comb, with a flourish to the rear of the fluted square-bottom
<ul> <li>with the approprise "13" with an integration marked with appropriate "sw" along and "13" without and the barrel free integration of the forestations are allower and barrel barrel free integrations and the barrel free integration of the integration</li></ul>		left side receiver. The rear sight assembly is unnumbered but marked		cheekpiece. There is light silver wire inlay in open scroll flanking the
<ul> <li>Boopleis are numbered to the rife with the triggerguind maked with appropriate "with samp and "Sist Waternamm and the Boopleis and Theory and the triggerguind maked with appropriate "with appropriate "with appropriate "sist Waternamm and the Boopleis and Theory and the extractor is numbered to the rife, the catalogue appropriate "sist Waternamm and the Waternamm and Wa</li></ul>				
<ul> <li>appropriate "sow" stemp and "155" waternmin and the floopites is in movement of the "high execution is introvent appropriate "sow" stemp and "155" waternmines of the execution is introvent appears to function watern and the execution class in the appears to function waternmines of the execution is introvent appears to function waternmines of the execution is introvent appears to function waternmines of the integer is introvent appears to function waternmines of the integer is introvent in the integer is introvent. (http://bordend.appears.tb.//bordend.appear</li></ul>				
<ul> <li>Typ: Transfect, the bott oddy, should, and stelly are numbered to the find, the constructor colline to risp of marked with a "65" without the off these interactions colling to the construction of "EMO" inaid in silver wite, light botted actor, the write. Single to the colling of the colling of the colling to the colling to the colling of the colling to the colling t</li></ul>				
<ul> <li>If the the stratect of a numbered "56". It is couching parts a full material couple and the stratect of an endparts to the strate material couple and the stratect of an endparts of the strate material couple and the stratect of t</li></ul>				
<ul> <li>B620°, and the extractor coline is onsign marked with a "55° water and the there is no control well metaneously. An attractive example of these interesting Mauser relies that voud if will in a market collection. (1448):74-0 (1260) (1200) 1800</li> <li>Goll Sing Action Amy Early Becond-Generation Revolver statistic to the there is a statistic to the statistic to the there is a statistic to the statistic to the there is a statistic to the statistic to the there is a statistic to the statistic to the there is a statistic to the statistic to the there is a statistic to the statistic to the statistic to the there is a statistic to the statistic to the there is a statistic to the statistic to the there is a st</li></ul>		"byt" marked, the bolt body, shroud, and safety are numbered to the		is a neat brass and silver acorn inlay on the cheekpiece, an iron vent
<ul> <li>wateream. The effe appears to function well mechanically. An attractive example of these interesting Maxer effect star vould it will a namial could stull an anatial could for these interesting Maxer effect star vould it will a namial could stull in a matrial could stull be an anatial could stull be anatial stude stude be anatial stude stude be anatial could stull be anatial stude st</li></ul>		rifle, the extractor is numbered "56", the cocking piece is numbered		pick inlay beneath the cheek rest, slightly fancy sideplate and "EMG"
<ul> <li>watteriant. The tills appears to function well mechanically. An attractive example of these interesting Masser files that would it will in a matrial collection. (14.8879-43) (CSR) (12001800)</li> <li>Ett. 1.200 - 1.800</li> <li>Cold Single Action Amy Early Second-deneration Revolver series attraction of the trigger tail index 5.00 early files and the tild by the series of the tild by the tild by the series of the tild by the tild by the series of the tild by the series of the tild by the series of the tild by the tild by the tild by the series of the tild by the</li></ul>		"8620", and the extractor collar is crisply marked with a "655"		inlaid in silver wire, lightly bordered atop the wrist. Single
<ul> <li>example of these interesting Museer rifles that would it will in a martial collection. (144897-4): (2414927-4): (2410211800)</li> <li>Cott Single Action Amy Early Second-Generation Revolver serial #131976A, 381 special. 71/2<sup>1</sup> hardly with a big the social for the big special and egotor of howing on the instal with pright accellated bote. The barrier and egotor of howing on the instal with pright accellated bote. The barrier and egotor of howing on the instal with pright accellated bote. The barrier and egotor of howing on this exist place that with a barrier base and the instal on the right acid of hard and housing a the instal with pright accellated bote. The barrier and loading gate relian alout 395 orginal bate, the load acid gate relian alout 395 orginal bate, the load acid gate relian alout 395 orginal bate, the load acid gate relian alout 396 orginal bate, the load acid gate relian alout 396 orginal bate, the load acid gate relian alout 396 orginal bate, the load acid gate relian alout 398 orginal bate, the</li></ul>				
<ul> <li>colection, (144087-94) (C&amp;R) (12001800)</li> <li>EL 1.200-1.500</li> <li>Colt Single Action Amy Early Second-Generation Revolver serial #131763.33 specific 17:2 brank with a block the book on provedentions, hurring proved specific acceleration block, the part of the base of light war on the right acid of barrel and housing about 2% (origin block, the board barrel). The ophical is sufficient with prove the base of second-generation SAA retained about 5% (origin block, the board barrel). The ophical is sufficient with provide the approve the supportion. Joe Scored Generation is anot 5% (origin block, the board barrel) and housing about 2% (origin block, the board barrel).</li> <li>Ext 1.800-1.200</li> <li>Ext 1.800-1.200</li> <li>Coll Single Action Amy Early Second-Generation Revolver and original out optical barrel and housing about 2% (origin barrel with a barrel of the barrel housing about 2% (origin black, with a the worder have safe) with a second 16 (16002200)</li> <li>Ext 1.800-1.200</li> <li>Coll Single Action Amy Early Second-Generation Revolver and P13571, SS Cold, 1727 Light midd bar 2% (origin black, with all the worder have safe) with a second 16 (16002200)</li> <li>Ext 1.800-1.200</li> <li>Coll Single Action Amy Early Second Generation Barrel And the approximation and and and a second 16 (18002200)</li> <li>Coll Single Action Amy Early Second Ceneration Barrel Amy Amy Ceneration Barrel Amy Amy Ceneration Barrel Amy Ceneration Barrel Amy Ceneration Barrel Amy Ceneration Second Ceneration Barrel Amy Ceneration Barrel</li></ul>				
<ul> <li>Est 1.200<sup>-1</sup>.800<sup>-1</sup></li> <li>Cott Single Action Amy Early Second-Generation Revolver serial #131875A, 38 special, 7 1/2<sup>-</sup> barrel with a bright excellent bore. The barrel and spectra for housing on this early 1957 production second-generation SAA retain about 95% original blue, the loss due to light wear on the right side of barrel and housing bott 2<sup>+</sup> from the frame, with light muzzle wear. The cylinder is similar with perhaps a bit more wear, showing numerous rotational marks and light scriftches about its surface. The grip straps have troned to a pewter patha with samal drip here and there. The frame and loading gate retain about 29% original color case-hardening to just 2.<sup>-</sup> to mit the guard, the but with ha small drip here and there. The frame and loading gate retain about 29% original color case-hardening to just 2.<sup>-</sup> that with a perhaps and mus sightly in others, but with all the wordenful haus all luly visible.</li> <li>Cote Single Action Amy Biasy Model Revolver single trouble and the straps of a some light codultion the left side of frame showing vulp ligh terminante of some light codultion the left side of frame showing vulp light emminative to a different revolver on their interior: they retainer codulend different revolver on their interior. The typic scale there interiors about locks up as well as the days at left Hardron in 1957. An attactive early "second lower's and and as carach-molithered to a different revolver on their interior: they retainer codulend different revolver on their interior: they retainer codulend different revolver on their interior. The typic scale there are were and locks up as well as the days at left Hardron in 1957. An attactive early "second lower's and and the scale scale about shelly doed Revolver series about and scale scale about the single doed met scole in the scale about the single scale and they scale about the single doed met scole in the scale about the single scale about the single doed met scole in the scale about the single scale about the sin</li></ul>				
<ul> <li>Cott Single Astion Army Early Second Generation Revolver seciel #13787.43 Second Ceneration Revolver the barrel and ejector rol housing to hite early 1957 production second generation SAA reteards have 1956 production should seem likely, further research may prove or disprove the supposition. Jees Second 2058 original color case-hardening which is very vivid in spots and starting to multi starting part and there. The frame and balanding sate retain about 8956 original color case-hardening which is very vivid in spots and starting to multi starting and actually appears unified, suffering more ware. The brief relation for some the horm of the lef side of frame showing very light remnants of some light oxidation tasianing and the trigger stores. The high-plotshed sides of the horm resource of the hore develor spotshed to a fifterent revolver on her interior; they relative Federal Elages at their bottom and are slightly under at the strages and and e scratch-hormsheed to a fifterent revolver on her interior; they relative Federal Elages at their bottom and are slightly under at the strages and and e scratch-hormsheed to a fifterent revolver on her interior; they relative Federal Elages at the revolver interior the start 222575, 41 Cock 1, 12° branet with a stright excellent bors. The barrel retatar should 805 original doiling the white revolver interior the volver on her interior; they relative Federal Elages at their bottom locks up as well as the days at left Harthord in 1957. An attractive early "Second Generation and are sately-hormship to a setter revolver on her interior; they retain well at stright excellent bors. The barrel retain should 8056 original losing the origin ages, the right grig on a left and fifter 1067. This stright excellent hore, hore and origin the areas while hyper and the</li></ul>		, ,, ,, ,		
<ul> <li>serial #131976.3 Signetial, 7 142" barrel with a bright excellent bore. The harrel and ejector of housing on this early 1967 products</li> <li>but would seen Kiesky, further research may prove or dispose the support of the right side of barrel and housing the loss due to further were the right side of barrel and housing shout 2" from the gamma shout its surface. The grip straps have toned to a power pathan with small ding here and Here. The frame and loading gate resina about 8% original color case-hardening which is very visit, in spots and straining or mute slightly in others, but with all the source of some light color staning gam actual the trigger screew. The high-polahed sides of the harmers howing a courde were light product the but with a staning gam actual the trigger screew. The high-polahed sides of the harmers howing a courde were light product but with a sing rate acculation, the ejector housing shows one and material bload set with a werden screep screew. The high-polahed sides of the harmers here light screep screew. The high-polahed sides of the harmers here high polahed sides of the harmers here light screep screew. The high-polahed sides of the harmers here light screep screew. The high-polahed sides of the harmers here light screep scr</li></ul>				
<ul> <li>The barrel and ejector rod housing on this early 1957 production second preventions AAr elevel North Carolina is one of the most second preventions AAr elevel North Carolina is one of the most second preventions AAr elevel North Carolina is one of the most second preventions AAr elevel North Carolina is one of the most second preventions and the second second preventions and the second second preventions and the second second prevention and are second prevention and are second prevention and are second prevention and are second prevention of the second second prevention and are second prevention and are second prevention of a second prevention and are second prevention of a second prevention and are second prevention of a second prevention and are second prevention and are second prevention and are second prevention and are second prevention of a second prevention and are second prevention at the second second prevention and are second prevention at the second second prevention and are second prevention at the second second prevention and are second prevention at the second second preventing</li></ul>	519	Colt Single Action Army Early Second-Generation Revolver		
<ul> <li>second-generation SAA retain about 95% original blue, the loss due to light even the right side of barel and housing about 27 rout the part of the pa</li></ul>		serial #13197SA, 38 special, 7 1/2" barrel with a bright excellent bore.		but would seem likely, further research may prove or disprove the
<ul> <li>second-generation SAA retain about 95% original blue, the loss due to light even the right side of barel and housing about 27 rout the part of the pa</li></ul>		The barrel and ejector rod housing on this early 1957 production		supposition. Joe Scorsone of Asheville North Carolina is one of the most
<ul> <li>lipht vear on the right side of barrel and housing about 2<sup>4</sup> from the farmer, the order of the similar with parkaps a bit more wear, showing numerous rotational marks and light scratches about its strates. The orginal strates have line to a pewter patient with a small ding there and there. The frame and teading gate retain about 90% original color case-hardening which uses still (11) visible, the left side of frame showing very light remnants of some light oxidation the sing with 11 who suffect on the sing of the same showing a couple very light receives the three of the barrel and forcing core area. The barrel retains show the resolver three single single matching about 2<sup>4</sup> to a sufficient retains 90% original blue, with no exclusion the resolver three single marker showing a couple very light receives that they are miniccule, the trates of the charterest are marking and there retains retain while a resolver the and there of the single mark. The trigger provide at the strates of the resolver three and there are marking and there retains the adverse of the strutches and marker and and second there retains the solution in the resolver times and linked area on the couple and the resolver times and linked area on the resolver times and linked area on the resolver times and linked area on the retains and there advert three and the retains the three advert the solution in the retains the retains and linked there on the balance. The frame retains showing in the retains the three min of the farmer of the balance and the second that the solution in the retains and linked there and the retains and linked there and the retains and linked there that the solution is a second mark and linker there and the retains and linker and there are the solution in the retains and linker and there are there are an anticing and the retains and linker and there are the solution in the retains and linker and there are there are there are the there are the retains and linker and there aretains and linker are the solution in</li></ul>				
<ul> <li>Trane, with light micr2le war. The originder is similar with perhaps a bit more showing numerical registrages have bundled as a poster patina with strong bute and phe sincelled to the paradit. The burle value is the with a strong bute and phe sincelled to the paradit. The burle value is the with a strong bute and phe sincelled to the paradit. The burle value is the with a strong bute and phe sincelled to the paradit. The burle value is the with a strong but and phere. The frame and loading gate relation about 198% original allocal strong parameters and the relation of a single value is the with a strong but is possible to the paradit. The burle relation about 198% original allocal strong parameters are matching and the singler screw. The briefly explained sides of the harmer at single value at the strage and as scratch-numbered to a different revolver on their interior; they relatin accellent definition with crisp points however and the screw relation with a bit of 1974 Ad-19 (C&amp;R) (1800-2200)</li> <li>Est. 1800 - 2200</li> <li>Est.</li></ul>				
<ul> <li>Best 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li></ul>				
<ul> <li>about its surface. The grip straps have toned to a pewer paths with strong blue app the noucles, a blut, in front of the guard, the blue with a bripht excellent bore. This strong outcome of flash on the cylinder face noro the blast of trans showing and complex period period. All the period period period period period. The period period period period period period period period period period. The period period</li></ul>				
<ul> <li>strong blue atop the knuckle, at butit, in front of the guard, the butit with a small ding here and there. The frame and loading gate retain about 98% original color case-hardening which is very vivid in spots and starting to mute slightly in others, but with all the worldenil huess still fully wishle, the line trianger of the harmest sall immaculate and showing at the line original blue, any the line original blue, any the linger forming to silver. The bright-polished sides of the harmest same at the internet of the chambers at limmaculate and showing at the starges and are static-numbered to a different revolver on their interior; the precise of the barrel hand or two light fractions on the stards. The eigeder housing state the interior of the precise of the barrel and forcing cone area. The barrel retains about 30% original blue, and yes and state data and are slightly under at the starges and are scatch-numbered to a different revolver on their interior; the precise of the condition. The eigeder process and the scatch or specific associations, the eigedor housing state and the scatch or specific associations or perhaps a very light handling mark. The trigger guard and backstrap however. All of the numbers are matching and the revolver intes and to disk and are similar amount of pointal. (327-64) (CR8) (1800/2200) Est. 1,800 - 2,200</li> <li>Coll Single Action. Army Bisley Model Revolver series and 282/67, 41 Cct, 51/2 harel with a bright excellent bore. The barrel retains babers. The original bise and a guan metal gray patina with a bright excellent bore. The barrel retains about 55%, original fable, the barrel scale cord and and and guard back state or the scale scale and and guard back state or the scale scale scale and and the specess and the scale scale scale and and the secole scale scale and and the single Action. The remover on the line with the scale scale scale and the scale scale scale</li></ul>				
<ul> <li>small ding here and there. The frame and loading gate retain about 99% original color case-hardrenig which is very wird in spost and starting to mue slightly in others, but with all the vorderful huas still fully visible, the left side of frame showing a couple very light renches but may all fully visible, the trigger screw. The high-polished sides of the harmer showing a couple very light reckles but they are miniscule, the trigger screw. The high-polished sides of the sech of the barrel and forcing cone area. The barrel retains about 3% or singlifty under at the strages and are scratch-numbered to a different revolver on their interior; they retain excellent definition with rise points however. All of the numbers are matching and the revolver interies and loads strage while and pull at a strage strage while and pull the strages yscrattered minor throwing solid investment potential. (39740-45) (C&amp;R) (1800/2200) Est. 1.800 - 2.200</li> <li>Gott Single Action Amy Białey Model Revolver sing to outer edge aboving a flaked plum brown, all of the screws retain their brilling perhaps 30% signal and by built with even fining prints prints prints prints prints prints and the signify to peter along its outer edge aboving a flaked plum brown, all of the screws retain their brilling perhaps 30% signal and by built to light freckling on the bower and prints pri</li></ul>		about its surface. The grip straps have toned to a pewter patina with	522	Lovely Colt Model 1877 Lightning Double Action Revolver
<ul> <li>original color case-hardening which is very wide in spots and starting to mute sitply in orders. but with all the worderful huses still (hy visible, the first side of frame showing year the first side of frame showing year output site integers forming to silver. The checkered hard hubber of the properties of the breed of the barrel and forcing core area. The barrel retains about the 990% original blue, the only tops being couple very light receives that more than an are stightly under at the straps and are scrach-muter of the sign blue in the fues. The there retains \$990 km original blue, the only tops being couple very tim freckeds or the breed of the barrel and forcing core area. The barrel retains \$990 km original blue, the only tops being couple very tim freckeds or the breed of the barrel and forcing core area. The barrel retains \$990 km original blue, the only tops being couple very tim freckeds or the barrel and the sparsely scattered minor born fres points in the very than the step and the sparsely scattered minor brown in solutions with the step of the numbers are matching and the revolver times and locks up at left Hardford 1960 km of the solution to come the black or the barrel and the sparsely scattered minor brown in scattered proton brown in the scattered barrel the solution to come the barrel state barrel should \$900 km origin allow with over tomos in the scattered the solution to come the scattered the scattered hard nubber \$100 km or the scattered barrel the scattered hard nubber \$100 km or the scattered hard</li></ul>		strong blue atop the knuckle, at butt, in front of the guard, the butt with a		serial #138716, 38 Colt, 4 1/2" barrel with a bright excellent bore. This
<ul> <li>original color case-hardening which is very vivid in spots and starting to mute sliphly in ofters. but with all the worderful huses still hilly visible, the left side of trame showing year server. The topic-polarise disc of the harmer showing a couple very light renewate to a different receiver on the riner of the number of the sole of the number of the sole of the number of the sole of the number are matching and the request to a different receiver on the riner of the sole of the</li></ul>		small ding here and there. The frame and loading gate retain about 98%		stunning gun actually appears unfired, suffering only from a bit of
<ul> <li>mule slightly in others, but with all the worderful huss still fully visible, the list do frame showing very light renames of some light worderful huss stell and form goes care are. The barer leation stout the 98-99% original blue, with no evidence of flash on the cylinder's face nor or surfailty under at the strange of the parameter leation stout the 98-99% original blue, the only loss being couple very light freckles of surface could all words ones. The bright reckles of surface couldation, the ejector husing shows one annual flaked area on its outer edge about flaws down. The cylinder facing steps of the parameter elements of the surface could be surface couldation or perhaps a very light handling mark. The trigger grander and backstape have a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue, perhaps 98%, with a similar amount of original blue and superstep minor in the could be spress y exceeding the periver and states on 18% original action case-hardening in the brace with the could be spress y exceeding periphepolished sides of the harmer remain brace and mark strange with could be in the flutes. The frame retains about 95% original color case-hardening in the brace with the colos up well and thereave end in the colos strips were mark or light origin with a grant bark of parts. The frame frame flute mark oremains intex and the sobee were</li></ul>				
<ul> <li>the left side of frame showing very light remnants of some light oxidation staining around be trigger screw. The birthy-hosibed sides of the harmer showing a couple very light freckles of the harmer showing a couple very light freckles of the harmer showing a couple very light freckles of the server version of the serve</li></ul>				
<ul> <li>staining around the trigger screw. The bright-polished sides of the harmer showing a couple very light freckles but they are miniscule, the trigger toning to subset. The checkered hard rubber Rampant Colt grips rate excellent, they feature Federal Eagles at their bottom and are slightly under at the straps and are scratch-numbered to a different revolver on their interior; they retain excellent definition with crips points however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hardford in 1557. An attractive early "Second Genny" gun of that could still be enjoyed at the range while enjoying solid investment potential. (S3740-45) (C&amp;R) (1800/2200)</li> <li>Ext. 1800 - 2.200</li> <li>Colt Single Action Army Bisley Model Revolver series abut 85% original adjue and a gun metal gray patina with a bright excellent bore. The barrel retains about 55% original adjue and a gun metal gray patina with a tew light operational turn rings, the ejector rod housing toned primarily to powter ading its about 50% original adjue and a gun metal gray patina with a tew light operational gare. Abit on the right reard flate and crips that excellent defining on the frame retains about 55% original adjue and a gun metal gray patina with a tew light freckling on the loading gray-blue. The checkered hard rubber metaling gare: abit on the right reard flate and crips that excellent work in gight adving an two screens retain the blue dome. only a victim of pays at very link abit gines with so dower law of the gun to a screen retains about 55% original adjue and a gun metal gray blue. The checkered hard rubber metaling white screens retain so there with bright near screens retain so that screens retain so there with bright repolished is an even mix of payser as one system with registing the retains about 55% original adjue and a gun metal gray blue. The checkered hard rubber metality with a paysers to have seen no use sight marken remain bright reard receasing while perceeding which is</li></ul>				
<ul> <li>hammer showing a couple very light fickles but they are miniscule, the trigger toing to silver. The checkered hard rubber Rampant Cot grips tate excellent, they feature Federal Eagles at their bottom and are silphtly under at the straps and are scratch-numbered to a different revolver on their interior; they retin areallent definition with crisp points however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hartnorf in 1957. An attractive early "Second Genny" gun of that could still be enjoyed at the range while enjoying solid investment potential. (3974-04-5) (CRR) (1800/2200)</li> <li>Ext 1.800 - 2.200</li> <li>Colt Single Action Amy Bisley Model Revolver sentences in the full scale and gun metal grap patient with a bright excellent bore. The barrel retains about 85% original fading blue with even toning its outer edge with strong blue in the flutes. The cylinder is an even mix of lading original blue and gun metal grap patient with a bright receiving to a pewter patiena, the ejector rol housing ray patiena with a leiver patiena, the ejector rol housing ray patiena with a leiver patiena, the ejector rol housing remover and requiring ray blue. The tockered hard rubber Rampant Cot grips rate every line the full the solvery and gun metal grap patiena with a leiver patiena, the ejector rol housing ray patiena. What a leiver patiena, the ejector rol housing ray patiena. The deckered hard rubber Rampant Cot grips rate every line with a dot of the weight operational tury integer showing on ya leith flutence. The grip frame is an even mix of lading graphical. The theckered rub rubber metal solute and some sance leve and lead patient patients. The ejector rubber with a leiver patiena, the ejector rubber integer showing on the leve rub solute and weight professionally out, many years ago, now holding a bead-style fort sight with arrow and rubber Rampant. The included factory letter shows shipmert in September 11900 to the Georger Tinch Handware Co i p</li></ul>				-
<ul> <li>trigger toning to silver. The checkered hard rubber Rampant Cott grips rate socalent, they feature Federal Eagles at their bottom and are slightly under at the straps and are scratch-numbered to a different revolver on their interior; they retain excellent didition with crisp points however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hartford in 1957. An attractive early "second Genry" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200) Est. 1.800 - 2.200</li> <li>520 Cott Single Action Army Bisley Model Revolver</li> <li>521 Sourd Single Action Army Sisley Model Revolver</li> <li>522 Cott Single Action Army Sisley Model Revolver</li> <li>523 Cott Single Action Army Sisley Model Revolver</li> <li>524 Sourd Single Action Army Sisley Model Revolver</li> <li>525 Single Action Army Sisley Model Revolver</li> <li>526 Single Action Army Sisley Model Revolver</li> <li>527 Fine Remington Whitmore Model 1876 Grade 3 Double in the flucks in solven in so</li></ul>				
<ul> <li>rate excellent, they feature Federal Eagles at their bottom and are slightly under at the straps and are scratch-numbered to a different revolver on their interici, they retain excellent definition with crisp points however. All of the numbers are matching and the revolver inters and locks up as well as the days at left Hardrofin 1957. An attractive early "scood Genny" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200) [Est. 1.800 - 2.200</li> <li>520 Cott Single Action Army Bisley Model Revolver service and the sparsely scattered minor brown of the gun cheer and solut 395% original color case-hardening the vecellent bore. The barrel retains about 59% original color case-hardening in the avent with a dright excellent bore. The barrel retains about 59% original color case-hardening in the silvery in spots with some strong color is on there; with a bit of light freckles of surface oxidation or the infinitor. The gun locks up well and functions as it should mechanically. Really a beautful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue one, not y a victim control to the gun. The arm sill more worder and nuber retains ubhared to be gun no their infinitor. The gun locks up well and functions as it should mechanically. Really a beautful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue one, not y a victim crisp in ages, the right prip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm sill times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead syle front sight points the dives and some sparsely scattered minor thinning along the sides and some sparsely scattered motifies the configuration (except for the special front sight). A very respectable 41 Colt that would be greed at the range, while apprectable 41 Colt that would be greed fr</li></ul>		hammer showing a couple very light freckles but they are miniscule, the		surface oxidation, the ejector housing shows one small flaked area on
<ul> <li>slightly under at the straps and are scratch-numbered to a different revolver on their interior; they retain excellent definition with crisp points however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hardrof in 1957. An attractive early "second Genry" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200)</li> <li>Eat 1800 - 2.200</li> <li>Colt Single Action Army Bialey Model Revolver</li> <li>Serial #282675, 41 Colt, 5 1/2 barrel with a bright excellent bore. The barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer deg with strong blue in the fulket. The cylinder sin an even mix of part early sin ab tim origination the rescalent of the gun constant of garse a toring a bard fulf 300 - 2.500</li> <li>Souter deg with strong colors in others, with a bit of light frackling on the form sits an even mix of pewter and fading gray-plue. The checkered hard rubber Rampant Colt grips rate very fine with good points and erisp images, the right grip with a prominent fake from its lower rear edge; they are strong colors in others, with a bit of light frackling and a dovetail professionally cut, many years ago, now holding a bead-style front sight whice spreeciating monetarity as the years pass. (389e006-66)(C&amp;R) (1600/2200)</li> <li>Est 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li> </ul>		trigger toning to silver. The checkered hard rubber Rampant Colt grips		its outer edge about halfway down. The cylinder retains 99% original
<ul> <li>slightly under at the straps and are scratch-numbered to a different revolver on their interior; they retain excellent definition with crisp points however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hardrof in 1957. An attractive early "second Genry" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200)</li> <li>Eat 1800 - 2.200</li> <li>Colt Single Action Army Bialey Model Revolver</li> <li>Serial #282675, 41 Colt, 5 1/2 barrel with a bright excellent bore. The barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer deg with strong blue in the fulket. The cylinder sin an even mix of part early sin ab tim origination the rescalent of the gun constant of garse a toring a bard fulf 300 - 2.500</li> <li>Souter deg with strong colors in others, with a bit of light frackling on the form sits an even mix of pewter and fading gray-plue. The checkered hard rubber Rampant Colt grips rate very fine with good points and erisp images, the right grip with a prominent fake from its lower rear edge; they are strong colors in others, with a bit of light frackling and a dovetail professionally cut, many years ago, now holding a bead-style front sight whice spreeciating monetarity as the years pass. (389e006-66)(C&amp;R) (1600/2200)</li> <li>Est 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li> </ul>		rate excellent, they feature Federal Eagles at their bottom and are		blue as well, also with one or two light freckles of surface oxidation or
<ul> <li>revolver on their interior; they retain excellent definition with crisp points however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hardrod in 1957. An attractive early "Second Genry" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200)</li> <li>Eat. 1.800 - 2.200</li> <li>Colt Single Action Army Bisley Model Revolver</li> <li>Second Genry' gun of that could still be enjoyed at the range while early the solution of the second the bance. The balance Schwig a flaked public brown, all of the second run the store of the balance Schwig as laked public brown and the sparsely scattered minor brown flake here or three on the balance. The them retains units graphene bits about 85% original color case-hardening the bue done, only a light drifting as well. The checkered hard rubber are trains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bid of light free/ling on the low or the gun. The arm is littings well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate every fine with good points and crisp images, the stamp -numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bad-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Trich Hardware Co in Derver and gen, while appreciating monetarily as the years pass. (3B9606-66)(CAR) (1800/2200)</li> <li>Est 1.800 - 2.200</li> <li>Est 1.800 - 2.200</li> <li>Est 1.800 - 2.200</li> </ul>				perhaps a very light handling mark. The triggerguard and backstrap
<ul> <li>however. All of the numbers are matching and the revolver times and locks up as well as the day at left Hardrord in 1957. An attractive early 'Second Genny' guo of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200) Est. 1.800 - 2.200</li> <li>520 Cott Single Action Army Bisley Model Revolver serial #28275, 41 Cott, 51 /2" barrel with a bright excellent bore. The barrel relatins about 5% original falling blue with even toming to a pewter patina. The effecting blue in the whight operational turn rings, the primary ring a bit more moderate. The frame retains about 5% original falling blue with even to ing to a pewter patina. The effecting blue in the fultus. The cylinder is an even mix of fading original blue and a gun metal gray patina with is ainvey in this solue strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pawter and fading gray-blue. The checkered hard rubber retains about 5% original color case-hardrening in which is silvey in spots with some strong colors in others, with a bit of light freckling on the loading gate; but are miss lower are reade; here y are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cure. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver and and the incline to order and a bard-style front sight for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200) Est. 1,800 - 2,200</li> <li>but the special front sight). A very nease-dating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200) Est. 1,900 - 2,200</li> </ul>		5 7		
<ul> <li>locks up as well as the day at left Hartford in 1957. An attractive early "Second Genry" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200)</li> <li>Est. 1.800 - 2.200</li> <li>Colt Single Action Army Bisley Model Revolver</li> <li>serial #282575, 41 Colt, 5 1/2" barel with a bright excellent bore. The barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear light graip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate vary fine with good points and crisp images, the right grip with a promisent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properity, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Trich Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (389606-66)(C&amp;R) (1800/2200)</li> <li>Est 1,800 - 2,200</li> </ul>				
<ul> <li>"Second Genny" gun of that could still be enjoyed at the range while enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200) Est 1,800 - 2,200</li> <li>Colt Single Action Army Bisley Model Revolver</li> <li>Search and Synony Bus in the fulles. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit ol light freckling on the loading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right gip with a promisent flake from is lower rare degit: they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neally renoved and a dovetail professionally cut. many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Trich Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special Iront sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200)</li> <li>Est 1,800 - 2,200</li> </ul>		÷		
<ul> <li>enjoying solid investment potential. (39740-45) (C&amp;R) (1800/2200)</li> <li>Est. 1.800 - 2.200</li> <li>Stonije Action Army Bisley Model Revolver</li> <li>serial #282575, 41 Colt, 51/2" barrel with a bright excellent bore. The barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The cylinder is an even mix of patient and fading gray-blue. The checkered hard rubber Rampant Col trgins rate very fine with good points and drisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Trich Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-6B)(C&amp;R) (1800/2200)</li> <li>Est. 1.800 - 2.200</li> <li>Est. 1.800 - 2.200</li> </ul>				
<ul> <li>Est. 1,800 - 2,200</li> <li>Colt Single Action Army Bisley Model Revolver</li> <li>serial #282575, 41 Colt, 51 /2" barrel with a bright excellent bore. The barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the fultes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-bube. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The encleder actory letter shows showing wonderful swirting damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame mis all it mays even and a dovetail professionally cut, many years ago, now holding a bead-style front sight which to silvery respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> </ul>				
<ul> <li>520 Colt Single Action Army Bisley Model Revolver serial #282575, 41 Colt, 51/2' barrel with a bright excellent bore. The barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light frexiling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives an loc sight, A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200) Est. 1,800 - 2,200</li> <li>Est. 1,8</li></ul>		enjoying solid investment potential. (39740-45) {C&R} (1800/2200)		stunning case colors, the balance showing a flaked plum brown, all of
<ul> <li>serial #282575, 41 Colt, 5 1/2" barrel with a bright excellent bore. The barrel retains about 55% original fading blue with even toning to a pewter patina, the ejector of housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a tew light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower read egge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight prever tonin sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200) Est 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li> </ul>		Est. 1,800 - 2,200		the screws retain their brilliant fire temper blue. The bright-polished
<ul> <li>serial #282575, 41 Colt, 5 1/2" barrel with a bright excellent bore. The barrel retains about 55% original fading blue with even toning to a pewter patina, the ejector of housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a tew light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower read egge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight prever tonin sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200) Est 1,800 - 2,200</li> <li>Est 1,800 - 2,200</li> </ul>	520	Colt Single Action Army Bisley Model Revolver		sides of the hammer remain brilliant with strong fire blue on its spine, the
<ul> <li>barrel retains about 85% original fading blue with even toning to a pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame rise an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rea edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight meating a beautiful professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight. A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> </ul>		<b>o i i</b>		
<ul> <li>pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light frackling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right rgip with a promient flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holing a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> </ul>				
<ul> <li>outer edge with strong blue in the flutes. The cylinder is an even mix of facing original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Col grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight protecting mometarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> </ul>		barrel retains about 85% original fading blue with even toning to a		I Rampant Colt grips rate excellent and are pencil-numbered to the guip
fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200East 1,800 - 2,200East 1,800 - 2,200Est. 1,800 - 2,200Est. 1,200 - 2,200East 1,200 - 2,200Edward W. Marron, Jr. Collection] (1800/2200)		° ° °		
<ul> <li>operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light frexling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still imes well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B8066-66)(C&amp;R) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> </ul>		pewter patina, the ejector rod housing toned primarily to pewter along its		on their interior. The gun locks up well and functions as it should
Tetains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Derver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200Est. 1,800 - 2,200Est. 1,800 - 2,200Est. 1,800 - 2,200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of		on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that
<ul> <li>with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&amp;R} (1800/2200)</li> <li>Est. 1,800 - 2,200</li> </ul>		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of		on their interior. The gun locks up well and functions as it should
<ul> <li>with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&amp;R) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> </ul>		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light		on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim
<ul> <li>loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber</li> <li>Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&amp;R} (1800/2200)</li> <li>Est. 1,800 - 2,200</li> <li>Est. 1,800 - 2,200</li> <li>Serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some scattered light handling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remingt</li></ul>		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame		on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500)
mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500
Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun
right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent
stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels
properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just
professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,200 Est		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered
professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,200 Est		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered
which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,200 White the the the the the the the the the t		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97%
shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,200 Number dip thandling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) (C&amp;R) (1500/2500)</li> <li>Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a</li> </ul>
Derver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,800 - 2,800 - 2,800 - 2,		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&amp;R} (1500/2500)</li> <li>Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain</li> </ul>
for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66)(C&R) (1800/2200) Est. 1,800 - 2,200 Est. 1,800 - 2,200 Best - 1,800 - 2,800 - 2,800 - 2,800 - 2,800 - 2,800 -		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&amp;R} (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border</li> </ul>
great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&amp;R} (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and</li> </ul>
(3B9606-66){C&R} (1800/2200) Est. 1,800 - 2,200 scattered light handling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington & Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with
Est. 1,800 - 2,200 stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) (C&amp;R) (1500/2500)</li> <li>Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely</li> </ul>
Est. 1,800 - 2,200 stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) (C&amp;R) (1500/2500)</li> <li>Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely</li> </ul>
numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass.	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) (C&amp;R) (1500/2500)</li> <li>Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains instact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some</li> </ul>
locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200)	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&amp;R} (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some</li> </ul>
Remington Whitmore for the antique arms collector. (13C9362-99) {ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200)	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&amp;R} (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32° damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some scattered light handling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly</li> </ul>
{ANTIQUE} [Edward W. Marron, Jr. Collection] (1800/2200)		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200)	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&amp;R} (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some scattered light handling marks. The checkerup remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the</li> </ul>
		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200)	523	on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) {C&R} (1500/2500) Est. 1,500 - 2,500 Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington & Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some scattered plight handling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored
Est 1 800 - 2 200		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200)	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) (C&amp;R) (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some scattered light handling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99)</li> </ul>
		pewter patina, the ejector rod housing toned primarily to pewter along its outer edge with strong blue in the flutes. The cylinder is an even mix of fading original blue and a gun metal gray patina with a few light operational turn rings, the primary ring a bit more moderate. The frame retains about 95% original color case-hardening which is silvery in spots with some strong colors in others, with a bit of light freckling on the loading gate; a bit on the right rear flat as well. The grip frame is an even mix of pewter and fading gray-blue. The checkered hard rubber Rampant Colt grips rate very fine with good points and crisp images, the right grip with a prominent flake from its lower rear edge; they are stamp-numbered to the gun. The arm still times well and locks up properly, the front sight has been neatly removed and a dovetail professionally cut, many years ago, now holding a bead-style front sight which gives a nice sight picture. The included factory letter shows shipment in September of 1906 to the George Tritch Hardware Co in Denver along with 5 other guns, and verifies the configuration (except for the special front sight). A very respectable 41 Colt that would be great at the range, while appreciating monetarily as the years pass. (3B9606-66){C&R} (1800/2200)	523	<ul> <li>on their interior. The gun locks up well and functions as it should mechanically. Really a beautiful 1902-manufactured 1877 Lightning that appears to have seen no use since leaving the blue dome, only a victim of light flaking, primarily on its frame. (39908-26) (C&amp;R) (1500/2500) Est. 1,500 - 2,500</li> <li>Fine Remington Whitmore Model 1876 Grade 3 Double Hammergun serial #615, 10 ga, 32" damascus barrels with bright near excellent bores. This shotgun has been very professionally restored, the barrels showing wonderful swirling damascus patterns throughout with just some minor thinning along the sides and some sparsely scattered pinprick pits. The frame and remaining small parts retain about 97% restored vibrant case-hardened colors, the lever toning slightly to a pleasant mild gray patina. The factory embellishments remain completely intact with nice foliate scrollwork and geometric border motifs, the E. Remington &amp; Sons barrel address also remains intact and legible. The checkered round knob pistolgrip buttstock and forend with black hard rubber tip insert remain in near excellent condition as nicely refinished showing a tiny hairline crack at the upper tang and some scattered light handling marks. The checkering remains intact and the stock displays some rather nice grain figure throughout. All visibly numbered parts are matching, barrel lock-up is solid on-face and the locks seem to function well mechanically. A very handsomely restored Remington Whitmore for the antique arms collector. (13C9362-99)</li> </ul>

Lot Title/Description

524 Excellent German Kar.88 Bolt Action Carbine by Erfurt 527 Hungarian 52M Mosin Nagant Bolt Action Sniper Rifle by FEG serial #7909f, 8mm Mauser, 17 1/2" barrel with a bright excellent bore. serial #BC4580, 7.62x54mmR, 29" barrel with a bright very good plus The blued surfaces of this wonderful 1893-dated carbine retain about bore showing some light oxidation and frosting in the grooves with 97-98% original blue showing some mild high edge wear along the otherwise strong rifling throughout. The metal surfaces of this triggerguard, a few errant light freckles and minor handling marks. The 1953-dated rifle retain about 97-98% original blue showing some small magazine cover plate shows some light oxidation staining and, along areas of light oxidation staining along the recesses of the scope mount, with the barrel band, has mostly toned to deep gray patina while the the mount and some smaller areas taking on a deep plum-brown tone nosecap retains about 95% original bright blue showing some light under bright light and some other minor handling marks. The bolt flaking and a little minor circumferential wear around the screw head. remains bright showing a few mild gray freckles. The scope is Hungarian-made of the Soviet PU style and retains about 95% original The receiver, bolt and buttplate remain in-the-white showing some very mild grav-brown freckling scattered about, a couple very tiny pinprick black enamel finish showing a few tiny flakes and handling marks. The pits and a few minor dings along the upper tang. The bolt release and a scope body is marked "41 / 1953 / 525811" with "4578" adjacent and number of screw heads show nice thinning fire blue and all markings "419760" on the bottom. The scope features a German style reticle and remain crisp and clear with the left side receiver wall stamped with somewhat cloudy but quite serviceable optics showing a few mild "n.m." designation, "S" chamber and "7,93" bore measurement on the occlusions. All other markings remain intact and crisp, the barrel shank left rear sight base. The walnut stock remains in near excellent condition stamped with "02" factory code, date, serial number and Rakosi-era retaining most of its arsenal oil finish and showing some scattered very acceptance stamp. The hardwood stock and handguard remain in very light dings and handling marks, concentrated a little more along the good plus condition showing a small 1" area of moderate scratches forend but very unobtrusive overall. The stock is un-numbered and behind the right side wrist, an area of light abrasions on either side of shows wonderful crisp cartouches along the toe line and right side. The the wrist and otherwise just some scattered lighter dings and handling bolt head is numbered "10" and the barrel band "69" but all other marks. The left side of the butt shows a series of what appear to be numbered parts are matching. This example is equipped with the some sort of Middle Eastern numerals lightly scratched in and the right spring-loaded clip ejector and the action seems to function well side butt shows a crisp arsenal circled "B" and "02" stamp. All of the mechanically. Really an extremely fine Kar.88, very rarely seen with serialized parts are matching and all components are stamped with the such strong condition, it would make an excellent addition to any appropriate "02" factory code including the mount. There do not appear advanced martial collection. (13C9807-179) {ANTIQUE} [Vincent to be any import marks, the action seems to function well mechanically Coniglio Collection] (1800/2200) and a set of leather scope covers and canvas sling with leather collars Est. 1.800 - 2.200 are included. A very fine example of these nicely-made Hungarian 525 Romanian SSG-97 Semi-Auto Sniper Rifle sniper rifles not often seen in this country. (13B9807-98) {C&R} [Vincent serial #F-0572, 7.62x54mmR, 24 1/2" barrel (26 1/2" overall including Coniglio Collection] (1800/2200) compensator) with a bright excellent bore. The metal surfaces of this Est. 1,800 - 2,200 528 Scarce Remington Model 1867 Navy Cadet Rolling Block Rifle PSL-style rifle retain about 97% original Parkerized finish showing a little minor operational wear, light handling marks and a few sparsely 50-45, 32 1/2" barrel with a mostly bright very good bore plus showing scattered specks of minor oxidation staining here and there. All some light pitting and frosting in the grooves and strong rifling markings remain intact and strong, the left side rear sight base showing throughout. The barrel of this rifle retains about 95% of an arsenal Inter-Ordnance import markings. The laminated hardwood pistolgrip quality reapplied dull blue-gray finish showing thinning to the underlying buttstock with Bakelite pistolgrip cap and the solid hardwood forend and deep plum-brown, a few scattered light dings and handling marks. The handguard remain in very good plus to very fine condition, the buttstock hammer, breechblock, action pins and nosecap are similar while the showing moderate overall crazing and light flaking of the factory varnish barrel bands and buttplate show flaking bright blue and the action pin along with a few light dings and handling marks. The magazine is retainer plate retains much of its brilliant fire blue. The action retains scratch-numbered to the gun and the action seems to function well about 90-92% lovely dark case-hardened colors mostly composed of mechanically. An original factory scope with stamp-numbered matching attractive deep purples and blues showing some scattered light handling mount is included along with a rubber eyepiece and cover. The screw marks, a little mild gray freckling and some muting along the tangs and heads on the mount show some light slot wear and there is a small plate right side. The receiver shows a crisp small anchor on the right edge, "P affixed to the rear arm marked "81100 / 00363 / 91-610". The scope / F.C.W." on the left and strong Remington's Ilion tang address, rates very fine showing some light handling marks and features strangely these frame markings are on reversed sides compared to range-finding reticle and the optics with moderate yellowing that other examples. The buttplate tang shows strong "US" along with a large otherwise remain completely serviceable. A solid example for the crisp "H / 168". The smooth walnut buttstock remains in about very good modern martial arms enthusiast. (13B9807-57) {MODERN} [Vincent plus condition as lightly cleaned long ago showing worn finish overall, Coniglio Collection] (1200/1800) some scattered light dings and mild wear at the toe. The forend is similar Est. 1,200 - 1,800 showing some light dings along the bottom and a tiny shallow chip along 526 German Gewehr 98 Bolt Action Rifle with Trench Cover by Mauser the left edge between the bands. An original cleaning rod that shows an Oberndorf arsenal-reapplied blue finish is included, the original sights are intact serial #3075c, 8mm Mauser, 29" barrel with a partially bright good bore and the action seems to function well mechanically. A very attractive showing a scattered light pitting, a few small areas a bit more moderate example of these desirable cadet rifles, only 498 of which were and otherwise strong rifling. This is a solid and honest all-matching produced, (13C9670-439) (ANTIQUE) [David & Lore Squier Collection] (1500/2000) 1917-dated Gew.98. The barrel has mostly toned to a deep brown patina showing some overall light oxidation staining and some scattered Est. 1.500 - 2.000 fine pinprick pitting. The action and bottom metal are similar showing bright areas mixed with brown freckling, light oxidation staining and some overall minor pinprick pitting. There is a moderate scuff along the right edge of the triggerguard and the screw heads show some slot wear but this is very unobtrusive. All markings remain intact and quite crisp. The trench cover has mostly toned to a dark gray patina showing areas of light oxidation staining and strong remnants of black enamel finish. The locking tab is bent slightly upwards and does not snap completely closed but this is to be expected. Both the cover and its base are maker-marked "W / CO / DRP" and both bear clear imperial inspector stamps. The smooth pistolgrip walnut stock and handguard remain in about very good condition showing a very thin 2" hairline crack at the upper tang, overall scattered light to perhaps moderate dings and abrasions. The stock actually shows some subtle and rather attractive tiger stripe grain figure through the butt, the buttstock is stamp-numbered matching and also retains very good imperial inspector stamps. An original cleaning rod is present and the action seems to function well mechanically. Also included is an original rather tired brown leather sling with quick detach swivel and a very good W. Kober & Co. Suhl muzzle cover. A solid Gew.98 with a scarce original trench cover that would make a fine addition to any martial collection. (13B9807-155) {C&R} [Vincent Coniglio Collection] (1200/1800) Est. 1,200 - 1,800

29	Excellent & Interesting U.S. Model 1870 Navy Rolling Block Training	531	Marble's Model 1921 Game Getter Pistol
	Rifle by Springfield Armory		serial #13403, 22 LR over 44 GG & 410 bore (2"), 18" barrels with brig
	50-70, 32 5/8" barrel with a mostly bright bore showing some light		excellent bores. The metal surfaces of this 1923-made Game Getter
	oxidation and strong rifling throughout along with a number of slight		Gun retain about 90-92% original matte blue with most of the loss due
	bulges about 5" back from the muzzle. This is a very unusual example		some sparsely scattered small areas of light oxidation staining, some
	as it appears to be one of the first 10,000 rifles produced that were		flaking along the backstrap and triggerguard and a few areas of old lig
	rejected by the Navy due to the rear sight being too far back on the		pitting along the extractor and left side high edges of the frame and
	barrel and is therefore appropriately devoid of inspector stamps. But, the		barrel; it is quite mild overall and rather unobtrusive. The rear sight
	left side barrel does show markings consistent with military acceptance		aperture setting and front sight assembly retain remnants of a black
	of a 22 RF training rifle albeit the 22 RF liner is not present, a standard		enamel finish, the front sight appears to have been regulated slightly
	50-70 extractor is fitted and the breechblock and firing pin are still for the		during the period of use and the extractor shows flaking bright blue. T
	rimfire cartridge! So, the exact history of this rifle can only be speculated		hammer, trigger and stock latch retain strong case-hardened colors
	but it still remains a very attractive and peculiar example. The barrel		throughout with mild toning to a silvery gray patina while the folding stock retains about 80% original nickel finish showing some moderate
	retains about 95% original blue that is thinning very slightly and toning to a deep plum-brown patina under bright light along with a few sparsely		overall flaking to gray-brown patina and some areas of pinprick pitting
	scattered light dings and mild silvering at the muzzle. The action retains		The smooth walnut grips remain in excellent condition retaining much
	about 97% lovely vibrant case-hardened colors showing some faint		their original oil finish and showing just a couple minor handling mark
	silvering along the high edges and a little mild muting and brown		Barrel-to-frame fit is excellent, the stock locks securely and the action
	freckling along the triggerguard and lower tang. The barrel bands and		seems to function well mechanically. The original three-position
	buttplate retain about 95% original blue showing some silvering at the		combination rear sight is intact. A copy of the original factory information
	heel while the action small parts remain mostly bright, the hammer and		card is included indicating the arm was finished on December 7, 192
	breechblock showing a little mild oxidation staining. The two bottom		and shipped on July 31, 1924 to NYC distributor H. D Folsom and
	action screw heads show some light slot wear and all markings remain		eventually purchased by a T. T. Eckert, Jr. of Pittsfield Massachusett
	intact and strong with "US" on the buttplate tang, wonderful crisp eagle		from the Peirson Hardware Company. A very attractive example of the
	and USN markings on the right side frame and Remington patent		interesting and desirable combination guns. (13B9671-14) {C&R} [Da
	information along the upper tang. The left edge of the barrel shows		& Lore Squier Collection] (1500/2000)
	markings consistent with 22 RF conversions done by Winchester with		Est. 1,500 - 2,000
	"No 14 W.W.K. 1889." The smooth walnut stocks remain in very fine	532	German P.08 Luger Code 42 Pistol by Mauser
	condition showing a strong oil finish having darkened from the years		serial #1252r, 9mm, 4" barrel with a bright very good plus bore show
	along with two thin 1" drying cracks at the lower tang, what appears to		a little oxidation in the grooves mostly nearer the breech and otherwi
	be a tiny 1/2" square of old filler on the right side wrist and some		strong rifling throughout. The metal surfaces of this 1939-dated pisto
	scattered light dings. The original sling swivels, sights and cleaning rod		retain about 95% original blue with most of the loss due to light high
	are intact along with the correct bayonet lug and the action seems to		edge and operational wear, a couple tiny specks of light oxidation
	function well mechanically. This rifle would make for a very interesting		staining and some mild thinning along the gripstraps. The name
	addition to any advanced U.S. martial or Remington collection.		"ZHUNGA" is lightly scratched along the frontstrap and the extractor
	(13D9670-438) {ANTIQUE} [David & Lore Squier Collection]		ejector are taking on the familiar dark plum tone. All markings remain
	(3000/5000)		intact and strong with proper eagle firing proofs and "(Eagle) / 63"
	Est. 3,000 - 5,000		Waffenamts. The checkered walnut grips are un-numbered and rema
	Remington Cadet-Style Rolling Block Rifle Formerly of the Remington		in very fine condition showing a few lightly chipped points, minor
	Arms Co. Factory Collection		handling marks and their fit to the frame is excellent. All of the serialize
	serial #89343, 50-70, 32 3/4" barrel with a bright excellent bore. This is		parts are matching including the grooved firing pin and the action see
	an interesting rifle in cadet configuration but is equipped with a longer		to function well mechanically. One blue-bodied aluminum base
	rifle-style rear sight and will accept 50-70; very likely this was some kind		magazine numbered "6698v" with a "+" and "(Eagle) / 63" and a byf
	of prototype or test gun. The barrel retains about 90% original blue that		41-coded Luger tool with large stamped "3" showing moderate
	shows mild overall thinning with areas at the muzzle toning to		operational wear are included. Also included is an original brown leat
	gray-brown patina along with some scattered light handling marks. The action retains a similar amount of case-hardened colors that are muting		holster that rates very good showing some overall scuffing, mild discoloration and crackling with an illegible maker stamp on the interi
	to a pleasant deep gray still remaining quite vibrant overall showing		lid. There are two small holes at either corner of the lid, a "3" lightly
	some light handling marks and the lower tang and bottom metal showing		scratched into the back and all stitching remains intact and strong. A
	some mild brown freckling. The bands, buttplate and nosecap are also		very nice early war Luger rig for the martial collector. (13B9880-5) {C
	case-hardened retaining generous amounts of attractive colors, the		(1800/2200)
	band springs show pale fire blue and the rear sight assembly retains		Est. 1,800 - 2,200
	about 92% original bright and fire blue finishes showing some light	533	Excellent U.S. Model 1863 Zouave Percussion Rifle by Remington
	flaking and edge wear. The hammer, breechblock and action pins		.58 cal, 33" barrel with a bright excellent bore. The barrel of this lovel
	remain mostly bright showing some mild freckling. The "REMINGTONS		rifle retains about 97-98% original blue showing some very mild thinn
	ILION" address and patent dates on the upper tang remain crisp, the		to smooth gray-brown patina at the muzzle, one small spot of oxidation
	rear band is stamped with the familiar "U" and the front shows a crown		between the two bands and a couple scattered light dings. The lockp
	on the right side. The smooth walnut stocks remain in about very good		and hammer retain a similar amount of fine case-hardened colors
	condition showing a 6" thin scratch along the right side ahead of the rear		muting slightly overall to a nice smooth gray patina with vibrant color
	band, a few moderate dings and dents along the toe line and right side		throughout and crisp markings with 1863 date. The brass hardware h
	wrist, a few thin slivers missing along the ramrod channel and some		mostly toned to an attractive goldenrod patina showing some mild
	smaller overall handling marks. The stocks retain excellent		tarnishing, a couple tiny dings on the rear band and strong sub-inspe
	metal-to-wood fit and show remnants of arsenal oil finish having		stamps. The upper breech tang is a dark gray patina showing a little
	darkened from the years and the original Remington factory brass tag is		pinprick pitting. The trigger retains almost all of its brilliant fire blue an
	intact numbered "175". A slightly long replacement cleaning rod is		the screw heads and band springs likewise retain a healthy amount of
	present, the sling swivels and original sights are intact and the action		fire blue. The breech shows crisp 1863 date, firing proofs and the left
	seems to function well mechanically. An interesting example retained by		with "STEEL H.S.L." The smooth walnut stock remains in near excell
	the factory. (13C9670-352) {ANTIQUE} [David & Lore Squier Collection]		condition retaining about 98% original oil finish showing a few scatter
	(1500/2000)		light dings from band removal, a small mild abrasion along the right
	Est. 1,500 - 2,000		edge between the bands and some other light handling marks. The
			stock shows lovely raised grain throughout, metal-to-wood fit is excel
			and there are two crisp cartouches on the left flat. The spare nipple is
			still present in the patchbox, all original hardware is intact and the act
			seems to function well mechanically. An excellent example of these
			handsome contract arms for the U.S. martial or Remington collector.
			handsome contract arms for the U.S. martial or Remington collector. (13C9833-38) {ANTIQUE} (2500/3500)

534	Colt Single Action Army Revolver	5	36 (	Colt Model 1849 Pocket Percussion Revolver
	serial #302806, 38 WCF, 5 1/2" barrel with a partially bright good bore			serial #221319, .31 cal, 5" octagon barrel with a fair moderately oxidized
	showing some scattered areas of light pitting and oxidation with			bore showing good rifling throughout. The barrel of this 1862-made
	otherwise strong rifling throughout. The barrel and cylinder of this			revolver retains about 40-45% original bright blue flaking to gray-brown
	1907-made revolver retain perhaps 30-35% original bright blue			patina and showing a few tiny pinprick pits and some overall old dings, a
	remaining quite strong in the protected areas around the ejector rod			few a bit more moderate along the right side. The six-shot cylinder has
	housing and in the cylinder flutes with the balance toning to a mild gray-brown patina showing some scattered areas of smoothed-over light			mostly toned to pleasant plum-brown patina showing a few scattered light dings and generous flakes of bright blue. The nipples are more
	pitting, a few light dings and handling marks. The backstrap has mostly			modern replacements and the stagecoach cylinder scene remains
	toned to a mild gray patina and the triggerguard shows generous bright			almost entirely intact and very strong. The loading lever has mostly
	blue in the protected areas with the balance flaked to a deep			toned to a mild gray-brown showing some vibrant colors in the protected
	plum-brown patina. The frame has mostly toned to a silvery gray patina			interior areas while the frame and hammer show some scattered fine
	showing some scattered smoothed-over pinprick pitting and the loading			pinprick pitting, toning to mild gray-brown and generous vibrant colors
	gate shows strong silvery case-hardened patina with a patch of vibrant			overall, quite strong along the right side. A number of the screw heads,
	colors in the protected internal areas. The hammer retains a healthy		t	the trigger and bottom surface of the wedge show good fire blue and the
	amount of vibrant colors along the sides and internal face and the trigger		I	New York barrel address and other markings remain crisp and clear.
	and a number of screw heads show strong flakes of brilliant bright blue.		-	The backstrap and triggerguard retain about 30% silver finish mostly
	All markings remain intact and actually quite crisp including the circled		1	present in the protected areas around the triggerguard that is taking on
	Rampant Colt on the left side frame. The black checkered hard rubber			a lovely dark tarnish, the remaining surfaces are a mild goldenrod patina
	grips with Rampant Colt in an oval are scratch-numbered to the gun and			showing some scattered light dings and handling marks. The smooth
	remain in about very good plus condition showing some mild overall			walnut grip is ink-numbered to the gun and remains in very fine condition
	smoothing and toning to a deep brown patina along with a few light			retaining about 90% original varnish showing some scattered light
	handling marks, faint "EW" scratched at the base of the left panel and			flaking, some light dings and minor handling marks. All of the serialized
	their fit to the frame remains very nice. The serialized parts are matching, the hammer functions crisply and the action seems to function			parts are matching including the wedge and the action seems to function well mechanically with solid timing and lock-up. A very handsome 1849
				Pocket revolver for the Colt collector. (13B9833-65) {ANTIQUE}
	well mechanically with solid timing and lock-up a little bit loose. A solid old Single Action Army with a lot of character that may make for a good			(1500/2000)
	shooter. (13B9739-14) {C&R} (1800/2200)			Est. 1,500 - 2,000
	Est. 1,800 - 2,200	5		Scarce U.S. Model 1847 Artillery Percussion Musketoon
535	Colt Model 1862 Police Percussion Revolver			.69 cal, 26" barrel with a partially bright good bore showing scattered
	serial #12718, .36 cal, 6 1/2" round barrel with a mostly bright very fine			areas of old pitting and oxidation. The metal surfaces have mostly toned
	bore showing a few patches of light pitting and oxidation mostly nearer		t	to a deep gunmetal patina showing some scattered areas of mild brown
	the breech and otherwise strong rifling throughout. The barrel of this		i	undertones and some mostly smoothed-over old pitting here and there.
	revolver retains about 60% original bright blue with overall flaking to		-	The breech shows a softened "V / P" proof and the lockplate retains
	gray-brown patina, scattered patches of old oxidation staining and a		5	strong markings with "(Federal Eagle) / US" in the center and "SPRING /
	number of small moderate dings along the top and rear bottom edges.			FIELD / 1854" at the rear. The buttplate tang also shows proper "US"
	The cylinder has mostly toned to gray-brown patina showing some minor			marking. The smooth walnut stock remains in very good condition
	freckling, a few small dings and flakes of original bright blue scattered			showing a little bit of older added finish along with a few shallow chips
	about. Most of the cylinder safety pins remain intact. The frame, loading			and thin crack near the rear lock screw, a few missing slivers along the
	lever and hammer are toning to a silvery gray patina showing some scattered specks of old oxidation staining and minor handling marks.			ramrod channel, overall light dings from the years and otherwise very good metal-to-wood fit. There is a faint sub-inspector stamp visible
	The back sides of the loading lever and rear surface of the hammer			behind the triggerguard tang and the right side butt has the words
	retain lovely vibrant colors and the left side of the frame likewise retains			"EVER / MINE / DEAR" and "DONNAS" very lightly scratched. This
	very fine colors throughout. Some of the screw heads show mild slot			example is not equipped with a bayonet stud, the proper
	wear and a number of them, along with the trigger, retain a healthy			trumpet-shaped ramrod and sling swivels are intact and the lock
	amount of bright fire blue. The backstrap and triggerguard retain about			functions crisply. A solid example of these low-production U.S.
	94% silver finish showing some mild flaking along the backstrap and			musketoons. (13B9833-45) {ANTIQUE} (1500/2000)
	bow of the guard along with a few mild handling marks. The silver			Est. 1,500 - 2,000
	remains mostly bright showing some areas of attractive dark tarnish	5	38 \$	Smith Civil War Percussion Carbine by Mass. Arms Co.
	along the edges. The barrel shows Colt's New York address and all			serial #21730, .50 cal, 21 5/8" part round part octagon barrel with a
	markings remain crisp and clear. The smooth walnut grip is			bright bore showing a couple tiny pits nearer the muzzle and otherwise
	ink-numbered to the gun and remains in excellent condition retaining			excellent with crisp rifling throughout. The barrel of this carbine retains
	about 98% original varnish showing some very mild edge wear and a			about 85-90% original thinning blue toning to a mild gray-brown patina
	few scattered minor dings. All of the serialized parts are matching			showing a few areas of light pitting nearer the muzzle along with some
	including the wedge and the action seems to function well mechanically			scattered light handling marks. The action retains generous smoky
	with solid timing and lock-up. A very attractive 1862 Police with some			case-hardened colors throughout toning to a mild gray patina with some
	fine condition from the Civil War years. (13B9833-82) {ANTIQUE}			vibrant wisps here and there. The triggerguard, buttstock collar and latch retain about 95% older reapplied blue showing some mild thinning and
	(1800/2200) Est. 1,800 - 2,200			faint remnants of pinprick pitting and the saddle ring and its bar are older
	LSI: 1,000 - 2,200			replacements. The barrel band has toned to a silvery case-hardened
				patina and the rear sight parts show good bright blue. The left barrel flat
				shows a crisp sub-inspector stamp and the markings along the left side
				action remain intact and strong. The smooth walnut buttstock and forend
				remain in about very fine condition showing a strong oil finish with some
				scattered light dings, mild scuffs and a small abrasion on the left side
			1	butt. The left side wrist retains a crisp inspector cartouche and the
				butt. The left side wrist retains a crisp inspector cartouche and the serialized parts are matching. Barrel lock-up shows a little bit of
			5	
			s 1	serialized parts are matching. Barrel lock-up shows a little bit of

539	Fine Providence Tool Co. Peabody Saddle Ring Carbine	) Г	542	Excellent Russian Saiga SGL 31 Semi-Auto Rifle by Izhevsk
	50 RF, 20" round barrel with a bright excellent bore. The barrel of this			serial #L09892613, 5.45x39mm, 16 1/4" chrome-lined barrel with a
	handsome carbine retains about 96-97% original blue showing some			bright excellent bore. Banned since 2014, Russian SGL 31 rifles as
	scattered light handling marks and a few tiny dings. The action,			formerly imported by Arsenal of Las Vegas, NV are widely considered
	lockplate and buttplate retain a similar amount of lovely vibrant			the highest quality AK-74 style rifles available in the U.S. This fine
	case-hardened colors showing some very mild muting to pewter along			example retains 99% original paint over Parkerized finish with some very
	the lockplate and lever along with a few small factory imperfections in			light handling marks around the magazine well and some scattered light
	the metal. The barrel band is a silvery pewter patina, most of the screw			silvering on the high edges and wear points. The checkered black
	heads and the rear sight assembly retain fine brilliant fire blue and the			polymer pistolgrip, handguards and desirable AK 100-series left side
	left side action shows strong maker-markings. The smooth walnut			folding buttstock rate excellent plus. The bolt and bolt carrier are
	buttstock and forend remain in very fine condition retaining most of their			numbered to the gun, the barrel trunnion is properly marked with the
	original oil finish showing a few mild abrasions near the buttplate, a few			Izhevsk arsenal symbol and the left side of the receiver displays "SAIGA
	light dings and minor handling marks. Metal-to-wood fit remains			/ 5,45x39" and "LEGION IZHEVSK RUSSIA ARSENAL LAS VEGAS NV
	excellent and the stock shows a crisp "WC" factory inspector cartouche			USA". The buttstock displays rock-solid lock up in both the open and
	on the left side wrist and a likely later-applied "U.S." on the left side near			closed positions and the rifle is equipped with the original Arsenal
	the heel. All original hardware is intact and the action seems to function			US-marked AK-74 type muzzle brake, correct 1000 meter rear sight,
	well mechanically. A very fine Peabody carbine that appears to have			perfectly-centered protected front sight post, left side optics mount,
	seen very little to no use. (13C9896-157) {ANTIQUE} (1000/1500)			cleaning rod, and bayonet and accessory lugs. Also included is the
	Est. 1,000 - 1,500			original Izhevsk-marked black polymer 10-round magazine along with a
540	Excellent Heckler & Koch SL8-1 Semi-Auto Rifle			Russian olive drab cotton canvas sling in excellent condition, the original
040	serial #48-004612, 223 Rem, 20" chrome-lined barrel with a bright			factory box, manual with Russian acceptance certificate, factory test
	excellent bore. This very desirable rifle was manufactured in 1999 and			target showing three shots in one ragged hole in the dead center of the
	the free-floating bull barrel retains 99% original gray Parkerized finish			target, and paperwork. SGL-31 rifles are sadly never coming back
	while the modular smooth gray polymer thumbhole stock and forend rate			making this excellent example highly collectable beyond being really fun
	excellent with a few scattered light handling marks the most noticeable			to shoot. (23A9830-3) {MODERN} [Dr. William C. Nugent Collection]
	of which is a 1 1/4" fine scratch on the right side of the forend by the			(2000/3000)
	barrel. Based upon the G36, the standard issue rifle of the German			Est. 2,000 - 3,000
	Bundeswehr, the HK SL8-1 is known for its excellent accuracy and is	+	543	U.S. Model 1866 Second Model Allin Conversion Rifle by Springfield
	equipped with an ambidextrous charging handle that doubles as a		0.0	Armory
	forward assist, paddle magazine release, an adjustable cheekpiece and			50-70, 36 5/8" barrel with a bright near excellent bore with a small area
	buttstock with adjustable length of pull, and a full-length polymer optics			of light oxidation near the muzzle. The "National Armory bright" barrel
	rail topped by the original factory sights. Three factory translucent			and mountings rate excellent as lightly cleaned with some softened
	smoke-colored 10-round magazines are included with two still in their			pinprick pitting around the chamber and on the triggerguard, some
	original packaging along with a photocopy of the original manual and the			scattered very light handling marks and a few small areas of faint
	action appears to function well mechanically. An uncommon and			freckling discernable under bright light. The low-arch breech block hinge
	excellent quality futuristic-looking rifle in its own right, this HK SL8-1 also			and thumbpiece retain about 98% original oil-guenched blackening with
	makes a wonderful starting point for a custom G36 build. (23B9787-8)			slight high edge wear and a couple tiny spots of staining, while the
	{MODERN} (1500/2000)			hammer and lockplate are a mottled gray case-hardened patina with
	Est. 1,500 - 2,000			some minor staining. The breech of the barrel displays the remnants of
541	Heckler & Koch Pre-Ban 94-A3 Semi-Auto Carbine			the original date with a clear "65" on the top and eagle head proof on the
• · ·	serial #43-13940, 9mm, 16 1/2" barrel with a bright excellent bore. The			left quarter flat and the breechblock is marked "1865 / (eagle head)".
	metal surfaces of this 1987 date-coded West German-manufactured			The lockplate is stamped with a Federal Eagle along with "U.S. /
	carbine retain about 97% original black enamel finish with minor			SPRINGFIELD" ahead of the hammer and dated "1865" to the rear. The
	silvering beneath the claw mount and on the front and rear sling			smooth American black walnut straight grip stock rates very good plus to
	attachment points, some very light muzzle, high edge, and bearing			near fine as lightly cleaned long ago showing only slightly softened
	surface wear and a few scattered light handling marks overall. The			edges around the stock flats, a small chip in the left edge of the cleaning
	textured black polymer buttplate on the A3 retractable stock rates			rod channel and just a few scattered light handling marks from the years
	excellent while the pistolgrip with thumb rest rates very good with some			while the left stock flat retains the remnants of a couple inspection
				cartouches. The sling swivels and original sights are intact with the rear
	light impact marks around the bottom edge. The right side of the			
	light impact marks around the bottom edge. The right side of the magazine well is stamped "Made in W-Germany / HK Chantilly Va."			I sight displaying modest amounts of original blue, a correct cubbed and
	magazine well is stamped "Made in W-Germany / HK Chantilly Va."			sight displaying modest amounts of original blue, a correct cupped and slotted-head cleaning rod with threaded end is stowed beneath the
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition			slotted-head cleaning rod with threaded end is stowed beneath the
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and MFI-brand claw mount, the original diopter sights and sling attachment			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of these important arms. (23A9833-11) {ANTIQUE} (1200/1800)
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and MFI-brand claw mount, the original diopter sights and sling attachment points are intact, the stock locks open very solidly and the action			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and MFI-brand claw mount, the original diopter sights and sling attachment points are intact, the stock locks open very solidly and the action appears to function well mechanically. While no magazine is included,			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of these important arms. (23A9833-11) {ANTIQUE} (1200/1800)
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and MFI-brand claw mount, the original diopter sights and sling attachment points are intact, the stock locks open very solidly and the action appears to function well mechanically. While no magazine is included, they remain readily available as the HK 94 is the semi-automatic			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of these important arms. (23A9833-11) {ANTIQUE} (1200/1800)
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and MFI-brand claw mount, the original diopter sights and sling attachment points are intact, the stock locks open very solidly and the action appears to function well mechanically. While no magazine is included, they remain readily available as the HK 94 is the semi-automatic carbine-version of the ubiquitous HK MP5. (23B9796-6) {MODERN}			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of these important arms. (23A9833-11) {ANTIQUE} (1200/1800)
	magazine well is stamped "Made in W-Germany / HK Chantilly Va." while the left side shows "Cal. 9mm x 19". This excellent condition carbine is equipped with an un-marked aluminum quad rail forend and MFI-brand claw mount, the original diopter sights and sling attachment points are intact, the stock locks open very solidly and the action appears to function well mechanically. While no magazine is included, they remain readily available as the HK 94 is the semi-automatic			slotted-head cleaning rod with threaded end is stowed beneath the barrel and the lock remains crisp and strong. A very nice example of these important arms. (23A9833-11) {ANTIQUE} (1200/1800)

Lot Title/Description

the Napoleonic Wars as the Royal Fusiliers were present for many of his most famous victories. They also fought at the Battle of New Orleans at the end of the War of 1812. (23B9833-50) {ANTIQUE} (1500/2000)

Est. 1,500 - 2,000

544	U.S. Model 1861 Percussion Rifle-Musket by James Mulholland	54	46	British India Pattern Brown Bess Flintlock Musket
	.58 cal., 40" barrel with a bright excellent bore. According to Reilly's			.79 cal., 39" barrel with an oxidized bore. The barrel and lock of this
	United States Military Small Arms 1816-1865 page 80, Mulholland			original flint musket have aged to a mostly brown and dark gray patina
	contract Model 1861 rifle-muskets are unique for being the only ones			with softened pitting around the breech and muzzle from a previous
	"whose specific name and place of manufacture do not appear on the lockplates." Mulholland of Reading, PA subcontracted with Parker,			cleaning, along with a few light handling marks along the barrel. The
				brass mountings display a dark ochre patina with some areas of minor tarnishing and a few minor handling marks from the years. The lockplate
	Snow, Brooks & Company to produce the rifle-muskets for his contract of which only 5,502 stands of arms were ultimately delivered to the			is marked "TOWER" behind the cock and displays a clear "(crown) /
	Federal government. The metal surfaces have mellowed to bright silver			GR" Royal Cypher ahead and a "(crown) / (broad arrow)" beneath the
	as lightly cleaned long ago with some softened fine pitting around the			pan. The breech and tang of the barrel display slightly softened British
	area of percussion and a few small areas of softened pinprick pitting			martial proofs and view marks. The smooth walnut straight grip stock
	along the barrel, there are some spots of light oxidation on the			rates about very good with a light coat of later added finish, a small
	US-marked buttplate and speckles of the same scattered overall. The			repaired chip beneath the sideplate, a small chip ahead of the lockplate,
	top of the breech is dated "1863" while the left quarter flat display a crisp			a short crack behind the lockplate and ahead of the rear lockplate
	"V / P / (eagle head)" proof mark and the left flat a "P". The lockplate is			screw, and the minor small dings and handling marks to be expected of
	also dated "1863" which denotes this rifle is part of the Mulholland			a musket that may have served under Wellington. "RMP" is carved into
	contract and is further marked with a "(Federal Eagle) / U.S." ahead of			the left side of the buttstock and what appears to be an upside-down
	the hammer and "PARKERS' SNOW & CO. / MERIDEN, CONN." below			"JMP" on the right side. The stock features a strong "(broad arrow) /
	the bolster. The smooth walnut straight grip stock rates perhaps good as			BO" Board of Ordnance mark on the left side of the buttstock, two
	lightly cleaned with a later added finish, a number of extensive			inspectors' marks are behind the triggerguard and one is in the ramrod
	well-repaired cracks around the lockplate and left stock flat and the			channel. The sling swivels are intact, the bottom of the ramrod has been
	scattered minor dings and handling marks typical of an issued Civil War arm. The stock features two slightly softened boxed inspector's			sharpened into a point, the action is strong and crisp and included is a nicely made wooden plaque with brass plate engraved with the history
	cartouches on the left flat. The rifle-musket is equipped with the original			and particulars of the Brown Bess. A very nice India Pattern musket
	sling swivels and sights including the Model 1861 rear sight, a correct			which may have served in any number of exotic locations around the
	cupped tulip-head ramrod with threaded end is included and the action			world. (23A9739-7) {ANTIQUE} (1200/1800)
	remains strong. An uncommon variant of the Model 1861 sure to excite			Est. 1,200 - 1,800
	the Civil War martial arms enthusiast. (23A9882-3) {ANTIQUE}	54	47	British India Pattern Brown Bess Flintlock Musket with 7th Regiment of
	(1000/1500)			Foot (Royal Fusiliers) Markings
	Est. 1,000 - 1,500			.79 cal., 39" barrel with a mostly bright fine bore showing a couple small
545	U.S. Model 1841 Percussion Contract Rifle by Robbins & Lawrence			areas of light pitting and light oxidation. The barrel has aged to a
	.54 cal. worn to .58 cal., 33" barrel with an oxidized bore. The barrel of			gunmetal gray patina as lightly cleaned with scattered areas of softened
	this "Mississippi" rifle is a mottled dull gray-brown patina as cleaned with			light pitting and faint oxidation freckling overall along with a few minor
	an area of moderate pitting between and just forward of the double			handling marks towards the muzzle. There is a small vise "bite" mark on
	bands along with scattered spots of lighter pitting and old light oxidation			the top and each side of the breech, the mark on the right hidden by the
	staining overall. The case-hardened lockplate and hammer display a brown patina with some faint pitting on the hammer while the brass			lockplate. The touchhole has been very nicely welded, redrilled and polished smooth, yet fits perfectly, the back of the lockplate displaying a
	mounting for which this rifle is famous have aged to a lightly tarnished			crisp "(crown) / 26" Ordnance inspector's mark along with "TB & Co."
	mustard hue. The lockplate is properly marked "ROBBINS / & /			marker's mark. The lock is mostly bright as lightly cleaned with scattered
	LAWRENCE / U.S." ahead of the hammer and "WINDSOR VT. / 1849"			areas of softened light pitting and some small areas of light oxidation
	to the rear. The breech of the barrel is stamped "US" along with the			staining. The "WE" of the lockplate's "TOWER" marking has been
	inspector's initials "JAG" and "P" proof. The smooth American black			partially obscured by the cleaning, as is the bottom portion of the crown
	walnut straight grip stock rates good with a 3/4" spot of wood erosion			of the "(crown) / GR" Royal Cypher ahead of the cock, while the
	behind the flash shield, a narrow filled repair around the rear of the			"(crown) / (broad arrow)" beneath the pan is crisp. The British martial
	lockplate, a short hairline crack behind the upper tang, and some			proofs and view marks on the breech of the barrel are clear. The brass
	scattered minor dings and handling marks, the more noticeable of which			mountings are a mellow ochre patina with a few light handling marks
	are two 2" parallel scratches on the left side of the comb. The stock features the remnants of two inspector's cartouches on the left flat. The			from military service with the tang of the buttplate marked "499 / RF / L"
	rifle is equipped with a functioning patch box, intact sling swivels,			to denote Company L of the Royal Fusiliers. The smooth walnut straight grip stock rates very good plus to perhaps fine for its age with much of
	brass-tipped cupped trumpet-head ramrod, brass front sight blade, fixed			its old oil finish and crisp comb flutes and edges around the upper tang.
	"V" notch rear sight, and while strong and crisp, the half-cock notch is			There is a 1" minor dent in the left side of the buttstock, the buttplate is a
	worn. Included is a nicely made wooden plaque with brass plate			little proud at the toe and there are the typical scattered light handling
	engraved with the history and particulars of this model of rifle.			marks. There are no cartouches on the stock while the iron ramrod with
	Historically significant as the first regulation percussion rifle issued to the			threaded end is stamped "62" and "450 L" behind the head. The sling
	U.S. military, this particular example has clearly seen its share of action.			swivels are intact and the action is very robust and crisp. A very fine
	(23A9739-8) {ANTIQUE} (1200/1800)			India Pattern Brown Bess that served with the famous Royal Fusiliers.
	Est. 1,200 - 1,800			The Royal Fusiliers were created in 1685 and equipped with
				state-of-the-art flintlocks rather than the typical matchlocks of the day as
				their job was to guard the Royal Train of Ordnance along with its kegs of
				gunpowder. The Royal Fusiliers served during the War of the Spanish
				Succession, were numbered the 7th Regiment of Foot in 1751, and were present at many of the most famous battles of the American
				Revolutionary War. This particular musket is the correct model to have
				seen action under the Duke of Wellington in Portugal and Spain during
				the Napoleonic Wars as the Royal Fusiliers were present for many of his

I

		-		
548	U.S. Model 1861 Percussion Rifle-Musket by James Mulholland		552	U.S. Model 1911 Semi-Auto Pistol by Colt
	.58 cal., 40" barrel with a bright excellent bore. James Mulholland of			serial #159452, 45 ACP, 5" Colt barrel with light frosting and pinprick
	Reading, PA subcontracted with Parker, Snow, Brooks & Company to			pitting in the grooves of the bore. This old war horse retains about
	manufacture rifle-muskets for his contract with the Federal government.			60-65% original "Army Black" finish, the frontstrap toned to gray, the
	Mulholland's Model 1861s are, according to author Robert. M. Reilly,			other surfaces a mix of brown, fading blue and gray showing handling
	unique for being the only ones "whose specific name and place of			marks and light oxidation. The double diamond walnut factory grips rate
	manufacture do not appear on the lockplates." The metal surfaces			about good to very good with light to moderate diamond point wear and
	display an even gray patina as cleaned with some scattered areas of			handling marks. The parts on the gun are correct for the period of
	softened light pitting, particularly around the breech, a few light handling			manufacture and Major Gilbert H. Stewart's inspection stamp remains
	marks along the barrel and some very faint oxidation freckling scattered			crisp as are the factory markings. The pistol includes a single two-tone
				Colt magazine with pinned flat floorplate showing scattered handling
	throughout. The left quarter flat of the breech is proof marked with a "V /			
	P / (eagle head)" and the top of the breech is dated 1863. The lockplate			marks, oxidation stains and a small dent on the left side. A nice honest
	is stamped with a slightly softened "(Federal Eagle) / U.S." ahead of the			example of a Model 1911. (8A9830-60) {C&R} [Dr. William C. Nugent
	hammer, "PARKERS' SNOW & CO. / MERIDEN, CONN." below the			Collection] (1500/2000)
	bolster, and most importantly, dated "1863" behind the hammer			Est. 1,500 - 2,000
			550	
	indicating that this is one of Mulholland's contact rifle-muskets. The		553	Smith & Wesson 38/44 Heavy Duty Hand Ejector Revolver
	smooth American black walnut straight grip stock rates very good as			serial #60706, 38 Special, 5" barrel with an excellent bore. This
	lightly cleaned with perhaps a touch of later added finish, a 1 1/4"			excellent pre-war 38/44 revolver retains about 95-96% original blue, the
	repaired crack in the left side of the ramrod channel behind the forend			grip frame is toning to brown in addition to high edge wear, slight
	cap and the typical scattered light dings and handling marks to be			thinning on the topstrap, limited freckling and handling marks. The
	expected of a Civil War shoulder arm. The faint remnants of an			service trigger and hammer retain beautiful case-hardened colors with
	inspector's cartouche can be seen on the left stock flat. The sling			light operational wear. The un-numbered replacement diamond
	swivels and original Model 1861 rear sight are intact, a short blade has			checkered walnut factory Magna grips with silver S&W medallions rate
	been added to the original front sight bade/bayonet lug and a correct			excellent. All appropriate parts on the revolver are correctly numbered to
	cupped tulip-head ramrod with retaining swell and threaded end is			
				the gun and timing and lock up remain excellent. The gun has seen
	included. Only about 5,500 of the 25,000 contracted rifle-muskets were			some honest use but remains in excellent condition overall. (8A9794-24)
	ultimately delivered by Mulholland and the action of this very good			{C&R} (1000/1500)
	example remains crisp and strong. (23A9882-6) {ANTIQUE}			Est. 1,000 - 1,500
	(1000/1500)		554	U.S. Model 1911 Semi-Auto Pistol by Colt
	· · · · ·		554	
	Est. 1,000 - 1,500			serial #178652, 45 ACP, 5" WWII Colt barrel with an excellent bore. This
549	U.S. Model 1795 Flintlock Musket by Springfield Armory			1917-manufactured pistol has been professionally refurbished and
	.69 cal., 44 5/8" barrel with an oxidized bore. The metal surfaces of this			retains about 99% nicely reapplied blue showing scant toning on the
	Type III original flint musket manufactured in 1812 are toning to a brown			edges of the muzzle and the occasional minor handling marks. The grips
	5			
	patina with light pitting on the lock and around the breech, and pinprick			are somewhat rudimentary ad-hoc smooth walnut replacements that rate
	pitting and old light oxidation overall. The brass front sight blade has			about very good showing light handling marks. The pistol has the correct
	aged to a tarnished brown mustard patina. The buttplate tang and rear			parts, except the aforementioned barrel, for the period of production with
	of the lockplate are dated "1812" while the lockplate is properly marked			most markings still strong to sometimes crisp including Major Gilbert S.
	with "US / (spread eagle) / SPRINGFIELD" ahead of the cock and the			Stewart's final acceptance mark. It includes a WWII era Risdon
	breech of the barrel shows a softened "US" on the top and a strong "P /			Manufacturing Company marked magazine with welded baseplate. This
	(eagle head) / V" proof mark. The smooth black walnut stock rates			should make a nice addition for the budding collector. (8A9791-2)
	perhaps good for a 208 year old musket that likely saw action in the War			{MODERN} (1200/1800)
	of 1812 with moderate scorching behind the pan, a few scattered cracks			Est. 1,200 - 1,800
			555	Fabrique Nationale High Power Semi-Auto Pistol
	around the action with one rather lengthy one behind the lockplate, a		555	
	lengthy drying crack in the right side of the buttstock, and various other			serial #42138, 9mm, 4 3/4" barrel with an excellent bore. This pistol that
	signs of military service. A softened "US" final acceptance stamp is			features fixed sights and no shoulder stock slot. The metal surfaces
	discernable on the left stock flat while "SJ" inspection initials are visible			retain about 97% original blue finish with most of the loss to toning on
	behind the triggerguard. The top jaw screw is an old replacement and			the top of the slide, edge wear and sporadic handling marks. The
	the forward lock screw is rather long, the sling swivels and bayonet lug			checkered walnut factory grips rate excellent with minor handling wear.
	are intact, a correct button-head ramrod with threaded end is included			This pistol also features the thumb print, ring hammer, internal extractor,
	and the lock is crisp and robust. The Model 1795 musket is of great			magazine safety and Belgian proofs. The pistol includes a West German
	historical importance as the first regulation arm produced at a national			Police flap holster by Geco that is numbered to the gun. The leading
	armory. (23A9909-3) {ANTIQUE} (1000/1500)			edge of the holster has a magazine pouch sewn-in and a "lifting" strap
	Est. 1,000 - 1,500	4		threaded through the inside of the holster. The holster rates excellent
550	Smith & Wesson Model 41 Semi-Auto Pistol			with strong seams and light handling wear. It also includes a pair of
	serial #UBV8670, 22 LR, 5 1/2" heavy barrel with an excellent bore. This			unmarked blue finished magazines with solid push button floorplates,
	gun shows light use and remains in excellent condition. The metal			one has blue finish the other floorplate is black enamel. A very fine
	surfaces retain about 99% original blue finish with a few minor handling			example of these iconic pistols. (8A9790-19) {C&R} (1000/1500)
	• •			
	marks. The checkered laminated walnut factory grips feature			Est. 1,000 - 1,500
	ambidextrous finger rest and rate excellent with minor handling wear.		556	German Army-Marked Walther PP Semi-Auto Pistol
	The pistol features the original factory Patridge front sight, adjustable			serial #359115p, 32 ACP, 3 7/8" barrel with an excellent bore. This
	rear sight and has a Weaver style base mounted on the barrel ready for			lovely milled finish Model PP remains in great condition. The metal
	an optic of your choice. It includes the original factory hard case that is			surfaces retain about 99% original wartime blue on a milled or rough
	correctly end labeled and numbered to the gun, (4) factory magazines,			
				surface with light edge wear, mostly at the muzzle. The checkered
	Kleen-Bore cleaning rod, fired case, screwdriver, cable lock and manual.			synthetic factory grips with Walther banner rate excellent. This pistol has
	A great package ready for the Bullseye range. (8A9830-69) {MODERN}			Nazi "[eagle]/N" proof marks on the slide and two places on the barrel
	[Dr. William C. Nugent Collection] (1000/1500)			and "[eagle] / WaA359" Waffenamt marks on the frame and slide that
	Est. 1,000 - 1,500			remain crisp. Other features include a 60-degree slide mounted
551		1		
	U.S. Model 1911A1 Semi-Auto Pistol by Remington Rand			safety/decocker, frame mounted magazine release and the slide is
	serial #1509889, 45 ACP, 5" correct Colt barrel with a lightly frosted and			correctly numbered to the frame. It includes a single Walther marked
	pitted bore. This 1943-manufactured pistol retains about 95% arsenal			magazine with finger extension floorplate. A fine example a wartime
	quality reapplied Parkerized finish showing light to moderate high edge			Model PP showing minimal wear or use. (8A9896-4) {C&R} (1000/1500)
	wear, slight thinning on the grip frame plus assembly and handling			Est. 1,000 - 1,500
			L	
	marks. The controls and hammer have dull-blue finish. The diamond			
	checkered synthetic Keyes Fibre grips have the correct reinforcing ribs,			
	reinforced screw holes and rate excellent showing a few handling marks.			
	All parts appear correct for period of manufacture, Colonel Frank J.			
	Atwood's inspection mark is crisp, the ordnance wheel is visible but thin			
	and gun appears to function mechanically. The pistol includes a single			
	Scovill Manufacturing Company marked magazine with welded base. A			
	nice example of a Remington made Model 1911A1. (8A9834-8) {C&R}			
	(1000/1500)			
	Est. 1,000 - 1,500			

		. —		
557	Custom German P.35 (p) Radom Semi-Auto Pistol by Steyr	56	U.S. M1 Carbine by Winches	ster
	serial #E8661, 9mm, 4 3/4" barrel with an about very good bore showing			, 18" Winchester barrel with a bright
	evident rifling with scattered spots of light pitting. The metal surfaces on		excellent bore. The metal su	rfaces retain about 97% original parkerized
	this Type II three lever non-slotted pistol show full coverage custom		finish which is toned to a light	t gray with some light wear on the high
	scroll and punch-dot engraving retaining 95% added blue finish applied		edges and contact points, so	attered light oxidation and oxidation
	at the time of engraving, loss due to scattered flaking to gray primarily		staining, and a few light hand	dling marks; the flat-type bolt retains about
	along the top and bottom of slide and on the gripstraps. There is light		95% original blue with light o	perational wear. The high-wood walnut
	operational wear on the sides of the grip safety and remnants of cleaned		stock and 2-rivet handguard	are in near excellent condition with a few
	pitting on either side of the rib more so toward the muzzle. The barrel,		scattered light handling mark	s and features an "I" sling cut. The stock is
	hammer and trigger have a jeweled finish over remnants of light		stamped with a crisp circled	"P" proof on the underside of the pistolgrip,
	freckling and oxidation. The black checkered "FB / VIS" grips appear			stock is marked with a partially faded boxed
	original and remain very good plus showing light wear. The slide, frame,		•	rtouche next to a mostly crisp Ordnance
	barrel and mainspring housing are numbered alike and the barrel lug is			is remain crisply stamped, the "W" and
	"E/623" marked, the remaining serialized and Waffenamt marks lost to			el are crisp, and all marked parts appear to
	polishing. Included is a lightly faded phosphate magazine with what			I. The carbine is sighted with the winged
	appears to be an inverted "F" at the base of the spine. An interesting			p-up "L" rear aperture sight, and features a
	variant for the collector of WWII pistols completing his battery of			1 barrel band. Included with the carbine is
	occupied Axis firearms. (5C9837-6) {MODERN} (2000/3000)		*	and magazine in excellent condition, as well
	Est. 2,000 - 3,000			oiler. A fine example of an all parts
558	Mauser Model 66S Safari Big Game Rifle Two Barrel Set		-	bine. (14A9807-295) {C&R} [Vincent
	serial #G34830/SG46481, 458 Win Mag & 7mm Rem Mag, 26 1/2"		Coniglio Collection] (1500/20	000)
	barrels both with excellent bores. The metal surfaces retain about 90%		Est. 1,500 - 2,000	
	original blue with areas toning to a rich plum and others flaking to brown	56	U.S. M1 Carbine by National	
	and mixing with areas of speckled light surface oxidation and fine pitting.		serial #4262930, 30 Carbine	, 18" Marlin barrel with a bright near
	The bolt is electric pencil marked to the 458 Win Mag barrel (barrel		excellent bore with scattered	pinprick pits. The metal surfaces retain
	numbered G34830) and has a small amount of flaking and loss on the		about 90% thinning original p	parkerized finish with light wear on the high
	bolt handle knob. Additionally there are a few light handling and tool		edges and contact points, a	few scattered specks of oxidation, and a
	marks scattered about. The checkered walnut Monte Carlo stock rates		few light handling marks. The	e high-wood oval-cut walnut stock is in near
	excellent and has a few small dings and other light handling marks. The		excellent condition as lightly	cleaned with scattered old light handling
	stock features a rosewood forend tip and gripcap and has a White Line		marks, a few light scuffs on t	he left side of the handguard and forend
	ventilated recoil pad. The gripcap has a tarnished silver oval monogram			arsenal oil finish. The right side of the
	plate in center with the initials "CMJ". The second barrel is numbered			ed "NPM / FJA" inspector's cartouche next
	"SG46481" and includes a B.Nickel 1.5-6X42 riflescope. The scope			he sling cut in the stock is crisply marked
	features a 4 Plex reticle with excellent optics and is mounted via a set of			derside of the 2-rivet handguard is marked
	claw mounts, which are found on both sets of barrels. Both barrels are			ings remain crisp, as does the serial
	equipped with a set of factory sights, the 458 Win Mag barrel has a front			POSTAL METER" marking has softened
	sight hood. A set of sling swivels are also included. The barrels are			ng on the barrel is light and partially faded,
	· ·			
	easily interchangeable by removing only two mounting screws. This is a			ed parts are National Postal Meter
	near excellent example of these classic Mauser sporting rifles that were			nammer is marked "HI"; having some mixed
	developed in the mid 1960's and is chambered with two popular calibers			pines, as National Postal Meter only
	that are capable of harvesting most any large game animal in the world.			e bolt, slide, receiver, and trigger housing.
	(4A9722-4) {MODERN} (2000/3000)			ly flip-up "L" rear aperture sight, Type I
	Est. 2,000 - 3,000	4 1		on safety. Included with the carbine is a
559	U.S. M1 Garand Rifle by Harrington & Richardson			azine, canvas sling, and oiler. An attractive
	serial #5506303, 30-06, 24" 7-54 dated HRA barrel with a bright near			e that appears to be all correct.
	excellent bore with traces of light frosting. The metal surfaces retain		(14B9807-291) {C&R} [Vince	ent Coniglio Collection] (1200/1800)
	about 97% original green parkerized finish with light wear on the high		Est. 1,200 - 1,800	
	edges and contact points, a light wear mark on the barrel just ahead of	56	U.S. M1 Carbine by Quality I	Hardware
	the rear gas ring, and some scattered light oxidation staining; the steel		serial #1928013, 30 Carbine	, 18" Rock-Ola barrel with a bright excellent
	buttplate is partially bright and has scattered specks of oxidation		bore. The metal surfaces retain	ain about 98% original gray-green
	staining. The walnut stock is in very good condition as lightly cleaned			ht wear on the high edges and contact
	with an about 4" crack in the rear handguard at the top, and scattered			ght oxidation and light oxidation staining,
	light dings and handling marks. The stock is marked with a faded but still			ks; the flat bolt retains about 95% blue finish
	legible DoD acceptance stamp on the left side below the rear of the			he high-wood oval-cut walnut stock is in
	receiver, and a partially faded circled "P" proof inside the pistolgrip. The			cleaned with an old abrasion on the
	receiver and barrel markings remain crisply stamped, and all marked			at the stock tip, a small chip at the rear
	• • • • •			scuff mark behind the barrel band from the
	parts are of Harrington & Richardson manufacture, with exception of the			
	hammer which is "-5 SA"; this is correct for the rifle as early HRA rifles			g marks. The buttstock is stamped with a
	sometimes had a few Springfield Armory parts, such as hammers. The			e right, and the sling cut is crisply stamped
	rifle features a stamped triggerguard, 2-slot gas plug, and T105 rear			ne 2-rivet handguard is also marked
	sight drums. Included with the rifle is a CMP Certificate of Authenticity			barrel markings remain crisply stamped,
	that is serialized and matching to the rifle, dated May 13, 1999.			Quality Hardware manufacture. The carbine
			features a push button safety	, Type I barrel band, milled Type I front
	(14A9807-283) {C&R} [Vincent Coniglio Collection] (1500/2000)	1 1		
	(14A9807-283) {C&R} [Vincent Coniglio Collection] (1500/2000) Est. 1,500 - 2,000		sight, and the early flip up "L	" aperture rear sight. Included with the
				" aperture rear sight. Included with the ound magazine, canvas sling, and oiler. A
		]	carbine is a "U" marked 15-r	
			carbine is a "U" marked 15-r fine example of an all matchi	ound magazine, canvas sling, and oiler. A

Lot Title/Description

563 L	J.S. M1 Carbine by Saginaw	566	U.S. M1 Garand Rifle by International Harvester
s	serial #1836894, 30 Carbine, 18" 8-43 dated Buffalo Arms barrel with a		serial #4562489, 30-06, 24" 5-53 dated LMR barrel with a bright
b	oright near excellent bore with scattered hints of light frosting. The metal		excellent bore. The metal surfaces retain about 98-99% arsenal
	surfaces retain about 97% original parkerized finish with light wear on		reapplied green-gray parkerized finish with a few specks of light
	he contact points and high edges, scattered specks of light oxidation,		oxidation, such as on the charging handle, and a few touches of light
	and a few light handling marks; the bolt retains about 95% original blue		operational wear on the bolt and contact points. The walnut stock is in
	inish. The high-wood oval-cut walnut stock is in very good condition with		excellent condition as lightly cleaned with a shallow old 3/4" chip on the
	ight wear at the toe, a light ding on the comb, light wear near the forend		right side of the forend by the stock ferrule, and a few old light impact
	ip from the sling, and scattered light handling marks consistent with use.		and handling marks. The stock is marked with a mostly crisp DoD
	The stock is marked with a crisp boxed "S'G" below a crisp Ordnance		acceptance stamp on the left side of the stock below the receiver, and a
	Wheel, and the sling cut of the stock is marked "RSG"; the underside of		crisp circled "P" proof on the inside of the pistolgrip; the interior barrel
	he 2-rivet handguard is marked "RSG". The receiver and barrel		channel is crisply stamped "1454". The "postage stamp" style receiver
	narkings remain crisply stamped and the majority of marked parts are of		markings are slightly softened but still easily legible, the barrel markings
	Saginaw manufacture, with the mark on the right side of the rear sight		remain crisp, and all marked parts are "IHC" marked for International
	base illegible due to some light dings (and the "L" shaped aperture is		Harvester manufacture, with exception of the barrel which is correctly
	properly Saginaw manufactured), the magazine catch is "IP-W" marked		manufactured by Line Material Corp who was subcontracted to produce
b	out correct for Saginaw, and the operating slide is "IP" marked. The		barrels for the International Harvester rifles. The rifle fea-tures T105 rear
c	carbine features a flat bolt, push button safety, Type I barrel band, milled		sight drums, a stamped triggerguard, and a 2-slot gas plug. Included
Т	Type I front sight, and the "L" flip-up aperture sight. Included with the		with the rifle is a military-style leather sling in very good condition, and
c	carbine is a "KSG" marked 15-round magazine, canvas sling in very		an M10 combination tool and cleaning kit stored in the trapdoor in the
a	good condition with some light fraying, and an oiler. A largely correct		butt. A fine example of an International Harvester M1 Garand that
-	example of the M1 Carbine manufactured by Saginaw at its Grand		appears to be all matching. (14A9840-2) {C&R} (1000/1500)
	Rapids location. (14A9807-288) {C&R} [Vincent Coniglio Collection]		Est. 1,000 - 1,500
	(1000/1500)	567	Mauser Standard Modell Bolt Action Rifle
`	Est. 1,000 - 1,500		serial #B40934, 8mm Mauser, 23 1/2" barrel with a very good bore with
	J.S. M1 Carbine by Winchester		very light frosting but strong rifling. The metal surfaces retain about 96%
	serial #7236648, 30 Carbine, 18" Winchester barrel with a bright		original blue finish with some light wear on the high edges and contact
	excellent bore. The metal surfaces retain about 90% original fading		points, light speckled oxidation on the barrel and rear sight, light
			oxidation staining on the barrel bands and front sight, a few light
	parkerized finish with light wear on the high edges and contact points, hinning along the barrel, and a few light handling marks; the round bolt		handling marks, and a small spot of thinning on the barrel and a hint of
	etains about 90% original blue with light operational wear. The		toning to plum on the receiver ring; the forward barrel band and bayonet
	ow-wood oval-cut walnut stock is in very good condition as lightly		lug appear to have been reblued. The bolt has been cleaned to bright.
	cleaned with a small filler repair at the edge of the pistolgrip, some light		The European hardwood stock is in excellent condition with a few
	chipping at the ends of the oval sling cut, and scattered light handling		scattered old handling marks; the stock appears to be unmarked. The
	marks. The stock is marked with a partially faded Ordnance Wheel on		top of the receiver is marked with a crisp Mauser banner and is undated,
ti	he right side of the buttstock, "W" in the sling cut on the left side, and		the left side bearing four clear "(Crown) / BUGN" proofs and
ti	he 4-rivet handguard is stamped "W" on the underside. The receiver		"STANDARD-MODELL", and the barrel, bolt, triggerguard, floorplate,
n	markings remain crisp, the barrel lacks the "W" mark but a light		and rear sight leaf are numbered to the rifle; the majority of these
V	Ninchester proof mark is visible, and the remaining marked parts are of		markings are highlighted in white paint. The rifle retains the standard
V	Winchester manufacture with exception of the rotary safety, which is		barleycorn front sight and leaf rear sight graduated from 100 to 2000
".	J.A.O." marked. Included with the carbine is a "SW" marked 15-round		meters, the elevation adjustment for which functions smoothly, the
n	magazine, green canvas sling, and oiler. An attractive almost all		follower does not have the bolt hold-open feature found on the K98k,
n	matching late WWII Winchester M1 carbine. (14A9807-292) {C&R}		and the rifle features slings swivels on the bottom of the lower barrel
	Vincent Coniglio Collection] (1500/2000)		band and behind the pistolgrip. Included with the rifle is a detachable
-	Est. 1,500 - 2,000		muzzle cover, numbered to a different rifle, and a cleaning rod which
	German G33/40 Bolt Action Carbine by Waffenwerke Brunn		has been previously lightly cleaned. A fine example of these rifles which
	serial #4347d, 8mm Mauser, 19 1/4" barrel with a very good bore with		were produced for both service and commercial sale. (14A9834-10)
	ight oxidation and pitting throughout but strong rifling. The metal		{C&R} (1000/1500)
	surfaces of the dot-coded 1942-dated carbine have a gunmetal gray		Est. 1,000 - 1,500
		568	Scarce Dual Coded German K98k Bolt Action Rifle by Gustloff
	batina with evidence of light oxidation staining, generous remnants of	000	· · ·
	briginal blue in the protected areas with concentrations on the rear		Werke/Mauser Borsigwalde
	receiver bridge, a few spots of light pinprick pitting, and light wear on the		serial #5175c, 8mm, 24" barrel with an about very good frosted bore
	high edges and contact points; the cupped steel buttplate retains strong		with evident rifling. The metal surfaces of this "bcd/ar" coded and
	blue along the right outer edge fading into dark remnants as it loops up		1942-dated rifle retain about 98% arsenal reapplied blue finish with fine
to	o the left with the remaining surface cleaned to bright with oxidation		surface oxidation on the last 5 1/2" of barrel at the muzzle, light freckling
	to in a shart the sheet start protecting a lot she will be build then		on the receiver ring, some pinprick to light pitting beneath the finish on
s	staining, and the sheet steel protecting plate shows light oxidation		
s	staining. The laminated stock is in very good condition with light dings		the bolt handle. The laminated hardwood stock is in near excellent
s			condition as cleaned with an arsenal quality repair about 1" above the
s s a	staining. The laminated stock is in very good condition with light dings		
s a v	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of		condition as cleaned with an arsenal quality repair about 1" above the
s a v r	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine
s s a v r r r	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely
s a v r r r a	staining, The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0"
s s w ri ri a n	staining, The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40"		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the
s a w rr ri a n N	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been
s a w rr ri a N S 9	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date emain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 N" on the underside, and does not appear serialized. The rear sight is		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to mark the trifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp
s s v r r r i a n N g n	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the tight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof not top and "6 " on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ring being partially
s a v r r r a n N g n c	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the tight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 " on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the carbine is a black leather sling and cleaning rod. The carbine appears to		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "VM" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ring being partially obscured, and the barrel is manufacture coded "ar / -4-" and "41cyw" with a crisp "26" waffenamt. The bott assembly, rear sight assembly,
s a w rr ri a n N g n c fi	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 V" on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the carbine is a black leather sling and cleaning rod. The carbine appears to function well mechanically. A solid example of these desirable carbines.		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "V/" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ring being partially obscured, and the barrel is manufacture coded "ar / -4-" and "41cyw" with a crisp "26" waffenamt. The bolt assembly, rear sight assembly, triggerguard, magazine floorplate, and upper barrel band are serialized
s s a v v r r i a n N g n n C f f (	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 N" on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the sarbine is a black leather sling and cleaning rod. The carbine appears to unction well mechanically. A solid example of these desirable carbines. (14A9834-14) {C&R} (1000/1500)		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ing being partially obscured, and the barrel is manufacture coded "ar / -4-" and "41cyw" with a crisp "26" waffenamt. The bolt assembly, rear sight assembly, triggerguard, magazine floorplate, and upper barrel band are serialized and matching to the rifle, and the lower barrel band is numbered to a
s s a w r r i a n N g n n C f f (	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 V" on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the carbine is a black leather sling and cleaning rod. The carbine appears to function well mechanically. A solid example of these desirable carbines.		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ring being partially obscured, and the barrel is manufacture coded "ar / -4-" and "41cpw" with a crisp "26" waffenamt. The bolt assembly, rear sight assembly, triggerguard, magazine floorplate, and upper barrel band are serialized and matching to the rifle, and the lower barrel band is unmarked with a "655" waffenamt. The rifle is sighted
s s a w r r i a n N g n n C f f (	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 N" on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the sarbine is a black leather sling and cleaning rod. The carbine appears to unction well mechanically. A solid example of these desirable carbines. (14A9834-14) {C&R} (1000/1500)		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ring being partially obscured, and the barrel is manufacture coded "ar / -4-" and "41cyw" with a crisp "26" waffenamt. The bolt assembly, rear sight assembly, triggerguard, magazine floorplate, and upper barrel band are serialized and matching to the rifle, and the lower barrel band is numbered to a different rifle and marked with a "655" waffenamt. The rifle is sighted with the standard barleycorn front sight and leaf rear sight, and appears
s s v r r r i a n N g g n c c ft (	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 N" on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the sarbine is a black leather sling and cleaning rod. The carbine appears to unction well mechanically. A solid example of these desirable carbines. (14A9834-14) {C&R} (1000/1500)		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt. The bolt assembly, rear sight assembly, triggerguard, magazine floorplate, and upper barrel band are serialized and matching to the rifle; marked band is unberred to a different rifle and marked with a "655" waffenamt. The rifle is sighted with the standard barleycorn front sight and leaf rear sight, and appears to function well mechanically. A solid reworked example of these
s s v r r r i a n N g g n c c ft (	staining. The laminated stock is in very good condition with light dings and handling marks consistent with use throughout, the concentration of which are between the toe and pistolgrip. The receiver code and date remain crisply stamped, as do the firing proof and serial number on the ight side of the receiver ring, a small "(eagle) / 63" proof is marked above the dot-code, and the left side of the receiver is crisply "G.33/40" marked. The bolt handle is marked with a soft Eagle proof on top and "6 N" on the underside, and does not appear serialized. The rear sight is graduated from 100 to 1000 yards and the increments remain clearly marked, and the metal front sight hood remains intact. Included with the sarbine is a black leather sling and cleaning rod. The carbine appears to unction well mechanically. A solid example of these desirable carbines. (14A9834-14) {C&R} (1000/1500)		condition as cleaned with an arsenal quality repair about 1" above the toe, a small lamination crack at the toe and at the front of the magazine floorplate, and an old light handling mark or two. The stock is largely unmarked with only a soft "W" marked behind the triggerguard, a "0" stamped at the bottom of the pistolgrip, and the underside of the handguard renumbered to match the rifle; the flat buttplate has been cleaned to bright and is unmarked. The receiver marking remain crisp with only the "26" waffenamt on top of the receiver ring being partially obscured, and the barrel is manufacture coded "ar / -4-" and "41cyw" with a crisp "26" waffenamt. The bolt assembly, rear sight assembly, triggerguard, magazine floorplate, and upper barrel band are serialized and matching to the rifle, and the lower barrel band is numbered to a different rifle and marked with a "655" waffenamt. The rifle is sighted with the standard barleycorn front sight and leaf rear sight, and appears

....

# Title/Description

Title/Description Lot

		. –		
569	German K98k Bolt Action Rifle by Gustloff Werke	5	571	German K98k Bolt Action Rifle by Mauser Borsigwalde with Luftwaffe
	serial #1765t, 8mm Mauser, 24" barrel with a bright near excellent bore			Markings
	with a few scattered pinprick pits. The metal surfaces of this "bcd / 43"			serial #9753w, 8mm Mauser, 24" barrel with a very good bore with
	coded rifle retain about 50% original blue with the barrel, rear sight			scattered light pitting but strong rifling. The metal surfaces of this "243 /
	base, and receiver ring a gray patina with hints of original blue on the			1939" coded rifle are a gunmetal gray patina with generous remnants of
	receiver and remnants of blue in the protected areas and light overall			blue on the barrel bands, rear sight base, and barrel by the bayonet
	oxidation staining. The cupped buttplate has a smoky gray patina with			mount, intermittent light oxidation staining, and scattered light handling
	scattered light pitting, and the lower barrel band is reblued with			marks; the receiver ring is gunmetal gray but the rest of the receiver
	scattered pinprick pitting beneath the finish. The laminated hardwood			retains about 75% original blue with light wear on the high edges and
	stock is in very good plus condition as lightly cleaned with a duffle cut			contact points, scattered spots of light oxidation, and a spot perhaps
	beneath the lower handguard and scattered remnants of light handling			lightly cleaned. The bolt shows moderate operational wear, light wear on
	marks. The stock and handguard are unmarked. The receiver markings			the high edges, and the bolt handle and safety and are a gunmetal gray
	remain largely crisp and the barrel is marked with a lightly softened			patina. The laminated hardwood stock is in very good plus condition with
	Eagle firing proof and an "avk" subcontractor mark. The bolt assembly,			a few light dings, two small 1/2" to 3/4" cracks in the nose of the handguard, old remnants of an abrasion on the underside of the forend.
	rear sight, upper barrel band, triggerguard, and magazine floorplate are			
	serialized and matching to the rifle, the rear sight base is marked with a "18" waffenamt, and the remain parts appear to largely have the proper			and a few light impact marks. The stock is marked with a faint "(Eagle) / L" Luftwaffe mark on the right side, the "L" of which appears deeper
	"d", "e", and "1" markings; the follower is unmarked, and the bolt shroud is "ghn" subcontractor marked. The lower barrel band is a stamped			struck, above faint "WaA26" and "26" waffenamts, the inside of the pistolgrip is marked with faint "WaA26" and "26" waffenamts, a "P" is
ĺ	replacement, and is unmarked. The rifle is sighted with the standard			stamped behind the pistolgrip, and both stock and handguard are
1	barleycorn front sight and leaf rear sight, and appears to function well			serialized and matching to the rifle; the buttplate is marked with a small
	mechanically. Included with the rifle is a front sight hood and cleaning			"26" waffenamt and is serialized to the rifle, but the digits on the toe are
	rod. A nice piece of WWI history that would fit well in a collection.			mostly obscured. All parts are correct serialized and marked with
	(14A9736-23) {C&R} (1000/1500)			"WaA26" and "26" waffenamts, the majority remaining clear with some
	Est. 1,000 - 1,500			of the smaller walfenamts having softened. The rifle is sighted with the
570	German K98k Bolt Action Rifle by Mauser Oberndorf			standard barleycorn front sight and leaf rear sight, and appears to
0.0	serial #2984h, 8mm Mauser, 24" barrel with a very good plus bore with			function well mechanically. Included with the rifle is a correct cleaning
	light frosting throughout but clear rifling. The metal surfaces of this			rod. An all-matching K98k marked for service with the German
	1935-dated rifle retain about 75% arsenal blue finish with light wear on			Luftwaffe. (14A9736-28) {C&R} (1200/1800)
	the high edges and contact points and scattered mottled thinning of the			Est. 1,200 - 1,800
	finish, with a bit of pinprick pitting on the receiver, and scattered light		572	German K98k Bolt Action Rifle by Steyr with Capture Papers
	handling marks. The walnut stock is in about very good condition with a			serial #6299k, 8mm Mauser, 24" barrel with a very good plus bore with a
	3" long repair at the toe the width of the stock, a lightly repaired			few spots of light oxidation and light pitting at the muzzle. The metal
	duffel-cut beneath the lower barrel band, a small chip on the pistolgrip			surfaces of this "bnz / 44" coded rifle retain about 75-80% original blue
	and a second on the underside of the forend, and scattered light dings			finish with light wear on the high edges and contact points, the barrel
	and handling marks; the steel flat buttplate is proud at the toe, has been			and rear sight base are a gunmetal gray, and light oxidation staining and
	cleaned to bright, and shows numerous light dings consistent with use.			specks of oxidation are scattered about the surfaces. The laminated
	The stock and handguard are numbered to the rifle, the toe line is			hardwood stock is in very good condition with a small crack behind the
	stamped with a droop wing "(Eagle) / WaA211" waffenamt below the			bolt stop, a 3/4" crack in the nose of the handguard, an about 1" drying
	serial number, both of which have faded and are hard to discern, the			crack at the edge of recoil lug on the left side, and scattered light dings
	right side of the stock is stamped with a small droop wing Eagle over two			and handling marks. The buttstock is marked with a light "(Eagle) / H"
	larger "WaA211" waffenamts, all of which have softened, and the			Heer mark on the right, and the stock and handguard are internally
	buttplate is serialized and matching to the rifle. With exception of the			numbered to the rifle. The receiver is marked with a near illegible "623"
	safety, which is numbered to a different gun, all serialized parts are			waffenamt on the right side instead of the "77" waffenamt, the "Mod. 98"
	matching to the rifle and appears appropriately marked with "K167",			marked on the left side of the receiver is partially obscured, and the
	"S92", and droop wing "(Eagle) / WaA211" waffenamts; the majority of			coding remains crisply stamped, the barrel is correctly marked and is
	the markings remain crisply stamped with only a few light or partially			crisply stamped "bnz / 1" within a shield, the rear sight is numbered to
	obscured proof marks. The rifle is sighted with the standard barleycorn			the rifle but marked "WaA77" on the base instead of "WaA623", the
	front sight and leaf rear sight, and appears to function well mechanically.			follower is "lxr" marked, both barrel bands are numbered to the rifle, the
	No cleaning rod is present, but included is a leather sling in good			triggerguard is correctly marked "byf" and with a "135" waffenamt but
	condition with light wear and a small tear, and an unmarked muzzle			the floorplate is only numbered to the rifle; the bolt assembly is correctly
	cover. An honest K98k from the year the Wehrmacht adopted them as			marked with a few lightly struck or softened digits. The rifle retains the
	their primary arm. (14A9736-56) {C&R} (1200/1800)			standard barleycorn front sight and leaf rear sight, and appears to
	Est. 1,200 - 1,800			function well mechanically. Included with the rifle are original capture
				papers from Pfc. Raymond Peurifoy dated "16 March 45", a photocopy
				of Pfc. Peurifoy's Honorable Discharge papers dated 16 January 1946
				listing his service with the 359th Infantry and presence at Normandy,
				Northern France, the Ardennes, the Rhineland, and Central Europe,
				photocopies of additional capture papers for assorted war materials, and
				a photograph of piled German rifles from which Pfc. Peurifoy retrieved
				this rifle. An honest late war Steyr rifle captured by an American soldier.
				(14B9736-7) {C&R} (1500/2000)
				Est. 1,500 - 2,000

Lot

Est. 1,000 - 1,500

573	German K98k Bolt Action Rifle by Berlin Lubecker	576	Scarce German Standard Modell Bolt Action Rifle by Mauser Oberndorf
	serial #5065g, 8mm Mauser, 24" barrel with an about very good lightly		with Deutsche Reichspost Marking
	oxidized bore with evident rifling. The metal surfaces of this "237 / 1940"		serial #68714, 8mm Mauser, 24" barrel with a bright near excellent bore
	-		
	coded rifle have largely toned to a dark gray patina with light wear on		with scattered pinprick pitting. The metal surfaces of this 1934-dated rifle
	the edges of the triggerguard, the forward half of the floorplate and		retain about 96% excellent arsenal quality rust blue with a few scattered
	bottom metal toned to bright, with scattered oxidation staining with		pinprick pits beneath the finish, some light wear on the high edges and
	generous remnants of blue in the protected areas and light handling		contact points, a few light pits and specks of oxidation on the rear of the
	marks. The laminated hardwood stock has an old repaired duffel cut		receiver, thinning of the blue on the barrel forward of the upper barrel
	beneath the lower barrel band, but is in otherwise very good plus		band with light muzzle wear, scattered light oxidation on the triggerguard
	condition with a few scattered light handling marks and the flat steel		and floorplate, and scattered light handling marks on the barrel bands.
	buttplate proud at the toe; the buttplate had been previously cleaned to		The European hardwood stock is in very good plus condition as lightly
	gunmetal and now shows light oxidation staining, scattered old		cleaned with a 1/2" narrow impact mark on the left side of the wrist, an
	oxidation, and numerous light dings consistent with field use. The		old light abrasion on the inside of the pistolgrip, scattered light handling
	buttstock is marked with a faint "(Eagle) / H" Heer mark on the right and		marks and dings, and the flat steel buttplate is lightly proud at the toe;
	is internally numbered to the rifle; the handguard is numbered to a		the buttplate has been cleaned to bright with scattered light pitting,
	different rifle. The serialized parts are matching to the rifle and marked		handling marks, and some light oxidation staining at the heel. The stock
	with the appropriate "214" waffenamts, with some markings having		is marked with a crisp "D.R.P. / 68714" cartouche, and the buttplate is
	softened with time; the receiver code remains crisply stamped. The rifle		serialized and matching to the rifle. The top of the receiver ring is
	is sighted with the standard barleycorn front sight and leaf rear sight,		marked with a crisp Mauser banner above the "1934" date, the left side
	and appears to function well mechanically; no cleaning rod is present. A		is marked with lightly softened "(Crown) / BUGN", and the left side rail is
	solid early WWII rifle likely shipped home by a GI. (14A9736-21) {C&R}		marked with the full Mauser company name. All serialized parts are
	(1000/1500)		matching to the rifle. The rifle is sighted with the standard barleycorn
	Est. 1,000 - 1,500		front sight and leaf rear sight, and appears to function well mechanically.
574	German K98k Bolt Action Kriegsmodell Rifle by Steyr		Included with the rifle is a cleaning rod and leather sling in very good
574	· · ·		
	serial #5273T, 8mm Mauser, 24" barrel with a bright very good plus bore		condition with some light wear. A desirable collectible that should shoot
	with fine pinprick pitting but strong rifling. The metal surfaces of this		straight, as well. (14B9736-5) {C&R} (1500/2000)
	bnz45 coded rifle retain about 85-90% gray phosphate finish with light		Est. 1,500 - 2,000
	oxidation staining on the triggerguard and floorplate, light wear on the	577	Remington Model 1867 Transitional Type Navy Rolling Block Pistol
	high edges and contact points, The barrel breech showing evidence of		serial #217, 50 CF, 8 1/2" round barrel with a bright excellent bore. The
	old oxidation; the bolt shows light operational wear and the expected		barrel of this pistol retains about 90% original blue showing some minor
	roughly finished surfaces beneath the finish. The cocking piece, rear		overall thinning to a mild gray-brown patina, a few tiny dings and
	sight slide, stock nosecap, and part of the bolt stop retain about 90%		handling marks. The frame shows generous amounts of lovely
	original blue finish with light wear, scattered light oxidation, and a few		case-hardened colors throughout, quite bold in the protected areas
	light handling marks. The European hardwood stock is in very good plus		toning to a silvery case-hardened patina and showing a few small spots
	condition with a series of old light dings on the underside of the forend,		of old oxidation staining along some of the high edges on the right side.
	the cupped steel buttplate is slightly proud at the toe, scattered light		The breechblock is toning to a nice deep blue-gray patina and the
	handling marks, and an added finish; the buttplate was previously		remaining small parts show lovely fire blue and straw finishes with just
	cleaned to gun metal and now shows light oxidation staining with		some very light silvering and freckling. As-is correct for this variation
	scattered spots of old oxidation. The stock and handguard are		
			there are no martial proofs although the anchor stamp is still present on
	unmarked and not serialized. The rifle appears correctly marked with		the barrel, the arm has period British proof marks and the Remington
	correct "623" waffenamts and the serialized parts matching the rifle; the		markings on the left side frame are somewhat poorly struck but mostly
	numbers on the bolt shroud and the waffenamt on the right side of the		legible. The smooth walnut grip and forend remain in very fine condition
	receiver ring are softened and hard to read. The rifle is sighted with the		showing scattered light dings, handling marks and strong remnants of
	standard barleycorn front sight and leaf rear sight, the front sight hood		original oil finish. The action seems to function well mechanically. A very
	for which is present, and appears to function well mechanically. Included		handsome example of these rather obscure "transitional" models most
	with the rifle is a leather sling in very good condition showing light wear.		of which were evidently retailed in England. [Former Fritz Baehr
			, .
	A solid Kreigsmodell for the military collector. (14A9736-27) {C&R}		Collection] (13B9362-52) {ANTIQUE} [Edward W. Marron, Jr. Collection]
	(1000/1500)		(1500/2500)
	Est. 1,000 - 1,500		Est. 1,500 - 2,500
575	Scarce Dual Code German K98k Bolt Action Rifle by Gustloff	578	Remington-Beals Third Model Pocket Percussion Revolver
	Werke/Steyr		serial #549, .31 cal, 4" octagon barrel with a fair bore showing scattered
	serial #7654c, 8mm Mauser, 24" barrel with an about very good bore		oxidation and good rifling throughout. The barrel of this revolver retains
	with light pitting throughout. The metal surfaces of this "bcd / bnz / 4"		about 70% original bright blue showing overall flaking to gray-brown
	double coded rifle have a mottled gray patina with remnants of blue on		patina, a couple tiny pinprick pits and handling marks. The cylinder has
	the floorplate, receiver, rear sight base, and barrel forward of the upper		toned to a pleasant plum-brown patina showing a couple light dings and
	barrel band, with scattered light pitting; the barrel between the barrel		some faint streaks of original blue. The frame has toned to a
	bands is a gray-blue patina. The barrel bands are gunmetal gray with		pewter-gunmetal patina showing a small void at the left edge of the
	generous remnants of blue in the protected areas of the lower band and		frame, some scattered fine pinprick pitting and generous original bright
	scattered light pitting, and the bolt has a gray patina with light pitting and		blue, perhaps 10-15% remaining mostly along the left side. The hammer
	some light oxidation staining. The laminated hardwood stock is in about		shows bold case-hardened colors particularly along the right side with
	good condition with a lightly repaired crack through the wrist beginning		the balance toning to a silvery case-hardened patina. The barrel
	above the trigger on one side and looping around to the opposite side, a		address and patent markings remain crisp and clear. The black
	moderate abrasion just above the triggerguard on the left side, a few		checkered hard rubber grips are stamp-numbered to the gun and remain
	drying cracks on both left and right sides of the buttstock, a tight about 2		in near excellent condition showing a few light dings around the edges
	1/2" lamination crack in the toe line, a moderate divot behind the lower		and light handling marks. The action seems to function well
	barrel band on the right side, and scattered light dings and handling		mechanically with excellent timing and lock-up. A very nice example of
	marks consistent with military service; the cupped steel buttplate lightly		these interesting pocket revolvers. [Former Fritz Baehr Collection]
	proud at the toe and has been cleaned to bright with scattered specks of		(13B9362-61) {ANTIQUE} [Edward W. Marron, Jr. Collection]
	oxidation staining and remnants of light pitting. The stock is unmarked		(1000/1500) Eat 1 000 1 500
	externally, but the stock and handguard are internally serialized and		Est. 1,000 - 1,500
	matching to the rifle. The receiver and barrel are correctly and crisply		
	marked, the follower is marked with a faint but correct "135" waffenamt,		
	the bolt is numbered to the rifle, marked with "77" waffenamts on the		
	underside of the bolt handle, "221" waffenamts and "e" on the bolt		
	shroud and cocking piece, and the firing proof is faint, the rear sight		
	base is marked with a "WaA77" and the leaf a "77" waffenamt, and the		
	triggerguard is correctly "135" waffenamt marked but no "byf" mark is		
	present; the remaining parts are unmarked. The rifle is sighted with the		
	standard barleycorn front sight and leaf rear, the front sight for which is		
	present, and the rifle appears to function well mechanically. A salty		
	double-coded rifle from late in WWII. (14A9736-43) {C&R} (1000/1500)		

579	Remington-Beals First Model Pocket Revolver		582	Colt New Service Double Action Revolver
	serial #267, .31 cal, 3" octagon barrel with a very good bore showing			serial #16808, 45 Colt, 7 1/2" barrel with a lightly oxidized and pitted
	some spots of light pitting and strong rifling throughout. The barrel and			bore. This revolver shows a long career of honest use but remains in
	cylinder of this fourth issue revolver retain perhaps 10-15% original blue			fine condition. The metal surfaces retain about 85-90% original blue, the
	present as scattered bright flakes throughout, with the balance toned to			loss light flaking toning to brown, high edge wear and a couple light pits
	a pleasant gray-brown patina and the nipples remain quite clean overall.			on right rear of barrel. The blue on the hammer spur and trigger face is
	The frame has mostly toned to a medium pewter gunmetal patina			drifting to plum. The checkered hard rubber factory grips feature "COLT"
	showing some scattered fine pinprick pitting. The German silver			in an oval, are scratch numbered to the gun and rate excellent. All
	triggerguard is intact showing some light dings around the edges and			markings remain crisp. This big gun still times and locks up as good as
	the hand retains strong flakes of bright fire blue. The Beals patent information on the barrel and Remington's address on the top strap			the day it left Colt in 1907. A nice early New Service for the upstart collector. (8A9650-9) {C&R} (1200/1800)
	remain quite crisp and clear. The grip screw shows lovely fire blue and			Est. 1,200 - 1,800
	the hammer shows hints of smoky case-hardened colors. The smooth		583	Attractive British Flintlock Dueling Pistol by Twigg
	gutta-percha grip is still clearly stamp-numbered to the gun and remains			.64 cal, 9 1/2" octagon barrel with very good, lightly oxidized smooth
	in near excellent condition showing one small ding on the left side and			bore which shows a few spots of light oxidation or very light pinprick
	perhaps a few minor handling marks. The triggerguard and barrel are			pitting. The barrel is primarily a smooth pewter patina with some
	matching the frame, the silver cone front sight is intact and the action			scattered spots of darker brown oxidation staining but they are light and
	seems to function well mechanically with a crisp hammer and solid			unobtrusive. There is a simple silver bladed front sight fitted in a dovetail
	timing. These important little guns were Remington's first production			and a tombstone rear atop the tang. The top flat is marked "London"
	revolver and have usually seen hard use; this example is really very nice			with British proofs on the left diagonal flat and small bands of engraving
	and would make a fine addition to any collection of American arms.			at the breech, the tang lightly engraved as well. The rebated lockplate
	(13B9362-58) {ANTIQUE} [Edward W. Marron, Jr. Collection]			with rear teat shows only borderline engraving and is marked "Twigg"
	(1000/1500) Eat 1 000 1 500			and features a bridled roller frizzen and rear-sliding safety, the hammer
580	Est. 1,000 - 1,500 Cased British Transitional Percussion Revolver by John Wiggan			is a later replacement and not cut for the safety. Ramrod pipes are simple iron and the triggerplate shows a very nice urn finial engraved
560	.42 cal, 4 1/2" octagon barrel with a good lightly oxidized bore. The			front extension. The bow of the guard as well is faceted and shows light
	metal surfaces of this revolver have mostly toned to plum-brown patina			engraving as does the sideplate. The English walnut stock rates very
	showing some scattered small spots of old light pitting, a few minor			good-fine showing an old cleaning many years ago with a repair to a
	dings and strong remnants of silvery case-hardened patina along the			crack through left and right stock flats which is well done, tight and
	protected areas of the frame. The arm features some nice tasteful foliate			unobtrusive. There are neat little pinched thumbprints at the rear of each
	scrollwork along the frame and light borderline embellishments. The			stock flat and the butt is overall checkered, down along the wrist and
	"JOHN WIGGAN BIRMINGHAM" maker markings along the barrel			then with a dividing line at the "cap", showing only a couple light dings or
	remain crisp. The finely checkered walnut grips remain in very good plus			flaked spots and is very attractive. What is likely the original horn ramrod
	condition having darkened from the years and show some scattered			with ivory tip and patch pull end is present. John Twigg was a gunmaker
	light dings and handling marks, the checkering mostly intact. The action			apprenticed to Henry Nock about 1786. His father was a prolific a
	is functional with good timing and lock-up a little loose. The arm includes			gunmaker and entered into partnership with John Bass, operating as
	its original case that rates very fine showing worn finish and some			Twigg & Bass from 1788 until 1790 when John the elder died, after this
	scattered light dings along the exterior and a brass monogram plate with			John the younger continued use of the "Twigg" name, this gun with its
	reeded edge atop the lid. The interior is lined in green baize that shows			late roller frizzen no doubt being his work. The gun appears to be
	some light staining and minor scuffs and retains a wonderful intact maker's label. The case holds a full complement of accessories			quality-made in every respect and certainly could have been a single coat pistol for a gentleman, but was more likely a pair, having a "dueller"
	including: single cavity round ball bullet mould with ramrod handle			smooth bore. (3B9654-25) {ANTIQUE} (1000/1500)
	marked "48" toning to a dark gray patina, walnut handle turn screws			Est. 1,000 - 1,500
	(one flat head the other dual prong), a partial tin of Eley percussion caps		584	Very Rare Burgess Slide Action Shotgun Factory Cutaway Demonstrator
	with mostly intact label, a small unmarked powder flask that shows			serial #1355, 12 ga, 28" plain Damascus barrel choked improved
	moderate use and light oxidation, oiler and an assortment of round balls.			modified with a fair bore showing scattered bright areas and moderate
	John Wiggan was active in Birmingham from 1828-1862, these			pitting. The barrel shows faint hints of swirling Damascus patterns
	transitional model arms were popular for a time in the 1850s and were			having toned overall to a deep plum-brown patina with spots of oxidation
	an evolution from the traditional British pepperbox pistol. This example			staining and light handling marks. The barrel markings have softened
	has seen some honest use and is otherwise quite nice with its fine			but remain mostly legible. The action and slide show remnants of factory
	complete case. (13B9654-1) {ANTIQUE} (1200/1800)			nickel finish, perhaps 35% with the balance flaked to a dark plum-brown
	Est. 1,200 - 1,800			patina showing old oxidation staining and spots of minor pitting. The
581	British Flintlock Dueling Pistol by Weston .68 cal, 8 1/2" octagon barrel with an about very good lightly oxidized			Burgess Gun Co. address on the dust cover remains intact and the
	smooth bore which shows a few areas of light pinprick pitting. The barrel			shotgun includes what appears to be its original right side cover plate for the action, similarly nickel-plated and secured by five screws and is
	is a pleasing pewter-gunmetal gray patina showing remnants of a			stamped on the inside surface with the name "HARRY BRINTON". The
	damascus pattern also with some scattered light brown oxidation			receiver and slide feature nice factory milling exposing the internal
	staining here and there. There is a simple scant bead front sight and			working components of the action along with two cuts along the right
	v-notch rear atop the lightly engraved tang. There is a simple inlaid gold			side of the forend exposing the magazine tube, one of which has been
	band at the breech with light wavy line decoration and a gold sunken			plugged. The smooth walnut buttstock and checkered forend remain in
	touchmark atop the barrel flat which reads "Weston/Lewes" showing a			about very good condition showing a small chip at the toe, a thin hairline
	tiny flake from its left edge, the touchole gold lined as well. The lockplate			crack along the left side forend, scattered light dings and minor
	has a rebated edge and stepped rear with pronounced teat showing			discoloration with the forend checkering mostly intact. The original
	borderline engraving with a small sunburst at rear. It features a			buttplate is present showing a 2" chip at the toe and the black checkered
	rear-sliding safety and the lovely Swan neck cock shows very light floral			hard rubber grip show a number of small chips at its leading edge and
	engraving. The waterproof pan features a curlicue-tailed bridled roller			overall smoothing. There is no front sight present and the action seems
	frizzen which is very graceful. The triggerguard has an engraved			to function well mechanically. A very good example of a rare cutaway for
	pineapple front extension with light floral engraving on the bow. The			the collector or student of these interesting Burgess arms.
	stock has a nice silver nosecap and silver escutcheons left and right for			(13B9438-329) {C&R} (1800/2200)
	the wedge, and additional un-engraved oval silver monogram plate sits			Est. 1,800 - 2,200
	atop the wrist. The English walnut stock rates fine with much original varnish and overall light dings and handling marks from the years. It			
	features a checkered grasping area covering the full wrist with the			
	endearing little star-shaped stamps accenting the checkering borders.			
	The lock is crisp and mechanically functional as-is the rear sliding safety			
	and very nice single set trigger. What is no doubt the original			
	ivory-tipped ramrod with wad pull-end is present. Doubtless part of a set,			
	this quality dueller was very attractive and nicely made in its day, it			
	remains so still. Abraham Weston, Lewes, Sussex was active			
	1783-1826. (3B9654-26) {ANTIQUE} (1200/1800)			
	Est. 1,200 - 1,800			
·				

85	Och Officers Madel Terrat Develop		00	Design Control of Cont
000	Colt Officers Model Target Revolver	0	88	Sharps Cartridge Converted Civil War Carbine Converted to Forager
	serial #606753, 38 Special, 6" heavy barrel with an excellent bore. This			serial #34123, 20 ga., 22" smooth bore barrel with an about very good
	lovely 1937-manufactured revolver is the later third issue, correctly			bore showing a number of the circumferential tool marks near the
	marked, "Heavy Barrel" variation. The metal surfaces retain about 99%			breech and a few near the muzzle. All of the metal surfaces are a dull
	original blue showing faint high edge wear, light handling marks and tiny			gunmetal gray and plum patina interspersed with some light oxidation
	impact marks on the sideplate just behind the sideplate screw. The			staining here and there and some spots of scattered light pitting, the
	checkered trigger retains most of the blue with light edge wear from use			frame actually showing some trace later blue, but with no evident
	and the hammer rates excellent with very light staining from oxidation on			markings but for the lockplate. The forend rates very good showing th
	the bright sides. The grips are a beautiful set of Roper's featuring			overall expected minor dings and handling marks from the years. The
	diamond checkering, Roper finger ribbons on each panel, checkered			buttstock is a later softwood replacement which was fairly well done for
	thumb rest showing light handling marks. The grips feature the			a novice, but shows a number of areas of synthetic wood filling gaps,
	"Gagne's" jig holes and both panels have the number "575" scribed on			rates roughly good overall with a dark walnut-tone varnish and raised
	the backs. The gun features a factory elevation adjustable Patridge front			grain. A smaller saddle ring has been affixed to the left side bar and the
				· ·
	sight, windage adjustable rear sight and mechanical function is			action seems to work properly. Original sights are intact and of the ba
	excellent. An excellent example of an Officers Model from the golden			is numbered to the frame, however in a slightly different font than we
	age of revolver target shooting. (8A9468-41) {C&R} [Tom Bubolz			see on the tang. Interestingly serial #34125 was issued to Co. I, 1st
	Collection] (1000/1500)			Maryland cavalry. As with any arm of "custom" chambering a competer
	Est. 1,000 - 1,500			gunsmith should inspect the work before any thought is given to firing
6	W & C Scott & Sons Monte Carlo B Sidelock Double Gun			the arm, moreover this interesting conversion should be considered a
	serial #49763, 12 ga. (2 1/2"), 30" barrels choked a tight modified or light			collectors variant only and not for actual use. (3A9840-3) {ANTIQUE}
	full in each, with bright excellent bores. The barrels retain a lovely			(1200/1800)
	smooth brown Damascus pattern their full length, likely restruck many			Est. 1,200 - 1,800
			89	British Pattern 1856 Short Rifle with Identification
	years ago, the star pattern beneath very nice and showing one very	5	00	
	small spot of light to moderate pitting about halfway down its length, on			.577 cal. (worn to nearly .62 at muzzle), 33" barrel with a moderately
	its underside ahead of the forend. The right tube features the			oxidized bore. This is an interesting commercial model brass-mounted
	Shaftesbury Avenue address and there are light bands of engraving at			1856 Pattern Short Rifle with an incise-carved name on the left side of
	the breeches and on the rib with "Scott's Improved Bolt". The frame and			the butt. The barrel is primarily a plum brown patina with simple front
	the lockplates are a mottled smoky gray and blue case-hardened patina			sight, 1100 yard graduated rear sight and right side bayonet lug
	with the typical tight flowing English scroll with flying pigeons left and			numbered "012". This barrel is actually five-groove, rather than
	right, coverage is about 95-97%. Both the fences show some light pitting			three-groove, and features Henry Clive's barrel makers mark on the
	but it is unobtrusive, the triggerguard showing restored blue. The			underside ("Henry CI" is all that is visible). There are a number of
	checkered scant round knob pistolgrip buttstock rates very good with			viewers marks as well and assemblers hashmarks, all of the markings
	nice grain figure evident, flat-topped checkering and dropper points at			on the top of the barrel at rear where the proofs and caliber normally a
	the rear of the stock flats. The length of pull to the grooved horn			have been purposefully cleaned during the period of use, this area
	buttplate is 13 1/8" with drops of 1 7/8" and 2 7/8". The barrels are Nitro			showing tool marks. The underside of the barrel shows two distinct se
	proofed for "shot only" with a 1 1/4 ounce maximum load, and lockup is			of assembly hashmarks; clearly the barrel being harvested from anoth
	tight on-face with dual under bites and Scott's "Improved Bolting"			rifle at some point, the marks which are matching on this arm are on the
	crossbolt; no wall thicknesses noted below .025", with most around			underside of the barrel, edge of the lockplate and in the ramrod chann
	.030". Equipped with double triggers, automatic safety and extractors,			"III ". The lockplate is Tower stamped and dated at a canted angle
	the gun seems to function well mechanically. A very fine British double			"1856", however the last digit is obscured due to pitting, with stamped
	with some typically lovely engraving and very nice barrels. (3C9738-64)			crown at rear above "VR". The interior of the lock is stamped with
	{ANTIQUE} [Kris Congdon Collection] (1200/1800)			contractor or assemblers or viewers markings "DB" "JH" and "LJ". Th
	Est. 1,200 - 1,800			arm features brass hardware throughout and its sling swivel is installe
7	Remington Model 1816 Commemorative Flintlock Rifle			directly into the wood on the toeline, to the rear of the triggerguard as
	-			
	serial #ER1816-0595, .50 Cal, 39" octagon barrel with a like-new,			common to commercial examples. The wood itself appears to be been
	unfired bore. Both the barrel and lock retain about 99% factory plum			and was cleaned lightly long ago leaving the edges somewhat soft,
	brown finish, there are a few very light handling marks but no signs of			markings light, but with a name clearly incise carved on left of butt "R
	actual use. The full length extra fancy, curly maple stock rates like new			Jenkins", there is some indecipherable writing beneath it, sadly lost to
	and features polished brass furniture that remains bright with a few small			the years and the light sanding. "JW" is on the left stock flat at its rear
	spots of light oxidation and tarnish due to storage. The patchbox has			and there are "(crown)/A" stampings to the rear of the triggerguard, th
	some light factory scroll engraving. The barrel is equipped with a silver			are light. The lock seems to function mechanically however the hamm
	blade front sight and has a buckhorn rear. The lock is unmarked and			is light because the mainspring is cracked, the rust between the two
	appears to function correctly. The original brass tipped wood ramrod, the			pieces indicating it has been so for guite some time (upon disassemb
	box, Eliphalet Remington II history and application for certificate of			the mainspring stayed within the lock inletting and showed evidence of
	authenticity, instruction sheets and owner's manual are included. Each			having been disassembled and reassembled previously), a
				<b>o</b>
	of these custom built rifles was hand fitted and assembled by a custom			blacksmith-made replacement ramrod is included and a number of the
	gunsmith using "old style" techniques like hand cut rifling, and slow rust			screw heads show some slot damage. Six RJ Jenkins' can be located
	browning - "the way Eliphalet would have wanted it". Few were made			the American Civil War Research Database, both Confederate and
	during the short 1995 production span. A great looking modern flintlock			Union, a detailed study of the units and whether they were equipped
	that would catch the eye of every passerby that was built to			with Enfield Short Rifles or not should prove or disprove a Union or
	commemorate the building of Eliphalet Remington's first rifle in 1816.			Confederate Association. An interesting commercially-made 1856
	(4B9100-924) {ANTIQUE} [Richard "Stretch" Kennedy Collection]			Pattern Short Rifle, obviously assembled or reassembled more than
	(1200/1800)			once by armorers who utilized the hashmark system. (39371-5)
	Est. 1,200 - 1,800			{ANTIQUE} (1000/1500)
	231. 1,200 - 1,000	·		Est. 1,000 - 1,500

593

## Lot Title/Description

Lot Title/Description

Marlin Special Order Model 1894 Deluxe Takedown Rifle serial #185116, 25-20, 26" octagon barrel with half magazine and a fair bore showing moderate oxidation and pitting throughout still with good rifling. The barrel and magazine of this rifle has mostly toned to a dark plum-brown patina showing a few areas of old light pitting and some scattered minor dings, a few more noticeable at the muzzle edges. The action is similar showing some generous silvery case-hardened patina throughout and wisps of vibrant colors in the protected areas. The bolt retains about 75% original bright blue flaking to dark brown and the loading gate retains strong fire blue around the edges. The screw heads show light slot wear and some of the markings have softened very slightly but otherwise remain completely intact and legible. The checkered pistolgrip walnut buttstock and forend remain in about very good plus condition retaining about 80-85% original varnish showing moderate flaking along the forend, a small hairline crack at the upper tang, scattered light dings and handling marks. The checkering shows moderate wear overall, there is a small crack along the tang inletting and the right side stock tab on the interior has broken off but remains retained when installed. Strangely, the buttplate has been replaced with a grooved steel Savage Model 1899 plate that actually fits very well and the buttstock is stamp-numbered matching the receiver. The rifle is sighted with a Marble's Sheard brass bead front that has been modified during the period of use and thinned out along the sides and a flattop sporting rear with replacement elevation slider. The trigger is a little stiff and the action otherwise seems to function well mechanically. An interesting special order rifle made around 1899. (13B9746-37) {C&R} (1000/1500)Est. 1,000 - 1,500

590	Smith Civil War Percussion Carbine by American Machine Works ID'd
	To The 2nd West Virginia Volunteer Cavalry
	serial #3788, .50 cal, 21 1/2" part octagon, part round barrel with a bright
	excellent bore showing some light oxidation near the breech. The barrel
	retains about 97% original blue, toning and fading evenly, with some
	scattered light oxidation, the left and lower side of the barrel showing
	some splotchy brown loss about 2" ahead of the forend, the rear left with
	"LFR" inspectors stamp. The frame and the barrel frame are a mottled
	smoky gray-blue original case-hardening mixing with some light
	oxidation staining and perhaps a couple very minor pinprick pits. The
	buttstock frame shows some excellent original pale fire temper blue, as
	does the triggerguard and the top spring, the top spring with a bit of light
	surface oxidation. The American walnut buttstock and forend both rate
	about excellent showing perhaps a few minor dings at the front edge of
	the forend and some scattered handling marks on the buttstock with a
	very good left side cartouche. Many of the screws show some good pale
	fire temper blue, the saddle ring is present and all of the numbers are
	matching on frame, barrel frame and the barrel. Barrel-to-frame lockup is
	tight and the lock functions very well mechanically. Springfield Research
	Service records show issue in 1863 to Co.H, 2nd West Virginia
	-
	Volunteer Cavalry, during the period that this carbine would have been
	in use they were very active in West Virginia and later Virginia itself and
	are important in Sheridan's Shenandoah Campaign. The original open
	sights are intact and this remains a very fine example of a Smith Civil
	War carbine, with what could actually be considered a shootable bore!
	(3B9746-23) {ANTIQUE} (1800/2200)
504	Est. 1,800 - 2,200
591	Unmarked Flintlock Halfstock Sporting Rifle With Spies Lock
	.54 cal, 36" heavy octagon barrel with an oxidized bore which shows
	some scattered light pitting and evident rifling. This is a rather heavy,
	late flintlock rifle, likely one that would've been destined for the Western
	plains during the time period. The barrel is primarily a warm plum tone
	with scattered light oxidation and the expected light dings and handling
	marks that come from a heavy duty field-used gun. It is sighted with a
	simple brass blade front sight and flattop v-notch rear, showing a bit of
	geometric border embellishment. There are light open sprays of
	engraving at the breech with a small band of geometric engraving and
	the tang shows simple relief open foliate engraving, its tang screw with a
	floral petal motif. The Spies lock shows some strong remnants of original
	bright blue and is stepped at its rear with the same open flowing foliate
	engraving, it is maker marked, features a waterproof pan and a bridled
	roller frizzen. Thimbles and tailpipes are simple, triggerguard has an
	engraved pineapple front extension and the square back bow shows
	very light engraving. The smooth iron buttstock shows a bit of floral and
	geometric engraving on its long upper tang. The gun is stocked in a very
	nice grade of American walnut showing some crotch figure in the butt,
	the expected overall light dings and handling marks and a number of
	drying cracks scattered about the surface through the highly figured
	wood. It has a nice horn forend tip and sprinkles of inlaid silver wire
	foliate decoration with the initials "TP" or perhaps "JP" inlaid on the right
	side rear of butt. The left stock flat shows three German silver inlays,
	one shield-shaped, one "food chopper" style and one circular, with
	another shield-shaped monogram plate atop the wrist, all are
	un-engraved. The lock is crisp and mechanically functional and there is
	an antique bone tipped ramrod included; there is no wedge present, the
	barrel retained only by a piece of flat steel. A quality-made, very
	heavy-duty rifle, strangely unsigned, that no doubt was destined for the
	Western frontier given its caliber. (3C9670-33) {ANTIQUE} [David &
	Lore Squier Collection] (1500/2000)
	Est. 1,500 - 2,000
	Starr Civil War Percussion Carbine
592	
592	
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting,
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear of the lower tang. The forend rates about very good as refinished and is
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear of the lower tang. The forend rates about very good as refinished and is a replacement from a non—Starr carbine, the brass band seems to fit it
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear of the lower tang. The forend rates about very good as refinished and is a replacement from a non—Starr carbine, the brass band seems to fit it well however. The original rear sight is intact, as-is the saddle ring, the
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear of the lower tang. The forend rates about very good as refinished and is a replacement from a non—Starr carbine, the brass band seems to fit it well however. The original rear sight is intact, as-is the saddle ring, the front sight shows a taller replacement blade. The lock is crisp and
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear of the lower tang. The forend rates about very good as refinished and is a replacement from a non—Starr carbine, the brass band seems to fit it well however. The original rear sight is intact, as-is the saddle ring, the front sight shows a taller replacement blade. The lock is crisp and mechanically functional. A very good "example" piece for the Civil War
592	serial #2593, .56 cal, 21" barrel with a very good bore which shows sharp rifling but with some sparsely scattered oxidation and light pitting, a few spots a bit more moderate. The metal surfaces are primarily a soft brown and plum patina, the barrel with scattered light pitting and some light handling marks. The hammer and lockplate are more of a gray-blue case-hardened patina showing a couple silvery flakes, the left side of the frame also with light pitting. The buttstock rates very good perhaps showing an old cleaning years ago, with a crack at the point of comb and repair to a crack and chip at the right leg of the stock between the tang and the lockplate. The stock fits rather loosely at its junction of the upper tang and sling swivel mount holes have been plugged to the rear of the lower tang. The forend rates about very good as refinished and is a replacement from a non—Starr carbine, the brass band seems to fit it well however. The original rear sight is intact, as-is the saddle ring, the front sight shows a taller replacement blade. The lock is crisp and

Lot Title/Description

594 Interesting Cased Pair of Belgian Double Action Percussion Target Pistols by J. J. Herman serial #19 & 22, .32 cal, 7 1/4" swamped octagon smoothbore barrels with oxidized bores. The barrel and cylinder of revolver No. 19 retain about 95% wonderful period restored brilliant bright blue with most of the loss due to some small flaked areas along the left side toning to mild brown patina, light handling marks and a little old oxidation staining along the rear of the cylinder. The frame and barrel catch have mostly toned to pewter gunmetal patina showing some remnants of cleaned light pitting along the edges near the cylinder and the inside of the triggerguard with faint smoky case-hardened colors. The frame is embellished in near full coverage with fine quality foliate scrollwork, a lovely sunburst motif at the top forward edge and is marked in a small oval "J. J. HERMAN / BREVETE". Some of the screw heads show light slot wear and the trigger retains a healthy amount of fire blue. The mounting point for the barrel catch is an older nice quality replacement. The smooth rosewood grip remains in very fine condition as nicely refinished long ago showing a few small gaps where is meets the metal, some light handling marks and a 2" ovoid area on the left side that has been expertly repaired and patched with a separate piece of rosewood. The large lever on the underside has a small locator peg which secures the barrel to the frame, depressing it allows the barrel to rotate up for removal of the six-shot cylinder, the double action only mechanism utilizes an internal hammer and the cylinder revolves along a rotating arbor. The action is a little bit stiff but otherwise seems to function well mechanically and the pistol is sighted with a small blade front sight and shallow u-notch rear. The barrel and cylinder of revolver No. 22 retain about 92% brilliant bright blue with light flaking to gray-brown patina along the top and muzzle of the barrel and the cylinder showing some light scratches and a few small areas of moderate oxidation staining along the back edge. The frame is similar to the first pistol showing a little scattered pinprick pitting and some smoky case-hardening and silvery patina in the protected areas. There is a small chip at the forward right corner and another small u-shaped chip atop the frame where the rear sight has broken away. The frame embellishments are a little bit different, composed entirely of lovely foliate scrollwork and lacking the sunburst motif. The top of the frame is identically marked and the trigger retains strong fire blue. The mounting point for the barrel catch is also of a different design and no doubt the original equipment, the lever locks into the frame with a square peg rather than round like the first pistol, the front sight design is slightly different as well and the cylinders are different lengths (1 7/16" on No. 19 and 1 5/8" on No. 22). The smooth rosewood grip is similar to the first pistol showing a couple thin repaired drying cracks and a small patch on the left side near the base. The action seems to function well mechanically. Each revolver includes a spare numbered cylinder retaining about 95% bright blue showing some light operational wear and sparsely scattered pinprick pits. Also included are two steel cylindrical tools measuring 4 1/4" and numbered "03" whose purpose is unknown and a more modern-made custom mahogany case that rates very fine showing some light dings along the exterior and the interior green baize with some light wear. The bottom of the case is fitted with three brass lion paw stands, one having been lost. A very handsome and interesting pair of Belgian percussion pistols. (13C9899-28) {ANTIQUE} (1800/2200) Est. 1.800 - 2.200 595 Colt Model 1849 Pocket Percussion Revolver serial #130194, .31 cal, 4" octagon barrel with a partially bright good bore showing scattered light pitting and oxidation with strong rifling throughout. The barrel of this 1857-made revolver retains about 85% original bright blue flaking to a mild gray-brown patina showing a little minor pinprick pitting along the edges and scattered light dings. The two-line New York barrel address remains crisp and clear. The five-shot cylinder has mostly flaked to a mild gray patina showing some scattered pinprick pits, some light dings and remnants of original bright blue, the cylinder scene is very nice remaining almost entirely intact and quite crisp. The frame and loading lever are toning to a pleasant silvery gray case-hardened patina showing some mild gray-brown speckling and a few patches of vibrant colors in the protected areas. Some of the screw heads show light slot wear and a number of them retain good fire blue along their edges, the wedge and trigger also with some good remnants of fire blue. The triggerguard and backstrap show evidence of an old light cleaning and retain about 90% of a period reapplied silver finish that remains mostly bright showing some thinning to mild ocher brass. The smooth walnut grip is ink-numbered to the gun and remains in very good plus condition as lightly refinished long ago showing two small filled notches at the edge of the right side, some scattered light dings and mild edge wear. All of the serialized parts are matching including the wedge and the action seems to function well mechanically with solid timing and lock-up. A very respectable 1849 Pocket. (13B9833-79) {ANTIQUE} (1200/1800) Est. 1,200 - 1,800

596	Colt Pocket Model of Navy Caliber Percussion Revolver serial #10114, .36 cal, 4 1/2" octagon barrel with a bright very good bore showing some scattered light pitting and mild oxidation with strong rifling throughout. The barrel, cylinder and loading lever of this 1862-made revolver are toning to a mottled gray-brown patina showing evidence of an old light cleaning with some remnants of smoothed-over pinprick pitting, a few light dings and handling marks. The frame is a similar dark gray tone showing some scattered old pitting and some faint case-hardened colors along the right side. The triggerguard and backstrap have toned to a nice ocher patina showing some scattered light handling marks and some remnants of tarnished silver finish around the triggerguard. The New York barrel address and "COLTS PATENT" on the frame and cylinder are soft but mostly legible, the cylinder scene is still quite nice and the triggerguard shows strong caliber designation. The smooth walnut grip is ink-numbered to the gun and remains in about very fine condition retaining about 90% original varnish showing some mild flaking, edge wear and light handling marks with excellent fit to the frame. The loading lever is un-numbered and all of the serialized parts are matching including the wedge. The action seems to function well mechanically with excellent timing and lock-up. A solid example of these interesting and somewhat obscure Colt revolvers. (13B9833-85) {ANTIQUE} (1000/1500)
597	Attractive Pair of Belgian Percussion Muff Pistols by Francotte with
	Original Case .47 cal, 2 14" damascus octagon barrels with near excellent bores showing fine straight rifling. The barrels of these little pistols retain strong remnants of swirling blue-gray damascus patterns toning overall to a mild gray gunmetal patina along with some mild brown speckling and light handling marks. The hammers and frames retain a healthy amount of vibrant case-hardened colors toning to a pleasant gray case-hardened patina. The frame screw heads show light slot wear and the side of one hammer shows a small buff mark but this is unobtrusive. The nipple bolsters are nicely sculpted and the arms feature lovely finely detailed foliate scrollwork in near full coverage along the frames, the buttcaps also with a nice foliate motif. The breeches show a crisp antique Belgian proof mark, matching assembly number "4" on the bottom along with "(Crown) / AF" Auguste Francotte maker mark. The pistols are fitted with a set of handsome smooth antique ivory grips that rate about good showing moderate cracks along the sides, some light chips where they meet the frames and other more minor handling marks. They otherwise show attractive age striations and a nice mellow patina. The pistols are housed in their scarce original fitted case that shows a lovely textured red Moroccan kidskin outer covering that remains mostly intact showing some edge wear, light flaking and a few small areas of staining. The lid has detached from the base, now held on by a maroon piece of tape, and the catches are missing. The base retains almost all of its dark green paper covering and the lid shows some very fine gold filigree along the edge. The interior base is lined in a nice blue velvet while the lid is lined in fine silk showing some mild fraying and minor staining, the periphery also with a nice blue and white textured paper border. Also included is a wonderful original multi-tool matching the guns by assembly number "4" and retaining about 90% attractive case-hardened colors showing some very light
598	Cased Blunt & Syms Underhammer Percussion Pepperbox Pistol
	serial #32, .31 cal, 4 1/2" ribbed six-barrel cluster with lightly oxidized smoothbores. The barrel cluster of this pistol has mostly toned to a mottled deep gray and gray-brown patina showing a few light handling marks and some very minor pinprick pitting. The muzzle of the cluster is stamped "R-C" along with matching serial number. The frame has toned to a pewter gunmetal patina showing some remnants of smoothed-over old pitting and the factory foliate scrollwork embellishments remain intact and strong. The smooth walnut grips remain in very fine condition showing on older added varnish and some scattered light dings, otherwise retaining excellent fit to the frame. The included period mahogany case rates about very good plus retaining strong antique varnish and showing some scattered light dings and a few moderate full-length splits across the lid. The interior is lined with maroon baize that has faded to a pale brown tone showing some light staining and scuffs. The case holds a key, single cavity round ball mould with integral cleaning jag, a simple brass flask, attractive ebony handle nipple wrench with screw-in nipple pick and a partial japanned tin of Eley caps, the
	accessories all rating very good plus to very fine. A very attractive

ensemble for the antique arms collector. (13A9833-71) {ANTIQUE}

(1000/1500)

Est. 1,000 - 1,500

Lot Title/Description

599 Rare Savage Model 1899-A Lever Action Rifle with Utica Bureau of Police Markings serial #18.350, 30-30, 26" round barrel with a bright near excellent bore showing a hint of mild frosting in the grooves and strong rifling throughout. The barrel of this rifle retains perhaps 60-65% original blue thinning and toning to a mild gray patina overall showing some scattered light handling marks, mild freckling and some light pitting along the sides nearer the muzzle. The action has mostly toned to pewter gunmetal patina showing some scattered fine scratches and evidence of an old light cleaning with remnants of pinprick pitting here and there. The rear protected edges of the frame show good original bright blue with the lower tang also retaining almost all of its original bright blue. The bolt, exterior of the lever and buttplate are similar to the frame, the left side and protected areas of the lever retaining a healthy amount of vibrant case-hardened colors. All marking remain intact and strong with the barrel showing proper address and patent dates with "CAL. 30" and "SAV 30" near the breech. The left side of the action shows a wonderful and quite elaborate police marking "DEP'T - PUBLIC - SAFETY / BUREAU / OF POLICE / UTICA, N.Y." along with small rack number "50". The smooth walnut buttstock and schnabel forend remain in about good-very good condition showing a little bit of older added varnish and the buttstock showing a number of lengthy thin repaired cracks along either flat and at the upper tang, thin u-shaped crack along the toe line. a thin sliver missing along the right edge of the forend and some overall light dings. The buttplate, buttstock and forend are all stamp-numbered matching the frame and both sides of the butt are also police-marked with large "DPS / UTICA, N. Y." on the right side and a monogram of "DPS / BOP" on the left. The rifle is sighted with a flattop sporting rear sight, large German silver blade and the action seems to function well mechanically. A solid rifle with extremely rare police markings, like many police guns it certainly has a lot of character but appears to have been fired very little. Included is a photocopy of a Savage factory letter confirming the configuration and showing shipment in 1900 to Clark Horrocks & Co. of Utica. New York: it was later returned to the factory in December of 1921 by A.W. Pickard for unknown work, work order number 7190. "Captain" Arthur Picard was elected sheriff in 1919 and served in both 1920 and 1921 as the sheriff of Utica, New York and presided over the Oneida County Jail, Utica being the county seat. One might imagine there was a bit of hometown pride to equip the local police with the new and improved Model 1899 rifle made in their very own city. This rifle would make an excellent addition to any advanced Savage or police arms collection. (13C9808-18) {C&R} (1200/1800) Est. 1.200 - 1.800 Winchester Model 1873 Special Order Lever Action Rifle 600 serial #218475B, 44 WCF, 24" round barrel with button magazine and a bright very good plus bore showing a little minor frosting and a few scattered pinprick pits with otherwise strong rifling throughout. The barrel of this 1886-made rifle has mostly toned a mild gunmetal patina showing some scattered smaller areas of plum-brown, some light dings around the front sight dovetail, specks of old oxidation staining and some original blue around the rear sight. There is a small but moderate ding along the bottom outside edge near the muzzle that does not impinge on the bore. The action retains a generous amount of attractive silvery case-hardened patina throughout flaking to gunmetal gray and showing a few scattered small dings, some fine scratches and other handling marks. There are some hints of smoky colors lurking about the protected edges around the sideplates, the hammer also retaining some faint colors. A couple of screw heads show some very light slot wear and the loading gate retains a healthy amount of bright fire blue. All markings remain intact and strong, the cartridge lifter toning to a pale ocher patina and retaining a clear caliber marking. The plain walnut stocks remain in very good condition as lightly cleaned and refinished showing a very tiny drying crack on the right side where the buttstock meets the frame, some scattered light dings and mild handling marks. The rifle is sighted with standard sporting rear sight, a more modern replacement German silver blade and the action seems to function well mechanically. A very good 1873 with a nice bore. (13B9746-53) {ANTIQUE} (1800/2200) Est. 1,800 - 2,200

1000	Smith & Wesson Fourth Model Single Shot Straight Line Target Pistol
	serial #1558, 22 LR, 10" side swing barrel with a bright excellent bore.
	This pistol remains in beautiful condition with about 99% original rich
	blue finish showing a very tiny scratch at the muzzle. The smooth walnut
	factory grips feature silver S&W medallions and remain in excellent condition. The front sight was customized to an interesting small round
	"peep" with serrated edge neatly attached to the original front sight
	blade and pinned to the base. The adjustable rear sight is present but
	the slider (blade) is not, a very minor part. The barrel and grips are
	correctly numbered to the gun, barrel to frame fit is as tight as the day it
	left Smith & Wesson and the action remains crisp. The pistol includes
	the blued steel case with crisp embossed S&W logo on the cover that
	rates excellent on the exterior retaining about 99% original finish
	showing a few light storage marks and dents. The cover has later added
	thin foam inside but the French fit bottom retains the original felt lining
	showing light storage wear. Accessories include the sight adjustment
	tool and a replacement two-piece cleaning rod. A beautiful Fourth Model
	for the serious Smith & Wesson collector. (8B9908-19) {C&R} (2200/2800)
	Est. 2,200 - 2,800
1001	Harrington & Richardson U.S.R.A. Model Single Shot Target Pistol
	serial #2393, 22 LR, 7" barrel with an excellent bore. This later variation
	pistol remains in very good to excellent condition with the metal surfaces
	retaining about 95% original blue, the grooved frontstrap starting to thin
	from handling, sparse handling marks and a splatter of freckling on the
	sides and top of the barrel. The straight grooved trigger and hammer are
	bright with a few stains from oxidation. The checkered one-piece
	wrap-around walnut factory grips rate near excellent with light handling
	marks and robust diamond points. This gun features a flat barrel latch,
	flat plate ejector, elevation adjustable undercut Patridge front sight,
	elevation adjustable rear sight and trigger adjustment in the front bow of the triggerguard. Barrel to frame fit is tight, the barrel is correctly
	numbered to the gun and the action seems to function well
	mechanically. The designation of later variations of this pistol where
	changed and simply marked "U.S.R.A. Model" on the barrel flat, the
	Model 195 designation omitted. This gun is very collectible but could still
	enjoy careful use at the range. (8A9887-17) {C&R} (1000/1500)
	Est. 1,000 - 1,500
1002	Winchester Model 90 Slide Action Rifle
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw,
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm.
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the harmer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm.
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR,
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models.
1002	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the harmer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) (C&R} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) (C&R) (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24* round barrel with a bright
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {CaR} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {C&R} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {C&R} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {C&R} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left side of the muzzle and some very tiny fine scratches on the top center of
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) (C&R) (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24* round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left side of the muzzle and some very tiny fine scratches on the top center of the barrel, they are unobtrusive and missed at first glance, the receiver
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {C&R} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left side of the muzzle and some very tiny fine scratches on the top center of
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {C&R} {100/2200} Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left be barrel, they are unobtrusive and missed at first glance, the receiver is developing typical Winchester striations commonly seen on guns of
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C3790-39) {CRR} (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left side of the muzzle and some very tiny fine scratches on the top center of the barrel, they are unobtrusive and missed at first glance, the receiver is developing typical Winchester striations commonly seen on guns of this period. The polished bolt remains bright with only light operational
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) (C&R) (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24* round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left side of the muzzle and some very tiny fine scratches on the top center of the barrel, they are unobtrusive and missed at first glance, the receiver is developing typical Winchester striations commonly seen on guns of this period. The polished bolt remains bright with only light operational marks and a few specks of fine freckling. The smooth walnut pistolg
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) {C&R} {1800/2200} Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24" round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left barrel, they are unobtrusive and missed at first glance, the receiver is developing typical Winchester striations commonly seen on guns of this period. The polished bolt remains bright with only light operational marks and a few specks of fine freckling. The smooth walnut pistolgrip buttstock and grooved flat-bottom forend remain excellent with a small dem
	serial #852133, 22 LR, 24" octagon barrel with a bright about excellent bore. The barrel and magazine tube on this third model retain about 92-95% original blue, loss due to even fading, very light muzzle and edge wear and minor operational wear on the slide arm and rear of magazine tube. There are some very tiny handling marks and light scratches primarily on the magazine tube that come from the years and perhaps a speck or two of very fine oxidation. The receiver retains about 97% original blue, loss due to operational wear at the edges of the bolt and along the top flats. There are small very thin scratches from being carried and a few spots of very fine oxidation. The left side of the hammer shows operational wear and the spine, takedown screw, triggerguard and upper and lower tang are toning to a plum brown in the gripping areas. The straight grip walnut buttstock and grooved forend remain in very good plus condition with much original varnish and the expected light dings and handling marks that come from a carried arm. There is a silver bead front sight in place and the original stamped sporting rear. A nice example chambered in the not so common 22 LR, still in a respectable state of condition, with a much superior bore than is normally encountered on these 22 Winchester Rimfire models. (5C9790-39) (C&R) (1800/2200) Est. 1,800 - 2,200 Lovely Winchester Model 61 Slide Action Rifle serial #284542, 22 Win. Mag. RF, 24* round barrel with a bright excellent bore. The metal surfaces on this very nice grooved receiver magnum retain about 98-99% original blue, loss due to some very light forearm rub wear on the barrel. There are a couple tiny dings on the left side of the muzzle and some very tiny fine scratches on the top center of the barrel, they are unobtrusive and missed at first glance, the receiver is developing typical Winchester striations commonly seen on guns of this period. The polished bolt remains bright with only light operational marks and a few specks of fine freckling. The smooth walnut pistolg

Lot Title/Description

pass. (3A9740-40) {MODERN} (1200/1800)

Est. 1,200 - 1,800

1004	Winchester Model 62A Slide Action Rifle	1010	Heckler & Koch P7M13 Semi-Auto Pistol
1004		1010	
	serial #222991, 22 S, L, LR, 23" barrel with an excellent bore. The metal		serial #17-82985, 9mm, 4 1/8" barrel with an excellent bore. The metal
	surfaces retain 99% original blue with tiny blemishes and light		surfaces of this "IK" proof-coded (1989) pistol retain 99% original satin
	unobtrusive freckles. The smooth walnut buttstock with checkered hard		nickel with a tiny darkened area on the right-side slide near the muzzle.
	rubber buttplate and 17-groove forend are excellent with very light		The black polymer heat shield, trigger and stippled factory grips are near
	handling marks and a couple more moderate marks along the toeline.		excellent, there are some very light handling marks and signs of
	Rifle is sighted with a silver bead front sight and a Winchester 32B rear		operational use. Pistol is equipped with tritium night sights that
	sporting. A fantastic little late-40s 62A in excellent condition.		miraculously still glow a faint green and a flipper-style ambidextrous
	(22B9789-51) {C&R} (1000/1500)		magazine release. A single "IJ" proof-coded (1989) satin nickel 13-roun
	Est. 1,000 - 1,500		magazine is included, several other magazines can be found in our
005	Excellent Winchester Model 63 Semi-Auto Rifle		Online Auction. An excellent example of these squeeze-cocking single
	serial #90184A, 22 LR, 23" barrel with an excellent bore. The metal		action pistols known for their uniqueness and investment appeal.
	surfaces retain 99% strong original blue with just a couple very tiny		(22B9787-1) {MODERN} (2500/3500)
	blemishes, the bolt body remains bright and unmarred. The smooth		Est. 2,500 - 3,500
	· · ·	1011	Heckler & Koch P7M13 Semi-Auto Pistol
	walnut pistolgrip buttstock and forend are excellent with some minor	1011	
	blemishes and maybe a touch of added varnish some time ago. The		serial #17-93191, 9mm, 4 1/8" barrel with an excellent bore. The metal
	front sight is a small bead, the rear sight is a Winchester 32B sporting		surfaces retain 99% original blue with perhaps a tiny blemish
	sight with elevator. A high condition Winchester semi-auto rimfire rifle.		here-or-there. The black polymer textured grips, trigger and heat shield
	(22B9789-44) {C&R} (1000/1500)		are excellent. This pistol is outfitted with three-dot sights and a
	Est. 1,000 - 1,500		flipper-style ambidextrous magazine release and is "KK" proof-coded
006			
000	Colt Diamondback Double Action Revolver		indicating it was manufactured in 1999. This P7 appears virtually as-new
	serial #D89854, 22 LR, 4" ventilated rib full lug barrel with an excellent		and comes with two 13-round factory "RESTRICTED LAW
	bore. This excellent little D frame retains about 97-98% original blue		ENFORCEMENT"-marked magazines, factory paperwork and the
	finish with most of the loss due to a small moderate area of pitting		original black factory hard case. A solid high-condition double stack H&
	around the right side front triggerguard bow in addition to high edge		with the unmistakable squeeze-cock feature. (22B9787-2) {MODERN}
	0 00 0		(2500/350)
	wear and handling marks. The service trigger and target hammer retain		Est. 2,500 - 350
	full blue finish, the bright sides of the hammer show light operational	1015	
	wear. The checkered walnut factory target grips with gold Rampant Colt	1012	Colt Factory Engraved Third Generation Single Action Army Revolver
	medallions rate near excellent showing light handling marks. The		serial #90130SA, 45 Colt, 7 1/2" barrel with an excellent likely unfired
	revolver features a serrated ramp front sight, black blade Accro rear		bore. The barrel, backstrap and unfluted cylinder retain 99% strong
	sight plus it still times and locks up as good as the day it left Colt in		original royal blue while the triggerguard strap has toned to a deep plun
	1976. The Diamondbacks are great little shooters with strong collector		brown. The metal surfaces have been Class B engraved with
			nicely-done American foliate scroll and punch-dot shading covering
	interest. (8A9830-57) {MODERN} [Dr. William C. Nugent Collection]		
	(1000/1500)		roughly 50% of the surfaces, a poorly-struck "COLT ENG" is found on
	Est. 1,000 - 1,500		the left-side triggerguard strap. The case-hardened frame is excellent
007	Scarce Colt King Cobra Double Action Revolver		and retains 99% plus original vivid color. The smooth ivory grips are
	serial #0068VK, 357 Magnum, 4" solid rib barrel with an excellent bore.		overall near excellent, there is some flaking on both sides and wonderfu
	The metal surfaces of this 1992-made revolver retain 99% original deep		contrasting light and dark yellow grain patterns that give the panels an
	royal blue with the latch toning to dark plum. The checkered hard rubber		attractive weathered look. Included is a near excellent condition brown
	factory combat-style Pachmayr grips with gold Rampant Colt medallions		leatherette fitted custom shop case. An as-new 1977-manufactured
	are excellent. The front sight is a ramp with red insert, the rear is an		Custom Shop revolver. (22B9746-10) {MODERN} (2000/3000)
	adjustable blade with white outline. Included is a blue factory hard case		Est. 2,000 - 3,000
	with paperwork. The royal blue King Cobra is somewhat scarce with the	1013	Colt Factory Engraved Third Generation Single Action Army Revolver
	majority of production being stainless steel. (22B9830-55) {MODERN}		serial #SA27920, 44 Special, 5 1/2" barrel with an excellent bore. This
	[Dr. William C. Nugent Collection] (1500/2000)		beautiful 1986-manufactured revolver is embellished with factory Class
	Est. 1,500 - 2,000		C engraving. Carefully executed loose scroll with punch-dot highlights
800	Rare Colt Anaconda Double Action Revolver		adorn all the major parts with a circumferential wavy line highlighting the
	serial #MM96865, 44 Magnum, 4" ventilated rib barrel with an excellent		rear of the cylinder, and a dot and wavy line pattern accenting the top
	bore. This Anaconda is Model MM3040DT, it is a rare drilled and tapped		edge of the ejector rod housing. The engraving covers about 75% of the
	version of these popular big bore revolvers with a desirable 4" barrel.		surfaces and to proudly confirm their work the factory stamped the left
	The stainless steel surfaces are excellent with a few small scattered		triggerguard strap "COLT ENG.". The metal surfaces retain about 99%
	handling marks. The checkered hard rubber combat-style factory grips		original nickel plate. The smooth rosewood factory grips with silver
	with silver Rampant Colt medallions are also excellent. The front sight is		Rampant Colt medallions feature a blind screw on the left panel and rat
			excellent. All the numbered parts are correct to the gun and it still times
	a ramp with red insert, the rear is an adjustable blade with white outline	1	and locks up correctly. A lovely engraved "six-gun" that would proudly
	a ramp with red insert, the rear is an adjustable blade with white outline.		
	Included is a blue factory hard case correctly-labeled to the revolver. An		
			grace any collection. (8A9740-37) {MODERN} (3000/5000)
	Included is a blue factory hard case correctly-labeled to the revolver. An		
	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000
000	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barrel
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) (MODERN) [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a light
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others,
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others,
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) (MODERN) [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98%
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) [MODERN] [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) (MODERN) [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with tipaperwork.	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) [MODERN] [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) (MODERN) [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with tipaperwork.	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of Federal Eagle Rampant Colt checkered hard rubber grips which rate
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of Federal Eagle Rampant Colt checkered hard rubber grips which rate excellent, they are scratch-numbered to the gun on the interior. All of th
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of Federal Eagle Rampant Colt checkered hard rubber grips which rate
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of Federal Eagle Rampant Colt checkered hard rubber grips which rate excellent, they are scratch-numbered to the gun on the interior. All of th
009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) {MODERN} (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a light turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of Federal Eagle Rampant Colt checkered hard rubber grips which rate excellent, they are scratch-numbered to the gun on the interior. All of th numbers are matching including the cylinder and the gun times and locks up as well as the day it left Hartford. A handsome "gunfighters"
1009	Included is a blue factory hard case correctly-labeled to the revolver. An excellent condition hard-to-find Snake Gun variation. (22B9830-54) {MODERN} [Dr. William C. Nugent Collection] (2000/3000) Est. 2,000 - 3,000 Scarce Kimber 22 Classic Custom Match 25 Year Anniversary Bolt Action Rifle serial #KAN25028, 22 LR, 22" match grade barrel with an excellent bore. Kimber produced 300 of these rifles in 2004 to celebrate their 25th anniversary. The metal surfaces retain 99% original matte blue with just a couple tiny blemishes and the bright bolt body has been finely engine-turned. The checkered AAA claro walnut capped pistolgrip stock with tight crisp checkering, checkered steel Niedner buttplate and ebony tip is excellent plus with stunning grain figure and the metal grip cap inscribed in gold "25 Years / 1979-2004". This rifle comes with a single factory magazine and the original factory box with paperwork. (22B9907-2) {MODERN} (1800/2200)	1014	grace any collection. (8A9740-37) (MODERN) (3000/5000) Est. 3,000 - 5,000 Colt Third Generation Single Action Army Revolver serial #SA08286, 45 Colt, 4 3/4" barrel with a bright excellent bore. The barrel and ejector rod housing retain about 98% original blue, the barre showing some very light circumferential scratches, most prominent by the "Army" in the left side Single Action Army marking. The cylinder retains 98% plus original blue, showing only the very beginning of a ligh turn ring. The frame retains a similar amount of original color case-hardening, vivid in areas, drifting or toning slightly in others, primarily the edges of recoil shield and loading gate, and the outer edges of the topstrap. Both the triggerguard and backstrap retain 98% plus original blue, with perhaps some very light edge wear and the bright-polished sides of the hammer remain brilliant, the left side showing a small area were someone removed a tiny bit of surface oxidation which has left a couple pinprick pits. The revolver has a pair of Federal Eagle Rampant Colt checkered hard rubber grips which rate excellent, they are scratch-numbered to the gun on the interior. All of th numbers are matching including the cylinder and the gun times and

1015	Colt Factory Engraved Third Generation Single Action Army Revolver	1019	Colt Model 1860 Army Percussion Revolver
	serial #89087SA, 45 Colt, 7 1/2" barrel with a bright excellent, unfired		serial #63732, .44 cal, 8" barrel with a very good bore that is a little
	bore. The metal surfaces on this factory-engraved cavalry-length Colt		darker in the grooves. This revolver features all matching numbers
	retain all of their original factory polish blue and color case-hardened		except for the wedge which is numbered "6736". The barrel and cylinder
	finishes with the bright polished sides of the hammer remaining brilliant,		show a pleasing smooth brown patina with clear marking and 85% of the
	the triggerguard drifting to a plum tone. The revolver shows near full		
			naval engagement scene is visible on the cylinder. The barrel shows
	coverage Class-D open flowing Colt scroll with the only un-engraved		some light impact marks on right side at wedge slot. The frame shows
	portions being the race area of the unfluted cylinder, the front very upper		mostly a gray patina with some faded original color case hardened finish
	portion of the frontstrap and the leading face of the triggerguard. Indeed		mixed in. The iron backstrap matches the barrel and cylinder nicely
	even the sides of the sight blade are engraved and the arm appears		while the brass triggerguard shows a rich patina. The one-piece walnut
	unfired, unturned since leaving Colt. It wears a pair of smooth walnut		grip rates very good plus to near excellent with a good deal of original oil
	grips which rate as-new and are grease pencil-numbered to the gun on		finish remaining and with faint cartouches visible on either side. A very
	their interior. All of the numbers are matching, including the interior of		nice and completely honest 1860 Army Colt. (1B9898-7) {ANTIQUE}
	the grip frames, the frontstrap frame also marked "Colt Eng". The arm		(1200/1800)
	rides in an original paper-covered Colt Custom Shop presentation case		Est. 1,200 - 1,800
	with orange baize interior, list of Colts authorized repair stations and a	1020	Rare Colt Python Double Action Revolver
		1020	
	brown 1977-dated "From the Colt Custom Gun Shop" display tag. The		serial #K53478, .357 Magnum, 8" ventilated rib full lug barrel with a
	interior of the lid shows some minor scuffing and there are a couple		bright excellent, likely factory-fired only, bore. The metal surfaces on this
	dings and one small tear in the outer face of the lid adjacent to the gold		long-barreled royal blue Python retain 99% plus original blue, the turn
	Sam Colt Coat of Arms. A beautiful "Third Jenny" Single Action Army in		ring seems to be the only wear and it does not yet breach the blue. The
	that most classic of configurations. (39746-9) {MODERN} (3000/5000)		bright-polished sides of the hammer remain brilliant and unstained and
	Est. 3,000 - 5,000		the arm is fitted with an orange bar front sight and white outline rear.
1016	Colt Model 1862 Police Percussion Revolver		The checkered walnut target style grips with gold Rampant Colt
	serial #17761, .36 caliber, 4 1/2" barrel with a near very good bore. This		medallions are as-new with a tiny tiny flake in the finish at the rear edge
	revolver shows all matching numbers incuding the wedge. The barrel		of the right grip. Really an extremely lovely revolver, clearly set in the
	shows about 20% original blue finish mixed with a gray patina. The		back of the safe and not touched since, this is a wonderful
	cylinder is much the same as the barrel and both remain smooth and		investment-grade Python, missing only an original box. (39872-2)
	-		
	free of pitting with all markings clear and legible. The frame shows 80%		{MODERN} (3000/5000)
	plus original color case hardened finish with some light oxidation	1001	Est. 3,000 - 5,000
	staining present. The hammer shows strong original color case	1021	Scarce Colt Anaconda Double Action Revolver Ultimate Bright Stainless
	hardened finish. The brass gripstraps show perhaps 20% original		serial #MM57788, 44 Magnum, scarce 8" ventilated rib full lug barrel
	silverplated finish in the protected areas with the balance showing a		with a bright excellent, unfired bore. The Colt Anacondas are a rather
	pleasing mellow patina. The one-piece walnut grip rates excellent with		scarce gun in bright stainless, to have one with the long 8" barrel is quite
	95% original finish remaining and just normal light handling marks from		a special gun indeed. The metal surfaces rate excellent plus to as-new
	the years. The revolver cycles and locks up tight. A nice solid example		and show all of their factory mirror-finish bright stainless polish with no
	of the 1862 Police revolver with lots of color. (1B9898-18) {ANTIQUE}		apologies. The factory Pachmayr "gripper" style grips with silver
	(1200/1800)		Rampant Colt medallions are excellent to as new as well. The revolver
	Est. 1,200 - 1,800		features an orange bar front sight and a black blade square-notch rear
1017	Colt Model 1851 Navy Percussion Revolver		and is absolutely unfired since leaving Hartford, having been set in the
	serial #99239, .36 caliber, 7 1/2" octagon barrel with a very good deeply		safe by the consignor where it stayed. The "largest of the snakes", this
	gain twist rifled bore. The metal surfaces of this revolver show a rich		is a very beautiful big bore revolver. (3B9872-3) {MODERN} (3000/5000)
	brown patina overall with some scattered pitting. Most of the pitting can		Est. 3,000 - 5,000
	be described as light however there are some areas primarily on the	1022	Rare Colt King Cobra Double Action Revolver Ultimate Bright Stainless
	cylinder and hammer where the pitting can be considered moderate.		serial #2605CK, .357 Magnum, 2 1/2" barrel with a bright excellent, no
	Barrel and frame markings remain clean and legible, the cylinder was		doubt unfired, bore. The metal surfaces on this a very handsome
	cleaned and shows no scene and very faint serial number, beneath the		revolver retain all of their factory mirror-bright polished with no
	rich brown patina. The brass gripstraps show a nice mellow patina with a		noticeable detractors. The gun is sighted with an orange bar front sight
	good deal of original silverplated finish visible around the triggerguard		and square-notch black blade rear. The factory Pachmayr gripper-style
	bow. The one piece walnut grip rates good plus with little original finish,		grips with silver Rampant Colt medallions rate as-new. These short
	perhaps some added finish and some scattered light handling marks.		barrel King Cobras are a rarity unto themselves, finding an ultimate
	This revolver comes with a factory letter showing the revolver as part of		bright stainless one is quite a feat. Really a very stunning revolver in a
	a 100 gun shipment to J.C. Grubb & Company in Philadelphia on		very seldom-encountered barrel length. Clearly a safe queen which
	January 14, 1861. It should be noted that this revolver was likely in stock		appears to have been unfired since leaving the blue dome. (3B9872-1)
	at J.C. Grubb when the first shots were fired on Fort Sumpter. A		{MODERN} (2500/4000)
	well-used Colt Navy that very well could have seen Civil War service as		Est. 2,500 - 4,000
			Li ovely Celd Weehed And Engrey ad Celt Medel 4000 Veet Deelet Distel
	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500)	1023	Lovely Gold Washed And Engraved Colt Model 1908 Vest Pocket Pistol
		1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500)	1023	
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent	1023	serial #100954, 25 ACP, 2 $1/8^{\circ}$ barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a	1023	serial #100954, 25 ACP, 2 $1/8^{\circ}$ barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear.
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #1675136 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy.
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #1675136 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #1675136 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in 1852. A nice solid and honest old Colt Navy. (1A9898-6) (ANTIQUE)	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to function well mechanically and a single "cal. 25/Cott" marked all blued
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in 1852. A nice solid and honest old Colt Navy. (1A9898-6) {ANTIQUE} (1200/1800)	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and thited red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to function well mechanically and a single "cal. 25/Colt" marked all blued magazine is included. Quality replacement barrels can be had for just
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in 1852. A nice solid and honest old Colt Navy. (1A9898-6) {ANTIQUE} (1200/1800)	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to function well mechanically and a single "cal. 25/Cott" marked all blued magazine is included. Quality replacement barrels can be had for just over 100 bucks, it would seem a worthwhile investment to this writer for such a wonderful little pocket pistol. Included with the arm is a quality,
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in 1852. A nice solid and honest old Colt Navy. (1A9898-6) {ANTIQUE} (1200/1800)	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to function well mechanically and a single "cal. 25/Colt" marked all blued magazine is included. Quality replacement barrels can be had for just over 100 bucks, it would seem a worthwhile investment to this writer for such a wonderful little pocket pistol. Included with the arm is a quality, adapted rosewood case with red burgundy interior. (3B9765-3) {C&R}
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in 1852. A nice solid and honest old Colt Navy. (1A9898-6) {ANTIQUE} (1200/1800)	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to function well mechanically and a single "cal. 25/Colt" marked all blued magazine is included. Quality replacement barrels can be had for just over 100 bucks, it would seem a worthwhile investment to this writer for such a wonderful little pocket pistol. Included with the arm is a quality, adapted rosewood case with red burgundy interior. (3B9765-3) {C&R}
1018	a private purchase revolver. (1A9898-5) {ANTIQUE} (1000/1500) Est. 1,000 - 1,500 Colt Model 1851 Navy Percussion Revolver serial #16751, .36 caliber, 7 1/2" octagon barrel with a bright excellent gain twist rifled bore. This revolver shows all matching numbers including the wedge. The metal surfaces of this revolver shows a pleasing smooth brown patina overall with all markings remaining clear and legible. The cylinder scene retains about 85% of its naval engagement scene and the metal surfaces remain quite smooth and free of pitting. The brass gripstraps show a rich patina overall. The one-piece walnut grips rate very good likely having been refinished long ago. This is an early production revolver which probably shipped in 1852. A nice solid and honest old Colt Navy. (1A9898-6) {ANTIQUE} (1200/1800)	1023	serial #100954, 25 ACP, 2 1/8" barrel with a fair bore which shows light pitting its full-length . The metal surfaces of this very pretty little Vest Pocket show perhaps 95% gold wash and open flowing foliate scroll engraving, a bit of loss in the area surrounding the ejection port which has toned to pewter and a couple spots of very light sharp edge wear. The blued appointments show a very high quality polish blue finish and offset the lovely bright gold wonderfully. The arm wears a pair of faux bone grips with beautiful rose engraving, the foliage hand-tinted green with the petals of the rose proper hand inked and tinted red-burgundy. Strangely unsigned, the work is very well-done and this is a lovely little pocket pistol for your sweetheart or much better half. The arm seems to function well mechanically and a single "cal. 25/Colt" marked all blued magazine is included. Quality replacement barrels can be had for just over 100 bucks, it would seem a worthwhile investment to this writer for such a wonderful little pocket pistol. Included with the arm is a quality, adapted rosewood case with red burgundy interior. (3B9765-3) {C&R}

1024	Winchester Model 1895 Limited Edition High Grade Lever Action Rifle serial #NFH3622, 405 Win, 24" barrel with a bright excellent, unfired,	10	28 U.S. Property Marked Remington Model 513-T Matchmaster Bolt Action Rifle
	bore. This strictly limited-edition arm is one of only 4,000 of these fine		serial #103116, 22 LR, 27" heavy barrel with an excellent bore. The front
	High Grade rifles, re-introduced by Winchester USRA in the late 90s,		bridge of the receiver is marked "US. PROPERTY" with all Remington
	emulating Teddy Roosevelt's "Big Medicine Gun", the Winchester 1895		factory markings remaining crisp. The metal surfaces retain near 99%
	rifle in .405 being his favorite for African lions. The barrel, bolt and		arsenal parkerized finish with a small stain behind the front sight and
	hammer retain 99% plus original blue while the silver nitride receiver is		normal handling marks found on a military training rifle. The smooth
	as-new, the trigger with all its original gold plate. The rifle features		walnut pistolgrip buttstock with checkered steel buttplate is very good,
	old-style No. 3 factory engraving with scroll and gold inlays, both sides		there are the typically-found bumps and bruises with some light field
	feature double game scenes with four bighorn sheep on the right, and three elk on the left. The checkered deluxe walnut buttstock and forend		modifications done on the right-side behind the pistolgrip and at the
			point of the comb with some small areas showing what appear to be
	with schnabel-style tip are as-new. The rifle is sighted with a		light wire brush marks. The left-side butt is crisply-stamped "LEAD",
	semi-buckhorn rear and gold bead front sights. The barrel has the		indicating the gun visited Letterkenny Army Depot, there is a "P"
	vintage throw-back roll marking "Special Steel/Especially For Smokeless		stamped on the front of the pistolgrip and an orange triangle stamp is
	Powder" and the original timeless Winchester "WP" oval firing proof is at		visible under the pistolgrip. The rifle is sighted with a small front blade
	the breech of barrel. An as-new rifle in the most desirable and powerful		and a Lyman 57RS adjustable aperture sight is mounted to the receiver.
	chambering, beautifully factory embellished in a manner that would have		A very nice training rifle re-worked at the Letterkenny Army Depot.
	made "Teddy" proud. (3C9707-1) {MODERN} (1500/2500)		(22A9830-11) {C&R} [Dr. William C. Nugent Collection] (800/1200)
	Est. 1,500 - 2,500		Est. 800 - 1,200
1025	Excellent Shiloh Sharps Model 1874 Falling Block Sporting Rifle	10	29 Rare Browning BCA 10th Anniversary 22 ATD Semi-Auto Rifle
	serial #B5588, 40-65, 30" part round part octagon barrel with a bright		serial #00023BCA10, 22 Short, 19 1/4" barrel with a bright excellent
	excellent bore. The barrel retains 99% plus original matte blue with a		bore. This limited edition rifle is number 23 of 155 produced by FN for
	few scattered faint handling marks. The action retains about 99% lovely		the Browning Collectors Association to celebrate its 10th anniversary in
	vibrant case-hardened colors with a tiny spot of unobtrusive light		1989. The barrel and buttplate retain 99% plus original blue, the
	oxidation on the left side of the frame. The Vernier-style tang sight with		coin-finished action rates excellent plus with a very tiny area of faint
	wide disc adjustable aperture insert is excellent and retains all its		staining on the top where it meets the barrel and the trigger retains all of
	original blue. The smooth deluxe walnut pistolgrip stock with left side		its original gold plate. The receiver is hand-engraved and signed by
	shadow line cheekpiece and forend with slight schnabel tip rate		M.Bodson with each side displaying wedges of foliate scroll surrounding
	excellent plus with a few tiny handling marks on along the toeline. The		a fox on the left, a squirrel on the right and a rabbit on the top while the
	arm features double set triggers, the aforementioned tang sight, the rear		triggerguard features foliage forming an open oval perfect for a
	sight has been removed and the original target globe front sight with		monogram. The high-gloss checkered European walnut pistolgrip stock
	medium bead-on-post remains intact. The action appears to function		and semi-beavertail forend rate as-new. The left side of the barrel is
	well mechanically. An excellent condition superb-quality rifle that		marked with the Browning address and "MADE IN BELGIUM -
	appears to have seen little if any use. (23B9746-19) {MODERN}		FABRIQUE NATIONALE HERSTAL" along with Belgian proofs nearer
	(2000/2500)		the breech, the original sights are intact and the action appears to
	Est. 2,000 - 2,500		function well mechanically. This highly-collectable rifle remains in
1026	Wonderful Shiloh Sharps Model 1874 Falling Block Sporting Rifle		as-new condition and is sure to please even the most discerning
	serial #B9176, 45-70, 30" heavy octagon barrel with a bright excellent		Browning enthusiast. (23C9821-13) {MODERN} (1500/2000)
	bore. The barrel retains about 99% plus original matte blue with a very		Est. 1,500 - 2,000
	tiny and unobtrusive spot of light oxidation staining on the upper left	10	30 Extremely Rare and Consecutively Numbered Browning Collectors
	quarter flat just ahead of the action while the action retains about 99%		Association Medalist Renaissance Pistol
	plus original vibrant case-hardened colors. The smooth walnut straight		serial #655PT00023, 22 LR, 6 3/4" ventilated rib barrel with an excellent
	grip stock and forend with decorative bright alloy nosecap rate excellent		bore. This is a special edition pistol offered exclusively to BCA members
	plus with a few slight handling marks on the toeline. This gorgeous rifle		in 1986. Only 60 guns were produced with their full-coverage
	is equipped with double set triggers and the original sights including a		Renaissance-style engraving done exclusively at the FN Custom Shop
	German silver knife blade front and semi-buckhorn rear with folding leaf.		in Liege, Belgium. The metal surfaces retain 99% plus original satin
	The action of this high-quality rifle appears to function well mechanically.		nickel and the serrated trigger retains all its original gold wash. The
	A lovely Sharps rifle from this respected maker. (23B9746-20)		pistol has been masterfully-engraved by "J.LEWANCYZK", a well-known
	{MODERN} (1800/2200)		Browning engraver whose signature is just behind the top of the grip on
	Est. 1,800 - 2,200		the left-side frame. The engraving consists of wonderful detailed flowing
1027	Browning Model 1885 High Wall Falling Block Rifle		scroll with subtle line shading and black ink background with "23/60" on
	serial #02962NP371, 454 Casull, 28" octagon barrel with a bright		the underside of the triggerguard. The highly-detailed checkered and
	excellent bore. The metal surfaces of this gorgeous 1989-production		carved walnut target stocks and forend are excellent plus with matching
	Miroku rifle retain 99% plus original blue, the breechblock is bright and		floral scroll and punch-dot shading, they extend down past the frame
	the trigger retains all of its original gold-colored plate. The checkered		creating a flared oversize mag well and have a left-side thumb rest.
	straight grip English walnut stock and schnabel-tipped forend rate		Included with this rare pistol is a nickel-plated factory magazine, original
	excellent plus with a tiny and unobtrusive area of light marks on each		hard case with matching label, an excellent condition fitted burgundy
	side of the rear sling swivel stud from the included Browning Super		luggage-style case and a letter from Browning detailing the pistol's rarity.
	Swivels and the recoil pad appears as-new. The rifle is equipped with		The perfect opportunity to procure a true rarity, or possibly two, the next
	the original knife blade front sight and semi-buckhorn rear sight with		pistol is the next in line, sequentially-numbered "24/60". (22D9821-2)
	elevator and mounted to the factory drilled and tapped barrel and frame		{C&R} (5000/7000)
	is a pair of 1" rings awaiting your choice of high-quality optic. A beautiful		Est. 5,000 - 7,000
	like-new Model 1885 High Wall in a very desirable chambering.		
	(23A9808-39) (MODERN) (1000/1500) Est. 1,000 - 1,500		

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

#### Title/Description Lot

Title/Description Lot

1031	Extremely Rare and Consecutively Numbered Browning Collectors Association Medalist Renaissance Pistol serial #655PT00024, 22 LR, 6 3/4" ventilated rib barrel with an excellent	1036
	bore. This pistol is Consecutively numbered with the previous lot, only	
	60 pistols were produced in a limited edition run in 1986. These pistols	
	were exclusively offered to BCA members and were full-coverage Renaissance-engraved by different masters at the FN Custom Shop in	
	Liege, Belgium. The metal surfaces retain 99% plus original satin nickel	
	and display intricate flowing scroll and black ink shading throughout with	
	"24/60" on the underside of the triggerguard. The work was done by	
	"R.WILMOTTE", their signature is just behind the top of the grip on the left-side frame. While each of these special edition pistols is engraved in	1037
	the Renaissance style and pattern, each engraver put their own unique	
	touches to their respective gun, making them "the same but different".	
	The checkered and carved walnut target stocks and forend are excellent	
	plus with their own small flares of flowing scroll and punch-dot shading with a left-side thumb rest and flared extended mag well. The pistol	
	comes with a single nickel-plated factory magazine, original hard case	
	with matching end label, an excellent condition fitted burgundy	
	luggage-style case and a letter from Browning detailing this pistol's	
	rarity. An overall excellent plus rare and functional piece of art that would look even better if coupled with its sequentially-numbered mate	
	from the previous lot. (22D9821-3) {C&R} (5000/7000)	
	Est. 5,000 - 7,000	1038
1032	Rare Browning Gold Classic Hi Power Pistol	
	serial #245GC437, 9mm, 4 5/8" barrel with an excellent bore. This Hi Power is one of 500 pistols produced, the left-side of frame is marked	
	"437 OF FIVE HUNDRED", the right "BROWNING GOLD CLASSIC".	
	The metal surfaces retain 99% plus original satin nickel and have been	
	intricately engraved and signed by "J.M.BOULANGER" with loose	
	flowing scroll with black background. There are also several gold accents, forward-facing eagle heads are found on each side of the slide	
	near the muzzle, John Browning's visage just in front of the rear sight	
	and a bald eagle and lynx engaged in mortal combat to the front of the	
	ejection port. There is some very light and unobtrusive gold loss on the	
	forward eagles and the gold trigger retains all its original finish. The checkered walnut grip panels are excellent with a line and circle border	
	and a small sprays of scroll with a stippled punch-dot background on the	
	bottom third of each panel. The standard sights are fixed and a single	
	near excellent condition nickel-plated magazine is included. Included is the original fitted oak display case with slightly-tattered outer sleeve	1039
	showing a full-color eagle and lynx battle scene in a small oval.	1059
	(22C9821-4) {MODERN} (3000/4000)	
4000	Est. 3,000 - 4,000	
1033	Scarce Browning Challenger Gold Line Semi-Auto Pistol serial #23439U3, 22 LR, 6 3/4" barrel with an excellent bore. The metal	
	surfaces retain 99% plus original blue with fine gold line embellishments	
	throughout the frame, along the slide and around the triggerguard, the	
	serrated trigger is also gold and retains all its original finish. The	
	wraparound checkered walnut factory grips are excellent with a lovely floral scroll pattern and punch-dot shading at the top, small circle and	
	fine line border and some nicely-contrasting figure. The pistol is	1040
	equipped with an adjustable rear sight, a tall blade front sight and comes	
	with a single factory magazine. Only 146 guns were produced with 6	
	3/4" barrels, a rare opportunity to own one of these scarce Browning pistols. (22B9821-5) {C&R} (2000/3000)	
	Est. 2,000 - 3,000	
1034	Rare Browning Challenger Renaissance Semi-Auto Pistol	
	serial #40549U71, 22 LR, 4 1/2" barrel with an excellent bore. Only 437	
	of these Challenger Renaissance pistols were produced, with just 121 having 4 1/2" barrels. The metal surfaces retain 99% plus original satin	
	nickel and the serrated trigger still has all its original gold plate. The	
	Renaissance engraving consists of foliate scroll and punch-dot shading	
	found on the frame and slide and fine line engraving running along the	
	bottom of the undercut serrated front sight base. The checkered walnut one piece grip is excellent with the foliate scroll pattern continued at the	
	top, the checkering with circle pattern border wrapping around the back	
	and the smooth sections having a deep rich gloss finish. The pistol is	1041
	any inpaduith a standard Challenger adjustable year sight and some	
	equipped with a standard Challenger adjustable rear sight and comes	
	with an excellent condition nickel-plated factory magazine and a leather	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000)	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000) Est. 3,000 - 4,000 Browning Model 1955 Renaissance Semi-Auto Pistol serial #625395, 380 ACP, 3 7/16" barrel with an excellent bore. The	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000) Est. 3,000 - 4,000 Browning Model 1955 Renaissance Semi-Auto Pistol serial #625395, 380 ACP, 3 7/16" barrel with an excellent bore. The metal surfaces retain 99% plus original satin nickel and have been	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000) Est. 3,000 - 4,000 Browning Model 1955 Renaissance Semi-Auto Pistol serial #625395, 380 ACP, 3 7/16" barrel with an excellent bore. The metal surfaces retain 99% plus original satin nickel and have been masterfully-engraved in Browning's well-known foliate scroll	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000) Est. 3,000 - 4,000 Browning Model 1955 Renaissance Semi-Auto Pistol serial #625395, 380 ACP, 3 7/16" barrel with an excellent bore. The metal surfaces retain 99% plus original satin nickel and have been	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000) Est. 3,000 - 4,000 Browning Model 1955 Renaissance Semi-Auto Pistol serial #625395, 380 ACP, 3 7/16" barrel with an excellent bore. The metal surfaces retain 99% plus original satin nickel and have been masterfully-engraved in Browning's well-known foliate scroll Renaissance pattern and the trigger retains all its original gold plate. The smooth mother-of-pearl grip panels are excellent. Included are an excellent condition satin nickel-finished factory magazine and what looks	
1035	with an excellent condition nickel-plated factory magazine and a leather factory zipper pouch. (22B9821-9) {MODERN} (3000/4000) Est. 3,000 - 4,000 Browning Model 1955 Renaissance Semi-Auto Pistol serial #625395, 380 ACP, 3 7/16" barrel with an excellent bore. The metal surfaces retain 99% plus original satin nickel and have been masterfully-engraved in Browning's well-known foliate scroll Renaissance pattern and the trigger retains all its original gold plate. The smooth mother-of-pearl grip panels are excellent. Included are an	

1036	Browning Hi Power Renaissance Semi-Auto Pistol serial #T240784, 9mm, 4 5/8" barrel with an excellent bore. The engraved metal surfaces of this 1968-made ring hammer pistol retain 99% plus original satin nickel and have been expertly-embellished with crisp floral scroll patterns throughout. The trigger retains all its original gold plate. The smooth mother-of-pearl grips are excellent with a mild yellow tinge at the top of each panel. Included are an excellent condition satin nickel factory magazine and a factory leather zipper pouch. John Browning's most popular 9mm pistol transformed into a wonderful piece of art. (22B9821-7) {C&R} (3000/4000) Est. 3,000 - 4,000
1037	Browning Citori Lightning Grade I Over Under Shotgun serial #17010PP783, 410 Bore, 28" ventilated rib barrels choked modified (**) and full (*) with excellent bores. The metal surfaces retain 99% original blue with crisp standard Grade I scroll engraving on the frame and the gold trigger showing some slight wear to silver on its right-side. The checkered walnut round-knob pistolgrip buttstock and forend are excellent, a series of very shallow and mostly-unobtrusive drag marks on the left-side but being the only notable blemishes. The trigger is single selective, the ejectors are strong and the safety is non-automatic. A nice, light smallbore in overall near excellent condition. (22A9740-4) {MODERN} (1000/1500) Est. 1,000 - 1,500
1038	Scarce Browning Superposed Superlight Grade I Over Under Shotgun serial #223PX02458, 20 ga., 26 1/2" ventilated rib barrels choked improved cylinder (**-) and modified (**) with excellent bores. The metal surfaces retain 99% original blue, the frame features better-than-typical Grade I engraving with crisp flowing scroll and pattern borders. The checkered select walnut straight grip buttstock with hard rubber buttplate and schnabel-style forend are excellent, there are just a couple very small handling marks and a couple miniscule blemishes in the lacquer. The wood figure is fantastic with iridescent fiddleback grain pattern running perpendicular to the more prominent grain coming down from the comb. This 1983-manufactured shotgun features a non-automatic safety, 2 3/4" chambers, a 14 1/4" length-of-pull with drops of 1 1/4" and 2 1/4" and a single selective trigger retaining all its original gold plate. This 'revival" of the Grade I Superposed only lasted for three years, 1983-86, this is an overall excellent and relatively scarce example from the first year of production. (22B9821-11) {MODERN} (3500/5000) Est. 3,500 - 5,000
1039	Winchester Model 61 Slide Action Rifle serial #250250, 22 S, L, LR, 24" barrel with an excellent bore. The metal surfaces retain 99% strong original blue with some very minor blemishes and faint freckles, the bolt body is mostly-bright. The smooth walnut buttstock with checkered steel buttplate and 17-groove forend are excellent with some sparse, tiny handling marks, this rifle is in pristine condition. This Winchester was manufactured in 1957, the receiver is grooved for rings, the rear sight is a 32B sporting, the front is a small silver bead. A very nice later-production rifle with a neat serial number. (22B9789-52) (C&R) (1000/1500) Est. 1,000 - 1,500
1040	Vonderful Colt Factory Engraved Diamondback Revolver serial #R53484, 22 LR, 6" ventilated rib barrel with an excellent likely unfired bore. The metal surfaces have been nicely Class D engraved with near 100% coverage classic American scroll and attractive accents inside the flutes and along the rib. The metal surfaces retain 99% plus deep original royal blue with a Journeyman "COLT ENG" stamp visible on the interior left-side grip frame at the heel. This 1979-manufactured Diamondback is equipped with a pinned ramp-style front sight and an Accro adjustable blade rear. The checkered walnut Custom Shop diamond stocks with gold Rampant Colt medallions are excellent plus, they are numbered to an earlier R-Series revolver but only serve to compliment the look and feel of the revolver with their custom checkering pattern and slightly-rounded butt. An exceptional mint-condition factory-engraved Colt with serious investment potential. (22D9821-6) {MODERN} (6000/8000) Est. 6,000 - 8,000
1041	Excellent Colt Python Double Action Revolver serial #E57890, 357 Magnum, 4" ventilated rib barrel with an excellent bore. This 1973-manufactured revolver's metal surfaces, including the trigger and hammer, retain 99% plus original bright nickel. The factory second-style checkered walnut grips with gold Rampant Colt medallions are excellent. This Python is outfitted with a two-pin serrated ramp front sight and an adjustable Accro "humpback" rear square-notch blade. These bright nickel Pythons are extremely desirable and attractive, this revolver is a high-condition firearm collector's dream-come-true. (22B9901-1) {MODERN} (2500/4000) Est. 2,500 - 4,000

Lot Title/Description

42 Colt Python Double Action Revolver	1045	STI International Edge Semi-Auto Competition Pistol
serial #E19205, 357 Magnum, 4" full lug ventilated rib barrel with an		serial #CM19281, 40 S&W, 5" barrel with an excellent bore. This is a
excellent bore. This lovely revolver has been factory refurbished and		precision built stainless steel pistol married to a polymer grip frame and
remains in wonderful condition. The metal surfaces retain about 99%		is suitable for a variety of competitive sports. Brazos Custom Gunworks
factory reapplied nickel plate showing a few fine handling marks. There		sold this gun originally and performed the alterations to the STI pistol, a
is a tiny area of old oxidized pitting on the topstrap and other scattered		copy of the invoice is included. The stainless steel surfaces rate near
micro remnants under the new finish. The service trigger and target		excellent showing a few light handling marks and holster wear. There is
hammer have bright nickel plate with minor operational wear. The		high edge wear on the blued surfaces of the front and rear sights and
checkered walnut second type factory target grips with gold Rampant		the inside of the magazine well shows light dents and dings from
Colt medallions rate about excellent as lightly cleaned and re-varnished.		reloads. The polymer frame "gator grip" rates about very good to
The revolver features a pinned serrated ramp front sight and Colt Accro		excellent showing little wear, the triggerguard was undercut by Brazos t
adjustable rear sight, both are full nickel plated. The gun still times and		allow a higher finger hold and the molded-in checkering on the front of
locks up correctly and includes the original factory two-piece woodgrain		the squared triggerguard has been partially removed on the left side.
box that is correctly and includes the original factory two-piece woodgrain		This gun has many features near and dear to the competitive shooters
a factory "NICKEL FINISH" surcharge on the end label. It also includes the factory test target that is numbered to this gun and dated "10-2-70",		heart, included are: fiber optic post front sight, Bo-Mar style STI marked black blade adjustable rear sight, superb trigger pull, solid slide to frame
coin screwdriver and a "HANDLING THE HANDGUN" pamphlet. The box and enclosed accessories all rate excellent with minor handling		fit with tight barrel lock up, long skeletonized polymer trigger with overtravel stop, ambidextrous extended thumb safeties, front and rear
wear. This is a fine investment enriched with the addition of the original		slide serrations, oversized magazine well funnel, Recoilmaster recoil
÷ .		spring assembly, checkered arched mainspring housing, oversized
box and accessories. (8A9847-7) {C&R} (2000/3000)		
Est. 2,000 - 3,000 43 Colt Anaconda Double Action Revolver		magazine release and beavertail grip safety with memory bump. The
		grip safety has been purposely disabled by the company and due care
serial #MM57335, 44 Magnum, 6" ventilated rib full lug barrel with an		should be exercised when handling the pistol. The specifications also
excellent bore. This beautiful and desirable Anaconda remains in superb		called for the gun not to lock back on the last shot, installation of a
condition, the stainless steel surfaces rate excellent with a few minor		checkered arched mainspring housing and the aforementioned undercu
handling marks and light turn ring. The checkered rubber finger groove		triggerguard. It includes the original factory hard case correctly end
factory grips with silver Rampant Colt medallions rate excellent. It		labeled and numbered to the gun, a single Dawson 140mm magazine,
features a .375" grooved trigger, acorn shaped semi-target hammer, red		original "gator grip" flat mainspring housing, spare fiber optic rods,
ramp front sight and white outline Colt Accro rear sight. This gun has		original front sight, a variety of Allen and Torx wrenches, assorted pins
seen little if any use since it rolled out of Colt in 1994 and still times and		and screws, (4) Recoilmaster recoil spring takedown tools, (2) package
locks up as good as the day it left. It includes the original factory hard		of five each Dawson base pad detents and springs, Dawson 170mm +1
case with picture shipping sleeve correctly end labeled and numbered to		tool-less base pad, manual and paperwork. A complete package ready
the gun, manual and paperwork. The Anaconda has become one of the		for competition. (8A9830-65) {MODERN} [Dr. William C. Nugent
more highly desirable "Snake Guns", drawing interest from collectors,		Collection] (1500/2500)
shooters and outdoorsman. (8A9746-14) {MODERN} (1800/2200)	1046	Est. 1,500 - 2,500
Est. 1,800 - 2,200 44 Colt Third Generation Single Action Army Revolver	1046	Colt 150th Anniversary Single Action Army Buntline Revolver
, , , , , , , , , , , , , , , , , , ,		serial #AM0706, 45 Colt, 10" barrel with an excellent bore. This lovely
serial #SA37385, 357 Magnum, 4 3/4" barrel with an excellent bore. This		commemorative revolver is unfired and is festooned with factory class A
lovely 1980-manufactured six-shooter shows very limited use and		engraving, the barrel has wedges of loose scroll with punch-dot shading
remains in excellent condition, the metal surfaces retaining about 99%		at the muzzle and breech end in addition to a banner running the circumference of the cylinder and the end of each chamber has a slice
original blue with a few light handling marks. The frame has vigorous		,
case-hardened colors with a beautiful mix of swirling blues, purples and		of scroll ending in a half rosette. This revolver has full royal blue finish
straw. The grips are checkered synthetic with a Rampant Colt in an oval		with about 99% plus remaining. The top of the backstrap has a gold lea
at the top, Federal Eagle on the butt of each panel and remain in		circled Rampant Colt with "150 YEARS COLT CRAFTMANSHIP" on the
excellent condition. All appropriate parts and the grips are correctly		circumference with a gold leaf banner below it. The smooth walnut
numbered to the gun and it still times and locks up correctly. It includes		two-piece factory grips with gold Rampant Colt / 150 medallions rate
		availant and facture a blind corous balance the laft series $T$
an unlabeled replacement factory woodgrain box with Styrofoam insert		excellent and feature a blind screw hole on the left panel. The revolver
but the end flap with a label correct to this gun is provided plus a manual		features a blackpowder frame with round bullseye ejector rod head. The
but the end flap with a label correct to this gun is provided plus a manual and paperwork. An outstanding magnum SAA for the buyer looking for a		features a blackpowder frame with round bullseye ejector rod head. The top of the barrel has a one-line barrel address and below it is stamped
but the end flap with a label correct to this gun is provided plus a manual and paperwork. An outstanding magnum SAA for the buyer looking for a shooter but great condition if you want a collectible. (8A9746-6)		features a blackpowder frame with round bullseye ejector rod head. The top of the barrel has a one-line barrel address and below it is stamped "-1836 * 150th ANNIVERSARY * 1986-". This beautiful third generation
but the end flap with a label correct to this gun is provided plus a manual and paperwork. An outstanding magnum SAA for the buyer looking for a shooter but great condition if you want a collectible. (8A9746-6) {MODERN} (1500/2000)		features a blackpowder frame with round bullseye ejector rod head. Th top of the barrel has a one-line barrel address and below it is stamped "-1836 * 150th ANNIVERSARY * 1986-". This beautiful third generation revolver is displayed in a robust oak presentation case with "1836 – Co
but the end flap with a label correct to this gun is provided plus a manual and paperwork. An outstanding magnum SAA for the buyer looking for a shooter but great condition if you want a collectible. (8A9746-6)		features a blackpowder frame with round bullseye ejector rod head. The top of the barrel has a one-line barrel address and below it is stamped "-1836 * 150th ANNIVERSARY * 1986-". This beautiful third generation revolver is displayed in a robust oak presentation case with "1836 – Co – 1986" boldly embossed into the cover and brass flush fit "skeleton
but the end flap with a label correct to this gun is provided plus a manual and paperwork. An outstanding magnum SAA for the buyer looking for a shooter but great condition if you want a collectible. (8A9746-6) {MODERN} (1500/2000)		features a blackpowder frame with round bullseye ejector rod head. The top of the barrel has a one-line barrel address and below it is stamped "-1836 * 150th ANNIVERSARY * 1986-". This beautiful third generation revolver is displayed in a robust oak presentation case with "1836 – Co – 1986" boldly embossed into the cover and brass flush fit "skeleton key" lock with one key provided. The French fit interior is blue velvet
but the end flap with a label correct to this gun is provided plus a manual and paperwork. An outstanding magnum SAA for the buyer looking for a shooter but great condition if you want a collectible. (8A9746-6) {MODERN} (1500/2000)		features a blackpowder frame with round bullseye ejector rod head. Th top of the barrel has a one-line barrel address and below it is stamped "-1836 * 150th ANNIVERSARY * 1986-". This beautiful third generation revolver is displayed in a robust oak presentation case with "1836 – Co – 1986" boldly embossed into the cover and brass flush fit "skeleton

(1800/2200) Est. 1,800 - 2,200

Lot Title/Description

The handguard is in excellent condition and has an OD green finish. The action has been bedded to the wood. Rifle is equipped with National Match sights and included are a single 20-round magazine, a leather GI style sling and a factory box that is numbered to a different rifle. An excellent well-built match grade rifle with lots of long range target

potential. (4A9794-7) {MODERN} (1800/2200)

Est. 1,800 - 2,200

1047 Colt John Wayne "The Duke" Commemorative Single Action Revolver 1050 Barrett Manufacturing M82A1 Semi-Auto Rifle serial #4069, 50 BMG, 29" fluted barrel with factory muzzlebrake and an Set serial #CJWC0306 & G210469, 45 Colt & 22 LR, 4 3/4" & 4 3/8" barrels excellent bore. For all 50 cal shooters and those who desire to be, this is with bright excellent bores. The first revolver is a lovely third generation the one. When it comes to 50 cal service rifles one name stands above Single Action Army that retains about 98% full royal blue finish showing the rest, Barrett. Whether its intended use is for military long range a few very small areas of pinprick pitting on the ejector rod housing and defense or casual civilian target shooting Barrett is widely known for cylinder plus tiny handling marks on the left recoil shield. The gun has putting the same quality and workmanship to all products bearing their name. The semi-automatic M82A1 with its detachable magazine is beautiful two-piece factory ivory grips that are in excellent condition with a coffee-cream color, the right panel is slightly darker and has streaks of certainly no exception and is perhaps the most desired of these big-bore services rifles. Known in the U.S. Military as the M107, this civilian red highlights running through it. The gun has wedges of loose scroll engraving on the both sides of the rear frame and right side of the version of the "Light 50" is identical to the military issued models, only barrel. Gold leaf embellishments adorn the gun with a prominent Federal the model name is different. The metal surfaces retain between 95-97% Eagle with outstretched wings holding a banner with "JOHN WAYNE" original parkerized finish that has some light handling marks and has inside it, both ends of the unfluted cylinder are edged with gold leaf wire areas of light oxidation and some light fouling that is noticeable in the rope, John Wayne's bust is on one side of the cylinder and he is riding corners of the muzzlebrake. A very simple yet incredibly rugged design his horse on the opposite side. The backstrap has Mr. Wayne's the rifle features an AR style Ergo black polymer textured grip and has a signature with his iconic Red River D brand on the knuckle. The second solid rubber buttplate with single point height adjustment. An integral gun is a Colt New Frontier 22 Scout revolver that retains about 99% folding bipod is installed to the underside of the forend and the factory original blue, nickel plate and case-hardened colors. The base pin, folding sights remain intact. The original carry handle is not present but hammer, trigger and ejector rod are high polish nickel plate to accent the should be a quick and easy item to replace. Mounted is a factory-marked Swarovski 10X42 Habicht riflescope, one of the few rich blue colors and coordinate with the silver leaf markings. The checkered synthetic factory grips feature a Rampant Colt in an oval with optics that are capable of handling the function of this large caliber rifle. a Federal Eagle at the butt of each panel and they rate excellent. The Made specifically for this arm, the scope features a 50 cal rangefinding left side of the barrel has a silver leaf banner with "JOHN WAYNE" reticle and has bright, excellent optics. Two factory detachable above the banner and "THE DUKE" inside the banner. The right side of magazines are included. If you have been holding out on buying a big the barrel is marked "NEW FRONTIER .22". This commemorative has a 50, waiting for the right time to own one on the best and most desirable different twist from the normal New Frontier, the front sight is the round rifles of this caliber, stop waiting. This is your chance to own one of blade Peacemaker style in lieu of the serrated ramp normally found but it these classic examples of pure might. Please note that additional does retain the standard black blade Colt Accro adjustable rear sight. magazines are available in the Online Auction and that extra shipping The set includes a hardwood presentation case with a silver plaque will apply. (4C9797-3) {MODERN} (6000/8000) featuring the bust of John Wayne, his date of birth and birth place. The Est. 6,000 - 8,000 1051 Knight's Armament Stoner SR-15 M4 Match Semi-Auto Rifle wood cover has "The Duke" engraved in cursive and the Colt logo is embossed in the lower right corner. The red crushed velvet foam interior serial #KM11594, 5.56 NATO, 20" matte stainless Krieger barrel that rates excellent as does the exterior of the case. The cover does show a has a 1:7.7" rate of twist and a bright, excellent bore. The barrel has a very fine age check developing along one of the edge-to-edge glue few light to minor handling marks, the remaining metal surfaces retain joints in the cover. A beautiful pair of revolvers honoring one of the about 99% of the original black anodized finish and have some light all-time great Western actors. (8B9740-20,21) {C&R} (2500/3500) edge wear and a few light handling marks as well. The lower receiver Est. 2.500 - 3.500 bears the early Vero Beach, FL address, the stainless steel bolt appears 1048 Winchester Model 9422 High Grade Legacy Tribute Lever Action to be unused with no evidence of firing wear. Rifle is equipped with a Knight's Armament free-float aluminum quad rail handguard that also Carbine serial #FTS0856, 22 S,L,LR, 22" round barrel with a bright excellent bears the Vero Beach address and has the "5.56 M4 Match" model bore. The metal surfaces retain 99% original blue. The receiver is designation. Rifle features a fixed A2 buttstock and pistolgrip, which rate engraved with flowing scroll, the right side has gold filled horse and rider excellent. A set of factory flip-up iron sights are mounted to the flattop while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side receiver and picatinny rail, a set of rail covers are included. There is no of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". magazine included but any AR 5.56 platform magazine is compatible. The checkered straight grip deluxe walnut buttstock and forend remain The best of the best when it comes to AR style rifles, Knight's is well excellent with lovely grain and crisp sharp checkering. Included is the known for their quality and long range accuracy. This is an excellent to original factory cardboard box with multi-color slip over jacket, outer near-new condition example of these top-of-the-line AR rifles. shipping box, hammer extension, manual and hang tag. This arm is in (4A9787-18) {MODERN} (1800/2200) as-new-in-box, dealer stock, factory fired only, and may have a very Est. 1,800 - 2,200 small rack or handling mark only. (5B9723-28) {MODERN} (1200/1800) 1052 Springfield Armory Inc M1A "Loaded Standard" Semi-Auto Rifle Est. 1,200 - 1,800 serial #105400, 308 Win, 22" stainless steel National Match barrel with a 1049 Winchester Model 9422 High Grade Legacy Tribute Lever Action bright, excellent bore. The stainless steel rates excellent while the Carbine remaining metal surfaces retain about 97-98% original parkerized finish serial #FTS0026, 22 Win, Mag., 22" round barrel with a bright excellent that has some light handling marks and operational wear. The GI grade bore. The metal surfaces retain 99% original blue. The receiver is walnut stock rates excellent and has a few light handling marks. The engraved with flowing scroll, the right side has gold filled horse and rider stock features the M14 selector cutout and the left side has a crisp while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side Federal Ordnance cartouche. The handouard has a few light marks in its of the barrel is etched "Model 9422 High Grade Tribute - One of 9422" brown enamel finish and otherwise rates excellent. The original sights The checkered straight grip deluxe walnut buttstock and forend remain remain intact and included are a 20-round detachable magazine and excellent with attractive flowing grain and crisp sharp checkering. cleaning tools which are stored in the butt. An excellent example of Included with carbine is the original factory cardboard box with these factory upgraded M1A series sporting rifles. (4A9790-48) multi-color slip over jacket, outer shipping box, hammer extension, lock {MODERN} (1200/1800) and manual. This arm is in as-new-in box, dealer stock, factory fired Est. 1.200 - 1.800 Springfield Armory Inc M1A "Match" Semi-Auto Rifle only, and may have a very small rack or handling mark only. 1053 (5B9723-31) {MODERN} (1200/1800) serial #206808, 308 Win, 22" Krieger match barrel with flash hider and a Est. 1,200 - 1,800 bright, excellent bore. The metal surfaces retain about 98-99% original parkerized finish that has some areas of light wear along the working surfaces and some light handling marks throughout. There are a few areas around the gas cylinder plug and castle nut which have been marked with different earth-toned paints to indicate tuning points for maximized performance. The walnut stock rates near excellent and has a few light dings and other light handling marks and a glossy oil finish.

.

#### Title/Description

Lot Title/Description

1054	Springfield Armory Inc M1A "Super Match" Semi-Auto Rifle	1057	Scarce German Late War Unfinished K98k Sniper Rifle by Gustloff
	serial #127523, 308 Win, 22" stainless steel barrel with flash hider and a		Werke
	bright excellent bore. The metal surfaces retain about 98% factory		serial #859, 8mm Mauser, 24" barrel with a very good lightly frosted
	parkerized finish with light wear on the contact points and bolt. The		bore with strong rifling. The metal surfaces of this "bcd / 4" coded rifle
	McMillan Marine Corp Green Camo fiberglass pistolgrip stock is in		retain about 75% arsenal reapplied blue finish with the triggerguard,
	excellent condition with a few light handling marks, and bedding		floorplate, and lower barrel band cleaned to gunmetal, oxidation staining
	compound is visible on the sides of the receiver and triggerguard. The		on the floorplate, the thick side receiver toned to a dark gray patina, the
	markings on the rear of the receiver remain crisp, and the barrel appears		breech area of the barrel toned to a brown patina with pinprick pitting,
	unmarked. The rifle is sighted with National Match marked front and		pinprick pitting on the rear sight beneath the finish, and scattered light
	hooded rear sights and a "SPRINGFIELD ARMORY / Geneseo, Illinois"		handling marks; the bolt has toned to gray with light to moderate pitting.
	scope base is mounted on left side of the receiver, featuring an about 6"		The laminated hardwood stock is in very good condition as lightly
	Weaver-style rail; the open sights are able to be used with the scope		cleaned with an about 2 1/2" lamination crack behind the receiver, an
	mount in place. Included with the rifle is the factory box, end labeled and		about 2" crack behind the triggerguard traveling along the left side of the
	numbered to the gun, a single "C.M.I." marked magazine, two manuals,		pistolgrip, a tight 1/4" crack in the nose of the handguard, a light ding on
	and inspection and hang tags. A fine Super Match rifle that only needs		the right side by the toe line, and scattered light handling marks. The
	an optic. (14B9662-1) {MODERN} (1800/2200)		buttstock is marked with three faint waffenamts on the right side, the
	Est. 1,800 - 2,200		numbers faded and illegible, and the stock and the handguard are
1055	Heckler & Koch P7 M13 Semi-Auto Pistol		numbered to different rifles. The coding on the receiver remains crisp, a
	serial #74351, 9mm, 4 3/16" barrel with a bright excellent bore. This		softened "749" waffenamt is on top and a crisp "1" is on the right, both
	M13 appears to have seen little or no use and remains in excellent		correct. The expected firing proofs on the barrel and receiver are
	condition. The metal surfaces of this 1985 proof dated pistol retain about		absent, and the serial number is oddly on the right side of the barrel
	99% original blue. The textured synthetic factory grips have "HK P7		instead of the left. The bolt is unmarked save a small "1" on the
	M13" molded into the bottom of each panel and rate excellent. The most		underside of the handle, the bolt stop is marked with a "77" waffenamt,
	significant features of the P7 series were the "squeeze cocker"		the triggerguard is marked "d" and the floorplate "1"; the remaining parts
	mechanism, gas retarded action and polygonal rifling. Other features		are unmarked and un-numbered. The lower barrel band appears to be a
	include three dot sights, ambidextrous magazine release and lanyard		milled replacement, while the upper is the expected stamped. The
	loop. The pistol includes a factory box that is correctly end labeled to the		special thick receiver is drilled and tapped three times for mounting of
	gun but is not numbered, a single double stack factory magazine,		the side rail, but the final two pin holes were never completed and the
	unused gas piston cleaning brush, manual and paperwork. Truly, a		rifle was issued as a standard infantry weapon. Included with the rifle is
	beautiful P7 M13 pistol for the collector or enthusiast. Please see our		a 12 1/2" cleaning rod. A rare opportunity for the WWII rifle collector.
	November Online Only sale, it contains several H&K P7 M13 magazines		(14B9736-1) {C&R} (1000/1500)
	for sale. (8A9899-14) {MODERN} (3000/4000)		Est. 1,000 - 1,500
	Est. 3,000 - 4,000	1058	U.S. M1 Carbine by IBM Corp
1056	SS Marked and Reworked Gew. 98 Bolt Action Rifle	1030	serial #3884441, 30 Carbine, 18" IBM barrel with a bright excellent bore.
1030	serial #5666, 8mm Mauser, 24" barrel with a very good plus lightly		The metal surfaces retain about 97% arsenal parkerized finish with light
	frosted bore with strong rifling. The metal surfaces have a mottled brown		wear on the high edges and contact points, a few specks of oxidation on
	patina mixed with remnants of reapplied blue finish with scattered light		the barrel, and a few scattered light handling marks; the round bolt
	pitting, streaking along the barrel, light wear on the edges of the		retains about 85% blue finish with light to moderate operational wear.
	triggerguard, scattered spots of light oxidation and light handling marks.		The high-wood I-cut walnut stock is in very good condition with an about
	The laminated hardwood stock is in very good plus condition as lightly		3" narrow chip and crack on the right edge where the high-wood area
	cleaned with a tight about 1/2" crack behind the receiver, an about 1"		has been lost, two light abrasions on the left side of the stock below the
	shallow chip at the left edge of the stock by the receiver ring that has an		rear sight, and some scattered light handling marks. The stock is
	about 1 1/2" crack joining it, a tight crack snaking up from the top of the		marked with a "OI" in the sling cut and the 2-rivet handguard is marked
	recoil bolt on the right side, the remnants of multiple old light abrasions		"OI" on the underside, both having been made for Inland. The markings
	and handling marks primarily on the underside of the forend, and the flat		on the receiver ring and behind the rear sight remain crisp with only the
	steel buttplate has been cleaned to bright and is proud at the heel and		"IB" of the IBM mark faded lightly, and the very rear of the receiver is
	toe. The buttstock is marked with the remnants of two Imperial proofs on		marked "AO" signifying it being supplied by Auto-Ordnance Corp. The
	the right side, a "(Crown) / 3" on the pistolgrip, and the handguard and		Type I barrel band is IBM manufactured and the rear sight is National
	stock are numbered to different rifles; the flat steel buttplate is numbered		Postal Meter manufactured, both correct for the carbine, the safety,
	to a different rifle. The stock has been converted to K98k length with a		magazine catch, and hammer are Winchester manufactured, the bolt is
	single band spring but retains the Gewehr 98-style sling swivels on the		Quality Hardware manufactured, and the operating slide is National
	underside, as was the case with a few of these early reworks. The		Postal Meter manufactured. The rifle features the early flip-up "L" rear
	receiver ring is blank, the softened remains of the serial number and		sight, early push-button safety, and a later round bolt. A fine arsenal
	what appears to be commercial proof markings are on the left, and		reworked M1 from the last company to get into the carbine game.
	softened Imperial proofs are located on the right of the receiver ring; the		(14A9908-6) {C&R} (1200/1800)
	"Gew. 98." marking on the left side rail remains largely clear. The barrel		Est. 1,200 - 1,800
	is crisply serialized and matching to the receiver, and is marked with a	L	
	softened "SS2 / (Death's Head)" and "01 / (Death's Head)". The bolt		
	assembly, bolt stop, triggerguard, rear triggerguard screw, floorplate,		
	follower, and upper barrel band are numbered to the rifle, with the		
	numbers on the bolt handle appearing double struck, and Imperial		
	proofs are stamped on the bolt, floorplate, triggerguard, bolt stop, and		
	upper barrel band; the lower barrel band is numbered to a different rifle.		
1	The rifle is sighted with standard barleycorn front sight and leaf rear, and		

The rifle is sighted with standard barleycorn front sight and leaf rear, and appears to function well mechanically. These early SS rifles were converted from older Gew 98s, as they were outside the normal procurement chain. A solid example of these infamous SS-converted rifles. (14B9736-40) {C&R} (2000/3000)

Est. 2,000 - 3,000

Lot

Lot Title/Description

1059	German K98k "Large Font" BNZ Rifle by Steyr	]	1062	U.S. Special Model 1861 Percussion Rifle-Musket by Colt
	serial #5016, 8mm Mauser, 24" barrel with a very good plus bore with a			.58 cal., 40" barrel with a bright excellent bore. The barrel, triggerguard,
	few scattered specks of oxidation and a spot or two of pinprick pitting			buttplate and hammer are toning to an oxidized brown patina with a
	but strong rifling throughout. The metal surfaces of this "bnz / 44" coded			couple areas on the barrel cleaned to gunmetal gray while the bands
	rifle retain about 85% original thinning blue with light wear on the high			have also been cleaned to bright gunmetal showing light buff marks and
	edges and contact points, perhaps moderate around the muzzle, light			a few small spots of light oxidation. The lockplate is toning to a gray
	pitting on the upper barrel band, areas of gunmetal gray on the			patina with some small spots of light oxidation and is properly stamped
	triggerguard and magazine floorplate, and some light oxidation staining.			"U.S. / COLT'S PT. F.A. MFG CO. / HARTFORD CT." beneath the
	The extractor has toned to brown with a few spots of light pitting. The			Federal Eagle-marked bolster and "1864" is behind the hammer. The
	laminated hardwood stock is in very good plus condition as lightly			top of the barrel is also dated 1864 while the left quarter flat is proofed
	cleaned with two small filler repaired holes below the bolt stop and a few			with a "V / P / (eagle head)" and the left flat bears "M.N.M" inspection
	scattered light handling marks. The stock is stamped with a tiny "e" on			initials. The smooth black walnut straight grip stock rates perhaps fine
	the toe line, "CL" is hand marked in about 1/2" letters on the left side of			retaining rather crisp edges on the stock flats, a small and unobtrusive
	the buttstock, and the handguard is lightly numbered to the rifle on the			chip in the right side of the ramrod channel immediately behind the
	underside; the cupped steel buttplate was previously cleaned and has scattered oxidation staining. The receiver is marked only with the "bnz /			forend cap, and some scattered light handling marks from the past 156 years. The left stock flat features two very crisp boxed inspectors'
	44" code, notably larger in font than other bnz-coded rifles, and the			cartouches, there is a clear "E.M.W." on the top of the comb and a "N"
	model designation, both remaining clear and highlighted with white			inspection mark behind the triggerguard. The sling swivels and original
	paint, and the barrel is clearly marked with the serial number and a faint			sights are intact, the Model 1861 rear sight showing modest amounts of
	eagle firing proof. The bolt body and safety are serialized and matching			original blue, and a correct cupped tulip-head ramrod with threaded end
	to the rifle, but the bolt shroud is un-numbered. The barrel bands are			is included. The lock of this Colt Special Model 1861 rifle-musket is very
	numbered to the rifle and are milled instead of stamped, and the			strong and crisp. Colt delivered about 100,000 rifle-muskets to the
	triggerguard and floorplate are numbered and matching and marked			Federal government during the Civil War. (23B9908-2) {ANTIQUE}
	"byf". The rear sight is marked with three faint "WaA623" waffenamts,			(1200/1800)
	and the front sight is properly marked with a "77" waffenamt. The rifle is			Est. 1,200 - 1,800
	sighted with the standard barleycorn front sight, with front sight hood,		1063	Remington Model 40-XBBR Benchrest Custom Shop Rifle
	and leaf rear, and the rifle appears to function well mechanically.			serial #053697B, 300 Win Mag, 27 1/4" stainless steel heavy barrel with
	Included is a cleaning rod and leather sling. A solid "large font" Steyr			a bright, excellent bore. The stainless steel barrel features a 7/8"
	rifle from late WWII. (14B9736-63) {C&R} (1000/1500)			diameter at the muzzle and rates excellent with only a few light handling
	Est. 1,000 - 1,500			marks and small dings. The remainder of the metal surfaces retain about
1060	U.S. M1 Carbine by Winchester			99% original blue with a few light handling marks scattered throughout.
	serial #5633956, 30 Carbine, 18" Winchester barrel with a bright			The bolt body is electric pencil numbered to the receiver and remains
	excellent bore. The metal surfaces retain about 97% original parkerized			bright with nearly all of its jeweled pattern. The benchrest style walnut
	finish toning lightly to gray with light wear on the high edges and contact			stock rates excellent with nearly all of what appears to be the original
	points, specks of oxidation staining on the receiver and front sight, a			finish and has a few small dings and other light handling marks. The
	lightly cleaned spot on the barrel, and scattered light handling marks;			stock features a target rail in the forearm and has sling swivel studs
	the bolt retains about 97% blue finish with light operational wear and			installed. The barrel and receiver are tapped for sights, none are present
	specks of oxidation staining. The low-wood oval-cut stock is in very good			and the rear-most hole on the barrel has been filled. A one-piece
	plus condition as lightly cleaned with scattered light handling marks and the contour of the pistolgrip thinned out very slightly; the left side of the			picatinny style scope base has been mounted to the receiver. The 40-X series rifles are all professionally hand fitted and accurized at the
	buttstock is marked with a faint Ordnance Wheel and "W.R.A. / G.H.D."			Remington Custom Shop and have proven consistent accuracy with the
	cartouche, and the underside of the 2-rivet handguard is "W" marked for			right optics and target loads. This excellent condition single-shot
	Winchester manufacture. The receiver markings remain clear, the "W"			precision example should be no exception when coupled with the
	Winchester mark and Winchester proof on the barrel are a little soft but			correct optics. (4A9626-11) {MODERN} (1400/1800)
	clear, and all parts appear to be of Winchester manufacture with			Est. 1,400 - 1,800
	exception of the front sight, which is unmarked, and the rear sight, which		1064	Remington Model 40-XBBR Benchrest Custom Shop Rifle
	was made by Inland. The carbine features the early push-button safety,			serial #37746B, 243 Win, 27 1/4" tapered stainless steel barrel with a
	Type II barrel band, flat bolt, and a milled adjustable rear sight. Included			bright, excellent bore. The stainless steel rates excellent and has only a
	with the carbine is a single 15-round "OI B" marked magazine. A fine			few light handling marks and some areas of very light staining present.
	example of a near all matching Winchester carbine. (14A9908-7) {C&R}			The remainder of the metal surfaces retain about 99% original blue with
	(1400/1800)			a few light handling marks scattered throughout. The bolt is electric
	Est. 1,400 - 1,800			pencil numbered to the receiver and remains mostly bright with some
1061	British Sea Service-Style Flintlock Musket			areas of light gray patina. The benchrest style walnut stock rates
	.75 cal. worn to about .80 cal., 37" barrel with an oxidized bore. The			excellent with nearly all of the original finish and has a few small dings
	metal surfaces of this original flint musket are toning to an oxidized			and other light handling marks. The stock features a target rail with front
	brown patina with a small nick in the edge of the muzzle. The brass			swivel in the wide beavertail forearm and a quick-detach swivel insert in
	mountings have aged to a lightly tarnished mustard patina with scattered			the toe-line. The barrel and receiver are tapped for sights, but none are
	light handling marks. The lockplate bears the remnants of "TOWER"			present. A one-piece Redfield scope base with flip-up peep is mounted
	behind the cock with the "R" no linger visible and it is otherwise			to the receiver and a set of 1" scope rings are included. This example
	unmarked while the breech of the barrel shows various British martial			features the internal box magazine. These model 40-X rifles are all
	proofs and view marks. The smooth walnut straight grip stock rates			painstakingly hand fitted and built for precision at the Remington
	perhaps good with a handful of scattered cracks, the most prominent being two in the wrist; one being on each side of the triggerguard tang,			Custom Shop and have proven consistent accuracy with the right optics and target loads. This rifle should be no exception when coupled with
	along with a repaired crack in the left wood line to the rear of the upper			the right sighting options. (4A9626-39) {MODERN} (1400/1800)
	sling swivel, and a couple chips around the tang of the buttplate. The left			Est. 1,400 - 1,800
	side of the buttstock features a crisp "9" rack mark while the left stock		L	2011,100 1,000
	flat has "P.M" stamped above the side plate. This Brown Bess has all			
	the features of a Sea Service musket save for the Short Land type			
	forend cap, lower thimble and buttplate and it has a non-detachable pan.			
	The slings swivels and bayonet stud are intact, a steel button-head			
	ramrod is included, and while not particularly strong, the action does			
	function properly. This interesting musket combines a variety of early			
	and later Sea Service features along with a few from the Short Land			
1	pattern Brown Bess and is sure to make a nice addition to your			

pattern Brown Bess and is sure to make a nice addition to your 18th-century martial arms collection. (23A9813-1) {ANTIQUE}

(1200/1800) Est. 1,200 - 1,800

Title/Description Lot

1065	Remington Model 40-XBBR Benchrest Custom Shop Rifle	Ι Γ	1068	Winchester Model 1873 Lever Action Rifle
	serial #44261B, 7.62 NATO, 27 1/4" stainless steel heavy barrel with a			serial #589466B, 32 WCF, 24" round barrel with full magazine and a
	bright, excellent bore. The stainless steel barrel features a 7/8" diameter			fair-good bore showing scattered light pitting and oxidation with good
	at the muzzle and rates excellent with only a few light handling and			rifling. The barrel and magazine of this 1905-made rifle retain about
	some specks of light oxidation scattered throughout. The remainder of			65-70% original blue thinning overall and toning to a deep plum-brown
	the metal surfaces retain about 97-98% original blue with a few light			patina along with scattered freckling, a few light pits and minor handling
	handling marks scattered throughout, most of the loss is visible along			marks. The action has mostly toned to a milder plum-brown patina
	the bottom metal and stock rail. The bolt body is electric pencil			showing some light pitting along the high edges, freckling and minor
	numbered to the receiver and remains mostly bright with some of its			handling marks with generous amounts of original bright blue along the
	machine polished pattern remaining. The benchrest style walnut stock			sides and lower tang. The lever is plum-brown showing a hint of smoky
	rates excellent and features a satin oil finish with a few small			colors in the protected areas, the hammer shows strong colors along the
	impressions, some light dings and other light handling marks. The stock			sides and the loading gate shows nice brilliant fire blue. The cartridge
	features a forearm target rail and has a sling swivel stud installed in the			lifter has toned to deep ocher patina and shows some light dings along
	forearm only. The barrel and receiver are tapped for sights. There is a			its top edges. All markings remain intact and strong. The plain walnut
	single target block mounted at the muzzle and a one-piece Badger			stocks remain in very good condition showing mostly worn finish, the
	Ordnance picatinny style scope base has been mounted to the receiver.			buttstock with remnants of original finish and showing some overall light
	The 40-X series rifles are all professionally hand fitted and accurized at			dings, a few mild abrasions and scuffs from the years with otherwise
	the Remington Custom Shop and have proven consistent accuracy with			excellent fit. The rifle is sighted with a flattop sporting rear sight, plain
	the right optics and target loads. This excellent condition example			bead front, the cartridge guide at the bottom of the bolt has worn off and
	features the internal box magazine and should be a true performer when			the action otherwise seems to function well mechanically. (13B9746-39)
	coupled with the appropriate optics. (4A9626-37) {MODERN}			{C&R} (1200/1800)
	(1400/1800)			Est. 1,200 - 1,800
	Est. 1,400 - 1,800	[	1069	Winchester Model 1873 Lever Action Rifle
1066	Winchester Model 1873 Lever Action Rifle			serial #406061B, 38 WCF, 24" octagon barrel with full magazine and a
	serial #322481B, 32 WCF, 24" round barrel with full magazine and a fair			partially bright fair-good bore showing scattered patches of pitting and
	bore showing light pitting and oxidation scattered throughout with mostly			oxidation, a bit more moderate right at the muzzle, with otherwise strong
	strong rifling, quite worn at the muzzle and the crown having been lightly			rifling. The barrel and magazine of this 1892-made rifle have mostly
	dressed. The barrel and magazine of this 1889-made rifle have mostly			toned to a pleasant plum-brown patina showing some sparsely scattered
	toned to a mix of dark gunmetal and mild gray-brown patina showing			spots of light pitting, old oxidation staining and a few light dings with
	some scattered remnants of old minor oxidation staining, light handling			some strong original blue in the protected areas between the magazine
	marks and strong original blue in the protected areas between barrel			and barrel. The action is mostly a mix of gunmetal gray and mild
	and magazine. The action is similar showing silvering along the high			plum-brown patina showing some areas of old light pitting, minor dings
	edges, some scattered pinprick pits and handling marks with generous			and some faint marks from a light cleaning on either side. The action
	original bright blue along the edges of the sideplates and lower tang.			retains a generous amount of original bright blue in the protected areas
	The lever has toned to a smooth dark gray patina while the hammer			along the sides, adjacent to the hammer and along the lower tang. The
	shows hints of good case-hardened colors and silvery patina and the			lever has mostly toned to dark brown showing a hint of colors in the
	loading gate retains a hint of brilliant fire blue around its edges. Some of			protected areas, the hammer shows some smoky colors as well with
	the screw holes and slots show light wear and all of the markings are			good silvery case-hardened patina and the loading gate retains a
	intact and actually quite crisp. The plain walnut stocks remain in very			healthy amount of brilliant fire blue along its edges. The cartridge lifter is
	good condition as lightly cleaned showing a little older added oil finish			a dark ocher patina and retains legible caliber designation and the other
	with some scattered light dings and handling marks. There are some			markings remain intact and strong. The plain walnut stocks remain in
	small gaps at the buttplate but the stocks otherwise retain strong			very good plus condition showing worn finish, some scattered light dings
	metal-to-wood fit. The rifle is sighted with standard sporting rear sight,			and handling marks and otherwise very fine metal-to-wood fit. The rifle is
	small German silver blade front and the action seems to function well			sighted with standard sporting rear sight, an unmarked brass bead front
	mechanically. (13B9746-54) (ANTIQUE) (1200/1800)			and the action seems to function well mechanically. (13B9746-42)
	Est. 1,200 - 1,800			{ANTIQUE} (1200/1800)
1067	Winchester Model 1873 Special Order Lever Action Rifle	1		Est. 1,200 - 1,800
	serial #175279A, 32 WCF, 24" octagon barrel with button magazine and		1070	German P.08 Code 42 Luger Pistol by Mauser
	a fair-good bore showing scattered pitting and oxidation with good rifling.			serial #9276l, 9mm, 4" barrel with an excellent bore showing scattered
	The barrel of this 1885-made rifle has toned to a mottled gunmetal and			minor pinprick pitting mostly on the edges of the lands. The metal
	plum-brown patina showing some scattered light dings along the edges			surfaces of this lovely 1940 dated pistol retain about 98% original blue,
	and remnants of old minor oxidation staining. The action has mostly			most of the loss is to high edge wear with a few handling marks and the
	toned to gunmetal gray showing some scattered areas of light pitting			receiver toning to familiar plum. The fully checkered walnut factory grips
	and generous amounts of attractive silvery case-hardened patina. Some			rate excellent. The grips are un-numbered but are stamped with visible
	of the screw heads and screw holes show light wear, a few of them			Waffenamt marks on their interiors. All of the serialized parts are
	having been neatly dressed, and the loading gate retains a few flakes of			matching including the grooved firing pin and are stamped with
	pale fire blue along its edges. The barrel address and patent dates have			appropriate "(Eagle) / 655" Waffenamt marks. The pistol includes a
	softened very slightly but remain completely legible and all other			blued aluminum-based magazine that is numbered to the gun and is
	markings are strong including the caliber designation along the cartridge			stamped with "122 / (Eagle) / 37" Waffenamt on the tube and a second
	lifter. The plain walnut stocks remain in very good condition as lightly			bright bodied magazine with wood-base numbered to another gun. Also
	cleaned and refinished long ago showing some scattered light dings and			included is a black leather hard shell flap holster with reserve magazine
	handling marks with some areas darkened from the years. The stock fit			pouch showing light wear, strong stitching but no maker markings or
	remains quite nice overall. The rifle is sighted with a likely later			Waffenamts, along with an unmarked loading tool. A beautiful early war
	replacement sporting rear sight that retains much original blue and blade			Mauser with nice accessories. (8A9854-7) {C&R} (2000/2500)
	front sight with thin platinum line insert that shows some light dings and			Est. 2,000 - 2,500
	the action seems to function well mechanically. A solid special order			
	1873 with short magazine and a lot of character. (13B9746-41)			
	{ANTIQUE} (1500/2000)			
	Est. 1,500 - 2,000			
L	Lot. 1,000 - 2,000	1		

1071	German P.08 Luger S/42 Pistol by Mauser	107	75 0	Contemporary Flintlock Swivel Breech Sporting Rifle by Kuehn
	serial #5296k, 9mm, 4" barrel with a bright near excellent bore showing			45 cal, 37 1/2" octagon barrels showing bright excellent bores. The
	a few scattered minor pits. The metal surfaces of the 1936-dated pistol			parrels retain all of their lovely maker plum brown finish with a bit of
	retain about 80-85% original blue, the grip frame toning to brown with			oning on the sharp edges of the octagon barrels. Each barrel is fitted
	thinning to gray finish on the barrel showing high edge wear, limited			with a nice silver blade front sight and simple flattop shallow u-notch
	pitting and handling marks. The small parts retain bright straw color, the			ear. The barrel frame and breech frame are a mottled gray
	trigger toning more to bright while the sear spring and toggle pins retain			case-hardened patina, the lockplates showing a nice purple-brown hue,
	most of their bright fire blue. The un-numbered checkered walnut grips			he right lockplate and hammer polished brightly with the name "Kuehn"
	show light diamond point wear with a small chip missing off the upper			engraved on its face. The arm features brass nosecaps left and right,
	rear of the left panel near the safety and both of them are loose on the			aceted ramrod thimbles and tailpipe and a faceted single rearward spur
	frame. All the markings are crisp and the pistol is stamped with			riggerguard, the front with a small finger grasping spur for manipulation
	appropriate "[Eagle] / 63" Waffenamts and droop wing eagle proofs.			of the rearward-sliding guard. There is a simple toeplate with wide
	Almost all the serialized parts are matching including the grooved firing			aceted ribbed buttplate and simple patchbox with pierced daisy head
	pin, the exception is the replacement sideplate (#99). The gun appears			showing very light engraving. The curly maple forestock panels and
	to function mechanically, the nose of the slide stop is broken off forward			buttstock rate excellent with lovely fiddleback figure their full-length with
	of the pin hole but still performs it intended function. It includes one			sland carving around the stock flats and to the rear of the tang. There is
	bright bodied wood-based magazine numbered to another gun (#1972k)			a light carving surrounding the wrist and point of comb with carved open
	showing light handling marks with oxidation stains on the tube. A solid			lowing scroll at the rear of the flat bottom ribbed cheekpiece. The
	pre-war Mauser for the martial collector. (8A9792-3) {C&R} (1000/1500)			batchbox release is in the heel of the buttplate and there is a small
	Est. 1,000 - 1,500			eight-pointed German silver star inlaid in the cheek rest proper. Each of
1072	Colt Model 1860 Army Richards Conversion Revolver			he locks features a bridled roller frizzen and the barrels are pivoted by
1072	-			earward movement of the spring-loaded triggerguard, currently the lock
	serial #5643, 44 CF, 7 1/2" round barrel with a bright excellent bore.			
	This revolver shows all matching numbers with un-numbered wedge.			will hold on half cock but not full-cock, doubtless a simple repair of the
	The barrel measures 1/2" shorter than standard, the front sight is perfect			umbler would remedy the situation in short order. Overall a very nicely
	and looks to have been there forever, we feel that this barrel was in this			executed swivel-barrel flinter in a very desirable and effective caliber.
	configuration when it left the factory after conversion. The barrel shows			3B6759-27) {ANTIQUE} (1000/1500)
	a lovely even brown patina overall and remains smooth and generally			Est. 1,000 - 1,500
	free of any pitting with clear legible markings. The cylinder shows 95%	107		Rare Smith & Wesson No. 1 1/2 Transitional Model Revolver
	of a crisp cylinder scene and bears the same lovely smooth patina as			serial #27982, 32 RF, 3 1/2" octagon barrel with scattered oxidation and
	the barrel with perhaps some faint traces of blue in areas. The frame		I '	bitting in the bore. The No. 1 1/2 Transitional Revolver was made in
	shows about 20% original color case hardened finish blended with a			imited quantities combining the Second Issue frame with the First Issue
	smooth gray-brown patina. The iron backstrap is a gray patina while the			cylinder. The metal surfaces retain about 25% original blue showing
	triggerguard shows about 75% original silverplated finish with exposed			strong patches on the frame, sideplate and barrel, the rest of the
	brass showing a deep patina. The one piece walnut grip rates very good			surfaces toning to a pleasing mix of brown and gray. There is fine pitting
	plus to near excellent with some original finish, a nice surface and just			around the front edges of the window and cylinder in addition to
	light handling marks. The action remains crisp and tight. This revolver			scattered light handling marks. The face of the trigger is toned to gray
	has a lovely appearance. (1B9898-8) {ANTIQUE} (1200/1800)			but the hammer still has faint case-hardened colors in the protected
	Est. 1,200 - 1,800			areas. The smooth factory rosewood grips are numbered to the gun and
1073	Colt Model 1878 Frontier Sixshooter Double Action Revolver			emain in very good plus condition with light dings along the bases. This
	serial #22794, 44-40, 5 1/2" barrel with an excellent bore. This is an			ittle gem still times and locks up correctly with the barrel correctly
	etched panel revolver with the "FRONTIER SIX SHOOTER" etch on left			assembly numbered to the gun though the cylinder numbers are no
	side of barrel remaining fully legible. The barrel retains about 65%			onger visible. It is estimated that Smith & Wesson only made about 650
	original blue blending with a smooth and even gray brown patina. The			of this model before converting fully to the Second Issue. A rare find for
	cylinder shows generous traces of original blue and is mostly an even			he dedicated collector. (8A9474-56) {ANTIQUE} [Dr. John W. Hall
	smooth gray brown patina. The frame shows about 30% original blue			Collection] (1000/1500)
	blending with a pleasing smooth gray brown patina. The two-piece			Est. 1,000 - 1,500
	checkered hard rubber grips rate excellent with sharp points and perfect	107		Contemporary Brass Barrel Flintlock Pistol by "Tommy" Hobbs
	fit. A nice clean 1878 Frontier with the desirable chambering and			50 cal., 8 1/4" part octagon part round barrel with a bright excellent bore
	Frontier Six Shooter etched panel. (1B9898-10) {ANTIQUE} (1200/1800)			n the rifled steel liner. The barrel is a very pleasing tarnished goldenrod
	Est. 1,200 - 1,800			patina and is lightly swamped at the muzzle with a nice turned medial at
1074	Lovely Colt Model 1883 Boxlock Double Shotgun		t	he point of transition. It features a very simple silver blade front sight
	serial #6926, 12 ga. (2 1/2"), 30" barrels choked modified and a tight			with a shallow v-notch rear atop the dovetail tang. The barrel flat is
	modified or perhaps light full, with bright very fine bores which show			marked in cursive script "T Hobbs" with small floral decorations on the
	some remnants of light oxidation or light pinprick pitting here and there.			op and diagonal flats. The steel liner features a short 3/8" counter bore
	The right tube shows a light ding, the left shows an old raised dent about			or ease of quick loading (popularized in the 90s by Thompson Center
	halfway down its length and two or three other tiny dings as well. The			as their "QLA" but used for years prior by custom makers). The arm
	barrels retain a nice contrasting star damascus pattern their full length			eatures largely brass hardware elsewhere, most notably the stepped
	with some light wear at the muzzles and a few spots of light oxidation			ockplate with small teat at rear. It features an iron swan neck cock with
	staining here and there. There are very light rings of engraving at the			aceted pan and bridled frizzen, the frizzen spring lightly chiseled at its
	breeches and on the dolls head extension and the concave rib is neatly			ail, the lockplate also marked "TH". There are a faceted ramrod thimble
	matted its full-length. The frame is a silvery case-hardened patina with			and tailpipe with a rather nice wide bow triggerguard with a silver scallop
	toning to plum a bit on the carry point at its front. It features excellent			shell decoration and dovetail tang front extension. Left side of the stock
	quality tight scroll in about 40% coverage with filigree bordering and fans			shows a wide open flowing foliate scroll sideplate with small silver
	of engraving to the rear of the fences. There is a bit of floral engraving			decoration, the nosecap as well is silver and there is a nice
	on the top lever and on each of the screw heads and there are nice			eardrop-shaped buttcap with light floral engraving, also of silver. The
	game scenes left and right with sporting dogs and birds on each, the			curly maple stock rates excellent with sharp edges with light dropper
	belly of the frame showing some remnants of smoky case colors, the			points at the rear of each stock flat and a loose open flourish of carved
	bow of the guard showing some light engraving with a flying waterfowl.			scroll to the rear of the tang. Retains all its original varnish and shows
	The English walnut buttstock rates very good to fine showing an old very			ovely fiddleback figure its full-length with an un-engraved silver oval
	light cleaning which has left the metal slightly proud, however the		n	nonogram plate atop the wrist. The arm functions well mechanically and
	checkering remains crisp on both the grips and the cheeks. The		v	was very nicely made. Purportedly Thomas "Tommy" Hobbs was one of
	buttstock shows some lovely grain figure and retains the light dings and		t	he "H's" in "H&H Barrels", a firm he started with Mr. Hoppy Hopkins.
	handling marks that come from the years, the splinter forend similar		F	Purportedly they were both excellent shooters and there are a couple of
	showing perhaps a bit more wear, with the checkering slightly more		N	Mr. Hobbs rifles or pistols out there, all seem to be of excellent quality.
	flat-topped, with its ebony tip insert is intact. The length of pull to the		19	Sadly he is no longer with us as he passed away due to illness some
	checkered Rampant Colt buttplate is 13 1/2" with drops of 2" and 3 3/8".		ti	ime ago, but this flintlock is quality made throughout and wanting for
	Lockup is slightly loose with the barrels exhibiting lateral play and each		r	nothing in attention to detail. (3C9670-420) {ANTIQUE} [David & Lore
		I I		
	tube a bit off-face. Features double triggers, extractors and automatic		18	Squier Collection] (1000/1500)
	tube a bit off-face. Features double triggers, extractors and automatic safety. The engraving is quite nice as-is typical for these beautiful Colt			Est. 1,000 - 1,500
				,
	safety. The engraving is quite nice as-is typical for these beautiful Colt			,

#### Title/Description Lot

Title/Description Lot

1078	German P.35(p) Semi-Auto Pistol by Radom with Polish Eagle Slide	108	German P.38 ac 41-Coded Semi-Auto Pistol by Walther
	serial #10997, 9mm, 4 5/8" barrel with a very good bore showing some		serial #2936g, 9mm, 5" barrel with a bright near excellent bore showing
	oxidation and darkness in the grooves with otherwise strong rifling		a hint of minor frosting and strong rifling throughout. The metal surfaces
	throughout. This slotted three lever German occupation-produced pistol		of this attractive ac 41-coded pistol retain about 95% original high polish
	is currently fitted with a 1939-dated Polish eagle slide numbered		blue with most of the loss due to silvering along the high edges of the
	"49122". The slide itself retains about 80-85% original blue showing		slide and left side muzzle, the high edges and slide cover plate also
	moderate high edge wear, light pitting along the high edges more		showing a few very minor pinprick pits that go largely unnoticed along
	noticeable along the right side and overall light freckling. The original		with a couple errant freckles and more minor handling marks. The barrel
	Polish markings on the left side remain completely intact and crisp. The		has taken on a lovely deep plum tone, the frame a more mild plum and
	remaining parts similarly retain about 85% original blue showing edge		the slide a rich blue. All markings remain crisp and clear with all
	wear, gripstraps thinning to gray patina and scattered light handling		components appropriately stamped with "(Eagle) / 359" Waffenamt. The
	marks. The left side of the frame is stamped with a crisp "(Eagle) /		grooved dark brown phenolic resin grips remain in near excellent
	WaA77" Waffenamt. The checkered black synthetic grips are more		condition, the right panel showing a tiny shallow chip along a backside
	modern reproductions and remain in very good condition showing some		groove and perhaps a few other minor handling marks. Both grip panels
	scattered light dings, handling marks and some slight gaps where they		are appropriately stamped with "(Eagle) / 359" Waffenamts and all of the
	meet the frame but overall their fit is quite good. The grips have taken		serialized parts are matching. One un-numbered magazine with two
	on more of a dark greenish gray tone. The barrel is also mismatched		Walther Waffenamts on the spine is included and the action seems to
	numbered "515" and stamped with German proofs and the lanyard ring		function well mechanically. A very handsome early war Walther made
	is missing. One original unmarked magazine is included and the action		just before the changeover to the "military blue" finish. (13B9807-358)
	seems to function well mechanically. A solid example with a very		{C&R} [Vincent Coniglio Collection] (1000/1500)
	desirable slide. (13B9804-22) (C&R} (1200/1800)		Est. 1,000 - 1,500
	Est. 1,200 - 1,800	108	
1079	Smith & Wesson 44 Double Action First Model Revolver		serial #1060, 32 ACP, 4" barrel with a bright very good plus bore
	serial #19251, 44 S&W Russian, 6" ribbed round barrel with an about		showing a little scattered minor oxidation and strong rifling throughout.
	good bore showing light pitting and oxidation along its length with		The metal surfaces of this pistol retain about 80-85% original blue
	otherwise good rifling throughout. The metal surfaces of this revolver		showing scattered areas thinning to gray-brown patina, some sparsely
	have mostly toned to a mottled gunmetal gray patina showing scattered		scattered small spots of pinprick pitting and light oxidation staining. All
	areas of old oxidation staining and smoothed-over light pitting. Some of		markings remain crisp and clear with Schwarzlose machine gun logo on
	the screw heads show slot wear and there are some light scratches		the right side frame, Berlin address in script on the left and "(Crown) / B /
	along the sideplate while the barrel address and patent dates remain		U" commercial proofs. It appears the final digit of the serial number was
	completely intact and quite crisp. The checkered black hard rubber grips		mistakenly stamped as a "9" before being struck-over with a "0"; indeed
	remain in about good condition showing moderate overall smoothing,		the other numbered parts are clearly "1060". The checkered horn grips
	light dings and toning to mild brown patina. The right panel scratched		are scratch-numbered to the gun and remain in about very good
	number is difficult to decipher and both panels fit the frame very well.		condition showing some scattered small holes from insect damage, a
	The front sight is a period replacement German silver blade and all of		couple tiny drying cracks and minor handling marks. One original
	the serialized parts are matching. Barrel-to-frame fit shows a little bit of		magazine is included showing moderate wear and some dings along the
	play, the half cock notch is worn and the action is otherwise functional in		top rear edge. The recoil spring is perhaps a little bit weak though the
	single and double action with solid timing and good lock-up. A solid old		action otherwise seems to function well mechanically. A solid example of
	frontier double action with a lot of character. (13A9804-18) {ANTIQUE}		these mechanically interesting and desirable German pocket pistols.
	(1000/1500)		(13B9797-1) {C&R} (1000/1500)
	Est. 1,000 - 1,500		Est. 1,000 - 1,500
1080	Scarce Hungarian 48M Tokarev Semi-Auto Pistol by FEG	108	33 German G98/40 Bolt Action Rifle by FEG
	serial #DB4530, 7.62x25mm Tokarev, 4 1/2" barrel with a bright		serial #391a, 8mm Mauser, 24" barrel with a bright excellent bore. The
	excellent bore. The metal surfaces of this "02 54" coded pistol retain		metal surfaces of this jhv 41-coded rifle retain about 94% original blue
	about 96-97% original blue with the top of the slide showing a few		showing some light high edge wear, mild thinning to gray patina along
	scattered tiny spots of minor oxidation staining and a small pinprick pit		the triggerguard and floorplate, a few scattered light freckles and minor
	near the front sight, a few scattered light dings and minor handling		handling marks. The screw heads show some very light slot wear and all
	marks. All markings remain intact and strong with the right side of the		markings remain crisp and clear. The smooth walnut stocks remain in
	triggerguard showing an off-struck Hungarian military proof mark and		very good plus condition showing remnants of arsenal oil finish with
	most of the major components stamped with "02" factory codes. The		some scattered light dings and mild abrasions, a few small dings
	grooved black Bakelite grips with Hungarian Rakosi-era coat of arms		perhaps a bit more moderate on the right side above the triggerguard
	remain in very fine condition showing a few scattered light dings and		and along the toe line but these are unobtrusive and the stocks show a
	handling marks. All of the serialized parts are matching and the action		fine honest appearance overall with excellent metal-to-wood fit. The
	seems to function well mechanically. The pistol bears no import marks		buttstock is stamp-numbered to the gun along the toe line along with
	or added safeties and remains in its original military configuration. The		"jhv" maker code and strong "(Eagle) / WaA56" stamps. Strangely the
	pistol includes its original pair of magazines stamp-numbered to the gun		cocking piece is mismatched numbered "81" but the remaining serialized
	that rate near excellent, "02" coded cleaning rod and original brown vinyl		parts are matching and stamped with the appropriate "(Eagle) / 56"
	and leather flap holster that rates very fine to near excellent showing		Waffenamts. The cleaning rod and front sight hood are intact and the
	some light wear along the leather straps, minor handling marks and an		action seems to function well mechanically. A very fine example of these
	illegible blue ink stamp on the interior. This is a wonderful complete rig		excellent quality rifles as-supplied under contract to Germany by FEG
	that would make an excellent addition to any military collection, original		and rarely seen with such strong condition. (13B9807-168) {C&R}
	that would make an excellent addition to any military collection, original		
	Hungarian Tokarev pistols are almost never seen in this country.		
			[Vincent Coniglio Collection] (1000/1500) Est. 1,000 - 1,500

Est. 1,000 - 1,500

1084	German P.08 Mauser Banner Police Contract Luger Pistol	1	1087	Very Fine British Pryse Patent Double Action Revolver with Scottish
	serial #3859x, 9mm, 4" barrel with a bright excellent bore showing a			Retailer Markings
	couple tiny freckles and strong rifling throughout. The metal surfaces of			serial #1574, 450 CF, 3 3/8" ribbed octagon barrel with a bright excellent
	this 1940-dated police pistol retain about 96% of an excellent arsenal			bore showing a couple tiny freckles and crisp rifling throughout. The
	quality restored blue showing some loss due to silvering, light			metal surfaces of this handsome British revolver retain about 94-95%
	operational wear and minor handling marks. There are some scattered			original nickel finish showing a flaked area on the barrel rib behind the
	areas of light pitting along the high edges, some of which are			sight toning to dark brown patina, some tiny flakes scattered along the
	finished-over, but the blue appears to be German arsenal quality in			cylinder and left side frame, a few scattered very light scratches and
	every respect. The extractor has taken on the usual deep plum tone, the			mild freckles, the nickel taking on an attractive mild cloudy patina
	safety tab remains mostly bright and there is some white paint within the			overall. The arm is stamped with small Birmingham black powder proofs
	"GESICHERT" safety marking. All markings remain unmolested and			and all markings remain intact and strong with the right side frame
	quite crisp with nice Mauser banner on the middle toggle piece, chamber			stamped "PATENT / 865" in a diamond, the cylinder marked "STEEL"
	date and "(Eagle) L" police acceptance on the right side receiver. The			and the barrel rib with a very nice "J. McCririck & Son Ayr" retailer
	breechblock, receiver and front edge of the front sight base are stamp			marking in script. The inside of the frame is stamped "JOINT PATENTS
	with proper "(Eagle) / N" commercial proofs. The checkered walnut grips			STANTON & CO.", which pertains to the rebounding lockwork. The
	remain in very good plus condition, the left panel near excellent with the			checkered English walnut grip remains in excellent condition showing a
	right showing some scattered areas of compressed points. The grips are			couple tiny dings and nice flat diamond checkering with mullered
	un-numbered but show crisp "(Eagle) / 655" Waffenamts on their			borders. This revolver features a number of nice amenities including the
	interiors. The barrel is marked only with the aforementioned commercial			aforementioned rebounding lock, cylinder locking bolt, a small roller at
	proof and a bore measurement, the sear safety is intact and the			the tip of the sear for the back of the trigger to smoothly interface with
	remaining serialized parts are matching including the grooved firing pin.			and spring-loaded manual extraction. The original lanyard ring is intact,
	One early-style blue-bodied aluminum base magazine is included that			barrel-to-frame fit is solid and the action seems to function well
	shows some moderate edge wear along the base and is numbered			mechanically with excellent timing and lock-up. A lovely Pryse Patent
	matching to the pistol along with a "2". The action seems to function well			revolver with a rather scarce shorter barrel length and desirable Scottish
1	mechanically. Still a very attractive example for the World War Two			retailer markings. (13C9856-1) {ANTIQUE} (1000/1500)
	collector, perhaps arsenal refurbished during the war. (13C9807-345)			Est. 1,000 - 1,500
	{C&R} [Vincent Coniglio Collection] (1000/1500)		1088	German P.08 Luger S/42 Pistol by Mauser
	Est. 1,000 - 1,500			serial #7512k, 9mm, 4" barrel with a bright very good plus bore showing
1085	Luxembourg Contract FN-49 Semi-Auto Rifle by Fabrique Nationale			some light oxidation nearer the muzzle and otherwise strong rifling
	serial #6687, 30-06, 23" barrel with a bright excellent bore. The metal			throughout. The metal surfaces of this 1936-dated pistol retain about
	surfaces of this attractive rifle retain about 97% original black enamel			90% original blue with most of the loss along the gripstraps toning to a
	finish showing some scattered light flakes along the high edges most			mild gray patina, some overall light high edge wear, light handling marks
	noticeable along the magazine, triggerguard and buttplate along with			and an area of small dings to the right of the front sight and base of the
	some other minor handling marks. The bolt retains about 95% original			grip that are unobtrusive. The small parts have toned to a silvery pewter
	blue showing some silvering from operation. All markings remain intact			patina showing some sparsely scattered mild gray freckling while the
	and crisp with proper "AL" atop the receiver and a small "(Flaming			toggle pins and sear spring retain much of their brilliant fire blue. All
	Bomb) 1" on the left side receiver and the arm does not appear to be			markings remain crisp and clear with proper droop wing eagle firing
	import-marked. The smooth pistolgrip walnut buttstock and handguard			proofs and "(Eagle) / 63" Waffenamts. The checkered walnut grips are
	remain in very fine to near excellent condition retaining most of their			both stamp-numbered "21", perhaps a factory error, and remain in very
	arsenal oil finish showing some sparsely scattered light dings and			good plus condition showing a few light dings below the safety on the
	handling marks. There is a very tiny flake at the toe and a couple tiny			left panel and some other minor handling marks. The hold open and
	knots in the wood near the triggerguard on the right side but this is			long sear bar are mismatched numbered "69", the rear toggle pin is
	relatively minor. The stock is crisply stamp-numbered to the gun and			numbered "56" and the remaining serialized parts are matching
	shows a strong cartouche ahead of the magazine and there is actually			including the grooved firing pin. The action seems to function well
	some rather nice straight grain figure along the left side. The serialized			mechanically and one bright-bodied aluminum base magazine showing
	parts are matching and the action seems to function well mechanically.			light operational wear is included, it is numbered rather close to the gun
	A wonderful example of these quality military rifles from a desirable			"7351k" with a "+" and "(Eagle) / 63". A solid pre-war Mauser that may
	low-production contract. (13B9807-124) {C&R} [Vincent Coniglio			make for a good shooter. (13B9720-33) {C&R} (1000/1500)
	Collection] (1200/1800)			Est. 1,000 - 1,500
	Est. 1,200 - 1,800		1089	British SMLE MKV Bolt Action Trials Rifle by Enfield
1086	Interesting Polish & Wehrmacht-Reworked Gewehr 98 Bolt Action Rifle			serial #7539, 303 British, 25 1/4" barrel with a bright near excellent bore.
	by Erfurt			The metal surfaces of this 1923-dated rifle retain perhaps 80% arsenal
	serial #K5912I, 8mm Mauser, 29" barrel with a bright very good plus to			blue showing some scattered high edge wear, a few errant light pits
	perhaps near excellent bore showing a hint of minor frosting and strong			along some of the high edges, scattered mild freckling and small areas
	rifling throughout. This is a fascinating rifle originally made in 1916 for			toning to gray-brown patina. There is a single small but rather deep pit
	service in the Great War, subsequently reworked by Poland and then			on the bolt knob and the metal surfaces show remnants of a protective
	recaptured and reworked again by the Wehrmacht. The metal surfaces			hardened grease overall that will probably clean up. All markings remain
	of this rifle have mostly toned to a dark gray patina, the bolt and receiver showing remnants of older reapplied cold blue mostly worn away, the			strong and intact and the exposed rear segment of the barrel shank is
	snowing remnants of older reapplied cold blue mostly worn away, the barrel with remnants of arsenal blue and some scattered areas of light			stamped with British export proofs. The smooth walnut stocks remain in
	pitting and minor dings. All markings remain intact, some showing a little			about very good plus condition having darkened from the years and showing scattered light dings, mild abrasions and handling marks. The
	mild softening but remain strong overall. The receiver ring shows a			buttstock actually shows some very nice subtle tiger stripe grain figure
	Polish "FB" in triangle arsenal stamp, Polish Eagle and the original			with strong inspector stamps on the underside behind the socket and
	Polish "FB" in triangle arsenal stamp, Polish Eagle and the original Imperial German markings while the barrel is a Wehrmacht replacement			softened "S" at the heel. The fore-stock is matching the receiver and the
	showing three "(Eagle) / 214" Waffenamts along the right side shank, a			sortened "S" at the neel. The fore-stock is matching the receiver and the stock disc is missing. The nosecap and bolt are also matching, the
	snowing three "(Eagle) / 214" wattenamts along the right side shank, a small triangular stamp with "(Eagle) / 4" on the right side sight base and			magazine cutoff is intact and the action seems to function well
	firing proof on the left. The smaller parts are a veritable mix of			mechanically. One un-numbered original magazine showing a small
	Waffenamt codes and sub-contractors. The smooth pistolgrip walnut			dent on its base is included. A solid example of these interesting trials
	stock and handguard remain in very good to about very good plus			rifles, essentially just a standard SMLE equipped with a receiver
	condition with a nice honest appearance showing some scattered areas			aperture sight, about 20,000 were produced during the interwar period.
	darkened from the years, a small crack in a knot on the right side above			(13B9807-190) {C&R} [Vincent Coniglio Collection] (1000/1500)
	the floorplate, some overall light dings and handling marks. The stock			Est. 1,000 - 1,500
	shows a number of small inspection stamps along the pistolgrip and is		L	
	stamp-numbered matching along the toe line also showing a strong			
	droop wing "(Eagle) / WaA4" and "BSW". The handguard is numbered			
	"89618" and the bayonet lug "19" but all of the remaining serialized parts			
	appear to be matching as-arsenal-renumbered. An original cleaning rod			
	and an "an"-coded muzzle cover are included and the action seems to			
	function well mechanically. This is a very unusual Gew.98 that would			
	make an excellent addition to the advanced martial collection.			
	(13B9807-160) {C&R} [Vincent Coniglio Collection] (1000/1500)			
1	Est. 1,000 - 1,500			

1090	German P.08 Luger byf-Coded Pistol by Mauser	1093	French Model 1914 Rolling Block Rifle by Remington
	serial #4129v, 9mm, 4" barrel with a mostly bright very good plus bore		8mm Lebel, 30" barrel with a bright near excellent bore showing a sma
	showing some light pinprick pitting and frosting in the grooves with		area of fine pinprick pitting about 4" back from the muzzle and otherwis
	otherwise strong rifling throughout. The metal surfaces of this 41-dated		strong rifling throughout. The barrel of this rifle retains about 95%
	pistol retain about 95% original blue with most of the loss due to a few		original blue showing some thinning to pewter patina at the muzzle,
	small areas of cleaned light pitting along the barrel, some overall		overall toning to a deep plum-brown patina under bright light and a few
	silvering along the high edges and some minor handling marks. The		scattered handling marks. There is a small ding at the left edge of the
	ejector has toned to the familiar dark plum patina and all markings		front sight but this is unobtrusive and the barrel bands and bayonet lug
	remain crisp and clear with proper eagle firing proofs and "(Eagle)/ 655"		retain about 95% original blue showing some mild thinning and edge
	Waffenamts. The checkered walnut grips are stamp-numbered to the		wear. The action retains about 85% original color case-hardening that
	gun and remain in very good plus condition showing some scattered		muting overall and toning to a pleasant silvery gray patina along the
	lightly chipped points, a small abrasion near the base of the left panel		tangs along with a few small specks of minor oxidation and otherwise
	and a few tiny spots of discoloration from verdigris. All of the serialized		vibrant colors along the sides. The hammer, breechblock and other
	parts are matching including the grooved firing pin and the action seems		small action parts retain about 98% original blue showing just a little m
	to function well mechanically. Included is a blue-bodied fxo-coded		thinning and freckling along the edge of the breechblock. The barrel
	extruded magazine with aluminum base scrubbed of markings. A very		shows a crisp factory "RP" proof on the right side above the bayonet lu
	solid early war Mauser pistol. (13B9807-342) {C&R} [Vincent Coniglio		along with caliber designation along the top and the Remington
	Collection] (1000/1500)		Arms-UMC tang address and patent date remain intact and crisp. The
	Est. 1,000 - 1,500		smooth walnut stocks and handguard remain in very fine to near
91	Remington Rolling Block New York State Contract Saddle Ring Carbine		excellent condition retaining most of their original oil finish showing
•••	50-70, 22" barrel with a bright excellent bore. The barrel of this nice		some sparsely scattered light dings and minor handling marks. The
	carbine retains perhaps 50% original blue with the balance toning to a		buttstock shows a small "D" and "N" behind the lower tang and a crisp
	deep brown patina showing some overall fine pitting and a few small		"14" on the right side butt near the buttplate. The cleaning rod, sling
	dings. The action retains generous amounts of attractive smoky		swivels and military sights are intact and the action seems to function
	case-hardened colors throughout still quite vibrant in the more protected		well mechanically. A very fine example of these desirable French
	areas along with some scattered mild gray freckling, a few small areas		contract Rolling Block rifles. (13B9670-276) {C&R} [David & Lore Squid
	of old oxidation staining and remnants of a protective clear lacquer. The		Collection] (1000/1500)
	<b>3</b>		Est. 1,000 - 1,500
	buttplate and barrel band have mostly toned to a silvery case-hardened	1094	Remington Model 1897 "Michigan Militia" Rolling Block Saddle Ring
	patina while the action parts remain mostly bright showing a little gray freckling. There is a crisp "B" struck at the left side breech and the	1094	Carbine
	Remington's Ilion tang address and patent dates remains intact and		30-40 Krag, 20 1/2" barrel with Metford rifling and an about good bore
	strong, some words having been lightly struck and the buttplate tang		showing scattered light pitting and oxidation throughout and otherwise
	shows a crisp rack number "23". The smooth walnut stocks remain in		strong rifling. The barrel of this handsome carbine retains about 85-90'
	very good plus condition showing a strong arsenal oil finish with some		original blue showing some overall thinning to gray patina and a small
	scattered light dings and a few mild abrasions from light military service.		patch of light pitting on the right side. The action shows attractive smol
	The left side wrist retains a very nice "HBH" inspector cartouche along		color case-hardening throughout with a healthy amount of vibrant color
	with large "TROOP "C" N. Y." The original sights and saddle ring		in the more protected areas along with some mild gray-brown freckling
	hardware are intact and the action seems to function well mechanically.		and toning to smooth silvery gray patina. The hammer, breechblock an
	An attractive NYS carbine that has obviously seen some light field use		action pins retain about 90% original blue showing some light freckling
	but was well-maintained. (13C9670-201) {ANTIQUE} [David & Lore		and moderate edge wear while the retainer plate and a number of the
	Squier Collection] (1000/1500)		screw heads retain strong bright fire blue. The barrel is marked "30
	Est. 1,000 - 1,500		U.S.A." and the Remington Arms Company address and patent dates
92	Remington Egyptian Contract Rolling Block Rifle Formerly of the		the tang remain strong. The smooth walnut stocks and handguard
	Remington Arms Co. Factory Collection		remain in very fine condition showing a strong arsenal oil finish along
	serial #61137, 43 Egyptian, 35 1/4" barrel with a bright near excellent		with a thin 1 1/2" crack at the tip, two tiny drying cracks behind the low
	bore showing one or two small specks of minor oxidation and strong		tang, some scattered light dings and handling marks. The left side of the
	rifling throughout. The metal surfaces of this rifle remain mostly armory		buttstock shows a stamped rack number "111", the original sling swive
	bright showing some scattered brown freckling along the bottom of the		and carbine sights are intact and the action seems to function well
	action and a bit more mild along the barrel also with a very small area of		mechanically. A very nice little carbine for the Remington collector.
	pinprick pitting along the left side receiver ring and some scattered		(13B9670-328) {C&R} [David & Lore Squier Collection] (1000/1500)
	handling marks. About half of the Remington address and patent dates		Est. 1,000 - 1,500
	are visible along the upper tang along with the familiar "U" stamps on	1095	British Webley MK VI Double Action Revolver
	the barrel bands and "B" on the left side breech. The rear sight		serial #372217, 455 Webley, 6" barrel with a mostly bright very good
	assembly retains about 95% original blue showing some light flaking and		plus bore showing some light pinprick pitting and frosting scattered
	edge wear, the slider spring and screw heads with nice brilliant fire blue.		throughout with otherwise strong rifling. The metal surfaces of this
	The smooth walnut stocks remain in very fine condition retaining most of		1918-dated revolver retain about 92% arsenal-refurbished rust blue
	their arsenal oil finish with a couple of very tiny holes on the right side		showing light overall high edge wear, minor thinning along the gripstra
	forend between the middle and front bands, a few scattered light dings		and some sparsely scattered mild freckling. Some of the screw heads
	and handling marks. The buttstock shows a small "20" stamped on the		show light slot wear and the latch spring is a more modern quality
	left side, "108" on the bottom left edge adjacent to the lower tang and		replacement. The original factory markings and military inspector star
	the original Remington factory brass tag is intact numbered "139". The		remain intact and mostly strong with some mild softening. The recoil
	rear sight base, barrel bands, cleaning rod and internal stock inlet are all		shield retains some mild straw color toning to a silvery patina and the
	stamp-numbered "11". The sling swivels, military sights and cleaning rod		backstrap shows a canceled unit marking "10.31 / 4H / 1". The black
	are intact, the rifle is equipped with a right-side saber bayonet lug and		checkered hard rubber grips remain in about good condition showing a
	the action seems to function well mechanically. A very nice example for		u-shaped crack forming into a light flake on either panel along the
	the Remington collector, likely retained by the factory as a prototype.		bases, moderate warping along the top edges of both panels and som
	(13B9670-254) {ANTIQUE} [David & Lore Squier Collection]		other light handling marks. The left side of the frame beneath the grip
			shows what appears to be a Webley refurbishment marking "WEBLEY
	(1000/1500)		RI / 1940" and the arm is stamped with post-war British export proofs
	(1000/1500) Est 1,000 - 1,500	I	
	(1000/1500) Est. 1,000 - 1,500		
	· ,		but does not appear to be import-marked. The barrel and cylinder are
	· ,		matching the frame and the cylinder remains in its original 455
	· ,		matching the frame and the cylinder remains in its original 455 chambering. Barrel-to-frame fit is excellent and the action seems to
	· ,		matching the frame and the cylinder remains in its original 455 chambering. Barrel-to-frame fit is excellent and the action seems to function well mechanically with solid timing and lock-up. A very nice
	· ,		matching the frame and the cylinder remains in its original 455 chambering. Barrel-to-frame fit is excellent and the action seems to function well mechanically with solid timing and lock-up. A very nice example of these iconic British military revolvers becoming increasing
	· ,		matching the frame and the cylinder remains in its original 455 chambering. Barrel-to-frame fit is excellent and the action seems to

1096	Scarce Engraved Remington-Rider Cartridge-Converted Pocket	] [	1099	British Webley MK VI Double Action Revolver
	Revolver			serial #155578, 455 Webley, 6" barrel with a bright very good plus bore
	serial #1723, 32 RF, 3" octagon barrel with a moderately oxidized bore			showing one small area of light oxidation and strong rifling throughout.
	showing scattered pitting and some good rifling throughout. The metal			The metal surfaces of this 1915-dated revolver have mostly toned to a
	surfaces of this revolver retain perhaps 90% original nickel finish			mottled gray patina mixing with areas of mild brown and showing some
	showing some overall light flaking that is toning to pewter gunmetal			scattered light handling marks. The recoil shield shows mild straw color
	patina that is blending nicely with the nickel also showing a little bit of			and the trigger, hammer and latch retain remnants of original black
	pinprick pitting along the cylinder face and some scattered light dings			enamel finish. The screw heads show light slot wear and all markings
	along the edges of the triggerguard and underside barrel. There are a			remain intact and strong showing proper military proofs along with
	few more moderate dings along the base pin head and back side of the			British commercial export proofs and no import marks. The black
	cylinder along with a small dressed area on the sideplate and the			checkered plastic grips are nice quality reproductions taking on
	cutouts for the cartridge rims have been enlarged somewhat. The screw			something of a blue-gray tone under bright light and remain in near
	heads show some light slot wear and the barrel address and patent			excellent condition showing a few light handling marks. There is a slight
	dates remain crisp and clear. The trigger retains a healthy amount of			gap at the top edge of the left panel but they otherwise fit the frame
	bright fire blue along the sides and the arm is factory embellished in			quite nicely. The latch spring shows a small crack forming at its bottom
	about 90% coverage with nice quality foliate scrollwork, punch-dot			rear leg and it is somewhat weak but this should be a relatively simple
	shading and light geometric motifs along the barrel, topstrap and behind			fix as replacement springs are available. Barrel-to-frame fit shows just a
	the hammer. The smooth mother-of-pearl grips are scratch-numbered to			hint of mild play, the barrel and cylinder are matching the frame and the
	the gun and remain in very good plus condition showing a few tiny chips			cylinder remains in its original chambering. The action seems to function
	along the corners of either panel, a couple small cracks and minor			well mechanically with solid timing and lock-up. This old warhorse shows
	handling marks with otherwise very nice fit to the frame. The cylinder is			a lot of character but remains a desirable example in its original
	assembly-numbered "293" while the cover plate is "470" and the action			chambering and may make for a good shooter. (13B9897-77) {C&R}
	will require a little mechanical attention as the hammer does not hold at			(1000/1500)
	full cock but double action seems to function well with very good timing			Est. 1,000 - 1,500
	and lock-up. This is a very nice example for the Remington collector,		1100	Harrington & Richardson Model 1880 C-Grade Boxlock Double Shotgun
	engraved Rider pockets with pearl grips are very seldom-seen.			serial #1182, 10 ga, 30" damascus barrels with bright very fine to near
	(13C9857-36) {ANTIQUE} (1200/1800)			excellent bores, the right barrel showing one very tiny ding and a hint of
	Est. 1,200 - 1,800			minor oxidation. The barrels of this attractive shotgun show strong
1097	Engraved Remington-Elliot Ring Trigger Pepperbox Pistol	1		swirling damascus patterns throughout toning mostly to a medium
	serial #4544, 32 RF, 3 3/8" four-barrel cluster with moderately oxidized			plum-brown patina with some scattered areas of old minor oxidation
	· · · · · · · · · · · · · · · · · · ·			
	bores still showing good rifling throughout. The metal surfaces of this			staining and spots of pinprick pitting about 4 1/2" back from the muzzle.
	factory-engraved pistol have mostly toned to a deep pewter gunmetal			The barrel rib is crisply marked with Harrington & Richardson's address
	patina showing scattered areas of mostly smoothed-over light pitting,			and the dolls head extension shows some nice tasteful engraving, the
	some remnants of old oxidation and handling marks. The arm was			bottom flat of the lug also with some nice diamond embellishments. The
	originally gold-washed likely over silver and there are still some			action retains about 90% vibrant case-hardened colors still retaining
	remnants of gold lurking about the inside of the frame, underside barrels			much of their protective lacquer with loss to due silvering and muting to
	and beneath the grips. The arm is embellished with fine quality foliate			a pleasant silvery gray patina along the high edges and bottom also with
	scrollwork with fine line detailing and punch-dot shading and a nice			a little minor freckling and pinprick pitting along the left fence. The action
	cross-hatched geometric pattern along the base of the grip. The			is embellished with light bordering and the water table is crisply marked
	embellishments have softened slightly in some areas but remain quite			"ANSON & DEELEY / PAT. FEB. 1. 1876." The top lever, bottom plate
	strong overall and the Remington maker markings and Elliot patents			and triggerguard retain about 75-80% original bright blue with most loss
	remain completely intact and legible. The pistol wears a set of lovely			due to flaking along the top lever and areas toning to a pleasant
	smooth antique ivory grips, no doubt original to the arm, that remain in			gray-brown patina overall. All screw heads are neatly engraved with
	very fine condition showing some scattered light handling marks and are			geometric patterns. The checkered round knob pistolgrip walnut
	taking on a fine rich patina also showing some nice age striations			buttstock and forend with hard rubber tip insert remain in near excellent
	throughout. The barrels are matching the frame showing some mild play			condition showing a very tiny chip at the rear corner on either side of the
	when closed and the action seems to function well mechanically. A solid			forend, a minor thin drying crack at the heel and some scattered light
	example of a rather scarce factory embellished Remington-Elliot with a			handling marks. The forend checkering shows a little bit of wear while
	nice pair of ivory grips. (13C9857-33) {ANTIQUE} (1000/1500)			the buttstock retains much of its original finish with crisp checkering, nice
	Est. 1,000 - 1,500			edges and excellent metal-to-wood fit. Length-of-pull is 14 1/8" with
1098	German P.08 Luger S/42 Pistol by Mauser	1		drops of 1 3/4" and 3 1/4". Lock-up is solid with the barrels showing the
	serial #5909n, 9mm, 4" barrel with a bright excellent bore. The metal			faintest sliver of light between breech and standing breech, the top lever
	surfaces of this 1939-dated pistol retain about 92% original blue with			rests slightly right of center and the action seems to function well
	most of the loss due to light high edge and operational wear, some			
				mechanically. These shotguns represent an important step in American
	scattered light handling marks and thinning along the gripstraps. The			arms manufacturing as they were the earliest boxlock double made in
	extractor and ejector have taken on the usual deep plum tone and all			the country with H&R's factory being directly instructed by Anson &
	markings remain crisp and clear with proper droop wing eagle firing			Deeley regarding their manufacture. Less than 2200 were manufactured
	proofs and "(Eagle) / 63" Waffenamts. The checkered walnut grips area			and their British heritage is certainly evident in the quality of
	stamp-numbered to the gun and remain in very fine condition showing a			construction. A very fine example that would make an excellent addition
	few lightly chipped points, some small spots of mild discoloration and			to any comprehensive shotgun collection. (13B9710-19) {ANTIQUE}
	their fit to the frame is excellent. The stock lug has been lightly			[The Richard Littlefield H&R Collection] (1000/1500)
	ground-off and the sights slightly modified, the rear sight neatly cut into			Est. 1,000 - 1,500
	a u-notch and the front sight with a small silver bead brazed on, the		1101	Harrington & Richardson Model 1873 Little Big Horn Trapdoor Carbine
	work fairly well-executed overall. All of the serialized parts are matching			serial #LBH1025, 45-70, 22" barrel with a bright excellent bore. The
	including the grooved firing pin and the action seems to function well			metal surfaces of this factory model 174 carbine retain about 99%
	mechanically. One original bright-bodied aluminum base magazine is			original blue and mild cyanide case-hardened colors perhaps showing
	, , , , , , , , , , , , , , , , , , , ,			
	included numbered "980i" with droop wing "(Eagle) / 63" Waffenamt. A			just a few scattered minor handling marks. The etched foliate
	very respectable S/42 Luger with some small state-side modifications.			embellishments remain intact with Federal Eagle and "U.S. /
	(13B9867-4) {C&R} (1000/1500)			SPRINGFIELD" on the lockplate. The smooth walnut stock remains in
	Est. 1,000 - 1,500	J		excellent condition retaining 99% original finish showing just a couple
				light handing marks. The saddle ring is intact along with the checkered
				steel pistolgrip and Vernier-style rear sight and the action seems to
				function well mechanically. An excellent example of these fine modern
				trapdoors as-made by H&R. (13A9710-18) {MODERN} [The Richard
				Littlefield H&R Collection] (700/900)
				Est. 700 - 900

		_		
1102	Harrington & Richardson Model 1873 Silver Trapdoor Carbine		1105	Rare Harrington & Richardson Lightweight Folding Single Barrel
	serial #SA55, 45-70, 22" barrel with a bright excellent bore. The metal			Shotgun
	surfaces of this factory model 172 carbine retain about 96% original			serial #5329, 28 ga, 21 3/4" barrel choked cylinder with a bright near
	silver finish taking on a slightly yellow-bronze tarnish overall and			excellent bore showing a little minor fouling and evidence of light
	showing some areas thinning slightly along the high edges and lower			machining where the choke was removed, the barrel possibly also
	tang along with some other mild handling marks. The front sight shows			÷
				shortened very slightly. The metal surfaces of the barrel retain about
	some light verdigris and a few of the screw heads show light slot wear			80% original blue showing scattered light oxidation staining, a spot of
	but this is rather unobtrusive. The metal surfaces are embellished with			light pitting nearer the breach and areas toning to plum-brown patina.
	light tasteful foliate scrollwork and with a rather stylized Federal Eagle			The frame retains about 65% contrasting cyanide color case-hardening
	and "U.S. / SPRINGFIELD" on the lockplate. The checkered select			showing scattered oxidation staining and areas toning to a mild brown
	walnut stock remains in near excellent condition retaining about 85%			patina. The left side of the frame is marked only with the H&R address.
	original varnish which shows wear along the grasping areas along with a			The smooth round knob pistolgrip walnut buttstock and forend remain in
	thin 4 1/2" scuff along the right side butt and some other scattered light			good condition with strong original varnish showing a tiny crack near the
	handling marks. The butt shows some nice subtle grain figure and the			upper tang and forend screw escutcheon, scattered light dings and
	checkering remains crisp. The saddle ring is intact along with the			handling marks. The black checkered H&R monogram hard rubber
	checkered steel pistolgrip and Vernier-style rear sight and the action			buttplate rates very fine showing a couple light dings and is not quite
	seems to function well mechanically. Included is the original			perfectly fitted. Barrel lock-up is solid and the action seems to function
	presentation case that rates very good plus showing some scattered			well mechanically. A very good example of the seldom seen 28 gauge
	overall light dings and scuffs along the lid and corners, the interior blue			folder that would make a nice addition to a smallbore enthusiast's
	baize lining backer has detached from the lid and shows some areas			repertoire. (13A9710-41) {C&R} [The Richard Littlefield H&R Collection]
	-			
	pulling up slightly but is otherwise intact and two keys are provided. A			(500/700)
	very nice example of the special silver-plated model which was made in	_		Est. 500 - 700
	very limited numbers. (13A9710-70) {MODERN} [The Richard Littlefield		1106	British Webley MK VI Double Action Revolver
	H&R Collection] (800/1200)			serial #437341, 455 Webley, 6" barrel with a bright excellent bore
	Est. 800 - 1,200			showing the faintest hint of mild frosting in the grooves and strong rifling
1103	Harrington & Richardson Model 1873 Officer's Model Trapdoor Rifle			throughout. The metal surfaces of this 1919-dated revolver retain about
	serial #7653, 45-70, 26" barrel with a bright excellent bore showing a			92% arsenal-refurbished matte blue showing some mild high edge wear,
	couple tiny scattered freckles and otherwise strong rifling throughout.			some light pitting along the edges and sides of the barrel and the
	The metal surfaces of this factory model 173 rifle retain about 98%			gripstraps and triggerguard toning slightly to a deep plum-brown patina.
	original blue and cyanide case-hardened colors showing a couple mild			The smaller parts retain strong arsenal black enamel finish and some of
	freckles along the barrel and a few light handling marks. The etched			the markings have softened somewhat from the refurbishment but
	foliate embellishments remain intact with Federal Eagle and "U.S. /			remain completely legible. The arm is not import-marked or British
	SPRINGFIELD" on the lockplate. The checkered walnut stock with alloy			export-proofed. The black checkered plastic grips are nice quality
	nosecap remains in excellent condition showing perhaps one or two tiny			reproductions taking on something of a blue-gray tone under bright light
	handling marks and crisp rifling. The hardwood cleaning rod is present			and remain in near excellent condition showing a few light handling
	and the rifle is sighted with Vernier-style rear sight, gold bead front and			marks and some slight gaps along the top edges. The breech face on
	the action seems to function well mechanically. Included is the original			this example has been relieved back a few millimeters likely to
	factory cardboard shipping box showing moderate edge wear,			accommodate 45 ACP on moon clips but a correctly-sized recoil shield
	Styrofoam insert with brass H&R centennial plate and blue factory			has been reinstalled to correct this, the cylinder otherwise remains
	pamphlet. (13A9710-72) {MODERN} [The Richard Littlefield H&R			unmolested in its original 455 chambering. The barrel and cylinder are
	Collection] (700/900)			matching the frame, the cylinder arsenal-renumbered to match, there is
	Est. 700 - 900			
				a small gap along the top between frame and topstrap but
1104	Harrington & Richardson Folding Single Barrel Shotgun			barrel-to-frame fit is solid and the action seems to function well
	serial #12346, 410 bore (3"), 22" barrel choked full with a bright			mechanically with excellent timing and lock-up. Given the features of this
	excellent bore. The barrel of this little shotgun retains about 96% original			example it seems mostly likely that is was arsenal-overhauled for
	blue showing some scattered areas thinning slightly to a mild gray patina			service in World War Two and then brought back to this country after the
	and perhaps a few other minor handling marks. The frame retains about			war and "gunsmith-converted" before being restored with a correct recoil
	90% contrasting cyanide color case-hardening mixing with a smooth			shield. This would account for the lack of import marks or export proofs
	pewter patina and showing a little minor scattered freckling. The top			and also the unusual method of cartridge conversion not seen on the
				-
	lever and triggerguard retain about 98% original blue and the left side of			later importer jobs. Still a very respectable example for the martial
	the frame is maker-marked along with "FOLDING" in large lettering. The			collector. (13B9897-76) {C&R} (1000/1500)
	smooth round knob pistolgrip walnut buttstock and forend remain in very			Est. 1,000 - 1,500
	good plus condition retaining about 92% original varnish which shows	I I	1107	Harrington & Richardson Line Throwing Gun with Case and Accessories
	spots of minor flaking along with a few scattered light dings and handling			serial #BR1389, 45-70 Blank, 14 1/2" smoothbore barrel with a bright
	marks. The black checkered H&R monogram hard rubber buttplate			excellent bore. The barrel retains about 97% original blue showing some
	remains in excellent condition. Barrel lock-up is solid and the action			scattered fine freckling and light handling marks. The frame retains a
	seems to function well mechanically. This model features a large cutout			similar amount of contrasting cyanide case-hardened colors showing
				• •
	on the underside of the forend to house the triggerguard when, as the			some silvering and light handling marks along the high edges. The left
	name suggests, the barrel is folded completely over to form a nice			side is crisply maker-marked and stamped "RE-ENFORCED BREECH".
	handy package. This example is quite nice and has seen only light use.			The smooth pistolgrip walnut stock and forend remain in very fine
	(13A9710-40) {C&R} [The Richard Littlefield H&R Collection] (500/700)			condition, the buttstock showing a mild abrasion along the right side and
	Est. 500 - 700			a few light dings. The red rubber recoil pad is intact showing light wear.
L	<u> </u>			The arm is fitted with a Naval Company, Inc. "Bridger" bracket / canister
				housing that remains like-new and the action seems to function well
				•
				mechanically. Included is a metal reinforced case painted black that
				rates very fine showing some light flaking, minor staining and handling
				marks. It is marked in large white paint stenciling "GPD" on the lid and
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941,
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters complete with lines, one measuring about 3 1/2" in diameter and the other 4 1/4", they show some scattered light oxidation staining and do
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters complete with lines, one measuring about 3 1/2" in diameter and the other 4 1/4", they show some scattered light oxidation staining and do not fit the more modern housing currently installed on the gun. The gun
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters complete with lines, one measuring about 3 1/2" in diameter and the other 4 1/4", they show some scattered light oxidation staining and do not fit the more modern housing currently installed on the gun. The gun itself will not fit into the case with the cannister attached. An attractive
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters complete with lines, one measuring about 3 1/2" in diameter and the other 4 1/4", they show some scattered light oxidation staining and do not fit the more modern housing currently installed on the gun. The gun itself will not fit into the case with the cannister attached. An attractive line throwing ensemble. (13A9710-69) (MODERN) [The Richard
				marks. It is marked in large white paint stenciling "GPD" on the lid and "LINE GUN" along the front. There is a small sticker on the bottom that seems to indicate the case was taken into inventory in September 1941, rather earlier than the gun itself. The leather handle shows some moderate wear and the catches remain intact. Included are ten brass rods, a key, hardwood winding spindle, eight 45-70 blank cartridges in original box that shows moderate wear overall and two canisters complete with lines, one measuring about 3 1/2" in diameter and the other 4 1/4", they show some scattered light oxidation staining and do not fit the more modern housing currently installed on the gun. The gun itself will not fit into the case with the cannister attached. An attractive

1108	British Webley MK VI Double Action Revolver	I F	1111	Manhattan Firearms Navy Model Percussion Revolver
	serial #292839, 455 Webley, 6" barrel with a bright excellent bore. The			serial #56116, .36 cal, 6 1/2" octagon barrel with a mostly bright very
	metal surfaces of this 1917-dated revolver retain perhaps 15-20%			good bore showing some scattered light oxidation, minor pitting and
	original blue strongest along the protected areas of the cylinder and			strong rifling throughout. The barrel of this fourth series revolver retains
	edges of the frame with the balance toned to gunmetal gray patina with			about 80% original bright blue showing overall flaking to pleasant
	remnants of old mild oxidation staining and light handling marks. The			gray-brown patina with some scattered light scuffs and small dings
	recoil shield retains most of its lovely straw color and the smaller parts			overall. The cylinder has mostly toned to a nice dark gray-brown patina
	show remnants of original black enamel finish. All markings remain			showing some light operational wear and a few small dings with
	intact and strong showing proper military proofs along with opposing			generous flakes of bright blue scattered about and the lovely cylinder
	broad arrows out-of-service stamp on the left side barrel. The arm is not			scene vignettes remain quite crisp and in very fine condition. The frame,
	stamped with any import marks or British export proofs. The original			hammer and tapered loading lever retain some vibrant case-hardened
	black checkered hard rubber grips remain in about very good plus			colors in the protected areas with otherwise strong silvery
	condition toning to a mild brown patina and showing some scattered			case-hardened patina throughout and some areas toning to mild brown
	light handling marks, very minor warping along the top edges and			along the frame and hammer. The backstrap and triggerguard have
	softened but visible broad arrow proofs. The barrel and cylinder are			taken on a nice rich ocher patina showing a number of light dings along
	matching the frame, barrel-to-frame fit is excellent and the action seems			the base and remnants of dark tarnished silver plating in the protected
	to function well mechanically with solid timing and lock-up. A very nice			areas. The sides of the trigger retain lovely bright fire blue, the screw
	example of these increasingly desirable and iconic British military			heads show light slot wear and the barrel address remains crisp. The
	revolvers. (13B9897-75) {C&R} (1000/1500)			smooth walnut grip is pencil-numbered to the gun and remains in very
	Est. 1,000 - 1,500			fine condition retaining about 95% original varnish showing a small chip
1109	Remington New Model Navy Percussion Revolver			at the top corner left side, some light dings along the bases and mild
1105	serial #25357, .38 cal, 7 3/8" octagon barrel with a partially bright good			
				flaking finish. The arbor shows a little bit of mild play, there is no breech
	bore showing some scattered spots of moderate oxidation, light pitting			spring plate present, the wedge is an un-numbered replacement and all
	and strong rifling throughout. The barrel and loading lever of this			of the remaining serialized parts are matching. The action seems to
	commercial revolver retain about 75-80% original bright blue with overall			function well mechanically with solid timing and lock-up. A fine
	light flaking to gray-brown patina and some light dings and mild old			Manhattan for the antique arms collector. (13B9833-68) {ANTIQUE}
	pitting scattered along the barrel. The frame and cylinder are mostly a			(1200/1800)
1	pleasant mottled gray-brown showing some scattered old pitting,			Est. 1,200 - 1,800
	perhaps a bit more moderate in a few areas nearer the breech and	-	1112	Remington New Model Army Percussion Revolver
	along the backstrap along with a small lightly dressed area along the			serial #51007, .44 cal, 8" octagon barrel with a mostly bright very good
	right side topstrap. There are a few flakes of original bright blue along			plus bore showing an area of rough moderate oxidation for about 2"
				nearer the breech and otherwise crisp rifling throughout. The metal
	the protected back edges of the frame and the base pin also retains			
	some faint hints of fire blue. The triggerguard has toned to an attractive			surfaces of this revolver retain perhaps 60-65% original bright blue with
	dark ocher tone showing some tarnished remnants of silver plate and			the cylinder mostly flaked to pewter gunmetal showing a small area of
	the hammer retains generous dark case-hardened colors throughout.			light pitting and a strong large patch of blue, overall flaking to
	There is a small "SS" stamped ahead of the loading lever catch on the			gray-brown patina, an area of dings along the right side frame that have
	barrel and the address and patent date remain crisp and clear. The			been lightly dressed and some scattered spots of old minor oxidation
	smooth walnut grips are pencil-numbered to the gun and remain in very			staining. The triggerguard has toned to a pleasant ocher patina, the
	fine condition showing a strong oil finish with a very tiny chip at the toe			hammer has mostly toned to a silvery pewter patina showing some
	of the right panel and some light dings along the edges. The cylinder is			remnants of smoky case-hardening and the trigger retains a few flakes
	un-numbered and the barrel and triggerguard are matching the frame.			of bright fire blue. The screw heads show light slot wear, there are
	The silver cone front sight is intact and the action seems to function well			strong sub-inspector stamps throughout and the barrel markings remain
	mechanically with solid timing and lock-up. A nice honest New Model			mostly crisp showing a few softened letters. The smooth walnut grips
	Navy for the Remington collector. (13B9857-12) {ANTIQUE}			are pencil-numbered to the gun and remain in very good plus condition
	(1000/1500)			showing strong oil finish along with a very thin 1 1/4" drying crack near
	Est. 1,000 - 1,500			the top of the right panel that goes largely unnoticed, some scattered
1110	Remington-Beals First Model Pocket Percussion Revolver			light dings and handling marks. The left panel retains a rather softened
	serial #702, .31 cal, 3" octagon barrel with a mostly bright good bore			but good inspector's cartouche. The silver cone front sight appears to be
	showing some scattered light pitting and oxidation with strong rifling			a later replacement, all of the serialized parts are matching and the
	throughout. The barrel of this fifth issue revolver retains about 60% plus			action seems to function well mechanically with solid timing and lock-up.
	original bright blue with the balance flaked to pewter gunmetal patina			
				(13B9833-78) {ANTIQUE} (1000/1500)
	showing some light dings or tool marks along the bottom from base pin	∣ ⊢		Est. 1,000 - 1,500
	removal. The cylinder has mostly toned to a pleasant gray-brown patina	'	1113	Colt Model 1851 Navy Percussion Revolver
	showing one small spot of light pitting, an area of shallow dings and			serial #114532, .36 cal, 7 1/2" octagon barrel with a partially bright about
	generous flakes of bright blue throughout. The frame has mostly toned			good bore showing some scattered areas of moderate pitting, light
	to pewter gunmetal patina showing a couple scattered pinprick pits and			oxidation and strong rifling throughout. The barrel of this 1861-made
	strong flakes of original bright blue in the protected corners. The			revolver has mostly toned to a silvery pewter patina showing evidence of
	triggerguard retains about 98% original silver finish taking on a lovely			an old cleaning with some remnants of pinprick pitting, some dings
	dark tarnish, the small parts show some nice pale fire blue throughout			mostly around the wedge on either side and the front sight is an older
	and the hammer shows nice smoky colors. The Beals patent marking on			replacement brass bead. The remaining metal surfaces are a darker
	the barrel and Remington maker markings along the topstrap remain			gray patina showing some scattered old light pitting and a few minor
	crisp and clear. The smooth black gutta-percha grip is stamp-numbered			dings. The screw heads show light slot wear and the New York barrel
	to the gun and remains in excellent condition toning slightly to a deep			address remains completely intact and actually quite crisp. The "COLTS
	brown patina and showing perhaps a couple minor handling marks. The			PATENT" on the frame also remains legible, the serial number on the
	silver cone front sight is intact, all of the serialized parts are matching			cylinder is crisp and the naval scene is rather faded with areas partially
	and the action generally functions well, the action does not advance on			visible. The backstrap and triggerguard have toned to a mild goldenrod
	one chamber but lock-up and timing is solid on the others. A very			patina showing some scattered light dings, handling marks and crisp
	attractive example of Remington's first revolver with some strong			serial numbers. The smooth walnut grip remains in very good plus
	condition. (13B9857-28) {ANTIQUE} (1000/1500)			condition showing mostly worn finish, some dings along the bases and
L	Est. 1,000 - 1,500			very thin gaps where it meets the frame. There is no visible ink number
				on the interior of the grip, the wedge is un-numbered and the remaining
				serialized parts are matching. The action seems to function well
				mechanically with solid timing and lock-up. Included is a Colt Industries
				factory letter indicating this revolver was shipped on October 16, 1861 to
				prominent retailer Schuyler, Hartley & Graham of New York City in a
				shipment of 100 guns. A very good Colt Navy for the antique arms
				collector. (13B9739-17) {ANTIQUE} (1000/1500)
		L		Est. 1,000 - 1,500

1114	Marlin Model 1893 Lever Action Rifle	1117	Starr Civil War Percussion Carbine
	serial #D2437, 30-30, 26" Special Smokeless Steel octagon barrel with		serial #1276, .54 cal, 21" barrel with a fair bore showing overall oxidation
	full magazine and a bright near excellent bore showing the faintest hint		and pitting with good rifling throughout. The metal surfaces of this
	of mild frosting in the grooves and strong rifling throughout. The barrel		carbine have mostly toned to a mottled dark plum-brown patina showing
	and magazine of this rifle retain about 95-96% original blue showing a		some scattered remnants of old light pitting and some light dings, an
	few small areas of fine pinprick pits that are toning to mild brown behind		area a bit more moderate along the top of the breechblock. The barrel
	the rear sight, a few small spots of old oxidation staining along the left		retains some dark patches of an arsenal quality rust blue and the action
	side rear magazine and some mild edge wear. The action retains a		shows some silvery gray streaks here and there. The brass barrel band
	similar amount of lovely vibrant case-hardened colors muting slightly to		and buttplate are a mild goldenrod patina showing a little bit of tarnishing
	silvery pewter mostly along the lever and showing remnants of		and some light dings. All markings remain completely intact and quite
	protective lacquer. The nosecap retains generous amounts of original		strong with the major components stamped with sub-inspector marks.
	blue thinning to gray and showing a small area of old oxidation staining		The smooth walnut stock and forend remain in good condition as lightly
	while the small action parts and buttplate retain about 95% original blue		refinished long ago having now darkened from the years showing a few
	showing some mild thinning. All markings remain intact with the		thin drying cracks around the tangs and forend tip, a few mild abrasions
	"MARLIN SAFETY" along the top of the action properly moved forward		and scattered light dings. There are some lightly scratched letters along
	to accommodate the Hepburn receiver sight screw holes. The plain		either side of the butt which are now mostly illegible. The saddle ring
	walnut stocks remain in about very good condition as lightly refinished,		and original sights are intact and the action seems to function well
	the buttstock showing a neatly repaired lengthy "W"-shaped crack about		mechanically. (13A9833-44) {ANTIQUE} (1000/1500)
	4" long on the left side behind the wrist emanating from the upper to		Est. 1,000 - 1,500
	lower tangs, some scattered smaller dings and light handling marks. The	1118	Fine Merwin, Hulbert & Co. Medium Frame Double Action Revolver
	rifle is sighted with standard sporting rear sight, large German silver		serial #24642, 38 CF, 5 1/2" ribbed round barrel with a partially bright
	blade front and the action seems to function well mechanically. A very		good bore showing scattered light pitting and oxidation with otherwise
	attractive 1893 with some lovely metal condition. (13B9833-17) {C&R}		strong rifling throughout. The metal surfaces of this revolver retain about
	(1200/1800)		96% original nickel finish with most of the loss due to some light flaking
	Est. 1,200 - 1,800		and toning to gray around the breech, flaking to mild gray-brown along
15	Marlin Model 1888 Lever Action Rifle		the bottom of the grip and some other tinier flakes and light handling
~	serial #24058, 38-40, 24" octagon barrel with full magazine and a		marks here and there. The hammer and trigger retain a similar amount
	partially bright good bore showing some scattered light pitting and		of vibrant case-hardened colors, the face of the trigger toning to a
	oxidation with strong rifling. The barrel and magazine tube of this rifle		smooth gray patina. The New York barrel address remains crisp and
	retain about 45% original blue strongest along the magazine and		clear as does the caliber designation on the left side frame and patent
	protected areas with the balance toned to a mild plum-brown patina also		date on the right side of the folding hammer spur. The smooth
	showing a few areas of old light pitting mostly along the left side		mother-of-pearl grips are un-numbered, the left panel rating very good
	magazine and some scattered light handling marks. The action retains		plus showing a neatly repaired thin crack through the escutcheon and
	about 60% original bright blue showing overall flaking to pleasant		some tiny chips along the back edge while the right panel rates near
	plum-brown patina, some tiny specks of old oxidation, scattered fine		excellent showing some mild handling marks and both panels retain
	scratches and some light damage around the screw holes. There is a		excellent fit to the frame. The barrel and cylinder are matching the
	very thin 1/4" stress crack on either side of the forward top frame corner,		frame, barrel-to-frame fit shows the slightest bit of side-to-side play and
	the screw heads show slot wear and a few screws are replacements.		the half cock notch is worn but the action otherwise seems to function
	The lever and hammer show some wisps of case-hardened colors in the		well mechanically in single and double action with solid timing and
	protected areas toning to a mix of mild gray and silvery case-hardened		lock-up. A very handsome example of these interesting revolvers with
	patina, the lever showing a small area of moderate pitting along the		the desirable bird's head grip and longer barrel. (13B9908-27)
	bottom. The loading gate retains strong bright blue, the sides of the		{ANTIQUE} (1000/1500)
	trigger retain a hint of fire blue and the barrel address remains crisp and		Est. 1,000 - 1,500
	clear. The plain walnut stocks remain in about very good condition	1119	Winchester Repeating Arms Co. Model 1894 Sporter Lever Action Rifle
	showing strong remnants of original varnish, a small hole just behind the		serial #01661ZM94A, 30-30, 24" half round half octagon barrel with full
	lower tang, some darkened areas along the wrist and overall light dings		magazine and a bright excellent bore. The metal surfaces of this
	with otherwise very nice metal-to-wood fit. The rifle is sighted with		Miroku-manufactured rifle retain 99% plus original blue while the
	standard sporting rear sight, a period replacement brass bead front and		checkered walnut straight grip stock with crescent buttplate and forend
	the action seems to function well mechanically. A very good example of		with laser-engraved "W" rate as-new with a very faint handling mark on
	these early low-production Marlin rifles. (13B9746-44) {ANTIQUE}		the left side of the buttstock. The rifle is equipped with a brass bead
	(1000/1500)		front sight, semi-buckhorn rear sight and a tang mounted safety.
	Est. 1,000 - 1,500		Included with the rifle is the original box, manual, knurled hammer
6	Savage Model 1899-F Saddle Ring Carbine		extension and cable lock with keys. This arm is as-new-in-box, dealer
	serial #93001, 38-55, 20" round barrel with a bright near excellent bore		stock, factory fired-only, and may have a very small rack or handling
	showing a hint of mild frosting and strong rifling throughout. The barrel		mark only. (23A9319-968) {MODERN} (1000/1500)
	of this carbine retains about 70% mostly original blue thinning and		Est. 1,000 - 1,500
	toning to a mild gray patina overall with some scattered light handling		
	marks and a couple small areas behind the rear sight that appear to		
	have been lightly touched-up long ago. The action retains about 80%		
	original bright blue showing some scattered fine scratches, handling		
	marks and thinning to gray patina. The lever is mostly toned to silvery		
	case-hardened patina showing a few small dings along its exterior		
	edges, a couple brown freckles and generous vibrant case-hardened		
	colors along the sides showing remnants of protective lacquer. The bolt		
	remains mostly bright showing a few gray freckles and the barrel		
	markings remain crisp and clear. The smooth walnut buttstock and		
	schnabel forend remain in very good condition, the buttstock showing a		
	thin 1 1/2" crack and a couple tinier cracks at the upper tang, some		
	moderate crazing varnish along the sides and some scattered light		
	dings. There is a vacant sling swivel hole along the toe line and the		
	buttplate, buttstock and forend are all stamp-numbered "110602" but are		
	of the correct style and fit well. The rifle is sighted with a Savage No. 21		
	adjustable rear sight (the windage adjustment knob is slightly bent and		
	does not traverse smoothly), German silver blade front sight and the		
	Loos not navelse smoothly, Gernall Silver blade nont signt and the		
	action seems to function well mechanically. An attractive example of		
	action seems to function well mechanically. An attractive example of these desirable Savage carbines. (13B9790-33) {C&R} [Bob Borcherdt		
	action seems to function well mechanically. An attractive example of		

Lot Title/Description

1120 Interesting Custom Swiss Rolling Block Schuetzen Rifle 1123 DSA Inc. Australian L1A1 Semi-Auto Rifle 41 Swiss RF, 31 1/2" barrel with a bright very fine bore showing a little serial #AD1224, 7.62 NATO, 24" barrel including flash hider with an minor oxidation in the grooves, a couple tiny pits nearer the muzzle and about very good lightly pitted bore with strong rifling throughout. This strong rifling throughout. This is an interesting rifle built on a desirable variant of the FAL is built on a DSA Inc. Australian pattern Remington-made action and otherwise with characteristically Swiss L1A1 receiver and an Australian L1A1 parts kit. The metal surfaces hardware. The barrel retains about 90% original blue showing some mild retain about 95% original Parkerized and black enamel finishes with the overall thinning to smooth gray patina along with a few tiny specks of old majority of the loss on the front of the handguards which show some oxidation staining and some minor handling marks. The action has high edge silvering and on the rear of the lower trigger housing which is mostly toned to a silvery pewter patina showing some scattered light toning to a plum patina behind the pistolgrip with some light high edge dings along the triggerguard and left side bottom edge, a few tiny pits and bearing surface wear and a few scattered spots of freckling overall. and some faint remnants of smoky case-hardening along the sides. The The correct green polymer carry handle rates very good plus with a few upper tang shows faded Remington markings and a drilled and tapped light handling marks. The rifle is equipped with Australian wooden mounting point for a period tang sight. The schuetzen-style buttplate handguards, pistolgrip with wood insert and buttstock with trap metal retains about 75% original blue toning to gray-brown and the rifle is buttplate which all rate surplus-excellent with a few scattered light equipped with a heavy duty nosecap and full-length cleaning rod handling marks from military service. The receiver is marked on the left retainer that have toned to pewter gunmetal showing some mild brown side with "RIFLE 7.62 MM L1A1" and with the DSA address on the right freckling. There is an extension plate behind the lower tang which while the lower trigger housing features "S R A" select fire markings with mounts a large European-style swivel and the forend is also fitted with a an "A" / Australian broad arrow ahead of the buttstock. The right side of large swivel. The smooth European walnut buttstock and forend remain the lower trigger housing is serialized "AD7003213" which initial in about very good plus condition retaining much of their original varnish research indicates was originally supplied to Kuala Lumpur. The bolt and showing overall light dings and handling marks commensurate with sand cut bolt carrier are electro-penciled to another rifle and match each honest use, some small areas darkened from the years and the toe a other with each showing military proof marks and both steel batch-coded little shy of the buttplate, the fit otherwise very good in the other areas. to 1964. The rifle is equipped with a flash hider with bayonet lug and the There is a German silver monogram plate set into the left side wrist that original military adjustable sights and is topped by a later added is neatly engraved with the initials "FB". The breechblock has been dustcover with integral mount for the included L2A2 Sight Unit Infantry Trilux (SUIT) 4x sight. The SUIT sight is in surplus-excellent condition converted from centerfire and equipped with a spring-loaded firing pin and the arm is equipped with Swiss-style rear sight, fine blade front and with a few light handling marks and slight high edge wear and features adjustable trigger (adjustment mechanism will require a little tinkering). an inverted post reticle with bright excellent optics. Sight is complete The action otherwise seems to function well mechanically. A very with right side identification sticker and excellent condition rubber eve attractive and nicely constructed rifle with classic Germanic styling cup. While the original Tritium illumination has long since faded, the right (13B9670-291) {ANTIQUE} [David & Lore Squier Collection] side 300/500 meter throw lever is fully functional and physically raises (1000/1500)the height of the scope when in the forward position. One 20-round Est. 1,000 - 1,500 metric pattern magazine is included and the action of this very nice 1121 Armal ite AR-180 Semi-Auto Rifle Australian L1A1 clone rifle appears to function well mechanically. serial #S3725, 5.56 NATO, 18 1/4" barrel with a bright excellent bore. (23A9787-6) {MODERN} (1200/1800) The metal surfaces of this Costa Mesa, CA-manufactured rifle retain Est. 1,200 - 1,800 about 97% original gray Parkerized finish with a few scattered areas of 1124 Springfield Armory Inc. M1A Semi-Auto Rifle light oxidation freckling, some light oxidation on the folding stock hinge, serial #128132, 308 Win, 22" barrel with a bright excellent bore. The some light silvering on the integral scope mount and a few minor metal surfaces of this M1A Standard Issue rifle retain about 97% original handling marks overall. The black synthetic folding buttstock, pistolgrip Parkerized finish with light high edge and bear surface wear and a few light handling marks toning to gunmetal gray. The smooth American and handguards rate very good plus to near excellent with a few scattered light handling marks. The rifle features a 180 degree safety walnut pistolgrip stock rates near excellent with a few light handling lever throw, the original military-style sights and sling swivels are intact, marks including a tiny dent on the front of the grip and on the comb and the rifle is equipped with a three-prong flash hider and bayonet lug and the grooved brown composite handguard rates excellent with a couple the stock locks up solidly in both the open and closed positions. tiny handling marks behind the handguard clip. The rifle is equipped with Included with the rifle are two factory 20-round aluminum magazines the original military-style sights, flash hider with bayonet lug, trap with baseplates marked "AR-18 / ArmaLite Inc.", two spare titanium buttplate with swing-up outer flap containing an oiler and five-piece firing pins and the original factory manual. Please see the Armalite 2 3/4 cleaning rod and four 20-round Parkerized steel magazines in excellent x 20mm scope and mount which mates perfectly with this rifle in the condition are included with one showing "1" stenciled in white paint on online auction. A very fine example of these collectable arms. the left side, another "3" and two magazines still sealed in their blue (23B9787-16) {MODERN} (1200/1800) plastic bags. Also included is an aftermarket manual titled M1A1 M-14 Est. 1,200 - 1,800 Do Everything Manual by M&M Engineering and the original factory box. 1122 ArmaLite AR-180 Semi-Auto Rifle An excellent condition Springfield M1A. (23A9830-35) {MODERN} [Dr. serial #S1602, 5.56 NATO, 18 1/4" barrel with a bright excellent bore. William C. Nugent Collection] (1000/1500) The metal surfaces of this desirable Costa Mesa-marked rifle retain Est. 1.000 - 1.500 1125 Smith & Wesson Model of 1955 Special Order Heavy Barrel Target about 98% original grav Parkerized finish with light high edge wear and some scattered light handling marks overall. The black synthetic Revolver handquards, "AR-18 / ArmaLite"-marked pistolorip and left-side folding serial #S159545, 45 ACP, 6 1/2" pinned barrel with an excellent bore. buttstock rate excellent with perhaps a faint handling mark or two. The This revolver was likely factory-ordered as a single-action-only revolver, rifle features a 90 degree safety lever throw, three-prong flash hider. looking down at the hammer from the top it does not appear that a bayonet lug, and the original sling swivels and military-style sights double action fly was ever installed. The metal surfaces retain perhaps remain intact including the folding dual aperture rear sight. The folding 98% original blue, there are some small blemishes and edge wear with a buttstock locks up very securely in both the open and closed positions few more moderate and unobtrusive marks inside the triggerguard. All and the top of the receiver is equipped with an integral base designed to appropriate parts are matching and the right-side of the barrel is marked interface with the Armalite 2 3/4 x 20mm scope and mount which is "45 CAL. MODEL 1955". The .500" target hammer and trigger are available in the online auction. One Colt-marked 20-round aluminum mostly dark with hints of case color and the revolver is correctly-sighted AR-15 magazine modified to be compatible with an AR-180 is included. with an adjustable black blade rear and a tall Patridge front. The This excellent condition AR-180 should be a welcome addition to your diamond checkered walnut grips with silver S&W medallions are collection. (23B9790-20) {MODERN} (1200/1800) numbered to a slightly-later gun and rate near excellent. An overall Est. 1.200 - 1.800 excellent Pre-Model 25 in a seldom-seen factory configuration. (22B9790-9) {C&R} [Bob Borcherdt Collection] (1200/1800) Est. 1,200 - 1,800

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

### Lot Title/Description

1126	Smith & Wesson Model of 1950 Light Barrel Target Revolver	]	1132	Winchester Model 71 Lever Action Rifle
	serial #S94272, 45 ACP, 6 1/2" pinned ribbed barrel with an excellent			serial #2440, 348 Win, 24" barrel with an excellent bore. The metal
	bore. The metal surfaces retain about 99% strong original blue, there is			surfaces of this 1936 long-tang rifle retain perhaps 98% original blue,
	some faint wear at the muzzle and some other tiny scattered blemishes.			there are some small areas of light concentrated freckling and some
	The .500" target hammer and trigger display nice case-hardened color.			other scattered blemishes with the balance of the blue remaining quite
	All parts are properly marked with matching serial and assembly			strong. The smooth walnut pistolgrip buttstock and capped forend are
	numbers. The diamond checkered walnut target grips with silver S&W			very good, a very light coat of varnish was added some time ago, there
	medallions are excellent and fit the large N-Frame perfectly. The target			are some tight cracks around the toe and there are scattered signs of
	sights consist of a micro-adjustable rear blade with white outline and a			handling and small blemishes to be expected of with a cared-for hunting
	tall Patridge front blade. A wonderfully-preserved early-50s target revolver. (22B9790-5) {C&R} [Bob Borcherdt Collection] (1200/1800)			arm. The rifle is factory-sighted with a sporting semi-buckhorn rear and a hooded bead front. A solid second-year production Model 71 in a
	Est. 1,200 - 1,800			wonderful state of preservation. (22A9808-25) {C&R} (1200/1800)
1127	Custom Colt Government Model Semi-Auto Pistol By Clark Custom	1		Est. 1,200 - 1,800
1121	serial #70G34742, 45 ACP, 6" barrel with an excellent bore. This is a		1133	Beretta Model 470 Silver Hawk Double Ejectorgun
	"LONG HEAVY SLIDE" customized by one of the world's most		1100	serial #S02490A, 12 ga, 26" barrels choked modified and full with
	well-known 1911 gunsmiths. The metal surfaces retain 99% Clark			excellent bores. The barrels retain 99% plus original blue. The engraved
	Custom blue, there are some faint underlying marks from the			satin chrome frame is excellent, there is a gold hawk on the lever, floral
	slide-lengthening, there are very faint Colt markings on the slide and the			motif around the fences, tight scroll and fine engine turned pattern on
	1973 Colt frame has been masterfully-stippled in Clark's unmistakable			the water table. The checkered walnut straight-grip buttstock and
	tiger tooth pattern. The slide is outfitted with a full-length Bo-Mar rib, it is			splinter forend are excellent, the figure is subtle but nice with hints of
	serrated and has an undercut Patridge front sight and a			fiddleback around the tip of the comb. Length-of-pull to the serrated hard
	partially-serrated adjustable rear sight. The fully-checkered walnut grips			rubber buttplate is 14 3/8" with drops of 1 3/8" and 2 1/4" and the butt is
	are excellent and feature a slight thumb rest on each side. Included is a			slightly cast-off. The single trigger is selective, there is a switch inside
	single Colt-marked magazine. A desirable long-slide from one of the			the forend for manual extraction or ejection (ejectors are strong) and the
	Masters. (22B9787-3) {MODERN} (1500/2500)			safety is automatic. A versatile Italian shotgun appearing virtually
	Est. 1,500 - 2,500	1		as-new. (22B9808-5) {MODERN} (1500/2500)
1128	Early Smith & Wesson Model 34 22/32 Kit Gun Revolver			Est. 1,500 - 2,500
	serial #66136, 22 LR, 4" pinned barrel with an excellent bore. This is a		1134	Kimber Super Match II Semi-Auto Pistol
	high-condition early flat latch Model 34 likely manufactured in the early			serial #K162497, 45 ACP, 5" barrel with an excellent bore. The
	60s. The metal surfaces retain 99% plus original blue and the service			"CUSTOM SHOP"-marked slide retains 99% original black KimPro finish
	hammer and trigger show some muted but nice case-hardened color.			with a couple minor handling marks and the matte-finished stainless
	The checkered walnut factory grips with silver S&W medallions are			steel frame is excellent. The checkered double diamond rosewood grips
	excellent and are numbered to the gun. The rear sight is an adjustable			are excellent. Pistol is equipped with an adjustable rear sight,
	blade with vertically-serrated base and the front is a serrated ramp. This revolver comes with the original good condition blue metal corner			ambidextrous thumb safety, extended flared mag well and grip frame and triggerguard underside are checkered. Included is the original
	two-piece factory box with matching end label and factory paperwork, it			factory hard case, two magazines with bumpers, wrench, lock and
	looks as though the warranty card was completed and sent to Smith &			factory paperwork. (22A9830-44) {MODERN} [Dr. William C. Nugent
	Wesson on 5-14-1963. (22B9769-40) {C&R} (1000/1500)			Collection] (1500/2000)
	Est. 1,000 - 1,500			Est. 1,500 - 2,000
1129	Desirable Colt Anaconda Double Action Revolver	1	1135	Scarce Winchester Deluxe Express Jaeger Over Under Double Rifle
	serial #MM44492, 45 Colt, 6" ventilated rib barrel with an excellent bore.			serial #AMSR-2E, 7x57 Mauser, 23 1/2" barrels with excellent bores.
	The stainless steel surfaces are excellent, there are a couple small			This is one of just 200 double rifles manufactured for Aero Marine in
	scattered blemishes. The checkered black rubber factory Pachmayr			Birmingham, AL, in 1984. The barrels retain near 99% original blue with
	"Gripper" grips with silver Rampant Colt medallions are near excellent,			a couple small handling marks on each side, crisp engraving on the
	there are some marks on the butt and the tips under the triggerguard			bolsters and tight engine-turned pattern on the ejectors and chambers.
	look to have been modified slightly. This 1993-manufactured revolver			The satin-finished frame is excellent and displays near 100% coverage
	has an adjustable square-notch white outline blade rear sight and a			crisp foliate pattern and scroll engraving with a whitetail buck and
	serrated ramp with red insert front sight. Included is the original blue			"JAEGER" on the belly, a pair of antelope left and a bighorn ram right.
	hard case and correctly-labeled shipping sleeve. The .45 Colt Anaconda			The checkered deluxe capped pistolgrip buttstock with left-side
	is a desirable and somewhat rare large Snake Gun, the bulk of			cheekpiece and forend with schnabel-style tip are near excellent with
	production was of course chambered in .44 Magnum. (22B9794-26)			scattered signs of handling, the hand-checkering remaining crisp and
	{MODERN} (2000/3000)			with very attractive feathercrotch grain figure running through both
	Est. 2,000 - 3,000	4		pieces of wood. The rifle is sighted with a flip-up white triangle rear, a tall
1130	Kimber Grand Raptor II Semi-Auto Pistol			brass bead front and a set of factory-supplied 1" German-style claw
	serial #K222942, 45 ACP, 5" barrel with an excellent bore. The slide			mounts are included. A great double rifle with interesting origins and
	retains 99% original blue and the matte and polished stainless steel			chambered in a cartridge known for its effectiveness at dropping game
	frame is near excellent. The rosewood grips with feather-style			animals both big and small. (22C9808-19) {MODERN} (2000/3000)
	checkering and Kimber logo are excellent. The Kimber night sights glow		1102	Est. 2,000 - 3,000
	a dull green, the partially-serrated rear blade is adjustable. The slide has		1136	Exceptional Winchester Model 61 Magnum Slide Action Rifle
	front and back claw-like "serrations", the thumb safety is ambidextrous			serial #343981, 22 Win. Mag. R.F., 24" barrel with an excellent bore.
	and the frontstrap has the same claw-like cuts. Included are two factory			This is a beautiful 1963-manufactured Model 61 in immaculate condition.
	8-round magazines and the original black hard case with paperwork and lock. (22A9808-64) {MODERN} (1000/1500)			The metal surfaces retain near 99% strong original blue with some faint
	IOCK. (22A9808-64) {MODERN} (1000/1500) Est. 1,000 - 1,500			thin marks from operation of the forend and only a few other tiny and unobtrusive blemishes scattered about. The bolt body remains bright
1131	Ust. 1,000 - 1,500 Winchester Model 23XTR Pigeon Grade Double Ejectorgun	4		and is virtually unmarked. The smooth walnut pistolgrip buttstock with
	serial #PWK009089E, 12 ga, 28" ventilated rib barrels choked modified			checkered hard rubber later-added buttplate and 17-groove flat-bottom
	and full with excellent bores. The barrels retain near 99% original blue			forend are excellent with just a hint of varnish added to the forend many
	with some light handling marks and a small white bead mid-rib and a			years ago and the buttstock very slightly and expertly cleaned. The
	large white bead front. The coin-finished and engraved frame is			receiver is grooved for rimfire rings and the correct factory sights are
	excellent with areas of tight foliate scroll and a pigeon on the belly. The			present. A top-notch investment-quality Winchester slide rifle for the
	checkered round-knob pistolgrip buttstock and beavertail forend are			serious collector. (22D9789-38) {C&R} (2000/2500)
	near very good, there are some small impact and handling marks and			Est. 2,000 - 2,500
	there is a 4" area along the toeline where the finish contacted something			
	very hot. The wood is structurally-sound with the wraparound checkering			
	still-crisp and showing some very nice figure particularly around the toe.			
1	Shotgun features strong ejectors, a nice engine-turned pattern on the			
		1		
	water table, a single selective trigger and an automatic safety.			
	water table, a single selective trigger and an automatic safety.			

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

## Lot Title/Description

1137	Kimber Team Match II Semi-Auto Pistol	114	1 Unmarked Austrian Scalloped Boxlock Drilling
1137		114	
	serial #K139894, 45 ACP, 5" barrel with an excellent bore. The		serial #15182, 12 ga. x 222 Rem, 25 3/4" Bohler Stahl barrels choked
	satin-finished stainless steel surfaces are excellent with tight 30 LPI		full in both with excellent bores. The metal surfaces retain 99% original
	checkering on the grip frame. The checkered double diamond green and		blue with some light handling marks, there is some nice foliate scroll
	red laminate grips with USA Shooting team medallions are excellent.		engraving a detailed oak leaf motif around the fences. The rifle barrel is
	This pistol is identical to the one used by the 2004 Olympics Rapid Fire		stand-alone retained by ferrules without side ribs and has expertly hole
	Team, it is equipped with an adjustable serrated blade rear sight, a		that may act as a muzzle brake. The checkered walnut capped pistolgr
	serrated front sight, a beveled extended mag well, an ambidextrous		buttstock and forend are near excellent with some older small fabric
	thumb safety and a match trigger. Included is a single unmarked		marks from storage and a touch of added finish, the horn buttplate is
	magazine with J&J bumper and a black factory hard case with wrench,		excellent and there is some nice checkering on the cheeks. The rear
	paperwork and lock. (22A9896-41) {MODERN} (1000/1500)		flip-up sight actuates as it should when the rifle barrel is selected and
	Est. 1,000 - 1,500		there is a small brass sight that looks to be missing its bead. The
1138	Beretta Model 686 Silver Pigeon Over Under Ejectorgun		barrels, frame and interior forend metal are all marked with matching
	serial #U50326B, 28 ga., 28" screw-choke ventilated rib barrels with		serial number, the date code "2430-67" is marked on the frame and rifl
	excellent bores. The barrels retain 99% plus original blue and the trigger		barrel lug. The gun is equipped with double triggers, Greener-style cro
	retains all its original gold plate. The engraved coin-finished frame is		bolt and safety and there is a thin sliver of light visible at the fences
	excellent with crisp geometric patterns and borders and splashes of		however lock-up is tight. (22A9868-2) {C&R} (1000/1500)
	loose and tight scroll throughout. The checkered walnut pistolgrip		Est. 1,000 - 1,500
	buttstock and forend are excellent with some very minor handling marks	114	2 Winchester Model 61 Slide Action Rifle
	associated with light field use, the figure is nice with subtle grain		serial #339287, 22 S, L, LR, 24" barrel with an excellent bore. The met
	variation when manipulated in the light. The length-of-pull is 14 3/8" with		surfaces retain near 99% original blue, there are just a couple small
	drops of 1 3/8" and 2 5/8", the safety is automatic, the chambers are 2		blemishes scattered about with the bolt body remaining bright. The
	3/4", the ejectors are robust and the trigger is single selective. Included		smooth walnut buttstock and 17-groove forend are very good plus to
	is the original factory hard case with paperwork, factory multi-tool/choke		near excellent with a couple shallow impact marks on each side of the
	wrench and five choke tubes: full, improved modified, modified,		wrist and an excellent condition WRAC-marked checkered hard rubber
	improved cylinder and cylinder. An attractive smallbore Beretta in overall		buttplate. The front sight is a Lyman gold bead, the rear is an adjustable
	excellent condition. (22C9830-15) {MODERN} [Dr. William C. Nugent		white diamond flat-top sporting sight. A solid Model 61 manufactured in
	Collection] (1500/2000)		1962. (22A9779-2) {C&R} (1000/1500)
	Est. 1,500 - 2,000		Est. 1,000 - 1,500
1139	Udo Anschutz Scalloped Boxlock Merco Drilling	1143	3 Smith & Wesson Third Model 44 Hand Ejector Revolver with Providence
	serial #3366, 16 ga. x 8x57JR, 26 3/4" Krupp-Stahl barrels choked full in		P.D. Markings
	both with excellent bores. The barrels retain perhaps 90% original blue		serial #38892, 44 Special, 5" tapered barrel with an excellent bore. This
	with even fading to pewter along the sides and three very shallow dings		1932-made revolver was returned to the factory in March 1965 and was
	mid right tube and some faint freckling and handling marks, the rib is		refurbished. The metal surfaces retain about 90% plus factory reapplied
	marked "UDO ANSCHUTZ ZELLA – M.I.". The scalloped frame with		blue with the backstrap and other areas of the grip frame toning to
	pin-style cocking indicators retains nice remnants of dark color		brown in addition to scattered freckling, moderate loss on the barrel,
	case-hardening in the protected areas with hints of straw and blue		high edge wear and handling marks. The service trigger and hammer
	throughout, there is some very mild freckling and carry wear to gunmetal		have strong fading case-hardened colors with the side of the trigger an
	on the belly. The metal surfaces, including the cartridge trap along the		its face toned to brown, the hammer spur is toned to gray with
	toeline, grip cap and forend metal, are intricately-engraved with crisp		operational wear. The un-numbered diamond checkered walnut Magna
	tight scroll, nice matting along the top of the fence and a bellowing stag		grips with silver S&W medallions rate about good with moderate wear
	with hind on the belly. The checkered walnut capped pistolgrip buttstock		the lower section of the right panel plus handling marks. The gun
	with left-side shadowline cheekpiece and forend are near excellent with		features fixed sights, had a later factory added lanyard loop installed or
	a chip at the horn buttplate's toe, a small filled area near the base of the		the butt obscuring the serial number which is re-stamped on the inside
	top tang on the right and two small filled areas at the tip of the forend,		of the grip frame, "P.P.D. 2" stamped on the backstrap, the front left
	easily missed and forgotten when one notices the attractive burl grain		edge of the triggerguard has been relief-cut during the period of use
	figure near the buttplate, excellent condition horn triggerguard and small		possibly for greater clearance when using an Audley holster. Timing an
	ebony diamonds inlaid at the tips of the cheeks. The flip-up rear rifle		lock up are good but one chamber is slightly out of time, all appropriate
	sight works flawlessly when that barrel is selected, there is a		parts are correctly numbered to the gun, the front sight serrations were
	Greener-style safety and crossbolt closure, barrels are on-face and tight		cut deeper and the rear sight notch opened. The gun has seen honest
	and the forward trigger is adjustable. A solid drilling from a well-known		use over the years but would be a great addition for the police firearms
	German maker. (22C9868-1) {C&R} (1200/1800)		collector. (8B9735-43) {C&R} (1000/1500)
	Est. 1,200 - 1,800		Est. 1,000 - 1,500
1140	U.S. Repeating Arms Co Model 94 High Grade Centennial Lever Action	114	4 Winchester Repeating Arms Co. Model 1894 Lever Action Short Rifle
	Rifle		serial #01056ZZ94V, 30-30, 20" plain barrel with an excellent bore. The
	serial #CNL2079, 30 WCF, 26" half octagon half round barrel with an		metal surfaces of this Miroku produced short rifle retain 99% original
	excellent bore. The metal surfaces retain 99% plus deep original blue		blue. The smooth straight grip walnut buttstock rates excellent and
	and have been roll-marked with Winchester's No. 6 pattern with tight		features a checkered synthetic rifle buttplate with Winchester logo. The
	scroll, gold inlaid borders and game scenes with gold animals, a		smooth walnut forend rates excellent and features a steel forend cap.
	whitetail right and a bighorn sheep left. The high-gloss checkered walnut		The rifle also features a brass bead front sight and step adjustable rea
	capped pistolgrip buttstock and metal-capped forend are excellent plus,		sight. The rifle includes the original factory box that is correctly end
	the figure is fantastic in each piece and the checkering has been done in		labeled and numbered to the gun, hammer extension, cable lock with a
	Winchester's F-style. Rifle is equipped with a tang-mounted peep sight,		pair of keys, manual and paperwork. This arm is as-new-in-box, deale
	a white triangle sporting rear barrel sight and a brass bead front. This		stock, factory fired only, and may have very small rack or handling
	rifle is one of just 3,000 produced to commemorate the 100th year of the		marks only. (8A9319-963) {MODERN} (1000/1500)
	The is one of just 3,000 produced to commentionate the rooth year of the r		
	Model 1894, the barrel is simply-marked "1894-1994'. (22B9746-64) (MODERN) (1200/1800)		Est. 1,000 - 1,500

4445				
1145	Smith & Wesson Model SW1911TA Semi-Auto Pistol	1	149	Custom Ruger New Model Blackhawk Revolver by Bowen Classic Arms
	serial #UCY3562, 45 ACP, 5" barrel with an excellent bore. This			Corporation
	beautiful E-series pistol has many desirable factory-provided 1911			serial #47-50407, 45 Colt, 4 5/8" barrel with an excellent bore. This
	features. The stainless steel surfaces rate excellent. The factory			revolver has a number of custom touches by master revolversmith
	hardwood grips feature a combination of checkering in the center with a			Hamilton Bowen. The stainless steel surfaces rate excellent with light
				÷
	thin smooth border flanked by wedges of scallops with the tops and			handling marks. The smooth grips are replacement stag stocks by Ajax
	bottoms smooth. The center of the grips has a diamond with an "E" laser			showing light bark at the butt end of each panel and rate excellent, the
	engraved and both panels rate excellent. Some of the features include:			grip frame is proud in a few areas. The revolver has a number of
	three dot Novak's Trijicon night sights that still glow, long trigger with			standard and custom features including: a serrated ramp front sight, fully
	overtravel stop, checkered frontstrap, checkered flat mainspring			adjustable rear sight, replacement knurled locking base pin, custom
	housing, ambidextrous extended thumb safeties, equipment rail on the			unfluted cylinder by Bowen, action work, trigger job and the throat
	dust cover, full length guide rod, beavertail safety with memory pad,			checked and honed. As you would expect, timing and lock up are
	checkering on the rear of the slide, scalloping in lieu of serrations on the			excellent plus the gun has a certain smoothness you do not experience
	front and back of the slide, beveled magazine well, external extractor			in stock Blackhawks. An invoice with the firearm shows the work
	and the top of the slide is serrated to reduce glare. It includes the			performed in August, 1998 and it also includes an unmarked Ruger box.
	original factory hard case that is correctly end labeled and numbered to			A great investment with potential for the collector, handgun hunter, or as
	the gun, a pair of Wilson Combat magazines, bushing wrench, cable			a highly reliable gun for bear country. (8A9808-66) {MODERN}
	lock with a pair of keys, fired case, manual and paperwork. This arm is			(1000/1500)
	as-new-in-box, dealer stock, factory fired only, and may have very small			Est. 1,000 - 1,500
		1	150	
	rack or handling marks only. This is an out-of-the-box competition ready	1	150	Korth Sport Model Double Action Revolver
	pistol that can also fulfill many other shooting needs. (8A9319-844)			serial #25052, 22 LR, 6" ventilated rib barrel with an excellent bore. This
	{MODERN} (1000/1500)			lovely revolver was made in Ratzeburg, Germany and has a 1969 dated
	Est. 1,000 - 1,500			proof mark. The metal surfaces retain about 98-99% original blue finish
4440				
1146	Smith & Wesson Model SW1911 Pro Series Semi-Auto Pistol			showing scattered slight edge wear, a few thin minor scratches on the
	serial #UCV8015, 45 ACP, 5" barrel with an excellent bore. This lovely			sideplate that normally would not warrant mention and light turn ring.
	two-tone pistol has enhanced features making it ideal for carry,			The service trigger and target hammer have bright sides with matte blue
	competitive shooting and range use. The metal surfaces of the frame			
				on the spur and trigger face. The right-hand target grips are unmarked
	retain about 99% original black Melonite finish and the stainless steel			but are finely crafted featuring stippled surfaces, fixed palm rest, finger
	surfaces rate excellent. The factory RoCo walnut grips feature a "digital"			and thumb rest and light soiling in the palm swell but excellent condition
	style texturing and remain in excellent condition. Features of the gun			overall. The revolver features a Patridge front sight, black blade
	include Novak's adjustable three dot fiber optic sights, long trigger with			adjustable rear sight, exposed ejector rod and push button quick release
	overtravel stop, checkered frontstrap, checkered flat mainspring			cylinder latch mounted on the frame next to the hammer. As you would
	housing, ambidextrous extended thumb safeties, beavertail safety with			expect from a fine precision instrument like this, timing and lock up are
	memory pad, front and rear serrations on the slide, beveled magazine			excellent. Many consider Korth revolvers the finest in the world with
				-
	well and external extractor. It includes the original factory hard case that			approximately 70% of the manufacture time dedicated to hand work.
	is correctly end labeled and numbered to the gun, a pair of factory			(8A9712-12) {C&R} (4000/6000)
	magazines, Allen wrench, fired case, cable lock with a pair of keys,			Est. 4,000 - 6,000
			151	FNH USA Model PS90 TR Semi-Auto Carbine
	manual and paperwork. This arm is as-new-in-box, dealer stock, factory	'	151	
	fired only, and may have very small rack or handling marks only.			serial #FN043632, 5.7x28mm, 16" barrel with an excellent bore. The
	(8A9319-838) {MODERN} (1000/1500)			metals surfaces of this bullpup carbine retain about 97-98% original
	Est. 1,000 - 1,500			Parkerizing and enamel finishes showing handling marks. The polymer
4447				
1147	Hammerli Model 208 International Semi-Auto Pistol			one-piece pistol grip olive drab stock and thin rubber buttplate rate near
	serial #G38705, 22 LR, 5 7/8" heavy barrel with an excellent bore. The			excellent with light handling marks. This version of the PS 90 features
			I	
				• •
	metal surfaces retain about 97% original blue showing scattered light			three picatinny rails and forward sling loop. The pistol includes a single
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and			three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal
	metal surfaces retain about 97% original blue showing scattered light			three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800)
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and			three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest,	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800)
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800)	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of
	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800)		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features luly adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. A fine pistol for a	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is correctly end labeled and numbered to the gun, a pair of factory
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. A fine pistol for a variety of shooting sports. (8A9712-4) {MODERN} (1800/2200)		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is correctly end labeled and numbered to the gun, a pair of factory magazines, cable lock with a pair of keys, manual and paperwork. A
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. A fine pistol for a	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is correctly end labeled and numbered to the gun, a pair of factory
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. A fine pistol for a variety of shooting sports. (8A9712-4) {MODERN} (1800/2200)	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5' barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is correctly end labeled and numbered to the gun, a pair of factory magazines, cable lock with a pair of keys, manual and paperwork. A
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. A fine pistol for a variety of shooting sports. (8A9712-4) {MODERN} (1800/2200)		152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is correctly end labeled and numbered to the gun, a pair of factory magazines, cable lock with a pair of keys, manual and paperwork. A beautiful competition ready 1911 that can easily transition into other shooting or defensive roles. (8A9830-61) (MODERN) [Dr. William C.
1148	metal surfaces retain about 97% original blue showing scattered light high edge wear, silvering on the serrated frontstrap from use and handling marks. The stocks are a beautiful set of unmarked walnut target grips that feature stippled gripping surfaces, adjustable palm rest, finger and thumb rest that rate excellent. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. The Hammerli Model 208 pistols are excellent for competition. (8A9712-5) {MODERN} (1200/1800) Est. 1,200 - 1,800 Hammerli Model 215 Semi-Auto Pistol serial #G66176, 22 LR, 5 7/8" heavy barrel with an excellent bore. The metal surfaces retain about 99% original blue finish showing scattered light handling marks. The finely crafted unmarked stippled walnut grips rate excellent and feature adjustable palm, finger and thumb rest. One of the owners inked his initials "GW" on the butt of the left panel. The pistol features a Patridge front sight, bridge mounted adjustable rear sight, finely ribbed along the top of the barrel to reduce glare, adjustable trigger and slide lock. It includes a single factory magazine with extended floorplate and attached factory barrel weight. A fine pistol for a variety of shooting sports. (8A9712-4) {MODERN} (1800/2200)	1	152	three picatinny rails and forward sling loop. The pistol includes a single fifty-round polymer magazine. This gun will fill the role of personal defense or various shooting sports. (8A9796-4) {MODERN} (1200/1800) Est. 1,200 - 1,800 Sig Sauer Model 1911 GSR Revolution STX Semi-Auto Pistol serial #GS13759, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol retains about 99% original black Nitron finish on the slide and features bright highlights in the bottoms of the slide grooves and a bright textured flat on the top of the slide. The stainless steel surfaces of the frame rate excellent with a few handling and assembly marks. The smooth walnut grips are engraved with "SIG SAUER" and show a few light handling marks but rate excellent overall. The gun features fully adjustable rear sight and semi-ramp front sight with "dot the bar" Siglite sights that no longer glow, ambidextrous speed safeties, beavertail grip safety with memory bump, checkered frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, series 80 style firing pin block, magazine well funnel and the side of the slide is marked "SIGARMS CUSTOM SHOP". Barrel to frame fit is tight and the trigger pull is quite nice. The pistol includes the factory hard case that is correctly end labeled and numbered to the gun, a pair of factory magazines, cable lock with a pair of keys, manual and paperwork. A beautiful competition ready 1911 that can easily transition into other

<b></b>		, ,		
1153	Smith & Wesson Model SW1911 Pro Series Semi-Auto Pistol		1157	Colt Third Generation Single Action Army Revolver
	serial #UCY5305, 9mm, 5" barrel with an excellent bore. The stainless			serial #S36936A, 38-40 W.C.F., 4 3/4" barrel with an excellent bore.
	steel surfaces of this lovely pistol remain in excellent condition. The			This fine gun appears to be as new in the box and remains in delightful
	grips are factory provided RoCo wood grips with "digital" style texturing			condition. The metal surfaces retain about 99% plus original blue finish
	that rate excellent. This pistol features a dovetailed semi-ramped			with beautiful case-hardened colors present on the frame. The grips are
	serrated front sight, fully adjustable S&W marked "Bo-Mar" style rear			checkered synthetic with a Rampant Colt in an oval at the top and
	sight, pinned external extractor, sculpted slide, beavertail grip safety with			Federal Eagle on the butt of each panel. They remain in excellent
	memory bump, checkered frontstrap, checkered flat mainspring housing,			condition and are numbered to the gun. All appropriate parts on this
	magazine well funnel, long trigger with overtravel stop, ambidextrous			2004-manufactured revolver are numbered to the gun and it still times
	extended thumb safeties, fully supported chamber and finger relief cut			and locks up as good as the day it left Colt. It includes a factory blue
	under the triggerguard for a higher grip to name some of the desirable			cardboard box with shipping sleeve that is correctly end labeled and
	features. Barrel to frame fit is tight and it has an excellent trigger pull. It			numbered to the gun, cable lock with a pair of keys, manual and
				paperwork. This gun is one number off its identical twin that follows it. A
	includes the original factory hard case that is correctly end labeled and			
	numbered to the gun, a pair of Wilson Combat magazines, bushing			great gun for the collector. (8A9746-4) {MODERN} (1500/2000)
	wrench, cable lock with a pair of keys, fired case, manual and			Est. 1,500 - 2,000
	paperwork. This arm is as-new-in-box, dealer stock, factory-fired only,		1158	Colt Third Generation Single Action Army Revolver
	and may have a very small rack or handling mark only. A beautiful gun			serial #S36938A, 38-40 W.C.F., 4 3/4" barrel with an excellent bore.
	ready for competition right out of the box. (8A9319-837) {MODERN}			This gem appears to be as new in the box and remains in wonderful
	(1200/1800)			condition. The metal surfaces retain about 99% plus original blue with a
	Est. 1,200 - 1,800			few miniscule handling marks, no discernable turn ring on the cylinder
1154	Smith & Wesson Model SW1911 Pro Series Sub-Compact Semi-Auto	1		and the frame retains vigorous case-hardened colors. The grips are
	Pistol			checkered synthetic with a Rampant Colt in an oval at the top and
	serial #UFC1691, 9mm, 3" barrel with an excellent bore. The frame			Federal Eagle on the butt of each panel. The grips remain in excellent
	retains about 99% original anodized finish with a few diminutive handling			condition and are numbered to the gun. All appropriate parts are
	marks. The stainless steel slide has bright sides that rate excellent with			numbered to the gun and it still times and locks up as good as the day it
	99% remaining black finish on the top and bottom. The laminated walnut			left Colt in 2004. It includes a factory blue cardboard box with shipping
	factory grips rate excellent and feature a diamond in the center with a			sleeve that is correctly end labeled and numbered to the gun, cable lock
	triangle shaped wedge of checkering above a triangle shaped wedge of			with a pair of keys, manual and paperwork. This gun is one number off
	scales, the rest is smooth. The pistol is equipped with three dot Novak's			its identical twin that precedes it. If you have longed for a brace of Colt
	style sights, pinned exterior extractor, beavertail grip safety with memory			six-guns it would be hard to beat these two striking Single Action Army
	bump, serrated frontstrap, checkered flat mainspring housing, beveled			revolvers. (8A9746-5) {MODERN} (1500/2000)
	magazine well, long trigger with overtravel stop, extended thumb safety			Est. 1,500 - 2,000
	and finger relief cut under the triggerguard for a higher grip. It includes		1159	Colt 125th Anniversary Single Action Army Revolver
	the original factory hard case that is correctly end labeled and numbered			serial #5971AM, 45 Colt, 7 1/2" barrel with an excellent bore. This lovely
	to the gun, a pair of Act-Mag magazines with removable floorplates,			commemorative revolver retains about 99% royal blue and gold plate
	cable lock with a pair of keys, a pair of spare recoil springs, manual and			with a small screwdriver mark around the edge of the bolt and trigger
	paperwork. This arm is as-new-in-box, dealer stock, factory-fired only,			screw hole and a few minor handling marks. The grip frame, hammer,
	and may have a very small rack or handling mark only. (8A9319-821)			trigger, ejector rod head, grip screw and base pin have beautiful gold
	{MODERN} (1000/1500)			plate to highlight the rich royal blue finish. The smooth walnut factory
	Est. 1,000 - 1,500			grips with gold Rampant Colt medallions are numbered to the gun and
1155	Smith & Wesson Performance Center Model 952-2 Semi-Auto Pistol	-		remain in excellent condition. The left side of the barrel is marked
1100	serial #PCZ0460, 9mm, 5" barrel with a bright excellent bore. This			"-125th ANNIVERSARY S.A.A. MODEL .45 CAL" in addition to the
	-			
	precision Performance Center pistol remains in lovely condition. The			normal factory markings. The revolver is displayed in a hardwood
	sides of the frame and flats on the slide are bright stainless steel, the			presentation case with French fitted red crushed velvet lining. The case
	remainder a pleasing matte, all in excellent condition. The grip safety is			rates very good to excellent on the exterior with light storage marks and
	black anodized finish and the controls are matte black making a nice			a moderate ding on the cover, the interior rates excellent. The gun
	contrast with the stainless steel. The checkered walnut factory grips			includes a single two-sided Colt coin celebrating the 125th anniversary
	have the S&W logo laser etched into each panel and rate very good to			on one side and Colt logos on the other with the dates "1836 / 1961". A
	excellent showing scattered handling marks, mostly on the top of the			tastefully adorned Second Generation Single Action Army in excellent
	right panel. The pistol features a dovetailed Patridge front sight, black			unfired condition. (8A9740-19) {C&R} (1000/1500)
	blade adjustable Bo-Mar style rear sight, grip safety, excellent trigger			Est. 1,000 - 1,500
	pull, slide mounted hammer block and the fit of the barrel and slide to		1160	Colt Alamo Commemorative Single Action Army Revolver
	the frame is superb. The gun includes the original Performance Center			serial #690A45, 45 Colt, 5 1/2" barrel with an excellent bore. A beautiful
	locking aluminum gun case with shipping sleeve that is correctly end			1967-manufactured commemorative in unfired condition featuring deep
	labeled and numbered to the gun, a single factory magazine, fired case,			royal blue finish and lustrous gold plate. The metal surfaces retain about
	cable lock with a pair of keys, manual and paperwork. The Model 952			99% original royal blue on the barrel, frame and ejector rod housing.
				The grip frame and cylinder are covered in gold plate, the blue finish
	series replaced the venerable Model 52 but the 9mm chambering			
	provided so much more versatility than the 38 wadcutters in a wide			further highlighted with gold plate on the screws, hammer, ejector rod
	range of shooting sports. Excellent condition, superb accuracy, limited			and base pin, these surfaces retaining 99% showing a few minor
	production and fine investment best describe this gun. (8B9847-8)			handling marks. The factory chose to leave the cylinder unfluted for a
	{MODERN} (2500/3500)			distinct Dragoon look. The un-numbered grips are faux ivory that have
	Est. 2,500 - 3,500	ļ l		slightly yellowed similar to real ivory and rate about excellent. They
1156	Colt Combat Elite Enhanced Government Model Semi-Auto Pistol			feature gold Rampant Colt medallions and a single Texas Star on the
	serial #CE02101E, 38 Super, 5" barrel with an excellent bore. This			left panel. The revolver includes a hardwood presentation case with
	lovely two-tone pistol retains 99% original blue on the slide and the			French fitted purple crushed velvet lined interior that rates excellent. The
	stainless steel frame rates excellent. The textured wrap-around factory			exterior of the case rates about very good to excellent with light storage
	rubber grips with silver Rampant Colt medallions rate excellent. The			wear. The case is equipped with surface mounted locking brass latches
	Combat Elite is based on a Series 80 Mark IV pistol and features a			but no key is provided. The cover features a printed battle scene of the
	Patridge front sight, white outline adjustable Colt Accro rear sight, long			Alamo as the Mexican Army breaches the walls and engages in hand to
	trigger, beavertail grip safety, beveled magazine well and serrated flat			hand combat with the Texans. A beautiful revolver celebrating an
	mainspring housing. The right side of the slide is marked "COMBAT /			important historical event. (8A9740-16) {C&R} (1000/1500)
	*ELITE*". It includes a factory hardcase with picture shipping sleeve that			Est. 1,000 - 1,500
	is correctly end labeled and numbered to the gun, a pair of Colt marked	'	L	2011,000 - 1,000
	nine-round magazines and a manual. This gun appears to have seen			
	little if any use and would make a great addition to a Colt collection or			
	shooter for the 38 Super aficionados. (8A9746-12) {MODERN}			
	(1000/1500)			
1	Est. 1,000 - 1,500			

Lot Title/Description

1161	U.S. Historical Society Roy Rogers King of the Cowboys Single Action	
	Army Revolver by Uberti serial #290, 45 Colt, 4 3/4" barrel with an excellent bore. This lovely	
	commemorative revolver remains in excellent unfired condition. The	
	metal surfaces retain about 99% original deep blue and gold plate	
	finishes. The cylinder, triggerguard strap and front sight are rich gold	
	plate, all the remaining surfaces a lustrous blue. The grips are smooth	
	Ajax stag with nice wedges of bark on both panels. The left side of the	
	barrel is marked "U.S. HISTORICAL SOCIETY", the right side "Roy Rogers [signature in cursive] KING OF THE COWBOYS". The right side	
	of the frame has a figure of Roy holding a pair of six-guns, a guitar and	
	the dates "1940 [circle with a 50 inside] 1990", the left side has the same	
	guitar and U.S. Historical Society double eagle logo, each chamber of	
	the cylinder has three five-point stars and the musical score for Happy	
	Trails around the breech end. This gun features a black powder frame and automatic hammer safety. This revolver is displayed in a hardwood	
	presentation case that rates excellent overall featuring Roy Rogers	
	signature engraved on the cover, French fitted blue felt lined interior and	
	a brass plaque on the inside cover with information on this	
	commemorative. Also included are the U.S. Historical Society certificate,	
	shipping sleeve correctly end labeled and numbered to the gun,	
	communications with the buyer and other paperwork. This is a great find	
	for all the cowboy fans, especially the baby boomers that grew up with the Saturday morning westerns. (8A9740-22) {MODERN} (1000/1500)	
	Est. 1,000 - 1,500	
1162	Smith & Wesson Model 25-3 125th Anniversary Heavy Target Revolver	
	Identified to Herb Belin Smith & Wesson Manager of Product Innovation	
	serial #S&W0033, 45 Colt, 6 1/2" pinned heavy barrel with an excellent	
	bore. This lovely revolver was produced in 1977 to commemorate 125	
	years of Smith & Wesson and initially sold to Mr. Herb Belin Manager of Product Innovation at Smith & Wesson with an assigned serial number	
	of 33. It remains in excellent unfired condition and retains about 99%	
	original blue finish with a few minor handling marks. The .500" target	-
	hammer and .500" target trigger retain beautiful case-hardened colors	
	with light operational wear. The revolver features smooth goncalo alves	
	target grips with silver S&W medallions that rate excellent. The revolver	
	features a red ramp front sight, white outline micro adjustable rear sight, the right side of the barrel is marked "SMITH & WESSON / 125TH	
	ANNIVERSARY", the sideplate has the S&W logo with "SMITH &	
	WESSON / 1852-1977" across the top of the logo with "125 YEARS [in a	
	banner]" across the bottom plus the sideplate and barrel markings are	
	gold filled. The revolver includes a walnut presentation case with a brass	
	plaque on the cover marked with the anniversary model information, the	
	case shows minor exterior storage marks but rate excellent overall. The interior is blue velvet lined, the bottom French fitted for the revolver and	
	an anniversary coin (not included). The cardboard backings for the book	
	recess is loose and falls out if not handled carefully but should be an	
	easy fix. The book 125 Years with Smith & Wesson by Roy Jinks is	Ī
	included, the inside cover has a personal message written to Herb Belin	
	and remains in excellent condition. This is a lovely commemorative	
	revolver with some interesting provenance. (8A9864-4) {C&R}	
	(1000/1500) Est. 1,000 - 1,500	
1163	U.S. Historical Society Sam Houston Commemorative Walker	
	Percussion Revolver	
	serial #234, .44 cal., 9" barrel with an excellent bore. This stunning	
	revolver is a reproduction of the Colt Model 1847 Walker revolver with	
	beautiful embellishments to celebrate Sam Houston. The metal surfaces	
	retain about 99% blue and gold plate finishes and the high polish brass grip frame rates excellent. The smooth walnut grip rates excellent and	
	features a single gold medallion on the left side with the bust of Sam	
	Houston. The sides of the barrel, top of the barrel and loading lever	
	have wedges of gold leaf scroll. Both sides of the frame have identical	
	gold leaf outlines of the State of Texas with a Texas star in addition to	
	light scroll, quiver of arrows and a tomahawk. The gold plate cylinder	
	has a blackened background with gold leaf figures of Sam Houston's bust, the Alamo, seal of the State of Texas and a Texan at San Jacinto	
	in 1836. The walnut presentation case rates excellent and features a	
	leather insert with the bust of Sam Houston on the cover and folding	
	brass handles on the sides. The interior is French fitted for the revolver	
	and accessories with two small compartments, all red velvet lined and in	
	excellent condition. Also included are a Walker style brass flask, nipple	
	wrench, cap tin, brass conical ball mould, white cotton examination	

1104	Coli r2sti Athityersary Single Action Army Revolver serial #4917AM, 45 Colt, 7 1/2" barrel with an excellent bore. This attractive revolver retains about 99% royal blue and gold plate with a few minor handling marks. The grip frame, hammer, trigger, ejector rod head, grip screw and base pin have lovely gold plate to highlight the rich royal blue finish. The smooth walnut factory grips with gold Rampant Colt medallions are numbered to the gun and remain in excellent condition. The left side of the barrel is marked "-125th ANNIVERSARY S.A.A. MODEL .45 CAL" with patent dates and Rampant Colt on the frame. The revolver is displayed in a hardwood presentation case with French fitted red crushed velvet lining. The case rates excellent on the exterior with light storage marks and a paint transfer scuff on the right side. The interior rates about excellent. The gun also includes a single two-sided Colt coin celebrating the 125th anniversary on one side and Colt logos on the other with the dates "1836 / 1961". A tastefully adorned Second Generation Single Action Army in excellent unfired condition. (8A9795-2) {C&R} (1000/1500) Est. 1,000 - 1,500
1165	Colt Python Double Action Revolver
1166	serial #74160E, 357 Magnum, 6" ventilated rib full lug barrel with an excellent bore. This lovely Python has seen light use and remains in excellent condition. The metal surfaces retain about 98% original Colt royal blue finish showing light feathered scuffing on the bottom of the barrel lug, frame forward of the triggerguard and bow of guard. The service trigger and target hammer retain full factory blue with bright sides on the hammer showing light operational wear. The checkered walnut factory target grips with gold Rampant Colt medallions rate excellent. The revolver features a serrated ramp front sight, black blade adjustable Colt Accro rear sight and it still times and locks up as good as the day it left Colt in 1977. An excellent example of Colt's famous snake gun. (8A9871-5) {MODERN} (2000/3000) Est. 2,000 - 3,000
1166	Colt Python Double Action Revolver serial #K90245, 357 Magnum, 4" ventilated rib full lug barrel with an
	excellent bore. This fine revolver remains in excellent condition. The metal surfaces retain about 98% original Colt royal blue finish with light high edge wear most prominent at the muzzle and remnants of some fine surface oxidation on the rear of the sideplate formerly covered by the factory grip. The service trigger and hammer retain full blue, the bright sides of the hammer have slight staining and operational marks. The replacement checkered rubber Pachmayr Gripper grips with Pachmayr medallions rate excellent. This revolver features a serrated ramp front sight, black blade Colt Accro rear sight and it still times and locks up as good as the day it left Colt in 1982. This gun has seen some light use but remains in great condition. (8A9882-15) {MODERN} (2000/3000) Est. 2.000 - 3.000
1167	Colt Third Generation Single Action Army Revolver
1169	serial #98644SA, 44 Special, 7 1/2" barrel with a bright excellent bore. This beautiful revolver remains in great condition and has only seen light use. The metal surfaces retain about 98-99% original blue and case-hardened finishes showing light handling marks and edge wear. The frame retains the beautiful case-hardened colors Colt is known for. The checkered synthetic factory grips are in excellent condition and feature a Rampant Colt in an oval with a Federal Eagle at the butt of each panel. The grips and all appropriate parts are correctly numbered to the gun and it still times and locks up as good as the day it left Colt in 1978. The Single Action Army is one of those timeless collectibles that always bring strong interest. (8A9854-6) {MODERN} (1200/1800) Est. 1,200 - 1,800
1168	Colt Third Generation Single Action Army Revolver serial #SA44650, 44 Special, 7 1/2" barrel with a bright excellent bore.
	This fine revolver retains about 96% original blue and case-hardened finishes, the greatest loss is to the front strap which was lightly cleaned to pewter in addition to scattered light high edge wear and handling marks. The frame retains a beautiful mottled mix of blue, purple and straw case-hardened colors with a small blemish on the frame near the knuckle. The checkered synthetic factory grips are in excellent condition and feature a Rampant Colt in an oval with a Federal Eagle at the butt of each panel. The grips and all appropriate parts are correctly numbered to the gun and it still times and locks up correctly. A fine gun for the budding Colt collector or a competition gun for the S.A.S.S. competitor. (8A9877-1) (MODERN) (1000/1500)

1169	Colt Second Generation Single Action Army Buntline Revolver	 1174	Colt Government Model Semi-Auto Pistol
1109	· ·	11/4	
	serial #16261SA, 45 Colt, 12" barrel with a bright excellent bore. This		serial #12497B70, 45 ACP, 5" barrel with a bright excellent bore. This
	Buntline has seen light but honest use and retains about 97% original		1979-manufactured Colt Mk IV/Series '70 pistol has seen very light use
	blue and case-hardened colors, the grip frame has started to thin to a		and remains in excellent condition. The metal surfaces retain about 99%
	mix of pewter and blue in addition to high edge wear, handling marks		original blue finish with a few handling and operational marks. The
	and sparse oxidation blemishes. The frame retains robust		checkered walnut grips with gold Colt medallions rate excellent showing
	case-hardened colors with several tiny areas of oxidation. The		a few minor handling marks along the butt. This pistol features a
	checkered synthetic factory grips feature a Rampant Colt in an oval with		serrated front sight, drift adjustable rear sight, serrated arched
	a Federal Eagle at the butt of each panel are numbered to the gun and		mainspring housing, short trigger and collet style bushing. It includes a
	remain in excellent condition. All appropriate parts are correctly		single WWII-era Risdon Manufacturing Company marked magazine with
	numbered to the gun and it still times and locks up as good as the day it		welded baseplate. A very well cared for Government Model. (8A9896-5)
	left Colt in 1957. The Buntlines are a stand out piece for your collection		(MODERN) (1000/1500)
			Est. 1,000 - 1,500
	and are sure to garner interest at the range. (8A9877-2) {C&R}	4475	
	(1200/1800)	1175	Colt Third Generation Single Action Army Revolver
	Est. 1,200 - 1,800		serial #80175SA, 45 Colt, 7 1/2" barrel with an excellent bore. This very
1170	Colt Python Double Action Revolver		early third generation revolver (1976) remains in wonderful condition
	serial #V28679, 357 Magnum, 4" ventilated rib full lug barrel with a		with about 98-99% original blue and case-hardened colors showing
	bright excellent bore. This lovely gun remains in beautiful condition with		sparse wear at the muzzle, operational and handling marks. The
	about 99% original royal blue finish showing a faint turn ring. The		case-hardened colors are robust swirls of blues, purples and straw. The
	serrated service trigger and back of the target hammer have full blue		checkered synthetic factory grips are numbered to the gun and feature a
	finish and the sides of the hammer remain bright. The checkered walnut		Rampant Colt in an oval, Federal Eagle and remain in excellent
	factory target grips have gold Rampant Colt medallions and remain in		condition. The grip frame and cylinder are numbered to the gun and it
	excellent condition. The revolver features a serrated ramp front sight,		times and locks up correctly. An excellent Single Action Army for the
	black blade micro adjustable rear sight plus timing and lock up are		collector or shooter. (8A9896-20) {MODERN} (1200/1800)
			Est. 1,200 - 1,800
	excellent. It includes the original woodgrain factory box with Styrofoam	1176	
	insert that is correctly end labeled and numbered to the gun, coin	1176	Smith & Wesson Performance Center Model of 2000 Schofield Revolver
	screwdriver in sealed envelope, manual and paperwork. The box rates		serial #GWS1133, 45 S&W Schofield, 7" barrel with an excellent bore.
	very good showing little wear but masking tape runs the length of the		The metal surfaces retain about 99% original blue with bold
	box and over the end flaps, one side on the top and the other side on		case-hardened colors on the trigger, triggerguard, ejector cam and lever,
	the bottom, probably to keep the flaps closed. This 1981-manufactured		top latch assembly and hammer. The smooth walnut factory grips rate
	revolver appears unfired or has seen very little use. If you want a really		excellent and have crisp faux inspector cartouche on the left panel. The
	fine Python for your collection, this one will fill the bill nicely. (8A9883-5)		rear sight is part of the barrel latch and the front sight is a half-moon
	{MODERN} (3000/3500)		pinned blade with the sides stamped "PERFORMANCE CENTER /
	Est. 3,000 - 3,500		2000". Barrel to frame fit is tight and it still times and locks up correctly.
1171	U.S. Model 1911 Semi-Auto Pistol by Colt		It includes a factory hardwood presentation case with French fitted blue
	serial #59061, 45 ACP, 5" SA field-replacement barrel with a near		velvet lined interior. The interior rates about excellent and includes a thin
	excellent bore showing slight frosting. The heat treat lot number on the		brass disk marked "Smith & Wesson / Model 3 Schofield". The exterior
	replacement barrel is "BF1". This 1913 manufactured gun has toned to a		
			rates about good to very good showing handling marks but the brass
	fairly even brown patina with smoky gray on the slide interspersed with		surface mounted lock is broken off although the base portion remains
	wisps of original blue in the protected areas. There is some scattered old		and it can still be latched but not securely. It also includes a manual and
	pitting that is mostly smoothed-over and unobtrusive with light assembly		paperwork. A lovely Schofield in excellent condition. (8A9896-33)
	and handling marks but good finish on most of the small parts. All		{MODERN} (1000/1500)
	original markings remain completely intact and strong. The grips are		Est. 1,000 - 1,500
	unmarked double diamond checkered aftermarket replacements	1177	Colt Single Action Buntline Scout Revolver
	patterned after the Springfield Armory stocks that rate excellent. The		serial #15243K, 22 Magnum RF, 9 1/2" barrel with a bright excellent
	parts are correct but the hammer appears to be a replacement and the		bore. This lovely 1961-manufactured revolver remains in fine condition
	thumb safety is a later thick tab. This old war horse appears to still		and is the second rarest of the "K" series revolvers with a mere 1,589
	function and it includes a single Risdon Manufacturing Co. marked		produced. The metal surfaces retain about 99% original nickel plate and
	magazine with welded base. A salty early production Model 1911 for the		it features a small wedge of machined engraving on the butt. The
	upstart collector. (8A9897-11) {C&R} (1000/1500)		smooth walnut factory grips rate excellent. The side of the barrel is
4470	Est. 1,000 - 1,500		marked "COLT SINGLE ACTION BUNTLINE SCOUT .22 MAGNUM"
1172	Smith & Wesson Model 624 Combat Special Revolver		and the action times and locks up correctly. The revolver is displayed in
	serial #ALW5980, 44 Special, 3" barrel with an excellent bore. This		a French fitted red corduroy and satin lined hardwood presentation
	lovely Lew Horton Combat Special remains in excellent condition, the		case. The interior rates excellent, the exterior about good to very good
	stainless steel surfaces rate excellent with sparse handling marks. The		showing scattered light handling marks and a check that extends across
	smooth combat trigger and hammer retain full hard chrome finish. The		three quarters of the cover. A great find for the Colt collector.
	grips are a beautiful set of smooth finger groove Hogue Monogrips		(8A9908-12) {C&R} (1000/1500)
	fashioned from cocobolo wood. The revolver features a red ramp front		Est. 1,000 - 1,500
	sight, white outline micro adjustable rear sight, timing and lock up	1178	Colt King Cobra Double Action Revolver
	remain excellent. This limited production gun appears to have seen little	-	serial #EC2187, 357 Magnum, 4" full lug barrel with a bright excellent
	if any use and remains in great condition. (8A9897-52) {MODERN}		bore. This beautiful revolver has seen minimal use and remains in
	(1000/1500)		wonderful condition. The stainless steel surfaces rate excellent with a
	· ,		
4470	Est. 1,000 - 1,500		few minor blemishes. The revolver features a partially serrated
1173	Colt Gold Cup National Match Semi-Auto Pistol		semi-target trigger and target hammer. The checkered rubber factory
	serial #23951N70, 45 ACP, 5" barrel with a bright excellent bore. This		Pachmayr finger groove grips with silver Rampant Colt medallions rate
	1982-manufactured Colt Mk IV/Series '70 pistol remains in excellent		excellent. The revolver features a serrated orange insert front sight,
	condition with about 99% original blue finish showing light operational		white outline Colt Accro rear sight and it still times and locks up as good
	and handling marks. The double diamond checkered laminated		as the day it left Colt in 1993. The left side of the barrel is marked "KING
	hardwood grips with gold Colt medallions rate excellent. This pistol		[king cobra's head] COBRA", the first gun in Colt's long line of seven
	features a Patridge front sight, Colt Elliason rear sight, serrated flat		snake guns to incorporate the actual figure of a snake's head. Another
	mainspring housing, long skeletonized trigger with overtravel stop and		first was Colt introduced the stainless steel version before the blue steel
	collet style bushing. It includes a single factory magazine. The Series '70		one. The King Cobras were meant to be working guns but this one
	pistols are favored over the later Series '80 by shooters due to better		appears to have seen very little use. A great find for the collector.
			(8A9872-4) {MODERN} (1500/2000)
	trigger pull capabilities and collectors favor them for the shorter		
	production run. (8A9896-3) {MODERN} (1200/1800) Est. 1,200 - 1,800		Est. 1,500 - 2,000

1179	Colt Ned Buntline Commemorative New Frontier Single Action Army	1184	Custom Engraved Beretta Model 686 Onyx Over Under Shotgun
	Revolver		serial #E99348B, 20 ga, 26" ventilated rib MobilChoke barrels that have
	serial #NB0560, 45 Colt, 12" barrel with an excellent bore. This lovely		bright, excellent bores. The metal surfaces retain about 99% of the
	revolver remains in excellent condition with about 99% original nickel		original matte blue finish, there are some very light handling marks along
	plate showing a tiny scuff on the right side of the barrel and a few		the edges of the triggerguard. The trigger and applicable factory lettering
	sporadic handling marks. The checkered synthetic factory grips feature		retain all of their original gold plating and fill. The checkered walnut
	a Rampant Colt in an oval and Federal Eagle. They are assembly		stocks rate excellent and have some nice figure and a satin oil finish.
	numbered to the gun and look as good as the day they left Colt. The gun		The buttstock has a few small dings and there are a few light handling
	features nickel-plated serrated ramp front sight, fully nickel-plated Colt		marks throughout. Included are a choke wrench and four Beretta
	Accro rear sight and it still times and locks up correctly. The left side of		MobilChokes: full, modified, improved cylinder and skeet. The bases of
	the barrel is marked "NED BUNTLINE COMMEMORATIVE" with barrel		the top barrel and the sides and top of the frame have been masterfully
	address at the top and model information on the right side. A beautiful		engraved with some rich foliate patterns along with game scenes on
	1979 commemorative honoring the 19th century dime novelist.		either side of the frame. The left side features a raised gold rising
	(8A9740-33) {C&R} (1000/1500)		pheasant while the left has an upland bird hunting scene featuring
1100	Est. 1,000 - 1,500		raised gold game dog. The pheasant on the left has a small portion of
1180	Colt Third Generation Single Action Army Revolver		the gold fill missing from its tail feathers, the right side is signed by the
	serial #SA19472, 45 Colt, 4 3/4" barrel with an excellent bore. This		engraver, D Joaquim, under the "P.Beretta" factory stamp. Domingos
	beautiful revolver is equipped with lovely factory ivory grips and lots of		Joaquim, or DJ as he was called by his friends, was a Master Engraver
	condition. The metal surfaces retain about 99% original nickel plate		and artist who was one of four engravers for Smith & Wesson in the late
	including the trigger and hammer. The grips are the real prize, a set of		1970's through the early 1980's. He additionally had done work for Colt
	factory one-piece, screwless ivory with silver Rampant Colt medallions.		and Ruger before venturing out on his own doing work at gun shows
	The grips are a fairly even cream color with light grain lines along the		and other venues. DJ not only worked on firearms but many other
	butt and excellent condition overall. The numbered parts are correct to		artistic items bear his signature and designs from belt buckles and stone
	the gun and it still times and locks up correctly. The gun has seen very		pieces to custom motorcycles. Sadly DJ passed in 2012 leaving an
	little if any use over the years. A great gun with classy grips for the		artistic legacy matched by only a few masters in his craft. This example
	collector or Single Action aficionado. (8B9740-32) {MODERN}		is tasteful yet elegant and would make a fine addition to any sporting
	(2000/2500)		collection or collector of firearms art. (4C9824-2) {MODERN}
1101	Est. 2,000 - 2,500		(2000/4000)
1181	Winchester Model 94 Legacy Lever Action Rifle	1405	Est. 2,000 - 4,000
	serial #6576516, 38-55 Win., 26" round barrel with a bright excellent	1185	Sako Finnbear Deluxe Bolt Action Rifle
	bore. The barrel and magazine retain 99% plus original blue. The		serial #30838, 30-06, 24" barrel with a bright, excellent bore. The metal
	receiver, lever, buttplate and nosecap retain 99% plus original vibrant		surfaces retain about 99% original blue with just a few light handling
	color case-hardened finish. The checkered pistolgrip walnut buttstock		marks noted, the floorplate and triggerguard retain all of their silver inlay.
	and extra long forend remain excellent with crisp checkering. Rifle		The deluxe grade walnut Monte Carlo stock features a rosewood forend
	features a top tang safety and Marble's rear tang sight. Included with the		tip and gripcap, skip-line checkering and rates excellent with a few small
	rifle is the original factory cardboard box, hammer extension, manual, hang tag and 2005 catalog. This arm is as-new-in box, dealer stock,		dings and other light handling marks. The ventilated recoil pad shows
	factory fired only, and may have a very small rack or handling mark only.		some cracking and some minor compression damage but remains intact. The original hooded front sight is intact along with a set of factory
	(5B9723-22) {MODERN} (1000/1500)		1" scope rings to fit the grooved L61R receiver. A braided leather sling is
	Est. 1,000 - 1,500		also included. This is a terrific example of these quality Finnish made
1182	Winchester Model 9422 High Grade Traditional Tribute Lever Action		sporting rifles that is in excellent overall condition. (4A9833-20)
1102	Carbine		{MODERN} (1000/1500)
	serial #FTS1045, 22 S,L,LR, 20" round barrel with a bright excellent		Est. 1,000 - 1,500
	bore. The metal surfaces retain 99% original blue. The receiver is	1186	Benelli Sport II Semi-Auto Shotgun
	engraved with flowing scroll, the right side has silver filled horse and	1100	serial #F325891S14, 12 ga, 30" ventilated rib screw choked barrel with a
	rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the		bright excellent bore. The shotgun retains 99% plus original blue and
	right side of the barrel is etched "Model 9422 High Grade Tribute - One		nickel-plated finishes. The checkered pistolgrip A-grade satin finished
	of 9422". The checkered straight grip deluxe walnut buttstock and forend		walnut stock is in excellent condition and features the Benelli logo within
	remain excellent with crisp, clean checkering. Included is the original		the checkering on the right side of the forend. The barrel address
	factory cardboard box with multi-color slip over jacket and outer shipping		remains crisply stamped and the left side of the barrel is marked
	box, hammer extension, lock, manual, hang tag and 2005 catalog. With		"CRIOBARREL". The shotgun is sighted with a red fiber optic front sight
	less than the original 9422 manufactured, this arm is in as-new-in-box,		and a small steel bead mid rib, and the barrel features factory porting.
	dealer stock, factory fired only, and may have a very small rack or		Included with the shotgun is the box, end labeled and numbered to the
	handling mark only. (5B9723-28) {MODERN} (1000/1500)		gun, hardcase, five Benelli extended screw-in chokes marked cylinder,
	Est. 1,000 - 1,500		improved cylinder, modified, improved modified, and full, an oil bottle,
1183	Winchester Model 9422 High Grade Traditional Tribute Lever Action		and manual. This arm is as-new-in-box, dealer stock, factory fired-only,
. 100	Carbine		and may have very small rack or handling marks only. (14A9319-29)
			{MODERN} (1200/1800)
	I serial #FTS0247, 22 Win, Mag., 22" round barrel with a bright excellent		Est. 1,200 - 1,800
	serial #FTS0247, 22 Win. Mag., 22" round barrel with a bright excellent bore. The metal surfaces retain 99% original blue. The receiver is		,,,,,_,,,,,,,,,,,,,,,,,,
	bore. The metal surfaces retain 99% original blue. The receiver is	1187	Colt Officers Model Target Revolver
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider	1187	Colt Officers Model Target Revolver serial #4908.22 LR. 6" barrel with an excellent bore. This lovely
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side	1187	serial #4908, 22 LR, 6" barrel with an excellent bore. This lovely
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422".	1187	serial #4908, 22 LR, 6* barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain	1187	serial #4908, 22 LR, 6" barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the	1187	serial #4908, 22 LR, 6" barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the original factory cardboard box with multi-color slip over jacket, outer	1187	serial #4908, 22 LR, 6° barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light as-is often the case. The bright polished sides of the hammer show light
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the original factory cardboard box with multi-color slip over jacket, outer shipping box, hammer extension, hang tag and manual. With less than	1187	serial #4908, 22 LR, 6° barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light as-is often the case. The bright polished sides of the hammer show light oxidation staining at the spur. The checkered walnut factory grips with
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the original factory cardboard box with multi-color slip over jacket, outer shipping box, hammer extension, hang tag and manual. With less than the original 9422 manufactured, this arm is in as-new-in-box, dealer	1187	serial #4908, 22 LR, 6" barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light as-is often the case. The bright polished sides of the hammer show light oxidation staining at the spur. The checkered walnut factory grips with silver Rampant Colt medallions rate excellent showing a few light
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the original factory cardboard box with multi-color slip over jacket, outer shipping box, hammer extension, hang tag and manual. With less than the original 9422 manufactured, this arm is in as-new-in-box, dealer stock, factory fired only, and may have a small rack or handling mark	1187	serial #4908, 22 LR, 6* barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light as-is often the case. The bright polished sides of the hammer show light oxidation staining at the spur. The checkered walnut factory grips with silver Rampant Colt medallions rate excellent showing a few light handling marks and are numbered to another gun. The gun features an
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the original factory cardboard box with multi-color slip over jacket, outer shipping box, hammer extension, hang tag and manual. With less than the original 9422 manufactured, this arm is in as-new-in-box, dealer stock, factory fired only, and may have a small rack or handling mark only. (5B9723-34) {MODERN} (1200/1800)	1187	serial #4908, 22 LR, 6* barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light as-is often the case. The bright polished sides of the hammer show light oxidation staining at the spur. The checkered walnut factory grips with silver Rampant Colt medallions rate excellent showing a few light handling marks and are numbered to another gun. The gun features an elevation adjustable Patridge front sight, windage adjustable rear sight
	bore. The metal surfaces retain 99% original blue. The receiver is engraved with flowing scroll, the right side has gold filled horse and rider while the left side has "MODEL 9422 / TRIBUTE" in riband, the right side of the barrel is etched "Model 9422 High Grade Tribute - One of 9422". The checkered straight grip deluxe walnut buttstock and forend remain excellent with crisp sharp checkering. Included with the carbine is the original factory cardboard box with multi-color slip over jacket, outer shipping box, hammer extension, hang tag and manual. With less than the original 9422 manufactured, this arm is in as-new-in-box, dealer stock, factory fired only, and may have a small rack or handling mark	1187	serial #4908, 22 LR, 6* barrel with an excellent bore. This lovely first-year production (1930) revolver remains in excellent condition. The metal surfaces retain about 98% original blue finish showing light high edge wear and handling marks, the Rampant Colt is somewhat light as-is often the case. The bright polished sides of the hammer show light oxidation staining at the spur. The checkered walnut factory grips with silver Rampant Colt medallions rate excellent showing a few light handling marks and are numbered to another gun. The gun features an

<ul> <li>1188</li> <li>Cath Python Yillmane Tipping Double Action Revolver easily Catholic ST Magure, To Hugh Python Revolver Hall and Python Python Revolver Hall and Python Python Revolver Hall and Python Revolver Hall a</li></ul>		serial #KT7989, 357 Magnum, 6" full lug ventilated rib barrel with an		1191	
<ul> <li>excellent User. This torkey 1952 produced readower features the company: Visitiant's total control large statistics and visit visitiant's and visit visitiant's and visit visitiant's total control large human both in the statistic and visit visitiant's and visit</li></ul>					
<ul> <li>excellent User. This torkey 1952 produced readower features the company: Visitiant's total control large statistics and visit visitiant's and visit visitiant's and visit visitiant's total control large human both in the statistic and visit visitiant's and visit</li></ul>					serial #2X10829, 270 Weatherby Mag, 22" barrel with a bright excellent
<ul> <li>begit hord race, sell maning table, the obstances and sell program of the class of</li></ul>		excellent bore. This lovely 1992 produced revolver features the			
<ul> <li>In the accellent with a few much handing marks and very light un might presented active target and the get target handle of the accellent with and get target handle of the accellent with and get target relations at a bit of wers on the Booghest but the Endown of the accellent with and get target relations at a bit of wers on the Booghest but the Endown of the accellent with and get target relations at a bit of wers on the Booghest but the Endown of the accellent with and get target relations at the accellent with and get target relations at a bit of wers and the Booghest but the Endown of the accellent with and get target relations at a bit of wers and the Booghest but the Endown of the accellent with the accelle</li></ul>					
<ul> <li>The senset and exists upger and upger hand upger hand upger hand upger hand.</li> <li>The senset and exists upger hand.</li> <li>The senset and the senset and exists upger hand.</li> <li>The addition of a morder the senset upger hand.&lt;</li></ul>					
<ul> <li>besuful Light polish. The checkerd obtains factory upper with alver Rampart Col mediators are excellent with an effect register with a minor handing built built of the galaxies in the service factor. The second service factor is a service service register with a minor handing built built of the galaxies in the service factor is a service service register with a minor handing built built of the service service factor is a service service</li></ul>					
<ul> <li>Rangent Colt mediations rate excellent with some light drying coads in the basis of priori sight, while colls core mer sight and still men and lock present some in the lock of the coll accore mer sight and still men and lock present some in the lock of the coll accore mer sight and still men and lock of priority in the coll accore mer sight and still men and lock of the lock accore mer sight and still men and lock of the lock of the coll accore mer sight and still men and lock of the lock of</li></ul>					
<ul> <li>In built, in addition to the attractive finite, the guin feature's arranded ned ramp between the prior sight, while addition to any collection. The sight addition to any collection addition to any collection. The sight addition to any collection addition to any collection. The sight addition to any collection addition to any collection. The sight addition to any collection addition to any collection. The sight addition to any collection addition to any collection. The sight addition to any collection addition to any collection. The sight addition of an opportune addition addition to any collection. The sight addition of an opport to addition of an opport to addition of an opport to addition addition to addition to addition additio</li></ul>					
<ul> <li>In and lock percent possibility. Inclusion of the set or spin factors of the percent possibility. Inclusion of the percent possibility and the event of the percent possibility. Inclusion of the percent possibility and the event of the percent possibility. Inclusion of the percent possibility and the event of the percent possibility. Inclusion of the percent possibility and the event of the percent possibility. Inclusion of the percent possibility and the event of the percent possibility. Inclusion of the percent possibility and the event possibi</li></ul>					5 1
<ul> <li>and locks up besitually. Includes the organise factor based and numbered to the guin, manual and paperwork. This beautiful guin is in new-in-box condition and wold mike a worldwill addition tain y collector.</li> <li>BA6805-11, MODERN (35005000)</li> <li>Bart Sono 20, 5000</li> <li>Con Singa Actors Anytoxia 5, 122 barrel with a bight socalent toors, The origin and a contrasting and a contrasting and a contrasting and a contrasting and wold mike worldwill be worldwill be</li></ul>					•
<ul> <li>picture style shipping lieser bat is correctly and liabeled and numbered to the guy, manual and page-base. The circums and and a fared this disk cheek-blee and the file corres equipped with a Laupid stell one pices ecope and the file corres equipped with a Laupid stell one pices ecope and the file corres equipped with a Laupid stell one pices ecope and the file corres equipped with a Laupid stell one pices ecope and the file corres equipped with a Laupid stell one pices. There is a stellar adjusted and pice pice and beyond the adjusted and pice pice and beyond to file corres equipped with a Laupid stellar dargum earling. A with all and a strengt that disk corres is a stellar adjusted and pice pice and beyond the statement of the piper equipped and piper earlies and piper earlies that the old the corres equipped with a Laupid stellar dargum earling. A with all and access on this handsone little corres equipped with a Laupid stellar dargum earling and and a fare on this dargum earling and and and corres of the dargement and adjusted and piper earlies and piper earlies and piper equipped that the earlies on the handsone little corres equipped with a Laupid stellar dargement. Coll registering with a largement of the dargement of the dargement and adjusted and piper earlies and the statement of the dargement of the dargement and the dargement of the dargement and the dargement and dargement and the dargement and dargement and the dargement and dargement and</li></ul>					
<ul> <li>io the gui, manuia and paperook. This beauthal guin is in newi-hox condition and would make a worldwall addition to any collection. (BA865-1) (MOCERN) (3005000)</li> <li>Bia 3: Soi 5: Soi Coll Single Action Amy Bieley Model Revolver associated and the reliable stars starged on the activation starting of the but marked '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and the but the sadgesce and quality of the sobe nearby semantical '270 WBY' and '270 WBY' and'270 WBY' and '270 WBY' and '270 WBY' and '270 WBY' and '270</li></ul>					
<ul> <li>condition and would make a wonderful addition to any collection. (404655) (10400EEN) (200837, 44 Special, 51/2' borral with a bright excellent tore, The bareful and cylocider are lates of the probability and cylocider and the cylocider and special and cylocider are lates of the probability and cylocider and the cylocider and special and cylocider are lates of the probability and cylocider and the cylocider and special and cylocider are lates of the probability and cylocider and the cylocider and cylocider are lates of the probability and cylocider and the cylocider and</li></ul>		picture style shipping sleeve that is correctly end labeled and numbered			rosewood forend tip and gripcap set off by white line spacers. There is
<ul> <li>(8A656-1) MODERNI (3500500)</li> <li>(8A656-1) MODERNI (3507500)</li> <li>(8A756-300) (CA81) MODERNI (3507500)</li> <li>(8A757600) (CA81000000000000000000000000000000000000</li></ul>		to the gun, manual and paperwork. This beautiful gun is in new-in-box			some nice figure in the area of the butt and a flared left side cheekpiece
<ul> <li>Ed: 3.500<sup>-5</sup>.500<sup>-5</sup></li> <li>Ed: 5.500<sup>-5</sup>.500<sup>-5</sup></li> <li>Ed: 5.500<sup>-5</sup>.500<sup>-5</sup></li> <li>Ed: 5.200<sup>-5</sup></li> <li>Ed: 5.200<sup>-5</sup></li></ul>		condition and would make a wonderful addition to any collection.			and the rifle comes equipped with a Leupold steel one piece scope
<ul> <li>1199 Coll Single Action Army Bisky Model Revolver services and the action service and the action services and the properties and the propert and the properties and the propertie</li></ul>		(8A9650-1) {MODERN} (3500/5000)			base. The caliber stamping has been neatly re-marked "270 WBY" and
<ul> <li>serial #20837.4 Special. 5 1/2" barry with a high escellent bore.</li> <li>The barrier and quilty of the work before. The perimance chambering, 139862 left fin his high-performance has many series of his hose finance of high performance finance high performance high perfo</li></ul>		Est. 3,500 - 5,000			the bolt face appropriately opened to handle a belted magnum cartridge.
<ul> <li>beck the headpoord of the vork before the arm is taken at the pointer. The train about 98 and 95% is there poord-quark by the, with remnants of light piprick, pitting beneath. The backstip and triggerup and the state and the there and a new nostly smooth with chain to be many state of the there and back and the there and back and the there and back and the there are nostly smooth with the triggerup and triggerup and triggerup and triggerup and triggerup and the there and back showing some the voltand and back and the there and the trans and with the but fish, through the the and the advance and the trans and with the there and the trans and with the there and the trans and with the there and the trans and th</li></ul>	189	Colt Single Action Army Bisley Model Revolver			As with all arms of custom chambering, a gualified gunsmith should
<ul> <li>The barriel and cylinder are later Cott replacements, the cylinder with a five original blue respectively, the frame and loading gate retain about 89% later good-vallyb low, with remennants of light piporice pitting provide primarily a plum trown patina and are mostly smooth Wh to not gis pages of the Amagen Cott areas in the set of the same of the sa</li></ul>					
<ul> <li>the pointed attrained on its face. They retain about 95% tarter good-quality, big the frame and darge guater teals about 95% tarter good-quality, big the frame and darge means. The backettrap and triggering dare primarily all unbrown patient and dare meanly encode with bing to power on the sharp deges and contact perhaps near excellent with crisp images of the Rampant Cot and good points. The backettrap and triggering shorts are there on a light problem bulk finity, and showing the scattered perhaps near excellent with the prior darge of the Rampant Cot and good points. They are un-numbered but if twy wells howing some site well and tocket prior but the logating network as-designed. A very good Salety Model that was given new life by the addition of a modern but the backet prior probe the mainter and verse in the scattered and the calcular statement. The there is a non-statement and verse verse machine marks from choke work and a bit more noticeable light peting in the chambers. The barrels book Couble Epicorgum changes of the chambers. The barrels book Couble Epicorgum changes of the chambers. The barrels book Couble Epicorgum changes of the chambers. The barrels book the original changes and showing remarks of mitorial changes and showing remarks of the barrels is the relightened and there and the calcular sale were showing some scattered freeding adong the undersides, a term to advise the relightened and the mark of the dark many and the barrels to calcular solution (1800-2200). Etsi, 1.300 - 2.2000</li> <li>1133 Coll Third General to measure and showing remarks of light prioric priorids by stower retain a similar showing remarks of light prioric priorids by stower retain a similar showing remarks of light prioric priorids by stower retain a similar manut of resplicable to a showing server retain a similar showing remarks of light prioric priorids by stower retain a single the stower trans a single prioric priorids by stower retain a single stower retain a single the stower retain a single stower re</li></ul>					
<ul> <li>original blue respectively, the frame and loading gate retain about 95% later good-vallyb load, with remains of light process the impacts gate and provide pairs. The backstrap and triggerguard are primarily a plum brown patina and are mostly smooth with long to peyter and heading to gate retain a smooth section and good pairs. They are un-numbered buf it very well aboving some itiny gaps at the frame and with the but slightly pount. The arm serves to time well and lockup properly, the half-cook not bit swore life y gate science of the hardword life Python Composition (180 Python Southe Acidon Reinvolver easis about 95% later, very good analy, bright polish bute finish, showing the scattered read on the back lightly pount. The arm searce to time well by the addition of a modern barrel and optider. manufactured in 1901. (1807378-300) (CAB) (Kito Congdon Collection) (12001800)</li> <li>Est. 1.20-1.300</li> <li>Charles Lancaster Boxick Double Ejectorgun series design at could be action are unknown, the result is showing a couple scattered priprice, this, some machine marks from choke work and bati more collecable light priprione. The hardword series the englishen at about 96. The lock maps that manufacture to the harmon and the action are unknown, the result is showing a couple scattered priprice, this some marks from choke work and bati more uncleable light priprione. The bardword series the singlish result action are unknown, the result is showing a couple scattered priprice, British about 90. 21.27 (2006).</li> <li>Coll Third General Collection (1800.2200)</li> <li>Est. 1.200 - 1.800</li> <li>Coll Third General more friengh and and the priprice printing. The frame and the couple state and priprice printing in the chartword that the showing marks and the mass couple with a bight scattered free couples and the scattered free couples and the maps and could couple case hardreed friends manufact the priprice scattered free couples and the scattered free couples and the scattered free</li></ul>					
<ul> <li>Itier good-quality, blue, with remnants of light pinotick priting beneath. The backtring and triggering date privring's light brown path motivery fine to perhaps near excellent with crigs images of the Rampant Colt and good points. They are un-numbered but if say request booms good multiply gates at the frame and with the but slightly proud. The arm seems to time well and doctary properly, the hardbook conduct is another they doctary and conduct. Say 200 (CAR) [Rice Congdon Collection) (12000 15000)</li> <li>Charlies Lancaster Book Couble Ejectorgun serial surfaces or collection and the loss of gring remarks from choke work and a bit more noticeable light priving that near and the parties. The sights are black may be an problem but his loss showing a couple scattered priprice, high, near doctary brows showing a couple scattered priprice, high, near accellent to choke work and a bit more noticeable light pripring in the chambers. The barrels about the charles taked and homoder Britin 3. To a 1/27 proofs, the chardbook the registred and along the unders showing a couple scattered registred and going the unders the addinos of a modern bartel and optified. The sights are black may on al lake the arms and the arism who fined to 2 3/2/7. The barrels retain about 99/3% quality re-blacking showing some scattered feeding and going the unders the address has been colecable light pripriprice, htting. The frame has mostly cored to a pewer guinned aption the showing remeants of light y cleaned juncies there have a sing and free frequised and frames and the burt, the checking has been incely refersion and resprint printing, the burt, the checking has been incely refersion and resprint printing. The triggerigund and top lister retains and showing green mains for light y cleaned may makers the bard the builts doit is coard of gine abard to bair state and the builts doit is coard of gine abard to bair the advine and head the secole and the sing the scattered finand and the builts filt winnis accord light and the adving</li></ul>					
<ul> <li>The backstrap and triggerguard are tymerity a plum town patha and are meantly smoch with town into the sharp adges and contact perhaps near excellent with respirate ges of the sharp adges and contact perhaps near excellent with respirate ges of the Rampant Colt griss rate vary fine to perhaps near excellent with respirate ges of the Rampant Colt and good paints. They are un-unthered but If very well showing some titry agos at the frame and with the Usalighty provide. The arm seems to line well and lockup properly, the half-cock noth is worn but the loading notich works and seeding. Congolar Collection (12001800): Essi 1,200 - 1,200</li> <li>Charter Lancaster Bodiock Double Ejectrograph scripting. The state contact he log tripting here and modified with high near excellent to here. The should be stated phancing show grant is a very attractive 1966 shot bables (parked riter), provided barrels chowing a couple scattered phancing high, thigh near excellent to here. The should be a flack square notice here. The should be states of the flack square notice here. The should be a flack square notice here. The should be showing some scattered flack have may hord-engraved post-finalishing. The state here and be acting and flag physic here. The should be a notice here in the respirate here. The should be a state show the outperise here and here action a submit model that have may hord-engraved post-finalishing. The state here here and here action stable is grant and and the head and notice here in the showing some scattered finalishing the undersides, a state state here and the back square notice here. The showing some scattere dindive</li></ul>				1102	
<ul> <li>are mostly smooth with toring to pewter on the sharp deges and contact periods. The checkered hard hobbe Rampanot Colt and good points. They are un-nutweed buff twey well showing some till showing some marking in the chambers. The barrels show the original London black powder proofs along with modern British 3 to 21 1/2 proofs, the chambers tatter lengthened and the barrels re-stamped to 23.47. The barrels retain about 96.97% quality re-blacked photo states of referiching. The tridge sourd and barrel strengers well showing some tight noise showing some tight noise showing some tight noise showing some tight noise showing some till the showing some till showing some till the showing some till showing some till</li></ul>				1192	
<ul> <li>perhaps mear excellent with respiration of the Rampant Cole grise raise very fine to perhaps near excellent with respiration of the Rampant Cole grise raise very fine to perhaps near excellent with respiration of a modern beta Rampant Cole grise raise very fine to perhaps at the frame and with the but slightly proud. The arm seames to time well and lockup properly, the half-cock not bit worn but the loading notch works as designed. A very good Bieley Model that was given new life by the addition of a modern barelial and yoliner, manufactured in 1901.</li> <li>(BB738-300) (CAR) [Kris Congolon Collection] (12001800)</li> <li>Est. 1.200 - 1.800</li> <li>Charles Lancaster Boxiock Double Ejectorgun</li> <li>serial #2500, 12 borc (2 341), 26 14's leveed nitro-proded barrels choked improved cylinder and modified with hight near excellent breas. The checkeref factory within the result is excellent. The sights are black ramp on a black square notic near. This harvelses has been very result hard-engraved protor slang with modern British 3 ton 2 12' proofs, the chambers later lengthmed and the barrels re-biacking showing some scattered firekling along the undersides, a flow areas of micro throing and and long. The triggerguand and top lever restin a similar amount of reapplied blue showing some scattered firekling along the undersides, a flow areas of micro throing. The storike starbul the admices has been very result) hand-engraved post-rofinishing. The triggerguand and top lever restin a similar amount of reapplied blue showing some scattered firekling along the undersides, a flow protocase has been very result hand-engraved post-rofinishing. The storike settered blue the very the result as a nunversment, or the range or file data as fun throwback arm. (BB740-43) (MDDERN) (12001800)</li> <li>Est 1.200-1.800</li> <li>Tist A mark the beart file solved with a beart story fair grint but the lever showing scattered light (bring) about 14 as a minue and the barroles or topic stars and the</li></ul>					
<ul> <li>perhaps near excellent with crisp images of the Rampant Cot and good points. They are un-numbered but fit very will showing some timp gaps at the frame and with the but slightly proud. The arm seems to time well and lookup properly, the full-cock notch is worn but the loading notch works as designed. A very good Bialey Model that was given here will be the addition of a modern barel and cylinder, manufactured in 1901.</li> <li>(Bør37-32.30) (CAB (Rice Congdon Collection) (1200/1800)</li> <li>Est 1,200 - 1,800</li> <li>Charles Lancaster Bookock Double Ejectorgun serial £5090. 12 bor (2 34'). 28 14's leaved nito-protoed barrels choked and proved cylinder and modified with bright near excellent. The sights are takks ramp on black square and modified with bright near excellent. The sights are takks ramp on black square and modified with bright near excellent. The sights are takks ramp on black square and modified with bright near excellent. The sight are taken there of a light pit benessh. (J89830-53) (MODERN) [Dr. William Collection] (1800/2200)</li> <li>Est 1, 200 - 1, 200</li> <li>The tragegruard and top leaver tain a similar amout of respinged but showing some scattered frexiting along the undersides, a tery nearly hand-engraved post-relinishing. The trage rating along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered frexiting along the undersides, a tery showing some scattered light dings and minor sculfs along the but stifted with t</li></ul>					
<ul> <li>points. They are un-unthered but if very well showing some ting ages at the frame and with the utilisity proves. The arm sectors to time well and lockup properly, the half-cock north is worn but the loading north works ac-designed. A very good Bialey Model that was given new life by the addition of a modern barrel and cylinder, marufactured in 1901. (B873-800). (CoR) [Kits Congton Collection] (1200/1800)</li> <li>Est. 1,200 - 1,800</li> <li>Charles Lancaster Boolock Double Ejectorgun schiel #500, 12 bore (2.347), 281 1/3 'seeved nitro-proofed barrels choked improved cylinder and modified with bright near excellent bores showing a couple scattered piprick pits, some machine marks from choke work and a bit more noticeable light pitting in the chambers. The barrels show the original London black power proofs along with modern British 3 ton 2.122 'proofs, the chambers later lengthened and the barrels restamped to 2.247. The barrels terin about 96-97%, quilty re-blacking showing some scattered freckling along the undersides, a few arrass of micor thing, and small any tone modified with modern British 3 ton 2.122 'proofs, the chambers later lengthened and the barrels restamped to 2.347. The barrels terin about 96-97%, quilty re-blacking showing some scattered freckling along the undersides, a few arrass of micor thing, and small any any off teas without any noticeable distributing. The string semplied blue showing some light oxidation staining and fine piprick pitting. The frame has mostly toneet to a pewirer gunnamis of lighty bleaned pinnyck hytiting. The frame has mostly toneet to apewirer gunnamis of lighty cleaned pinnyck hytiting. The frame has mostly toneet to apewirer gunnamis of lighty cleaned pinnyck hytiting. The frame has mostly toneet to apewirer gunnamis of lighty cleaned pinnyck hytiting. The frame has mostly toneet to apewire gunnamis nostly crist with attractive grind in the pottered stringht grin which at un-numbered but if fitted with pile trene shows considering. The stringe t</li></ul>					
<ul> <li>at the frame and with the but slightly proud. The arm seems to time veil and lockup properly, the half-lock notic is work to a but for single processing of the lockup properly. In the lockup properly, the half-lock notic is work to a but for single processing with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with a high-spur. (jingler weight hammer and the scale has been replaced with hammer and the hards a</li></ul>					remnants here and there of a light pit beneath, but with the principal
<ul> <li>and lockup properly, the half-cock north is worn but the loading noth works as designed. A very good Bilsity Model hat was given new life by the addition of a modern barrel and cylinder, manufactured in 1901. (2897/38-300) (CAR) [Kirs Congon Collection] (1200/1800)</li> <li>Eat. 1.200 - 1.800</li> <li>Charles Lancaster Boxlock Double Ejectorgun services and the section are unknown, the result is excellent. The sights are black ramp on a black square notch rear. This should be at fould/use little new hork off field or range and is a very attractive 1965 short barreled Python. (389830-53) (MODERN) [Dr. William C. Nuegen Collection] (1800/2200)</li> <li>Est. 1.200 - 2.200</li> <li>Coll Third Generation Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired Generation Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired Generation Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired Generation Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired Generation Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired denor the numbers are matching. A super Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired denor the numbers are matching. A super Single Action Army Revolver serial a SALTF20, 357 Magnum, 71/2' barrel with a bright excellent, unfired and the coll as a uneversent of the rest or series of the series and the secien are uneversed. With the series the series of the series and the secien are uneversed to the series without series of the series and the secien are uneversed. With a series a series of the series and the secien are uneversed to the series and the secien are uneversed. With the series the series and the secien are uneversed to the series and the secien are uneversed. With a s</li></ul>		points. They are un-numbered but fit very well showing some tiny gaps			markings, including the Rampant Colt, remaining strong. The factory
<ul> <li>works as designed. A very good Bisley Model Hat was given new life by the design of an advance model, and the barries hard and cylinder, manufactured in 1901. (389738-300). (C4R) [Kris Congdon Collection] (1200/1800)</li> <li>Est 1.200 - 1,800</li> <li>1190 Chafes Lancaster Boxlock Double Ejectorgun service and the barries and hard proved cylinder and modified with bright near excellent bores showing a couple scattered pinprick piting. The there excellent bores showing a couple scattered pinprick piting. The there and the barries re-stamped to 2.3/4". The barrels thand-engraved point entry in the original London black powder process along with modern British 3 to 2.1/2" proved subtrees the work and a bit mer scattered inprick piting. The there have and the barrels re-stamped to 2.3/4". The barrels restamped to 2.3/4". The barrels teal in adhore the applied blue arbitration 1905. So the Adhemeter state in engreened and the barrels re-stamped to 2.3/4". The barrels restamped to 2.3/4". The barrels teal in adhore the applied blue arbitration 1905. So the Adhemeter state in engreened and the barrels re-stamped to 2.3/4". The barrels restamped to 2.3/4". The barrels</li></ul>		at the frame and with the butt slightly proud. The arm seems to time well			hammer has been replaced with a high-spur, lighter weight hammer and
<ul> <li>the addition of a modern barrel and cylinder, manufactured in 1901. (B9738-300) (CRR) (Kris Congton Collection) (1200/1800)</li> <li>Est. 1.200 - 1,800</li> <li>Charles Lancaster Boxlock Double Ejectorgun</li> <li>serial #7500, 12 bor (2 341), 28 1/4 's leeved nitro-proofed barrels choked improved cylinder and modified with bright near excellent bores showing a couple scattered piprick pits, some machine marks from choke work and a bit more noticeable light pitting in the chambers. The barrels show the original London black, powder proofs along with modern British 3 ton 2 1/2' proofs, the chambers later lengthened and the barrels freeding along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel in badress has been very neatly hand-engraved bostreet barrel in badress has been very neatly hand-engraved bostreet barrel in badress has been very neatly hand-engraved bostreet barrel in badress has been very neatly hand-engraved bostreet barrel in badress has been very neatly hing. The frame has mostly tored to a pewter guinnetal patina showing remants of light pittones that the cleanser in in very fine condition as nicely refinished showing some scattered light dings and minor scaffs along the toe time and at the hoel and the buttistok is cast-off pitta than. There is an un-engraved alist patint bittock is cast-off pitta than. There is an un-engraved alist portensian sostly crisp with attractive pad. The arm features Haotmy Old English soid red rubbor pad. The arm beatwest padent light with top lever resting along the buttock is cast-off pitta the leadness has but 14.38" with drops of 150" and 2.18" Adv790 VCF. 26" round barrel with soft meas and the barels abourd by the preting manut diverged patint in the meal suffaces of this 1985-made rile have and bead many to thore there in a samilar amount of leight pitta pitta showing remarks of light and at the toe charter of light dings and minor souffs along the toe charter of light dings and minor souffs along the buttoc</li></ul>		and lockup properly, the half-cock notch is worn but the loading notch			the action has clearly been professionally smoothed and honed, giving a
<ul> <li>(38738-300) (C4R) [Kris Congdon Collection] (1200/1800)</li> <li>Est 1.200 - 1.800</li> <li>Charles Lancaster Boxlock Double Ejectorgun serial #5090, 12 bore (2 347), 28 1/4" sleeved nitro-proofed barrels choked improved cylinder and modified reambers. The barrels show the original London black powder proofs along with modern British 3 ton 2 1/2" proofs, the chambers later lengthened and the barrels restamped to 2 34". The barrels retain about 56 97% quality re-blacking showing some scattered pippinck pits, some machine marks from choke work and a bit more noticabelie light pitting in the chambers. The barrels show the original London black powder proofs along with modern British 3 ton 2 1/2" proofs, the chambers later lengthened and the barrels restamped to 2 34". The barrels retain about 56 97% quality re-blacking showing some scattered finkings. The 511 New Bond Street barrel in address has been very neatly hand-engraved post-refinishing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly tored to a pewter gunmetal patina showing remnants of lightly cleaned pinprick pitting. The activity file condition as nicely refinished showing some scattered light dings and minor scuffs along the but, the checkring has been nicely refreshed and remains mostly crisp with atractive grain figure throughout and the buttstock is cast-off pista ta hair. Three is an un-engraved Bight dings and minor scuffs along the but, the checkring has been nicely refreshed and remains mostly crisp with atractive grain figure throughout and the buttstock is cast-off pista ta hair. There is an ant-the barel soft of light between breech and standing treeck. LengthO pulls a soft of 36" throughout takes of this 1985-made rife have mostly tored bar a withig the action seems to luncton well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock eigetorgun dung ta babur of light between bre</li></ul>		works as-designed. A very good Bisley Model that was given new life by			butter-smooth double action pull and an extremely light crisp single
<ul> <li>Est. 1200 - 1.800</li> <li>Charles Lancaster Boxlock Double Ejectorgun</li> <li>serial #5090, 12 bore (2 3/47), 28 1/4* sieved nitro-proofed barrels</li> <li>choked improved cylinder and modified with bright near excellent bores</li> <li>showing a couple scattered piprick hight near excellent bores</li> <li>British 3 ton 2 1/2* proofs, the chambers later lengthened and the</li> <li>barrels nextmed to 2 3/4*. The barrels later lengthened and the</li> <li>barrels re-stamped to 2 3/4*. The barrels retain about 96-97% quality</li> <li>re-blancking showing some scattered fiprick hyle undersides, a</li> <li>few areas or minor thinning and fine piprick pitting. The triggeryuard and top lever retain a diff or terapile ablue</li> <li>showing some light oxidation stalning and fine piprick pitting. The atrigener with fine quality tyle Tegliak sorellwork pitting. The atrigener with fine quality tyle tegliak corrections rule as a mixestment, or the</li> <li>range or field as a functworks correct and the barels proving base scattered light dings and minor scuffs along</li> <li>the but, the checkering has been nicely refreshed and remains mostly</li> <li>refinished showing some scattered light dings and minor scuffs along</li> <li>the but, the checkering has been nicely refreshed and remains mostly</li> <li>refinished showing soure scattered light dings and minor scuffs along</li> <li>the but, the checkering has been nicely refreshed and remains mostly</li> <li>refinished showing soure scattered light dings and minor scuffs along</li> <li>the but, the checkering has beven rest hacket gattern celler or /</li> <li>exita and at the heel and the but is litted with a Pachmayr Old English</li> <li>solid red rubber pad. Length-oly uist a slour 14 30° with drops of 156°</li> <li>and at the heel and the bucits is stowing but acass cond ing, some areas</li> <li>perhaps a bit more moderate, some dings atophy diage. The antifies with drops of 156°</li> <li>and at the beal and pethes thur bas of uncitos wells with drops of 156°<!--</td--><td></td><td>the addition of a modern barrel and cylinder, manufactured in 1901.</td><td></td><td></td><td>action break. The checkered factory walnut grips with silver Rampant</td></li></ul>		the addition of a modern barrel and cylinder, manufactured in 1901.			action break. The checkered factory walnut grips with silver Rampant
<ul> <li>Est. 1200 - 1.800</li> <li>Charles Lancaster Boxlock Double Ejectorgun</li> <li>serial #5090, 12 bore (2 3/47), 28 1/4* sieved nitro-proofed barrels</li> <li>choked improved cylinder and modified with bright near excellent bores</li> <li>showing a couple scattered piprick hight near excellent bores</li> <li>British 3 ton 2 1/2* proofs, the chambers later lengthened and the</li> <li>barrels nextmed to 2 3/4*. The barrels later lengthened and the</li> <li>barrels re-stamped to 2 3/4*. The barrels retain about 96-97% quality</li> <li>re-blancking showing some scattered fiprick hyle undersides, a</li> <li>few areas or minor thinning and fine piprick pitting. The triggeryuard and top lever retain a diff or terapile ablue</li> <li>showing some light oxidation stalning and fine piprick pitting. The atrigener with fine quality tyle Tegliak sorellwork pitting. The atrigener with fine quality tyle tegliak corrections rule as a mixestment, or the</li> <li>range or field as a functworks correct and the barels proving base scattered light dings and minor scuffs along</li> <li>the but, the checkering has been nicely refreshed and remains mostly</li> <li>refinished showing some scattered light dings and minor scuffs along</li> <li>the but, the checkering has been nicely refreshed and remains mostly</li> <li>refinished showing soure scattered light dings and minor scuffs along</li> <li>the but, the checkering has been nicely refreshed and remains mostly</li> <li>refinished showing soure scattered light dings and minor scuffs along</li> <li>the but, the checkering has beven rest hacket gattern celler or /</li> <li>exita and at the heel and the but is litted with a Pachmayr Old English</li> <li>solid red rubber pad. Length-oly uist a slour 14 30° with drops of 156°</li> <li>and at the heel and the bucits is stowing but acass cond ing, some areas</li> <li>perhaps a bit more moderate, some dings atophy diage. The antifies with drops of 156°</li> <li>and at the beal and pethes thur bas of uncitos wells with drops of 156°<!--</td--><td></td><td>(3B9738-300) {C&amp;R} [Kris Congdon Collection] (1200/1800)</td><td></td><td></td><td>Colt medallions rate excellent. While the maker of the hammer and the</td></li></ul>		(3B9738-300) {C&R} [Kris Congdon Collection] (1200/1800)			Colt medallions rate excellent. While the maker of the hammer and the
<ul> <li>1190 Charles Lancaster Boxlock Double Ejectorgun serval 45090, 12 bore (2 3/4'). 28 1/4' sleved nitro-proofed barrels choked improved cylinder and modified with bright near excellent bores showing a couple scattered ipprinck pits, some machine marks from choke work and a bit more noticable light pitting in the chambers. The barrels show the original London black powder proofs along with modern British 3 too 2 1/2' proofs, the chambers later lengthened and the barrels re-stamped to 2 3/4'. The barrels lare inghrened and the barrels re-stamped to 2 3/4'. The barrels lare inghrened and the barrels re-stamped to 2 3/4'. The barrels lare inghrened and the barrels re-stamped to 2 3/4'. The barrels lare inghrened and the barrels re-stamped to 2 3/4'. The barrels lare inghrened and the barrels re-stamped to 2 3/4'. The barrels lare inghrened and the barrels re-stamped to 2 3/4'. The barrels retain about 96-97% quality re-blacking showing some scattered light. The first New Bond Street barrel in address has been very neatly hand-engraved post-refinishing. The triggerguard and to plever reatin a similar amount of reapplied blue showing section light dings. The first New King Street has a clearly maker-marked. The checkered straight grip walnut butstock and forend remain in very fine condition as nicely refinished showing sectered light dings and minis curfts along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout, and the butstock is cast-off light and both sides are clearly maker lacket patter toller forend release, Westly Richards top lever reatin gabta along the top inter and the barrels showing ust a silver ol light bit top lever reatin gabta along the couple and the barrels showing ust a silver ol light with drops of 15/8' and 2 1/8' and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function with mode barrels and mine action seems to function with done barels and the action seems to function with thop</li></ul>					
<ul> <li>serial #509. 12 bore (2 347). 28 1/4<sup>2</sup> sleeved nitro-proofed barrels</li> <li>showing a couple scattered pinprick pits, some machine marks from</li> <li>choke work and a bit more noticeable light pitting in the chambers. The</li> <li>barrels how the original London black powder proofs along with modern</li> <li>British 3 ton 2 1/2<sup>2</sup> proofs, the chambers later lengthened and the</li> <li>barrels re-stamped to 2 3/4<sup>4</sup>. The barrels retain about 96-97% quality</li> <li>re-blacking showing some scattered frex/ling along the undersides, a</li> <li>few areas of minor thinning and small dings. The 151 New Bond Street</li> <li>barrels the advection and the burt showing remnants of</li> <li>lightly cleaned pinprick pitting. The action is embellished in near full</li> <li>coverage with fine quality tight Fc]nished showing some scattered light dings and minor scuffs along</li> <li>the butt, the checkering has been viny nearch and more scuffs along</li> <li>the butt, the checkering has been nicely refreshed and remains mostly</li> <li>crisip with attractive grain figure throughout and the buttstock is cast-off</li> <li>partial salut ubutstock and the butt is fitted with a Pachmayr Old English</li> <li>solid red rubber pad. The arm leatures Hackett pattert forler of</li> <li>release, Westley Richards to lever rand Needham patter leptor /</li> <li>extractor. Wall thickness measures no less than .02<sup>27</sup> with most areas</li> <li>considerably above this. Lock-up is tight with top lever resting about</li> <li>dead center and the bactin stabiwer olight between breech</li> <li>and tanding breeck. Length-of-puil is a sliver of light between breech</li> <li>and tanding breeck. Length-of-puil is a sliver of light between breech</li> <li>and the action seems to function well mechanically with</li> <li>roburtes stow resents to less than .02<sup>27</sup> with most areas</li> <li>at shair. Disput to slip twith top lever resting about</li> <li>adot at anding breeck. Length-of-puil is a sliver of 158<sup>26</sup></li> <li>and 2 1/8<sup>27</sup> and weight</li></ul>					
<ul> <li>choked improved cylinder and modified with bright near escellent bores showing a couple scattered piprick pits, some machine marks from choke work and a bit more noticeable light pitting in the chambers. The barrels show the original London black powder proofs along with modern British 10n 21/2<sup>9</sup> proofs, the chambers later lengthered and the barrels re-stamped to 2 3/4<sup>1</sup>. The barrels retain about 96-97% quality re-blacking showing some scattered freekling along the undersides, a few areas of minor throning and small dings. The 151 New Bod Street barrel retain al differs that 151 New Bod Street barrel retain a similar amount of reapplied blue showing some light exidation staining and fine piprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walub ubttsckok and forend remain in very fine condition as mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the to line and at the hele bardes showing ust a silver of light between horeech and the butts field with a Pachmary CId English scolleker prefershed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off and the butts field with a Pachmary CID English as a numerary cole strengt about to 23/4<sup>1</sup>. The relaw and the cluin seems to luction were three hardene freekling about the action seems to function were the bardes howing areas as to thy the plate were than a similar and the cluin steems to function were there hardene proved to a mostly concellate as a fun three hardene the butts for the plate were than a similar and market plate telever for the strength and the butt</li></ul>					
<ul> <li>showing a couple scattered pinprick pits, some machine marks from choke work and a bit more noticeable light pitting in the chambers. The barrels show the original London black powder proofs along with modern British 3 ton 2 1/2" proofs, the chambers later lengthened and the barrels restamaged to 2 34°. The barrels retain alou 95-97%, quality re-blacking showing some scattered freckling along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel in b address has been very neatly hand-engraved post-reflinshing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light vication staining and fine alphorick pitting. The action is embellished in near full coverage with fine quality tight English scorellwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip wahut buttscok and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refershed and remains mostly intact and both sides are clearly maker-marked. The checkered straight grip wahut buttscok is cast-off just a hair. There is an un-engraved silver monogram plate along the tot in a dat the heel and the butt is fitted with a Pachmayr Old English solit of ubber pad. The arm features Hackett patent roller forend release. Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025° with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and tand pheresh. Length-of-pull is abourt 1402° with drops of 150° autored at a dreid bas during trans. All agar with top lever resting about dead center and the barrels showing some stort. There is an un-engraved sliver monogram plate along the top input alight pitting and old oxidation staining, some areas to enowing scattered pitting and old oxidation s</li></ul>					
<ul> <li>choke work and a bit more noticeable light pitting in the chambers. The barels show the original London black powder proofs along with modern British Show 1/2° proofs, the chambers later lengthened and the barels showing some scattered freeking along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel his doffrees has been very neatly hand-engraved post-refinishing. The triggerguad and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly toned to a pewter gunnetal patine showing remnants of lightly cleaned pinprick pitting. The frame has mostly intact and both sides are clearly maker-marked. The checkered straight grip wainut butstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor soutly intact and both sides are clearly maker-marked. The checkered straight grip wainut butstock and forend remain in very fine condition as nicely refinished and remains mostly intact and both sides are clearly maker-marked. The checkered straight grip with the treative grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram pitele along the to the area the bures showing usit a silver of light byteow the redigint grip wainut butstock and lorend memain noty? With most areas considerably above this. Lock-up is tight with top lever retain galong the tot line and at the hele barrels showing just a silver of light byteom breach and standing breech. Length-of-pull is about 14.38° with drops of 15/8° and 2.18° and 2.18° and 2.18° and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectory und ating to about 1883. (13BeV38-264) (ANTIQUE) (1200/1800)</li> <li>chow a subt as the stand to but the stand to bardes of silvery case-hardened patina in the protected areas with some flakes of silvery case-hardened patina in the protecte</li></ul>					
<ul> <li>barrels show the original London black powder proofs along with modern British 3 ton 2 1/2" proofs, the chambers later lengthened and the barrels fers-stamped to 2 3/4". The barrels retain about 96-97% quality re-blacking showing some scattered frexiling along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel inb address has been very neatly hand-engraved post-refinishing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and line pinprick pitting. The frame has mostly toned to a pewter gunnetal patina showing remanants of lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip which attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved post-refinishing trips whit attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards tog lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a silver of light between breech and standing breech. Length-of-pull is about 14 38" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (1389438-264) (ANTIQUE) (1200/1800)</li> </ul>					
<ul> <li>British 3 ton 2 1/2° proofs, the chambers later lengthened and the barrels re-stamped to 2 3/4°. The barrels retain about 96-97% quility re-blacking showing some scattered freckling along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel it b address has been very neatly hand-engraved post-refinishing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly toned to a pewter gunnetal patta showing remaints of lightly cleaned pinprick pitting. The catcon is melbilished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip wahnt buttstock and foreing reneanin in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the butts tok is cas-toff just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmary Old English solid red rubber pad. The am features Hacket price resting about dead center and the barels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14.38° with drops of 15/8° and 2.18° and 2.18° and y usight is 6 pounds 5 ounces. The am features a tox started busch is colored and refinished showing areas as the show is calcered inght in genue materia. All markings remain intex protected areas of the frame. All markings remain intex protected areas with some flakes of silvery case-hardneed fine divers as a bit shy of the metal audition leaching, some areas bit shy of the metal auditin leaching, some areas a bit shy of the metal overali, spots dar</li></ul>			-	1100	
<ul> <li>barrels re-stamped to 2 3/4". The barrels retain about 96-97% quality re-blacking showing some scattered fretkling along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel rib address has been very neatly hand-engraved post-refinishing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation statining and fine pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain nor scutfs along the butt, the checkering has been nicely refinished and minor scutfs along the butt, the checkering has been nicely refershed and remains mostly with attractive grain figure throughout and the buttstock is cast-off pist a hair. There is an un-engraved silver monogram plate along the toter freed rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever nead has the off pisters howing just a silver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxock ejectorgun dating to about 1883. (13B948a-264) (ANTIQUE)</li> <li>(1200/1800)</li> </ul>				1193	
re-blacking showing some scattered freckling along the undersides, a few areas of minor thinning and small dings. The 151 New Bond Street barrel ib address has been very nearly hand-engraved post-refinishing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly toned to a pewter gunnetal pattan showing remnants of lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip wahnut butstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hacktet patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025' with most areas considerably above this. Lock-ving is gibt with hog lever series about dead center and the barrels showing just a sliver of light between breech and standing breeck. Length-of-pull is about 14.38' with drops of 15/8' and 2.18' and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)					
<ul> <li>few areas of minor thinning and small dings. The 151 New Bond Street barer linb address has been very neatly hand-engraved post-refinishing. The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly tored to a pewter gunmetal patina showing remnants of lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and miror scuffs along the butt, the checkering has been nicely effeshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver mongram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release. Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025' with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the bartish sowing just a sliver of light between breech and standing breech. Length-of. pull is about 14 3/8' with drops of 15/8' automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster bookck ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)</li> </ul>					
<ul> <li>barrel rib address has been very neatly hand-engraved post-refinishing. The triggerguard and to lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly toned to a pewter gunmetal patina showing remnants of lightly cleaned pinprick pitting. The factor is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butts fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barels showing just a sliver of light between breech and attanding breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster bolock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)</li> </ul>					
<ul> <li>The triggerguard and top lever retain a similar amount of reapplied blue showing some light oxidation staining and fine pinprick pitting. The frame has mostly toned to a pewter gunmetal patina showing remants of lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the butts fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025° with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8° with drops of 1 5/8° automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)</li> </ul>					
<ul> <li>showing some light oxidation staining and fine pinprick pitting. The frame has mostly toned to a pewter gummetal patina showing remnants of lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release. Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than. 025<sup>w</sup> with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the bartels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8<sup>s</sup> with drops of 1 5/8<sup>s</sup> and 2 1/8<sup>s</sup> and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectoryun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)</li> </ul>		barrel rib address has been very neatly hand-engraved post-refinishing.			grips which are un-numbered but fit very well. The gun is unfired,
<ul> <li>has mostly toned to a pewter gunmetal patina showing remnants of lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features a automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgund atting to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)</li> </ul>		The triggerguard and top lever retain a similar amount of reapplied blue			unturned since leaving the factory. All of the numbers are matching. A
lightly cleaned pinprick pitting. The action is embellished in near full coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the to line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)(1200/1800)		showing some light oxidation staining and fine pinprick pitting. The frame			super Single Action Army for the gun safe as an investment, or the
coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut butstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than. 025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectory. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)Est. 1,200 - 1,8001194Est. 1,200 - 1,800		has mostly toned to a pewter gunmetal patina showing remnants of			range or field as a fun throwback arm. (3B9740-43) {MODERN}
coverage with fine quality tight English scrollwork that remains mostly intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than. 025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectory. dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800)Est. 1,200 - 1,8001194Est. 1,200 - 1,800		lightly cleaned pinprick pitting. The action is embellished in near full			(1200/1800)
<ul> <li>intact and both sides are clearly maker-marked. The checkered straight grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)</li> </ul>					Est. 1,200 - 1,800
grip walnut buttstock and forend remain in very fine condition as nicely refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)				1194	
refinished showing some scattered light dings and minor scuffs along the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE} (1200/1800)					
the butt, the checkering has been nicely refreshed and remains mostly crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heal and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE} (1200/1800)					
crisp with attractive grain figure throughout and the buttstock is cast-off just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usble Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)have mostly toned to a mottled gunmetal and mild plum-brown patina showing overall light pitting and old oxidation staining, some areas perhaps a bit more moderate, some dings around the magazine hanger and the magazine itself having been cleaned mostly smooth. There are a few vise marks near the breech, some dings atop the action and the screw heads show slot wear. The lever shows remnants of silvery case-hardened patina in the protected areas with some flakes of silvery patina also present along some protected areas of the frame. All markings remain intact and legible. The plain walnut stocks remain in about good condition as cleaned and refinished showing areas a bit shy of the metal overall, spots darkened from oxidation leaching, some slivers missing near the upper tang and scattered light dings. The rifle is sighted with standard sporting rear sight (missing its fine elevation adjustable slider and screw), small German silver blade front and the		5 5 5 S			
just a hair. There is an un-engraved silver monogram plate along the toe line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features atuomatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)					
line and at the heel and the butt is fitted with a Pachmayr Old English solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)					
solid red rubber pad. The arm features Hackett patent roller forend release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 15/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)					
release, Westley Richards top lever and Needham patent ejector / extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)		,			
extractor. Wall thickness measures no less than .025" with most areas considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)					
considerably above this. Lock-up is tight with top lever resting about dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) (ANTIQUE) (1200/1800) case out 1883. (13B9438-264) (ANTIQUE)					
dead center and the barrels showing just a sliver of light between breech and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800)       patina also present along some protected areas of the frame. All markings remain intact and legible. The plain walnut stocks remain in about good condition as cleaned and refinished showing areas a bit shy of the metal overall, spots darkened from oxidation leaching, some slivers missing near the upper tang and scattered light dings. The rifle is sighted with standard sporting rear sight (missing its fine elevation adjustable slider and screw), small German silver blade front and the					
and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8" and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800) adjustable slider and screw), small German silver blade front and the					
and 2 1/8" and weight is 6 pounds 5 ounces. The arm features automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800) adjustable slider and screw), small German silver blade front and the		<i>c, c</i>			
automatic safety and the action seems to function well mechanically with robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800) adjustable slider and screw), small German silver blade front and the		and standing breech. Length-of-pull is about 14 3/8" with drops of 1 5/8"			markings remain intact and legible. The plain walnut stocks remain in
robust ejectors. A very early and perhaps usable Lancaster boxlock ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} (1200/1800) adjustable slider and screw), small German silver blade front and the		and 2 1/8" and weight is 6 pounds 5 ounces. The arm features			about good condition as cleaned and refinished showing areas a bit shy
ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} sighted with standard sporting rear sight (missing its fine elevation adjustable slider and screw), small German silver blade front and the		automatic safety and the action seems to function well mechanically with			of the metal overall, spots darkened from oxidation leaching, some
ejectorgun dating to about 1883. (13B9438-264) {ANTIQUE} sighted with standard sporting rear sight (missing its fine elevation adjustable slider and screw), small German silver blade front and the		robust ejectors. A very early and perhaps usable Lancaster boxlock			slivers missing near the upper tang and scattered light dings. The rifle is
(1200/1800) adjustable slider and screw), small German silver blade front and the					
					•
		Est 1 200 - 1 800			
(1000/1500) Est. 1,000 - 1,500		Est. 1,200 - 1,800			

1195	Winchester Pre '64 Model 70 Featherweight Bolt Action Rifle	1201	Desirable Browning Hi-Power Semi-Auto Pistol
	serial #335955, 243 Win, 22" barrel with an excellent bore. The barreled		serial #T195521, 9mm, 4 3/4" barrel with an excellent bore. This
	action retains 99% original blue with just a few minor handling marks.		1967-manufactured pistol has the highly desirable tangent rear sight and
	The bolt body is mostly-bright and is numbered to the gun with some faint wear to pewter at the tip of the knob. The aluminum floorplate		walnut grips. Most tangent sighted guns were shipped with black plastic grips but small quantities were fitted with walnut (Browning Sporting
	retains about 90% original anodized finish evenly-fading to silver toward		Arms of Distinction by Matt Eastman). This pistol remains in wonderful
	the front and on the edges with flecks of silver from some type of solvent		condition showing very little use and retains about 99% original blue.
	scattered across the surface. The checkered walnut Monte Carlo-style		The checkered walnut factory grips rate excellent. This gun features a
	pistolgrip stock with checkered aluminum buttplate is very good plus,		ring hammer, external extractor, dovetailed serrated inverted "V" front
	there are some very light handling marks and the buttplate retains nearly		sight and tangent rear sight graduated from 50 to 500 yards. The pistol
	all its original black anodized finish. The rear sight is a flip-up white		
	triangle and the front sight is a hooded bead. (22A9899-41) {C&R}		includes a black leather red felt lined soft gun case with the Browning name printed on it. The case rates about excellent with strong seams
	(1200/1800)		and functional zipper but the gold "Browning" name printed on the
	Est. 1,200 - 1,800		exterior is nearly completely worn off. This lovely Hi-Power appears to
1196	Pre-War Winchester Model 42 Slide Action Shotgun		
1190	serial #27680, 410 Bore, 28" barrel choked full with an excellent bore.		have seen very little use and remains in grand condition. Please see ou November Online Only auction for Hi-Power magazines. (8A9899-62)
	The metal surfaces retain 99% later-added matte blue with some		{C&R} (1000/1500)
	scattered blemishes with all factory markings remaining mostly crisp.		Est. 1,000 - 1,500
	The smooth walnut pistolgrip buttstock with checkered black hard rubber	1202	
	buttplate is about very good with light-to-moderate handling marks	1202	serial #SA42842, 45 Colt, 12" barrel with an excellent bore. This lovely
	throughout and the grooved forend is very good plus. Shotgun is sighted		Buntline is unfired and remains in wonderful as-new condition. The
	with a small bead front sight and appears to function well mechanically. (22A9899-67) {C&R} (700/900)		metal surfaces retain about 99% plus original blue with no visible turn
	(22A9699-67) {C&R} (700/900) Est. 700 - 900		ring. The frame is a mottled mix of beautiful blues, purples and straw case-hardened colors. The checkered synthetic Rampant Colt factory
1197	Ust. 700 - 900 Winchester Model 71 Deluxe Lever Action Rifle		
131	serial #38859, 348 WCF, 24" barrel with an excellent bore. The metal		grips are like new, they feature a Federal Eagle at the bottom of each panel and are numbered to the gun. As you would expect from a high
			condition gun, the action is crisp with correct timing and lock up and
	surfaces retain about 85-90% original blue with scattered blemishes, the		
	belly and parts of the lever worn to silver and some even thinning along the top of the receiver and at the breech. The checkered walnut capped		numbered parts are correct to the gun. The gun includes the original factory "Warning" hang tag. If you are looking for a simple but dramatic
	pistolgrip buttstock with slightly-worn checkered steel buttplate and		piece for your collection the Buntline will fill that role nicely. If you desire
	metal-capped forend are near very good, there are handling marks and		a brace of these fine guns please see the other Buntlines in this auction
	a 1 1/2" hairline crack at the forend's right-side rear. Rifle is equipped		(8A9540-35) (MODERN) (1200/1800)
	with a hooded bead front sight and a semi-buckhorn rear sporting sight.		Est. 1,200 - 1,800
	A solid and perfectly-utilitarian 1954 short-tang rifle. (22A9790-28)	1203	
	{C&R} [Bob Borcherdt Collection] (1000/1500)	1203	Colt Third Generation Single Action Army Buntline Special Revolver serial #SA56604, 45 Colt, 12" barrel with an excellent bore. This fine
	Est. 1,000 - 1,500		
1198			revolver appears unfired and remains in excellent condition. The metal
1198	Excellent Winchester Pre '64 Model 94 Lever Action Carbine		surfaces retain about 98% original blue with no turn ring on the cylinder
	serial #1296623, 30 WCF, 20" barrel with an excellent bore. The barrel,		and just some very faint thinning on the backstrap. The frame retains
	tube and action retain 99% original blue with small areas of the serrated		beautiful case-hardened colors with minor freckling. The un-numbered
	buttplate have toned to pewter. The smooth walnut straight-grip		replacement checkered synthetic factory grips have a Rampant Colt in
	buttstock and forend are excellent with a couple very minor blemishes.		an oval with a Federal Eagle at the bottom of each panel and rate
	The rear sight is a sporting semi-buckhorn with elevator, the front is a		excellent. Numbered parts are correct to the gun and it still times and
	hooded silver bead. Included is the original good condition factory box		locks up as good as the day it left Colt in 1981. This gun has enough
	with flaking, separated corners and matching end label with faded but		condition for the collector but can stand light shooting. If you desire a
	legible matching serial number. A wonderful 1941-production carbine		brace of these fine guns please see the other Buntlines in this auction.
	with its original box for the advanced Winchester collector. (22B9899-33)		(8A9540-36) {MODERN} (1200/1800)
	{C&R} (1800/2200)	1204	Est. 1,200 - 1,800
1199	Est. 1,800 - 2,200 Winchester Model 1892 Saddle Ring Carbine	1204	Custom Colt Third Generation Single Action Army Revolver
1199	-		serial #SA20541, 44 Special, 4 3/4" barrel with an excellent bore
	serial #853743, 38 WCF, 20" barrel with a near excellent bright shiny		showing a small ring of circumferential faint tool marks on the lands about mid-bore that are unobtrusive. This 1979-manufactured gun has a
	bore showing just a couple very light pits. The receiver has toned to a		÷
	mottled dark brown and pewter with original blue along the top tang,		later added nickel plate cylinder, these tri-tone style guns were referred
	around the lever and other protected areas. The remaining metal surfaces retain perhaps 80-85% original blue, there are areas of light		to as "Pinto" models. It is similar to the 1982 limited run of Pinto models.
			Colt produced but with 5 1/2" barrels. The metal surfaces retain about
	oxidation and the expected freckles and blemishes with all markings		92% combined finishes. The barrel and grip frame show thinning finish
	remaining crisp and legible. The smooth walnut straight-grip buttstock		with an area of lightly cleaned oxidation and small tool marks on the
	and forend are near very good as cleaned and touched-up some time		barrel near the base pin. The nickel cylinder is un-numbered and retains
	ago with the expected small impact marks and handling marks. The rear		slightly clouded nickel plate with minute bubbling. The frame has robust
	sight is a graduated ladder, the front is a small blade. A nice		case-hardened colors with scattered surface oxidation. This gun has
	1918-manufactured carbine with a great bore. (22A9838-3) {C&R}		later added bold stag grips with lovely color and strong bark. The
	(1200/1800)		numbered parts are correct to the gun and it still times and locks up
	Est. 1,200 - 1,800		properly with a crisp action. A unique looking "third-genny" for the
1200	Smith & Wesson Model 547 Military & Police Revolver		collector or shooter. (8A9740-30) {MODERN} (1000/1500)
	serial #ABN6391, 9mm, 3" heavy barrel with an excellent bore. This		Est. 1,000 - 1,500
	revolver shows little if any use and has fantastic condition. The metal	1205	Custom Colt Second Generation Single Action Army Revolver
	surfaces retain about 99% original blue finish. The smooth combat		serial #22721SA, 44 Special, 7 1/2" barrel with an excellent bore. This
	trigger and semi-bobbed hammer retain bold case-hardened colors with		1958-manufactured revolver has been lightly customized by Christy Gur
	minor operational wear. The checkered walnut factory round butt target		Works and remains in excellent condition. The metal surfaces retain
	grips with silver S&W medallions rate excellent. This gun had several		about 98-99% original and reapplied blue finish showing light edge wear
	unique features to accommodate the tapered rimless 9mm Parabellum		and sparse handling marks. The grip frame and barrel are original finish
	cartridge. There is a second "cartridge retainer pin" situated above the		and the frame and cylinder are re-applied blue. The grips are unmarked
	firing pin that holds the cartridge head to keep the case from backing out		smooth rosewood stocks that rate excellent. The gun has the normal
	during firing, special extractor star with spring loaded fingers to engage		features of a "second-genny" revolver but a Christy Gun Works floating
	the cartridge rim, frame mounted floating firing pin and the traditional		firing pin was installed on the frame and the original hammer modified to
	fixed sights of the M&P revolvers. The gun still times and locks up		accommodate the firing pin. The main purpose of this firing pin was to
	correctly and the action remains crisp. It includes the original factory box		prevent blow back from high pressure loads. The altered hammer
	that is correctly end labeled and numbered to the gun, cleaning kit,		configuration is similar to the New Model Ruger Blackhawks, although it
	manual and paperwork. Model 547s with wonderful condition like this		does not have the transfer bar safety and should still only be loaded with
		1	five rounds. An interacting conversion from "vectory cor" that will make a
	one remain in high demand. (8A9899-16) {MODERN} (1000/1500)		five-rounds. An interesting conversion from "yesteryear" that will make a
	one remain in high demand. (8A9899-16) {MODERN} (1000/1500) Est. 1,000 - 1,500		nice change-up for your collection. (8A9740-44) {C&R} (1500/2000)

1206	Winchester Model 62A Slide Action Rifle	1211	New York State Contract Flintlock Musket by L. Pomeroy
1200		1211	
	serial #366406, 22 S,L,LR, 23" barrel with a bright excellent bore. The		.69 cal., 42" barrel with an oxidized bore. Fearing an outbreak of war
	barrel and magazine tube retain about 95% original blue, loss due to		with Britain and with the desire to better outfit her militia, the state of
	even fading, wear at the muzzle, slide arm and rear of magazine tube.		New York, according to page 244 of Moller's American Military Shoulder
	There are tiny nicks and scratches common of a carried arm. The action		Arms Vol. II, contracted with Lemuel Pomeroy of Pittsfield MA to deliver
	retains 95-97% original blue, loss due to light operational wear along the		1,000 stands of arms in 1809. The metal surfaces of this original flint
	top of the receiver, there are some light scratches and specks of fine		musket are toning to an oxidized brown patina with a few tiny dings
	oxidation. The slide cover is toning to a mixture of plum brown and		around the muzzle and a few topical chips along the top of the barrel.
	original blue, the lower tang is toning to a slightly brighter pale gray and		The brass front sight blade has aged to a dark mustard patina and the
	brown patina while the hammer sides and edges of the takedown screw		detachable brass pan displays light verdigris. The touchhole was slightly
	show light operational wear. The smooth straight grip walnut buttstock		enlarged during the period of use with a corresponding step down in the
	and grooved flatbottom forearm remain near excellent with expected		pan where it contacts the barrel. The lockplate is marked "L.POMEROY"
	light handling marks and blemishes. The original sights remain intact		ahead of the cock while the breech of the barrel is correctly marked with
	and the action seems to function well mechanically. A very good plus to		Massachusetts proofs "P M", inspector's initials "S.J." the date "1810"
	near excellent Model 62A. (5A9790-52) {C&R} (800/1200)		and a softened "SNY" denoting New York ownership. The smooth black
	Est. 800 - 1,200		walnut straight grip stock rates fair-good with an 8" flexing crack in the
1207	U.S. Model 1879 Trapdoor Rifle By Springfield Armory		right wood line of the forend, a short flexing crack ahead of the
1207			
	serial #161305, 45-70 Govt., 32 5/8" barrel with a bright excellent bore		lockplate, two finishing nails in the rear upper edge of the lock relief, a
	having crisp clean rifling. This is a lovely rifle, the barrel, bands and lock		chip in the toeline and other various signs of military service. The left
	retain about 95% original blue toning to brown, loss due to even fading,		stock flat retains the remnants of the characteristic scalloped-edge circle
	there is some sparsely scattered fine oxidation and light wear in the front		inspector's cartouche. The sling swivels are no longer present, a correct
	sight area from prior bayonet mounting. The frame has a more mottled		button-head ramrod is included and while strong, the action will need
			-
	original blue and brown patina. The 1873 dated breechblock and tang		mechanical attention as the notches are worn. Included is a lightly
	are nicely muting to a pleasing brown patina still showing generous		oxidized period socket bayonet with unbridged L-shaped mortise and 15
	strong brilliant color case-hardened finish. The stock remains excellent		1/2" long blade which mounts well to the bayonet lug and barrel. It is
	with crisp "SWP / 1881" cartouche, circle "P" firing proof and a few minor		estimated that no more than a few hundred muskets were manufactured
	dents and blemishes. Rifle is sighted with proper front and buckhorn rear		by Pomeroy for the state of New York. (23B9909-2) {ANTIQUE}
	<b>o i</b> i		
	sights, a slotted button tip ramrod is in place and the three position		(1000/1500)
	tumbler and lock appear to function well mechanically. A nice, honest		Est. 1,000 - 1,500
	1879 Trapdoor rifle. (5B9899-48) {ANTIQUE} (1000/1500)	1212	Fine EM Reilly Pinfire Double Shotgun
	Est. 1,000 - 1,500		serial #13,033, 20 ga., 29" barrels with bright very fine bores showing
1208	U.S. M1 Garand Rifle By Springfield Armory		remnants of some light scattered oxidation and light remnants of pitting,
1200			
	serial #5855721, 30-06, 24" "SA" marked barrel that is dated "4 55" with		the left tube showing an old professionally raised ding about 8" from the
	an excellent bore. The metal surfaces retain about 90-95% arsenal		muzzle. The barrels show lovely star damascus pattern their full-length
	refurbished parkerized finish that has some high edge and bearing		with a bit of fading nearer the muzzles, a bit of very light oxidation and
	surface wear throughout and is evenly thinning along the barrel and gas		very light pinprick pitting at right of muzzles. The rib is neatly marked
	tube. The walnut stocks rate near excellent and have some light		"EM Reilly & Co. New Oxford St., London" and shows a bit of nice scroll
	÷		· · ·
	handling marks and a few small to minor dings and impressions that are		at its rear with small engraved "explosions" around the ignition pin holes
	synonymous with service type use. The buttstock has a partial Federal		at the breech. The frame and back action lockplates are primarily a
	Ordnance eagle cartouche and a crisp circled "P' proof. The parts are		pewter gunmetal gray patina showing some trace case colors in the
	mostly Springfield Armory with a Winchester hammer and a Harrington		protected areas, more prominent on the left plate. They feature tight
	& Richardson operating rod. This is an overall excellent condition rebuilt		English scroll on the radii of the frame with gamebirds on the lockplates,
	M1 that would make a terrific shooter. (4A9903-1) {C&R} (1000/1500)		each also maker marked in-turn and with nice scroll at their rears and
	Est. 1,000 - 1,500		the sides of the hammer; the hammer noses are neatly engraved in a
1209	U.S. Marked Remington 40-X Bolt Action Rifle		dolphin head motif. The long tang triggerguard shows some nice
	serial #9193, 22 LR, 28" target barrel with a bright, excellent bore. The		engraving with solid blue on the bow beneath the opening lever, the long
	metal surfaces retain about 95% original blue that has some areas of		upper tang as well with the same nice quality scroll and a small
	0		
	light wear and handling marks and is blending to brown with some areas		gamebird. The length of pull to the smooth steel shotgun buttplate is 14
	of light surface oxidation and staining. The walnut target stock rates		1/4" with a bit of light scroll at the top of the heel. The English walnut
	near excellent and has some light handling marks and some small to		buttstock rates very good to perhaps near fine with some nice grain
	minor dings and impressions. The stock features a hard rubber rifle pad,		figure and coarse checkering and the expected light dings and handling
	swivels and has a target rail in the underside of the forearm. Rifle is		
	-		marks that come from the years. The splinter forend is near fully
	equipped with a set of Redfield Olympic target sights which include a		checkered and has a small horn tip insert and a tiny flake at left side
	globe front and adjustable rear with aperture. The left side of the		rear near the iron. The locks are crisp and mechanically functional and
	receiver is marked "U.S. PROPERTY" and included is a shipping box		in time for the most part, the right hammer sits just a tiny bit rear of the
	from the Civilian Marksmanship Program which contains a Certificate of		left, the right side small raised edge flare to the rear of the standing
	Authenticity from the CMP showing that this rifle was purchased through		breeches shows a small chip. The screws show nice slots with the
	this program. The barrel code indicates that this rifle was made in 1960		
			bottom lever screw slot showing just a tiny bit of wear and could easily
	and it is a near excellent condition example overall. (4A9830-6) {C&R}		be dressed. The arm is tight on face and comes in a nice walnut case
	[Dr. William C. Nugent Collection] (1000/1500)		with brass corners and Reilly makers label on the interior. The green
	Est. 1,000 - 1,500		baize is an older replacement and is rather nice, the case likely being
1210	W.W. Greener FH-25 Grade Boxlock Double Ejectorgun		adapted to this arm. There is a nice nickel oil bottle, a maple wad ram,
	serial #61916, 20 ga., 28" barrels choked about improved modified and		some rod end accessories and three paper 20 bore pinfire shells which
1			
1	modified with excellent bores. The barrels retain some of their original		fit the chambers very well. A very handsome EM Reilly shotgun that
	•		likely could still go afield once a few more shells are secured. (39894-3)
	blue, but are mostly mottled brown that is fading to gray toward the		{ANTIQUE} (1500/2000)
	•		
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket		Est. 1.500 - 2.000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and neutral cast. The frame locks up tight and the lever comes to rest at		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and neutral cast. The frame locks up tight and the lever comes to rest at center. The action appears to function as it should and the ejectors		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and neutral cast. The frame locks up tight and the lever comes to rest at		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and neutral cast. The frame locks up tight and the lever comes to rest at center. The action appears to function as it should and the ejectors		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and neutral cast. The frame locks up tight and the lever comes to rest at center. The action appears to function as it should and the ejectors operate correctly. This is a very nice small frame 20 bore double that has seen some use but would likely provide many hours of enjoyable		Est. 1,500 - 2,000
	blue, but are mostly mottled brown that is fading to gray toward the chambers. The rib is marked "W.W. Greener Maker 63 Haymarket London. Works St Mary's Square Birmingham". The nicely factory engraved frame and forearm iron feature light foliate patterns and are overall a mottled gray and brown with some of the original case color still visible along the watertable and protected areas. The checkered walnut stocks rate about very good. The splinter forend features a horn tip and has a 4" long crack with chip along its left side. The pistolgrip stock has light dings and handling marks along with some nicely added finish that has some areas of light flaking. There are a few small cracks and a Pachmayr ventilated recoil pad has been added to the butt. The buttstock has a 14" length of pull with drops at 1 5/8" and 2 3/4" and neutral cast. The frame locks up tight and the lever comes to rest at center. The action appears to function as it should and the ejectors operate correctly. This is a very nice small frame 20 bore double that		Est. 1,500 - 2,000

{ANTIQUE} (1000/1500) Est. 1,000 - 1,500

1213	Unmarked Japanese Tanegashima Matchlock Carbine	]	1216	British Sea Service Pattern "Brown Bess" Musket
	About .30 caliber, 27" part round brass barrel with an oxidized bore. This			.78 cal., 38 1/2" barrel with an oxidized bore. The barrel is a very
	is a rather interesting smallbore carbine, these arms usually being			pleasing soft plum brown patina its full-length and features a
	somewhat longer and of larger caliber, this example likely made for a			top-mounted bayonet lug-sighting stud, the nosecap beginning 4 1/2"
	person of smaller-stature or perhaps even a well-heeled youngster. The			from the muzzle. The appropriate British proofs are at the left radius of
	barrel has a somewhat cannon-belled muzzle with small raised medials			the barrel and there is a good deal of pitting around the touch hole,
	behind, there being a simple raised sighting block with small bead and			adding to the honest character of this interesting arm. The lockplate is
	square sighting rear block with a simple groove cut into it. The lockplate,			appropriately "Tower" and "(crown)" marked and border engraved with a
	guard and balance of the furniture are all brass with a nice			bridled frizzen, showing the appropriate wear marks and light pitting that
	ochre-goldenrod patina throughout. Strangely unadorned, we are used			come from an issued and used arm. There are two funneled thimbles,
	to numerous inlays, this example being very spartan in character with a			the tailpipe fairly simple and with a small chip missing out of its leading
	chrysanthemum around the left-side slow match hole near the butt. The			edge, the triggerguard rather sea service-pattern like but with a rearward
	Asian hardwood stock rates very good with strong original varnish and			grip swirl as seen on the New Land Pattern sergeants carbines and
	the overall very light dings and handling marks that come from the years, showing a repaired crack from the center of the stock near the			similar 1830s-era Bess conversions; the buttplate is very sea service in character. The stock rates about very good with the expected overall
	rear band to the left stock flat, it is unobtrusive and well-done and there			light dings and handling marks and a small swell at the tailpipe, with a
	are a few scattered drying cracks here and there. The attendant parts			crack through the left stock flat, a couple more to the rear of the dovetail
	seem to pivot as-designed however the sear does not catch and the ball			tang and a small chip missing above the lock, the butt with an arsenal
	trigger does not therefore release it, but these are very simple			repair. The lock functions properly mechanically and there is a later iron
	mechanisms on their interior and this would likely be an easy repair if			ramrod included. A very good example overall of one of the last flintlock
	one wished. The overall length is 38 1/2", there is a bamboo dowel			"Brown Bess" muskets to be used by the realm, the advent of
	within the ramrod recess and the arm is likely more contemporary than			percussion arms quickly hailing their demise as viable military arms.
	antique. A very interesting "example" piece for the primitive arms			(39770-3) {ANTIQUE} (1200/1800)
	collector. (39770-4) {ANTIQUE} (1200/1800)			Est. 1,200 - 1,800
	Est. 1,200 - 1,800		1217	Interesting Antique English Butt Reservoir Air Rifle
1214	Fine Stevens Lord No. 36 Target Pistol	1		About .42 cal., 30" round barrel with a very fine bore showing a few
	serial #1357, 22 LR, 10" part octagon part round barrel with a bright			scattered very light pits, but bright for the most part, with 20 groove
	excellent bore. The barrel is an even mix of deep gray-blue original blue			rifling. Really a rather nice air rifle, completely unmarked but appearing
	and a flaked smooth plum brown with wear to pewter at the muzzle and			very English in character and mirroring other British examples of the
	some light handling marks on the left and under sides of the barrel. The			period. The barrel shows a nice plum damascus twist pattern its
	iron frame remains quite nice retaining perhaps 98% original nickel, the			full-length, primarily visible under bright light as it has toned somewhat
	few tiny flaked spots a plum brown, and the triggerguard similar with			from the years, with remnants of some of very light oxidation near the
	perhaps a few more flakes closer to 97%. Both the hammer and trigger			muzzle. The arm is equipped with a scant silver blade front sight and a
	show some nice pale fire temper blue, the spur of the hammer with light			shallow v-notch rear and transitions to octagonal at the breech. The
	oxidation staining across its top surface, lightly flaked to plum with a few			heavy iron frame is now primarily a pleasing untouched smooth plum
	spots of very light pitting. The checkered walnut grips rate excellent and			brown patina with tight English scroll on both of the frame flats left and
	are pencil-numbered to the gun and both the frame and barrel are			right in about 40% coverage, the right flat with some strong color
	numbered alike. The original bead front sight is in place as is the			case-hardening in the area beneath the pivoting "hammer", perhaps
	semi-buckhorn step-adjustable rear, the rear with some lovely blue.			30% of it remaining, the balance a lovely untouched patina. The top
	Lockup is tight, and the mechanism functions as-designed and the arm			cover of the tap-action shows light open flowing scroll as does the
	actually has a very lovely trigger. A fine No. 36 Lord pistol that would			plum-tone bow of the triggerguard. The arm features a very nice
	likely still shoots X's all day long. (39894-1) {C&R} (1000/1500)			shagreen-covered heavy iron butt reservoir, the front collar a plum
1015	Est. 1,000 - 1,500	-		patina showing light tool marks overall. The shagreen remains very nice
1215	Unmarked Pennsylvania Percussion Swivel Breech Buck and Ball Rifle			overall showing a few spots of light drying which have subsequently
	.50 cal. rifled bore and .45 cal. smoothbore, 35 1/2" octagon barrels,			crackled or flaked, but the seam is very good along the bottom, only a
	each with oxidized bores. The barrels are a very pleasing plum brown with sparsely scattered light oxidation staining and a few areas of light			small 4" section separating along the toeline, with separation of the seam around the periphery of the butt, with the covering remaining
	pitting, toning a bit to pewter on the sharp edges of the flats. Each barrel			adhered, a 1" flake missing at the toe and a smaller spot on the butt
				near the heel. The arm features a left side loop which allows access to
	has a nice German silver front sight in a shallow dovetail with a flat-topped u-notch rear and there are dual brass ramrod thimbles			the pivoting breech and a right side "safety" cutoff loop which will
	between each barrel, with 6" ramrod receptacles extending from each			preclude the plunger from operating, so no air is released from the
	breech. The back action lock is "JOSh GOULCHER" marked and has			reservoir. The mechanism seems to function properly as-designed and
	very light engraving with dual game birds, it and the hammer a pleasing			there is a more modern leather seal present between the frame and the
	plum brown patina, the engraving having softened from the years, and			butt reservoir. The arm takes down into three portions, barrel, reservoir
	the hammer showing a very old crack at its root; it is however stable.			and the frame itself, and likely came cased originally with pump and
	The arm features a faceted brass triggerguard with single rearward spur,			other necessities. A very attractive British butt reservoir air rifle overall.
	segmented about halfway through the bow, the forward portion			(39770-5) {ANTIQUE} (1200/1800)
	reciprocating to lock or release the barrels so they may be pivoted.			Est. 1,200 - 1,800
	There is a simple brass sideplate, rear release patchbox, simple brass			•
	toeplate and brass crescent butt with faceted tang. The curly maple			
	stock rates about very good as lightly refinished a number of years ago,			
	retaining the minor dings and handling marks beneath with a nice ribbed			
	square-bottomed cheekpiece. The wood has shrunk a bit in some areas			
	and with a 1" chip missing at lower left front and it shows lovely			
	fiddleback figure its full-length. The lock seems to function well			
	mechanically and the barrels pivot and operate properly as-designed, at			
	this point they are a bit loose with the frame exhibiting some play,			
	antique ramrods are included. While unmarked, these were fairly			
	common arms throughout Pennsylvania and portions of New York State,			
	this remains an interesting and attractive example overall. (39770-6)			
1	{ANTIQUE} (1000/1500)			

1218	British Double Barrel Percussion Pistol by Charltons	12	222	Winchester Model 52B Bull Gun Target Rifle
	.67 cal, 6 3/4" twist steel barrels with very good bores showing some			serial #62693B, 22 LR, 25" heavy target barrel with an excellent bore.
	scattered light pitting. The barrels show evidence of an old cleaning and			The metal surfaces retain 99% original matte blue with crisp factory
	are toning to a silvery pewter patina with scattered remnants of			markings, the bolt body is mostly-bright and is numbered to the gun and
	smoothed-over old pitting and generous plum-brown twist patterns			the knob is toning to pewter. The barrel has been
	throughout. The patent breech has toned to a silvery gray			professionally-shortened and crowned, the work looks very factory in
	case-hardened patina and features platinum blowout plugs and a nice			nature. The smooth walnut pistolgrip marksman target stock with
	foliate motif atop the rib. The undersides of the barrels are stamped with			adjustable handstop and checkered steel buttplate is near excellent,
	London black powder proofs. The back action lockplates are a mild gray			there is some residue likely from an old dope sticker, some small chips
	showing some silvery case-hardening in the protected areas, the right			around the front adjustment screw hole and scattered signs of handling
	lockplate and hammer with a bit more noticeable old pitting. Both			associated with a competition-used target rifle. Attached to the rear two
	lockplates are marked "CHARLTONS" and are embellished with fine			target blocks is a "J.UNERTL"-marked tube sight with adjustable
	flowing foliate scrollwork and fish head hammers, the spur of the left			eye-piece retaining perhaps 98% original blue and measuring 16 1/2"
	show a tiny crack forming. The locks are equipped with sliding half-cock			long, the front block has a globe sight with a single hole insert, the sight
	safeties. The breech tang is embellished in full coverage with fine foliate			picture is quite interesting and no-doubt precise. Included is a single
	scrollwork and shows some smoky case-hardening while the swiveling			Winchester-marked magazine with single shot adapter. A very nice
	ramrod assembly and buttcap with small storage compartment have			1947-manufactured Bull Gun ready to hit the range. (22A9833-35)
	toned to gray. The triggerguard has a small foliate finial and retains a			{C&R} (1200/1800)
	healthy amount of original bright blue in the protected areas flaking to			Est. 1,200 - 1,800
	gray-brown and showing nice foliate embellishments, the ramrod tailpipe	12	223	Colt Model 1877 Lightning Etched Panel Revolver
	also showing some flakes of original bright blue. There is an			serial #16714, 38 Colt, 2 1/2" barrel with a bright slightly frosted bore.
	un-engraved silver monogram plate behind the upper tang and silver			This lovely Lightning remains in excellent condition with about 95%
	oval wedge escutcheons. The checkered English walnut stock with horn			original nickel plate showing high edge wear commensurate with sliding
	nosecap remains in very fine condition as very carefully cleaned long			this handy little gun into a holster or pocket; there is light flaking of the
	ago and showing a little bit of added antique finish that now shows some			finish, mostly on the cylinder with a more noticeable area of loss along
	faint crazing. There are a few tiny unobtrusive chips around the edges of			one chamber. There are a few scattered sparse oxidation stains and
	the left lockplate and a small repair and slightly thinned area at the left			mild handling marks but the nickel has a nice bright appearance overall.
	edge near the wedge but the stock otherwise maintains a very			Portions of the trigger and hammer retain brilliant fire blue, the rest
	handsome appearance and the flattop diamond point checkering with			toned to a gray patina. The grip frame screws retain strong fire blue with
	mullered borders remains in near excellent condition. The swiveling and			the remaining frame screws worn to pewter showing a halo of color on
	rotating ramrod assembly is intact and the locks seem to function well			their edges. The long knurled base pin on this ejector-less revolver has
	mechanically. An attractive and fine quality British big bore double barrel			toned to smoky gray with a few traces of blue on the upper front cone of
	pistol for the antique arms collector. (13B9795-10) {ANTIQUE}			the base pin. The checkered hard rubber factory grips have the
				, , , , , , , , , , , , , , , , , , , ,
	(1000/1500) Ext 1 000 1 500			Rampant Colt in an oval showing slight wear on the high edge of the
4040	Est. 1,000 - 1,500			butt's contour. The numbered parts, including the grips, are matching
1219	U.S. Repeating Arms Co. Model 1895 Grade I Lever Action Rifle			the gun, it still functions mechanically but timing and lock up are in need
	serial #00061ZM95C, 30-40 Krag, 24" barrel with an excellent bore. The			of attention. The barrel address and patent dates are crisp. This
	metal surfaces retain 99% plus original blue with Winchester sticker still			1880-manufactured revolver has the later "COLT D.A. 38" caliber
	affixed to the barrel. The checkered walnut straight-grip buttstock and			designation in a crisp etched panel on the barrel. The gun has had good
	forend with schnabel-style tip are excellent. The rifle is sighted with a			care over the years showing honest use. (8A9906-2) {ANTIQUE}
	semi-buckhorn sporting rear sight, a brass bead front sight and is			(1500/2000)
	equipped with a tang safety. Included is the original box with factory			Est. 1,500 - 2,000
	paperwork and lock. (22A9808-44) {MODERN} (1000/1500)	12	224	German P.35(p) Semi-Auto Pistol By Radom
	Est. 1,000 - 1,500			serial #G2181, 9mm, with a bright near excellent bore showing strong
1220	U.S. Repeating Arms Co. Model 1895 Grade I Lever Action Rifle			evident rifling with a few specks of light oxidation. The metal surfaces of
	serial #00316MT95L, 30-40 Krag, 22" barrel with an excellent bore. The			this type III two lever pistol retain about 95% evenly thinning original
	metal surfaces retain 99% plus original blue with the factory sticker still			blue toning to gray brown, loss due to wear along the edges, gripstraps
	affixed to the barrel. The smooth walnut buttstock and two-piece forend			and contact points of the decocking and takedown lever. The original
	are excellent. The rifle is sighted with a gold blade front sight and a			brown checkered "FB / VIS" grips remain excellent showing minimal
	graduated ladder rear sight. This as-new rifle is equipped with a			wear. All serialized parts are matching and the left side of the frame and
	tang-mounted safety and comes with the original factory box, lock and			slide have appropriate E/77 and Waffenamt markings. Included is a
	related factory paperwork. (22A9808-45) {MODERN} (1000/1500)			single magazine with a backwards "K" at the heel of the spine. An
	Est. 1,000 - 1,500			excellent type III Nazi occupation Radom pistol. (5A9804-19) {C&R}
1221	Winchester Model 1892 Lever Action Rifle			(1000/1500)
	serial #362214, 44 WCF, 24" octagon barrel with a very good plus bore			Est. 1,000 - 1,500
	showing some scattered shallow pits and strong rifling. The metal	4	225	U.S. Model 1888 Trapdoor Rifle By Springfield Armory
		12	220	serial #515238, 45-70 Govt., 32 5/8" barrel with a bright excellent bore.
	surfaces have been cleaned to a dusky gunmetal gray patina with some			
	flakes of original blue here-and-there, the caliber marking, proof marks			This is a lovely Trapdoor rifle. The barrel and frame have an even
	and barrel address remain clear and legible as does the three-line			balance of original blue and dark brown patina with the occasional tiny
	"MODEL 1892 / -WINCHESTER- / TRADE MARK" tang marking. The			nick and speck of fine oxidation. The 1884 dated breechblock retains
	smooth walnut straight-grip buttstock and metal-capped forend are very			97-98% original brilliant crisp color case-hardened finish muting slightly
	good as lightly cleaned with just a few scattered blemishes, the wood is			along the top of the firing pin housing. The lock is properly marked and
	still proud of the metal in many spots and the wood shows nice open			has lightly toned to a mottled oil quenched gray and brown patina with a
	grain. This 1906 rifle is sighted with a small bead front sight and an			tiny light scratch on the top inside of the hammer. The walnut stock rates
	adjustable sporting rear sight. The perfect Winchester '92 for restoration			excellent with a handful of light dents and blemishes and a crisp 1891
	or authentic cowboy shooting. (22A9833-33) {C&R} (1000/1500)			dated cartouche and circle "P" firing proof. The buttplate is a mixture of
	Est. 1,000 - 1,500			gray-brown patina and original blue with scattered light oxidation. The
				rifle is equipped with a proper hooded front sight, Buffington rear sight,
				bronze firing fin and ramrod bayonet. A lightly worn but intact period
				leather sling is included and a U.S. Model 1879 combination tool and
				broken shell extractor is present in the butt. A beautiful excellent
				example of these later Trapdoor rifles. (5C9896-58) {ANTIQUE}
				(1500/2000)
				Est. 1,500 - 2,000

<ul> <li>U.B. Model 1983: Photology Section Photology Section</li></ul>				
<ul> <li>Each is 44/07.6. 4/2 for develop therein of the original dependence of the original dependenc</li></ul>	1226	U.S. Model 1884 Trapdoor Rifle By Springfield Armory	122	9 U.S. Model 1903 Bolt Action Rifle by Springfield Armory
<ul> <li>For terms. There and the value to this Web deterg strong laped till results particles differences and the strong till result and the strong strong. The terms difference and tables of the 130-wines of the strong difference and tables of the 130-wines of the strong difference and tables and the terms differences and tables and tables and the terms differences and tables and tables and tables and tables and tables and the terms differences and tables and ta</li></ul>	-	, , , , , , , , , , , , , , , , , , , ,		, , , , ,
<ul> <li>Perform Strong on the strategy of the strategy of</li></ul>				
<ul> <li>estance for oxidation, and mixe boycel users at the muzzle. The oxid should be determined by any and other pageres particular or the lower clocks (pint muchan) or pay slow (pint be explored by the oxidation should be determined by the oxidation sh</li></ul>				
<ul> <li>Here with scattered processor of the scattered procesor of the scattered processor of the scattered processor of the</li></ul>				
<ul> <li>see colors (pilly multiple (pary 4000 pt e sign), the oblic subter whether a many 400 per velocity and the per velocity and the per velocity and the per velocity of the velocity and the ve</li></ul>				
<ul> <li>What is masker. All of the manufacture manufacture is a large that is a large that is a marker is a large that is a large that is a marker is a large that is a large that is a marker is a large that m</li></ul>				
<ul> <li>PLJ: "sample on the uttrane file. The watering back transme section of the PLJ multiple of the plan back transme section of the uttrane file. The transme the lock total: The vocation and the plan back transme section of the uttransme section of the uttrane file. The transme section of the uttrane file of uttrane file of uttrane file of the uttrane fil</li></ul>				
<ul> <li>Isouring an oli signt contrary with orige 1888 and catabutch and cines</li> <li>Null mind provide and signt provides and provides and signt provides and provides and signt provides and signt provides and provides an</li></ul>				
<ul> <li>N.1<sup>1</sup> modering in between the lack balls. The word shows terminant of the well sight of entropy that is an a check back to report at the lack balls. The other sign product of the well sight of entropy that is an a check back back back back back back back ba</li></ul>				
<ul> <li>In the number of the start is approximately actual tight of the start is where a start is approximately actual tight of the start is approximately. It is approximately actual to the start is approximately actual to the s</li></ul>				
<ul> <li>which a missed at fing approximation of a new part of the transmission of the posterior matter signal posterior and the signal posterior and posterior and the signal posterior and most and the society and the signal posterior and most and the society and the signal posterior and the signal postereside posterior and posterior and the signal posterior and th</li></ul>		-		
<ul> <li>Is equipped with a standard front sight. Eufriguence is right, bronzelling in the source is a coppen patient and built is resolver. If we want at alco is in wery good place is the source is the sourc</li></ul>		5 F F		
<ul> <li>Intrig pin, block duttor, with an abox 12<sup>1</sup> http://with duttor.</li> <li>Intrig pin, block duttor, with an abox 12<sup>1</sup> http://with.th</li></ul>				
<ul> <li>ship. The three poster hundles and lock ships and functions will reach the lock ships and functions will be a the ships and functions of the VL state mills. (20098-59) (ANTICUE (1000/1500)</li> <li>S.Y. (201, S.Y. (201, S.Y. (2014) For the three bears lafter in the poster ships and the signal ships and the ships and the signal ships and the ships and the signal ships and the ships</li></ul>				
<ul> <li>wei metanically. A network of a 1887 Traphor mile network of the MTL DEF (1000) 1272 (200</li></ul>				
<ul> <li>In N.J. state millin, (CSRBM-G9) (ARTCLE); (1000/1500)</li> <li>E127 Confederate Pattern 1926 Enfeld Persosain RIR-Muske By Trevel 3/77 al. (2) benet wheth are accelerated to a howards particular to a state of the matchest by the state of the state of the matchest by the state of the state of the matchest by the state of the state</li></ul>		÷		
<ul> <li>Eq. 1,002 - 1,500</li> <li>Confederate Patient 105 - Ended Persussion (RH-Guades By Tower theories accelerate to the short that are excellent to the short that the short the short that are excellent to the short that are excellent to the short that the short to the short that the short that the short the short the short that the s</li></ul>				
<ul> <li>1227 Correlating Pather With a securited if Proceeding Brow evidence of assential form of the security of the security and the muzzle is a fragment security of the security and the muzzle is an advance of the security of the security and the muzzle is an advance of the security of the security of the security and the muzzle is an advance of the security of the security and the muzzle is an advance of the security of t</li></ul>		, ,, ,, ,,		
<ul> <li>S77 cal., 39<sup>2</sup> barrel with a next excellent to be studying strong except services. The source is associated sign outgoing along with a source outgo</li></ul>				
<ul> <li>Infing with scattered ing outloads and prim; make items buffet to be bright scattered ing outloads and prim; make items accurated in automation and prim; make items accurated in the coccasion and prim; make items accurated in the prime items and prime and prim and prime and prime and prime and prime and prime and prime an</li></ul>	1227	Confederate Pattern 1853 Enfield Percussion Rifle-Musket By Tower		
<ul> <li>b a bright silver group patina with scattered (into actistion and prime, moderate in the flash area of the cirkly role to a left sight solution on text byoord through the prime solution on text byoord wheel 1000 register solution and the cirkly role to a left solution on red byoord with the samilary leader to main sight, while declarable from sight and Model 1000 register solution. The solution on red byoord with the samilary leader to main sight water on the sight solution in the signt solution. The solution is not solution on the two promised in the samilary leader to main solution on the solution of the solution. The solution is not solution is not solution and the solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The solution is not solution is not solution is not solution is not solution. The</li></ul>				
<ul> <li>moderate in the flash area of the nicks blocker and the occasional inty impact marks. The brass blocker has bayed end shifty patient having bloch and shifty blocker blocker.</li> <li>and the early Type 1 variety block b</li></ul>		rifling with scattered light oxidation. The iron surfaces have been buffed		nose. The receiver and barrel markings remain crisp, and the muzzle is
<ul> <li>Impact mark. The tarses herdware has acquired a high pain having been decaded as well along the scattered light handing marks and oxidetion mainly on the burghtich, the tiggenguad is cracked through the tis cracked through the tiggenguad is cracked through the tigg</li></ul>		to a bright silver-gray patina with scattered fine oxidation and pitting,		star gauge-marked at the 6 o'clock position. The safety and shroud are
<ul> <li>been cleared as well along with scattered light handling marks and oxided through the finit monitoring scree wand has this scratter-bergraved initials on the transport of the berghan is a long with mere finit a mark light weak proprieting marks the error are approximately faind to charding the berghan is a long with indecipherable amaler product, the left factor is the screek and rear to transport with mere finit and product the mere is a mark of the berghan is a long with indecipherable amaler product, the left factor is the screek and rear to regrare of 22°. The waturut stock ternships thang and light the clearing factor is marked with an oxid screek and rear to regrare of 22°. The waturut stock ternships and a long with indecipherable amage mark or the first screek and rear to regrare of 22°. The waturut stock ternships thang and an all but facts immediate thanks that. The underskie of the stock. This is marked in the product screek and appears the marked profession for the stock to rear the screek and the stock to rearry. The hold meth screek and the screek is a marked diver thank the screek and the screek is a screek diverships thang and an all but facts immediate that. The underskie of the stock. This is marked that the screek and the screek is a screek diverships thang and an all but facts immediate that the screek is a screek diverships thang and an all but facts immediate the screek is a screek wature that the screek is a screek to the screek is a screek to</li></ul>				of the early Type 1 variety normally found on rod bayonet Model 1903
<ul> <li>oxidation mainly on the buttpoler, the tiggorguard in bias orch magnetic finally set to buftpoler the first magnetic field of the tinger box. The lociplate is appropriately marked '1862. TOWER' in first of harmer with Brith arcs non at the resp and mainly locit to buftpole field of the tinger box. The lociplate is appropriately marked '1862. TOWER' in the two '25' in between three British prodes and the buttpole ting is any across the breech and rear tang is any across the second tang and the transformation. There tands the terret of the any across the second and rear tang is any across the second and rear tang is any across the second tang and the transformation. The towe wood available and that any across the second tang and the transformation tang across the second tang across the term tang across the term tang across the second tang across the term tang across the second tang across the term tang across the second tang across</li></ul>		impact mark. The brass hardware has acquired a bright patina having		rifles. The rifle is sighted with the standard blade front sight and Model
<ul> <li>oxidation mainly on the buttpoler, the tiggorguard in bias orch magnetic finally set to buftpoler the first magnetic field of the tinger box. The lociplate is appropriately marked '1862. TOWER' in first of harmer with Brith arcs non at the resp and mainly locit to buftpole field of the tinger box. The lociplate is appropriately marked '1862. TOWER' in the two '25' in between three British prodes and the buttpole ting is any across the breech and rear tang is any across the second tang and the transformation. There tands the terret of the any across the second and rear tang is any across the second and rear tang is any across the second tang and the transformation. The towe wood available and that any across the second tang and the transformation tang across the second tang across the term tang across the term tang across the second tang across the term tang across the second tang across the term tang across the second tang across</li></ul>		been cleaned as well along with scattered light handling marks and		1905 rear sight, with detachable front sight hood present, and appears
<ul> <li>trager tow. The tockplate is appropriately marked '1862 TOWER' in front of farmer with Brith coron at the care parality lost to buffing. The top of the burnel has a long arrow across the breech and its drug drug and any minimum construction. It can be achieved the buffing the construction and the buffing the same and mark at the trade is marked with a of grav. The buffing market, manual '1.4 GRIFF. The top of the burnel and construction and an all buf faded similar mark on the left sock flat. The underside of the sock it market '1.4 GRIFF. The buffing mark, manual '1.4 GRIFF. The buffing mark, manual '1.4 GRIFF. The buffing mark is marked with a soft type 3 block lefts' Sinclair the mark '1.4 GRIFF. The buffing mark is marked to the left sock flat. The underside of the sock flat is marked '1.4 GRIFF. The buffing mark is marked to be market at the same and mark at the reare of the market of the sock at the left sock flat. The underside of the sock it is a near of update and parameter at the cose. The market at the left sock flat. The underside of the sock it is near of the market of the sock of the sock is market or the left sock flat. The underside of the sock is market or the left sock flat. The underside of the sock is market or the soft sock market at the left sock of the orthog. The buffing dates and contact points, intermeter light or dates is market or the left sock flat or the core. In the sock is market or the sock is market or the left sock of thind. The receiver and barrel is discriming the sock is market or the sock is market ore top</li></ul>		oxidation mainly on the buttplate, the triggerguard is cracked through the		to function well mechanically. Included with the rifle is a military leather
<ul> <li>trager box. The topclate is appropriately marked '1862. TOWER' in front of frammer with Rinks crown at the scare paraley loss of building. The top of the barnel has a long arrow across the breech and traat tranging along with indeophrable smaller procefs, the list raduus is marked with the '2'.' The waited traduus is marked traduus is mark</li></ul>				sling in very good condition showing some light wear on the edges and
<ul> <li>If cont of harmmer with British crown at the rear partially tota to buffing. The top of the barrel has a long arrow across the brench and rear tang along with indecipherable smaller proofs, the left radius is marked with two '22'. The walnut stock remains very good showing an old light cleaning leaving the wood to buttlook is marked light densis, handing marks, miror gaps and staining along the lockplate. The top of the buttlook is marked with a styp '25' buttlight ewith satured light densis, handing marks, miror gaps and staining along the lockplate. The top of the buttlook is marked with a styp '25' buttlight ewith satured light densis, handing marks, miror gaps and staining along the lockplate. The tarm is equipped with a standard post front sight. Lose folding lidder rear sight and an urmarked with a styp '25' buttlight comparisonal were on the ling' adges and contact points, the tarm is equipped with a standard post front sight, lose folding lidder rear sight and an urmarked parked priorid growed listed couped by the state line and the reard the triggery and an difference listed couped by the state listed shared mark on the list sole, list. The underside of the form and light collacion staining on the the and/use are state listed by the therady and sight collaring listed couped by the state listed shared mark on the state listed shared with an coldizad bore. The metal sufface retain 8000 ker of grain plant colleging at the form is light collaring list collaring listed collaring the state state and the the state listed collaring listed collaring at the form is light shared with a cripe 'W.R. / C4N-C actructed marks. The buttlest centem state listed listed dowed with an coldizad bore. The metal sufface ordinance within a coldizad bore. The metal sufface collaring. If Withorester marks and the toris of listed collaring with an coldizad bore. The metal sufface collaring. If Withorester marks and the state listed listed collaring with an coldizad bore. The metal sufface collaring with and collaring wit</li></ul>		trigger bow. The lockplate is appropriately marked "1862 / TOWER" in		
<ul> <li>The top of the barrel has a long arrow across the breck and rear lang along which hadjob pressions and the tradius is marked with have 25° in between three British protos and the butgiate tang is engraved? 22°. The value to tok termais very good showing an al light densing leaving the wood a bit shy of the butgiate with activities and an all but fade similar mark on the left stock flat. The underside of the stock to a more adard post for all butgiate tang and an all but fade similar mark on the left stock flat. The underside of the stock flat mark or the left stock flat. The underside of the stock flat mark or the left stock flat. The underside of the stock flat mark or the left stock flat the underside of the stock flat mark or the left stock flat. The underside of the stock flat mark or the left stock flat thand flat mark is the left s</li></ul>				, and the second s
<ul> <li>along with indecipherable smaller proofs, the left radius is marked with two 227 in between three Bink profess and the butplate at major series and left receives and left receives the butplate with scattered light densis, handling marks, minor gaps and staining along the lockplate. The top of the butplate with scattered light densis handling ranks, minor gaps and staining along the lockplate. The top of the butplate with scattered light densis about 8PK sensal at the regres of block tells "Sindli' Hamilton &amp; Co. '5 (HC' in orcie in front of the butplate tang and an all but fadded with a statk regres of the ramord stang. The rearrord shares about 8PK but but the regress and light obtain staining and the receiver has a state with a strat at her are of the remoder shares. The buttplate and unstat at her are of the remoder shares. The automas marked 2-04 creative hand scatters of the ramoded strates is a strate with a marked strate distributed strates and the receiver has a strate with a strate of prode removed to a crusp. Outselves What a strate of the remoder shares is a strate with a strate strate with a crisp. The lower and strates distributed strates is a strate strate with a moder distributed strates in the regioner shares about 8PK strates in the regroot on the high distributes and the resolution as strates with a marked strates distributed strates in the resolution is a strate of the resolution states in a strate with a modified market. The reaction is a strate of the resolution states in a strate strate strate strate with a modifier distributed strate strate and period strates in the resolution states in a strate distribute strate strate and the tready and a strate strate and period strates in a strate strate and the resolution states in a strate distribute strates in the resolution strates in a strate strate strate with a modifier distribute strates and strates in the resolution strates in a strate strate strate with a modifier distribute strates and strates in the resolution strates in a strate</li></ul>				, ,, ,, ,
<ul> <li>be <sup>2</sup>Z<sup>1</sup> in between three British process and the butgleat tang is engraved 22. The value took remains very good showing and di ight densing leaving the wood a bit shy of the butgleat with scattered light densing leaving the wood a bit shy of the butgleat with scattered light densing and the resolver has tanged of the butgleat with scattered light densing and the resolver has tanged with a soft by 50 block flat. The underside of the stock flat is marked with a stort but flat were and the butgleat regrand and and and there is a indiced similar mark on the left stock flat. The underside of the stock flat is marked and the triggerguard and there is a sing explaned with a standard post flat to similar densities of the stock flat is marked and post flat to similar densities of the stock flat is marked and post flat to similar densities of the stock flat is marked and post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do there is a sing explaned with a standard post flat densities do the densities of the standard post flat densities do the left, and the densities do the densities of the standard post flat densities do the flat densities of the standard post flat densities do the standard post flat densities d</li></ul>			123	
<ul> <li>engraved '22." The walnut stock remains very good showing an of light density and public topic of the degs and contact points, some scattered specks of light codation staining and the receiver has parterized finish with light wear on the high edges and contact points, some scattered specks of light codation staining on the both both. The interview is a single spectra with a string and the receiver has used to the string of the transked that. A GRIFENY behind the tinggenguard and there is a index of the and and there is a finite mark to the rear of the mark of the rando channel. The arms is equipped with a string and the term of hornonel. The arms is equipped with a string and the receiver has so (fight codation staining on the both both. The low-wood oval-cut walnut stock is in weap of up the resistive leading to the come, an aresnal quality repair at the low, and scattered light dings and hornor. The arms is quality repair at the low, and scattered light dings and hornor walked (States) and the scattere light dings and hornor marked. The areasing and participad (finish with light state) and the underside of the form disclosed before the finish edges and contact parts. Interviewel light dings and hornor gives and packs of light codes of the form disclosed before and packs of light codes of the form disclosed before and packs of light codes and contact parts. The both states about 95% original parterized (finish with light state) and the underside of light codes and contact parts and packs of light codes and contact parts and packs of light codes and contact parts and packs of light codes and contact packs on the form display state and low underside of light codes and contact parts, interviewel light handling marks. The both states about 95% original parterized (fight handling marks, the addition gaune 2 34° crask on the reside is light packs and the low display state and low contact and hand the readver has a specified contact. The low-wood oval-cut walnut stock is in weap and the state about inclu</li></ul>				
<ul> <li>definition gleaving the wood a bit sty of the builtplate with scattered light density and great point grant of the builtsock is marked with a soft type 3 block letter Sinclair Hamilton &amp; Co. *3 (HC) in critica in fort of the builtsock is marked with a soft type 3 block letter Sinclair thanked 1.2.A GETHA behind the triggergulard and have is a index distance of the builtsock is marked with a settered great and an all but faded similar mark on the left stock flat. The underside of the stock flat mark or the left stock flat. The underside of the stock is marked 1.2.A GETHA behind the triggergulard and there is a index distance of the stock flat mark or the left stock flat. The underside of the stock flat mark or the left stock flat. The underside of the stock flat mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat the stock is mark or the left stock flat th</li></ul>				
<ul> <li>Idents, handling marks, minor gaps and staining along the lockplate. The top of the buttsock is marked with a strip solubic letters' Sinchair Hamilton &amp; Co. 'S (HC' in crice in front of the buttplate lang and an all but dade similar mark on the lett sock fit. The underside of the stock fits is marked 'J.A. GRIFFIN' behind the triggerguad and there is a indecipherable name and mark at the tear of the namod channel. The arm is equipped with a standard post fornis sight) loose folloging adder name and mark at the tear of the namod channel. The arm is equipped with a standard post fornis sight) loose folloging adder name and mark at the tear of the namodulus tock is in very good condition as lightly capacitorian takes. (CA8898-113) (ANTOUC) [10002200)</li> <li>U.S. M. Clarkine by Winchester stain about 96% original parkerized in light handling marks. The buttsock is marked with a relarised only with an 'S' or the left aged in the forend, a single 15708512, 30 Carbine, 18' Winchester bard evalue to the receiver, and so as lightly cheaned with a lightly neparate light handling marks, the bolt relations about 95% original barkerized in light handling marks, the bolt relations about 95% original barkerized in light handling marks, the bolt relations about 95% original barkerized is lightly steparated light handling marks, the bolt relations about 95% original barkerized is lightly steparated light handling marks, the bolt relations about 95% original barkerized is lightly steparated light handling marks, the bolt relations about 95% original barkerized is lightly steparated light handling marks, the bolt relations about 95% original barkerized is lightly steparated light handling marks. The values steparated light handling marks, the borter barker and as a single 15-cound magazine. A solid Winchester marked with a lightly reparated 2 34' crack nothe thight side and the and solid steparates marked with a lightly reparated 2 34' crack nothe thight side and the antigen as a single 15-cound magazine. A sol</li></ul>				-
<ul> <li>top of the buttstock is marked with a soft type 3 block letter Sinclair</li> <li>Hamilton &amp; Cu. 'S / HC' in order in front of the buttylate lang and an all but faded similar mark on the lett stock flat. The underside of the stock flat is marked 'LA. GRIFFIN' behind the triggerguad and there is a indecipherable rame and mark at the rear of the ramod channel. The arm is equipped with a standard port for torse lotted upped to pramod.</li> <li>The lower band swivel screw shows moderate stot wear. An about very good finished contractor marked Condentare 1835 Enfeld musket. (5A886-113) (ANTICUE) (1800/2200)</li> <li>Est. 1, also - 2,200</li> <li>U.S. MI Carbine by Winchester</li> <li>steid a 5888 12, 03 Carbine. 18' Winchester barrel with an oxidized bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, intermittent light oxidation staining on the tubel and stere sight is marked "X. If we read with a citigs "V.R. A. / G.H.D." carbine. Is evaluated with a citigs "V.R. A. / G.H.D." carbucke narked with a citigs "V.R. A. / G.H.D." carbucke and the marked "X. If we nodes to for hindring market "X. The buttstock is marked with a citigs "V.R. A. / G.H.D." carbucke and the form sight and an umarket "X. If we nodes to for hindring market. The battstock is marked with a citigs "V.R. A. / G.H.D." carbucke and the form sight and an umarket "X. If we marked "X. If we and the safey and barrel band reaction be and soft the safey and barrel band reaction be the indexistion. The low wood oval-cut wainut stock is in about 96% to ginal parkerized finish with light wearon the high edges of the forend, a series of light inaget marks. The bott testin sabout 95% to ginal parkerized finish with light wearon the left side belink the and the safey and barrel band reaction the theread with a safey 15-forund magazine. A weak of the stock and the ange weak steeks to fight oxidation. The leave weak and started with a safey 15-forund magazine. A weak of the totak with a</li></ul>				
<ul> <li>Hamilton &amp; Co. 'S / HC' in circle in front of the butplate tang and an all but faded similar mark on the left sock fat. The underside of the stock flat is marked 'LA. GRIFFIN' behind the triggorguad and there is a indecipherable name and mark at the rear of the ramod channel. The arm is equipped with a standard post front sight, loose folding ladder near sight and an unmarked period grooved slotted cupped in ramod. The lower band swelds are shown moderate slott wear. An about very good ondicitor thight and ling marks. The should well as an one of the 4-rivet hangdword is marked the underside of the index slott, (GA9886-113) (ANTCUE) (1800/2200)</li> <li>U.S. MI Cathine by Winchester barrel with an oxidized bore. The metal sufficience relation about 9% original backets of hight marked on the underside for hind. The receiver and barrel marking remain crisp, and the might edge and contact points, intermittent light oxidation. The low-wood oval-cut want displets oxiding finand marks. The buttistock is marked with the chart signal transmittent light oxidation. The low-wood oval-cut want and specks of light contains and the format and the park slott end of light contains. The buttistock is marked with a standare on the device with a group of underside of light contains and the formation was and specks of light contains. The butstock, and scattered light handling marks. The buttistock is marked with a parality fadeO channe C Wheel on the requires and the stand standing command the parality label of channe to the requires and the stand standard on the offet as an end specks of light contains and the formation with a contain specified Amony 'NM' marked the reare sight marked light handling marks. The buttistock is marked with the standard standard standard with the standard</li></ul>				
<ul> <li>but faded similar mark on the left stock flat. The underside of the stock flat is marked '1.A. GRHETN' behind there is a imarked '1.A. GRHETN' behind there is a imarked '1.A. GRHETN' behind there is a imarked '1.A. GRHETN' behind there is a similar to import of generating of the stock is in very good condition as lightly declerate 1853 Enfeld musket. (5A9896-113) (ANTIQUE) (1800/2200)</li> <li>Est. 1.800 - 2.200</li> <li>U.S. M1 Carbine by Winchester</li> <li>serial #56891: 30 Carbine, 18' Winchester barrel with an oxidized bore. The measing of a stock of the generation of the diges and contact on stack of cheft musket. (bigs and handing marks: The outstock is marked with a crist on crist portainable where and the underside of the underside of the underside of the carbine is a single 15-round magazine. A solid Winchester and show the stock of light oxidation. The low-wood oval-cut wainut stock is in babut very good condition as lightly declerad with a gring in the and guilt in the dirig degrad contact. A stock of the triggerup and some scattered light handling marks: The outstock is marked with the carbine is a single 15-round magazine. A solid Winchester and kee and the stock is in cerve marked. The carbine is a single 15-round magazine. A solid Winchester and kee and the stock is in cerve marked with a marked only with an 'S' on the barrel band retains appears to the stock of light in marks. The buttstock is marked with a partially faded Ordnane Wheel and the fight and ling marks. The advect and the stock is in cerve marking remain crisp. The stock is marked with a stock is in cerved in the indiversities and the stock is in cervel marks. The value stock is in cervel marks with a partially faded Ordnane Wheel and the stock is in cervel marks. The value stock is in cervel marks. The advect marked with a marks of the stock is in cervel marks and the stock is in cervel marks. The advect marked with a marks or the stock is in cervel marks, the rear sight and cerve and the stock is in ceacher with a the st</li></ul>				
<ul> <li>If al is marked 1-14. CRIFFN' behind the triggerguard and there is a indecipherable name and mark at the era of the ramot damaent. The arm is equipped with a standard post front sight, losse folding ladder near sight and an unmarked period grooved slotted cupped to pramod. The lover band swite scores shows models contracted sight damaent. The source that a single 1-1000 (1990) (1990</li></ul>				
<ul> <li>indecipherable name and mark at the rear of the "armod channel. The arm is equipped with a standard post from is ghil, bose folding ladder "rear sight and an unmarked period grooved sloted cupped tip rarmod. The lower band swivel screw shows moderate situ vear. An about very good efficiented contractor marked Correlates 1855 Enfield market. If (A8096-113) (ANTICUE) (1600/2200)</li> <li>Est. 1.800 - 2.200</li> <li>U.S. M1 Carbine by Winchester series and sout 95% original parkerized finish with light wear on the high deges and contact points, intermitten light oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks. The buttstock is marked with a marked on ywith an "S" on the left, and the safely and barrel band are unmarked. The carbine is a single 15-round magazine. A sould Winchester carbine sail in the end with a light scelenel to barbut the order with a light scelenel wit</li></ul>				
<ul> <li>arm is equipped with a standard post front sight, loose folding ladder arear of glue residue leading to the comb, an areael quality repair at the los, and scattered light dang and handing marks. The lower band swivel screw shows moderate slot were. An about very good refinished contractor marked Confederate 1853 Enfield musket. (EA8896E113) (ANTOLED (1800/2200)</li> <li>I1228 U.S. M Carbine by Winchester barrel with an oxidized bore. The metal suffaces retain bord by original blue with some light generation and specks of light wear on the high edges and contact points, intermittent light wear on the high edges and contact points, intermittent light oxidation. The low-wood oval-cut what unit stok is in about 95% original participation is tok in about 95% original part toks. In Education wood oval-cut what unit stok is in about 95% original part toks. In Education and specks of light oxidation. The low-wood oval-cut what unit stok is in about 95% original plane with some light operational wear and specks of light oxidation. The low-wood oval-cut what unit stok is in about 95% original part stok. In about 95% original part toks is nabout 95% original part toks. The bott stock is marked with a noriging in a 17. The low of val-cut what unit stok is in about 95% original part toks. The part is a single 15-round magazine. A sold Winchester carbine still in the mid WVII configuration. (14A9908-9) (C&amp;R) (1200/1800)</li> <li>Est. 1200 - 1.800</li> <li>I231 U.S. MI Garand "Type 2" National Match Rife by Springfield Amony TMM" marked bare expanse of light handling marks. The but stock is narked with a nexcellent conflict reasing light and reasing sight and correctly winchester with the list edge of the forend, a series of light impact marks on the left side follow the receiver, the to and a few scattered light handling marks. The but stock is narked with a nexcellent conflict have the stock is narked with the scattered light handling marks. The but stock is narked with a square "S" on the left is dial, the barel p</li></ul>				
rear sight and a umarked period grooved stoted cupped tip ramod. The lower band swivel screw shows moderate 183 Enfeid musket. (5A8969:13) (ANTIQUE) (1800/2200) (Est. 1800 - 2,200 U.S. M1 Carbine by Winchester serial #558912.30 Carbine, 18" Winchester barrel with an oxidized bore. The metal surfaces retain about 96% original parkerized finish with light veer on the high edges and contact points, intermittent light oxidation. The low-wood oval-cut walnut stock is in about 95% original blue with some light operational wear and specks of light oxidation. The low-wood oval-cut walnut stock is in about 95% original blue with some series of light metal and war and speck of light oxidation. The low-wood oval-cut walnut stock is in about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and metal about 95% original blue with some series of light metal and some series of light metal metal ware and the badded ordinance Wheel on the right side, 1°C for Inland in the left side sling out, and the 4-rivet handgurd is marked "H.L", also for Inland. The receiver mathings remain crisp, the Winchester "W" on the barrel appears (Jultin The safety, magazine release, tingger housing, lobt, operating side, and recoil plate are all correctly umarked (the rear sight marked only with a sugare. So the left side blow the tecevier, the top of Winchester marked, the barrel band, flat bolt, flip-up L style rear sight, and appears to function with a sugare. So the light accollection (10000) Est. 1.200 - 1.800 Winchester marked, 2000 Cardiffer ins sarked, the				
The lower band swivel screw shows moderate slot wear. An about very good refinished contractor marked Confederate 1853 Enfield musket. (5A9896-113) (ANTIQUE) (18002200) Est. 1800 - 2.200 1228 U.S. M1 Carbine by Winchester serial 4553 Enfield musket. (5A9896-113) (ANTIQUE) (18002200) Est. 1800 - 2.200 1228 U.S. M1 Carbine by Winchester marked and the anotyte of the series and the majority of parts are Winchester-marked of the forend is lightly stencil marked '14' in white paint: the handguard is bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, intermittent light oxidation staining on the triggerguard, barrel, and this race work with an estight is a single 15-round magazine. A solid Winchester carbine sill in the indire sakets and the triggerguare, and spoess of light oxidation. The low-wood val-cut whenut stock is in about 95% original blue with some light operational wear and speeks of light point grants. The buttstock is marked with a lightly repaired 2.3/4" crack on the right side of the barrel band retaining spring, a 112" chip on the pistoging, n 12" chip on the dig of the forend, a series of light handling marks. The buttstock is marked with a safety and barrel light handling marks. The stock is marked with a bright vecalent box. The metal surfaces relating 98-99% chips on the left edge of the forend, a series of light handling marks. The buttstock is marked with he aster wand is of the buttstock is marked with a lightly repaired 2.3/4" crack on the right side, and the aparelight. The safety, magazine release, rigger housing, bolt, operating light and marks remain crisp, the part light handling marks. The buttstock is marked with a light wear on the bolt and the receiver markings release, rigger housing, bolt, operating light and rear sight are correctly unmarked (the rear sight marked on) with a square '5'' on the left side), and the apare light the correct were markings release, rigger housing, bolt, operating light with a singer '				
<ul> <li>good refinished contractor marked Confederate 1853 Enfield musket.</li> <li>(5A9896-113) (ANTIQUE) (1800/2200)</li> <li>Est. 1,800 - 2,200</li> <li>U.S. MT Carbine by Winchester</li> <li>serial #558911; 30 Carbine, 15" Winchester barrel with an oxidized</li> <li>bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, infermittent light.</li> <li>oxidation. The low-wood oval-cut walnut stock is in about very good</li> <li>condition. The light edges of contained wear and specks of light</li> <li>oxidation. The low-wood oval-cut walnut stock is in about very good</li> <li>condition. The led edge of the forend, a series of light impact marks on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left edge of the forend, a series of light impact marks on the pistolgrip, a 1/2" hairline crack behind the triggerguard. Some old light chips on the left edge of the forend, a series of light impact marks on the pistolgrip, a 1/2" hairline crack behind the triggerguard. Some old light chips on the left edge of the forend, a series of light impact marks on the pistolgrip, a 1/2" hairline crack behind the triggerguard. Some old light chips on the left edge of the forend, a series of light impact marks on the pistolgrip, a 1/2" hairline crack tabeled Ordnance Wheel on the right side, "IO" for linand. The receiver markings remain crisp, the winchester "W" on the barrel band and rear sight are correctly ummarked (the rear sight marked only with a syare" 5" on the left side), and the hammer and front sight receiver markings. The carbine features a push-button safety, Type I barrel band, flat built, flab-pup. Listyle rear sight, and appears to function the receiver winchester-make cality harked only with a syare" 5" on the left side), and the hammer and front sight tack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat boti, flip-up L-style rear sight, and appears to function</li></ul>				
<ul> <li>[CA9896-113] (ANTIQUE) (1800/2200)</li> <li>[Est. 1,800 - 2,200</li> <li>[122] U.S. MT Carbine by Winchester</li> <li>aserial #558812, 30 Carbine, 18" Winchester barrel with an oxidized bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, intermittent light oxidation staining on the triggerguard, barrel, and spots contact points, intermittent light oxidation. The low-wood oval-cut waluut totok is in about very good condition. The low-wood oval-cut waluut totok is in about very good condition as lightly cleaned with a lightly reparated 24" crack on the right side behind the triggerguard, some old light chips on the left add the safety. and parrel and reas right, and the triggerguard, some old light side with a barrel band retaining pring. 12" crack on the right side with a lightly cleaned with a lightly reparated 24" crack on the right side with a barrel band retaining spring. 12" crack on the right side with a barrel band retaining spring. 12" crack on the side sing thy cleaned with a lightly cleaned with a lightly cleaned with a lightly cleaned with a serial bard retaining spring. 12" crack on the side sing cut, and the 4-rivet handguard is marked "H.I.", also for linland. The receiver markings remain crisp, the Winchester proof on the barrel appears (bulk crack at the trigger phoces atom on the left side below the receiver, the top of which is lightly cleaned with a 114" hairline crack at the ce and feas sight are correctly ummarked (the rear sight marked 15-round magazine. A very good Winchester marked, the barrel bard and reas sight accounting site, and receiver sight and appears to function well mechanically. Included with the first is an oliger. MAA combination tool With chester-make carbine remaining in its early configuration. (14A9908-8) (C&amp;R) (1200/1800)</li> <li>[Est. 1,200 - 1,800</li> </ul>		-		
Est. 1,800 - 2,2001228U.S. MT Carbine by Winchester128U.S. MT Carbine by Winchestersorial #5588912, 20 Carbine, 18' Winchester barrel with an oxidized bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, intermittent light oxidation. Tate index behind the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light oxidation. The low-wood oval-cut walnut stock is in about very good condition as lightly cleaned with a lightly repaired 2 3/4' crack on the pistolgrip, a 1/2' hainine crack behind the triggerguard, some old light chips on the left side of the forend, a series of light impact marks on the left side of the barrel age ars light. The safety, and spects row wheel on the fight side dight handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the figger proof on the barrel appears light. The safety, magazine release, tigger housing, bot, operating lisde, and recoliptae are all correctly winchester warked 15-round magazine. A square release, tigger housing, bot, operating side, and recoliptae are all correctly winchester marked, the barrel appears double struck and the Winchester proof on the barrel appears double struck and the winchester marked there are sight marked 15-round magazine. A square release, tigger housing, bot, operating side, and recoliptae are all correctly winchester marked, the barrel appears to uncline waiting to charge. Sight lack divinal and rear sight are correctly winchester warked 15-round magazine. A square release, tigger housing, bot, operating side, and recoliptate are correctly winchester-marked 15-round magazine. A square sight lack distonting the citic distic direct the pare sight lac		-		
<ul> <li>U.S. MI Carbine by Winchester</li> <li>serial #5588912, 30 Carbine, 18" Winchester barrel with an oxidized bore. The metal surfaces retain about 99% original parkerized finish with light wear on the high edges and contact points, intermitten light oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light oxidation. The low-wood oval-cut walnut stock is in about very good condition as lightly cleaned with a lightly reparied 2.3/4" crack on the right side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left agies of light impact marks on the left side of the buttstock, and scattered light handing marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side "10" or Inland. The receiver markings remain crisp, the Winchester "W" on the barrel band reas light user and the with chest four digits of the buttstock is marked only with a sugare "S" on the left side), and the harmer and front sight make identifiable markings. The carbine features a push-button safety, Type I barrel band, lat bott, flip-up L-style rear sight, and appears tight. It abott, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-marked, the expertion late first side sight labot, flip-up L-style rear sight base is "NM/ ZA" marked, and the first side sign up. An excellent condition sate, Type I barrel band, IL abott, flip-up L-style reas ligh ubase is "NM/ ZA" marked, and the first side sign up. An excellent carbine is a "IU" marked 15-round magazine. A very good Winchester-marked, the experime hood is "959" marked, the rear sight base is "NM / ZA" marked, and the first side sign up. An excellent carbine is a "IU" marked 15-round magazine. A very good Winchester-mark</li></ul>		(5A9896-113) {ANTIQUE) (1800/2200)		the forend is lightly stencil marked "48" in white paint; the handguard is
<ul> <li>serial #558912, 30 Carbine, 18" Winchester barrel with an oxidized bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, intermittent light oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light oxidation. The low-wood oval-cut wahnut stock is in about very good condition as lightly cleaned with a lightly repaired 2 34° crack on the right side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left deed of the forend. a series of light impact marks on the left side of the forend. a series of light magazine release, trigger proof on the barrel appears light. The safety, magazine release, trigger housing, bott, operating side, and recoil plate are all correctly Winchester marked. The barrel band, flat bott, flip-up "L" area to and and rear sight and and rear sight are correctly winchester marking the barrel appears light. The safety, magazine release, trigger housing, bott, operating slide, and recoil plate are all correctly Winchester marked. The barrel band, flat bott, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "U" marked "Thort asfety. Type I barrel band, flat bott, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "U" marked "The trageted, has a drawing number "F7791035" for the specially authorized National Match are sight as a peer sole, and sole of system (TM / ZA' marked 'TM / ZA' marked 'T</li></ul>		Est. 1,800 - 2,200		"HI" marked on the underside for Inland. The receiver and barrel
bore. The metal surfaces retain about 96% original parkerized finish with light wear on the high edges and contact points, intermittent light oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bot retains about 95% original blue with some light operational wear and spots on the receiver, and some scattered light handling marks; the bot retains about 95% original blue with some light operational wear and spots on the receiver, and some scattered light handling marks; the bot retains about 95% original blue with some light operational wear and spots on the receiver inght side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left side deft forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The value stock is in acked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rive thandguard is marked "HL", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears light. The safety, magazine release, trigger housing, bot, operating slide, and recoll plate are all correctly unmarked (the rear sight marked only with a square "S" on the left side belack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "LU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A99308-8) (C&R) (1200/1800) Est. 1,200 - 1,800	1228	U.S. M1 Carbine by Winchester		markings remain crisp, and the majority of parts are Winchester-marked
<ul> <li>light wear on the high edges and contact points, intermittent light oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light oxidation. The low-wood oval-cut walnut stock is in about very good condition as lightly cleaned with a lightly repaired 2 3/4" crack on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left edge of the forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right edge of the forend, a series of light impact marks on the light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side. "I.O" for Inland. The receiver markings remain crisp, the Winchester marked had papers is full. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the parter langtare is light and fore are sight marked only with a sugare "S" on the left slide), and the harmer and front sight lack identifiable markings. The carbine features a push-button safety. Type I barrel band, flat bolt, flip-up L-style rear sight, and eappears to function well mechanically. Included with the carbine is a "IU" marked 15 recound magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&amp;R) (1200/1800)</li> <li>Est. 1,200 - 1,800</li> </ul>		serial #5588912, 30 Carbine, 18" Winchester barrel with an oxidized		with the front sight marked "N", the rear sight is marked only with an "S"
<ul> <li>oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light on the barrel band with a lightly repaired 2 3/4" crack on the right side behind the barrel band retaining spring, a 1/2" child the triggerguard, some old light child be arrel band retaining spring, a 1/2" child the triggerguard, some old light child the barrel band retaining spring, a 1/2" child the triggerguard, some old light but stock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side of the buttstock, and scattered light handling marks. The walk using semain crisp, the write a barrel appears double struck and the 4-rivet handguard is marked "H.L.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester marked, the barrel band and rear sight are correctly winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the harmer and front sight lack identifiable markings. The corbine is a "U" marked 15-round magazine. A very good winchester-made carbine remaining in its early configuration. (14A9908-8) (C&amp;R) (1200/1800)</li> <li>Est. 1,200 - 1,800</li> </ul>		bore. The metal surfaces retain about 96% original parkerized finish with		on the left, and the safety and barrel band are unmarked. The carbine
<ul> <li>oxidation staining on the triggerguard, barrel, and spots on the receiver, and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light on the barrel band with a lightly repaired 2 3/4" crack on the right side behind the barrel band retaining spring, a 1/2" child the triggerguard, some old light child be arrel band retaining spring, a 1/2" child the triggerguard, some old light child the barrel band retaining spring, a 1/2" child the triggerguard, some old light but stock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side of the buttstock, and scattered light handling marks. The walk using semain crisp, the write a barrel appears double struck and the 4-rivet handguard is marked "H.L.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester marked, the barrel band and rear sight are correctly winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the harmer and front sight lack identifiable markings. The corbine is a "U" marked 15-round magazine. A very good winchester-made carbine remaining in its early configuration. (14A9908-8) (C&amp;R) (1200/1800)</li> <li>Est. 1,200 - 1,800</li> </ul>		light wear on the high edges and contact points, intermittent light		features the push-button safety, flip-up "L" rear sight, Type I barrel band,
and some scattered light handling marks; the bolt retains about 95% original blue with some light operational wear and specks of light operational wear and the targer spectra light handling marks. The buttstock, and scattered light handling marks. The buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnace Wheel on the right side, "IO" for linland in the left side sling cut, and the 4-rivet handguard is marked "I" on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and reacing plate are all correctly winchester marked, the barrel band and rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety. Type I barrel band, lift bolt, flip-up L-style rear sight marked offs. (LegR) (1200/1800) Est 1.200 - 1.800		oxidation staining on the triggerguard, barrel, and spots on the receiver.		
original blue with some light operational wear and specks of light oxidation. The low-wood oval-cut wahrut stock is in about very good condition as lightly cleaned with a lightly repaired 2 3/4" crack on the right side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left edge of the forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "H.I.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band rear sight are correctly ummarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&R) (1200/1800) Est. 1,200 - 1,80012311231List. 1,200 - 1,800Est. 1,200 - 1,800				
oxidation. The low-wood oval-cut walnut stock is in about very good condition as lightly cleaned with a lightly repaired 23/4" crack on the right side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left edge of the forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "H.I.", also for Inland. The receiver markings remain crisp, the Winchester "Wr on the barrel appears double struck and the Winchester proof on the barrel appears double struck and the Winchester winchester with on the sight appears double struck and the Winchester winchester "Win the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The corbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine ser allor (CaR) (1200/1800) Est. 1,200 - 1,800Est. 1,200 - 1,8001231U.S. MT Garand "Type 2" National Match file. U.S. MT Garand "Type 2" National Match Rifle by Springfield Armony "N/M" marked areal parterized finish with light operational wear on the bolt and a features a push-button safety. Type and the stock is marked with a partial probability of the specially authorized National Match barrels, and the stock is neatyl glass bedded. The receiver markings remain crisp, the barrel is crisply marked "The tracetive markings remain crisp, the barrel is crisply marked "The tracetive markings remain crisp, the barrel is crisply marked "The tracetive markings remain crisp, the barrel is crisply marked "The tracetive markings remain crisp,		<b>o o</b> <i>i</i>		
<ul> <li>condition as lightly cleaned with a lightly repaired 2 3/4" crack on the right side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" haitine crack behind the three degregard, some old light chips on the left edge of the forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side. "IO" for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Vinchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears double struck and the Winchester "W" on the barrel appears double struck and the Winchester "W" on the barrel appears double struck and the Winchester "W" on the barrel appears double struck and the Winchester "W" on the barrel appears double struck and the Winchester "W" on the barrel appears double struck and the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, boit, operating slide, and recoil plate are all correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&amp;R) (1200/1800)</li> <li>Est. 1,200 - 1,800</li> </ul>				,
right side behind the barrel band retaining spring, a 1/2" chip on the pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left edge of the forend, a series of light impact marks on the left side of the burstock, and scattered light handling marks. The butstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "IH.1.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&R) (1200/1800) Est. 1,200 - 1,800		, ,	123	
<ul> <li>pistolgrip, a 1/2" hairline crack behind the triggerguard, some old light chips on the left edge of the forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "IH.I.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&amp;R) (1200/1800)</li> <li>Est. 1,200 - 1,800</li> </ul>		6 , T	.20	
chips on the left edge of the forend, a series of light impact marks on the left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				
left side of the buttstock, and scattered light handling marks. The buttstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "H.I.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A99908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				5
buttstock is marked with a partially faded Ordnance Wheel on the right side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "H.I.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				
side, "IO" for Inland in the left side sling cut, and the 4-rivet handguard is marked "H.I.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly umarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				· · ·
marked "H.I.", also for Inland. The receiver markings remain crisp, the Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly umarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				
Winchester "W" on the barrel appears double struck and the Winchester proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				
proof on the barrel appears light. The safety, magazine release, trigger housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800		6		
housing, bolt, operating slide, and recoil plate are all correctly Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&R) (1200/1800) Est. 1,200 - 1,800				
Winchester marked, the barrel band and rear sight are correctly unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) (C&R) (1200/1800) Est. 1,200 - 1,800marked the form sight is marked "NM / A" marked, and the friel is an oiler, M3A1 combination tool with chamber brush, and a spare single-slot gas plug. An excellent example of the final variation of the M1 Garand National Match file. (14A980-20) (C&R) [Dr. William C. Nugent Collection] (1200/1800)				
unmarked (the rear sight marked only with a square "S" on the left side), and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				, , , , , , , , , , , , , , , , , , , ,
and the hammer and front sight lack identifiable markings. The carbine features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				
features a push-button safety, Type I barrel band, flat bolt, flip-up L-style rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800				
rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine. A very good Winchester-made carbine remaining in its early configuration. (14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800 E				
carbine is a "IU" marked 15-round magazine. A very good       sight base is "NM / 2A" marked, and the front sight is marked "NM / 062". With the exception of the Remington-made operating rod, the remaining parts appear to all be Springfield Armory post-WWII manufactured. Included with the rifle is an oiler, M3A1 combination tool with chamber brush, and a spare single-slot gas plug. An excellent example of the final variation of the M1 Garand National Match rifle. (14A980-20) {C&R} [Dr. William C. Nugent Collection] (1200/1800)				
Winchester-made carbine remaining in its early configuration.       062". With the exception of the Remington-made operating rod, the remaining parts appear to all be Springfield Armory post-WWII manufactured. Included with the rifle is an oiler, M3A1 combination tool with chamber brush, and a spare single-slot gas plug. An excellent example of the final variation of the M1 Garand National Match rifle.         (14A9908-8) {C&R} [Dr. William C. Nugent Collection] (1200/1800)				
(14A9908-8) {C&R} (1200/1800) Est. 1,200 - 1,800		• • •		
Est. 1,200 - 1,800 manufactured. Included with the rifle is an oiler, M3A1 combination tool with chamber brush, and a spare single-slot gas plug. An excellent example of the final variation of the M1 Garand National Match rifle. (14A9830-20) {C&R} [Dr. William C. Nugent Collection] (1200/1800)		Winchester-made carbine remaining in its early configuration.		062". With the exception of the Remington-made operating rod, the
with chamber brush, and a spare single-slot gas plug. An excellent example of the final variation of the M1 Garand National Match rifle. (14A9830-20) {C&R} [Dr. William C. Nugent Collection] (1200/1800)		(14A9908-8) {C&R} (1200/1800)		remaining parts appear to all be Springfield Armory post-WWII
example of the final variation of the M1 Garand National Match rifle. (14A9830-20) {C&R} [Dr. William C. Nugent Collection] (1200/1800)		Est. 1,200 - 1,800		manufactured. Included with the rifle is an oiler, M3A1 combination tool
example of the final variation of the M1 Garand National Match rifle. (14A9830-20) {C&R} [Dr. William C. Nugent Collection] (1200/1800)			.	with chamber brush, and a spare single-slot gas plug. An excellent
(14A9830-20) {C&R} [Dr. William C. Nugent Collection] (1200/1800)				

1232	German K98k Bolt Action Rifle by JP Sauer & Sohn	1236	Cased Harrington & Richardson Line Throwing Gun with Accessories
	serial #4521r, 8mm Mauser, 24" barrel with a very good bore with		serial #FR3672, 45-70 Blank, 14 1/4" smoothbore barrel with a bright
	scattered light pitting but strong rifling. The metal surfaces of this "ce /		excellent bore. The metal surfaces retain about 99% original blue on the
	44" coded rifle retain about 75% original blue finish with overall thinning		barrel with beautiful case-hardened colors on the pre-war "Reinforced
	and toning to gray on the barreled action, light wear on the high edges		Breech" frame, the surfaces showing scattered light handling marks.
	and contact points, scattered light pinprick pitting, and the milled		The smooth pistolgrip factory walnut buttstock rates near excellent with
	floorplate toned to gunmetal gray with hints of original blue remaining.		a few handling marks and three small shallow chips on the right side
	The laminated hardwood stock is in very good condition as lightly		where it abuts the receiver. The factory ventilated rubber recoil pad with
	cleaned with an about 1 3/4" lamination crack on the wrist behind the		H&R logo rates excellent. The smooth walnut forend rates very good to
	receiver, an about 1/2" tight laminate crack behind the triggerguard,		excellent showing handling marks, mostly from mounting the line
	some tiny chips at the toe, an old abrasion on the left side of the toe line,		canister. The gun and accessories are housed in a 6 1/4" x 10" x 31 1/8"
	and a few light handling marks. The buttstock is marked with a faint		hard fiber case with carry handle and three latches. The case rates
	"(Eagle) / H" Heer marking on the right with only the "H" primarily visible,		about excellent with light storage marks but the leather straps on the
	and both the stock and handguard are internally numbered to the rifle.		inside are dried and torn and very fragile as is the leather wrapped carry
	The receiver and barrel are correctly marked the barrel is coded "cedg",		handle. It includes a steel line canister with a spool of braided nylon line,
	the rear sight and bolt assemblies are serialized and matching to the rifle		spare spool of braided nylon line, (9) .437" x 14" solid brass line
	with "280" waffenamts on the rear sight parts and no waffenamt on the		throwing projectiles, one open box of Winchester 45-70 blank with
	bolt, a correct "135" waffenamt on the triggerguard, and the magazine		nineteen loaded blanks and one fired case, and a steel cleaning rod.
	floorplate and stamped barrel bands are numbered to the rifle; the		The barrel to frame fit is tight and it appears to function mechanically. A
	follower is "lxr" marked. The rifle is sighted with the standard barleycorn		great ensemble for use as a rescue tool or conversation piece.
	front sight and leaf rear sight, with attached front sight hood, and		(8A9544-298) {MODERN} (1000/1500)
	appears to function well mechanically. Included with the rifle is a correct		Est. 1,000 - 1,500
	cleaning rod and military leather sling, in good condition. A fine example	1237	Nicely Engraved German Self-Cocking Double Hammer Rifle By B.
		1231	
	of a late war Sauer rifle. (14A9896-102) {C&R} (1000/1500)		Hemming
	Est. 1,000 - 1,500		.45 CF, 27 1/4" barrels with very good bores that have strong rifling and
1233	Winchester Model 52B Bolt Action Target Rifle		some areas of light pitting scattered throughout. The barrels are a
	serial #71239B, 22 LR, , 28" heavy target barrel with a bright excellent		mottled brown patina overall and have some specks of fine surface
	bore. The metal surfaces retain about 98% original blue with two small		oxidation along with some light handling and tool marks. The frame,
	spots of thinning finish on the left side of the muzzle and top of the		underlever, hammers, back action locks and smooth buttplate feature
	barrel most likely due to abrasion from transportation in the custom		lovely Germanic foliate pattern engraving. The locks feature a stag on
	made case. The triggerguard and bottom metal remain in excellent		the left and chamois on the right, the frame similarly has a wild boar on
	original condition with a few light scratches, matching serial number on		the left and wolf-type dog on the right. The underside of the frame is
	the bolt base and the checkered steel buttplate shows spots of oxidation		marked "PATENT / B. HEMMING / SUHL", and there are no visible
	staining and the screw heads remain clean. The walnut pistolgrip stock		proofs or other makers marks present. The checkered walnut stocks rate
	rates near excellent with no cracks and scattered minor dings and small		about very good. The forearm has some minor chipping on its right side
	spots of flaking varnish located mostly on the bottom of the forearm and		and some mild flattening to the checkered points. The straight grip
	heel of the buttstock consistent with use in competition. The rifle		buttstock features a left side cheekrest and has a small crack on the left
	features a six position handstop rail with handstop and swivels, three		side running from the upper tang to the top of the lock. The wood
	steel target blocks have been installed and a Winchester marked five		additionally has some light dings and other handling marks throughout.
	-		The fancy sculpted triggerguard features a horn extension that has
	round magazine is included. The rifle is sighted with a 20X Lyman Super		
	Targetspot scope in excellent condition and includes lens covers and		some small chips and some light insect damage. The solid rib is
	sun shade. Also included is a homemade composite rifle case with two		equipped with a silver blade front sight and has a robust notched rear
	slings and is labeled "Joyce H. Kelley" with an accompanying photocopy		sight. A curved manual safety adorns the upper tang and the rifle is also
	of a Vermont State Championship medal. Purportedly, Mrs. Kelley was		equipped with swivels. The action appears to function correctly and the
	the 1959 Vermont State Smallbore Champion in the ladies division. A		hammers cock to their positions when the underlever is operated to
	wonderful Model 52B in an unaltered high state of condition with vintage		open the action. A unique rifle that presumably dates prior to 1891 due
	optics. (25A9827-1) {C&R} (1200/1800)		to the lack of proofs. (4B9721-11) {ANTIQUE} (2000/4000)
	Est. 1,200 - 1,800		Est. 2,000 - 4,000
1234	Custom STI Model 2011 Semi-Auto Pistol	1238	Frederick T. Baker Double Hammergun
	serial #CM 2200, 38 Super, 5" compensated barrel with an excellent		serial #2985, 12 ga. (2 1/2"), 28" nitro proofed sleeved barrels choked
	bore. The metal surfaces retain perhaps 97-98% original blue, there is		improved modified and modified with bright, excellent bores. The barrels
	operational wear and edge wear and a few small blemishes. The		and triggerguard retain about 97-98% restored blue that is lightly toning
	checkered hard rubber wraparound double diamond-style STI-marked		to brown and has some light handling wear throughout. The frame and
	grips with hand-stippled frontstrap are near excellent. The pistol is		remaining metal surfaces feature tight pattern factory foliate engraving
	sighted with a C-More red dot mounted to the frame, there is a hole in		and are mostly mottled gray with some brown mingling throughout. A
	front of the mount on each side where the mount previously sat slightly		few of the screws have some minor slot wear. The solid rib is marked
	closer to the muzzle. The red dot works as it should, a left-side		"Frederick T. Baker 38, Fleet Street London", the back action locks are
	slide-racker has been mounted to the rear sight dovetail. The pistol is		both marked "Fred T. Baker / London" and the belly of the frame has the
	÷ .		
	customized with an over-sized and flared mag well, oversize slide stop		"FB" logo trademark. The splinter style forend is checkered walnut and
	and ambidextrous thumb safety and the grip safety has been		rates about very good with a few minor cracks and a few small chips and
	factory-disabled in typical race gun configuration, due diligence should		added finish. The checkered walnut straight grip buttstock rates
	be adhered to when handling the pistol. Included are three magazines, a		excellent and has been nicely restored showing some lovely grain. The
	great ready-to-go competition set-up. (22A9792-1) {MODERN}		stock features a shield shaped monogram plate along the toe-line and
	(1000/1500)		has a checkered contrasting wood butt extension which tapers from
	Est. 1,000 - 1,500		about 1 1/2" at the heel to 1" at the toe, there are slight gaps at the rear
1005			
1235	Strong Firearm Company Nickel Plated Breechloading Signal Cannon		edges of the locks and the extension is not perfectly fit. The butt has a
	10 ga blank, measuring 10" muzzle to breech with a very good plus bore		length of pull of 15" to the forward trigger with drops at about 1 3/4" and
	showing some minor verdigris and light oxidation. The metal surfaces		2" and neutral cast. The action appears to function correctly and the
	retain perhaps 98% later-added nickel with some small flakes and		lockup is tight. This is a nicely restored example of these classic antique
	blemishes, the top has tarnished somewhat and toned to dull silver while		double hammerguns that would make a nice field gun with the correct 2
	the remainder of the surfaces remain bright. The Strong Company New		1/2" loads. (4A9890-3) {ANTIQUE} (1200/1800)
			. , ,
	Haven address on the pivoting breech block is legible with some letters		Est. 1,200 - 1,800
	being faint from buffing. The trunions spin freely under the capsquares		
	and there is a T-handle elevation mechanism that works as it should.		
	The mahogany carriage is near excellent, there are signs of handling		
	typically-associated with these little cannons and the wooden wheel axle		
	appears to be a later-addition. The cannon weighs just over 12 lbs. and		
	the firing mechanism works as it should with a very light downward pull.		
	(22A9770-8) {NON-GUN} (1000/1500)		
	Est. 1,000 - 1,500		

1239			
	U.S. M1 Carbine by Inland Division	1242	German K43 Semi-Auto Rifle by Walther
	serial #856805, 30 Carbine, 18" 9-43 dated Inland Division barrel with a		serial #1566d, 8mm Mauser, 22" barrel with a bright excellent bore. The
	bright near excellent bore with scattered pinprick pitting. The metal		metal surfaces of this ac 45-coded rifle retain about 90% original gray
	surfaces retain about 90% arsenal parkerized finish with light operational		phosphate and blue finishes showing some scattered light oxidation
	wear, intermittent light oxidation staining, a few spots of light pitting on		staining along the barrel, light high edge wear and areas toning to
	the barrel, and a few light handling marks. The low-wood oval-cut walnut		slightly to brown. All markings remain intact and strong, the appropriate
	stock is in very good plus condition as lightly cleaned with a small divot		major components stamped with "(Eagle) / 359" Waffenamts. The
	on the lower edge of the forend, some light scuffs on the left side,		smooth laminated hardwood stock and handguard remain in very good
	scattered light handling marks, and the right side of the buttstock has		condition as lightly refinished showing some shallow old abrasions alon
	been engraved with an about 6" x 2 1/2" bordered panel with an oak leaf		the sides of the butt, some other light dings and handling marks. The
	and acorn motif; the 2-rivet handguard is unmarked. The Ordnance		stock shows no visible number, a very faint Waffenamt along the toe lin
	Wheel stamped on the right side of the buttstock remains intact and part		and one "(Eagle) / WaA359" on the pistolgrip that remains quite strong.
	of the engraved panel, the underside of the pistolgrip is crisply marked		The stamped bolt housing is unmarked and all of the bolt parts are
	"N", and the left side sling cut is lightly marked "W" for Winchester. The		matching. The rifle includes one original aye-coded K43-marked
	receiver and barrel markings remain crisp, the receiver is lightly marked		magazine that has mostly toned to gray patina, the dust cover and from
	"S.G." on the left side below the wood, and the parts are from a mix of		sight hood are present, no cleaning rod is included and the action
	manufactures with the trigger housing and magazine release from		seems to function well mechanically. Also included is an original brown
	Quality Hardware, the operating slide and recoil plate are from Inland,		leather sling that rates fair and a reproduction "shooter's kit" including a
	and the bolt is "W" marked for Winchester. The rear sight is marked with		new-made stainless steel gas piston, three gas plugs, one lock washer
	a "H" within a shield, the hammer is "UC" marked, and the remaining		shim, two recoil springs and a gas piston spring. A nice late-war K43
	parts are unmarked. The carbine features a push-button safety, milled		that may make for a fine shooter. (13B9787-19) {C&R} (2000/3000)
	adjustable rear sight, a Type I barrel band, and appears to function well		Est. 2,000 - 3,000
	mechanically. Included with the carbine is a "K.I." marked 15-round	1243	Luxembourg Contract FN-49 Semi-Auto Rifle by Fabrique Nationale
		1243	
	magazine. A solid arsenal reworked carbine with an artistic addition to		serial #2752, 30-06, 23" barrel with a mostly bright very good bore
	the stock. (14A9908-10) {MODERN} (1000/1500)		showing some light pitting and mild oxidation in the grooves with strong
	Est. 1,000 - 1,500		rifling throughout. The metal surfaces of this scarce contract rifle retain
1240	U.S. Model 1795 Flintlock Musket by Springfield Armory		about 85% original black enamel finish flaking to gray Parkerization near
	.69 cal. worn to .75 cal., 46" barrel with an oxidized bore. This heavily		the muzzle, bottom of magazine and along the high edges also showing
	used Model 1795 Type I musket appears to be in original flint and has a		some other scattered light handling marks. All markings remain intact
	longer than standard barrel yet its proportions are correct with a muzzle		and strong with proper "AL" stamped at the top of the action and
	extension of about 3" and the location of the removed bayonet lug at		"(Flaming Bomb) 1 (Flaming Bomb) 2" stamped on the left side. There
	about 1 1/4" behind the muzzle. The metal surfaces are an oxidized		a name lightly scratched into the left side of the magazine that appears
	brown patina with scattered areas of moderate pitting, particularly		to be "Anthony McCorckle". The smooth pistolgrip walnut stock and
	around the touchhole. Pitting has obscured all markings though the		handguard remain in good condition showing moderate overall handling
	detachable faceted pan and other lock parts along with the shape of the		marks, a thin 4 3/4" crack along the left side finger groove, a small crac
	triggerguard and the length of the comb match that of Springfield Model		at the heel and some light abrasions. The aforementioned name is also
	1795 Type I muskets. The brass front sight blade displays a dark		lightly scratched along the left side butt. The action cover and bolt parts
	mustard patina. The smooth walnut straight grip stock rates fair-good		are matching the receiver and the action seems to function well
	with the stock broken through at the grip which is repaired with two		mechanically. A solid example of these desirable high quality battle
	screws through the top of the grip along with various other scattered		rifles. (13A9787-14) {C&R} (1000/1500)
	cracks, chips and wear from the years but otherwise remains solid.		Est. 1,000 - 1,500
		4044	
	There is a chip missing from each side of the bottom of the frizzen, the	1244	German 1920 Commercial Luger Pistol by DWM
	original bell-shaped slings swivels are intact, a correct button-head		serial #5165k, 30 Luger, 3 7/8" barrel with a bright very good plus bore
	ramrod with threaded end is included, and while the mainspring screw is		showing some light frosting in the grooves and strong rifling throughout
	missing the action remains strong and crisp. A very early example of the		The metal surfaces of this commercial rework retain about 97%
	first official model of musket produced for the U.S. government.		factory-refurbished rust blue showing some mild high edge and
	(23B9909-1) {ANTIQUE} (1000/1500)		operational wear and some areas of minor thinning under bright light.
	Est. 1,000 - 1,500		The small parts retain a similar amount of lovely rich straw color, the
1241	B. S. A. Martini International Mk I Single Shot Target Rifle		small springs and grip screws likewise showing brilliant fire blue. The
12-11	serial #UA142, 22 LR, 29" heavy pattern target barrel with a bright		
			markings remain mostly intact and strong and there is a softened
	excellent bore. The blued metal surfaces retain 97% original finish with		"MADE IN GERMANY" period import mark on the right side receiver.
	slight loss at the muzzle, two spots of thinning loss from rifle case		The checkered hardwood grips remain in very fine condition showing a
	contact points, a few tiny handling marks and two screw filled holes on		few light handling marks, the left panel with a thin crack along its interior
	top of the barrel between the steel target blocks. The lever has toned to		surface and both fit the frame very well. The grips are un-numbered
	a smooth gray patina with mottled case-hardening in the protected areas		along with the breechblock, un-grooved firing pin and middle toggle
	and the rifle has no import mark. The English walnut pistolgrip stock and		piece. The remaining numbered parts are matching and the action
	and the fine has no import mark. The English walnut pistolyhip stock and it		
		I	I seems to function well mechanically. One original bright-bodied wood
	forearm are in near excellent condition with a few scattered light		seems to function well mechanically. One original bright-bodied wood base magazine is included numbered "241i" showing a repaired crack
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock		base magazine is included numbered "241i" showing a repaired crack
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's.		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend Al Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades,		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades,		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finis the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finis the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling with pad, eye patch and a vintage RIG .22 scoring gauge. It is all		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finis the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling with pad, eye patch and a vintage RIG .22 scoring gauge. It is all housed in a vinyl covered wooden rifle case constructed specific to the rifle with cloth jacket and year rocker patches from the "1959		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling with pad, eye patch and a vintage RIG .22 scoring gauge. It is all housed in a vinyl covered wooden rifle case constructed specific to the rifle with cloth jacket and year rocker patches from the "1959 Massachusetts State Smallbore Championship Worcester Pistol & Rifle		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finis the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling with pad, eye patch and a vintage RIG .22 scoring gauge. It is all housed in a vinyl covered wooden rifle case constructed specific to the rifle with cloth jacket and year rocker patches from the "1959 Massachusetts State Smallbore Championship Worcester Pistol & Rifle Club" adorning the inside lid. A wonderful classic smallbore target rifle		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling with pad, eye patch and a vintage RIG .22 scoring gauge. It is all housed in a vinyl covered wooden rifle case constructed specific to the rifle with cloth jacket and year rocker patches from the "1959 Massachusetts State Smallbore Championship Worcester Pistol & Rifle Club" adorning the inside lid. A wonderful classic smallbore target rifle with vintage optics, high condition and could probably hold its own		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finisl the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)
	forearm are in near excellent condition with a few scattered light handling marks, attractive straight grain color contrast in the buttstock and two 1/4" putty filled holes intended for an included aluminum bench rest plate. The rifle is sighted with a 20X R.A. Litschert Spot Shot scope in very good condition with clear optics and lens covers with an open sight mount on the left side of the receiver and includes a Parker Hale PH25 micrometer aperture rear sight and PH1 tunnel front sight with insert. Judging by the number of Freeland accessories and the commercially manufactured case, the rifle most likely was retailed as a package purchase by smallbore legend AI Freeland in the 1950's. Included are a Freeland marked aluminum hook buttplate, adjustable White-Line buttpad, bench rest fork that has separated from the plate and aluminum handstop. Also included are various scope shades, vintage leather shooting mitt, arm cuff, competition type leather sling with pad, eye patch and a vintage RIG .22 scoring gauge. It is all housed in a vinyl covered wooden rifle case constructed specific to the rifle with cloth jacket and year rocker patches from the "1959 Massachusetts State Smallbore Championship Worcester Pistol & Rifle Club" adorning the inside lid. A wonderful classic smallbore target rifle		base magazine is included numbered "241i" showing a repaired crack along the base and the body retaining perhaps 60% flaking nickel finish the spring otherwise seems to be serviceable. A very handsome Luger pistol that appears to have seen very little use since its factory overhau (13A9802-45) {C&R} (1000/1500)

Lot Title/Description

Marron, Jr. Collection] (800/1200) Est. 800 - 1,200

1245	German P.08 Luger Pistol by DWM	1248	Colt Model 1861 Navy Percussion Converted Revolver
12.10	serial #9466c, 9mm, 4" barrel with an about good bore showing light	1210	serial #298, 38 RF, 7 1/2" barrel with a good bore that shows dep rifling
	oxidation and frosting in the grooves with good rifling throughout. The		and patchy oxidation. This is the standard model conversion which was
	metal surfaces of this 1918-dated pistol retain about 85% original blue		made originally as a cartridge revolver from previously unfinished parts.
	with most of the loss due to moderate high edge wear, areas along the		The revolver shows all matching numbers with unnumbered wedge, the
	gripstraps and barrel toning to gray-brown patina, a few small dings		numbers on the frame, triggerguard and backstrap have a numeral "1"
	along the high edges and sparsely scattered pinprick pits. The small		beneath them. The barrel and cylinder show a light brown patina overall
	parts retain strong remnants of straw color toning to silvery gray patina		that is even and smooth with all markings and cylinder scene remaining
	and the sear spring, toggle pins and front sight show some pale fire		quite crisp and 95% visible. There is some very light pitting along the
	blue. All markings remain intact and strong. The checkered hardwood		very edge of the front periphery. The frame and hammer show a
	grips are stamp-numbered to the gun and remain in very good plus		pleasing mix of faded original color case hardening and a smooth gray
	condition showing some overall mild smoothing of the checkering and		patina. The hammer shows a rimfire firing pinned to its left surface. The
	some light handling marks, both retaining solid fit to the frame. All of the		brass gripstraps show a rich untouched patina. The one-piece walnut
	serialized parts are matching including the un-grooved firing pin and the		grips rate excellent with 90% original finish remaining and with most loss
	action seems to function well mechanically. Included is one original		being long the outer bottom edge. A very crisp example of these very
	bright-bodied wood base magazine numbered "3594" that rates very fine		early Colt produced cartridge arms. (1B9898-9) {ANTIQUE} (800/1200)
	showing a few tiny chips along the edges of the base and some mild		Est. 800 - 1,200
	flaking along the body. A solid late-war Imperial Luger pistol.	1249	Colt New Line 30 Caliber Revolver
	(13A9897-30) {C&R} (1000/1500)		serial #5066, 30 RF, 2 1/4" round barrel with a near very good bore with
	Est. 1,000 - 1,500		a couple patches of light oxidation. This little revolver features a two-line
246	Colt Model 1878 Double Action Revolver		Hartford address and shows a crisp etch on left side of barrel. The meta
	serial #33833, 45 Colt, 7 1/2" barrel with a bright very fine bore just		surfaces of the revolver retain about 97% original nickel plated finish
	showing a few light pits at the muzzle, otherwise near excellent with		with some very light scattered bubbling in the surface. The hammer
			, .
	strong rifling throughout. The metal surfaces of this handsome		shows mostly a silver-gray patina. The two piece mother-of-pearl grips
	1894-made revolver retain about 80% plus original bright blue showing		rate excellent with no chips and they show proper age and fading
	overall mild flaking and toning to a pleasant gray patina along the		iridescence. A nice clean example of these early Colt pocket revolvers.
	gripstraps, barrel, ejector rod housing and cylinder flats, there are a few		(1A9898-15) {ANTIQUE} (700/900)
	sparsely scattered pinprick pits with some areas of more noticeable light		Est. 700 - 900
	pitting around the right side breech and forward edges of the cylinder	1250	Colt Open Top Pocket Revolver
	and some other more minor scattered handling marks. The trigger and		serial #1935, 22 RF, 2 3/8" round barrel with a very good bore. This is
	back surface of the hammer retain much of their lovely brilliant fire blue		the early variant with the ejector rod in housing that is integral to the
	while the loading gate and a number of the screw heads likewise retain		barrel. The barrel and cylinder retain generous traces to perhaps 10 or
	a generous amount of thinning fire blue. The sides of the hammer		15% original blue finish in protected areas with the balance showing a
	remain mostly bright showing some very mild gray freckling and a		pleasing smooth brown patina with a little light oxidation staining. The
	couple of the screw heads show some very mild slot wear. All markings		hammer shows about 70% original fire blue finish while the frame shows
	remain intact and crisp including the circled Rampant Colt on the left		generous traces of tarnished original silverplated finish in protected
	side frame. The black checkered hard rubber grips remain in very good		areas with the exposed brass showing a wonderful untouched patina.
	plus condition showing mild overall smoothing and some light dings. The		The two-piece walnut grips rate about excellent with a little added finish
	Rampant Colts remain mostly strong, the right side showing a bit more		and just light handling marks. A nice and rather scarce little Open Top.
	smoothing than the left and both panels are un-numbered but fit the		(1A9898-19) {ANTIQUE} (800/1200)
	frame very well. The lanyard ring has been removed, the cylinder is		Est. 800 - 1,200
	matching the frame by serial number and the loading gate is matching	1251	Smith & Wesson-Marked Moore's Patent Single Action Belt Revolver
	by assembly number. The action seems to function well mechanically in	1201	serial #7312, 32 RF, 4" octagon barrel with an excellent bore. This is a
	both single and double action with solid timing and lock-up. A lovely		nice crisp Moore, marked on top of barrel "MANFD FOR SMITH &
			WESSON BY MOORE'S PAT. FIRE ARMS CO.". The barrel shows a
	example of these early big bore double action revolvers for the Colt		
	collector. (13B9896-22) {ANTIQUE} (1800/2200)		lovely gray brown patina with perhaps 15% original blue remaining and
147	Est. 1,800 - 2,200		couple of patches of light pitting. The cylinder bears the same wonderfu
247	British Percussion Deringer Pistol by Thomas Phillips		undisturbed patina. The brass frame shows nice relief floral scroll
	.36 caliber, 3 3/4" round barrel with octagonal breech showing an		engraving as well as a nice shell motif around the back of the hammer
	oxidized bore. The lock shows lovely scroll engraving with maker name		and nice intertwined lines up backstrap. The engraving is the same very
	"Thos Phillips" along top edge. The barrel shows Birmingham proofs and		nice quality we see on other New York engraved guns from the period.
	is beautifully formed with octagonal breech transitioning to hexadecagon		Frame shows a deep rich untouched patina with traces of tarnished
	then to a wedding band before turning round. The breech shows what		silverplate in protected areas. The one piece walnut grip rates very good
	appears to be a copper and a German silver band. The bolster shows a		with about 90% original varnish remaining and with a medium chip from
	German silver blowout plug with the breech and tang showing scroll and		the butt near the left toe. The removable ejector rod mounted beneath
	sunburst engraving. The brass triggerguard is engraved and terminates		the barrel may or may not be original. A handsome Moore's Patent
	in a pineapple shaped finial to the front. The iron surfaces of the pistol		revolver. (1A9898-26) {ANTIQUE} (700/900)
	shows a pleasing smooth and even brown patina being very smooth		Est. 700 - 900
	with oxidation and fine pitting confined only to the bolster area. The	1252	Remington Model 95 Double Deringer
		1202	
	walnut stock has a finely checkered grip and rates about excellent with 95% original finish remaining and with just normal light handling marks.		serial #L95779, 41 RF, 3" barrels with bright excellent bores. The metal surfaces of this standard production Type III deringer retain about 95%
	In addition to the triggerguard, the furniture includes German silver		original matte gray-blue finish with most of the loss due to scattered
	wedge escutcheons and a plain wrist escutcheon. The pewter forend tip		small areas of light flaking toning to a mild brown patina and some light
	is engraved with stylized sunburst patterns on either side. A very nice		high edge wear. The trigger and hammer retain 98% original blue
	period British interpretation of the Henry Deringer pistol. (1B9833-98)		showing some very light freckling while the latch shows nice pale fire
	{ANTIQUE} (800/1200)		blue with some fine oxidation staining. The Remington Arms - UMC Co.
	Est. 800 - 1,200		address remains crisp and clear. The checkered black hard rubber grips
			remain in very fine condition, the left panel showing a few thin chips
			along its edges and some faint discoloration. The action seems to
			function well mechanically, the hinge is intact and barrel lock-up is solid
			While the barrels retain their distinctive rib, the grooved hammer and
			economy finish suggest this example was made just before the transitio
			to the final late-production model. (13B9362-66) {C&R} [Edward W.
			Marron, Jr. Collection (800/1200)

1253	Remington Model 95 Double Deringer	1257	German P.625(f) Semi-Auto Pistol by S.A.C.M.
	serial #1071, 41 RF, 3" barrels with bright near excellent bores showing		serial #C3083A, 7.65 Longue, 4 1/4" barrel with a bright excellent bore.
	a hint of minor frosting and strong rifling throughout. The metal surfaces		The metal surfaces of this occupation-produced Model 1935A retain
	of this standard production Type III deringer retain about 92% original		about 95-96% original black enamel finish showing a few small flakes
	bright blue with most of the loss due to light flaking along the high edges		along the bow of the triggerguard and gripstraps, minor high edge wear
	and backstrap toning to a pleasant gray-brown patina along with some		a few fine scratches and other light handling marks. All markings remain
	light silvering and handling marks. The extractor and latch retain about		intact, left side frame is stamped with the appropriate small "(Eagle) /
	98% pale fire blue and the Remington Arms - UMC Co. address remains		WaA251" that is rather poorly struck as-is typical and the barrel with
	crisp and clear. The pistol wears a set of nice smooth antique ivory grips		eagle firing proof on the chamber. The checkered black Bakelite grips
	that remain in excellent condition showing subtle age striations, both are		remain in very fine condition showing some light edge wear and minor
	pencil-numbered "8". There is a very tiny crack forming along the left		handling marks. One correct magazine with unmarked black enamel
	side hinge, the action seems to function well mechanically and barrel		floorplate is included and the action seems to function well mechanical
	lock-up is solid. Still a quite handsome later production pistol with strong		A very fine example of these desirable French pistols as-produced und
	original finish. (13B9362-67) {C&R} [Edward W. Marron, Jr. Collection]		German occupation. (13A9807-338) {C&R} [Vincent Coniglio Collection
	(700/900)		
	· · · · ·		(700/900)
	Est. 700 - 900		Est. 700 - 900
254	Remington Model 95 Double Deringer	1258	German Police-Marked & Converted Steyr Model 1912 Semi-Auto Pisto
	serial #25, 41 RF, 3" barrels with bright near excellent bores showing a		serial #7814v, 9mm, 5" barrel with a bright excellent bore. The metal
	hint of minor frosting and strong rifling throughout. The metal surfaces of		surfaces of this 1917-dated pistol retain about 85% original blue with the
	this standard production Type III deringer retain about 98% original		gripstraps and top of the slide thinning to gray patina, high edge wear
	nickel finish showing some very minor thinning along some of the high		and some scattered light freckling. There are some light unobtrusive to
	edges, small dings and scattered handling marks. The hammer and		marks around the trigger pin and a series of scratches along the right
	trigger retain 98% original blue with some thinning along the trigger face		side frame that appears to be a stylized set of initials, perhaps "HG II".
	and the latch shows strong pale fire blue. The Remington Arms - UMC		The small parts remain mostly bright showing some mild gray freckling
	Co. address remains crisp and clear and the arm is also stamped with		while the screw heads and recoil spring plug show good straw color. Al
	period British proof marks. The checkered black hard rubber grips		markings remain strong and quite crisp with the appropriate "08"
	remain in very good plus condition showing some light dings and scuffs		German cartridge designation on the left side slide, German proofs on
	scattered about and a small thin chip along the front edge of the right		the left side frame and "(Eagle) L" police stamp on the right side frame.
	panel. The action seems to function well mechanically, the hinge is		The checkered walnut grips remain in about very good plus condition
	intact and barrel lock-up is solid. A very attractive double deringer		showing a few lightly chipped points, a tiny chip below the screw head
	evidently retailed in England. (13B9362-71) {C&R} [Edward W. Marron,		on the left panel and some other minor handling marks. The slide and
	Jr. Collection] (800/1200)		barrel are matching the frame and the action seems to function well
	Est. 800 - 1,200		mechanically. A nice example of these desirable converted police
255	German Contract Astra Model 300 Semi-Auto Pistol		pistols. (13B9807-334) {C&R} [Vincent Coniglio Collection] (700/900)
	serial #569458, 380 ACP, 3 3/4" barrel with a bright excellent bore. The		Est. 700 - 900
	metal surfaces of this 1943 proof-dated pistol retain about 80-85%	1259	French Model 1950 Semi-Auto Pistol by MAC
	original blue with most of the loss due to moderate thinning to gray		serial #A4785, 9mm, 4 1/2" barrel with a fair-good bore showing fine
	patina along the slide which also shows some cleaned pinprick pitting		pitting and darkness its entire length and somewhat worn but good
	scattered throughout along with some thinning along the gripstraps and		rifling. The metal surfaces of this pistol retain about 80% original
	a few other more minor handling marks. The trigger, safety lever and		Parkerized finish taking on a somewhat gray-green tone overall showing
	barrel remain mostly bright showing a few minor freckles and the		some high edge wear, areas of brown along the slide and some
	extractor shows strong fire blue thinning slightly overall. All markings		scattered small spots of old oxidation staining. All markings remain inta
	remain crisp and clear with proper "(Eagle) / WaA251" at the rear right		and strong and there is a small older style "FRANCE" import mark on
	side frame. The left checkered walnut grip panel remains in about very		the right side frame. The grooved black Bakelite grips remain in very
	good condition showing a repaired 2" crack along its back edge through		
			good condition showing some overall fine scratches and handling mark
	the grip screw hole and shows some play while the right panel rates		One original magazine is included and the action seems to function we
	near excellent. The serialized parts are matching, one original magazine		mechanically. Also included is an original brown leather flap holster that
	is included and the action seems to function well mechanically. Also		rates about very good showing moderate wear overall with light staining
	included is an original brown leather flap holster that rates about fair, it is		and scuffs, visible maker ink stamp on the interior and otherwise intact
	rather tender and shows moderate flaking, overall scuffs and a small		stitching and belt loops. A solid example of these post-war French
	tear on the closure strap. The stitching is otherwise strong and the		service pistols not often seen in this country. (13A9807-310) {C&R}
	inside flap shows the name "Schmidt" in blue ink as well as what is likely		[Vincent Coniglio Collection] (700/900)
	an American soldier's name "JIM GALLAGHER / H3 / 5667". An		Est. 700 - 900
	attractive example of these desirable and well-made German contract	1260	Japanese Type 94 Semi-Auto Pistol by Nagoya Kokubunji
	pistols. (13A9804-23) {C&R} (700/900)		serial #9860, 8mm Nambu, 3 7/8" barrel with a bright very good plus
	Est. 700 - 900		bore showing a few fine pinprick pits scattered about, a hint of minor
256	German P.640(b) Semi-Auto Pistol by Fabrique Nationale		frosting and strong rifling throughout. The metal surfaces of this Januar
	serial #870b (frame), 9mm, 4 5/8" barrel with a mostly bright very good		1940 date-coded pistol retain about 92-94% original blue showing som
	plus bore showing some light oxidation nearer the breech and strong		light high edge and operational wear, a little fine pinprick pitting around
			the muzzle of the slide, right side frame and lanyard ring and some ver
	rifling throughout. The metal surfaces of this late occupation pistol show		
	thinning original blue throughout remaining strong in the protected areas		light scattered freckling. The small parts show strong straw color with
	and toning overall to a mild gray patina, some light scratches along the		some mild silvering along the trigger and safety and the grip screws
	left side slide from disassembly and silvering along the high edges. The		even retain a hint of fire blue along their peripheries. All markings rema
	right side of the slide shows full number "26870b" and the parts are		crisp and clear. The checkered black Bakelite grips remain in very fine
	stamped with the appropriate eagle firing proofs and "(Eagle) / WaA140"		condition showing a few light scuffs and minor handling marks. This is
	Waffenamts that are rather lightly struck. The checkered dark brown		rather low-production sub-variation of pistol retaining the earlier style
	late-war Bakelite grips remain in very fine condition showing a tiny		rounded slide contour but fitted with the later style sear bar, this
			•
			combination of features only made for about four months before the
	hairline crack near the left grip screw and otherwise just a few minor		slide construction was squared-off. All of the serialized parts are
	handling marks. All of the serialized parts are matching, one unmarked		matching, the tip of the firing pin shows an old effective repair and the
			matering, ale up et ale ming più enerte an ela eneetre repair ana me
	handling marks. All of the serialized parts are matching, one unmarked		
	handling marks. All of the serialized parts are matching, one unmarked reproduction magazine is included and the action seems to function well mechanically. A solid example with the distinctive Bakelite grips found		action seems to function well mechanically. One mismatched magazin
	handling marks. All of the serialized parts are matching, one unmarked reproduction magazine is included and the action seems to function well mechanically. A solid example with the distinctive Bakelite grips found on many b-series guns. (13A9804-31) {C&R} (700/900)		action seems to function well mechanically. One mismatched magazin numbered "161" is included; it is of the correct early style with full nicke
	handling marks. All of the serialized parts are matching, one unmarked reproduction magazine is included and the action seems to function well mechanically. A solid example with the distinctive Bakelite grips found		action seems to function well mechanically. One mismatched magazin numbered "161" is included; it is of the correct early style with full nicke finish and remains in near excellent condition. A very nice and desirab
	handling marks. All of the serialized parts are matching, one unmarked reproduction magazine is included and the action seems to function well mechanically. A solid example with the distinctive Bakelite grips found on many b-series guns. (13A9804-31) {C&R} (700/900)		action seems to function well mechanically. One mismatched magazin numbered "161" is included; it is of the correct early style with full nicket finish and remains in near excellent condition. A very nice and desirable earlier Type 94 still maintaining the higher finishing standards.
	handling marks. All of the serialized parts are matching, one unmarked reproduction magazine is included and the action seems to function well mechanically. A solid example with the distinctive Bakelite grips found on many b-series guns. (13A9804-31) {C&R} (700/900)		action seems to function well mechanically. One mismatched magazin numbered "161" is included; it is of the correct early style with full nicke finish and remains in near excellent condition. A very nice and desirab

Title/Description Lot

1261	French P.38 Semi-Auto Pistol by Mauser	1265	Scarce German Depot-Marked French Model 1886/R35 Lebel Bolt
	serial #9128g, 9mm, 5" barrel with a mostly bright very good plus bore		Action Carbine by St. Etienne
	showing some light frosting in the grooves and strong rifling throughout.		serial #168, 8mm Lebel, 18" Chatellerault barrel dated 1938 with a bright
	The metal surfaces of this svw 45-coded pistol retain about 95% of an		near excellent bore showing a little minor frosting in the grooves and
	arsenal-quality rust blue showing some thinning along the high edges		strong rifling throughout. The metal surfaces of this carbine retain about
	and toning to gray along the distinctive grooved sheet metal grips along		92% arsenal black enamel over Parkerization showing scattered overall
	with some scattered light handling marks. All makings remain intact and		light flaking and fine scratches one would expect. The bolt shows
	strong with French inspection star stamped on the right side slide and		moderate silvering from operation with strong dark gray Parkerized finish
	on the barrel below the chamber. The left side barrel rail is also stamped		and the rear sight and its spring show strong fire blue. The original
	with a "(Eagle) / WaA135" and the locking block is unmarked and		maker markings on the receiver are rather soft from various arsenal
	un-numbered. The serialized parts are matching and one original "P.38v		overhauls but the barrel shank markings remain crisp. The smooth
	/ U" magazine is included. The hammer must be pulled back slightly to		walnut stock and forend remain in very good condition showing the
	allow the decocker to function properly but the action otherwise seems		overall light dings one would expect, a few perhaps a bit more
	to function well mechanically. A French tan leather flap holster is		moderate, along with some smaller handling marks and a neat arsenal
	included that rates very good plus showing some mild overall staining		patch repair at the left rear edge of the forend. The buttstock actually
	and handling marks. A very nice example of these interesting variant		shows some rather nice straight grain figure along its right side and is
	P.38s produced by France during their occupation of the Mauser factory		stamp-numbered matching on the left side along with two strong
	at the end of the war. (13A9807-307) {C&R} [Vincent Coniglio		"(Eagle) / Kru1" German depot stamp behind the lower tang. The bolt is
	Collection] (700/900)		numbered "I5850" and the bolt head "50", an original leather sling in fair
	Est. 700 - 900		condition showing moderate staining and light crackling is included and
1262	Walther PPK Semi-Auto Pistol		the action seems to function well mechanically. A solid example of these
	serial #248499k, 32 ACP, 3 1/4" barrel with a bright near excellent bore.		desirable French carbines, even more sought-after with its German
	The metal surfaces of this pistol retain about 96-97% original bright blue		markings. (13B9807-219) {C&R} [Vincent Coniglio Collection]
	showing some minor high edge wear, a little freckling at the muzzle and		(800/1200)
	a few scattered handling marks. The 60-degree safety lever shows		Est. 800 - 1,200
	strong fire blue with some minor silvering, likewise along the extractor	1266	French Model 1936 Bolt Action Rifle by St. Etienne
	which has some minor oxidation staining and the barrel shows some		serial #K16305, 7.5 French, 23" barrel with a bright excellent bore. The
	mild gray discoloration. All markings remain crisp and clear and the		metal surfaces of this 1940 acceptance-dated rifle retain about 95%
	pistol is stamped with "(Crown) / N" commercial proofs. The checkered		original black enamel over Parkerization showing some light high edge
	mottled brown synthetic grip with Walther banners remains in about very		wear, a few scattered small flakes and minor handling marks. The bolt
	good condition showing a tiny crack forming at the back top edge and		retains a similar amount of original Parkerized finish showing overall
	moderate warping along the top edges on either side that does impede		silvering and light operational wear. All markings remain crisp and clear.
	operation of the otherwise functional safety lever somewhat. One		The smooth walnut stocks remain in very fine condition showing
	original magazine with mottled brown extension in excellent condition is		scattered light dings, some fine scratches and other light handling
	included along with an unmarked period brown leather flap holster that		marks. There are a few very small more moderate dings along the
	rates very good plus showing some light crackling and minor edge wear.		forend and a small "X" scratched along the left side behind the front
	(13A9807-318) {C&R} [Vincent Coniglio Collection] (700/900)		band but these are unobtrusive. The butt actually shows some rather
	Est. 700 - 900		attractive straight grain figure throughout and is crisply stamped on the
1263	Chinese Type 54 Tokarev Semi-Auto Pistol		left side with matching serial number and on the right side with a nice
	serial #28028055, 7.62x25mm Tokarev, 4 1/2" barrel with a bright		June 1940 acceptance cartouche. The forend and remaining numbered
	excellent bore. The metal surfaces of this pistol retain about 99%		parts including the bayonet are also matching, the rifle is equipped with
	original blue showing a few scattered light handling marks and some		all of the appropriate early features and the action seems to function
	areas taking on a pleasant deep plum-brown tone under bright light. All		well mechanically. An original French brown leather sling is included that
	markings remain intact and crisp and there are no import markings or		shows light staining and crackling. A very fine desirable example for the
	importer-added safeties. The grooved black plastic grips with star logo		martial collector, accepted during the month of the French surrender.
	remain in excellent condition. All of the serialized parts are matching, the		(13B9807-207) {C&R} [Vincent Coniglio Collection] (700/900)
	pistol includes two matching magazines and the action seems to		Est. 700 - 900
	function well mechanically. Based on other known serial numbers this	1267	French Model 1886/93 Lebel Bolt Action Rifle by Tulle
	pistol was likely made in 1981. Also included is an original Chinese		serial #FH82064, 8mm Lebel, 31 1/2" Delaunay-Belleville barrel dated
	leather flap holster with blue corduroy lining, shoulder strap, double		1915 with a mostly bright very good plus bore showing some fine
	ammo pouch and cleaning rod that rate very good plus showing some		oxidation in the grooves and strong rifling throughout. The metal
	light staining, scuffs and minor handling marks. An excellent Chinese		surfaces of this N-marked rifle retain about 94% arsenal refurbished rust
	Tokarev pistol in desirable original configuration. (13A9807-311)		blue showing some high edge wear, light freckling, areas of silvering
	{MODERN} [Vincent Coniglio Collection] (700/900)		along the left side receiver and some light to perhaps moderate pitting
	Est. 700 - 900		scattered about beneath the finish. The bolt and triggerguard are a
1264	French Model 1907-15 M34 Berthier Bolt Action Rifle by St. Etienne		pewter gunmetal patina showing some areas of old oxidation staining
	serial #F58312, 7.5 French, 22" Tulle barrel dated 1939 with a bright		and minor pinprick pitting. The markings have softened from the years of
	very good plus bore showing a little minor oxidation and pinprick pitting		various arsenal overhauls but remain mostly intact and legible overall.
	nearer the muzzle and otherwise strong rifling throughout. The metal		The smooth walnut stocks remain in good condition showing overall
	surfaces of this rifle retain about 90% arsenal black enamel finish over		darkening from the years, a small repaired drying crack along the left
	Parkerization showing some scattered light flaking, minor dings and		side where the stock meets the frame, a smoothed-over light chip at the
	handling marks. The floorplate shows some remnants of a protective		heel and some overall light dings and mild abrasions. The buttstock and
	lacquer and the bolt shows moderate operational wear and thinning		forend are both matching the barrel though the numbers are rather soft
	Parkerized finish. All markings remain intact and strong. The smooth		and there is no visible cartouche. The cartridge lifter plate has been
	walnut stock and handguard remain in about good condition showing		arsenal re-numbered to match, the bolt and bolt head are numbered
	mostly worn finish, scattered light to perhaps a few moderate dings, a		"BC38070" and "70", respectively and the action seems to function well
	couple small spots of filler and a repaired thin 4" drying crack along the		mechanically. A rather salty old warhorse, updated during the inter-war
	right side ahead of the finger groove. The handguard shows some		period, that may make for a fine shooter or entry level example.
	added finish masking a number of extensive repaired cracks and light		(13A9807-161) {C&R} [Vincent Coniglio Collection] (700/900)
	chips, the work being well-executed overall. The stock appears to be		Est. 700 - 900
	numbered "E3792" which is outside the range for M34 rifles and the		
	remaining serialized parts are matching. A thin leather sling with brass		
	studs that appears to be original equipment is included showing some		
	moderate stiffening and crackling. Strangely the trigger seems to be a		
	little shorter than one would expect to find on a French rifle but the		
	action seems to function well mechanically. A very good example of		
1	these desirable rifles, about 40,000 of which were converted to the new		
	THIS AS A START AND A REAL AND A	1	
	7.5 cartridge just before World War Two. (13A9807-213) {C&R} [Vincent		

<ul> <li>Even a barrier type 44 Areas Bish Actor Castme by Ackar and even and the project pice search a construct and acting diffy the construct and acting and the pice search acting diffy the construct acting and the pice search acting diffy the construct acting and the pice search acting and pice search acting a the search acting in the pice search acting and pice search acting a the search acting in the pice search acting and pice search acting a the search acting in the pice search acting and pice search acting a the search acting in the pice search acting and pice search acting a the search acting in the pice search acting and pice search acting a the search acting in the pice search acting and pice search acting a the search acting acting acting acting acting acting and the model acting</li></ul>					
<ul> <li>thoring a couple for protock pion search terms (and a couple for protock pion search couple for pion search for pion sear</li></ul>	1268	Japanese Type 44 Arisaka Bolt Action Carbine by Kokura	1 Г	1271	Peruvian Model 1909 Bolt Action Rifle by Mauser Oberndorf
<ul> <li>Herughat. The media attraction of the test sectors have volution of a test sector for the sectors attraction of the attraction of</li></ul>		serial #00031, 6.5 Arisaka, 19" barrel with a bright near excellent bore			serial #7485, 7.65 Argentine, 29" barrel with a bright near excellent bore
<ul> <li>ptic natural 10% original bile notwarg some statemed light function.</li> <li>ptic natural 10% original bile notwarg some light high original and space fragments and a general source and space fragments and a general source and space fragments and space fra</li></ul>		showing a couple tiny pinprick pits nearer the muzzle and strong rifling			showing a few small areas of frosting in the grooves and crisp rifling
<ul> <li>dev arest of micro clusters testing industry stores the micro of the clusters in the store makes is micro of the clusters in the store makes is micro of the clusters in the store intervence in the store intervence is the store interv</li></ul>		throughout. The metal surfaces of this first series third variation carbine			throughout. The blued metal surfaces of this attractive rifle retain about
<ul> <li>and any the chamber and modeling print and down is base meal after arrows of the chamber and modeling print and the screen back area of the chamber and modeling print and the screen back area of the chamber and the chamber and the screen back area of the chamber and the chamber and the screen back area of the chamber and the chamber and the screen back area of the chamber and the chamber and the screen back area of the chamber and the chamber and the screen back area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the chamber and area of the chamber and the chamber and the ch</li></ul>		retain about 95% original blue showing some scattered light freckling, a			92% original finish showing some light high edge wear, a patch of light
<ul> <li>Her removed of the chryspathanum. The but neares modely high well server and parts when the screen heading and engines of the screen heading and th</li></ul>		few areas of minor oxidation staining mostly nearer the muzzle, a small			dings or tool marks along the floorplate and triggerguard and a few
<ul> <li>Introduction of the charge state values of the integrate and the integrate integrat</li></ul>		scuff atop the chamber and moderate grind marks down to bare metal			areas of light oxidation staining along the middle barrel band and barrel.
<ul> <li>Introduction of the charge state values of the integrate and the integrate integrat</li></ul>		after removal of the chrysanthemum. The bolt remains mostly bright with			The barrel bands show moderate handling marks while the screw heads
<ul> <li>In the sumption without with medicate code of operating the sumption of operating the biols. Ast-methods the charge shows satured approximation of a method sequence of the code of seque</li></ul>		toning to a deep gray along the handle and safety knob. The small parts			and bolt release retain most of their lovely brilliant fire blue. The
<ul> <li>be instanting during the index according panel that utilizes the instantion of original time bulk, exercising the engineering and the set who would ull arge panel to a set of would arge panel to a set o</li></ul>					
<ul> <li>The bue. An emetion due due (synamicanic muscle according)</li> <li>The route of the original scalar activation and the model assignment in very fire condition reating route of the original scalar activation and the scalar activation activati activation activation activation activation activation activa</li></ul>					
<ul> <li>Rerowel and the model exerging from the son condition is also model, you of the series model is a son of the set and the model is a son of the son of the set and the model is a son of the son of t</li></ul>					
<ul> <li>Alkin hardword stock and handguard remain in very free condition relation on the lot does not fleer original think booking an very bit // Elise does not fleer original think booking an very bit // Elise does not fleer original think booking an very bit // Elise does not fleer original does at the endance of the endance of</li></ul>					
<ul> <li>relating most of the rody part limit housing a wey siny 1/4 filled dig on the bit of or enforger groups, (ryonal souther of bit digs and handling marks. For a Japenese long and the sets took condition is well acrows wertain and a dig to the part and the sets too of part limits part too second to the part of the part is sense of the part sense of the part second part limit and the part of the part is sense of the part sense part limit and the part of the part is sense of the part sense and the part limit and the part of the part is sense to part of the part is sense of the part sense of the part sense part of the part of the part is sense of the part sense part of the part of the part is sense of the part sense part of the part of the part is sense of the part sense part of the part of the part is sense of the part sense part of the part of the p</li></ul>					
<ul> <li>In the lift dois rear fright group, typical setting in the solution of well allows at the solution of the intervention of the interve</li></ul>		· ·			· · · ·
<ul> <li>handling marks. Fee 3 Japointee long sum the stock contribution is well above average and there are be cripts kungi stemps than the baynow tocks socurely compared basis. The tock is stemp-minittee to the gun and shows strong Pervsion inspect stamps and a cript Mauser tamore on the right side. The took is minittee and the baynow tocks socurely compared basis are matching. The social control is marked to the strapp and the actor seems to function well mechanically. A very interaction (134/887)-1223 (CAR) (Vincent Compared basis are matching and the actors seems to function well mechanically. A row of handbox strapp.</li> <li>Fasting and the actor seems to function well mechanically. A very interaction (134/887)-1223 (CAR) (Vincent Compared basis are matching and the actors seems to function well mechanically. A row of handbox stramp collection (1709/890).</li> <li>Fasting and the actor seems to function well mechanically. A row of handbox stramp collection (1709/890).</li> <li>Fasting and the actor seems to function well mechanically. A row of administic and the strapp collection (1709/890).</li> <li>Fasting and strapp and the strapp collection (1709/890).</li> <li>Fasting and to function to the relative. The metal surfaces strapp and row of the strapp and relative strapp and relative strapp and relative strapp.</li> <li>Fasting and relative strapp and relative strapp</li></ul>					
<ul> <li>betwoe internage and there are two crices karging internage behind the philipping international construction interpret stating and a ring Mouse Planners on the high station interpret data are ring Mouse Planners of the Statis international statis and the baryon locks security in a statement of the lock and the entrational and the international statement of the lock and the entrational and the international statement of the lock and the entrational statement of the lock and the lock</li></ul>					
<ul> <li>Pleidige. The hooked ultion is intack and the bayoset looks searcely open and code. The firing bit is un-mathered and the remaining mutation of the action serve to function well mechanically. A vary handcome and by its serves foundation taking and estimate a distance of the sector of the action serves to function well mechanically. A vary handcome and by first serves foundation taking and estimate a distance of the sector of the action serves to function well mechanically. A vary handcome and by first serves foundation taking and estimate a distance of the sector of the</li></ul>					
<ul> <li>per and closed. The firing print sum-numbered and the emaning per semiclosed per semicons and the sectors and policy sectors and poli</li></ul>		•			
<ul> <li>Isolated parts are matching, the outstretch and both release matching by assembly number. Not at cover number S227: is included. A call calculated provide normal matching by approximation of segments showing some light coldation at an impact and stating and stating and stating approximation. The second balance and provide normalization of the second stating and stating approximation. The second balance and provide normalization of the second stating approximation. The second balance approximation of the second stating approximation of the second stating approximation. The second balance approximation of the second stating approximation of the second stating approximation. The second balance approximation of the second stating approximation of the second stating approximation. The second balance approximation of the second stating sta</li></ul>					
<ul> <li>assentiby number: No dust cover is present, two criginal in-the-while cleaning or dispresent showing some lipit oxidiant sating are still housed in the but and the action seems to function well mechanically. A very handbroe early first ender solution in the action and the set for addition to any Japanese arms collection. (134807-122) (C&amp;R) [Vincent Corgino Collection] (700000)</li> <li>T289</li> <li>Forting and Nutonia Model 1990 bot Action Cathine earls 1928, <i>1,62</i> MA10, 1712 is digit which a bright very good plus bots aboving a few small spots of high earls and a bright very good plus bots aboving a few small spots of high earls and aboving the handy life cathine bears to national creats and is only maker-match on the life showing acreats and is only about 90-28% original bus aboving sets and life showing about 90-28% original bus aboving sets and life showing about 90-28% original bus aboving sets and life showing a the staning and grade that his original remains in about 99 odd plus conditions well metal surfaces retain about 99 odd plus conditions well metal surfaces retain about 99 odd plus conditions well metal acting a set in an arrang analy like k-earling the bard, some scattered light a condition and the action seems bunction well metal actions to ring and the staning and plus bard and some diverse in the bard and the action seems bunction well metal-mains more to applic bard showing the bard an arrang and gualty bluck examel finish. The bot termains more to applic the action seems bunction well metal-mains and the sign mutations to about 99 odd plus condition howing a the bard and the action seems bunction well metal-mains and the sign mutations and the action seems bunction well metal-mains and the sign mutations and the action seems bunction well metal-mains and the sign mutations and the action seems bunction. The second metal action second and the action seems bunction well metal-mains and the sign mutations and the action seems bunction well metanacing mutation and the action seems bun</li></ul>					- · ·
<ul> <li>clearing for segments showing some light acatation staining are still house for the but and the action seems to function will mechanically. A very harchard see Kolum to make all me addition to any lagence arms collection (1700/900)</li> <li>Cargio Collection (1700/900)</li> <li>clear 700 - 900</li> <li>Substance area for the but and the action is any dispace and the bigs of the barry spord plus bore showing a few statered areas of light coldation and otherwise crip infing throughout. Standments effert of the through the protection dispace and point actions and the protection dispace and point actions and protection dispace and point actions and protection dispace and point actions and the action seems to function dispace trains in the barry dispace trains on the state of the</li></ul>					
<ul> <li>housed in the but and the action seems to function well mechanically. A very bardwise each offset seems of the solution well mechanically. A very bardwise each offset seems of the solution well mechanical mechanical seems of the solution well mechanical seems of the solution seems of the solution seems of the solution well mechanical seems of the solution seems of</li></ul>					
<ul> <li>very handsome early first series Kokurs hat would make a fine addition to may paper early a collection (12489) (700500)</li> <li>ELT 700 - 800</li> <li>Tobrique Nationale Model 1500 Ebit Action Cathine to generative at the balance form and the target and the balance toring a few scattered areas of light coldation and otherwise trip ather and reader. The balance form and and protected areas of light coldation and otherwise trip ather and reader. The balance form and and protected areas of light coldation and otherwise trip ather ather and reader. The balance form and a protected areas of light coldation and certain and a cold protected areas of light coldation and certain and a cold protected areas of light coldation and certain and certain and a cold protected areas of light coldation and certain and certain and certain certain and the science. The balance form and target and the balance form and the maxes and there is a small access toring to a generative and the cold and the science. The balance bala</li></ul>					
<ul> <li>to any Japanese arms collection (1704807-122) (CAR) [Vincent Conjub Collection] (20090)</li> <li>Fabringe Nationale Model 1950 Bolt Action Carbine sinit #285, 7.62 MATO, 17 122 barrel with a bright very good plus bore showing a tew scattered areas of light cocktion states are conjublic sinit #285, 7.62 MATO, 17 122 barrel with a bright very good plus bore showing a tew scattered areas of light cocktion states are conjublic maker-marked on the left side of the receiver. The metal surfaces retain about 90-25% cignal blue borony some scattered light cocktion states and some maker-marked on the left side of the receiver. The metal surfaces retain about 90-25% cignal blue borony some scattered light cocktion states and bottom metal. There are a left with left side side of the receiver and the left side of the receiver and the side side states and some receiver and bottom metal. There are a left with left side side side side side side side side</li></ul>		-	1 F	1070	
<ul> <li>Conjuls Callection (200800)</li> <li>Est. 700 - 800</li> <li>Patrique Nationale Model 1950 Bill Action Cathine serial #255, 728 NATO, 1712 Parrel with a high twy godd pub bors showing a few scattered areas of light oxidation and otherwise crisp miling throughout. Smellens effered to as the Miroccane Contract<sup>2</sup>, this handy little cathine bases no national crest and is only make-marked on the list is do the receiver. The metal sufficience retain abour 90-92% original bius showing some scattered light oxidation atour 90-92% with the balance toning to a pleasant deep plum-throwing plants abouring some scattered light oxidation atour 90-92% with the balance toning to a pleasant deep plum-throwing plants abouring some scattered light oxidation atour 90-92% with the balance toning to a pleasant deep plum-throwing plants abouring some scattered light oxidation atour 90-92% with the balance toning the sequence and the atowing some mild focking and thinning along the arease rand bottom metal. There are a few light light aging the edges of the triggerguard and the barene limit oxid an areanal quality black manuel links. The bott emains mostly bright abouring you point barenet, some overiall scattered drips and handling marks. A short cleaning or la present and there is a same all discrete Centry import mark on the right side barenet. The bott is matching the receiver and the action seems to Lincolno will receiver. The bott is matching the receiver and the action seems to Lincolno will receiver. The bott is matching the receiver and bot action exerces links black and for plant and discrete dorupy the left discrete and the sock and marks. The bott is abouring some mark thinks allowed with a mostly bright wy good ata bore also merse throwing. The bott is matching the receiver minerached, both hubbred 52760° but no cleanical discrete discrete and bot atoo, area we mark indep of the action the bott is anothing in the garges and discrete discrete minerached, both hubbred 52760° but no cleanical discrete an</li></ul>				1212	
<ul> <li>Est. 700 - 900</li> <li>Fabridges Nationale Kodel 1950 Bull Action Cathine serial #285, 7.62 MATO, 17 1/2" barrel with a bright very good plus bore showing for excetter of action of Universe of Unit 917 4/2 action and Otherwise price of Unit 916 4/2 action and Otherwise pri</li></ul>					
<ul> <li>1269 Fabrique Nationale Model 1950 Boll Action Cathine series and the series of the 197 dated rifle retains and protocol of the series of the receiver and the wave and a factor data and of the wave and the wave and the metal sufficience retain above 50 42% original blue showing some scattered aprice at howing and the stands of the receiver. The metal sufficience retain above 50 42% original blue showing some scattered aprice at howing and the scattered aprice at howing and a data bow 50 42% original blue showing some scattered fight ody to a pewere gummetal stating and tight handles matching metals. The both bears and is not wave and the metal sufficience retain a nareing quality black enamel finition. The both is matching the edges of the trigger guard and the barrel hours and spring retain above 50% or an areenal quality black enamel finition. The both is matching the too, and the area and the scattered aprice and the receiver and hours in an and the data and the scattered aprice and the code of the advection. The both is matching the receiver and hours and and the forming at the too, and the action wave and the scattered aprice and the code and the advection and the scattered aprice and the code and the advection and the took. A school data and the advection and the advection and the took and the advection and the advection and the advection and the advection and the code and the advection and the advection and the code and the advection and the code and the advection and the advection and the code and the advection and the code and the advection and the advection and the advection and the code and the advection and the advectio</li></ul>					
<ul> <li>serial #285, 7.62 NATO, 17 1/2" barrel with a bright very good plus bore showing effect on as of light oxidiation and otherwise ripp rimp of the same as light oxidiation and otherwise ripp and the strongest along the magazine and protected plus howing some scattered splot oxidiation attaining along the services with showing some scattered splot oxidiation attaining along the barrel, some mild freexing and thirding along the degas of the receiver with a barrel. There are a few light dings and and protected plus condition showing a thy flake forming at the text, game and finat. The both oxid with dings and protected plus condition showing a thy flake forming at the text, game and farmed finat, and the other along and there is a small discrete Century import marks. The both oxid for dings and handing marks. A short cleaning rod is present and thandpust dremain in about very good plus condition showing a thy flake forming at the text, game and reacting a first and the oxide some matching. The low condition showing a thy flake forming at the text, game and reacting and rea</li></ul>	1000		4		
<ul> <li>showing a few scattered areas of light oxidation and orbavies origo rilling throughout. Sometime referred to as the Whorccan Contrart, this handy little cathine bears no national cress and is only make-marked on the list also of the receiver. The metal suffaces retain solut 90-92% original blue showing some scattered light dotadistion staining and ging the barrel. Some mild frexiling and thinning along the receiver and bottom metal. There are a few light dota shong the edges of the triggerguard and the barrel bands and spring retain about 95% of an arsmal quality black enamel finist. The bott remains mostly bright showing some light operational weare and resmall assocs through a mostly black enamel finist. The bott remains mostly bright showing pool plus control weat and resmall assocs through a charling of the parts. The short remains mostly bright showing pool plus control weat and resmall assocs through and bott regions along the regeneration weat and rescale provide stranger distribution and trong the pool plus control weat and the relation showing an about 3° singlet metal is about weight and a statised due showing the explosi- tion and the stock is otherwas at thruce is an interesting usation to the metal scale term of the statised of the mangazine and 30° rescale and the relation stowing an about 30° statised and the metal scale and the scale is anti- light wear at the head, some overall scale term of the scale and the mangalize and as an interesting usation to the metal scale and the proves with the statise scale difficult and the scale is anti- light wear and the action section of the scale scale and 20° rack runnet ant the head fills did hornes true and remains a line scale and the proves with the scale and metal scale scale in the scale scale difficult and scale scale parts area and the scale scale scale scale scale scale scale scale parts area and the scale scale scale scale scale partscale scale scale scale scale scale scale scale s</li></ul>	1269				
<ul> <li>Infing throughout. Sometimes referred to as the 'Moroccan Contract'. this handy tilte carbine bears no national creates and is only maker-marked on the left side of the receiver. The metal surfaces retain about 920-925, original blue howing core scattered light obtaining along the barrel, some mid frexiling and thining along the processive and board is some all direction (1994) the sole of the triggerguard and the barrel some mid frexiling and thining along the odges of the triggerguard and the barrel barrel and only the direction about 25% of an arsenal quality black ensume finish. The bolt remains mostly bright abover and the abort warral at low ensume and the top, light were at the head, some overall stattered dings and handling marks. The stook is shown and the top, light were at the head, some overall stattered dings and handling marks. The stook is shown and the top, light were at the head, some overall stattered dings and handling marks. The stook is about, angle head and tright sole barrel. The module and low end to the stock is of the marguard and along the convertal light dings along the expression and the cisa same all discrete Contruly inport mark on the right side barrel. The bolt is maching the receiver main a fine example and is an interesting variant for the marginal and light very good plus bors showng some light dividiation and frosting in the groeover with a state carbon that and the stock is of the marking. The stock is statement and the stock is diverse and the receiver mig and the observe head show light wery good plus. Collection (700:090)</li> <li>Est. 700 - 800</li> <li>Carman Kar:9AB Abst Action Carbine by Erfurt with Weimar &amp; Third Reich Boot Asting on the receiver wing and the odges of the isostating in the process with o dig ward to the grain along the receiver. The original collection (700:090)</li> <li>Est. 700 - 800</li> <li>Carman Kar:9AB Abst Action Carbine tertian court of the adding and theore as thing the prophysic main light ano tota storing in</li></ul>					
<ul> <li>his handy little achine bears no national cress and is only maker-marked on the lift side of the receiver. The metal surfaces retain about 90-92% original blue showing some scattered light oxidation stating and thinning and the strang and songing retain about 95% of an arsenal quality black enamel finish. The bott remains mostly bright showing some user all markings free analytic strange and the same and the set of the analyticard strange and a sameling marks. The stock retains much of lis degrad the same and the list ware at the bear show store ware all affe bit and songe trong with Russiss and and some argonal strange and a sameling marks. The stock retains much of lis the action seems to function well mechanically. This continue list beard could be addressed by a good wood with 1917-dates design ead to lice analytical strange and a same and the store store analytical strange and a same and the store store analytical strange and a same and the store store analytical strange and a same and the store store analytical strange and a same and the store store analytical strange and a same and the store store analytical strange and a same and the store store analytical strange and a same and the store store and the store store and the store store analytical strange and the same and the store store and the store store and the store strange and same and the store store and the store store and the store store the store store and the store store the store store and the store st</li></ul>					• • •
<ul> <li>maker-marked on the left side of the receiver. The metal surfaces retain a body 692% original bus borking some sattered ight oxidation staining, joing the barrel, some mild freeking and thinning along the receiver and the barrel barrel, some mild freeking and thinning along the regise and barrel. Thes area fee low the sattered affor some sources what show in a dark brown tone. The somehow halu tstock and handguard termin in about very good plus condition showing a strong tarter difform the upper target to the left, and barrel barrel, the somehow halu tstock and handguard termin in about very good plus condition showing a strong tarter difform the upper target to the left, accupte stranget and the site and handguard termin in about very good plus condition showing a strong strain about strong marking throughout with 1917 dated segle cards could no doub to addressed by a good wood the stock retains much of lis of accust and the rest list being or accusted in the right side barrel. The totis matching the receiver and the acion seems to function well mechanically. A solid chard on the right side barrel. The both and notability strong the solid stresses and all minimized and the solid stresses and the side of the same seem a list be low for the right side barrel. The totis matching the receiver and the acion seems to function well mechanically. A solid data stresses and the solid stresses to the solid stresses and th</li></ul>					
<ul> <li>about 90-92% original blue showing some scattered light oxidation staining and the barrel, how multiply and thinning and the days of the triggerulard and the barrel hands and hand guard termain in about very good plus condition showing and the tea, light were at the hed; some verail scatter dings and handling marks. This carbine has seen a little bit of hones were verail scattered dings and handling marks. This carbine has seen a little bit of hones were dings and handling marks. This carbine has seen a little bit of hones were dings and handling marks. The sock relians much of its dark areanel all finish and shows strong markings throughout with and the acion seems to function well mechanically. This carbine has seen a little bit of hones were dings and handling marks. The sock relians much of its dark areanel all finish and shows strong markings throughout with interesting variant for the marking location. (3A9807-119) (C&amp;R) [Universet Conglic Collection (700-900)</li> <li>Est. 700 - 900</li> <li>1270</li> <li>German KareBA, Boh Azion Carbine by Erfurt with Wiemar &amp; Third Reich Depot Markings</li> <li>setial #F-462, 7.5 French, 22 34<sup>1</sup> barrel with a mostly bright very good plus bors showing some light oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and thiggerupard. The exico serve heads show the sight hows red pain consistent with somoth walk ustoks remain intact and strong with night high edge wear and some minor dings ascenter ing and mark in 1920<sup>2</sup> on the left side bart late astrole serving along with night higher disparation and insect in adjust serving along with 1920<sup>2</sup> wear and some minor dings ascenter in gard and</li></ul>					
<ul> <li>staining along the barrel, some mild freckling and thinning along the edges of the intigerguard and the barrel bands and springs retain about 95% of an arsenal quality black enamel finish. The both remains mostly bright showing some light operational wear and a few small areas to sing 10 gray-brown patima. The smooth walnut stock and handguard remain in about very good plus condition showing as and handguard remain in about very good plus condition showing as and handguard remain in the try ty good plus condition showing as an and discrete Century import mark on the right side barrel. The both is matching the receiver and the action seems to function well mechanically. This carbin has seen a little bit of honest use and remains a fine example and is an interesting variant of the martial collector. (JA34807-119) (C&amp;R)</li> <li>1270 German Kar.98A Both Action Carbine by Effurt with Weimar &amp; Third Reich Depot Martings come signal solution and frosting in the grooves with otherwise strong millight rong-along lead of the changing of the production of the set sill solution and frosting in the grooves with otherwise strong millight rong-along change remain insets of the set of the set sill solution and frosting in the grooves with otherwise strong millight rong-along change remain insets of the set of the set strate set of the set of the set strate set of the set o</li></ul>					
<ul> <li>receiver and bottom metal. There are a few light dings along the edges of the first generation and and spring retrain about 95% of an arsenal quality black ename firsts. The bott remains mostly bright showing some light portational warant and here size and a few small reaso toning to optic and to the left, a couple smaller cracks along the deges of the handquard and some oreall solated for along about 3° sightly fielding and how strong markings throughout with a titrate dings and honging marks. The stock retains much of its actuating the receiver and the action seems to function well mechanically. This carbine has seen a little bit of hones in a fine example and is an interesting variant for the marking collector. (13A9807-119) (C&amp;R) [Vincent Congilo Collection] (200900)</li> <li>Est. 700 - 900</li> <li>1270 Generating and there is a small socree of the side but, engagine and '20' rack number of signification well mechanically. A solid example of these interesting Marin the period is a marking the receiver. The original cleaning role is present and the action seems to function well mechanically. A solid example of these interesting Marin titles to thones in a fine example and is an interesting variant for the marking collector. (13A9807-119) (C&amp;R) [Vincent Congilo Collection] (200/120) [Est. 800 - 1200</li> <li>1270 Serial P45400, farm Mauser, 24' barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with other antings on the exceiver ring and the markings contences and the nearest showing the toges and the stock are and marking to the receiver ring and some minor dings along the edges and the solid sate and sate and some other into the solid sate and store for the solid showing as marking to the markings contences and the stock areal and and the areal stock areal and the stock areal and and the areal stock are</li></ul>					
<ul> <li>of the triggerguard and the barrel bands and springe retain about 95% of an arsenal quality black name (finish. The both remains mostly bright showing some light operational wear and a few small areas toning to gra-brown patina. The smooth walnut stock and handquard remain in about 95% of light operational wear and a few small areas toning to gra-brown patina. The smooth walnut stock and handquard remain in about 95% of an about 95% of light operational wear and a few small areas toning to grave-brown patina. The stock relains much of its data store server to its and discrete Century import mark on the right side barrel. The both is matching the receiver and the action serves to function well mechanically. This carbin has steen a little bit of honest use and termains a fine example and is an interesting variant for the magazine and 220 rack number at the theol. The tang crack could no doubt be addressed by a good wood man and the stock is otherwise quite ince. The bot and floorplate are mismatfactures of the putpleties the magazine and 220 rack number at the theol. Stop for the number of \$27560' but are of Remington manufacture and the action seems to function well mechanically. This carbine has a flore seample and is an interesting mater exist. The stock is stamp-runnel wear and the action seems to function well mechanically, and state advertion well and the action seems to function well mechanically. As a stock area and the action seems to function well mechanically and stock area and the action seems to function well mechanically. This carbine the state advertion well and the action seems to function well mechanically and stock area and the action seems to function well mechanically. This carbine the stock area and the action seems to function well mechanically. As a stock area and the action seems to function well mechanically. This carbine the stock area and the stock of the stift excelled advertion at wear and the action seems to function well mechanically. As a stock area and the action seem</li></ul>					
<ul> <li>an arsenial quality black enamel finish. The both remains mostly bright showing some light operational wear and a few small areas toring 10 gray-brown patina. The smooth wahrut stock and handguard remain in about very good plus condition showing a tirp liake forming at the toe, light wear at the hele. Some overall scattered dings and handling marks. A short cleaning rod is present and there is a small discrete Century import mark on the right side baret. The both is matching the receiver and the action seems to function well mechanically. This carbine has seen a life bit of hones as fine example and is an interesting variant for the martial collector. (13A9807-119) (C&amp;R) [Vincent Conglio Collection] (700900) Est. 700 - 900</li> <li>Corran Kar. 98A Bolt Action Carbine by Efrut with Weimar &amp; Third Reich Depto Markings serial #6430b, Bmm Mauser, 24<sup>+</sup> barrel with a mostly bright very good plub sone showing some areas thinning to pewter patina along the receiver ring and bit knob, a few small expost of old cuidation staining, light high edge wear and some micro dings along the edges of the notescape and triggerguard. The action screw heads show light to perhaps moderate slot wear and the marking stranger head full-blue stamped with a unit marking that appears to be K. R. 862. E<sup>+</sup>. The smooth wahunt stocks remain in very glob condition showing a storng arsenal oil finish with overall light to perhaps moderate slot wear and the marking assamed to efficient of assert apple of our out, and strong with original Effut a strong serving serving and the feat of down in the glob scattered both. All of the serving arsenal and inspector markings on the receiver marking and barbas store of fing all repears to be K. R. 862. E<sup>+</sup>. The smooth whant stocks read topic code is difficult to discress pand the tirg segurad. The eact depto code is difficult to discress and tringergurad. The eact depto code is difficult to discress the mark there. The smooth handrowos stroog original Imperial inspector marking as moderat</li></ul>					- ·
<ul> <li>showing some light operational wear and a few small areas toning to gray-brown pating. The smooth valual stocks and handguard remain in about very good plue condition showing a tiny flake forming at the toe, light wear at the heel, some overall scattered dings and handling marks. The stock relams much of its dark arsenal oil linish and showe strong marks (the stock is otherwise quine heading). This dischard of the magazine and "20" rack number at the heel. The tang crack could no doubt be addressed by a good wood man and the stock is otherwise quine head. The both and four attraction enter the marial collector. (13A9807-119) (C&amp;R) [Vincent Coniglio Collection] (700/900)</li> <li>Text. 700 - 900</li> </ul>					
<ul> <li>gray-brown patina. The smooth walnut stock and handguard remain in about very good plus condition showing a tim flake forming at the toe, light wear at the heel, some overall scattered dings and handling marks. A short cleaning rod is present and there is a small discreted Century import mark on the right side barel. The bolts matching the receiver and the action seems to function well mechanically. This carbine has seen a little bit of hones to gard arddensed by a good wood man and the stock s otherwise quie neise. The bolt and floorpitate are mismatched, both numbered 752768<sup>10</sup> but are of Remington Technology (Haming Sangh Lee Control (1990)).</li> <li>T270 German Kar:98A bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Depot Marking serial ref4300, Rmm Mauser, 24<sup>10</sup> barrel with a mostly bright very good plus bore showing some regist hinding to pewter patina along the receiver ring and both knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate dings, mild area and marking marks. The fort slight shows reng and parketized finish showing some minical and strong with 1920<sup>10</sup> of light pitting on the first sight wears and same minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate sight wear and handing marks. The fort slight top perhaps moderate dings, mild area and the action screw heads show light to perhaps moderate dings, mild area and the action screw heads show light to perhaps moderate dings, mild area and the action screw head is solw wear, as small spots of old oxidation staining, light high edge wear and the markings remain interest provide and the gard and the relations actions and handing marks. The fort slight shows retain and the action scene head show light to perhaps moderate dings, mild area and the action scene head show weard weare and the markings remain interest provide the fu</li></ul>					
<ul> <li>about very good plus condition showing a tiny flake forming at the tee, light wear at the heel, some overall scattered dings and handling marks. A short cleaning rod is present and there is a small discreet Century import mark on the right side barrel. The bolt is matching the receiver and the action seems to function well mechanically. This carbine has seen a little bit of honest use and remains a fine example and is an interesting variant for the markic calculation. (13A9807-119) (C&amp;R) [Vincent Coniglio Collection] (700/900)</li> <li>Est. 700 - 900</li> <li>1270 German Kar.9A Bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Depot Markings</li> <li>serial #630b, Rmm Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rilling throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dul-blue showing some areas thinning to pewter patina along the receiver ring and bolt khob, a lew small spots of do dividiation staining, light high dege waar and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate stamped with a unit marking that appears to be 'K. R. 862. E'. The smooth walnut stocks is stampunbered to the gun arsenal al finish with overall light to perhaps moderate stamped with a unit marking that appears to be 'K. R. 862. E'. The smooth walnut stocks is tampunbered to the gun and remain in very fine condition showing a treat light souffs and minor dings along the explore ring and show strong original Imperial inspector marking and the discent remain years welf and unan and the acq is stamped with '1920' the left stude but and an '(Eagle) / HZa' Third Reich depot stamp behind the triggerguard. The excit depot code is difficult to discem. The rear sight is numbered '125' and the extra store to pewter gunmetal patina and the cap is stamped diving refurbishment. Included is a muzile protector thas has seen ext</li></ul>		showing some light operational wear and a few small areas toning to			a couple smaller cracks along the edges of the handguard and some
<ul> <li>light wear at the heel, some overall scattered dings and handing marks. A short cleaning rod is present and there is a small discrete Century import mark on the right side barret. The bolt is matching the receiver and the action seems to function well mechanically. This carbine has seen a little bit of hones tuse and remains a fine example and Is an interesting variant for the marial collector. (1A3807-119) (C&amp;R) [Vincent Coniglio Collection] (700/900)</li> <li>Est. 700 - 900</li> <li>T270</li> <li>German Kar.39A Bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Deptot Markings</li> <li>serial #6430b, 8mm Mauser, 24' barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this 1913-dated carbine retain about 94% areenal reapplied dui-blue showing some areas thinning to perker patina along the receiver ring and bot knob, a few small spots of old oxidation staining, light thigh edge wear and some minor dings along the receiver ring and bot knob, a few small spots of old oxidation staining, light thigh edge wear and some minor thereceiver marking and the receiver ring and and inspector markings on the receiver ring and sone whort marking that appears to be 'K. Res2. E'. The smooth walnut stocks remain in very good condition showing a strong arsenal all finish with overall light to perhaps moderate stamped with a unit marking that appears to be 'K. Res2. E'. The vertice and the day as cattered about. All of the serialized parts are matching, one original unmetaring the strappears to be 'K. Res2. E'. The rest stamped above the Erfur crown. The butplate is stamped with a unit mark fing that oppears to be 'K. Res2. E'. The rest stamped above the day that he days attern earce ring and the exclose is samp-numbered to the gun and remain in very fine condition showing a strong audity French military rifles. (1A3807-7209) (C&amp;R) [Vincent Coniglio Collection] (700/00)</li> <li>Est. 700 - 900</li> <!--</th--><th></th><th>gray-brown patina. The smooth walnut stock and handguard remain in</th><th></th><th></th><th></th></ul>		gray-brown patina. The smooth walnut stock and handguard remain in			
<ul> <li>Å short (deaming rod is present and there is a smäll discret Conjury import mark on the right side barrel. The bolt is matching the receiver and the action seems to function well mechanically. This carbine has seen a little bit of honest use and remains a fine example and is an interesting variant for the marital collect. (13A9807-119) (C&amp;R) (Vincent Conjglio Collection (700/900)</li> <li>[2170] German Kar.98A Bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Depot Markings</li> <li>[317] German Kar.98A Bolt Action Carbine by Erfurt with Veimar &amp; Third Reich Depot Markings</li> <li>[318] serial #6430b, Rmm Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this in 1913-dated carbine retain about 94% arcenal reapplied dull-blue showing some areas thining to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining. light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads how light to perhaps moderate dings, mild abracions and handling marks. The front sight shows red paint consistent with Syrian use, all markings remain instage to doid oxidiant staining. light high edge arand perational wear, a small spot of light pitting on the left side barrel nearer the muzzle and some other sight source remain in very fine condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abracions and handling marks. The stock is stamp-mumbered to the gun and shows strong original Imperial inspector marks along with *1920° on the left side butt and an ('Edge) HAZ* The meating serialized parts are matching as-real-renumbered during refurbishment. Included is a muzzle protocor that has toned to pewter gummetal during and the cap is stamped with *242*. The action seems to function well mechanically. A very fine example of these along with *5% (A</li></ul>		about very good plus condition showing a tiny flake forming at the toe,			dark arsenal oil finish and shows strong markings throughout with
<ul> <li>import mark on the right side barrel. The both is matching the receiver and the action seems to function well mechanically. This carbine has seen a lite bit of honest use and remains a line example and is an interesting variant for the martial collector. (13A9807-119) (C&amp;R) [Vincent Coniglio Collection] (700/900)</li> <li>1270 German Kar 98A Bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Depot Markings serial #6430b, 8mm Mauser, 24* barrel with a mostly bright very good plus bore showing some light oxidiation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this site and some minor dings along the receiver ring and both knob, a few small spots of old oxidion staining. light high edge wear and some minor dings along the edges of the nosecap and triggery undr. The action serves to humark at and strong with original Erfurt arssenal and inspector markings nemain instead show light to glateners to be "K. R. 862. F. The smooth hardling marks. The forts light show red glating through barring along with '1920' on the left side burt and minor dings along the cevier ring along with '1920' on the lift side burt and rife approximated may condition showing a strong arssenal onl finish with overall light to deport mark stong with original Erfurt rown. The butplate is stamped with a unit marking that appears to be "K. R. 862. F. The smooth hardwood stocks are crisply stamp-numbered to the gun and remain in very fine condition showing a strong arssenal and inspector markings nemaining a strong arssenal spot of light pitting brough a strong single scientificault to discern. The rear sight is numbered '125* and the extractor is '09* and the ertaining regulated ing. Red Construction well mechanically. A very fine example of these are marked magaring is included and the action seems to function well mechanically. A very fine example of these erisperime sees thing is performed with a with exapt stamp-numbered to the gun and remain in very fine condition showing a strong a</li></ul>		light wear at the heel, some overall scattered dings and handling marks.			1917-dated eagle cartouche on the right side butt, eagle head and
and the action seems to function well mechanically. This carbine has seen a little bit of honest use and remains a fine example and is an interesting variant for the martial collection (13A9807-119) (C&R) [Vincent Coniglio Collection] (700:900) Est. 700 - 900 1270 German Kar.98A Bolt Action Carbine by Effurt with Weimar & Third Reich Depot Markings serial /#6430b, Rmm Mauser, 24' barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bok hoob, a few small spoxs of old oxidation stating. Ight high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate stamped with a unit marking that appears to be 'K. R. 862. E'. The smooth walnut stocks remain in very good condition stowing a strong arsenal and inspector markings on the receiver ring along with '1920' weigars inventory mark. Stamped above the Effurt crown. The buttplate is stamped with a unit marking that appears to be 'K. R. 862. E'. The smooth walnut stocks remain in very good condition stowing a strong arsenal and inspector markings on an 'tege of the stamp behind the lift side butt and ifficult to discern. The toreal sight was ong original Imperial inspector marks long with '1920' and shows strong original Imperial inspector that has stong on the seried to pewter gummetal patina and the cap is stamped with '5, 424. 'The action seems to function well mechanically. A solid Kar 98A that has seen extensive and varied German military service. (13B9807-406) (C&R) [Vincent Coniglio Collection] (800/1200)		A short cleaning rod is present and there is a small discreet Century			"(Flaming Bomb) / US" ahead of the magazine and "20" rack number at
<ul> <li>seen a little bit of honest use and remains a fine example and is an interesting variant for the martial collector. (13A9807-119) (C&amp;R) [Vincent Coniglio Collection] (700/900)</li> <li>Est. 700 - 900</li> <li>1270 Cerman Kar-98A Bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Depot Markings serial #6430b, 8mm Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this if 1913-4ded carbine retain about 94% arsenal reapplied dul-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small agolts of old oxidation staining, light high edge wear and some minor dings along the objectory with organg Erfurt aresenal and inspector markings remain inctat and strong with organg Erfurt aresenal and inspector markings remain inctat and strong with organg Erfurt aresenal of linish with overall light to perhaps moderate dings, mild abrasions and handling marks. The tox R. 862. E<sup>-</sup>. The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The tox R. 862. E<sup>-</sup>. The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overal light to berhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and tenesinal wear and the meaning in spector mark along with "1920" on the left side but and "(Eagle) PLA2<sup>-</sup>. Third Reich depots tamp behind the triggerguard. The exact dispot to disk dward the action seems to function well mechanically. A sey fine example of these ensigned with a ving the example during series and the carbing samped with ving the action is seems to function well mechanically. A sey fine example of the set induces of the sift example and the carbin samped with a ving the example behind the triggerguard. The exact dispot to dis kingle to gensore mark alo</li></ul>		import mark on the right side barrel. The bolt is matching the receiver			the heel. The tang crack could no doubt be addressed by a good wood
<ul> <li>interesting variant for the martial collector. (13A9807-119) (C&amp;R) [Vincent Coniglio Collection] (700/900)</li> <li>Est. 700 - 900</li> <li>1270</li> <li>German Kar. 98A Bolt Action Carbine by Efutur with Weimar &amp; Third Reich Depot Markings</li> <li>serial #6430b, 8mm Mauser, 24' barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifing throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of lod oxidation staining. light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Efrut arsenal and inspector markings on the receiver ring and bolt wob, a few swall spots of bol oxidation strong with original Efrut arsenal and inspector marks tamped above the Efrut rown. The butplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth waltur stocks remain in very good condition showing a strong arsenal and ling minut vorsell light to perhaps moderate slot was rung original Imperial inspector marks along with "1920" Weimar inventory mark stamped above the Efrut receiver. The butplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth waltur stocks remain in very good condition showing a strong arsenal and ling in with vorsall light to perhaps moderate sight is numbered! 125' and the exattor is "0"? and the remaining serialized parts are matching as-arsenal-renumbered to the gun and shows strong original Imperial inspector that has toned to pewter gunmetal patina and the cap is stamped with "1520" on the left side butt and an "(Eagle) / IA2" Third Reich depot stamp behind the triggerguard. The exat diepot code is difficult to discern. The reat sight is numbered! 125' and the examped with "5.</li></ul>		and the action seems to function well mechanically. This carbine has			man and the stock is otherwise quite nice. The bolt and floorplate are
[Vincent Coniglio Collection] (700/900)Est. 700 - 9001270German Kar.98A Bolt Action Carbine by Erfurt with Weimar & Third Reich Depot Markings serial #6430b, 8mm Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rilling throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring and and inspector markings on the receiver ing and solt knobs, a few small spots of old oxidation showing as strong stramp-numbered to the gun and the appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal and inspector markings on the receiver ing and show strong original Imperial inspector markings on the receiver ing and shows strong original Imperial inspector markings on the receiver ing and shows strong original Imperial inspector markings on the receiver ing and shows strong original Imperial inspector markings on a show stocks remain in very good condition showing a strong arsenal and inspector markings on the receiver ing and shows strong original Imperial inspector markings on a strong a strong arsenal and inspector markings on the receiver ing along the ing as moderate disting the unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal and inspector markings on a show strong original Imperial inspector markings on and		seen a little bit of honest use and remains a fine example and is an			mismatched, both numbered "527569" but are of Remington
Est. 700 - 9001270German Kar.98A Bot Action Carbine by Effurt with Weimar & Third Reich Depot Markings serial #6430b, 8mm Mauser, 24* barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal auraces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bot knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intext and strong with ofiginal Efrut arsenal and inspector markings on intext and strong with ofiginal Efrut arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Effur crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil light pittioned is a muzzle protector that has toned the during refurbisment. Included is an turzle protector that has toned to pewter guinmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (1389807-46) (C&R) [Vincent Coniglio Collection] (800/1200)		interesting variant for the martial collector. (13A9807-119) {C&R}			manufacture and the buttplate is matching the receiver. The original
<ul> <li>1270 German Kar.98A Bolt Action Carbine by Erfurt with Weimar &amp; Third Reich Depot Markings</li> <li>serial #64308, Brum Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with '1920' Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be 'K. R. 862. E'. The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate sight is numbered '125' and the extractor is '09' and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gummetal patina and the cap is stamped with '5. Kg. 424. 'The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&amp;R) [Vincent Coniglio Collection] (800/1200)</li> </ul>		[Vincent Coniglio Collection] (700/900)			cleaning rod is present and the action seems to function well
Reich Depot Markings serial #6430b, 8mm Mauser, 24" barrel with a mostly bright very good plus bore showing some light oxidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and hemarkings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1320" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handing marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side but and an "(Eagle) / HZa" Third Reich depot stamp behind the left side but and an "(Eagle) / HZa" Third Reich depot stamp behind the left side but and an "(Eagle) / HZa". Third Reich depot stamp behind the left side but and an "(Eagle) / HZa". Third Reich depot stamp behind the left side but and an "(Eagle) / HZa". Third Reich depot stamp behind the left side but and an "(Eagle) / HZa". Third Reich depot stamp behind the left side but and an "tegage revice. (13B9807-46) (C&R) (Vincent Coniglio Collection) (800/1200)(13B9807-46) (C&R) (Vincent Coniglio Collection) (800/1200)Kerner Mark Stamped and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varide German military se		Est. 700 - 900			mechanically. A solid example of these interesting Mosin Nagant rifles
<ul> <li>serial #6430b, 8mm Mauser, 24" barrel with a mostly bright very good plus bore showing some light exidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this</li> <li>1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some mice retain about 94% arsenal receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with "1920"</li> <li>Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth waltut stocks remain in the yerg odd condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side burt and an "(Eagle) / H2a" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is '09" and the remaining serialized parts are matching a-assenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&amp;R) [Vincent Coniglio Collection] (800/1200)</li> </ul>	1270	German Kar.98A Bolt Action Carbine by Erfurt with Weimar & Third			purchased by the U.S. government due to turmoil in Russia.
<ul> <li>serial #6430b, 8mm Mauser, 24" barrel with a mostly bright very good plus bore showing some light exidation and frosting in the grooves with otherwise strong rifling throughout. The metal surfaces of this</li> <li>1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some mice retain about 94% arsenal receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with "1920"</li> <li>Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth waltut stocks remain in the yerg odd condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side burt and an "(Eagle) / H2a" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is '09" and the remaining serialized parts are matching a-assenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&amp;R) [Vincent Coniglio Collection] (800/1200)</li> </ul>		Reich Depot Markings			(13B9807-107) {C&R} [Vincent Coniglio Collection] (800/1200)
otherwise strong rifling throughout. The metal surfaces of this 1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The butplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very gone condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" the left side burt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered *125" and the extractor is "09" and the remaining serialized parts are matching, as ansenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunnetal patina and the cap is stamped with "S. Kg, 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&R) [Vincent Coniglio Collection] (800/1200)		serial #6430b, 8mm Mauser, 24" barrel with a mostly bright very good			
1913-dated carbine retain about 94% arsenal reapplied dull-blue showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-neumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&R} [Vincent Coniglio Collection] (800/1200)		plus bore showing some light oxidation and frosting in the grooves with	I T	1273	French Model 1944 Semi-Auto Rifle by St. Etienne
showing some areas thinning to pewter patina along the receiver ring and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gummetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)		otherwise strong rifling throughout. The metal surfaces of this			serial #F3462, 7.5 French, 22 3/4" barrel with a bright excellent bore.
and bolt knob, a few small spots of old oxidation staining, light high edge wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)		1913-dated carbine retain about 94% arsenal reapplied dull-blue			The metal surfaces of this rifle retain about 97-98% arsenal Parkerized
wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and na "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exatcher is '03'' and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&R) [Vincent Coniglio Collection] (800/1200)		showing some areas thinning to pewter patina along the receiver ring			finish showing some mild high edge and operational wear, a small spot
wear and some minor dings along the edges of the nosecap and triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and na "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exatcher is '03'' and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&R) [Vincent Coniglio Collection] (800/1200)		and bolt knob, a few small spots of old oxidation staining, light high edge			of light pitting on the left side barrel nearer the muzzle and some other
triggerguard. The action screw heads show light to perhaps moderate slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) (C&R) [Vincent Coniglio Collection] (800/1200)					
slot wear and the markings remain intact and strong with original Erfurt arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					Syrian use, all markings remain crisp and there is a small Century import
arsenal and inspector markings on the receiver ring along with "1920" Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)		slot wear and the markings remain intact and strong with original Erfurt			
Weimar inventory mark stamped above the Erfurt crown. The buttplate is stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
stamped with a unit marking that appears to be "K. R. 862. E". The smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
smooth walnut stocks remain in very good condition showing a strong arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
arsenal oil finish with overall light to perhaps moderate dings, mild abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
abrasions and handling marks. The stock is stamp-numbered to the gun and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunnetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
and shows strong original Imperial inspector marks along with "1920" on the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
the left side butt and an "(Eagle) / HZa" Third Reich depot stamp behind the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
the triggerguard. The exact depot code is difficult to discern. The rear sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
sight is numbered "125" and the extractor is "09" and the remaining serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
serialized parts are matching as-arsenal-renumbered during refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
refurbishment. Included is a muzzle protector that has toned to pewter gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)		•			
gunmetal patina and the cap is stamped with "S. Kg. 424." The action seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
seems to function well mechanically. A solid Kar.98A that has seen extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
extensive and varied German military service. (13B9807-46) {C&R} [Vincent Coniglio Collection] (800/1200)					
[Vincent Coniglio Collection] (800/1200)	1				
	L	201.000 - 1,200	l		

1274	French Model 1949 Semi-Auto Rifle by St. Etienne	ו ו	1278	Early Mukden Arsenal Type 38 Arisaka Bolt Action Rifle
1214	serial #F47653, 7.5 French, 22 3/4" barrel with a mostly bright very good		1270	serial #355, 6.5 Arisaka, 31" barrel with a bright excellent bore. The
	plus bore showing some light oxidation and minor pitting in the grooves			metal surfaces of this rifle retain about 85-90% original blue showing
	with strong rifling throughout. The metal surfaces of this rifle retain about			some thinning to gray-brown patina and light oxidation staining along the
	95% arsenal Parkerized finish showing some mild high edge and			bottom metal and mild thinning along the barrel. There is a spot of light
	operational wear along with some scattered light handling marks along			dings on the barrel behind the front band, some minor dings along the
	the action. The front sight shows red paint consistent with Syrian use, all			middle band and a peculiar area of loss along the right side rear receiver
	markings remain quite crisp and there do not appear to be any import			bridge that appears to be from a small wire brush. The bolt release
	marks. The smooth hardwood stocks are stamp-numbered to the gun			shows evidence of a rather vigorous cleaning and is a bright silvery tone
	and remain in about very good plus condition showing some scattered light dings and a few small mild abrasions. The buttstock retains a			showing some hints of original straw color along the bottom edge of the
	0 0			spring, the rear sight spring retains much of its rich straw color and the
	strong January 1955 acceptance cartouche on the right side. All of the			magazine follower shows pale fire blue. The screw heads show light slot
	serialized parts are matching, one original unmarked magazine is			wear, all markings remain intact and crisp and this example is stamped
	included and the action seems to function well mechanically. A very nice			with the Mukden arsenal symbol atop the receiver ring rather than the
	example for the French martial collector. (13A9807-210) {C&R} [Vincent			imperial chrysanthemum. The Asian hardwood stock and handguard
	Coniglio Collection] (700/900)			remain in about very good plus condition retaining much of their original
	Est. 700 - 900	.		finish showing the scattered light dings and mild abrasions typically seen
1275	German P.08 Luger byf-Coded Pistol by Mauser			on Japanese arms and there is a small but moderate 3/8" indentation on
	serial #2590y, 9mm, 4" barrel with a bright very good plus bore showing			the left side above the triggerguard. The stock shows strong kanji
	some faint frosting and a few tiny pinprick pits in the grooves with			stamps behind the pistolgrip and along the toe line and there is a large
	otherwise strong rifling throughout. The metal surfaces of this 41-dated			painted kanji and numeral "10" on the right side butt. There is no dust
	pistol retain about 80-85% original blue showing some moderate high			cover present and an original cleaning rod is included. The floorplate is
	edge and operational wear and most of the loss due to a few small			un-numbered and all of the bolt parts, bolt release and front band are
	areas of moderate pitting on the right frame rail, light pitting along the			matching by assembly number "53" preceded by the "ki" kana character
	backstrap, frontstrap thinning and overall handling marks. The ejector is			while the rear sight parts are matching each other by their own assembly
	taking on the usual plum patina and all markings remain intact and			number. The action seems to function well mechanically. A solid
	strong. There is a curious small drilled and tapped hole at the right			example of an early, likely first year production, Mukden rifle with the
	forward edge of the triggerguard and the stock lug has been ground			scarce arsenal symbol atop the receiver. (13B9807-108) {C&R} [Vincent
	down. The hole appears to serve no purpose and does not affect			Coniglio Collection] (700/900)
	function. The checkered walnut grips remain in about very good			Est. 700 - 900
	condition showing a tiny sliver missing behind the safety, moderate		1279	C. R. Alsop Navy Model Percussion Revolver
	darkening from oxidation leaching on the right panel and some overall			serial #217, .36 cal, 4 1/2" barrel with an oxidized bore showing some
	light dings. The right panel is somewhat loose and both panels are			evident rifling. The barrel of this standard model fluted cylinder revolver
	un-numbered but show strong "(Eagle) / 655" Waffenamts on their			shows evidence of a light cleaning have toned to a silvery pewter patina
	interiors. The rear toggle pin is mismatched "88" and the remaining			with smoothed-over remnants of light pitting. The barrel address with
				patent dates is unmolested and remains completely intact and strong.
	serialized parts are matching including the grooved firing pin. The action			
	seems to function well mechanically and one original 122-coded			The remaining metal surfaces are a darker gray-brown patina showing
	magazine with "(Eagle) / 37" Waffenamts numbered "4736i" is included.			scattered old oxidation staining, freckling and pinprick pitting. The screw
	A very good entry-level Second World War Luger that may make for a			heads show light to perhaps moderate slot wear and the nipples and
	fine shooter. (13A9797-20) {C&R} (800/1200)			edges of the breeches show moderate impact damage. The Alsop
	Est. 800 - 1,200			patent marking in the cylinder flute is rather soft but mostly legible as is
1276	Remington Model 95 Double Deringer			the patent date along the left side frame. There is a very tiny crack
	serial #1279, 41 RF, 3" barrels with mostly bright very good plus bores			forming at the back edge of the frame behind the hammer but this is
	showing some scattered light oxidation and fine pinprick pitting with			very unobtrusive. The smooth walnut grips are pencil-numbered to the
	otherwise strong rifling throughout. The metal surfaces of this late			gun and remain in about very good condition showing a thin 1 1/8" sliver
	production Type I pistol retain about 85% plus original nickel finish with			missing along the back edge of the right panel, small chips at the toes
	most of the loss along the right side due to fine overall flaking to pewter			and heels and some scattered light dings. The grips otherwise
	gunmetal patina that is blending in very nicely with the nickel finish along			remarkably retain much of their original varnish and show some rather
	with some scattered small areas of minor pinprick pitting, one area more			attractive grain figure throughout. The barrel and loading lever assembly
	noticeable on the right side lower barrel, and some other more minor			are matching the frame and there is no visible number on the cylinder.
	handling marks. The trigger has toned to a dark gray patina while the			The action is mostly function, the hammer functions well and the cylinder
	latch is a deep blue-gray and the latch retainer screw head shows good			times appropriately, lock-up is somewhat loose. A good example piece
	fire blue along its periphery. The hammer also retains generous			of these interesting low-production revolvers. (13B9718-2) {ANTIQUE}
	attractive straw color throughout and the two line E. Remington & Sons			(800/1200)
	barrel address remains crisp. The smooth un-numbered original			Est. 800 - 1,200
	mother-of-pearl grips remain in excellent condition showing perhaps a		1280	Beretta Model 1923 Semi-Auto Pistol
	couple tiny handling marks and fit the frame very well. The barrels are			serial #304042, 9mm Glisenti, 3 7/8" barrel with a good bore showing
	matching the frame, the hinge shows no cracks and lock-up is tight. The			scattered light oxidation, some bright areas and strong rifling. The metal
	hammer spring is perhaps a little bit weak but the action otherwise			surfaces of this pistol retain about 85% original bright blue with most of
	seems to function well mechanically. A very attractive antique double			the loss along the top of the barrel toning to a mild gray-brown patina, a
	deringer for the Remington collector. (13B9362-73) {ANTIQUE} [Edward			small area of loss along the right side slide from some sort of
	W. Marron, Jr. Collection] (700/900)			contaminant, some scattered milder thinning and light dings. The
	Est. 700 - 900			grooved sheet metal grips with embossed "PB" retain a healthy amount
1277	Remington Model 95 Double Deringer			of original blue showing some scattered light oxidation staining, a small
	serial #1505, 41 RF, 3" barrels with bright very good plus bores showing			shallow dent near the base of the right panel and the grip screws with
	a few small areas of light oxidation and otherwise crisp rifling			some minor slot wear. All markings remain intact and strong, the left
	throughout. The metal surfaces of this Type III pistol retain about 80%			side of the frame shows a small "(Crown) / (Lion)" proof mark and is not
	original bright blue showing flaking along the high edges and backstrap			marked with an Italian military acceptance stamp. One original magazine
	toning to a pleasant gray-brown patina, some light handling marks and a			that has "Beretta" lightly scratched in small lettering on either side is
	small area of light to perhaps moderate tiny dings on the left side of the			included, the barrel and slide are matching the frame and the action
	top barrel. The latch retains much of its pale fire blue while the trigger			seems to function well mechanically. A solid example of these
	and hammer retain about 95% original blue and the barrel address is			interesting and rather scarce Beretta pistols. (13A9848-13) {C&R}
	crisp. The black checkered hard rubber grips remain in very good			(800/1200)
	condition, the left panel near excellent showing some mild discoloration,	l l		Est. 800 - 1,200
	while the right panel shows some smoothing along the high edges and a			
	small thin chip along its front edge. The barrels are matching the frame,			
	small thin chip along its front edge. The barrels are matching the frame, the hinge shows no cracks, lock-up is excellent and the hammer			
	small thin chip along its front edge. The barrels are matching the frame, the hinge shows no cracks, lock-up is excellent and the hammer functions crisply with properly pivoting firing pin. An attractive example in			
	small thin chip along its front edge. The barrels are matching the frame, the hinge shows no cracks, lock-up is excellent and the hammer functions crisply with properly pivoting firing pin. An attractive example in the more desirable bright blue finish. (13B9362-64) {C&R} [Edward W.			
	small thin chip along its front edge. The barrels are matching the frame, the hinge shows no cracks, lock-up is excellent and the hammer functions crisply with properly pivoting firing pin. An attractive example in			
	small thin chip along its front edge. The barrels are matching the frame, the hinge shows no cracks, lock-up is excellent and the hammer functions crisply with properly pivoting firing pin. An attractive example in the more desirable bright blue finish. (13B9362-64) {C&R} [Edward W.			

281	Savage Special Order Model 1907 Pistol with Rare Factory Pearl Grips	128	84	Remington Model 1902 Rolling Block Uruguayan Contract Saddle Ring
	serial #96296, 32 ACP, 3 3/4" barrel with a bright excellent bore. The			Carbine
	metal surfaces of this pistol retain about 95% excellent quality period			serial #111/352, 7mm Mauser, 20 1/2" barrel with a bright very good
	reapplied rust blue showing some areas along the high edges thinning			plus to near excellent bore showing a hint of minor frosting in the
	slightly and toning to mild gray-brown patina, some minor freckles and			grooves and strong rifling throughout. The barrel of this handy carbine
	some scattered small patches of light pitting overall that are			retains about 95% original blue showing a few scattered light freckles,
	finished-over. The metal surfaces show minimal signs of buffing and			thinning along the muzzle and the front sight protector thinning to mild
	retain sharp edges and strong intact markings, the finish really			gray patina. The action has mostly toned to a silvery pewter patina
	appearing to be of factory quality. The trigger retains almost all of its			showing some scattered fine pinprick pitting, light freckling and a hint o
	vibrant case-hardened colors while the magazine release is toning to			smoky case-hardened colors lurking about the protected areas. The
	pewter gunmetal patina. The grips are the real prize here as Savage			action pins retain a faint hint of straw color while the pin retainer,
	pistols are very rarely seen with any special order features. The smooth			hammer and breechblock retain about 90% original blue showing some
	mother-of-pearl grips with deeply recessed silver-plated medallions			operational wear along the breechblock. The Remington Arms Co.
	remain in excellent condition showing just one or two very tiny flakes			markings along the upper tang remain crisp and clear. The smooth
	along the back edges and the screw heads show some mild slot wear.			walnut stocks and handguard remain in very good plus condition
	The medallions have toned to a nice tarnished silver patina and show			retaining a strong arsenal oil finish and showing a few small areas of ol
	crisp detailing with the familiar Indian head logo with "SAVAGE" in the			filler along the left side butt and underside forend and the scattered
	headbands. The grips are un-numbered and show excellent fit to the			overall dings and handling marks one would expect from military servic
	frame. Included is a single original magazine that shows an old			The right side butt shows a lovely "EJERCITO URUGUAY" cartouche
	reapplied Parkerized finish along the body with some moderate pitting			with rack number "1112A" and the front sight protector is also stamped
	and the pistol seems to function well mechanically. A very nice Savage			"1112". Strangely the lower tang assembly shows a mismatched
	pistol with a lovely set of rare and desirable grips. (13B9856-3) {C&R}			assembly number "395" and the buttstock is matching. The sling
	(700/900)			swivels, saddle ring and original military sights are intact and the action
0.0	Est. 700 - 900			seems to function well mechanically. A very nice example of these
82	Massachusetts Arms Co. Maynard Primed Pocket Revolver			rather scarce contract carbines. (13B9670-329) {C&R} [David & Lore
	serial #293, .28 cal, 2 5/8" octagon barrel with a good bore showing light			Squier Collection] (800/1200)
	pitting and oxidation with otherwise strong rifling throughout. The metal	10	0.5	Est. 800 - 1,200
	surfaces of this revolver have mostly toned to a pleasant silvery pewter patina showing some sparsely scattered specks of old oxidation staining	128	<sup>65</sup>	Remington Split Breech Sporting Rifle
				22 RF, 27 3/8" round barrel with a partially bright good bore showing
	and remnants of smoothed over pinprick pitting scattered about. The			scattered light pitting and oxidation with good rifling throughout. The
	barrel lock shows remnants of blue while the cylinder release button			barrel of this rifle retains perhaps 60% original blue fading to a deep
	shows good fire blue and the right side cover plate shows some			gray patina with smaller areas toning to a mild brown patina. The action
	scattered flakes of bright blue lurking about the protected areas. The			is more of a medium pewter-gray tone showing some areas of
	triggerguard retains about 92% silver finish taking on a lovely dark			smoothed-over light pitting, mild brown freckling and some faint
	tarnish and showing some high edge wear. The top strap shows an old			remnants of silvery case-hardened patina. The breechblock and
	period brazed repair that was extremely well-executed and goes almost			hammer are a deep gray patina showing good original blue. There is a
	unnoticed. The topstrap markings are rather soft and partially intact			period-added fancy curved pistolgrip brazed onto the lower tang, the
	while the patent dates on the barrel lock and cover plate are quite crisp			trigger is checkered and the saddle ring hardware has been removed
	and the arm features some tasteful light foliate scrollwork and nice			with two small filler screws in their stead. The upper tang markings are
	etched foliate cylinder motif. The smooth walnut grips are un-numbered			partially intact under the added Lyman peep sight with a third extra hole
	and remain in very fine condition as nicely refinished showing a couple			also beneath the sight that appears to be older and for a period
	tiny dings and minor handling marks. Barrel lock-up is solid and the			Iollipop-style tang sight or similar. The checkered straight grip walnut
	hammer functions crisply. An attractive and rather scarce little pocket			buttstock and forend remain in very good condition having darkened
	revolver. (13B9833-95) {ANTIQUE} (800/1200) Est. 800 - 1,200			somewhat from the years with somewhat worn checkering, a repaired 6 thin crack along the bottom of the forend and some scattered light ding
83				
03	Scarce British SMLE MKI*** Bolt Action Rifle by Enfield			The butt is fitted with a brass buttplate that shows some marks from
	serial #B8863, 303 British, 25 1/4" barrel with a mostly bright very good			fitting. There is no rear seat on the barrel for a rear iron sight, a smaller
	plus bore showing some scattered light pitting and frosting nearer the			dovetail has been cut into the existing front dovetail to hold a small
	muzzle and otherwise strong rifling throughout. The metal surfaces of			German silver blade front sight, its base showing rather nice fire blue
	this 1903-dated rifle retain perhaps 40% arsenal blue lurking about the			and the action seems to function well mechanically. Mr. Squier's notes
	action and protected areas with overall toning to gray-brown patina			indicated he believed this Type III rifle was made by the factory in this
	showing some sparsely scattered areas of minor light pitting, specks of			configuration for commercial sale post-war, this certainly appears to be
	old oxidation staining and silvering along the high edges. All markings			the case with just a few minor later modifications. (13B9670-365)
	remain intact and strong and the barrel is stamped "HV" behind the rear			{ANTIQUE} [David & Lore Squier Collection] (700/900)
	sight and with matching serial number on the barrel shank, along with			Est. 700 - 900
	strong British proof marks and '14 date. The walnut stocks remain in	128	86	Fine Remington Model 1910 Rolling Block Military Rifle
	good to about very good condition having darkened from the years and			serial #541/40, 7mm Mauser, 30" barrel with a bright excellent bore. The
	showing the expected overall moderate dings, abrasions and a small			barrel and bands of this rifle retain about 95% original blue showing
	hairline crack atop the rear handguard. The stock disc is blank and			some sparsely scattered light handling marks and tiny dings along the
	shows a deeply-struck "0" stamped above it along with a faint but visible			barrel and the bands flaking to gray-brown patina. The action similarly
	Enfield roundel on the right side and "I" mark designation. The fore-stock			retains about 95% lovely case-hardened colors showing an area of
	has been arsenal-renumbered to match the receiver, the numbers now			brown freckling along the right side and some thinning to silvery pewter
	rather soft. This rifle has evidently been through a number of early			patina along the triggerguard. The hammer, breechblock and other sm
	rebuilds but retains most of its correct features and includes an			action parts retain about 98% original blue showing some mild high
	un-numbered third variation magazine with rotating feed lip. The bolt is			edge wear. There is a single period-added drilled and tapped hole for a
	matching the receiver with intact charger bridge bolt head, the Mark I			tang sight and the Remington Arms Co. address remains crisp and
	rear sight with celluloid slider knobs has been arsenal-renumbered to			clear. The smooth walnut stocks and handguard remain in very fine
	match, the volley sights and magazine cutoff are intact and the nosecap			condition retaining most of their factory oil finish and showing just a few
	has also been re-numbered to match; the nosecap fitting is somewhat			scattered light dings and handling marks. The rifle is equipped with
	off-kilter but this is rather unobtrusive. An original leather sling in very			bayonet lug, military style sights, cleaning rod and sling swivels and th
	good condition is included and the action seems to function well			action seems to function well mechanically. A very nice example of
	mechanically. This is a solid example of a seldom-seen Enfield variant			Remington's late-production high-power Rolling Block rifle.
				(13B9670-271) {C&R} [David & Lore Squier Collection] (800/1200)
	that would make a fine addition to an advanced British martial collection.			(15D9070-271) (Carry [David & Lore Squier Conection] (000/1200)
	that would make a fine addition to an advanced British martial collection. (13B9807-195) {C&R} [Vincent Coniglio Collection] (800/1200)			Est. 800 - 1,200

#### Title/Description Lot

I

Title/Description Lot

		_		-
1287	British Albini-Braendlin Conversion Breechloading Short Rifle		1290	Scarce Allen & Wheelock "Providence Police" Percussion Revolver
	serial #2668, 577 CF, 30 1/2" barrel with a partially bright fair-good bore			
				serial #18, .36 cal, 4" octagon barrel with a mostly bright about very
	showing moderate pitting and good rifling throughout. The metal			good plus bore showing some scattered pinprick pitting, mild frosting
	surfaces of this rifle have mostly toned to a deep plum-brown patina			and strong rifling throughout. The metal surfaces of this revolver retain
	showing some overall light pitting, perhaps a bit more moderate along			about 90-92% original nickel finish with most of the loss due to some
	the barrel. The lockplate and triggerguard have toned to more of a deep			light flaking to mild gray-brown patina mostly along the cylinder, some
	gray patina and the lockplate shows a strong "TOWER / 1866" marking			edges of the frame and backstrap along with a couple scattered light
	in the center with a large crown sans royal monogram at the rear. The			dings and handling marks. The base pin head shows some light tool
	inside surface of the breechblock and the bayonet lug are numbered			marks and the trigger screw head and one nipple are broken. The
	"2668" and there is what appears to be a small Japanese kanji stamp at			revolver is appropriately unmarked beyond the serial or batch number.
	the top rear of the action. The Japanese military did indeed adopt			The smooth walnut grips are stamp-numbered to the gun and remain in
	Albini-Braendlin converted rifles in the late 1860's early 1870's. Unlike			very good plus condition retaining a healthy amount of original varnish
	-			showing a few small perhaps moderate dings along the bases and a few
	most other known examples, this rifle does not show any patent			
	markings on the breechblock or chrysanthemum on the barrel shank, but			other light handling marks. The remaining serialized parts are matching
	the arm has seen a fair amount of use and they were perhaps worn			and the action seems to function well mechanically with solid timing and
				, , , , , , , , , , , , , , , , , , , ,
	away. The smooth walnut stock remains in very good condition showing			lock-up. A very nice example of these interesting and somewhat elusive
	some overall light dings, shallow abrasions, a couple of thin cracks			revolvers. (13B9857-22) {ANTIQUE} (800/1200)
	along the ramrod channel and small areas darkened from the years. The			Est. 800 - 1,200
			1001	
	breechblock handle appears to have been replaced with a more modern		1291	Interesting & Fine Swiss Copy of a Remington Vest Pocket Pistol
	component at some point and the sling swivels, military sights and			22 RF, 3 1/2" barrel with a mostly bright very good bore showing some
	ramrod are intact. The action remains functional albeit a little bit			light oxidation and frosting in the grooves with otherwise strong rifling
	sluggish. An interesting example for the martial collector. (13B9670-591)			throughout. The metal surfaces of this handsome little pistol retain abou
	{ANTIQUE} [David & Lore Squier Collection] (800/1200)			85% original bright blue with most of the loss due to some scattered
	Est. 800 - 1,200	4		overall flaking to a pleasant gray-brown patina, a few faint scratches
1288	Remington Model 1897 Rolling Block Military Rifle Formerly of the			along the left side and minor handling marks. There are a few small
	Remington Arms Co. Factory Collection			dings at the edges behind the breech and a tiny stress crack on the
	7mm Mauser, 30" barrel with Metford rifling and a mostly bright very			frame behind the chamber but these are relatively unobtrusive. The
	good plus bore showing a hint of light oxidation in the grooves and good			hammer, trigger and safety catch retain about 90% brilliant fire blue
	rifling throughout. The barrel of this rifle retains about 95% original blue			showing some light high edge and operational wear. The smooth walnut
	showing a few sparsely scattered areas of light oxidation staining and			grips remain in near excellent condition retaining about 95% original
	mild handling marks. The barrel bands retain a similar amount of original			varnish showing a few scattered light handling marks and a little minor
	· · ·			
	blue, the rear band showing an unusual top contour similar to a carbine			wear around the right panel escutcheon. The arm appears to be
	band to accommodate the non-standard handguard. The action retains			unmarked save for two small "7"-like stamps on the left side frame
	about 90% smoky color case-hardening with areas taking on a mild			beneath the grip panel. While one would not think the simplicity of
	, , , , , , , , , , , , , , , , , , , ,			
	silvery gray patina, a few errant freckles and some generous vibrant			Remington's vest pocket pistol could be improved upon, this pistol is
	colors along either side with remnants of protective lacquer. The barrel			equipped with a small spring-loaded hammer block safety on the left
	is marked "7 M.M - S.M." and the Remington Arms Company address			side similar to that seen on many British percussion revolvers and the
	÷			, ,
	and patent dates along the upper tang were rather poorly struck and			action seems to function well mechanically. The consignor's notes
	remain mostly legible. The hammer, breechblock and action pins retain			indicate this is a Swiss copy and while there are no markings to verify
	about 95% original blue showing some mild high edge wear and			this it is certainly an extremely well-made piece, equally as-nice or
	hardened protective grease while the retainer plate and its screw show			perhaps even nicer than those made by Remington. (13B9857-41)
	brilliant fire blue. The rifle is equipped with a thin smooth steel buttplate			{ANTIQUE} (800/1200)
	with slightly beveled edge that retains about 85% original blue. The			Est. 800 - 1,200
	smooth walnut stocks and likely factory-replacement handguard remain		1292	Smith & Wesson No. 3 Second Model Russian Commercial Revolver
	in very fine condition, the buttstock and forend retaining much of their			serial #8912, 44 S&W Russian, 8" ribbed round barrel with an about
	dark oil finish showing some scattered light handling marks and some			good bore showing scattered light pitting and frosting with good rifling
	mild scratches along the forend from band removal. The handguard			throughout. The metal surfaces of this revolver retain about 80% factory
	shows a small brass screw and thin 2" crack at the right side tip and is a			nickel finish showing some overall patches of flaking that show
	÷ .			
	lighter finish. The Remington factory brass tag has been removed from			moderate old cleaned pitting, some moderate dings and scuffs mostly
	the buttstock but one can clearly see where it was affixed. No cleaning			along the edges of the frame and cylinder. There is an area of bare
	rod is present, the sling swivels and military sights are intact and the			metal along the topstrap breech area; the topstrap evidently broken at
	action seems to function well mechanically. (13B9670-272) {C&R}			some point and welded back on, the repair is mostly unobtrusive and
	[David & Lore Squier Collection] (800/1200)			missed upon first glance. The screw heads show light slot wear and a
	Est. 800 - 1,200			few screws are replacements. The hammer and triggerguard have
1200		4		
1289	Remington New Model Pocket Percussion Revolver			mostly toned to a dark gray patina showing some fine pinprick pitting
	serial #2077, .31 cal, 3 1/4" octagon barrel with a mostly bright very			and the barrel address with "RUSSIAN MODEL" has softened
	good bore showing some scattered light pitting and oxidation with			somewhat with a few areas obscured by old pitting but remains mostly
	otherwise strong rifling throughout. The barrel, loading lever and cylinder			legible. The smooth walnut grips remain in about very good condition
	of this revolver retain about 80% original bright blue showing some			showing some scattered light dings and mild scuffs with the left panel
	scattered light flaking to gray-brown patina, some light dings and			showing a tiny smoothed-over chip at the toe. The right grip is
	handling marks. The cylinder shows some moderate operational wear,			stamp-numbered "6903", the barrel appears to be "554", the latch is
	the nipples with light pitting and some wear around the hammer rest			"200" and the cylinder is matching the frame by assembly number.
	notches. The barrel address and patent date remain crisp and clear. The			Barrel-to-frame fit shows light play, the lanyard ring is intact and the
	frame retains perhaps 20% original bright blue lurking about the			action generally seems to function well mechanically with good timing
	protected areas with the balance toning to a mild gray patina showing a			and lock-up, sometimes the cylinder stop disengages. (13B9815-3)
	few small areas of old oxidation staining and a number of small dings			{ANTIQUE} (800/1200)
	• •			
	along the front on either side and edges of the topstrap. The			Est. 800 - 1,200
	triggerguard retains about 95% original silver finish showing a few tiny			
	flakes, some very fine bubbling and is taking on a lovely dark tarnish.			
		1		
	Some of the screw heads show a few flakes of fire blue and the hammer	1		
	shows remnants of smoky case-hardening. The smooth rosewood grips	1		
	remain in excellent condition retaining most of their original varnish and			
	showing one tiny flake at the top bottom corner of the right panel and	1		
	just a few minor handling marks. The right panel is pencil-numbered to	1		
	the gun and the action seems to function well mechanically with solid			
	timing and lock-up. An attractive example of these popular little pocket	1		
	pistols rarely encountered with any remaining finish. (13B9857-20)	1		
		1		
	{ANTIQUE} (800/1200)			
1	Est. 800 - 1,200			

1293	Engraved Bliss & Goodyear Pocket Model Percussion Revolver	129	6 Colt Model 1860 Army Percussion Revolver
	serial #1466, .25 cal, 3" octagon barrel with a partially bright good bore		serial #128215, .44 cal, 8" round barrel with a fair-good bore showing
	showing scattered light pitting and strong rifling throughout. The metal		moderate oxidation and pitting with strong rifling throughout. The metal
	surfaces of this revolver have mostly toned to a pewter gunmetal patina		surfaces of this 1863-made revolver are a mix of silvery pewter and mi
	showing some scattered remnants of mostly smoothed-over light pitting		gray patina showing evidence of an old cleaning with remnants of
	and a hint of mild brown freckling. The hammer has toned to a dark gray		smoothed-over moderate pitting, some small areas perhaps a bit
	patina and the Bliss & Goodyear barrel address remains entirely intact		heavier. The triggerguard is a mild goldenrod patina showing a few
	and strong. The frame and cylinder are embellished with tasteful light		scattered light dings. A couple of the screws are replacements and the
	foliate scrollwork with some small triangular geometric bordering with	1	spring-loaded catch on the ramrod also appears to be an old
	some areas of the engraving showing slightly softened edges but		replacement and is stuck forward. The barrel address is almost entirely
	otherwise very strong overall. There is a small brazed repair along the		gone, "COLTS PATENT" on the frame is very faint but mostly legible,
	rear right edge of the topstrap that was obviously done during the period	1	the patent date on the cylinder remains mostly crisp with portions of the
	of use, it goes unnoticed at first glance and was very nicely executed.	1	cylinder scene still visible and the sub-inspector stamp on some of the
	The smooth antique ivory grips remain in very fine condition having	1	components remain strong. The smooth walnut grip rates fair showing
	taken on a lovely rich patina showing a little mild shrinkage along the	1	overall shrinkage and areas rather shy of the frame along with some
	edges, some scattered light handling marks and nice age striations	1	overall darkening and light handling marks. The arbor is un-numbered,
	along the bases. The left panel appears to be pencil-numbered to the	1	the wedge is "5897", the cylinder "7578" and the remaining numbered
	gun and the right is un-numbered. The action remains functional with		parts are matching. Barrel-to-frame fit remains solid and the action is
	good timing and lock-up a little loose. A solid engraved example of these		functional with good timing and lock-up. (13A9739-16) {ANTIQUE}
	scarce little revolvers with a handsome set of ivory grips, only about	1	(800/1200)
	3000 of which were produced around 1860. (13B9857-37) {ANTIQUE}		Est. 800 - 1,200
	(800/1200)	129	
	Est. 800 - 1,200	4 I	serial #298631B, 38 WCF, 24" octagon barrel with full magazine and a
294	Remington Old Model Navy Percussion Revolver	1	fair-good bore showing overall light pitting and oxidation and good riflir
	serial #28132, .36 cal, 7 3/8" octagon barrel with a bright near excellent	1	throughout. The metal surfaces of this 1889-made third model rifle hav
	bore showing a couple tiny spots of mild oxidation and otherwise crisp	1	mostly toned to a mix of dark pewter gunmetal and gray-brown patina
	rifling throughout. The metal surfaces of this late-production old model		showing some scattered remnants of old light pitting and a handful of
	have mostly toned to pewter gunmetal patina showing some overall		dings here and there. The cartridge lifter shows a fair number of small
	smoothed-over remnants of old fine pitting, some light dings along the	1	dings and a small grind mark along the back edge having mostly toned
	forward edges of the frame and a little mild brown freckling. The		to ocher patina and retaining a legible caliber marking. The screw head
	triggerguard has taken on a pale goldenrod patina showing some light	1	show some light slot wear, a number of them are replacements and the
	dings and the hammer shows some good smoky remnants of	1	barrel address and tang markings remain completely intact and strong
	case-hardening. The old-style loading lever has been modified with a		The back edge of the lever is shy of the lever locking tab but this is
	notch to retain the base pin. The proper barrel address with 1861 patent		rather unobtrusive. The plain walnut stocks remain in very good
	date remains completely intact and actually quite crisp. The smooth	1	condition showing worn finish, scattered darkened areas from oxidation
	walnut grips are pencil-numbered to the gun and remain in about very	1	leaching and some light dings. The stocks actually show some rather
	good plus condition showing a little older added varnish, a tiny thin sliver		nice grain figure, particularly along the right side butt. The rifle is sighter
	missing at the toe of the left panel and some scattered handling marks.	1	with sporting rear sight, small German silver blade front and the action
	The grips fit to the frame remains very good, all of the serialized parts		seems to function well mechanically. Included is a nicely made wooder
	are matching and the correct silver cone front sight is intact. The action		
		1	plaque with brass plate engraved with the history and particulars of this
	seems to function well mechanically with solid timing and lock-up. A very	1	rifle model. A solid 1873 with a lot of character. (13A9739-3) {ANTIQU
	good example of these rather low-production Remington Navy revolvers.		(800/1200)
	(13A9739-18) {ANTIQUE} (800/1200)		Est. 800 - 1,200
	Est. 800 - 1,200	129	
295	Remington New Model Army Percussion Revolver		serial #94651, 22 RF Long, 24" octagon barrel with a mostly bright bor
	serial #65009, .44 cal, 8" octagon barrel with a mostly bright very good	1	showing some scattered light oxidation, a moderate bulge about 8" ba
	bore showing some scattered patches of oxidation and light pitting with		from the muzzle and otherwise strong rifling throughout. The barrel of
	strong rifling throughout. The metal surfaces of this revolver have mostly	1	this rifle retains about 85% original blue thinning to a mild gray-brown
	toned to pewter gunmetal patina showing some scattered	1	patina with most of the loss due to scattered patches of old light pitting
	smoothed-over remnants of old light pitting, a couple tiny dings and a	1	approaching the muzzle, some smaller pinprick pits and minor handlin
	little mild brown freckling. There are some sparsely scattered flakes of	1	marks scattered about. The magazine tube retains about 50% original
	original bright blue lurking about the protected areas and the	1	blue showing moderate old pitting throughout the forward end that has
	triggerguard has toned to a pleasant mild ocher patina. The hammer	1	been lightly cleaned long ago. The action is toning mostly to a mottled
	shows remnants of silvery case-hardened patina and the trigger retains	1	gray patina showing some cleaned moderate old pitting along the side
	some strong flakes of brilliant fire blue along the sides. The barrel	1	and mild brown freckling otherwise with strong remnants of attractive
	markings have softened somewhat and remain partially legible and the	1	silvery case-hardened patina, quite strong along the tangs and bottom
	major components show strong sub-inspector stamps. The smooth	1	metal and showing some lovely vibrant colors in the protected areas
	walnut grips are pencil-numbered to the gun and remain in very fine to	1	around the triggerguard. The buttplate shows an old period reapplied
	perhaps near excellent condition showing slightly worn oil finish with a	1	black enamel finish and all markings remain crisp and clear. The smooth
	couple tiny dings, mild handling marks and a strong cartouche on the left	1	walnut buttstock and grooved forend remain in very good plus condition
	panel. The barrel is mismatched but quite close (65738) and has	1	, , , , , , , , , , , , , , , , , , ,
	,	1	retaining about 85% plus strong original varnish that is flaking lightly
	obviously been with this gun for a very long time and the triggerguard is	1	throughout along with some overall light dings and mild scuffs. The
	matching. The action seems to function well mechanically with excellent	1	buttstock fit remains excellent, the rifle is sighted with standard sportin
	timing and lock-up. (13A9739-19) (700/900)	1	sights, the small rear screw atop the bolt is missing and the action
		( I	otherwise seems to function well mechanically. A very respectable
	Est. 700 - 900	1	
	Est. 700 - 900	1	second model rifle with desirable case-hardened frame made in 1900.
	Est. 700 - 900		

1299			
	Browning BAR ShortTrac Semi-Auto Rifle	1303	Excellent Sako Model 75 Hunter Bolt Action Rifle
	serial #311MP27963, 308 Win, 22" barrel with a bright excellent bore.		serial #204685, 6.5x55mm Swedish, 22 3/4" barrel with a bright
	Assembled in Portugal from Belgian-manufactured parts, the barrel of		excellent bore. The metal surfaces of this handsome rifle retain 99%
	this rifle retains 99% plus original blue, the alloy receiver retains all its		plus original blue while the trigger and the body of the bolt are bright.
	original satin nickel finish while the black composite triggerguard and		The checkered European walnut Monte Carlo pistolgrip stock with right
	hinged floorplate rate as-new. The skipline checkered Grade II Turkish		hand palm swell and left side cheekpiece rates excellent plus with a
	walnut pistolgrip stock and forend also rate as-new. Each side of the		couple faint handling marks. This rifle is built on the IV action and
	receiver is embellished with a gold Buckmark surrounded by a wreath		features a 70 degree bolt throw, an adjustable trigger, Key Concept
	while the triggerguard also features a gold Buckmark and the trigger		lockable bolt system, a detachable 5-round magazine and the original
	retains all its original gold plate. The rifle features a drilled and tapped		factory box. While there is no provision for sights, mounted to the factor
	receiver for optics mounting, an internal 4-round detachable box		grooved receiver is a pair of 30mm rings awaiting your choice of quality
	magazine, and includes six shims to adjust the length of pull. Also		optic. Also included is a pair of 1" scope ring adapters and a pair of
	included is the original factory box, barrel sticker, manual and paperwork		quick detach sling swivels. This rifle appears to have seen little if any
	and cable lock with keys. This arm is as-new-in-box, dealer stock,		use and is chambered for a wonderful cartridge. (23A9808-42)
	factory fired-only, and may have a very small rack or handling mark only.		{MODERN} (800/1200)
	(23A9319-45) {MODERN} (700/900)		Est. 800 - 1,200
	Est. 700 - 900	1304	Ruger No. 1-B Falling Block Rifle
300	Sig Sauer M400 Semi-Auto Carbine		serial #131-11518, 25-06 Rem, 26" barrel with a bright excellent bore.
	serial #20K005493, 5.56 NATO, 16" chrome-lined 1:7" twist barrel with a		The metal surfaces retain about 98% original blue with a very small spo
	bright excellent bore. The metal surfaces retain 99% original Parkerized		of moderate oxidation on the left edge of the steel gripcap with gold
	and black anodized finishes with a few light handling marks on the		Ruger phoenix inlay, slight high edge silvering at the muzzle and on the
	• •		
	underside of the barrel while the black polymer carbine-length		tip of the lever, a couple scattered tiny areas of faint freckling and
	handguards with heatshields, SIG-logo stippled pistolgrip and pinned		perhaps a light handling mark or two. The checkered American walnut
	carbine buttstock rate as-new. The lower receiver features a flared		pistolgrip stock and semi-beavertail forend rate very good plus with a
	magazine well, ambidextrous magazine release, extended bolt release		few scattered light handling marks most noticeable of which is a very
	and a quick detach swivel point on the left and right sides by the end		small dent in the comb and there is a little soiling on the heel of the rifle
	plate. The carbine is equipped with a flattop upper receiver, correct		pad. There is a pair of Ruger rings mounted to the quarter rib needing
			only your choice of optic to make this fine rifle ready for the field.
	F-marked front sight tower with no bayonet lug, a Magpul MBUS black		
	polymer rear sight and a crowned and unthreaded muzzle. Also included		(23A9862-10) {MODERN} (700/900)
	is one factory 10-round D&H magazine, factory hang tags, factory box,		Est. 700 - 900
	manual and paperwork, lubricant and cable lock with keys. This arm is	1305	Norinco NHM-91 Semi-Auto Rifle
	as-new-in-box, dealer stock, factory fired-only, and may have a very		serial #9310861, 7.62x39mm, 20" chrome-lined barrel with a bright
	small rack or handling mark only. (23A9319-618) {MODERN} (700/900)		excellent bore. The metal surfaces retain about 99% quality added blac
	Est. 700 - 900		powder coat finish with a small and unobtrusive scratch on the
01	Ruger Mini-14 Target Semi-Auto Ranch Rifle		underside of the barrel, some light handling marks on the left leg of the
	serial #582-31259, 223 Rem, 22" stainless steel heavy-profile barrel with		
			bipod and a couple spots of very light high edge wear. The bolt and bol
	harmonic dampener and a bright excellent bore. The matte stainless		carrier are bright. The original thumbhole stock and handguards have
	steel surfaces rate as-new. The smooth black and gray laminated		been replaced with a set of Russian laminated hardwood RPK furniture
	hardwood thumbhole stock with flat-bottom forend and black polymer		including a clubfoot stock, pistolgrip and handguards. The furniture rate
	ventilated handguard rate as-new. The rifle features an adjustable		surplus very good plus to perhaps excellent with a handful of scattered
	harmonic dampener to tailor the rifle to your preferred load and two		light dings and handling marks from military service. A Soviet-style
	stock spacers to customize the length of pull (one is installed on the		optics rail has been attached to the left side of the receiver covering up
	rifle). The rifle includes one factory 5-round detachable box magazine,		the make and model designation with only the "INA" of China visible to
	two matte stainless steel Ruger rings that will mount to the integral		the rear of the rail while "CAL 7.62X39MM / CSI ONT CA" is clearly
	mounts on the receiver, three small tools, factory box, manual and		stamped below the barrel trunnion. This very nice RPK clone is
	paperwork and padlock with keys. This arm is as-new-in-box, dealer		equipped with the original protected front sight, an added RPK rear sig
	stock, factory fired-only, and may have a very small rack or handling		fully-adjustable for windage and elevation, a folding bipod with
	mark only. (23A9319-457) {MODERN} (800/1000)		extendable legs, and a slant compensator is installed on the threaded
	Est. 800 - 1,000		muzzle. While no cleaning rod is present, the rifle includes a Romanian
302	Fine U.S. Model 1898 Krag Bolt Action Rifle by Springfield Armory		olive drab nylon AKM sling and four 40-round steel magazines, one of
	serial #162505, 30-40 Krag, 30" barrel with a bright excellent bore. The		which is a Chinese "flatback". This excellent condition NHM-91 has
	barrel is toning to a blue-gray patina under direct light in areas between		been very nicely built into a RPK clone, and as all Chinese firearms are
	the bands with strong original blue from the double bands forward and in		banned from importation, it will only increase in value over time.
	the protected areas. The rear band is toning to brown while the upper		(23A9830-1) {MODERN} [Dr. William C. Nugent Collection] (800/1000)
			Est. 800 - 1,000
	band and triggerguard are flaking to an even blue-gray patina. The	10	
	receiver, sideplate and gate retain nearly all their original oil-quenched	1306	I.W.I. Galil Ace SAR Semi-Auto Pistol
	smoky case-hardened colors and the bolt handle is toning to gray with		serial #G0015068, 5.56 NATO, 8 1/4" chrome-lined 1:7" twist barrel wit
	very light muzzle and high edge silvering and a few scattered light		a bright excellent bore. The metal surfaces of this Israeli-manufactured
			pistol retain 99% plus original Parkerized finish with light silvering to the
	handling marks and speckles of oxidation staining overall. The extractor	1	flats of the A1 flash hider. The smooth black polymer pistolgrip,
	5	1	nate of the AT hash hider. The shiruful black pulyther pistolytip,
	displays nice amounts of original fire blue. The smooth American black		magazine well and forend rate excellent plue with perhaps a faint
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny		magazine well and forend rate excellent plus with perhaps a faint
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and		handling mark or two while the American-made IWI-marked SB Tactica
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny		handling mark or two while the American-made IWI-marked SB Tactica
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P"		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails the 3, 6, and 9 o'clock positions with those on the left and right sides
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair a storage compartment, the arm brace folds to the right side and locks
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contail
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair a storage compartment, the arm brace folds to the right side and locks
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth and appears to function well mechanically. (23A9807-263) {C&R}		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair a storage compartment, the arm brace folds to the right side and locks up solidly and the factory Tritium protected front sight post and two-position aperture rear glow as they should. Included is one D&H
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth and appears to function well mechanically. (23A9807-263) {C&R} [Vincent Coniglio Collection] (700/900)		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair a storage compartment, the arm brace folds to the right side and locks up solidly and the factory Tritium protected front sight post and two-position aperture rear glow as they should. Included is one D&H Tactical 30-round aluminum STANAG magazine, a Midwest Industries
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth and appears to function well mechanically. (23A9807-263) {C&R} [Vincent Coniglio Collection] (700/900)		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair a storage compartment, the arm brace folds to the right side and locks up solidly and the factory Tritium protected front sight post and two-position aperture rear glow as they should. Included is one D&H Tactical 30-round aluminum STANAG magazine, a Midwest Industries replacement M-Lok aluminum forend and a replacement KNS Precision
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth and appears to function well mechanically. (23A9807-263) {C&R} [Vincent Coniglio Collection] (700/900)		handling mark or two while the American-made IWI-marked SB Tactical side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contair a storage compartment, the arm brace folds to the right side and locks up solidly and the factory Tritium protected front sight post and two-position aperture rear glow as they should. Included is one D&H Tactical 30-round aluminum STANAG magazine, a Midwest Industries replacement M-Lok aluminum forend and a replacement KNS Precision adjustable gas piston in currently installed with the original also presen
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth and appears to function well mechanically. (23A9807-263) {C&R} [Vincent Coniglio Collection] (700/900)		handling mark or two while the American-made IWI-marked SB Tactica side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contail a storage compartment, the arm brace folds to the right side and locks up solidly and the factory Tritium protected front sight post and two-position aperture rear glow as they should. Included is one D&H Tactical 30-round aluminum STANAG magazine, a Midwest Industries replacement M-Lok aluminum forend and a replacement KNS Precisio adjustable gas piston in currently installed with the original also presen A like-new and very desirable Galil Ace pistol that will be sure to turn
	displays nice amounts of original fire blue. The smooth American black walnut straight grip stock and handguard rate very good plus with a tiny and unobtrusive chip at the toe and some scattered minor dings and handling marks. The "JSA / 1899" inspector's cartouche and circled "P" firing proof are both very crisp. The rifle features a Model 1902 rear sight with swing-up aperture and a blade front sight, the stacking and sling swivels are intact, stored within the trap buttplate is a correct 3-piece cleaning rod and Type 2 Krag oiler. A period russet leather sling is included which remains supple and has light crazing and edge wear from the years along with minor verdigris around the brass double claw and stud. The action of this very nice Model 1898 Krag is very smooth and appears to function well mechanically. (23A9807-263) {C&R} [Vincent Coniglio Collection] (700/900)		handling mark or two while the American-made IWI-marked SB Tactical side-folding brace also rates excellent plus. This high quality firearm is packed with modern features including ambidextrous safety levers and magazine releases, left side charging handle, a two-piece full length aluminum M1913 rail at the 12 o'clock position along with shorter rails a the 3, 6, and 9 o'clock positions with those on the left and right sides relieved for pressure pads. Three removable rail covers are included with the lower cover featuring a built-in hand stop, the pistolgrip contain a storage compartment, the arm brace folds to the right side and locks up solidly and the factory Tritium protected front sight post and two-position aperture rear glow as they should. Included is one D&H Tactical 30-round aluminum STANAG magazine, a Midwest Industries replacement M-Lok aluminum forend and a replacement KNS Precision adjustable gas piston in currently installed with the original also present

	T			
1307	U.S. Model 1898 Krag Bolt Action Rifle by Springfield Armory		1309	Remington Model 700 Classic Bolt Action Rifle
	serial #362718, 30-40 Krag, 30" barrel with a very good bore showing			serial #C6281391, 35 Whelen, 22" barrel with a bright excellent bore.
	fine pitting in the strong rifling. The barrel retains about 80-85% original			The barreled action of this limited edition rifle from 1988 retains 99%
	thinning blue toning to a blue-gray patina with strong original blue along			original blue with faint signs of previous scope mounting on the top of
	the wood line and ahead of the double band with a ring of light silvering			the factory drilled and tapped receiver. The alloy triggerguard and
	around the muzzle and some scattered light handling marks. The bands			hinged floorplate retain about 95% original black enamel with a couple
	• •			
	display a plum patina with nice amounts of original blue around the			light handling marks and a handful of small spots of flaking revealing the
	stacking swivel and the expected light high edge wear and light handling			metal beneath. The machine turned bolt is bright. The checkered walnut
	marks toning to a gunmetal gray patina. The triggerguard has aged to			pistolgrip stock rates about excellent with a few very light handling
	brown with softened light pitting overall while the receiver, sideplate and			marks and a very small and unobtrusive expertly-repaired chip
	gate are a mottled smoky-gray case-hardened patina again showing fine			noticeable under scrutiny in the right wood line below the action which
	pinprick pitting with the gate and protected areas retaining good			appears to have passed through Ilion's QC. The rifle is sighted with the
	amounts of original oil-quenched blackening. The bolt knob is lightly			original hooded bead front and adjustable "U" notch sporting rear, a
	freckled with a few minor handling marks while the tip of the extractor			Leupold one-piece base and pair of 1" rings is included which will need
	displays strong original fire blue. The smooth American black walnut			new screws for the base and the action of this attractive rifle appears to
	straight grip stock and handguard rate very good with perhaps a touch			function well mechanically. Thanks to its excellent chambering, this rifle
	of arsenal applied finish with a couple repaired small chips and a narrow			is suitable for both collecting and use afield. (23A9808-40) {MODERN}
	rough area revealing a repaired crack around the magazine cutoff and			(800/1000)
	the expected light dings and handling marks overall from military			Est. 800 - 1,000
	service. The stock features a faded white painted "50" rack mark on the		1310	Limited Edition Browning Model 53 Deluxe Lever Action Rifle
	right side of the buttstock along with a strong "JSA / 1902" inspector's			serial #01336NM3F7, 32-20 Win, 22" tapered barrel with half magazine
	cartouche on the left stock flat and crisp circled "P" firing proof and "58"			and a bright excellent bore. This beautiful Japanese-made rifle is one of
	inspection mark behind the triggerguard. The original stacking and sling			only 5,000 produced in 1990. The metal surfaces retain 99% original
	swivels remain intact along with the blade front sight and Model 1901			high polish blue with a few faint scratches on the left side of the frame
	rear and the action appears to function well mechanically. An overall			near the forend. The beautiful high grade checkered walnut capped
	very nice and attractive example of an 1898 Krag rifle. (23A9830-42)			pistolgrip stock with shotgun-style buttplate and forend with metal
	{C&R} [Dr. William C. Nugent Collection] (700/900)			nosecap rate very good to perhaps very good plus with a handful of
1000	Est. 700 - 900	-		scattered light handling marks in the high gloss finish. This lightweight
1308	Excellent U.S. Model 1888 Trapdoor Rifle by Springfield Armory			and attractive rifle features a 7-round capacity magazine and is sighted
	serial #507620, 45-70 Govt., 32 5/8" barrel with a bright excellent bore.			with the original brass beaded blade front and sporting rear with elevator
	This handsome rifle remains in an impressive state of preservation with			and the action appears to function well mechanically. A desirable and
	the barrel retaining about 95% original blue with some scattered			excellent condition rifle in a classic caliber. (23A9808-28) {MODERN}
	speckles of old light oxidation, handling marks and fine streaks toning to			(700/900)
	a dark gray patina under direct light and some light silvering at the			Est. 700 - 900
	muzzle. The correct one piece triggerguard, bands and front sight hood		1311	Early Browning Model 22 ATD Semi-Auto Rifle
	retain most of their original bright blue with some light high edge wear			serial #T1781, 22 LR, 19 1/4" barrel with a bright excellent bore. The
	and minor flaking and handling marks toning to plum. The receiver,			metal surfaces of this Belgian Grade I rifle manufactured in 1956 retain
	hammer and lockplate retain nearly all their oil-quenched blackening			about 99% original blue with light silvering at the muzzle and on the front
	with a small area of fine impact marks on the left side of the receiver,			sight blade, a very tiny scratch on the top of the barrel and a faint
	some very light high edge wear overall and a few tiny spots of flaking			handling mark on the bottom of the triggerguard. The receiver and
	while the breechblock and tang display excellent original case-hardened			triggerguard are beautifully embellished with Grade I engraving including
	colors. The lockplate is properly marked with "U.S. / SPRINGFIELD"			splashes of loose foliate scroll surrounded by simple zigzag bordering
	below the thumbpiece and with a Federal Eagle ahead of the hammer.			and both the bolt and rear of the receiver display Belgian proofs. The
	The breechblock displays "U.S. / MODEL / 1884", the buttplate "U.S. / I"			attractive checkered European walnut pistolgrip stock and
	over an off-struck "14" and the barrel displays a strong "V / P / (eagle			semi-beavertail forend rate very good plus with some scattered light
	head) / P" proof on the left side of the breech, "x / P / V" on the right side			handling marks, particularly around the toe of the buttstock. This rifle
	and "I" on the top. The smooth black walnut straight grip stock rates very			was brought into the U.S. during the first year of importation and
	good with the scattered minor dings and handling marks to be expected			features the desirable rear "wheel sight" while the front sight blade
	from a military shoulder arm, the most noticeable of which are a few			shows a few tiny impact marks on the left side of the dovetail and may
	small dents on each side of the buttstock and a small chip and			have been slightly regulated during the period of use. This excellent
	impression about midway down the right side of the forend. The stock			condition rifle should make a welcome addition to your Browning
	displays a clear "SWP / 1890" inspector's cartouche on the left flat along			collection. (23A9789-47) {C&R} (700/900)
				Est. 700 - 900
	with a "C.B." inspection mark and circled "P" firing proof behind the		L	LSI. 100 - 300
	triggerguard. The combination bayonet/cleaning rod for which this			
	Trapdoor is known retains nearly all its original blue and locks up			
	securely while extended and stowed while the correct grooved trigger,			
	and stacking and slings swivels are intact along with the front sight			
	hood. The rifle is further equipped with a blade front sight and "R"			
	marked Buffington rear, stored within the trap buttplate is a wiper			
	attachment for the threaded end of the bayonet and a very good			
1	condition Model 1879 combination tool and a leather sling, likely for a			
		1		
	Krag rifle, is included. The three-position lock and tumbler are robust. As			
	Krag rifle, is included. The three-position lock and tumbler are robust. As the last of the .45 caliber Trapdoor series, this excellent condition Model			
	Krag rifle, is included. The three-position lock and tumbler are robust. As the last of the .45 caliber Trapdoor series, this excellent condition Model 1888 will make a fine addition to your U.S. martial firearms collection.			
	Krag rifle, is included. The three-position lock and tumbler are robust. As the last of the .45 caliber Trapdoor series, this excellent condition Model 1888 will make a fine addition to your U.S. martial firearms collection. (23A9807-267) {ANTIQUE} [Vincent Coniglio Collection] (700/900)			
	Krag rifle, is included. The three-position lock and tumbler are robust. As the last of the .45 caliber Trapdoor series, this excellent condition Model 1888 will make a fine addition to your U.S. martial firearms collection.			

Collection] (700/900) Est. 700 - 900 Lot Title/Description

1312 Excellent U.S. Model 1879 Trapdoor Rifle by Springfield Armory 1315 U.S. Model 1863 Massachusetts Contract Percussion Rifle-Musket by serial #198699, 45-70 Govt., 32 5/8" barrel with a bright excellent bore. Norris & Clement The barrel, correct two-piece triggerguard and buttplate retain about .58 cal., 40" barrel with a mostly bright very good bore showing some 97% original blue with some minor silvering at the muzzle and heel of areas of minor pitting near the muzzle. In 1863 Samuel Norris and the buttplate, some light fading ahead of the forend cap and around the William T. Clement of Springfield MA received a contract from the breech toning to plum-blue under bright light and some scattered Commonwealth to manufacture 13,000 Model 1863 Rifle-Muskets for speckles and a couple tiny spots of old oxidation overall. The bands the state militia. The barrel of this Type I rifle-musket is toning to a retain much original blue with some areas of wear toning to gray while mottled brown-gray patina as cleaned long ago with areas of softened the band springs display nearly all their original fire blue. The receiver, pinprick pitting, particularly around the breech, and light oxidation staining throughout, a 1" vise "bite" mark on the left barrel flat and a few lockplate and hammer show excellent oil-quenched blackening with light fading to gray on the top of the hammer spur and some very faint tiny tool marks on the right flat, and some scattered spots of dried freckling while the breech tang and 1873-dated breechblock retain preservative overall. The mountings have aged to a plum brown patina nearly all their wonderful case-hardened colors on both the exterior and from old light oxidation also showing a worn coat of added protective interior surfaces. The barrel features a very crisp "V / P / (eagle head) / finish. The lockplate, hammer and bolster are toning to a dark P" proof at the breech and the lockplate is properly marked with a gray-brown patina with some light oxidation staining and some light Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below pitting around the nipple while the hammer retains a modest amount of the thumbpiece. The smooth American black walnut straight grip stock its original case-hardened colors. The small spread eagle on the bolster rates very fine retaining most of its original oil finish with some scattered and the last two numbers of the barrel date are obscured by light pitting minor dings and handling marks, showing some unobtrusive tiny but all other markings remain crisp including the "V / P / (eagle head)' abrasions at the toe of the buttstock. The stock displays a crisp "SWP / proof on the left quarter flat of the breech, "L.F.R." on the left breech flat, 1882" inspector's cartouche on the left flat along with an equally strong "1864" behind the hammer, "(Federal Eagle) / U.S." ahead of the hammer and "S.N. & W.T.C. / FOR / MASSACHUSETTS" below the circled "P" firing proof behind the triggerguard. The rifle is sighted with the original blade front and R-marked Model 1879 "buckhorn" rear, the bolster. The smooth black walnut straight grip stock is structurally stacking and sling swivels are intact and a swelled-shank tulip-head excellent and rates very good overall as cleaned with a later added finish, the head of a tiny finishing nail is visible in the right side of the cleaning rod is in-place below the barrel. A period leather sling, likely for a U.S. Krag rifle is included and the three-position lock and tumbler are buttstock, along with the scattered light dings and handling marks typical robust and crisp. This beautiful 1879 Trapdoor is in a wonderful state of of a Civil War service rifle. The faint remnants of an oval inspector's condition and is probably the nicest example of this model the writer has cartouche can be seen on the left stock flat, a few of the screw heads seen. (23A9807-268A) {ANTIQUE} [Vincent Coniglio Collection] show some minor slot damage, and the forward lockplate screw is (1000/1500) shorter than standard but still engages the threads of the lockplate. A Est. 1,000 - 1,500 correct cupped tulip-head ramrod is included, the original sights and 1313 Sako Model 75 Finnlight Bolt Action Rifle sling swivels are intact and the lock remains crisp and strong. A very good overall example of a Model 1863 rifle-musket produced at the serial #247558, 6.5x55mm Swedish, 20 7/8" fluted stainless steel barrel with a bright excellent bore. The matte stainless steel surfaces of this height of the war. (23A9853-11) {ANTIQUE} (800/1200) light and handy rifle built on the IV action rate excellent including the Est. 800 - 1,200 inside components of the action. The alloy bottom metal retains 99% 1316 U.S. Model 1816 Percussion Converted Rifled Musket by Frankford original matte "stainless" anodized finish with a faint handling mark on Arsenal the bow of the triggerguard. The injection-molded black synthetic Monte .69 cal., shortened 41 1/2" barrel with an about good bore showing Carlo stock with left side cheekpiece rates excellent with a few scattered minor pitting throughout the rifling. This Model 1816 Type II musket was light handling marks primarily on the gray soft rubber forearm and grip rifled, sighted and converted to percussion using Remington-produced over-moldings. The rifle features an adjustable single-stage trigger, a Maynard-patent locks and priming systems by Frankford Arsenal in the detachable 5-round magazine, and Key Concept lockable bolt system late-1850s. The metal surfaces are toning to an overall plum brown-gray and mounted to the factory dovetailed receiver is a pair of matching patina as lightly cleaned with the remnants of reapplied blue around the matte stainless steel 30mm rings needing only your choice of breech, softened pitting around the bolster along with a few vise "bite" high-quality optic to maximize the potential of this versatile chambering. marks above the left wood line around the breech, and scattered spots Also included with the rifle is a pair of 1" scope ring adapters, a pair of of old light oxidation and light freckling overall. The brass front sight matching matte silver aluminum quick-detach sling swivels and the blade on the Model 1816 double band has aged to mustard patina. The original factory box. The action appears to function well mechanically breech tang is clearly stamped "1857 / J" and "REMINGTON'S / and this all-weather rifle appears to have seen little if any use. ILION.N.Y. / 1858 / U.S." is on the lockplate behind the hammer. The (23A9808-56) {MODERN} (800/1000) smooth American black walnut straight grip stock rates about very good Est. 800 - 1,000 with a 3/4" crack behind the lockplate, a narrow 1" chip missing at the 1314 Benelli Super Black Eagle Semi-Auto Shotgun left side of the breech tang and the typical scattered dings and handling serial #U161377, 12 ga., 24" ventilated rib screw-choke barrel with a marks to be expected of a Civil War shoulder arm. The left stock flat is bright excellent bore. The metal surfaces and checkered synthetic clearly stamped "39" along with a softened inspector's cartouche and pistolgrip stock and forend retain 98% original Realtree camouflage there are various small inspection marks overall. The barrel of this rifled musket has been shortened 1/2" and the bayonet lug has been hydro-dipped finish with some light muzzle and high edge wear, a couple unobtrusive handling marks on the barrel, and the bolt and removed, and the double band retains the previously mentioned brass charging handle show a little minor operational wear exposing the black blade sight which was typically replaced with an iron sight during the metal beneath. The barrel is sighted with the original red fiber optic front rifling and sighting conversion. The 1855-style long range rear sight is bead and silver bead mid-rib and this inertia-operated shotgun includes intact along with the sling swivels, the Maynard priming mechanism an optional larger orange fiber optic bead that attaches to the rib via appears to function well mechanically and the lock is very strong and magnets along with a yellow fiber optic pipe and optional orange fiber crisp. An uncapped button-head ramrod is included along with a small optic two-dot rear sight with elevator. The shotgun features a 3 1/2" roll of Maynard tape primers. (23A9853-2) {ANTIQUE} (700/900) chamber and the stock is adjustable for drop with two included metal Est. 700 - 900 stock plates and two plastic adjustment shims. The original gray factory hardcase is included which contains a magazine limiter, choke wrench, factory manual and the following six Benelli choke tubes: cylinder, improved cylinder, modified, improved modified, full, extra full turkey. The action of this excellent condition Italian shotgun appears to function well mechanically. (23A9830-14) {MODERN} [Dr. William C. Nugent

1317	U.S. Model 1863 Type II Percussion Rifle-Musket by Springfield Armory	1:	320 L	J.S. Model 1892/96 Krag Bolt Action Rifle by Springfield Armory
	.58 cal., 40" barrel with a bright excellent bore. The "National Armory			erial #7261, 30-40 Krag, 30" barrel with a bright excellent bore. The
	bright" metal surfaces rate fine with a few scattered tiny areas of very		b	parrel retains about 80% original blue which is thinning to a blue-gray
	light pinprick pitting, a spot of oxidation staining on the heel of the		p	patina nearer the handguard with some scattered small spots of loss,
	buttplate, a handful of light tool marks on the breech and a few scattered			ight handling marks toning to gray and light silvering at the muzzle. The
	light handling marks from military service. The case-hardened lockplate		b	pands and triggerguard have aged to an overall dark gray patina with
	and hammer have aged to a pewtery patina with very faint pitting and a		li	ight handling marks, particularly on the double band, high edge wear
	few small spots of light staining while the original rear sight retains		te	oning to silver, a few tiny spots of freckling on the bow of the
	modest amounts of original blue. The lockplate is marked "1863" behind		ti	riggerguard and remnants of original blue in the protected areas. The
	the hammer and with a Federal Eagle ahead, while "U.S. /			eft side of the 1894-dated receiver displays a blue-gray patina with a
	SPRINGFIELD" is below the Federal Eagle-marked bolster. The "1864"			ew tiny tool marks and a light scratch by the magazine cutoff switch.
	on the top of the breech is partially obscured by light pitting while the "V			The sideplate, loading gate and right side of the receiver display strong
	/ P / (eagle head)" proof mark on the left quarter flat of the barrel is			original smoky case-hardened colors while the Model 1892 bolt with
	clear. The smooth black walnut straight grip stock rates very good plus			correct grasping grooves on the bolt sleeve is bright with the handle
	with some scattered minor dings and handling marks, the most			oning to gray showing some very faint pinprick pitting. The receiver has
	noticeable of which is a narrow 4" sliver missing from the ramrod			been properly updated to 1896-specifications with a notch relieved to
	channel, while the left stock flat displays a clear "RPB" inspector's			accept the hold-open pin on the extractor which retains much of its
	cartouche. The original sights and sling swivels are intact, a correct			original fire blue. The Model 1892 smooth black walnut straight grip
	cupped tulip-headed ramrod is stored beneath the barrel and the lock			stock and Model 1896 handguard rate very good plus to fine with some
	remains very strong and crisp. Historically significant for being the last			scattered minor dings and handling marks the most noticeable of which
	regulation muzzleloader issued by the U.S., this fine condition Model			s a tiny chip in the right side of the buttstock near the toe of the trap
	1863 is an important part of any Civil War martial arms collection.			buttplate. The stock has been properly updated to 1896 specifications
	(23A9833-41) {ANTIQUE} (800/1200)			with the cleaning rod channel filled with wood and the toe of the
				-
1210	Est. 800 - 1,200			buttstock gently rounded while the wrist retains its characteristic narrow
1318	Excellent U.S. Model 1879 Trapdoor Rifle by Springfield Armory			liameter. The left side of the wrist displays the top half of a "JSA"
	serial #244146, 45-70 Govt., 32 5/8" barrel with a bright excellent bore.			nspector's cartouche, the lower half likely cleaned during the arsenal
	The barrel and mountings of this wonderful rifle retain about 90%			conversion, and there is a very crisp circled "P" firing proof from the
	original evenly-thinning blue with the barrel toning to plum-blue under			efurbishment along with the remnants of the original firing proof behind
	direct light toward the breech and a few minor handling marks forward of			he triggerguard. The stacking and sling swivels are intact, the barrel is
	the upper band, the toe and heel of the "US" marked buttplate toning to			sighted with a blade front and correct Model 1896 rear and the
	gunmetal gray, the forend cap flaking to an even blue-brown patina, light		1.	plassy-smooth action appears to function well mechanically. Most Mode
	muzzle and high edge silvering and some fading to gray on the bands.			892 Krag rifles saw service in the Spanish-American War prior to being
	The receiver, lockplate and hammer retain about 99% original smoky			upgraded to Model 1896 specifications, and this particular example is in
	oil-quenched colors with a tiny abrasion toning to silver on the			very fine condition. (23A9670-522) {ANTIQUE} [David & Lore Squier
	arrowheads of the Federal Eagle marking and some light fading on the			Collection] (700/900)
	tip of the hammer spur while the 1873-dated breechblock and tang			Est. 700 - 900
	retain 99% of their attractive case-hardened colors with a couple small	1:		J.S. Model 1840 Flintlock Musket by Springfield Armory
	freckles noticeable under close scrutiny. The breech displays a very			69 cal., 42" barrel with a bright excellent bore. The bright metal surfaces
	crisp "V / P / (eagle head) / P" proof and the lockplate is correctly		a	of this reconverted musket rate near excellent as meticulously cleaned
	marked with the aforementioned Federal Eagle along with "U.S. /		a	and the reconversion was equally well-done leaving only a slight halo
	SPRINGFIELD" below the hammer. The smooth American black walnut		a	and a few tiny spots of the faintest of cleaned pinprick pitting on the
	stock rates very good plus-fine with a handful of minor dings and		b	preech and triggerguard and in a few scattered spots along the barrel
	handling marks, the most noticeable of which is a bruise on the right		a	and sideplate. There are some very light handling marks and some
	wood line between the bands, and features a strong "SWP / 1883"		s	cattered tiny speckles of faint oxidation staining overall. The detachable
	inspector's cartouche on the left stock flat, a crisp circled "P" firing proof		b	prass pan and front sight blade are a goldenrod patina while the
	behind the triggerguard and clear "US / 8" unit marking inside either a		lo	ockplate and lock parts have been carefully restored to bright showing a
	spade or spearhead on the left side of the buttstock. The rifle is		fe	ew tiny spots of softened pinprick pitting and faint staining and some
	equipped with the correct two-piece triggerguard with grooved trigger,		li	ight cleaning marks at the rear point of the lockplate. All markings are
	the swivels and correct slotted button-head ramrod are intact, the barrel		c	risp including the "V / P / (eagle head)" proof at the breech, the
	is sighted with the original front sight and a R-marked Model 1884		"	(Federal Eagle) / U.S." ahead of the hammer and "SPRING / FIELD"
	Buffington rear, and the three-position lock and tumbler are strong and		b	behind the hammer; the lock components display clear inspector marks
	crisp. A wonderful example of the Model 1879 Trapdoor with a unit		a	and both the breech tang and rear of lockplate are dated "1842". The
	marking presenting an interesting research opportunity. (23B9833-12)			mooth walnut straight grip stock rate very good to perhaps very good
	{ANTIQUE} (1000/1500)			olus as expertly refinished with a well done wood-filled repair at the rear
	Est. 1,000 - 1,500		0	of the left stock flat and ahead of the curve of the L-shaped sideplate.
1319	U.S. Model 1898 Krag Bolt Action Rifle by Springfield Armory	1	т	There is a small chip at the toe of the buttplate and in the right wood line
	serial #129653, 30-40 Krag, 30" barrel with a bright excellent bore. The			head of the lock and some scattered light handling marks. The sling
	barrel retains about 95% original blue with light muzzle silvering, a few			swivels and bayonet lug are intact, a correct trumpet-head ramrod with
	narrow streaks toning to dark gray, and a couple tiny dings and			hreaded end is included and the lock is very strong and crisp. A
	scattered light handling marks toning to gray patina. The bands and			vonderfully restored example of a Model 1840 musket,
	triggerguard retain about 60% original blue with the bottom of the			historically-important as the last of the regulation flintlocks. (23A9849-1)
	triggerguard toning to a gray patina, high edge silvering and numerous			ANTIQUE} (800/1200)
	light handling marks toning to gray. The receiver, loading gate and			Est. 800 - 1,200
	sideplate are a smoky case-hardened patina showing some tiny			·
	speckles of staining and a little old dried lubricant in the protected areas.			
	The bolt is mostly bright with the handle having aged to gray and the			
	extractor showing much original fire blue. The smooth walnut straight			
	grip stock and handguard rate very good with a light coat of period			
	added finish, a narrow 1" moderate abrasion in the left grasping groove			
	and the typical scattered light handling marks from military service. The			
	Laft side of the wrist features a strong "ISA / 1909" inspector's cortouche			
	left side of the wrist features a strong "JSA / 1898" inspector's cartouche			
	while the toe displays a deeply stamped "LR / 74". The rifle is equipped			
	while the toe displays a deeply stamped "LR / 74". The rifle is equipped with a blade front sight and Model 1902 rear sight with swing-up			
	while the toe displays a deeply stamped "LR / 74". The rifle is equipped with a blade front sight and Model 1902 rear sight with swing-up aperture, the stacking and sling swivels are intact and the action is			
	while the toe displays a deeply stamped "LR / 74". The rifle is equipped with a blade front sight and Model 1902 rear sight with swing-up aperture, the stacking and sling swivels are intact and the action is smooth and appears to function well mechanically. A nice example of a			
	while the toe displays a deeply stamped "LR / 74". The rifle is equipped with a blade front sight and Model 1902 rear sight with swing-up aperture, the stacking and sling swivels are intact and the action is smooth and appears to function well mechanically. A nice example of a Model 1898 Krag which should shoot very well. (23A9833-19)			
	while the toe displays a deeply stamped "LR / 74". The rifle is equipped with a blade front sight and Model 1902 rear sight with swing-up aperture, the stacking and sling swivels are intact and the action is smooth and appears to function well mechanically. A nice example of a			

Lot Title/Description

1322	U.S. Special Model 1861 Percussion Rifle-Musket by Colt New Jersey	1324	U.S. Model 1861 Percussion Rifle-Musket by Springfield Armory
	Surcharged		.58 cal., 40" barrel with a bright excellent bore. The metal surfaces are
	.58 cal., 40" barrel with a bright excellent bore. This Special Model 1861		toning to a lightly oxidized dull gray patina with some light pitting around
	is, according to page 320 of American Military Shoulder Arms Volume III		the area of percussion along with a few scattered tiny spots of pinprick
	by George D. Moller, one of 2,500 rifle-muskets purchased by N.J. from		pitting and freckling. Both the breech and lockplate are dated 1861 with
	arms merchant Schuyler, Hartley & Graham. The metal surfaces have		the breech proofed with a "V / P / (eagle head)" and the lockplate
			properly marked with a Federal Eagle ahead of the hammer and "U.S. /
	aged to a dull gray patina as cleaned long ago with softened pinprick		
	pitting and speckles of light oxidation freckling scattered throughout, a		SPRINGFIELD" below the bolster. The smooth American black walnut
	few tiny spots of old light oxidation in front of the rear sight, and a tiny		straight grip stock rates very good with the scattered minor dings and
	spot of wear worn bright on the top of the barrel between the upper and		handling marks to be expected of a rifle-musket that was likely carried
	middle bands. The bolster displays a small Federal Eagle while the		during the Civil War and is unmarked beyond a small "X" stamped in the
	lockplate is properly marked "1863" behind the hammer and "U.S. /		right side of the buttstock just ahead of the buttplate. The sling swivels
	COLT'S PT. F.A. MFG CO. / HARTFORD CT. The breech of the barrel		and original sights are intact, a correct cupped tulip-head ramrod with
	is dated 1863 and there is a very crisp "V / P / (eagle head)" proof on		retaining swell and threaded end is stored below the barrel and the
	the left quarter flat and "N.J." on the left flat. The smooth black walnut		action is crisp and strong. Included is what appears to be a correct Civil
	straight grip stock rates good with scattered light dings and handling		War-era leather sling with single brass hook which is supple and very
	marks typical of a Civil War arm, a hairline crack behind the lockplate, a		tender with a tear in one of the adjustment holes and in the side of the
	couple chips to the left of the breech tang, a large "A" carved into the left		retaining loop along with light crackling and spots of staining overall.
	forend between the middle and lower bands and a large "IL" carved		Also included is a nicely made wooden plaque with brass plate
	beneath the action just ahead of the triggerguard. The stock is properly		engraved with the history and particulars of this model of rifle.
	stamped "NJ" on the left flat. The sling swivels and original sights are		(23A9739-11) {ANTIQUE} (800/1200)
1	intact, a correct cupped tulip-head ramrod with straight shaft and		Est. 800 - 1,200
	threaded end and a period leather sling which has hardened from the	1325	,
1	years is included and the action is strong and crisp. According to Moller,	1323	.69 cal., 44 1/2" barrel with an oxidized bore. The metal surfaces of this
	these Colt Special Model rifle-muskets were still in NJ's arsenal as late		Harpers Ferry pattern original flint musket are toning to a brown patina
1			
	as October of 1879. (23B9735-19) {ANTIQUE} (800/1200)		with spots of old oxidation and scattered areas of minor pitting
4000	Est. 800 - 1,200		throughout which is a little more moderate around the touchhole, some
1323	U.S. Model 1879 Trapdoor Rifle by Springfield Armory Issued to Pvt.		light tool marks behind the rear band along with some vise "bite" marks
1	Jonas Stuck, Co. A 2nd U.S.V. Engineers		around the breech. The brass sight blade on the double band has aged
	serial #262607, 45-70 Govt., 32 5/8" barrel with an about very good bore		to dark mustard patina. The lockplate is stamped ahead of the cock with
	showing a few tiny areas of very light pitting in the rifling. According to		an "(eagle) / U.S. / R. & C. LEONARD" while "CANTON" over a partially
	Springfield Research Service, this rifle was issued to Private Jonas		obscured date that appears to read "1812" is marked vertically behind
	Stuck of Company A of the 2nd U.S.V. Engineers in 1898 for service in		the cock. The breech of the barrel is stamped with a raised "(eagle
	the Spanish American War. The barrel is toning to a deep gray-brown		head) / CT" in a sunken oval denoting it as a contract musket along with
	patina, more of a streaky light gray-brown patina forward of the forend		a "V" view mark. The smooth walnut straight grip stock rates fair with a
	cap, with some small scattered spots of pinprick pitting which is slightly		handful of cracks around the action, two of which are quite lengthy,
	heavier around the muzzle. The mountings have aged to an overall		there is a small piece missing at the rear bottom edge of the lockplate,
	brown patina with some light pitting on the bow of the triggerguard,		along with scattered drying cracks and slivers missing from the ramrod
	upper band and forend cap along with some light high edge wear while		channel and wood line. "I T" is carved into the left side of the buttstock
	the rear band retains modest amounts of original blue. The receiver,		while "T L" and "D E #" is on the right and the left stock flat shows the
	÷ .		e e e e e e e e e e e e e e e e e e e
	1873-dated low-arch breechblock, lockplate and hammer have aged to		faint remnants of the trefoil-shaped inspector's cartouche. The upper
	mottled gray with some scattered tiny spots of fine pitting and old light		sling swivel and ramrod are missing, the frizzen has been re-surfaced
	oxidation while the underside of the breechblock retains traces of its		and the action will need mechanical attention as the half cock notch is
	original case-hardened colors. The breech of the barrel is proofed with a		worn. According to page 85 of Robert M. Reilly's United States Martial
	"V / P / (eagle head) / P" and the lockplate is properly stamped with a		Flintlocks, Rudolph and Charles Leonard received a contract from the
	Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below		Federal government for 5,000 muskets under the U.S. Militia Act of 1808
	the thumbpiece. The smooth black walnut straight grip stock rates good		of which they ultimately delivered 4,208 by 1814. (23A9739-13)
1	to perhaps very good with a touch of period added finish, a few		{ANTIQUE} (700/900)
	scattered short hairline cracks and tiny chips, and the typical light dings		Est. 700 - 900
	and handling marks of an issued service rifle. The stock features a	1326	U.S. Model 1879 Trapdoor Rifle by Springfield Armory
1	slightly softened yet clear "SWP / 1884" inspector's cartouche and		serial #258518, 45-70 Govt., 32 5/8" barrel with a bright excellent bore.
	circled "P" firing proof. The rifle is equipped with a correct slotted		The barrel, and bands are toning to an attractive blue-gray patina with a
1	button-head cleaning rod, the stacking and slings swivels are intact as		small area of light pitting on the left side of the muzzle, a few small
	are the original sights including the R-marked Model 1879 "buckhorn"		streaks of wear around the muzzle and on the bands toning to gray, a
	rear, and the three-position lock and tumbler are very strong and crisp.		few scattered spots of old light oxidation and remnants of original blue
	Included is a nicely made wooden plaque with brass plate engraved with		along the wood line. The triggerguard has aged to a mottled gray-brown
	the history and particulars of this rifle along with a signed letter from		patina with tiny spots of light staining while the receiver, lockplate and
	Franklin B. Mallory, Chief Researcher for Springfield Research Service.		hammer display nice original smoky colors. The 1873-dated breechblock
1	The letter details Pvt. Stuck's birthplace, appearance, profession and		and tang retain strong case-hardened colors on the exterior and interior
	dates of military service and includes photocopies from the National		surfaces. The breech of the barrel has a crisp "V / P / (eagle head) / P"
	Archives of the handwritten Record of Events for the 2nd U.S.V.		proof and the lockplate is correctly stamped with a Federal Eagle ahead
	Engineers during the Spanish American War. (23A9739-10) {ANTIQUE}		of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece. The
1	(700/900)		smooth American black walnut straight grip stock rates very fine with just
	Est. 700 - 900		a few light handling marks, the most noticeable of which are a couple
			small dings to the right of the crisp "SWP / 1884" inspector's cartouche.
			There is a strong circled "P" firing proof behind the triggerguard and a
			red-painted "H / 14 / 92" rack mark on the right side of the buttstock. The
			sling swivels and original sights including the R-marked Model 1879
			"buckhorn" rear are intact, a correct slotted button-head cleaning rod is
			included and the three-position lock and tumbler are very strong and
			crisp. A very nice example of the Model 1879 Trapdoor rifle that will
			make an excellent addition to your Springfield arms collection.
			(23A9833-43) (ANTIOLIE) (700/900)

(23A9833-43) {ANTIQUE} (700/900) Est. 700 - 900

#### Title/Description Lot

Title/Description Lot

1327	U.S. Model 1879 Trapdoor Carbine by Springfield Armory	1329	U.S. Model 1861 Percussion Rifle-Musket by Savage R.F.A. Co. New
1521	serial #143116, 45-70 Govt., 22" barrel with a bright near excellent bore	1323	Jersey Surcharged
	showing one very small area of the faintest pitting in the strong rifling.		.58 cal., 40" barrel with a bright excellent bore. The metal surfaces are
	The barrel and mountings are toning to an overall blue-brown patina		an even gray patina as cleaned with scattered areas of softened pinprick
	with a handful of scattered tiny dings along the barrel and some minor		pitting overall and particularly around the breech, a few light handling
	impact marks just ahead of the band, light silvering at the muzzle and on		marks along the barrel and a few scattered spots of light oxidation
	the high edges, and some light flaking on the bow of the triggerguard.		staining. The lockplate is dated 1863 behind the hammer and is properly
	There are streaks of arsenal-applied blue along the barrel and wood line		marked with a Federal Eagle ahead of the hammer and with "SAVAGE
	while the tang of the triggerguard displays some pinprick pitting and faint		R.F.A. Co. / MIDDLETOWN, Ct." beneath the bolster. The breech of the
	striations at the tip with strong amounts of arsenal-applied blue. The		barrel is also dated 1863 on the top, proofed with a "V / P / (eagle
	receiver and tang display a mottled pewtery gray patina with some light		head)" on the left quarter flat, and "N.J" is clearly marked on the left.
	oxidation staining and remnants of old dried lubricant while the breech		The smooth American black walnut stock rates about very good plus
	block shows a lightly softened "U.S. / MODEL / 1873" marking and is		with the areas around the action lightly cleaned with a touch of added
	also a mottled pewtery gray with areas of arsenal-applied blue		finish, a nicely repaired chip ahead of the rear lockplate screw, a few
	remaining. The action retains strong arsenal blue with tiny speckles		well-camouflaged filled repairs around the left stock flat, a narrow sliver
	toning to a brown patina overall with the lockplate properly marked with		missing from below the lockplate and few scattered light handling marks
	a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD"		overall. There is a softened boxed inspector's cartouche on the left stocl
	below the thumbpiece. "23" is stamped on the triggerguard tang while		flat, a "3" is stamped to the left of the upper tang and "M" is behind the
	the breech of the barrel is proofed with a "V / P / (eagle head) / P". The		triggerguard. The nipple is a modern replacement, the original sights
	smooth American black walnut straight grip stock rates very good as		and slings swivels are intact, a correct cupped tulip-head ramrod with
	lightly cleaned during the period of use with a smoothed abrasion behind		retaining swell and threaded end is stored below the barrel and the
	the thumbpiece notch and the typical scattered light handling marks of		action is very strong and crisp. According to George D. Moller, author of
			American Military Shoulder Arms Vol. III, page 310, over 2,200 Savage
	an antique military carbine. There is a softened "SWP / 1880"		
	inspector's cartouche behind the intact sling bar with ring and a very		rifle-muskets were purchased by the state of New Jersey between
	crisp circled "P" firing proof behind the triggerguard tang. The original		1863-1864 of which 1,916 were still stored in the state arsenal as late as
	sights including the C-marked Model 1879 "buckhorn" rear are intact,		1879. (23B9882-9) {ANTIQUE} (800/1200)
	the three-position lock and tumbler are very strong and crisp and stored	1000	Est. 800 - 1,200
	within the trap buttplate is a Model 1882 headless shell extractor.	1330	U.S. Model 1861 Percussion Rifle-Musket by Welch, Brown & Co.
	(23A9833-15) {ANTIQUE} (800/1200)		.58 cal., 40" barrel with a bright excellent bore. The metal surfaces
	Est. 800 - 1,200		display a mellow silvery patina as cleaned with speckles of lightly
328	U.S. Model 1884 Trapdoor Carbine by Springfield Armory		oxidized softened fine pitting overall, and a few tiny impact marks
	serial #414962, 45-70 Govt., 22" barrel with a bright fine bore showing a		around the forend cap and the forend cap has aged to a brown patina.
	few tiny areas of faint pitting in the rifling. The barrel and band are toning		The top flat of the breech is dated 1863 while the left quarter flat is
	to a plum-brown patina as lightly cleaned during the period of use with a		stamped with a slightly softened "V / P / (eagle head)" proof mark. The
	few scattered areas of softened light pitting, a few light handling marks		lockplate is marked "1863" behind the hammer and with a Federal Eagle
	and very slight silvering at the muzzle. The triggerguard has aged to a		ahead while "U.S. / NORFOLK" is below the thumbpiece. The smooth
	blue-gray patina with a few light impact marks on the bow and speckles		black walnut straight grip stock rates very good as perhaps lightly
	toning to brown on the tang along with a modest amount of		cleaned with a touch of period added finish, a few very tiny filled repairs
	arsenal-applied blue. The front of the receiver is toning to plum brown		just ahead of the point of comb, a 3/4" oval chip and abrasion on the left
	while the 1884-dated breechblock, breech tang and thumbpiece are a		side of the buttstock by the heel of the buttplate, and the scattered minor
	dark gray patina with some very light oxidation staining. The hammer		dings and handling marks typical of an issued Civil War arm. The left
	and lockplate retain much arsenal-applied blue with some scattered		stock flat features the remnants of a boxed inspector's cartouche and a
	speckles toning to brown and the lockplate displays slightly softened		softened yet fully legible "W.W. WELCH / NORFOLK, CT." The original
	markings including a Federal Eagle ahead of the hammer and "U.S. /		sights and sling swivels are intact, a lightly pitted correct cupped
	SPRINGFIELD" below the thumbpiece and there is a crisp "5" on the		tulip-head ramrod with retaining swell and threaded end is included and
	rear of the triggerguard. The breech of the barrel is properly proof		the action is strong and crisp. William Welch, Brown and Company
	marked with a "V / P / (eagle head)". The smooth black walnut straight		manufactured 18,000 stands of arms for the Union during the course of
	grip stock rates very good as lightly cleaned with a touch of period		the Civil War with this particular rifle-musket remaining in very nice
	added finish which is lightly crazing on each side of the buttstock near		condition. (23A9882-7) {ANTIQUE} (700/900)
	the trap buttplate along with some light dings and handling marks from		Est. 700 - 900
	the past 125 years or so. There are no visible cartouches or marking	1331	U.S. Model 1861 Percussion Rifle-Musket by Providence Tool Co.
	and the sling bar and ring are intact on the left side below the action.		.58 cal., 40" barrel with a bright very fine bore showing some very faint
	The carbine is equipped with the original sights including the C-marked		pitting in the otherwise strong rifling. Providence Tool Company was one
	Model 1884 Buffington rear with Model 1890 barrel band with rear sight		of the most prolific manufacturers of first-rate Model 1861 rifle-muskets
	protecting hump and the three-position lock and tumbler are strong and		delivering 70,000 stands of arms to the Federal government between
	crisp. (23A9833-16) {ANTIQUE} (800/1000)		1862-1865. The metal surfaces of this late war example display a mostly
	Est. 800 - 1,000		bright gunmetal patina as cleaned with some scattered areas of
			softened fine pitting, a few small areas of light oxidation on the
			US-marked buttplate, a couple short scrapes along the top of the barrel,
			and some scattered speckles of fine freckling overall. The metal
			markings have been softened or partially removed from the cleaning
			with the date on the top of the breech appearing to be "1865" while the
			left quarter flat displays a "3" along with a "V / P / (eagle head)" proof
			and "E.C.B." on the left flat. The lockplate is dated "1863" behind the
			hammer while "U. (Federal Eagle) S. / PROVIDENCE TOOL CO. /
			PROVIDENCE, R.I." is ahead of the hammer. The smooth American
			black walnut straight grip stock rates good with a thick coat of added
			finish (some tiny drops of which are on the mountings) which is toning to
		1	( , ,
			brown under direct light around the edges of the stock flats and on the
			brown under direct light around the edges of the stock flats and on the right side of the forend around the lower two bands along with the
			right side of the forend around the lower two bands along with the
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model 1861 rear sight which retains much of its original blue and a correct,
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model 1861 rear sight which retains much of its original blue and a correct, faintly pitted, cupped tulip-head ramrod with retaining swell and
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model 1861 rear sight which retains much of its original blue and a correct, faintly pitted, cupped tulip-head ramrod with retaining swell and threaded end is included. The half-cock notch is worn and the action is
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model 1861 rear sight which retains much of its original blue and a correct, faintty pitted, cupped tulip-head ramrod with retaining swell and threaded end is included. The half-cock notch is worn and the action is otherwise strong. A good overall example of a Providence Tool
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model 1861 rear sight which retains much of its original blue and a correct, faintly pitted, cupped tulip-head ramrod with retaining swell and threaded end is included. The half-cock notch is worn and the action is otherwise strong. A good overall example of a Providence Tool Company Model 1861 contract rifle-musket with likely ties to the state of t
			right side of the forend around the lower two bands along with the scattered light dings and handling marks of a Civil War shoulder arm that appears to have seen action. There is a "M" inspection mark behind the triggerguard and the left stock flat is clearly stamped "N.J" which likely indicates ownership by the state of New Jersey at some point. The sling swivels and original sights are intact including the correct Model 1861 rear sight which retains much of its original blue and a correct, faintty pitted, cupped tulip-head ramrod with retaining swell and threaded end is included. The half-cock notch is worn and the action is otherwise strong. A good overall example of a Providence Tool

1332			
	U.S. Model 1816 Percussion Converted Musket by Hewes & Phillips	1337	Smith & Wesson Model 18 Combat Masterpiece Revolver
	.69 cal., 41" barrel with a bright very fine bore showing a small area of		serial #K349647, 22 LR, 4" pinned barrel with an excellent bore. The
	light oxidation near the muzzle. This Type III musket by Springfield		metal surfaces retain 99% strong original blue with just a couple tiny
	Armory was likely altered to percussion using the cone-in-barrel method		blemishes with the .500" target hammer and service trigger showing
	during its service life before ultimately being realtered by Hewes &		nice swirls of case-hardened color. The checkered walnut factory Magna
	Phillips of Newark, NJ using the superior "bolster-type" method in which		grips with silver S&W medallions are excellent, the interior of the right
	the breech is replaced with a chambered breech with integral bolster.		panel is stamped with matching "349 / 647". This 1958 revolver is
	The "National Armory bright" metal surfaces display a mellow silvery		sighted with a Baughman front and an adjustable square-notch rear
	patina as cleaned with softened faint pitting and speckles of light		blade. Included is the original near very good condition metal corner
	oxidation staining scattered throughout, a few light handling marks on		factory box with matching end label and matching serial number
	the bands and along the barrel and some spots of old light oxidation on		grease-penciled on the bottom. A complete package for the discerning
	the US-marked buttplate. There are only faint remnants of the Federal		collector. (22B9769-37) {C&R} (800/1200)
	Eagle on the lockplate while the "US" ahead of the hammer and		Est. 800 - 1,200
	"SPRING / FIELD / 1834" remain clear. There are a couple cracks in the	1338	Smith & Wesson Model 625-8 Double Action Revolver
	right side of the bolster which is properly marked "H & P" while the		serial #DAP8738, 45 ACP, 5" full lug barrel with an excellent bore. The
	breech of the barrel is dated "1862" on the top and displays a softened		satin stainless steel surfaces and factory Hogue black rubber
	"P" proof on the left, and the mountings are marked with various		pebble-grain combat grips are excellent with just a couple tiny scattered
	inspection letters. The smooth black walnut straight grip stock rates		handling marks. The trigger and hammer have toned to dusky gray. The
	good as lightly cleaned long ago with a small filled repair and a couple		front sight is a tall blade with a little wear at the front and the rear is an
	minor impact marks on the comb, a 1" filled repair on the right side of		adjustable square-notch blade. Included are the original factory hard
	the forend between the upper and middle bands, and scattered light		case with paperwork, six half-moon clips, seven full-moon clips and a
	dings and handling marks commensurate with military service. This		moon clip loading tool. (22A9808-65) {MODERN} (700/900)
	barrel remains unrifled though the musket has been sighted with a		Est. 700 - 900
	Model 1861 rear and a correct iron blade front is soldered to the front	1339	Kimber Ultra RCP II Semi-Auto Pistol
	barrel ring of the upper band. The slings swivels are intact, a correct		serial #KU57794, 45 ACP, 3" barrel with an excellent bore. The black
	button-head ramrod with threaded end is included and the action is very		anodized frame and the black KimPro II-coated slide retain 99% original
	crisp and robust. Percussion-converted Model 1816 muskets played a		finish with a couple small blemishes and a tiny bit of wear on the thumb
	pivotal role in the early years of the Civil War and this example remains		safety. The checkered black rubber double diamond-style Crimson
	in very nice condition. (23A9882-5) {ANTIQUE} (700/900)		Trace grips are excellent however functionality is unclear as there is no
	Est. 700 - 900		battery present. This is a concealed carry pistol through-and-through,
1333	Smith & Wesson Model 48 K-22 Masterpiece Magnum Revolver		the sight system consists of a u-shaped trench and all the corners have
	serial #K386431, 22 MRF, 6" pinned barrel with an excellent bore. The		been rounded and smoothed for ease-of-carry. Included is the original
	metal surfaces retain perhaps 97-98% original blue, there is some		hard case and a single factory magazine. (22A9808-63) {MODERN}
			· · · · · · ·
	silvering on both sides of the muzzle, a couple small freckles and		(800/1200)
	scatted tiny blemishes. The .500" target hammer and trigger show		Est. 800 - 1,200
	slightly-muted but nice case-hardened color. The checkered goncalo	1340	Smith & Wesson Model 18-3 Combat Masterpiece Revolver
	alves target grips are excellent. This 1960 revolver is sighted with a		serial #K887968, 22 LR, 4" pinned barrel with an excellent bore. The
	square-notch micro-adjustable rear and a Patridge front. (22A9790-16)		metal surfaces retain 99% original blue with only a couple tiny
	{C&R} [Bob Borcherdt Collection] (800/1200)		blemishes. The service hammer and trigger show some nice remaining
1001	Est. 800 - 1,200		color with a bit of flaking on the trigger. The checkered walnut factory
1334	Smith & Wesson Model 63 22/32 Kit Gun Revolver		grips with S&W medallions are excellent and are correctly-numbered to
	serial #M196981, 22 LR, 4" barrel with an excellent bore. The stainless		the gun. The front sight is a Baughman ramp and the rear is a
	steel surfaces are excellent with a tiny blemish here-or-there, the trigger		micro-adjustable blade. Included is the original metal corner factory box
	steel surfaces are excellent with a tiny blemish here-or-there, the trigger and hammer retain all their original hard chrome. The checkered black		micro-adjustable blade. Included is the original metal corner factory box in near very good condition with some minor oxidation on the metal
	and hammer retain all their original hard chrome. The checkered black		in near very good condition with some minor oxidation on the metal
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900)
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob	1244	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900)	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900)	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #22834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character.
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900)
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R}	1341	in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200)		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900
1335	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200)		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield.
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est: 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handing marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handing marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round but target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertial forend and capped pistolgrip buttstock are near very good with the checkering
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is an adjustable blade with vertically-serrated base, the front is a serrated ramp. This is a very fine late-60s Kit Gun revolver, it comes with the		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and capped pistolgrip buttstock are near very good with the checkering mostly flat-top with flaking finish, a couple tiny chips and handling marks throughout, this shotgun clearly put in significant work in the field but
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is an adjustable blade with vertically-serrated base, the front is a serrated ramp. This is a very fine late-60s Kit Gun revolver, it comes with the original very good condition metal corner blue two-piece box correctly		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and capped pistolgrip buttstock are near very good with the checkering mostly flat-top with flaking finish, a couple tiny chips and handling marks throughout, this shotgun clearly put in significant work in the field but was still well-cared-for. The safety is automatic, the single trigger is
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is an adjustable blade with vertically-serrated base, the front is a serrated ramp. This is a very fine late-60s Kit Gun revolver, it comes with the original very good condition metal corner blue two-piece box correctly numbered to the gun. The end label also indicates "Spl Ige. grips" under		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and capped pistolgrip buttstock are near very good with the checkering mostly flat-top with flaking finish, a couple tiny chips and handling marks throughout, this shotgun clearly put in significant work in the field but was still well-cared-for. The safety is automatic, the single trigger is non-selective, the closure features a Greener-style crossbot and the 3"
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is an adjustable blade with vertically-serrated base, the front is a serrated ramp. This is a very fine late-60s Kit Gun revolver, it comes with the original very good condition metal corner blue two-piece box correctly numbered to the gun. The end label also indicates "Spl Ige. grips" under Special Features, indicating that the round butt target stocks came		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handing marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and capped pistolgrip buttstock are near very good with the checkering mostly flat-top with flaking finish, a couple tiny chips and handing marks throughout, this shotgun clearly put in significant work in the field but was still well-cared-for. The safety is automatic, the single trigger is non-selective, the closure features a Greener-style crossbolt and the 3" chambers feature extractors. The length-of
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is an adjustable blade with vertically-serrated base, the front is a serrated ramp. This is a very fine late-60s Kit Gun revolver; it comes with the original very good condition metal corner blue two-piece box correctly numbered to the gun. The end label also indicates "Spl Ige. grips" under Special Features, indicating that the round butt target stocks came installed from the factory. A great little .		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) (MODERN) [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handling marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and capped pistolgrip buttstock are near very good with the checkering mostly flat-top with flaking finish, a couple tiny chips and handling marks throughout, this shotgun clearly put in significant work in the field but was still well-cared-for. The safety is automatic, the single trigger is non-selective, the closure features a Greener-style crossbolt and the 3" chambers feature extractors. The length-
	and hammer retain all their original hard chrome. The checkered black rubber Pachmayr presentation grips are excellent. This early-80s revolver is sighted with a serrated blade red insert front sight and a micro-adjustable square-notch blade rear. (22A9790-4) {MODERN} [Bob Borcherdt Collection] (700/900) Est. 700 - 900 Colt Woodsman Sport Semi-Auto Pistol serial #92834, 22 LR, 4 1/2" straight-tapered barrel with an excellent bore. The metal surfaces retain perhaps 96-97% original blue with scattered freckles and a couple small curious stains on the slide, there is some slight thinning at the muzzle and light edge wear one would associate with an occasionally-holstered gun. These straight-taper barrel First Series Woodsman pistols are equipped with a fixed blade front sight and an adjustable rear with the two fire-blued screws showing minor slot wear. The fully-checkered factory grips are very good plus bordering on excellent, the points show some very slight wear and the wood has darkened from the years. Included is a correct and near excellent condition two tone factory magazine. (22A9786-3) {C&R} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Smith & Wesson Special Order Model 34-1 22/32 Kit Gun Revolver serial #133219, 22 LR, 2" pinned barrel with an excellent bore. The metal surfaces retain 99% strong original blue with a few very light and unobtrusive freckles and the service hammer and trigger show wonderful case-hardened color. The checkered walnut factory round butt target grips with S&W medallions are very good, there are some small impact marks at the butt and a couple tiny chips. The rear sight is an adjustable blade with vertically-serrated base, the front is a serrated ramp. This is a very fine late-60s Kit Gun revolver, it comes with the original very good condition metal corner blue two-piece box correctly numbered to the gun. The end label also indicates "Spl Ige. grips" under Special Features, indicating that the round butt target stocks came		in near very good condition with some minor oxidation on the metal parts. The box includes a sight adjustment tool, unused cleaning kit and factory paperwork. (22A9809-3) {C&R} (700/900) Est. 700 - 900 Smith & Wesson Post-War K-22 Masterpiece Revolver serial #K153796, 22 LR, 6" pinned barrel with an excellent bore. The metal surfaces of this five-screw Pre-Model 17 revolver retain about 96-97% original blue, there is wear at the muzzle and on the frame with some faint freckling and high edge wear. All markings remain crisp with the trigger and ejector rod wearing to silver and the hammer showing nice remnants of case color. The diamond checkered walnut factory grips are likely from an earlier gun and rate very good with the S&W medallions being slightly-tarnished and showing some scattered handling marks. The rear sight is a micro-adjustable blade and the front is a Patridge blade. A nice 1952 Third Model with a little bit of character. (22A9830-56) {MODERN} [Dr. William C. Nugent Collection] (700/900) Est. 700 - 900 Beretta Silver Hawk Featherweight Boxlock Double Shotgun serial #C33832, 12 ga, 28" barrels marked improved modified (**) and full (*) with both measuring tight modified and having excellent bores. The barrels retain perhaps 97-98% original blue, there are scattered light scratches and handing marks associated with time spent afield. The triggerguard and lever show some similar amounts of wear on the high edges. The engraved coin-finished frame is excellent, there are splashes of foliate scroll, a floral motif on the fences and geometric patterns and borders. The checkered walnut beavertail forend and capped pistolgrip buttstock are near very good with the checkering mostly flat-top with flaking finish, a couple tiny chips and handing marks throughout, this shotgun clearly put in significant work in the field but was still well-cared-for. The safety is automatic, the single trigger is non-selective, the closure features a Greener-style crossbolt and the 3" chambers feature extractors. The length-of

Lot Title/Description

1010	Overlage Diversible All Tagging Falling Direct Diffe	40.40	LLO, Derrection Arms, Oc. Medel 4005, Ore de Llavor Astica Diffe
1343	Custom Ruger No. 1-H Tropical Falling Block Rifle	1349	U.S. Repeating Arms Co. Model 1895 Grade I Lever Action Rifle
	serial #132-74801, 375 H&H Magnum, 24" heavy barrel with an		serial #00936MW95A, 405 Win, 24" barrel with an excellent likely unfired bore. The metal surfaces retain 99% plus original blue and the
	excellent bore. The metal surfaces retain 99% original blue with a bit of		·
	faint wear at the muzzle with hints of deep plum on the block and lever.		gold trigger retains all its original finish. The checkered walnut
	The later-added checkered walnut pistolgrip buttstock with left-side		straight-grip buttstock and schnabel-style forend are excellent with just couple very minor handling marks. The front sight is a brass bead, the
	shadowline checkpiece and glass-bedded forend are very good with		rear is a semi-buckhorn sporting. Included is the original red Wincheste
	fleur-de-lis patterns protruding into the checkering and a metal skeleton grip cap. Rifle is sighted with a white diamond flip-up rear sight mounted		
			factory box with paperwork and lock. (22A9808-46) {MODERN}
	to the quarter rib, a brass bead front sight and a pair of 1" factory rings		(800/1200) Est 800, 1 200
	are included. A great gun for the bold hunter looking for that gentle	1350	Est. 800 - 1,200
	"push" from a .375 H&H magnum cartridge. (22A9808-50) {MODERN}	1350	U.S. Repeating Arms Co. Model 1895 30-06 Centennial Saddle Ring
	(700/900) Est. 700 - 900		Carbine serial #00351MT95M, 30-06, 22" barrel with an excellent likely unfired
1344	Browning Limited Edition Model 71 Lever Action Carbine		bore. The metal surfaces retain 99% plus original blue, "1906 – 2006
1344	serial #02567PR1C7, 348 Win, 20" barrel with an excellent bore. The		Celebrating 100 Years of 30-06 Springfield" is stamped and filled with
	metal surfaces retain 99% strong original blue with some very minor		gold on the receiver's left-side. The smooth straight-grip walnut buttstoo
	edge wear on the checkered steel buttplate. The smooth walnut		and finger-groove forend and handguard are excellent plus. The gun is
	pistolgrip buttstock and forend are near very good plus with scattered		equipped with a brass blade front sight, a graduated ladder rear and a
	light handling marks. The rear sight is a semi-buckhorn with elevator, the		tang-mounted safety. Included is the original red Winchester factory bo
	front is a tall blade missing its bead. These guns are a faithful		with paperwork and lock. (22A9808-47) {MODERN} (800/1200)
	reproduction of the Winchester carbine, only 4,000 were manufactured		Est. 800 - 1,200
	in 1986-87. (22A9808-15) {MODERN} (700/900)	1351	U.S. Repeating Arms Co. Model 1895 Grade I Lever Action Rifle
		1351	
1345	Est. 700 - 900		serial #NF1431, 30-06, 24" barrel with an excellent likely unfired bore.
1345	Colt Model 1908 Pocket Hammerless Semi-Auto Pistol		The metal surfaces retain 99% plus original matte blue with a splash of
	serial #40818, 380 ACP, 3 3/4" barrel with a near excellent bore		crisp, tight scroll engraving on each side of the receiver. The checkered
	showing very minor frosting in the grooves. The metal surfaces of this		walnut straight-grip buttstock and forend are excellent plus. The front
	1921 Type III pistol retain perhaps 93-95% original blue with some		sight is a brass bead, the rear is a semi-buckhorn sporting. Included is
	thinning and edge wear one would associate with right-hand holstering,		the original red Winchester factory box. (22A9893-4) {MODERN}
	there is some faint scattered freckling becoming slightly more		(800/1200)
	concentrated around the top of the right grip and trigger flat. The interior	1050	Est. 800 - 1,200
	of the slide is marked with matching "40818". The fully-checkered	1352	Pedersoli Rocky Mountain Hawken Percussion Sporting Rifle
	factory grips with silver Rampant Colt medallions are near very good,		serial #DA123740, 50 cal, 32" octagon barrel with an excellent likely
	there is a light impact mark on the left panel and a few other small		unfired bore. The barrel retains 99% original brown with a handling mar
	scattered blemishes. A single very good condition factory two-tone		or two. The lock and remaining metal furniture are near excellent and
	magazine with "CAL.380 / COLT"-marked baseplate is included.		retain all their original case-hardened color with some minor signs of
	(22A9897-10) {C&R} (700/900)		handling. The maple halfstock with left-side cheekpiece is excellent with
	Est. 700 - 900		some minor handling marks and very nice fiddleback figure its entire
1346	Sig Sauer P220 ST Semi-Auto Pistol		length. There is a semi-buckhorn rear sporting sight with elevator, a
	serial #G344057, 45 ACP, 4 1/4" barrel with an excellent bore. The		Rocky Mountain German silver front sight and a brass-tipped wooden
	stainless steel surfaces are excellent, the controls, trigger and hammer		ramrod. Included is the original factory box. (22A9806-7) {ANTIQUE}
	all retain their original blue. The pebble grain wraparound factory Hogue		(800/1200)
	grips are excellent and the three-dot trijicon night sights glow a faint	1050	Est. 800 - 1,200
	green. This German-made pistol comes with two factory eight-round	1353	Winchester Pre-War Model 62 Slide Action Rifle
	magazines and the original hard case with paperwork and lock.		serial #69698A, 22 S, L, LR, 23" barrel with an excellent bore. The meta
	(22A9896-42) {MODERN} (700/900)		surfaces retain perhaps 97-98% original blue, there is some faint edge
	Est. 700 - 900		wear, a few light scratches and scattered blemishes mostly found on the
1347	Kimber Eclipse Target II Semi-Auto Pistol		receiver with all markings remaining crisp. The smooth walnut buttstock
	serial #K102345, 45 ACP, 5 1/2" GI replacement barrel that has been		with WRAC-marked checkered hard rubber buttplate and small
	over-throated and will need to be replaced, an easy fix. The stainless		10-groove forend are very good with some light impact marks and
	steel and matte blue surfaces are excellent with tight 30 LPI checkering		scattered blemishes, the figure is subtle but nice with straight-grain
	on the frontstrap and a couple small blemishes from assembly and		going back toward the buttplate and faint fiddleback when manipulated
	handling. The checkered double diamond tan and brown laminate grips		in the light. Rifle is sighted with a silver front bead and a Winchester 32
	are excellent. The front sight is a serrated blade with a tritium dot that		rear sight. A great little 1937-manufactured Winchester. (22A9830-28)
	glows a faint green and the rear is an adjustable serrated blade.		{C&R} (800/1200)
	Included are a factory hard case and two factory magazines, one blued		Est. 800 - 1,200
	without bumper, one stainless with bumper. (22A9896-35) {MODERN}	1354	Fabrique Nationale Self Loading Police Semi-Auto Shotgun
	(800/1200)		serial #11BMR06130, 12 ga., 18" Invector choke barrel with an excellen
	Est. 800 - 1,200		bore. The metal surfaces retain 99% original blue and anodized finish
1348	Special Edition Weatherby Orion Ducks Unlimited Over Under Shotgun		with the bolt body also blued. The synthetic black checkered pistolgrip
	serial #87DU755, 20 ga., 26" screw-choke ventilated rib barrels with		buttstock and forend are excellent. Shotgun is sighted with a high profil
	excellent likely unfired bores. This shotgun was manufactured and		white dot front, an adjustable ghost ring-style rear sight and included an
	designed in 1987 to commemorate the 50-year anniversary of Ducks		an additional piston assembly, choke wrench and two Invector choke
	Unlimited. The metal surfaces retain 99% plus original blue with gold		tubes, improved cylinder lead shot and a full steel shot. FN states this
	inlaid "DUCKS UNLIMITED" on the rib, gold ducks in flight on the left		shotgun will fire seven 3" magnum shells (6+1) in less than one second
	and right frame flats and "1937 - 1987 / 50th Year" on the belly. The		(22A9830-4) {MODERN} (800/1200)
	checkered walnut rosewood-capped pistolgrip buttstock and		Est. 800 - 1,200
	finger-groove forend are excellent plus with an attractive sheen and	1355	Winchester Pre '64 Model 88 Lever Action Rifle
	subtle fiddleback figure. The gold trigger is single selective, the ejectors		serial #51206, 243 Win, 22" barrel with an excellent bore. The metal
	are strong and the safety is non-automatic. Included are the original		surfaces retain near 99% original blue with some tiny blemishes
	fitted luggage-style case in excellent condition and three choke tubes:		scattered about and the bolt body is bright. The checkered walnut
	modified, improved cylinder and skeet. An as-new collector's item.		capped pistolgrip stock remains in near excellent condition; the
	(22A9723-13) {MODERN} (800/1200)		checkered hard rubber buttplate is perhaps very good, there are
	Est. 800 - 1,200		blemishes and handling marks throughout one could easily-associate
			with standard field use. The rear sight is a flip-up white triangle sporting
			and the front is a small bead with hood. Included is a single
			Winchester-marked magazine with concave arrow. A solid
			1957-manufactured Model 88. (22A9896-161) {C&R} (800/1200)
		1	Est. 800 - 1,200

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

# Lot Title/Description

356	Ruger 44 Standard Model Semi-Auto Carbine	[1	1361	Remington Model 1911 R1 Enhanced Semi-Auto Pistol
	serial #95576, 44 Magnum, 18 1/2" barrel with an excellent bore. The			serial #RHN45602A, 45 ACP, 5" barrel with an excellent bore. This
	barrel and receiver retain 99% original blue with the bolt body showing			lovely pistol retains about 99% plus original black finish. The checkere
	some moderate operational wear. The smooth walnut stock is perhaps			black laminated grips with magazine relief cut rate excellent. The
	very good, there are a couple impact marks and scattered light handling			enhanced series adds many features the 1911 aficionado seeks such
	marks with the alloy buttplate being worn to silver around the toe and			as: ring hammer, long skeletonized trigger with overtravel stop set at 3
	heel. The carbine is sighted with a small brass bead front sight, a white			1/2-5 pounds pull at the factory, beavertail grip safety with checkered
	triangle flip-up rear barrel sight and a rear receiver-mounted adjustable			memory pad, front and back enhanced slide serrations, extended thun
	aperture sight as well as factory drilled and tapped holes for scope			safety, checkered flat mainspring housing, serrated front strap, fully
	mounting. (22A9846-1) {C&R} (700/900)			adjustable Novak's style front sight and fiber optic front sight. It include
	Est. 700 - 900			the original factory hard case that is correctly end labeled and number
357	Winchester Model 52B Heavy Barrel Bolt Action Rifle			to the gun, a pair of factory eight-round magazines, bushing wrench ar
	serial #67895B, 22 LR, 28" heavy barrel with an excellent bore. The			manual. This arm is as-new-in-box, dealer stock, factory fired only, and
	metal surfaces retain near 99% original blue with a small mark at the			may have very small rack or handling marks only. A great gun that is
	front of the receiver and a few other tiny blemishes. The bolt body is			competition ready. (8A9319-359) {MODERN} (700/900)
	mostly-bright and is numbered to the gun. The smooth walnut pistolgrip			Est. 700 - 900
	stock with adjustable handstop/swivel and gunmetal gray checkered	1	1362	Ruger Model SR1911 Commander Semi-Auto Pistol
		'	1302	÷
	steel buttplate is very good as having a light coat of varnish some time			serial #672-23191, 45 ACP, 4 1/4" barrel with an excellent bore. The
	ago, there are scattered handling marks and a few small chips and			matte stainless steel surfaces rate excellent. The double diamond
	some flaking finish around the butt, the gun obviously put some work in			checkered hardwood grips with silver Ruger Phoenix medallions rate
	at the range. Rifle is equipped with a Vaver Corp. receiver-mounted			excellent. The pistol features three dot Novak's style sights, long
	adjustable aperture sight, target blocks and a globe front sight with a			skeletonized trigger with overtravel stop, beavertail grip safety with
	round aperture insert. Included is a single Winchester-marked			memory pad, extended thumb safety, checkered flat mainspring housing
	magazine. (22A9794-8) {C&R} (800/1200)			and ring hammer. It includes the original factory box that is correctly er
	Est. 800 - 1,200			labeled and numbered to the gun, a pair of factory seven-round
58	Remington Model 11-87 Sportsman Semi-Auto Shotgun			magazines, bushing wrench, cable lock with a pair of keys, manual and
	serial #PC871106, 12 ga., 21" fully rifled barrel with an excellent bore.			paperwork. This arm is as-new-in-box, dealer stock, factory fired only,
	The metal surfaces retain about 99% original matte blue with a few			and may have very small rack or handling marks only. A nice pistol for
	minor handling marks and oxidation stains. The checkered synthetic			variety of uses. (8A9319-441) {MODERN} (700/900)
	pistolgrip Monte Carlo buttstock with Remington marked recoil pad	H		Est. 700 - 900
	remain in excellent condition. The checkered synthetic forend rates the	1	1363	Smith & Wesson Model 51 22/32 Kit Gun Revolver
	same as the buttstock. This gun is set up for hunting big game with a			serial #M12938, 22 Magnum RF, 3 1/2" pinned barrel with an excellent
	cantilever scope mount, sling swivel studs and a short fully rifled barrel.			bore. This lovely late 1960s early 1970s made gun remains in wonderf
	It includes the original factory box that is correctly end labeled and			condition with about 99% original blue finish showing a few light
	numbered to the gun, waterfowl plug, trigger lock with a pair of keys and			handling marks and a turn ring on the recessed cylinder. The service
	manual. This arm is as-new-in-box, dealer stock, factory fired only, and			trigger and hammer retain bold case-hardened colors with light
	may have very small rack or handling marks only. The fully rifled barrel			operational wear. The un-numbered checkered walnut square butt grip
	and modern ammunition give contemporary slug guns outstanding			rate excellent with a few light handling marks. This handy woods gun
	accuracy. (8A9319-351) {MODERN} (700/900)			features a Baughman ramp front sight, micro adjustable black blade re
	Est. 700 - 900			sight and it still times and locks up correctly. The Model 51 remains
359	Henry Repeating Arms Classic Big Boy Lever Action Rifle			highly sought after by collectors and woodsman. (8A9790-11)
	serial #BB0032794M, 357 Magnum, 20" octagon barrel with an excellent			{MODERN} (700/900)
	bore. The metal surfaces of this Model H006M rifle retain 99% original			Est. 700 - 900
	blue finish and the brass frame, buttplate and barrel band all rate	1	1364	Smith & Wesson Model 25-2 Heavy Target Revolver
	excellent. The smooth straight grip walnut buttstock rates excellent and			serial #S278978, 45 ACP, 6 1/2" pinned heavy barrel with an excellent
	features a brass buttplate. The smooth walnut forend also rates			bore. This 1966-67 made revolver remains in excellent condition with
	excellent. The rifle features a brass bead front sight, step adjustable rear			about 97% original blue showing light high edge wear, handling marks
	5 · · · · ,			
	sight and rimfire style tubular magazine loading port. It includes the			and a turn ring on the cylinder. The .500" target hammer and .500"
	original box that is correctly end labeled and numbered to the gun,			target trigger retain robust case-hardened colors with moderate
	manual and paperwork. This arm is as-new-in-box, dealer stock, factory			operational wear. A very desirable feature is the un-numbered diamon
	fired only, and may have very small rack or handling marks only. A great			checkered walnut "coke bottle" target grips with extractor relief cutout
	gun for S.A.S.S. competition. (8A9319-172) {MODERN} (700/900)			and silver S&W medallions that rate excellent as lightly cleaned and
	Est. 700 - 900			refinished. The refurbishing did not affect the checkering but softened
60	Franchi Model I-12 Inertia Semi-Auto Shotgun			few edges and left some fine scratches. The gun features a Patridge
	÷			
	serial #05-03-E06556-10, 12 ga., 28" ventilated rib barrel with an			front sight, black blade micro adjustable rear sight, and still times and
	excellent bore featuring Benelli Mobil screw-in choke tube system. The			locks up correctly. A fine example of a Model 1955 marked target
	Franchi inertia guns are based on the famous inertia system from its			revolver. (8A9790-10) {C&R} (800/1200)
	sister company Benelli under the umbrella of Beretta holdings. The			Est. 800 - 1,200
	metal surfaces are covered in Advantage Max4 HD camouflage with		1365	Custom Colt Model 1911 Semi-Auto Pistol
	99% remaining. The checkered pistolgrip buttstock has the same	.		serial #177084, 45 ACP, 5" correct Colt barrel with about half of the bo
	5 I O I			
	camouflage covering and features a built-in sling swivel stud and gel			showing moderate frosting. The metal surfaces of this 1917-made pist
	insert recoil pad. The forend is also checkered and covered in the same			retain about 98% later gunsmith applied arsenal grade Parkerized finis
	Advantage camouflage in excellent condition. The shotgun features a			showing scattered light high edge wear, assembly wear and handling
	red fiber optic bead and sling swivel stud on the magazine cap. It			marks. The grips are later post war commercial replacement checkere
	includes the original factory box that is correctly end labeled and			synthetic stocks with a Rampant Colt in a circle showing light wear and
	numbered to the gun, (3) assorted stock shims, bottle of gun oil, manual,			minor scuffing at the base of the left panel. There is moderate wear to
				5
	paperwork, choke tube wrench and (5) chokes tubes: cylinder, improved			the left Rampant Colt, the right is slightly crisper and overall, they rate
	cylinder, modified, improved modified and full. This arm is			about very good to excellent. The parts are correct for the period of
	as-new-in-box, dealer stock, factory fired only, and may have very small			manufacture but the thumb safety is a later mid-1918 style without
	rack or handling marks only. If you always wanted a Benelli inertia gun			milling cut below the tab. The gun was made into a target pistol by one
	for waterfowl but the price scared you off, this is a fine alternative that			of its previous owners by the addition of a serrated Patridge front sight
	won't break the bank. (8A9319-893) {MODERN} (700/900)			Micro rear sight and some trigger work. The lanyard loop on the smoo
	, , , , , ,			
	Est. 700 - 900			flat mainspring housing has been removed and the gun includes a sin
	, , , , , ,			flat mainspring housing has been removed and the gun includes a sine Colt commercial magazine. (8A9741-20) {MODERN} (800/1200)

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

## Lot Title/Description

1366	Smith & Wesson Model 25-5 Heavy Target Revolver	1370	Smith & Wesson Model 686-6 SSR Pro-Series Revolver
	serial #N660784, 45 Colt, 6" pinned barrel with an excellent bore. This		serial #CPF5747, 357 Magnum, 4 1/8" custom factory barrel with an
	lovely late 1970's made revolver remains in wonderful condition with		excellent bore and recessed crown. The Pro-Series has a distinct barrel
	about 99% original blue finish showing a few light handling marks. The		profile with added extras that make it a great shooter out-of-the-box. The
	.500" target hammer and .500" target trigger retain beautiful		satin stainless steel surfaces rate excellent with a light turn ring. The
	case-hardened colors with minor operational wear. The checkered		smooth combat trigger and service hammer retain strong but
	factory goncalo alves target grips with extractor cutout and silver S&W		unremarkable case-hardened colors showing light operational wear. The
	medallions rate excellent. The revolver features a red ramp front sight,		textured laminated square butt factory grips with silver S&W medallions
	white outline micro adjustable rear sight plus it still times and locks up		rate excellent. The revolver features a red ramp front sight, black blade
	correctly. The gun includes an unmarked factory box, manual and		micro adjustable rear sight, bossed mainspring, tuned action, chamfered
	paperwork. The 45 Colt chambered Heavy Target revolvers always		charge holes and round butt frame. The tuning the factory did is evident
	command strong interest. (8A9790-17) {MODERN} (800/1200)		resulting in a smooth light action, plus as you would expect, timing and
	Est. 800 - 1,200		lock up are excellent. It includes the original factory hard case that is
1367	Smith & Wesson Model 18-3 K-22 Combat Masterpiece Revolver		correctly end labeled and numbered to the gun, spare set of Uncle
	serial #17K4329, 22 LR, 4" pinned barrel with an excellent bore. This		Mike's checkered rubber finger groove combat grips in very good plus
	late 1970's Combat Masterpiece remains in beautiful condition and		condition, fired case, cable lock with a pair of keys, pair of internal lock
	retains about 99% original blue finish with a few light handling marks.		keys, manual and paperwork. A very nice revolver for hunting, shooting
	The revolver has .500" target trigger and .500" target hammer with bold		or self-defense. (8A9830-50) {MODERN} [Dr. William C. Nugent
	case-hardened colors showing light operational wear. The checkered		Collection] (700/900)
	walnut factory Magna grips with silver S&W medallions rate excellent		Est. 700 - 900
	showing a few light handling marks. The revolver features a Baughman	1371	Colt Detective Special Double Action Revolver
	ramp front sight, black blade micro adjustable rear sight and it still times		serial #571227, 32 Colt New Police, 2" barrel with an excellent bore.
	and locks up correctly. The revolver has seen only light use over the		This nice 1950-manufactured revolver remains in excellent condition
	years and would be a wonderful addition to your collection or a great		overall. The metal surfaces retain about 97-98% original nickel plate, the
	woods and range gun. (8A9769-39) {MODERN} (700/900)		sideplate has several tiny oxidation stains in addition to handling marks,
	Est. 700 - 900		
1000			scattered tiny bubbling in the finish, minor clouding and the backstrap
1368	Custom Colt Lightweight Commander Semi-Auto Pistol		toning to gray from handling on the matte surfaces. The trigger and
	serial #CLS45591, 45 ACP, 4 1/4" barrel with an excellent bore. This		hammer retain full nickel plate with slight clouding on the side of the
	model (04840CL) was a limited run by Colt in the 1990s that has had		trigger and handling marks. The checkered synthetic "Coltwood" grips
	some nice custom features that will make it a great carry gun or shooter.		with Rampant Colt in a circle rate excellent. This gun still times and
	The stainless steel and aluminum surfaces rate near excellent showing		locks up correctly. This gun has seen light but honest use and would
	some light scattered handling marks. One of those custom added		make a great addition to any collection. (8A9834-2) {C&R} (800/1200)
	features is the flats on both sides of the frame have been buffed to a		Est. 800 - 1,200
		4070	
	high polish with the remaining surfaces left in the original matte finish.	1372	Kimber Master Carry Pro Semi-Auto Pistol
	The grips are later added factory double diamond checkered rosewood		serial #KR233447, 45 ACP, 4" barrel with an excellent bore. The metal
	grips with gold Rampant Colt medallions that rate excellent. Other		surfaces retain about 97% original KimPro II (slide) and silver anodized
	custom features include a serrated semi-ramp front sight, low mount		finishes, the slide has a series of surface scratches on the left side
	Bo-Mar adjustable rear sight, extended thumb safety, long three-hole		extending to the top and bottom in addition to a few other light handling
	trigger with overtravel stop, long guide rod and factory features such as		marks. The Master Series gray and black laminate Crimson Trace grips
	beveled magazine well, checkered flat mainspring housing and Series		feature a wedge of checkering with other texturing for a unique looking
	80 firing pin block. It includes a factory hard case with picture sleeve that		grip and rate excellent. The pistol has numerous features including
	is correctly end labeled and numbered to the gun, a pair of stainless		Kimber Tactical wedge three dot night sights that still glow, rounded
	steel factory magazines, manual and paperwork. A great		heel, long skeletonized trigger with overtravel stop, extended thumb
	1995-manufactured pistol with nice enhancements. (8A9806-6)		safety, beavertail grip safety with memory swell and the Crimson Trace
	{MODERN} (700/900)		laser grips. It includes the original factory hard case that is correctly end
	Est. 700 - 900		labeled and numbered to the gun, a pair of Kimber magazines, Crimson
1369	Colt Custom Shop Government Model Semi-Auto Pistol		
1309			Trace instructions with maintenance tools, Kimber "L" shaped take down
	serial #FR07551E, 45 ACP, 5" barrel with an excellent bore. This		tool, cable lock with a pair of keys, manual and paperwork. An excellent
	pleasing gun remains in excellent condition and has been given the Colt		defensive pistol package. (8A9834-5) {MODERN} (800/1200)
	"Mod O" Custom Shop upgrade. The metal surfaces retain about 99%		Est. 800 - 1,200
	original blue finish with minor handling marks. The wrap-around textured	1373	Kimber Ultra Carry II Semi-Auto Pistol
	factory rubber grips with silver Rampant Colt medallions rate excellent.		serial #KU130189, 45 ACP, 3" barrel with an excellent bore. The metal
	With the Mod O upgrades, these are some of the guns notable features:		surfaces retain about 98% original KimPro II (slide) and anodized
	three dot Novak's style sights with fiber optic dovetailed front sight,		finishes showing scattered handling marks on the slide and frame. The
	extended ambidextrous thumb safeties, upswept beavertail grip safety		double diamond checkered synthetic burlwood Crimson Trace grips rate
	with memory bump, long trigger and the gun was "adjusted to factory		excellent with a few handling marks. The pistol has a number of
1	specifications" replacing hammer pin, sear pin and the sear spring in the		concealed carry features including Kimber Tactical Novak's style three
			dot sights, long skeletonized trigger with overtravel stop, extended
	process. It includes the unmarked factory hard case, a single factory		
	process. It includes the unmarked factory hard case, a single factory magazine, replaced parts, test target dated 10/19/07 and numbered to		thumb safety, beavertail grip safety with memory swell, checkered flat
	magazine, replaced parts, test target dated 10/19/07 and numbered to		
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom		mainspring housing and the Crimson Trace laser grips. It includes the
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or		mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection]		mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)		mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900)
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection]		mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900)
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 *100 Jahre* Commemorative Semi-Auto Pistol serial #437195, 9mm, 5* barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	<ul> <li>mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 afficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900</li> <li>Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has</li> </ul>
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	<ul> <li>mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 afficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900</li> <li>Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has</li> </ul>
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left "100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left "100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks.
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left "100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks. The interior is French fitted with blue velvet lining plus a small oval
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left "100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks. The interior is French fitted with blue velvet lining plus a small oval "world" brass plaque with the same 100-year markings as the pistol. It
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 afficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left "100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks. The interior is French fitted with blue velvet lining plus a small oval "world" brass plaque with the same 100-year markings as the pistol. It also includes a pair of factory magazines, test target numbered to the
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 *100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left *100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks. The interior is French fitted with blue velvet lining plus a small oval "world" brass plaque with the same 100-year markings as the pistol. It also includes a pair of factory magazines, test target numbered to the gun and a manual. A nice commemorative in first-rate condition.
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 afficionado. (8A9834-4) (MODERN) (700/900) Est. 700 - 900 Walther P-38 "100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left "100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks. The interior is French fitted with blue velvet lining plus a small oval "world" brass plaque with the same 100-year markings as the pistol. It also includes a pair of factory magazines, test target numbered to the
	magazine, replaced parts, test target dated 10/19/07 and numbered to the gun, manual and paperwork. The paperwork includes the Custom Shop work order. A very nice package ready for the range, defense or competition. (8A9830-62) {MODERN} [Dr. William C. Nugent Collection] (800/1200)	1374	mainspring housing and the Crimson Trace laser grips. It includes the original factory hard case that is correctly end labeled and numbered to the gun and a single seven-round Kimber magazine. A great concealed carry pistol for the 1911 aficionado. (8A9834-4) {MODERN} (700/900) Est. 700 - 900 Walther P-38 *100 Jahre" Commemorative Semi-Auto Pistol serial #437195, 9mm, 5" barrel with an excellent bore. This 100-year commemorative remains in excellent condition with about 99% original blue and anodized finishes showing scattered very light high edge wear and few handling marks. The checkered synthetic factory grips rate excellent. The pistol features a white dot front sight, drift adjustable rear sight, slide mounted safety / de-cocker and standard P-38 lanyard loop on the left side of the grip frame. The right side of the slide has "Interarms / Alexandria Virginia" and the left *100 Jahre Walther [in a banner] 1886-1986". The commemorative includes a walnut presentation case that rates excellent showing a few handling marks. The interior is French fitted with blue velvet lining plus a small oval "world" brass plaque with the same 100-year markings as the pistol. It also includes a pair of factory magazines, test target numbered to the gun and a manual. A nice commemorative in first-rate condition.

1375			
	Sig Sauer Model P226 Tac Ops Semi-Auto Pistol	1380	Colt Model 1911A1 World War II European Theater of Operation
	serial #UU781838, 40 S&W, 4 3/8" barrel with an excellent bore. This		Commemorative Semi-Auto Pistol
	pistol remains in grand condition with about 99% original Nitron and		serial #342ETO, 45 ACP, 5" barrel with an excellent bore. This pistol
	anodized finishes showing a few handling marks. The stippled synthetic		remains in excellent condition with the metal surfaces retaining about
	factory grips with Sig Sauer logo on the right panel and model number		99% of the original nickel plate showing minor handling marks. The
	on the left rate excellent. The bottom of the wraparound grips extend		smooth hardwood grips appear to be birdseye maple with gold Colt
	below the frame about 3/8" and flare slightly at the butt, they are large		medallions and rate excellent. The gun is configured in the classic Mode
	hand filling grips. This pistol features traditional double / single action,		1911A1 configuration. The left side of the slide marked "WORLD WAR I
	frame mounted de-cocker, Picatinny rail on the dust cover, Tru-Glo fiber		COMMEMORATIVE EUROPEAN THEATER OF OPERATION"
	optic night front sight and Siglite rear sights. The front and rear night		surrounded by oak leaves and acorns with the right side configured
	sights still glow brightly. It includes the original factory hard case that is		similarly but outlining the major campaigns of the war. The accessories
	correctly end labeled and numbered to the gun, a single thirteen-round		are in near excellent condition and include the blue lined presentation
	factory magazine with a "+2" extended baseplate and manual. An		case with a picture of the signing of the surrender at Rheims inside the
	excellent pistol for a number of defensive and shooting needs.		cover, keys for the presentation case, seven nickel plated dummy 45
	(8A9830-47) {MODERN} [Dr. William C. Nugent Collection] (700/900)		ACP cartridges, sterling silver plaque and a single magazine. The
	Est. 700 - 900		presentation case has scattered light handling marks, the surface
1376	Colt Woodsman Target Semi-Auto Pistol		mounted "skeleton key" lock on the draw functions and the draw pulls
	serial #206436-S, 22 LR, 6" barrel with an excellent bore. This		are 45 ACP cartridge case heads. A very nice commemorative pistol
	third-series pistol retains about 97% original blue, the greatest loss is to		honoring our greatest generation. (8A9864-3) {C&R} (800/1200)
	areas of thinning finish on the grip frame from handling in addition to		Est. 800 - 1,200
	muzzle wear and a few handling marks. The checkered walnut factory	1381	Colt Lightweight Government Model Semi-Auto Pistol
	grips rate excellent with a few handling marks. The pistol features a	1001	serial #LWG03476, 45 ACP, 5" barrel with an excellent bore. This 2013
	pinned Patridge front sight, Accro rear sight, heel style magazine		manufactured pistol shows very light use and remains in excellent
	release and manual thumb safety. The original two-piece factory wood		condition with about 99% original blue and anodized finishes showing a
	grain box is provided and is correctly end labeled and numbered to the		few minor handling marks. The double diamond checkered factory
	gun along with a single factory magazine, manual and paperwork. The		rosewood grips rate excellent. The pistol features a three dot Novak's
	box rates about good showing light to moderate edge wear, repairs to		style sights, ambidextrous extended thumb safeties, long trigger with
	the corners on the cover and bottom and scattered light scuffs. An		overtravel stop, beavertail grip safety with memory bump and serrated
	excellent example of a Woodsman Target. (8A9847-6) {C&R}		flat mainspring housing. It includes the factory hard case that is correctly
	(800/1200)		end labeled and numbered to the gun, single factory seven-round
	Est. 800 - 1,200		magazine, manual and paperwork. A great gun for armed citizen or law
377	U.S. Model 1911 Semi-Auto Pistol by Colt		enforcement looking for a full size 1911 without the added weight.
	serial #533030, 45 ACP, 5" Flannery barrel with an excellent bore. This		(8A9871-4) {MODERN} (800/1200)
	late war Colt has been arsenal refurbished and bears Augusta Arsenal		Est. 800 - 1,200
	÷	1382	Colt Trooper MKIII Double Action Revolver
	rework marks. There are a number of replaced parts and the metal	1302	
	surfaces retain about 96% reapplied arsenal grade Parkerized finish, the		serial #L10072, 357 Magnum, 4" heavy barrel with an excellent bore.
	grip safety is starting to thin in addition to scattered freckling and		This 1976 made revolver retains about 98% original blue with a few
	oxidation stains, high edge wear and handling marks. The double		scattered light handling marks and high edge wear. The smooth combat
	diamond aftermarket replacement grips show light to moderate wear		trigger retains full blue finish with slight thinning on the face and the
	overall with heavy wear at the butt of each panel in addition to handling		target hammer retains beautiful case-hardened colors showing very light
	marks. The hammer, grip safety and slide stop are later 1911A1		operational wear. The revolver has replacement checkered rubber
	replacements. The slide is a replacement manufactured by A.J. Savage		Pachmayr Presentation grips that rate about excellent. The serrated
	that appear on some arsenal reworks, notably Augusta Arsenal.		ramp front sight is present but the Colt Accro rear sight has been
	Depending on the source, it is purported the bulk of the slides were		removed (not provided) and a Weaver scope mount base installed. The
	rejected by the Ordnance Department with the remainder used for		gun still times and locks up correctly but will need attention in the future
	arsenal rebuilds. This slide or the bushing are slightly out of spec as the		as one chamber comes up late occasionally. This gun begs for a
	bushing has to be turned counterclockwise (dismounting position) to		miniature red dot or perhaps a long eye relief scope. (8A9862-7)
			{MODERN} (700/900)
	remove the recoil spring plunger. The pistol includes a single Colt		
			Est. 700 - 900
	marked commercial magazine. Another variation for the dedicated	1383	Est. 700 - 900 Colt Woodsman Match Target Semi-Auto Pistol
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200)	1383	Colt Woodsman Match Target Semi-Auto Pistol
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This
1378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also
1378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while lass allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200)
1378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) (C&R) (800/1200) Est. 800 - 1,200
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in	1383	Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. This 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while alsa allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R}		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while alse allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900)		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 700 - 900		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matt
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 700 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948.		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while alse allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while alse allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matt surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express
378	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matt surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #KS2176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors with light operational wear and slight freckling. The diamond checkered		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express rear sight with center white line, carry melt, extended thumb safety, fine
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors with light operational wear and slight freckling. The diamond checkered walnut factory Magna grips with silver S&W medallions rate excellent. The grips and all appropriate parts are correctly numbered to the gun, it		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matte surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express rear sight with center white line, carry melt, extended thumb safety, fine checkering on the frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, beavertail grip safety with memory swell,
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors with light operational wear and slight freckling. The diamond checkered walnut factory Magna grips with silver S&W medallions rate excellent. The grips and all appropriate parts are correctly numbered to the gun, it has a Patridge front sight, black blade micro adjustable rear sight and		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express rear sight with center white line, carry melt, extended thumb safety, fine checkering on the frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, beavertail grip safety with memory swell, beveled magazine well and full length guide rod. This pistol includes a
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slt, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors with light operational wear and slight freckling. The diamond checkered walnut factory Magna grips with silver S&W medallions rate excellent. The grips and all appropriate parts are correctly numbered to the gun, it has a Patridge front sight, black blade micro adjustable rear sight and still times and locks up correctly. An excellent condition K-38.		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express rear sight with center white line, carry melt, extended thumb safety, fine checkering on the frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, beavertail grip safety with memory swell, beveled magazine well and full length guide rod. This pistol includes a pair of stainless steel magazines, one unmarked with baseplate bumper
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slot, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors with light operational wear and slight freckling. The diamond checkered walnut factory Magna grips with silver S&W medallions rate excellent. The grips and all appropriate parts are correctly numbered to the gun, it has a Patridge front sight, black blade micro adjustable rear sight and still times and locks up correctly. An excellent condition K-38. (8A9864-2) {C&R} (700/900)		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while als allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express rear sight with center white line, carry melt, extended thumb safety, fine checkering on the frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, beavertail grip safety with memory swell, beveled magazine well and full length guide rod. This pistol includes a pair of stainless steel magazines, one unmarked with baseplate bumper pads, the other a Kimber without bumper pad. This gun offers the
	marked commercial magazine. Another variation for the dedicated military collector. (8A9797-5) {C&R} (800/1200) Est. 800 - 1,200 Scarce Ruger Old Model Single Six Revolver serial #160781, 22 LR, 4 5 /8" barrel with an excellent bore. This 1960-manufactured revolver remains in excellent condition with about 98-99% original blue and anodized finishes showing light muzzle wear and scattered light handling marks. The smooth lightly varnished walnut factory grips with black Ruger Phoenix medallions rate excellent. The gun features the correct XR3 frame, steel ejector rod housing with straight slt, ejector with solid round head, serrated round front sight and drift adjustable rear sight. This gun has seen only light but honest use and still times and locks up correctly. Only about 2000 Model RSS4 and RSS4X where manufactured from 1952 to mid-1962 when the XR3-RED frame was phased in. The transfer bar safety update has not been installed on this gun. Limited availability of this model that are in excellent condition make this a desirable collectible. (8A9769-14) {C&R} (700/900) Est. 700 - 900 Smith & Wesson K-38 Target Masterpiece Hand Ejector Revolver serial #K52176, 38 Special, 6" barrel with an excellent bore. This revolver has seen light but honest use since it left the factory in 1948. The metal surfaces retain about 97% original blue showing scattered light handling marks, high edge wear and thinning finish on the grip frame. The service trigger and hammer retain bold case-hardened colors with light operational wear and slight freckling. The diamond checkered walnut factory Magna grips with silver S&W medallions rate excellent. The grips and all appropriate parts are correctly numbered to the gun, it has a Patridge front sight, black blade micro adjustable rear sight and still times and locks up correctly. An excellent condition K-38.		Colt Woodsman Match Target Semi-Auto Pistol serial #238509-S, 22 LR, 4 1/2" heavy barrel with an excellent bore. Thi 1968 third series pistol has seen light but honest use, is equipped with the desirable shorter barrel and remains in excellent condition. The metal surfaces retain about 97-98% original blue showing high edge wear, handling marks and small area of pitting on the backstrap curve below the knuckle. The checkered walnut thumb rest factory grips rate about very good to excellent with limited diamond point wear and a few areas of flaking varnish on the right panel. The pistol features a pinned undercut Patridge front sight, black blade Colt Elliason rear sight and appears to function well mechanically. The pistol includes a single factory marked magazine. This gun will make a fine collectible while also allowing the occasional trip to the range. (8A9868-4) {C&R} (800/1200) Est. 800 - 1,200 Kimber Custom CDP II Semi-Auto Pistol serial #K076068, 45 ACP, 5" barrel with an excellent bore. This lovely two-tone pistol has many features deemed desirable for a carry pistol and remains in superb condition. The metal surfaces of the frame retain about 99% original anodized finish with a few handling marks. The matth surfaces of the stainless steel slide rate excellent. The grips are replacement fully checkered Wilson Combat rosewood stocks with Wilson Combat medallions that rate excellent. This gun is loaded with factory and later added features including Ashley Outdoors (now XS Sight Systems) XS large white dot front sight, XS shallow "V" express rear sight with center white line, carry melt, extended thumb safety, fine checkering on the frontstrap, checkered flat mainspring housing, long trigger with overtravel stop, beavertail grip safety with memory swell, beveled magazine well and full length guide rod. This pistol includes a pair of stainless steel magazines, one unmarked with baseplate bumper

		_	
1385	Colt Officers Model Target Revolver	13	0 0
	serial #20532, 22 LR, 6" barrel with an excellent bore. This vintage		Pistol
	revolver has a unique period front sight and remains in excellent		serial #PK002157, 45 ACP, 4 1/4" Wilson barrel with an excellent bore.
	condition. The metal surfaces retain about 97-98% original blue, the		This pistol was built on a Fort Lauderdale / Canadian Para-Ordnance
	backstrap lightly thinned, high edge wear, a few scattered tiny oxidation		frame with other quality components and remains in excellent condition.
	stains and handling marks. The checkered trigger retains full blue finish		The metal surfaces retain about 98% original blue and anodized finishes
	and the hammer is a later serrated replacement that has thinned to gray		showing light high edge wear and scant handling marks. The textured
	on the spur with the sides toned to very light gray. The un-numbered		Hogue rubber finger groove "Gripper" wraparound grips rate excellent.
	checkered walnut factory replacement grips with silver Rampant Colt		The gun was assembled with a Colt Combat Commander Series 80
	medallions rate near excellent showing light handling marks. The rear		slide, Wilson Combat 45 ACP barrel, most of the small components
	sight is the standard windage adjustable square notch but the front is		appear to be Colt, the thumb safety and slide stop not identified. Several
	rather unique and interesting. Three layers of approximately .093" metal		parts are proprietary to the Para frame such as the trigger and magazine
	are sandwiched together with the top third angled forward and attached		catch. It features Meprolight three dot high visibility night sights that no
	to an undercut elevation adjustable Patridge blade. The top of the outer		longer glow, functioning Series 80 firing pin safety, ambidextrous
	angled sections of the sight have ivory inserts and the center is cut		extended thumb safety, extended slide stop and short trigger. The pistol
	away. In use the cut away section gives the illusion of a blade front		includes a fourteen-round magazine with bumper pad and a ten-round
	sight. The "blade" is sized in height to fit the rear sight notch. The		magazine with plain baseplate. A great home defense or carry gun for
	closest contemporary sight would be found on the Heckler & Koch		the 1911 enthusiast. (8A9883-6) {MODERN} (700/900)
	VP-70 pistol of the late 1960's that used two polished ramps with a		Est. 700 - 900
	space between them to give the same illusion (proving the saying what's	13	390 Colt Lawman MK III Double Action Revolver
	new is old). There is no name on the sight and research failed to		serial #J74607, 357 Magnum, 4" heavy barrel with an excellent bore.
	produce a maker. The gun still times and locks up as good as the day it		This 1972-manufactured revolver is in wonderful condition and appears
	left Hartford in 1938. This gun looks like it can still punch out X-rings all		to be unfired. The metal surfaces retain about 99% plus original blue
	day long if the shooter is up to it and should be a fun shooter or		with a light turn ring. The serrated service trigger has full blue and the
	interesting collectible. (8B9854-5) {C&R} (700/900)		target hammer retains beautiful case-hardened colors. The checkered
	Est. 700 - 900		walnut factory target grips with silver Rampant Colt medallions are in
1386	Colt Officers Model Match Revolver with Police Markings		excellent condition. The Lawman series featured a serrated ramp front
	serial #902808, 38 Special, 6" heavy barrel with an excellent bore. This		sight and fixed rear sight. This gun includes the original factory wood
	1965-manufactured revolver has police markings on the butt but the		grain box that is correctly end labeled and numbered to the gun,
	specific department has not been identified. The metal surfaces retain		shelf-talker card for the box and paperwork. The box rates about very
	about 97% original blue with high edge wear and handling marks. The		good with one corner torn on the bottom, several areas of peeled
	grooved trigger and target hammer retain full blue finish, the bright sides		"woodgrain" applique on the cover and a crease on one end of the cover
	of the hammer show light operational marks. The grips are replacement		(aligns with the tear in the bottom corner). The Lawman was designed to
	checkered rubber Pachmayr Gripper stocks with Pachmayr medallions		be a hard-working utilitarian gun and you do not often find them is such
	and rate excellent. The revolver features a pinned Patridge front sight,		minty condition. (8A9883-10) {MODERN} (700/900)
	black blade Colt Accro rear sight and it still times and locks up correctly.		Est. 700 - 900
	The butt is neatly stamped "N.H.P.D. No.9". This gun originates from	139	
	Connecticut and this could be New Haven PD but is not confirmed. This		serial #NF1145, 30-06 Springfield, 24" barrel with an excellent bore. The
	was probably a revolver issued to the department pistol team and the		metal surfaces retain about 99% original matte blue finish showing slight
	light wear would be more consistent with that, rather than a duty gun.		wear on some of the high edges. The checkered straight grip walnut
	This would be a great addition to a Police firearms or Colt collection.		buttstock rates very good showing little wear and some scratches on the
	(8A9882-14) {MODERN} (700/900)		left side. The smooth steel buttplate rates near excellent with light edge
	Est. 700 - 900		wear. The checkered schnabel walnut forend rates about the same as
1387	U.S. Model 1917 Revolver by Smith & Wesson		the buttstock with scattered light handling marks. The rifle has wedges
1007	serial #26681, 45 ACP, 5 1/2" barrel with an excellent bore. This		of light factory scroll engraving on both flats of the receiver, later added
	revolver was manufactured approximately March of 1918 and remains in		sling swivel stud on the buttstock but none on the forend or barrel, bead
	fine condition. The gun retains about 90% original blue, the grip frame		front sight, sporting step adjustable rear sight, rebounding hammer and
	thinning to plum-brown and pewter along with high edge wear and		tang safety. It should make a great hunting rifle. (8A9883-3) {MODERN}
			(700/900)
	handling marks commensurate with light range and holster use over the last 102 years. The service trigger and lanyard loop have toned to		Est. 700 - 900
	mostly light gray, the hammer has rich case-hardened colors with	120	292 Colt Government Model Semi-Auto Pistol
	moderate operational wear around the nose. The smooth walnut factory	13	serial #SS11162, 45 ACP, 5" barrel with an excellent bore. This
	service grips rate very good with light to moderate handling marks,		admirable Series 80 Government Model has a few added amenities that
	<b>6 1 1 1 1 1 1 1 1 1 1</b>		will appeal to the 1911 aficionado. The stainless steel surfaces rate near
	mostly on the right panel. The grips and all appropriate parts are		
	correctly numbered to the gun, timing and lock up are excellent, the		excellent with scattered light handling marks and a light small scuff on
	crane lock and crane lock spring are missing but it still functions without		the left side of the slide at the muzzle. The pistol has later added
	them, and Major Gilbert H. Stewarts inspection mark remains crisp. A		checkered rubber Pachmayr Signature Model wraparound grips that rate
	very nice example of a mid-war 1917 revolver. (8A9807-302) {C&R}		excellent. This 1985-manufactured gun is equipped with the Series 70
	[Vincent Coniglio Collection] (800/1200)		collet style barrel bushing, the phase out to solid bushing being
1200	Est. 800 - 1,200		completed about 1988. Some of the custom features added to the gun
1388	Remington New Model Police Cartridge Converted Revolver		include: Millett double staked white ramp front sight, high mount Millett
	serial #1453, 38 RF, 4 1/2" octagon barrel with a fair-good bore showing		white outline adjustable rear sight, checkered oversized and extended
	some light to perhaps moderate pitting and oxidation with otherwise		mushroom shaped magazine catch, extended thumb safety, extended
	strong rifling throughout. This minty little Police Model retains about 99%		slide stop and Videki long trigger with overtravel stop. It includes a single
	original nickel plate with a few sparse handling marks. The smooth		stainless steel Metalform magazine in excellent condition. (8A9888-2)
	walnut factory grips have all the original finish and are in wonderful		{MODERN} (700/900)
	condition. The trigger has some strong fire blue on the sides, the face		Est. 700 - 900
	toned to gray and the hammer has mostly robust case-hardened colors		
	with areas fading to gray and a few oxidation stains. The gun is all		
	matching and functions superbly. The front sight is bent to the left		
1			
	slightly from an impact but this is unobtrusive. A lovely factory cartridge		
	converted New Model Police in exceptional condition. (8A9857-25)		

1000		1007	
1393	British Pattern 1853 Percussion Rifle-Musket with Tower Lock	1397	Smith & Wesson 38/44 Heavy Duty Hand Ejector Revolver
	.577 cal., 39" barrel with a bright excellent bore. The barrel of this Third		serial #S91750, 38 Special, 4" barrel with an excellent bore. This early
	Model rifle-musket is toning to a light plum brown patina as cleaned with		1950s revolver has seen light honest use and retains about 95% original
	later added blue around the breech and the area around the muzzle		blue, the backstrap toning gray with thinning on the triggerguard and
	toning more to gray. There are numerous streaks, scratches and		frontstrap in addition to high edge wear and scattered handling marks.
	handling marks toning to gunmetal gray, some fine pitting beneath the		The service trigger and hammer retain bold case-hardened colors with
	finish around the area of percussion and scattered spots of softened		light operational wear. The diamond checkered walnut grips with silver
	light oxidation. The bands are toning to a brown patina with some spots		S&W medallions are numbered to the gun and rate very good to
			, , , , , , , , , , , , , , , , , , ,
	of loss toning to gray and the middle band does not clamp the stock		excellent showing a small chip and a few dents. The front sight has
	properly allowing it to move freely. The brass forend cap, triggerguard,		been modified to an undercut Patridge and the rear is the standard fixed
	buttplate and lock screw escutcheons are an attractive ochre patina with		sight. Timing is good and lock up will need attention soon as several
	the expected numerous light handling marks on the buttplate and a few		chambers come up late on single action and all appropriate parts are
	on the bow of the triggerguard. The lockplate has aged to brown with		correctly numbered to the gun. A fine specimen for the upstart collector
	some light pitting below the bolster and is marked "1861 / TOWER"		or shooter. (8A9893-7) {C&R} (700/900)
	ahead of the hammer and with a crown behind. The smooth walnut		Est. 700 - 900
	straight grip stock rates good with the toeline showing numerous	1398	Smith & Wesson Performance Center Model 627-PC Double Action
	moderate abrasions and impact marks that have been slightly smoothed		Revolver
	leaving the buttplate proud at the toe. "XX" has been scratched ahead of		serial #HMA0034, 357 Magnum, 2 5/8" fluted barrel with an excellent
	the triggerguard and there is a minor bruise ahead of the right stock flat		bore. The stainless steel surfaces rate excellent with a few sporadic
	with both retaining remnants of red filler and there are some scattered		handling marks. The smooth combat trigger with overtravel stop and tear
	light handling marks overall. The stock features the faint remnants of a		drop shaped hammer retain full hard chrome finish. The grips are
	• •		
	cartouche directly ahead of the buttplate tang and on the left stock flat.		replacement pebble grain rubber Hogue Monogrips that remain in very
	The sights have been modified with the front now a taller blade and the		good to excellent condition. This revolver features a red Millett
	rear sight ladder is a later replacement missing the sliding "V" notch and		dovetailed front sight, white outline micro adjustable rear sight, the
	showing some grinding marks and added holes. The nipple is a modern		unfluted eight-shot cylinder is cut for moon clips and it still times and
	replacement, the sling swivels are intact, a slotted head ramrod is		locks up correctly. The revolver includes a mismatched factory plastic
	included and the action remains strong. (23A9853-12) {ANTIQUE}		hard case, cable lock with a pair of keys, a pair of "8 Shot" eight-round
	(600/800)		speed loaders, manual and paperwork. Also included is a Smith &
	Est. 600 - 800		Wesson aluminum hard case with S&W logo medallion on the cover and
1394	Colt Commander Semi-Auto Pistol		, and the second s
1394			combination latch. This gun remains in excellent condition and has many
	serial #48739-LW, 45 ACP, 4 1/4" barrel with an excellent bore. This		possibilities. (8A9893-5) {MODERN} (700/900)
	1966-manufactured pistol has had a few cosmetic and part changes but		Est. 700 - 900
	it remains in excellent condition. The metal surfaces retain about	1399	Remington Model 660 Magnum Bolt Action Carbine
	97-98% original blue and anodized finishes showing high edge wear and		serial #60729, 350 Remington Magnum, 18 1/2" barrel with a ventilated
	scattered handling marks. The trigger, hammer, grip safety, recoil spring		rib and bright excellent bore. This lovely Model 600 remains in grand
	plug and barrel bushing have been polished bright for a contrasting look.		condition with about 98-99% original blue showing light handling and
	The grips are replacement checkered synthetic WWII Keyes Fibre with		operational marks around the receiver. The bolt is left in-the-white and
	ribs on the back and reinforcing ring around the screw hole. They rate		remains mostly bright with scattered light stains on the bolt handle. The
	about very good to excellent showing scattered light handling marks.		one-piece synthetic triggerguard/floor plate rates about excellent but has
	The factory alloy arched mainspring housing was changed to a polished		a slight bow about center, which was common on these guns. The
	and blued coarse checkered arched mainspring housing with lanyard		synthetic ventilated rib rates excellent. The one-piece checkered
	loop. The rest of the pistol's features are standard for that era		laminated factory Monte Carlo stock rates about excellent with light
			-
	Lightweight Commander. A nice light gun for concealed carry or the		handling marks. The stock has five lamination layers with the two outer
	upstart collector. (8A9788-11) {MODERN} (700/900)		layers darker walnut, the middle about medium color and the two
	Est. 700 - 900		remaining layers almost blond giving it a distinct look. It has a ventilated
1395	Smith & Wesson Model 17-3 K-22 Masterpiece Revolver		
1395			rubber recoil pad with Remington logo that rates excellent. The carbine
	serial #8K71363, 22 LR, 6" pinned barrel with an excellent bore. This		features a pair of quick detachable sling swivel studs, adjustable rear
	lovely revolver has seen very little or no use and remains in grand		sight and "shark fin" brass bead front sight. It includes a scope base with
	condition. The metal surfaces retain about 99% plus original blue finish		a pair of 1" rings and screws. The Model 600 and later Model 660
	with a faint turn ring on the recessed cylinder. The service trigger and		Magnums in 350 Remington Magnum have a strong following among
	,		
	hammer have vibrant case-hardened colors with sparse operational		guides and outdoorsman as back up rifles for bears. These light
	wear. The checkered walnut factory Magna grips with silver S&W		carbines are a handful to shoot but get results in skilled hands.
	medallions are numbered to the gun and rate excellent. This revolver		(8A9808-43) {C&R} (800/1200)
	features a Patridge front sight, black blade micro adjustable rear sight		Est. 800 - 1,200
		1400	
	and still times and locks up as good as the day it left Springfield in the	1400	Smith & Wesson Model 624 .44 Target Revolver
	mid-1970s. It includes the original factory two-piece box that is correctly		serial #AHB2185, 44 Special, 6 1/2" barrel with an excellent bore. This
	end labeled and numbered to the gun, cleaning kit, manual and		Model of 1985 Target remains in outstanding condition. The stainless
	paperwork. The box has light stains on the cover but remains in near		steel surfaces rate excellent with a few sparse handling marks. The
	excellent condition otherwise. The K-22s excelled on the range and in		.400" serrated semi-target trigger and .500" target hammer retain full
	the field and usually saw plenty of use. Finding one in superb condition		hard chrome finish. The checkered goncalo alves factory target grips
	like this one is difficult and a great opportunity for the collector.		with silver S&W medallions feature the later speed loader cutout and
	(8A9887-1) {MODERN} (800/1200)		remain in wonderful condition. The revolver features a Baughman ramp
			- · ·
4077	Est. 800 - 1,200		front sight, black blade micro adjustable rear sight, timing and lock up
1396	Smith & Wesson Model 17-4 K-22 Masterpiece Revolver		remain excellent. The 44 Targets, old or new, always command strong
	serial #87K6162, 22 LR, 8 3/8" pinned barrel with an excellent bore. This		interest from the collectors and revolver aficionados. (8A9897-51)
	superb K-22 remains in excellent condition and appears to have seen		{MODERN} (800/1200)
	little or no use. The metal surfaces retain about 99% plus original blue		Est. 800 - 1,200
		L	Lot. 000 - 1,200
	finish with a faint turn ring on the recessed cylinder and perhaps a		
	miniscule handling mark or two. The .500" target trigger and .500" target		
	hammer retain beautiful case-hardened colors with scant operational		
	wear. The un-numbered checkered walnut factory target grips with silver		
	,		
	S&W medallions feature the later speed loader cut on the left panel and		
	remain in wonderful condition. This revolver features a Patridge front		
	sight, black blade micro adjustable rear sight and still times and locks up		
	correctly. It includes the original factory two-piece box that is correctly		
	end labeled and numbered to the gun, cleaning kit, manual and		
	paperwork. The box has light soiling on the cover plus a tear on one end		
	of the cover and remains in about very good condition. The outstanding		
	condition of this gun makes it a great collectible and its features also		
	make it a great acquisition for the serious shooter or small game hunter.		
	(8A9887-2) {MODERN} (800/1200)		
	Est. 800 - 1,200		

1401	Smith & Wesson Second Model .44 Hand Ejector Revolver serial #31483, 44 Special, 5" scarce barrel with an excellent bore. This 1929-manufactured revolver has been non-factory refurbished with added F.D.L. sight. The metal surfaces retain about 99% reapplied blue finish showing light muzzle wear, cylinder toned to plum, old pitting under the new finish and other handling marks. The service trigger and hammer retain bold case-hardened colors with light operational wear and the trigger face worn to pewter. The checkered goncalo alves factory target grips with silver S&W medallions feature the later speed loader cut on the left panel and remain excellent condition. The numbered parts are correct to the revolver, the 5" barrels are considered scarce and the action times and locks up correctly. The most obvious change to this gun is the addition of a F.D.L. fully adjustable rear sight. The change is not permanent as it uses the top sideplate "bug" screw to mount it and also provides the elevation adjustments. The sight could be removed and a new sideplate screw reinstalled (not provided) reverting back to the factory fixed rear sight. It utilizes the original factory half-moon front sight and adds versatility to the revolver. An interesting .44 hand ejector that should make a good shooter. (8A9897-49) (MODERN) (700/900) Est. 700 - 900 Smith & Wesson Model 629-6 Classic Revolver serial #CFT3322, 44 Magnum, 8 3/8" full lug barrel with an excellent bore. The stainless steel surfaces remain in excellent condition with a few scant handling marks. The gun is equipped with M.I.M.'s .400" smooth semi-target trigger and .500" target hammer with strong but unremarkable case-hardened colors and light operational wear. The pebble grain rubber factory Hogue Monogrips with S&W logo rate excellent. This gun features a red ramp front sight, topstrap drilled and tapped for scope mount and it still times and locks up correctly. A			Colt Custom Shop Giuseppe Garibaldi Commemorative Second Generation Third Model Dragoon Percussion Revolver serial #GCA1066, .44 cal., 7 1/2" barrel with an excellent bore. Giuseppe Maria Garibaldi's (1807-1882) popularity, skill at rousing the common man and his military exploits are all credited with making the unification of Italy possible. He was well known around the world as an exemplar of revolutionary nationalism and liberalism. He is considered one of Italy's "fathers of the fatherland". Colt reportedly only assembled 106 of these beautiful commemoratives honoring his achievements. This gun is as-new in-the-box with the metal surfaces retaining about 99% original blue and case-hardened colors with light operational marks on the hammer. The brass grip frame rates excellent. The smooth walnut factory grips also rate excellent. The numbered parts are correct to the gun and it still times and locks up correctly. The cylinder has a gold etched bust of the Giuseppe Garibaldi and one of Colonel Coli with a third etching of the two shaking hands. The left side of the barrel is gold etched with tight scroll surrounding the Italian "boot" on the flats and is marked "Garibaldi Special Edition" on the barrel surrounded with a gold etched border and tight scrolls. The right side of the barrel is etched with tight scroll surrounding the continent of South America on the flats and is marked with the date and location of his birth and death on the barrel surrounded with a gold etched border and tight scrolls. The revolver includes a French fitted wooden display case that is red velvet lined. The cover has clear glass etched with a figure of Garibaldi on a rampant horse with serpentine banner next to it marked "Giuseppe Garibaldi (the sword) / Camillo Cavour (the brain) / Giuseppe Mazzini (the soul)". Also included with the gun are the original shipping box, factory "F" series revolver box that is correctly end labeled and numbered to the gun, key for the display case, manual and paperwork. (8B9896-50) {ANTIQUE}
1403	Weaver style scope base is installed in lieu of the factory rear sight (not provided) and a Smith & Wesson 26mm red dot sight is mounted. It features clear optics with eleven intensity settings for the red dot and still functions. This gun will make a fine hunting, silhouette or range gun. (8A9896-29) (MODERN) (700/900) Est. 700 - 900 Custom Colt Woodsman Sport Model Semi-Auto Pistol serial #136401, 22 LR, 4 1/2" factory barrel with an excellent bore. This lovely little first series Sport Model has been factory quality refurbished but shows no factory rework marks and has a unique trigger adjustment screw. The refinish was expertly done and the metal surfaces retain about 99% quality reapplied blue finish showing a few very mild old pits under the new finish. The fully checkered walnut factory grips rate excellent. This pistol features an elevation adjustable Patridge front sight, windage adjustable rear sight, there is no barrel address on the side of the barrel but it is of correct style for the era of production and the address was likely removed when it was refinished with the rest of the gun. The front of the frame above the front triggerguard bow has a trigger adjustment screw. This exterior slotted screw merely covers a spanner screw with what appears to be a pin that acts on the tigger. It is possible this is an A.E. Berdon was a renowned gunsmith active from the 1930s to 1950s credited with a number of innovative modifications he used over the years to enhance accuracy such as this one. The pistol includes a correct single Colt Woodsman solid blue magazine. Whether you are an old target pistol aficionado or just want a really nice handy vintage shooter, this gun will fill the bill. (8A9897-17) {C&R} (700/900) Est. 700 - 900		105	Est. 700 - 900 Custom Colt Mustang Semi-Auto Pistol serial #MU05859, 380 ACP, 2 3/4" barrel with an excellent bore. This tiny pocket pistol has been professionally refinished in industrial hard chrome by an unknown vendor, the metal surfaces retaining about 99% of the new finish. The checkered synthetic factory grips with silver Rampant Colt medallions rate excellent. The pistol features a serrated ramp front sight, drift adjustable rear sight and thumb safety (works in condition one or two). The pistol includes the original woodgrain factory box with Styrofoam insert correctly end labeled (before refinishing) and numbered to the gun, (3) factory magazines also refinished with hard chrome, manual and paperwork. The hard chrome finish increases the corrosion resistance of this excellent little concealed carry gun in high humidity areas. (8A9899-2) {MODERN} (700/900) Est. 700 - 900 U.S. Model 1879 Trapdoor Rifle by Springfield Armory serial #239706, 45-70 Govt., 32 5/8' barrel with an excellent bright bore. The barrel and bands are toning to a pleasing brown patina with strong amounts of original blue visible under bright light. There is some sparsely scattered fine oxidation, the occasional nick or impact mark and gray toning at the end of the barrel from light bayonet wear. The frame, lock and triggerguard retain about 85% original blue toning to brown and gray with some sparse spots of light oxidation and dried added varnish, loss primarily on the trigger bow, the interior showing perhaps a little more oxidation. The 1878 dated breechblock and upper tang are muting to pale brown with some very fine oxidation with strong mottled case-hardened colors still present. The walnut stock remains very good plus with a 1/2" shallow indentation in left side of the buttstock along with the expected handling marks of a carried arm under an added light finish that is previous mentioned on some of the metal. There is a crisp 1883 dated inspector cartouche, circle P firing proof and remnants of r
				Est. 700 - 900
		14	407	German P.35(p) Semi-Auto Pistol by Radom
				serial #B1380, 9mm, 4 3/4" barrel with a good bore showing overall frosting and oxidation still with evident visible rifling. The metal surfaces on this type III two lever pistol retain about 80% original blue toning to gray, loss due to wear along the edges, gripstraps, left center of slide and operational wear at the decocking lever and grip safety. The aftermarket black plastic grips remain very good showing light wear and are secured with three large torx screws and one large slotted screw. The frame, slide, barrel, grip safety and mainspring are numbered alike, the left side of the slide and frame have appropriate E/77 markings and the barrel lug is Waffenamt marked. Included is a single magazine with "(Eagle) / 189" marked on the base. A solid Nazi occupation Radom pistol. (5A9848-3) (C&R) (800/1200) Est. 800 - 1,200

1408	Sako Pre-Vixen Mannlicher Bolt Action Rifle	1412	U.S. Model 1903 Bolt Action Rifle by Remington
	serial #10943, 222 Rem, 23 1/2" barrel with a bright, excellent bore. The		serial #3301975, 30-06, 24" 4-42 dated Remington barrel with a bright
	metal surfaces retain about 98-99% original blue that has some very		excellent bore. The rifle retains mixed finishes with the bolt, magazine
	light handling marks and some graving around the bolt handle knob. The		cutoff, trigger, and buttplate retaining about 95% arsenal blue finish with
	barrel and a few of the smaller parts are lightly toning to brown, the bolt		light wear, the bolt shroud toning to plum, light pitting on the bolt handle,
	body has some light gray patina throughout. The Riihimaki marked		and spots of light oxidation on the buttplate, and the remaining metal
	receiver is grooved for mounts and has been additionally tapped on the		surfaces retain about 95% arsenal gray-green parkerized finish with
	checkered flats. The full length checkered walnut stock rates excellent		scattered light wear marks, light tool marks on the front sight base, a
	and has a few small dings and other light handling marks. The stock		lightly cleaned spot near the magazine cutoff, scattered light oxidation
	features a steel forend cap, swivels, a hard rubber gripcap and buttplate		staining, and a few light handling marks; the receiver shows a small
	and a left-sided cheekrest. The original front sight remains intact and a		weld repair just above the magazine cutoff. The straight grip walnut
	set of 1" scope rings with Sako mount adapters are included, there is no		stock is in very good plus condition as cleaned with scattered light dings
	front sight hood. Also included is a single detachable magazine. This is		and handling marks consistent with use. Inspector's stamps are marked
	an excellent condition 1952-vintage Mannlicher Sporting rifle.		ahead of the magazine floorplate, and a mostly crisp circled "P" proof is
	(4A9790-57) {C&R} (800/1200)		stamped behind the triggerguard; no inspector's cartouche is present.
	Est. 800 - 1,200		The receiver and barrel markings remain crisply stamped, the bolt
409	Savage Model 10 FCP H-S Precision Bolt Action Rifle		shroud, bolt handle, and magazine cutoff are "R" marked, and the safety
	serial #K253092, 308 Win, 24" heavy barrel with a bright, excellent bore.		lug on the bolt is numbered "7606". The rifle is sighted with the correct
	The metal surfaces retain about 99% original matte blue finish that has		blade front sight and Model 1905 rear sight, the windage and elevation
	just a few very light handling marks. The tactical H-S Precision v-block		adjustments for which remain easily adjusted. The rifle appears to
	black textured fiberglass composite rifle stock rates excellent and		function well mechanically. The consigner states that the rifle was
	features a wide forend with dual swivel studs and a solid recoil pad.		purchased from the CMP, but no paperwork is included. A nice
	There are no provisions for sights, a one-piece factory picatinny rail is		refurbished early WWII rifle that should still shoot well. (14A9794-17)
	mounted to the receiver. Features include the factory two-stage		{C&R} (700/900)
	Accutrigger and oversized bolt handle. A single detachable magazine is		Est. 700 - 900
	included. Known for their consistent accuracy and long range	1413	U.S. Model 1903 Bolt Action Rifle by Springfield Armory
	performance this model is enhanced with its factory provided superior		serial #900778, 30-06, 24" 11-18 dated Springfield Armory barrel with an
	stock and when coupled with the right optics should provide the shooter		about very good bore with scattered light oxidation but strong rifling. The
	with terrific long range tactical performance. (4A9901-22) {MODERN}		metal surfaces retain about 85-90% gray arsenal parkerized finish with
	(800/1200)		the receiver having been previously lightly cleaned and has toned to a
	Est. 800 - 1,200		gunmetal gray patina with light oxidation staining, traces of fine pinprick
10	Remington Model 105 CTi-II Semi-Auto Shotgun		
10	· ·		pitting, a light abrasion beneath the windage screw; the magazine cutoff,
	serial #CT010130, 12 ga, 28" ventilated rib Rem-choked barrel with a		various screws, and rear sling swivel retain about 80% blue finish. The
	bright excellent bore. The metal surfaces retain 99% plus original blue		straight grip walnut stock is in about very good condition as lightly
	and the carbon fiber rib and receiver shell are in excellent condition. The		cleaned with two 5" and 3" cracks in the top of the handguard, a 3" light
	checkered pistolgrip walnut stock and forend are in excellent condition		abrasion on the left side of the toe line, scattered light dings and
	and feature an engraved "R" on the top of the wrist, a raised "105 / CTi"		handling marks, and an added finish. The remains of a circled "P" proof
	within the robust checkering on the forend, and a metal gripcap with an		is stamped behind the triggerguard, but the stock appears otherwise
	incised "R". Each side of the receiver is clearly marked "Remington" and		unmarked. The receiver and barrel markings remain clear with some
	"105 / CTi / II". The shotgun is sighted with a white bead front sight and		spots of softening of the characters, the bolt handle is marked "B2", and
	a small steel bead at mid rib. Included with the shotgun is the factory		the nosecap is "R" marked on the right side. The rifle is sighted with the
	box, end labeled and numbered to the gun, hardcase, trigger lock, three		correct blade front sight and Model 1905 rear sight, the elevation and
	chokes marked improved cylinder, modified, and full, choke wrench, and		windage adjustments for which function well, and a front sight hood is
	manual. This arm is as-new-in-box, dealer stock, factory fired-only, and		present. The rifle appears to function well mechanically. A solid rifle
	may have very small rack or handling marks only. (14A9319-354)		produced at the end of the First World War. (14A9816-9) {C&R}
	{MODERN} (800/1200)		(700/900)
	Est. 800 - 1,200		Est. 700 - 900
11	U.S. Model 1903 Bolt Action Rifle by Springfield Armory	1414	Federal Ordnance M1 Garand "Tanker" Rifle
		'-''	
	serial #1358895, 30-06, 24" 8-30 dated Springfield Armory barrel with a		serial #2698492, 30-06, 18" barrel with a few scattered light pits in an
	bright very good plus bore with a few scattered light pits, a small		otherwise bright and excellent bore. The metal surfaces retain about
	concentration of such at the muzzle, but strong rifling throughout. The		98% arsenal parkerized finish with light wear on the bolt, a few light
	metal surfaces retain about 96% arsenal applied dark gray-green		handling marks and some previous light pitting beneath the finish, with
	parkerized finish with a few spots of very light high edge wear, light		exception of the barrel which has a mottled granular parkerized finish
	operational wear on the bolt, light oxidation and pitting on the edge of		along its length. The walnut stock is in about very good condition as
	the triggerguard, hints of oxidation staining, and a few light handling		cleaned with a few light handling marks and synthetic filler repairs on
	marks. The straight grip walnut stock is in about very good condition as		either side of the magazine floorplate, at the toe, below the receiver,
			• • • • •
	lightly cleaned with previous light abrasions on the left side of the stock		near the forend tip, and near the buttpad; the handguard has been
	between the receiver and magazine floorplate, a narrow about 3/4" chip		replaced with a M14-style synthetic handguard in very good condition
	on the right edge of the forend, scattered handling marks consistent with		showing some light flaking of the finish at the edges. The faint remnants
	use, and a lightly added finish. The left side of the stock wrist is marked		of a circled "P" proof are present on the inside of the pistolgrip, and a
	with a faded but still visible boxed "W.E.S." inspector's cartouche, below		grooved rubber buttpad is mounted over the buttstock, rather than flush
	it a partially faded boxed "3GM-K", and a circled "P" proof is marked		with it. The markings on the receiver have softened and are partially
	behind the triggerguard with "3G" above it. The receiver markings show		obscured, with only the serial number remaining clearly marked, and the
	a few characters that have softened but are otherwise clearly marked,		barrel is softly marked "FED. ORD. INC. S.E.M. CA 3006". The marked
	and the barrel markings remain crisp; the underside of the bolt handle is		
			parts are primarily of Springfield Armory manufacture, with the hammer
	<b>o</b>	1	being of Winchester origin, and the "6 SA" operating rod is relief cut.
	"R" marked. The rifle retains the standard blade front sight and Model		
	<b>o</b>		The rifle features a milled triggerguard and Type 2 "lock-bar" rear sight
	"R" marked. The rifle retains the standard blade front sight and Model		
	"R" marked. The rifle retains the standard blade front sight and Model 1905 rear sight, the windage and elevation adjustments of which		The rifle features a milled triggerguard and Type 2 "lock-bar" rear sight
	"R" marked. The rifle retains the standard blade front sight and Model 1905 rear sight, the windage and elevation adjustments of which function easily; the front sight features a removeable sight hood. A nice arsenal refurbished Model 1903 that likely saw service in the Second		The rifle features a milled triggerguard and Type 2 "lock-bar" rear sight drums, and the rifle appears to function well mechanically. A good example of the "Tanker" rifle that should shoot well. (14A9803-18)
	"R" marked. The rifle retains the standard blade front sight and Model 1905 rear sight, the windage and elevation adjustments of which function easily; the front sight features a removeable sight hood. A nice		The rifle features a milled triggerguard and Type 2 "lock-bar" rear sight drums, and the rifle appears to function well mechanically. A good

1415				
1410	German K98k Bolt Action Rifle by J.P. Sauer & Sohn	141	19 U.	S. M1 Carbine by Inland Division
	serial #8267f, 8mm Mauser, 24" barrel with an about very good lightly		se	rial #134472, 30 Carbine, 18" 11-44 dated Underwood barrel with a
Í	oxidized bore with evident rifling. The metal surfaces of this "ce / 41"		br	ght excellent bore. The metal surfaces retain 97% arsenal applied
1	coded rifle retain about 85-90% original blue with light wear on the high		pa	rkerized finish with some light wear on the high edges and contact
1	edges and contact points, thinning on the magazine floorplate and			ints, scattered light handling marks, and some light grease staining;
1	triggerguard, and a little bit of minor pitting and oxidation. The cupped		th	e operating slide has a black parkerized finish compared to the
Í	steel buttplate is bright and shows scattered fine oxidation. The laminate			ay-green parkerizing on the other surfaces, and the bolt retains about
1	stock is in very good condition as lightly cleaned with a series of lightly		-	% blue finish with light operational wear. The low-wood oval-cut
1	chipped dings on the toe line which have small amounts of synthetic			rdwood stock is in very good plus condition as lightly cleaned with
1	filler, and scattered light dings and handling marks consistent with use			me scattered light handling marks and shows a mottled finish with
1				
1	throughout. The right side of the buttstock is marked "(eagle) / H" over			rker areas of retained finish interspersed with areas of lighter wood
1	two waffenamt, all of which are faded so as to make the detail illegible,			e to cleaning. The stock is marked with a crisp "MR" arsenal mark,
1	the remnants of a waffenamt and Heer acceptance mark are stamped			I" within the sling cut on the left side, and a crisp "P" on the inside of
Í	on the inside of the pistolgrip, the illegible remnants of two proofs are			e pistolgrip; the underside of the 2-rivet handguard is stamped "PJ".
Í	present on the toe line, and the stock is serialized and matching to the			e stock features the M2 selector switch cut. The receiver and barrel
Í	rifle. The rifle is marked with the correct "(Eagle) / 37" waffenamt proofs		m	arkings remain crisply stamped, the barrel band is marked "MMQ", the
1	and all numbered parts are matching with the exception of the bolt		mi	lled adjustable rear sight is marked with a "H" within a shield on the
Í	sleeve, cocking piece, and safety which are serialized to different rifles;		rig	ht side, the trigger housing is "SA" marked, and the bolt, slide, and
1	the bolt body is serialized and matching to the rifle. The markings all		ha	mmer are all Inland marked. The carbine features a round bolt, rotary
	remain mostly crisp, with only slight softening to some characters. The		sa	fety, Type 3 barrel band with bayonet lug, and a milled adjustable rear
	rifle retains the original open sights, and appears to function well			ht. Included with the carbine is a "UQ" marked 15-round magazine,
	mechanically. A fine addition to one's military collection. (14A9794-16)			nvas sling, and oiler. A solid arsenal rebuilt M1 carbine that should still
1	{C&R} (800/1200)			oot well. (14A9807-290) {C&R} [Vincent Coniglio Collection]
1	Est. 800 - 1,200			00/1000)
1416	U.S. M1 Garand Rifle by Springfield Armory			t. 800 - 1,000
	serial #4296168, 30-06, 24" 5-53 dated Springfield Armory barrel with a	142		S. Model 1917 Enfield Bolt Action Rifle by Remington
1	bright excellent bore with hints of pinprick pitting near the muzzle. The	142		rial #513536, 30-06, 26" 8-18 dated Remington barrel with a bright
1	metal surfaces retain about 97% original dark gray-green parkerized			cellent bore. The metal surfaces retain about 96-97% original blue
	6 6 7 6 T			0
	finish with light wear on the high edges and contact points, light			ish with some scattered mild thinning and toning to brown. The bolt
	oxidation staining on the handguard metal, and a few light handling			ains about 75-80% original blue with light to moderate wear, the body
	marks. The walnut stock is in very good condition with four light impact			ning to brown, and a speck or two of oxidation on the handle. The
	marks on the buttstock, a small chip beneath the rear sling swivel and a		Wa	alnut stock is in excellent condition with a few old light handling marks
	few scattered light handling marks. The stock is stamped with a crisp		ar	d a 1" x 1/2" slightly lighter section of finish at the heel, possibly due
	circled "P" proof inside the pistolgrip, and the left side is marked with the		to	a removed sticker. The stock is marked with a crisp "(Eagle Head) /
	correct boxed "S.A. / J.L.G." cartouche that has partially faded so that		33	9" ahead of the magazine floorplate, a crisp "(Eagle Head) / 301"
	only the lower half of the cartouche is visible, and the faint remnants of		be	hind the triggerguard, and the nose of the stock is crisply stamped
	an Ordnance Wheel. All marked parts are of Springfield Armory		"R	". The receiver and barrel markings remain crisply stamped, the left
Í	manufacture, the hammer is "-5" marked, the remaining parts are post		sic	le of the receiver is marked with two Eagle Head proofs, one partially
Í	WWII manufacture, the barrel is marked "T" for targeted, and the barrel			ded, and a crisp Flaming Ordnance Bomb. The bolt, rear sight, and
1	date is partially struck over the drawing number. The rifle features a			nt sight base are crisply "R" marked. The follower has been lightly
Í	2-slot gas plug, stamped triggerguard, and T105 rear sight drums.			bodified to remove the bolt hold-open feature. An excellent example of
1	Included with the rifle is a NAVMC 1018-SD inspection tag, serial			e rifle the majority of U.S. soldiers used in the First World War.
1	number matching to the rifle, dated "Oct 21 1960", location listed as "BN			4A9807-191) {C&R} [Vincent Coniglio Collection] (700/900)
	SOP", declaring the rifle "SERVICEABLE" and "Code 0-2". A solid early	142		rt. 700 - 900 erman K98k Bolt Action Rifle by Mauser Oberndorf with SS Markings
	'50's M1 Garand rifle. (14A9807-275) {C&R} [Vincent Coniglio	142		,
	Collection] (800/1200)			rial #3985b, 8mm Mauser, 24" barrel with an about very good bore
	Est. 800 - 1,200			th evident rifling. The "byf / 44" coded receiver and barrel have toned
1417	U.S. M1 Garand Rifle by Springfield Armory			a gray patina with remnants of arsenal applied blue finish in the
	serial #547062, 30-06, 24" 1-44 dated Springfield Armory barrel with a			ptected areas, scattered pinprick and occasional light pitting, and a
	bright near excellent bore with light frosting near the muzzle. The metal			w small spots of light oxidation perhaps lightly cleaned long ago. The
	surfaces retain about 98% arsenal parkerized finish with light wear on		bc	It retains about 80% arsenal reapplied blue with oxidation on the bolt
	the high edges and contact points and a few scattered specks of milk		- I.	adle and alwayed light anarotional year, and apattered light pitting
	the high edges and contact points and a few seattered specific of himt		ha	ndle and shroud, light operational wear, and scattered light pitting
	oxidation. The walnut stock is in excellent condition as cleaned with a			th above and below the finish. The barrel bands retain 96% arsenal
			bo	
	oxidation. The walnut stock is in excellent condition as cleaned with a		bo ap	th above and below the finish. The barrel bands retain 96% arsenal
	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain		bo ap to	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned
	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII		bo ap to be	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good
	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel		bc ap to be co	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have
	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight		bc ap to be co mi	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on
	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285)		bc ap to be co mi th	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the
	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200)		bc ap to be co mi th bu	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on the line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain
1/12	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200		bc ap to be co mi th bu m	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain bstly crisp with the correct "135" waffenamts having softened lightly,
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division		bc ap to be co mi th bu mi th	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain bottly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050"
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) (C&R) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with		bc ap to be co mi th bu mu th sta	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain tstyl crisp with the correct "135" waffenamts having softened lightly, e barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original		bc ap to be co mi thu bu mu thu sta pr	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain ostly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing oof and lightly faded correct "135" waffenamt, and the remnants of a
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges,		bc ap to be cc mi th bu m th sta pr Tc	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain sstly crisp with the correct "135" waffenamts having softened lightly, e barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing sof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is		bc ap to be ccc mi th bu m th th th sta pr Tc sta	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain stly crisp with the correct "135" waffenamts having softened lightly, e barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing sof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut		bc ap to be ccc mi th bu mr th th sta pr Tc sta scc	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on to be line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain ostly crisp with the correct "135" waffenamts having softened lightly, amped perpendicular to the length of the barrel, a mostly crisp firing poof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is		bc ap to be ccc mi th bu mr th th sta pr Tc sta scc	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain stly crisp with the correct "135" waffenamts having softened lightly, e barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing sof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut		bc ap to be cc mi th bu mo th str pr Tc sta sc fic	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on to be line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain ostly crisp with the correct "135" waffenamts having softened lightly, amped perpendicular to the length of the barrel, a mostly crisp firing poof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is		bc ap to be cc mi thu bu mr thu sta sta sta sta sta sta thu	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain bostly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing bof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correctly numbered to
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. MI Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light ear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is marked with a partially faded Ordnance Wheel on the right side of the		bc ap to be co min thi bu min thi bu min thi sta sc flo flo thi wa	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain bostly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing sof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rea sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correct "135"
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) (C&R) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is marked with a partially faded Ordnance Wheel on the right side of the buttstock, and is stamped "OI" inside the sling cut; the underside of the		bc ap to be co min thi bu min thi bu min thi thi thi sta sc fic thi www.sh	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain softy crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correct "135" uffenamts. The bolt is serialized and matching on the bolt handle,
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock, is in excellent condition with a few very light handling marks and is marked with a partially faded Ordnance Wheel on the right side of the buttstock, and is stamped "OI" inside the sling cut; the underside of the 4-rivet handguard is also marked "OI". The receiver and barrel markings		bc ap to be cc min th bu mu th sta pr TC sta sco flo th ww sh ar	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain stly crisp with the correct "135" waffenamts having softened lightly, e barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing sof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correct! 135" "fifenamts. The bolt is serialized and matching on the bolt handle, roud, safety, and striker, and the underside of the bolt is stamped with "X". The upper barrel band is numbered "1 3935". The rifle retains
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is marked with a partially faded Ordnance Wheel on the right side of the 4-rivet handguard is also marked "OI". The receiver and barrel markings remain crisply stamped, and all marked parts are Inland Division		bc ap to be cc min th bu m th bu m th str st sc sc fic th was sh ar th	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on e too line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain setly crisp with the correct "135" waffenamts having softened lightly, e barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing sof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correctly numbered to e rife, and the tis serialized and matching on the bolt handle, roud, safety, and striker, and the underside of the bolt is stamped with "X". The upper barrel band is numbered "1 3935". The rife retains e original hooded barleycorn front sight and leaf rear sight, graduated
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is marked with a stamped "OI" inside the sling cut; the underside of the 4-rivet handguard is also marked "OI". The receiver and barrel markings remain crisply stamped, and all marked parts are Inland Division manufacture. The carbine features a push button safety, Type III barrel band with bayonet lug, a stamped adjustable rear sight, and a round		bc ap to be cc mi th bu mo th bu mo th str st sc sc flo flo th wa sh ar th fro	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a too line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain bostly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing bof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correctly numbered to a fife, and the triggerguard is marked with the correct "135".
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) (C&R) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is marked with a partially faded Ordnance Wheel on the right side of the buttstock, and is stamped "OI" inside the sling cut; the underside of the 4-rivet handguard is also marked "OI". The receiver and barrel markings remain crisply stamped, and all marked parts are Inland Division safety, Type III barrel band with bayonet lug, a stamped adjustable rear sight, and a round bolt. Included with the carbine is an "AI" marked 15-round magazine,		bc ap to be cc min thi bu min thi bu min thi bu min thi star sc sc ficit thi was sh ar thi star SS SS	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a toe line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain ostly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing of and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correct "135" diffenamts. The bolt is serialized and matching on the bolt handle, roud, safety, and striker, and the underside of the bolt is stamped with "X". The upper barrel band is numbered "1 3935". The rifle retains e original hooded barleycorn front sight and leaf rear sight, graduated m 100 to 2000 meters. An altogether solid if somewhat salty S-marked K98k with a few replaced parts. (14B9834-12) {C&R}
1418	oxidation. The walnut stock is in excellent condition as cleaned with a few light handling marks and an added finish, and no markings remain on the stock. The receiver markings remain crisply stamped, the barrel markings appear to have softened lightly, all marked parts are of WWII Springfield Armory manufacture, and the operating rod is relief cut. The rifle features a milled triggerguard, 2-slot gas plug, and T105 rear sight drums. An attractive arsenal-refurbished early WWII rifle. (14A9807-285) {C&R} [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 U.S. M1 Carbine by Inland Division serial #6748893, 30 Carbine, 18" 12-44 dated Inland Division barrel with a bright excellent bore. The metal surfaces retain 98-99% original parkerized finish with light wear on the contact points and high edges, primarily operational wear, and a few light handling marks; the bolt is blued and shows very light wear marks. The low-wood oval-cut walnut stock is in excellent condition with a few very light handling marks and is marked with a stamped "OI" inside the sling cut; the underside of the 4-rivet handguard is also marked "OI". The receiver and barrel markings remain crisply stamped, and all marked parts are Inland Division manufacture. The carbine features a push button safety, Type III barrel band with bayonet lug, a stamped adjustable rear sight, and a round		bc ap to be co min thi bu min thi bu min thi sta sc flo flo thi was sh ar thi fro co co min thi bu thi flo thi bu thi bu thi bu thi bu thi thi thi thi thi thi thi thi thi thi	th above and below the finish. The barrel bands retain 96% arsenal plied blue finish with a few light handling marks and floorplate toned brown with light pitting, and the stock disc and cupped buttplate have en cleaned bright. The laminated hardwood stock is in very good ndition with scattered light dings and handling marks consistent with litary service, and the stock is marked with the remnants of "dot" on a too line and a faint "H" Heer marking on the right side of the ttstock; the stock likely a replacement. The receiver markings remain bostly crisp with the correct "135" waffenamts having softened lightly, a barrel is marked near the receiver with a partially obscured "D1050" amped perpendicular to the length of the barrel, a mostly crisp firing bof and lightly faded correct "135" waffenamt, and the remnants of a tenkopf marking stamped on the left side. The rear sight base is amped on the left sight with a lightly softened "SS / (Totenkopf)", and a ftened "(Eagle) / 25" beneath the rear sight leaf. The magazine orplate, triggerguard, and lower barrel band are correctly numbered to a fife, and the triggerguard is marked with the correct "135".

Lot Title/Description

1422	U.S. Model 1903-A3 Bolt Action Rifle by Smith Corona		1424	German K98k Bolt Action Rifle by Steyr
	serial #4836678, 30-06, 24" 2-43 dated Smith Corona barrel with a very			serial #8650T, 8mm Mauser, 24" barrel with a very good bore with
	good 6-groove bore with scattered spots of light oxidation in the grooves			scattered light frosting but strong rifling. The metal surfaces of this "bnz.
	throughout the barrel, but with strong rifling. The barreled action and			/ 43" coded rifle retain about 75-80% original blue finish with light wear
	bottom metal retain about 98% arsenal gray-green parkerized finish with			on the high edges and mild thinning, the triggerguard and magazine
	light wear on the contact points and high edges, some specks of very			floorplate have toned to a brown patina with a few remnants of original
	light oxidation staining, and a few light handling marks. The barrel bands			blue, the barrel and the upper barrel band have toned to a brown-gray
	and magazine cutoff retain about 98% original blue with a few light			patina, and scattered small spots of light old oxidation and handling
	handling marks and some light oxidation on the forward barrel band.			marks; the lower barrel band appears to have been period reblued
	The straight grip walnut stock is in near excellent condition with a tiny			which has worn to a mottled gray-blue patina with some light handling
	sliver of a chip at the edge of the magazine floorplate, a recontoured			marks. The laminated hardwood stock is in very good condition as lightly
	edge next to the receiver likely to address an old sliver, a small impact			cleaned with a very thin 3" lamination crack on the top of the wrist, a thin
	mark on the top of the handguard, and a few light handling marks. The			1 1/2" crack at the rear of the triggerguard, a tight 3/4" crack in the nose
	stock is marked with a crisp partially boxed "S.A. / S" rework mark on			of the handguard, a few scattered small drying cracks, and scattered
	the left side of the buttstock, a crisp circled "P" proof behind the			light handling marks. The stock is marked with a softened "4" in the sling
	triggerguard, and a light Flaming Ordnance Bomb on the stock tip,			cut on the right side, the handguard is numbered to the rifle, and the
	below the barrel. The magazine cutoff, sling and stacking swivels,			right side and top of the wrist have been lightly hand marked
	nosecap, and rear sight are all "R" marked, the receiver and barrel			"ARCHER", though the marking on the top of the wrist is difficult to
	markings remain crisp, and the bolt is unmarked with exception of the			make out. The code on the receiver ring, as well as the serial number,
	"N.S." nickel steel marking on the top of the bolt handle. The rifle retains			model designation, and firing proof remain crisply stamped, and the
	the standard blade front sight and aperture rear sight. A fine arsenal			barrel is marked with a crisp "bS" and "bnz / 1" enclosed in a shield
	reworked Smith Corona rifle with an uncommon six-groove bore.			manufacturer stamps. The bolt, bolt release, rear sight assembly,
	(14A9843-9) {C&R} (800/1200)			triggerguard, and magazine floorplate are all serialized and matching to
	Est. 800 - 1,200			the rifle, and the parts appear marked with the appropriate "(Eagle) /
1423	German K98k Bolt Action Rifle by Steyr			WaA623" and "77" waffenamts; exceptions to this are the barrel bands,
1420	serial #2704h, 8mm Mauser, 24" barrel with an about very good bore			which are unmarked, and the triggerguard which is marked with a "135"
	with a few scattered spots of light pitting but strong rifling. The metal			waffenamt. One set screw is missing from the triggerguard and the
	surfaces of this "bnz. / 4" coded rifle have largely toned to a brown			interior stamping of the triggerguard has two raised points just ahead of
	patina with generous remnants of original blue on the left side receiver			the trigger, which does not prevent the function of the trigger. The rifle is
	wall, bolt release, and bayonet lug, a light abrasion on the receiver ring,			sighted with the standard barleycorn front sight and leaf rear sight, and
	pinprick pitting on the receiver, and a few light handling marks. The			appears to function well mechanically. Included with the rifle is the
	blued finish of the bolt has toned to gray with moderate operational			cleaning rod, which is numbered "86". An honest midwar Steyr K98k.
	wear, some specks of old oxidation, and light oxidation staining on the			(14A9736-19) {C&R} (700/900)
	bolt handle, and the cupped steel buttplate toned to gunmetal and now			Est. 700 - 900
	has light oxidation staining. The laminated hardwood stock is in about		1425	German K98k Bolt Action Rifle by Mauser Oberndorf
	very good plus condition as lightly cleaned with a 1" hairline crack at the		1420	serial #21065, 8mm Mauser, 24" barrel with a bright otherwise excellent
	heel, a few shallow chips and dings along the toe line, and a few other			bore with perhaps a touch of scattered pinprick pitting. The metal
	scattered light handling marks consistent with military service. The stock			surfaces of this "byf / 43" coded rifle retain about 90% original blue finish
	is marked with a light but still clearly legible "(Eagle) / H" on the right			with light wear and thinning on the high edges and contact points, light
	side of the buttstock, and the handguard is numbered to the rifle on the			oxidation staining scattered throughout and a few light handling marks;
	underside. The receiver markings remain crisp with three softened			the cupped steel buttplate and stock discs have been cleaned to bright
	waffenamts on the right side of the receiver ring, two "77" waffenamts			with spots of light oxidation. The laminate hardwood stock is in very
	and one faded to be illegible. The barrel, barrel bands, bolt, rear sight,			good condition with a few small abrasions on the wrist and comb of the
	and magazine floorplate are serialized and matching to the rifle, the			buttstock, a ding on the left edge of the forend just behind the upper
	firing proof on the barrel is softened, the triggerguard is marked with a			barrel band, and scattered light dings and handling marks consistent
	small but clear "(Eagle) / 135", and "WaA77" waffenamts are crisply			
	marked on the magazine floorplate and rear sight base; the bolt is			with military use; the handguard has a lightly added finish. The stock is
	marked with two "(Eagle) / 77" waffenamts, one on the bolt body and			unmarked with exception of a softened "X" marked within the sling cut on the right side, and the underside of the handguard shows the
	one below the bolt handle. The rifle retains the standard barleycorn front			indecipherable traces of a serial number. The receiver markings remain
	sight, with hood intact, and leaf rear sight, and included with the rifle is a			crisp, with exception of the top "135" waffenamt which has softened and
	cleaning rod and leather sling in very good condition with light wear. The			the second "135" which is absent, the barrel is marked only with a
	rifle appears to function well mechanically. A solid late WWII			partially obscured Eagle firing proof. The bolt assembly, magazine
	Steyr-produced rifle. (14A9736-54) {C&R} (800/1200)			floorplate, triggerguard, rear sight leaf and slide are numbered to the
	Est. 800 - 1,200			rifle, a "140" waffenamt and Eagle proof are lightly marked on the front
L	201.000 1,200	1		sight base, and softened "140" walfenamts are marked on the cocking
				piece and bolt handle; the remaining parts appear unmarked and
				without waffenamts. No front sight hood is present and the rifle appears
				to function well mechanically. A solid mid WWII Mauser that should
				make a great shooter or collectors' piece. (14A9736-14) {C&R}
				(800/1200) Est. 800 - 1,200
			1	LGL 000 - 1,200

-01

1426	German K98k Bolt Action Rifle by Erma	1429	U.S. M1 Garand Rifle by Winchester
	serial #7128e, 8mm Mauser, 24" barrel with a very good plus bore with		serial #1208158, 30-06, 24" 1-41 dated Springfield Armory barrel with a
	scattered specks of oxidation but strong rifling. The metal surfaces of		bright otherwise excellent bore with two spots of dried cosmoline at the
	this 27-coded and 1940-dated rifle retain about 80% original blue with		muzzle. The metal surfaces retain about 97% arsenal parkerized finish
	light wear on the high edges areas toning to gray, generous remnants of		that has toned to a dark gray-green with very light wear on the high
	original blue in the protected areas of the barrel bands and triggerguard		edges, light oxidation around the clip release and stock ferrule, the last
	and some minor oxidation staining. The laminated hardwood stock is in		6" of barrel at the muzzle toned to bronze, and scattered previous
	very good condition as lightly cleaned with a small 1/2" crack behind the		pinprick pitting beneath the finish. The walnut stock is in excellent
	triggerguard, a few tiny chips at the toe, a tight crack and small bruise at		condition as lightly cleaned with one or two light handling marks, and is
	the nose of the handguard, and scattered light dings. The right side of the buttstock is marked with a very light "(Eagle) / H" Heer marking		unmarked. The receiver markings are lightly softened with the serial number remaining crisp, the barrel markings remain clear, and the parts
	above two faint "280" waffenamts, the inside of the pistolgrip is marked		are a mix of Springfield Armory wartime and post-war. The rifle features
	with a partially obscured "280" waffenamt above a small indiscernible		lock-bar rear sight drums, a two-slot gas plug, and a milled triggerguard
	waffenamt. The stock is lightly serialized and matching on the toe line,		which is tightly fit to the rifle. A fine arsenal refurbished M1 rifle that
	the handguard also matching. The receiver and barrel markings appear		should still shoot well. (14A9899-43) {C&R} (800/1200)
	crisp and largely correct, with one of the three waffenamts stamped on		Est. 800 - 1,200
	the right side of the receiver reading "359" instead of matching the two	1430	German K98k Bolt Action Rifle by Mauser Oberndorf
	other "280" waffenamts and correct "280" waffenamts stamped on the		serial #35828k, 8mm Mauser, 24" barrel with specks of light oxidation at
	barrel. All serialized parts, including the action screws, are matching to		the muzzle, a very faint ring about 2" in from the muzzle, but strong
	the rifle and marked with "280" waffenamts, the majority remaining clear		rifling. The receiver of this "byf / 44" coded rifle retains about 90%
	with a few softened at the edges; the buttplate is serialized and		arsenal quality blue with remnants of previous light pitting beneath the
	matching and is stamped with a clear "37" waffenamt. The rifle is		finish on the forward receiver ring, some light flaking of the finish with
	sighted with the standard barleycorn front sight and leaf rear, and		light oxidation staining in the areas of loss, light high edge wear, and the
	appears to function well mechanically. Included with the rifle is a		receiver markings still show raised metal with the exception of the "byf"
	cleaning rod and leather sling. An attractive Erma produced rifle that will		coding which is obscured but still identifiable. The remaining metal
	fit well into a collection. (14A9736-51) {C&R} (800/1200)		surfaces retain about 80% original blue with toning to a light brown
1407	Est. 800 - 1,200		patina with light edge wear, some scattered light oxidation and handling
1427	German K98k Bolt Action Rifle by Mauser Oberndorf serial #42389I, 8mm Mauser, 24" barrel with a lightly oxidized bore with		marks. The front sight hood shows light pitting, and the bolt shows light operational wear and light oxidation staining. The laminated hardwood
	evident rifling. The metal surfaces of this "byf / 43" coded rifle retain		stock is in about very good condition as lightly cleaned with an about
	about 95% original blue finish with light wear on the high edges and		3/4" crack in the nose of the handguard, a 1" moderate abrasion on the
	some sparsely scattered light oxidation staining. The laminated		underside of the forend, a light impact mark with lightly raised edges on
	hardwood stock is in very good condition as lightly cleaned with an		the right side of the forend at the edge of the handguard, and a few light
	about 2" smoothed old chip at the right edge of the stock next to the rear		handling marks; the cupped steel buttplate is bright with some light
	sight base, an about 3" crack in the top of the handguard, and a few		pitting on the heel. Neither the stock nor the handguard are numbered or
	scattered light dings and handling marks; the cupped steel buttplate is		marked, but the buttplate is correctly and crisply subcontractor marked
	bright with scattered oxidation staining. The buttstock is marked with a		"gqm / 44". The receiver, barrel, and front sight base are correctly
	light "(Eagle) / WaA135" on the right side and an illegible remnant of an		marked, the bolt assembly is numbered to the rifle but not waffenamt
	eagle behind the triggerguard. The receiver, barrel, triggerguard, and		marked, the triggerguard and floorplate are correctly "byf" and "135"
	floorplate markings are crisp and correct with "135" waffenamts and the		waffenamt marked but are not numbered, the rear sight assembly is
	triggerguard and floorplate are numbered to the rifle, the barrel bands		un-numbered and marked with a soft "135" waffenamt on the base and
	are numbered to different rifles, the bolt is numbered to the rifle and is		"18" waffenamt on the leaf, and the barrel bands are unmarked stamped
	marked with a faint "140" and "X" beneath the bolt handle with the other		replacements; the remaining parts are unmarked. The rifle is sighted
	expected waffenamts absent, and the rear sight assembly is numbered		with the standard hooded barleycorn front sight and leaf rear sight, and
	to the rifle with no visible waffenamts; the follower is unmarked. The		appears to function well mechanically. Included with the rifle is a
	front sight hood is absent and the rifle appears to function well		cleaning rod and black leather sling in about very good condition, the
	mechanically. Included with the rifle is the cleaning rod and leather sling in very good condition with light cracking at the bend and a small divot		metal clasp marked "L&F". A solid late WWII Mauser rifle that possible saw arsenal rework. (14A9736-60) {C&R} (700/900)
	from the edge. A nice mid WWII produced Mauser K98k. (14A9736-31)		Est. 700 - 900
	{C&R} (800/1200)	1431	German K98k Bolt Action Rifle by Waffenwerke Brunn
	Est. 800 - 1,200		serial #8899c, 8mm Mauser, 24" barrel with a bright excellent bore. The
1428	German K98k Bolt Action Rifle by Mauser Oberndorf		metal surfaces of this "dot / 1943" coded rifle retain about 96% original
-	serial #9000k, 8mm Mauser, 24" barrel with a very good lightly pitted		blue finish with light silvering on the high edges of the receiver, perhaps
	bore with strong rifling. The receiver, triggerguard, and floorplate of this		a bit more moderate on the barrel bands, along with a few specks of
	"byf / 41" coded rifle have a light brown patina with light wear on the		light oxidation staining and minor pinprick pits. The European hardwood
	high edges, the rear sight and barrel have toned to gray-brown, and the		stock is in about very good plus condition as lightly cleaned with a few
	barrel bands retain about 90% original blue with light wear on the high		small chips against the cupped steel buttplate, an arsenal quality 1/4"
	edges of the lower band and scattered light oxidation on the upper band;		circular plug-repair just above the triggerguard which is visible on both
	the cupped buttplate is mostly bright with scattered light pitting, and the		left and right sides, and scattered old light handling marks; the buttplate
	bolt has wear on the body and light oxidation on the shroud. The		is a smoky gray patina. The buttstock has the faint remnants of a
	laminated hardwood stock is in good condition with two lamination		"(Eagle) / H" Heer mark on the right, and perhaps the suggestion of a
	cracks, one about 2 1/2" and the other about 1 1/4", at the top of the		waffenamt behind the triggerguard; the stock and the handguard are
	wrist starting just behind the receiver, a few light dings on the buttstock		internally numbered to a different rifle, and match each other. The
I	and forend, and scattered light handling marks. The buttstock is marked		serialized parts are matching to the rifle and marked with appropriate
	with a light "(Eagle) / H" Heer mark on the right and a 1/4" tall "I" is		"63", "214", and "135" waffenamts, the upper barrel band and cocking
I	stamped on the toe, and the cupped buttplate is stamped "gqm / 41" with a small but crisp "WaA841" waffenamt marked below it; the barrel		piece are un-numbered, and most markings remain crisp with some minor softening. The rifle is sighted with the standard hooded barleycorn
	band spring was unable to be removed to examine the handguard		front sight and leaf rear sight, the triggerguard set screws are absent,
	number. Both the stamped barrel bands and the stock are late war		and the rifle appears to function well mechanically. Included with the rifle
	replacements. The serialized parts match to the rifle and appear to be		is a correct cleaning rod. A fine mid-war rifle. (14A9736-33) {C&R}
	correctly marked with "655" and "WaA655" waffenamts, with some		(800/1200)
	marks being worn; the safety is unnumbered but marked with a illegible		Est. 800 - 1,200
	waffenamt, and the barrel bands are unmarked. The front sight hood is	ı	,
	present and the rifle appears to function well mechanically. Included with		
	the rifle is a cleaning rod and leather sling in good condition with		
	the rifle is a cleaning rod and leather sling in good condition with		
	the rifle is a cleaning rod and leather sling in good condition with moderate wear, the metal fitting of which is light marked "L&B". A nice		

1432	U.S. M1 Carbine by Standard Products serial #2018592, 30 Carbine, 18" 8-43 dated Underwood barrel with a bright very good plus bore with a few scattered spots of light pitting. The metal surfaces retain about 90% arsenal parkerized finish with light wear on the high edges and contact points, some areas toning to brown and a patch of light pitting on the underside of the barrel. The low-wood oval-cut walnut stock and 2-rivet handguard are in very good condition as lightly cleaned with a few scattered light dings and abrasions on the forend near the nose, an old light abrasion on the right side by the receiver, three small added holes on the underside of the pistolgrip, and scattered light handling marks; the buttplate shows light wear on the edges. The buttstock is marked with a very light boxed "RMC" above ordnance wheel on the right side, a second "RMC" stamped in the sling cut on the left side denoting Rock-Ola manufacture, a crisp "P" inside the pistolgrip; the handguard is "R.S.G." marked, signifying Saginaw production. The receiver and barrel markings remain clearly marked, the trigger housing is "ROCK-OLA" marked, the operating slide is produced by Underwood, the harmer is a Brunner/Ritter post-WWII production, and the marking on the bolt is illegible. The carbine features a rotary safety, flat bolt, a stamped adjustable rear sight, and appears to function well mechanically. Included with the carbine is a "IU" marked 15-round magazine, sling, and oiler. A solid arsenal reworked M1 Carbine from one of the smaller manufacturers. (14A9833-28) {C&R} (800/1200) Est. 800 - 1.200	1436	French Model 1800/1801 Flintlock Musketoon .67 cal., 29 7/8" barrel with a moderately oxidized bore. This Napoleonic era musketoon manufactured in the year IX of the Republican calendar appears to be in original flint with its iron surfaces toning to a speckled pewtery patina as cleaned with a few tool marks on the top of the barrel, scattered softened pinprick pitting and light oxidation staining. The lockplate bears a "(crown) / G / 13" proof mark and a script "Liege" ahead of the cock and the lock parts including the detachable brass pan appear original. The correct brass double band, triggerguard, pan and sideplate have aged to a mellow ochre patina and display various marks such as "(crown) / G". The smooth French walnut straight grip stock rates good as lightly cleaned with an older added finish, a couple minor cracks and a small chip around the sideplate and lock and some moderate wear around the brass buttplate to be expected from an arm that may have served in any number of famous battles for the Emperor. The stock retains multiple softened markings including an arsenal refurbishment cartouche dated 1828 and stowed below the barrel is a correct conical-tipped iron ramrod with threaded end. The lock remains strong and crisp and this handsome musketoon should make an excellent addition to the collection of any European military history enthusiast. (23A9654-45) {ANTIQUE} (800/1200) Est. 800 - 1,200 Colt Cobra Double Action Revolver serial #113601LW, 38 Special, 2" barrel with an excellent bore. The metal surfaces retain 98-99% anodized and blue finish, there are a few
1433	U.S. M1 Garand Rifle by Springfield Armory serial #3320660, 30-06, 24" 6-65 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces of this 1944-dated rifle retain about 98% arsenal parkerized finish with light operational wear on the bolt, some light high edge wear and some minor light pitting beneath the finish. The walnut stock is in near excellent condition with some light		micro handling marks, a small cleaned area on the latch and some light edge wear. The frame is drilled and tapped at the knuckle and frame for a previously-mounted shroud. The fully-checkered walnut grips with silver Rampant Colt medallions are excellent. This is a very nice First Issue manufactured in 1961. (22A9650-11) {C&R} (800/1200) Est. 800 - 1,200
	chipping on the front of the handguard as it meets the metal, the remnants of old light abrasions, and a few light handling marks; the stock is marked with a partially boxed "P" proof on the inside of the pistolgrip and is otherwise unmarked. The receiver markings are soft but largely legible, all marked parts are of Springfield Armory manufacture, with all but the "-7" marked trigger housing being post WWII production. The rifle features a 2-slot gas plug, milled triggerguard, T105 rear sight, and appears to function well mechanically. Included with the rifle is a M3 combination tool. An attractive arsenal reworked M1 rifle that should shoot well. (14A9833-31) {C&R} (800/1200)	1438	Navy Arms LeMat "Grapeshot" Percussion Revolver by Pietta serial #2452, .44 cal./20 gauge, 6 3/4" octagon rifled and plain smooth bore barrels with excellent bores. This lovely reproduction of a Second Model LeMat remains in excellent condition with about 99% original blue, the frame drifting slightly to plum. The case-hardened colors on the hammer and trigger remain robust and vivid with minor operational wear. The checkered walnut factory grips rate excellent. The revolver features a lanyard hole on the butt, rounded triggerguard and selector on the hammer nose to fire the shotgun barrel. This Pietta offers an affordable and shootable LeMat revolver for the black powder buff or Civil War
1434	Est. 800 - 1,200 Polytech M14S Semi-Auto Rifle serial #07607, 308 Win, 22" barrel with 3" flash hider and a bright excellent bore. The metal surfaces retain about 98% factory parkerized finish with specks of light oxidation on the barrel, light wear on the bolt, and scattered light handling marks. The walnut stock is in very good condition a few small chips on the right side of the triggerguard, a light impact mark on the right side of the forend, and scattered light dings and handling marks; the synthetic handguard is in near excellent condition with a few light handling marks. The left side of the receiver is crisply stamped "M-14S .308 / IDE USA SFLD MICH. / POLYTECH CHINA", with the serial number and "MADE IN CHINA" lightly inscribed next to right. The rifle retains the expected winged blade front sight and aperture rear sight, and a Springfield Armory side-mounted picatinny scope base is fitted to the rifle; the open sights are still usable with the mount in place. Included with the rifle is the original stripper clip guide, which was removed to fit the scope base. A solid Chinese clone of a classic American rifle. (14A9871-14) {MODERN} {800/1200}	1439	historian and remains as-new. (8A9650-33) {ANTIQUE} (750/900) Est. 750 - 900 Scarce Early Winchester Pre '64 Model 70 Bolt Action Rifle serial #238, 30-06, 24" barrel with a very good to very good plus bore with scattered light pitting throughout but strong rifling. The receiver and barrel of the rifle retain about 90% original blue with spots of thinning on the barrel including an about 7" narrow area, lightly cleaned of light oxidation long in the past, light silvering on the high edges, and scattered light handling marks. The bottom metal retains about 99% professionally applied blue and the bolt handle was very lightly, neatly relieved for scope clearance. The checkered pistolgrip walnut stock is in very good condition with a small shallow chip behind the bolt handle, scattered light handling marks, a spot of light finish flaking on the left side of the buttstock, and a few minor dings. The sling swivels have been replaced with studs and the stock is inlet on the left side for a Lyman aperture sight; the checkered steel widow's peak buttplate remains in very good condition with light oxidation. The barrel and receiver markings remain mainly crisp, with only a few characters in the beans of dense bavies actioned The acting marker are barrel and receiver markings remain the profession of the profesion of the profession of the profession of the profession o
1435	Est. 800 - 1,200 British East India Company Flintlock Holster Pistol .67 cal, 9" round barrel with a very fine bore. The metal surfaces of this pistol have mostly toned to a mottled pewter-gunmetal patina showing scattered small spots of old light pitting, areas of silvery patina along the lock and plum-brown along the barrel. The pistol is equipped with a Baker pattern lock featuring the East India Company's Rampant Lion emblem as well as a crisp "(Crown) / 3" inspector proof. The cock may be a period replacement as it is a bit smaller than those seen on other examples but has obviously been with this pistol for some time. The breech proofs remain mostly intact and visible. The arm is equipped with a swiveling ramrod assembly with long retainer spring, heavy steel lanyard ring and the remaining hardware is of brass showing some light dings and toning to a mild ocher patina. The right side of the buttcap is stamped with a large "40". The walnut stock remains in about very good plus condition showing perhaps a touch of older added finish, the typical thin crack at the lock screw and scattered light dings. The arm remains in the original flint, the lock shows excellent fit to the stock and seems to function well mechanically. A handsome example for the antique arms collector. (13B9654-14) {ANTIQUE} (800/1200) Est. 800 - 1,200		barrel address having softened. The original rear sight has been removed and a dovetail blank inserted, and the rifle is sighted with ramped gold bead front sight and a Lyman receiver-mounted aperture rear sight, with one screw-in aperture; the rear receiver ring of the rifle has been drilled and tapped. A solid Model 70 from the first year of production, and while refinished, remains a very scarce low-numbered example. (14B9100-658) [Richard "Stretch" Kennedy Collection] {C&R} (800/1000) Est. 800 - 1,000

1440	Contemporary Northwest Company Indian Trade Musket	1444	Izhmash Saiga-12 Semi-Auto Shotgun
	.58 cal. smoothbore, 36" part octagon part round barrel with an oxidized		serial #H07422290, 12 ga., 18" barrel with a custom muzzle brake and
	bore. The metal surfaces on this contemporary reproduction of the		an excellent bore. Metal surfaces retain 98% excellent quality green
	Northwest Trade Gun are an overall soft rust brown patina with a		enamel and matte black finishes, with most visible wear centered around
	stainless steel vent liner. There is a simple half moon brass front blade		the safety lever. Imported by Russian American Armory Corporation, this
	sight and light turned medials at the point of transition on the barrel, with		shotgun also features a custom railed forend, Tapco trigger, pistolgrip
	both the top barrel flat and flat of the lock stamped with the Northwest		and vertical foregrip. A collapsible 5-position buttstock has been
	Company's "sitting fox" trademark. The curly maple stock rates very fine		installed and a single magazine sealed in factory packaging is included.
	to excellent with just some light dings and handling marks and features		A range-ready example of a classic Russian tactical shotgun.
	a simple brass buttplate with the typical cast-in-relief brass intertwining		(68926-16) {MODERN} (700/900)
	serpent sideplate. The lock is otherwise unmarked but for some simple		Est. 700 - 900
	borderline engraving and the trademark, and seems to function well	1445	Custom Boxlock Double Rifle Conversion by Sanden
	mechanically. What is likely the original ramrod is present. A faithful		serial #2614, 450 3 1/4", 26 3/4 sleeved monobloc barrels with bright
	reproduction of the Northwest Trade Company's Indian trade musket.		mostly excellent bores, the left barrel showing a small area of light pitting
	(3A9738-213) {ANTIQUE} [Kris Congdon Collection] (700/900)		midway down its length. The barrels retain about 98% buffed hot
	Est. 700 - 900		immersion blue, with solder evident along both the top and bottom ribs.
1441	British Sidelever Double Hammergun by J. D. Dougall		The rib is engraved "Caliber .450-3.25" N.E./165 gr. Lead 90 gr.
	serial #2641, 12 ga (2 1/2"), 30" un-choked damascus barrels with		AA4350" and "Conversion by Sanden/#10". The William Ford boxlock
	partially bright about good bores showing scoring marks, some light		frame is an overall tarnished pewter patina mixing with plum and
	pitting and a few small dents. This shotgun is equipped with Dougall's		showing remnants of some light oxidation and light pitting on the bottom
	patented "Lock Fast" side lever. The barrels retain perhaps 75% star		plate. It has tight English scroll in perhaps 75% coverage with the
	damascus patterns with strong brown finish, the loss due to a patch of		makers name in riband, the breech faces showing some light pitting
	moderate pitting about 9" from the breech, some scattered more mild		surrounding the firing pin holes. The straight grip English walnut stock is
	pitting and light oxidation staining. The 59 St. James's Street London		somewhat plain and rates very good with the expected light dings and
	barrel address remains completely intact and legible. The back action		handling marks, a light crack and some flaking at right where it meets
	lockplates and action have mostly toned to a silvery case-hardened		frame, and two small cracks left and right behind the top tang. The
	patina with generous colors along the lockplates and some scattered		length of pull to the 1" solid Pachmayr pad is 14 1/2" with drops of 1
	light freckling; the right lockplate is missing its hammer. The metal		9/16" and 2 1/2". The forend rates about good and is worn nearly
	surfaces are embellished with excellent quality English scrollwork and		smooth with its tip insert missing, a couple small cracks and a repair just
	foliate bordering, both lockplates clearly maker-marked. The checkered		ahead of the forend iron. The rifle is sighted with a hooded sporting
	pistolgrip walnut buttstock and forend remain in about very good		ramp front with a very generous white bead and four leaf express rear
	condition, the forend showing some overall bruising, thin cracks along		on the custom quarter rib, one standing, three folding. Additionally the
	either side of the wrist and overall light dings. The buttstock retains a		rib was neatly milled for Ruger rings (none are present). The barrels
	nice oil finish and shows some attractive grain figure throughout, the		seem to lock up tightly with dual under bites and Greener crossbolt, a
	comb has been neatly modified during the period of use, the butt is		sliver of light visible between each but it seems to affect only the original
	equipped with heel and toe plates and there is an engraved monogram		barrels and not the sleeved portion. Mr. Dan Sanden is a farmer and
	plate along the toe line that faintly reads "Boston". Length-of-pull is 14		former selectman in Phillipson Mass and studied gunsmithing in the
	1/4" with drops of 1 3/4" and 2 5/8". The left lock with non-rebounding		1960s at Trinidad State Junior College in Colorado. As with all arms of
	hammer functions crisply, lock-up is solid on-face. A very respectable		custom construction, a qualified gunsmith should be sought to determine
	example of these interesting and desirable shotguns that just needs a		the fitness of this arm for any type of service prior to use. (3B9738-1)
	little work. (13B9438-410) {ANTIQUE} (700/900)		[MODERN] [Kris Congdon Collection] (800/1200)
	Est. 700 - 900		Est. 800 - 1,200
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts:
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present)
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The but is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to minic the floral scroll, the safety is automatic and the trigger is single	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection]	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200)	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the
1442	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip,
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carwas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) (MODERN) [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard.
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldernord at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200)
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of	1446	Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4"
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) (MODERN) [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razor sharp edge and just a few minute
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razor sharp edge and just a few minute polishing marks on the faces here
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razor sharp edge and just a few minute polishing marks on the faces here or
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldernod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razo
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razo
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a carvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razo
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit losse, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razor sharp edge and just a few minute polishing marks on the faces here or there
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handjing marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit loose, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signed on either face: information from the consigner identifies the smith's signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razor sharp edge and just a few minute polishing marks on the faces here or
	Est. 700 - 900 Franchi Renaissance Elite Over Under Shotgun serial #9009720, 12 ga, 26" screw-choke ventilated rib barrels with excellent bores. The barrels retain 99% original blue and the gold trigger retains all original finish. The engraved silver-finished frame with gold inlays is excellent, there is tight scroll with floral motifs throughout. The gold accents are a mallard left, a pheasant right and roses found on the triggerguard and lever, all retain full original finish and compliment the silver nicely. The checkered AA walnut round-knob pistolgrip buttstock and finger-groove forend are excellent plus and display very nicely-contrasting figure. The butt is factory-fitted with a Technogel insert to cope with those hard-hitting 3" shells. The pierced lever is sculpted to mimic the floral scroll, the safety is automatic and the trigger is single selective. The shotgun comes with a fitted factory hard case with the following choke tubes: steel full, steel improved modified, lead cylinder and lead full. (22B9730-27) {MODERN} [Frank Grzasko Collection] (800/1200) Est. 800 - 1,200 Fine U.S. Model 1842 Percussion Pistol by Aston .54 cal, 8 1/2" round barrel with a bright excellent bore. The barrel, lock and ramrod assembly remain mostly armory bright showing some scattered mild freckling and light handling marks. The breech markings remain crisp with "U.S. / NWP / P", "P" on the bolster, nice lockplate markings and the tang and lockplate both dated 1848. The brass hardware is a mild goldenrod patina showing just a few minor handling marks and strong sub-inspector stamps. The trigger still retains much of its fire blue. The smooth walnut stock remains in near excellent condition showing some scattered light dings and handling marks, concentrated more along the left side. The stock retains strong oil finish and fine inspector cartouches on the left side. The ramrod assembly is intact and the lock functions crisply. A very handsome example for the U.S. martial collector. (13B9606-62		Est. 800 - 1,200 Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto This officer's "New Military Sword" measures 36" overall and bears a 26" shinogi-zukuri blade with a brass habaki and a crisp hamon line composed of even undulating peaks. The tang is signed on the reverse face. The blade is bright and near excellent with a few polishing marks here and there on the face. The hilt features standard officer's mounts: the tsuba is gilt brass with a scabbard catch cutout (no catch is present) cast in sakura blossom relief, worn to dull goldenrod at the edges and retaining much original gilt in the protected areas; the wooden grip is bound in white shagreen, decorated by brass triple sakura menuki and traditionally wrapped in brown cloth tape; the fuchi and kabuto-gane are stipple-patterned brass in ocher-brown lacquer paint with areas of the finish worn to brass mostly on the kabuto-gane. The wooden mekugi retention pin is worn thin and is a bit losse, otherwise the hilt is unblemished save the aforementioned finish wear. The scabbard is a traditional black-lacquered wooden saya with brass mounts. No tip cap is present and an 8 1/2" flexing split is present on either side of the seam at the rear edge; the seam itself is partially separated at the forward edge. Despite the separations, the saya is held securely by the brass suspension ring and a canvas tape binding just above the tip, otherwise showing no more than superficial handling marks and rating very good as a whole. A fine officer's weapon in a traditional scabbard. (12B9807-21) [Vincent Coniglio Collection] (800/1200) Est. 800 - 1,200 Signed WWII Japanese Officer's Sword in Shirasaya Mounts This oil-quenched sword measures 34 1/4" overall and bears a 25 3/4" shinogi-zukuri blade with a subtle tight wood-grain hada and a soft undulating hamon line. The tang is signature to one Showta Kanetake and dates the blade to 1945. The blade is in excellent condition with an unblemished razor sharp edge and just a few minute polishing marks on the faces here or there

1448	Japanese Naval Pattern 1937 Stainless Kai-Gunto	ן ר	1451	Signed WWII Japanese Officer's Sword
1	This weather-resistant naval officer's sword measures 36" overall and		-	36 1/4" overall, 26 1/4" shinogi-zukuri blade with a bright undulating
	bears a 26" shinogi-zukuri blade with a bright straight hamon line. A			hamon line and a strong wood grain hada with large chaotic whorls most
	Toyokawa Naval Arsenal circled anchor is stamped on the reverse face			visible in the lower half. The tang is moderately oxidized to a strong
	of the tang above the crisp maker's signature. The razor sharp stainless			ocher but the signature on the reverse face remains crisp and legible.
	steel blade shows an attractive near mirror finish and would rate			The blade is very good, overall bright with light handling and polishing
	excellent if not for a remnant of a nick in the edge at the center of			
	ů			marks scattered across the face, obscuring the grain in the upper half.
	percussion and light rough sharpening marks in the upper half from an			The smooth razor edge shows evidence of resharpening and a number
	effective but unpolished sharpening. The hilt fittings comprise a silvered			of tiny impact nicks scattered along the length. The hilt features a plain
	copper habaki, brass seppa, blackened copper dai-seppa forming			blackened iron disc tsuba with silvered brass seppa. The handle is a
	sun-rays in alternating plain and stippled finish, a blackened brass			typical officer's pattern with painted brass fuchi and kabuto-gane, brass
	tsuba, and gilt brass fuchi, menuki and kabuto-gane. The habaki shows			sakura menuki and a binding of white shagreen and brown cloth tape.
	light finish wear fading to bright copper beneath, the tsuba exhibits some			Strong moisture staining can be seen on the tape in the lower half
	finish thinning to brass at the edges and the gilt fittings retain generous			toward the pommel, instances of green verdigris have accumulated at
	amounts of original gilt with the exposed brass patinated to a dark			the edges of the brass and much of the paint has been worn from the
	brown. The wood grip is bound in black shagreen and olive green cloth			kabuto-gane exposing tarnished goldenrod brass. The scabbard is a
	tape and an olive green naval sword knot hangs from the sarute. The			black lacquered wooden saya with no mounts; large segments of
	grip tape is darkly sweat-stained at the edges and the knot exhibits			lacquer have flaked away at the edges but otherwise the scabbard
	some isolated instances of fraying and discoloration but is largely			shows no more than scattered light handling marks. Really a quite high
	unblemished. The scabbard is wood in black pebble-grain lacquer with			quality specimen, a professional polish by a knowledgeable expert will
	gilt brass mounts, rating very fine to near excellent with strong amounts			no doubt return this blade to its full splendor. (12B9807-16) [Vincent
	of original gilt on the brass, some slight patina on the exposed brass			Coniglio Collection] (800/1200)
	surfaces and just a few isolated instances of lacquer flaking here and			Est. 800 - 1,200
	there on the body. Overall a quite fine example of a stainless Navy	[	1452	Splendid Early U.S. Model 1840 Medical Staff Officer's Sword
	Kai-Gunto with light signs of previous carry. (12B9807-15) [Vincent			37 1/4" overall, 31" double-edged spear point blade with an elliptical
	Coniglio Collection] (800/1200)			cross-section and "W.H. / Horstmann & Sons / Makers / Philadelphia"
	Est. 800 - 1,200			finely engraved above the ricasso. Elliptical blades are indicative of early
1449	Japanese Type 94 / Pattern 1934 Officer's Shin-Gunto with Scarce	1		models and this specimen likely dates pre-Civil War. Either face of the
1.1.10	Leather Field Covers			blade is etched with frosted panels depicting beautifully detailed floral
	This officer's "New Military Sword" measures 37 1/2" overall and bears a			designs around the script "United States Medical Staff" in sunburst
	27" shinogi-zukuri blade with a silvered copper habaki and a straight soft			centered on the obverse and a Federal Eagle beneath "E Pluribus
	white hamon line. The tang is dated to July 1944 on the reverse and			Unum" riband and panoply of arms on the reverse. The blade is bright
	signed on the obverse as well as marked with white and green paint on			and near excellent: a few flecks of cleaned pinprick pitting and smoky
	the reverse and obverse, respectively. The markings and paint remain			gray patina can be seen sparsely scattered across the smooth faces of
	strong and crisp, the steel itself is toned to a dark gray with hints of			the foible, otherwise the etching is crisp and the blade is largely
	ocher tint visible under light. The blade is mirror-bright and near			unblemished. The hilt is cast brass with an array of gorgeous detailed
	excellent, a few impact nicks are visible in the otherwise unblemished			gilt relief including oak leaf and laurel patterns; the obverse shield langet
	razor sharp edge and some occasional small thin dusky gray clouds of			is centered by silver "MS" lettering over 13 stars and Federal Eagle in
	patina can be seen on faces including some shallow texturing at the tip.			an oval is superimposed on the obverse of the grip. The brass retains
	The hilt is fitted with typical officer's mount with gilt brass tsuba, fuchi,			generous amounts of original gilt, shows little to no tarnish and no
	menuki and kabuto-gane with ocher-brown paint in the relief of the fuchi			discernible handling marks. The included all-brass scabbard is very fine,
	and kabuto-gane. The grip is wood bound in traditional white shagreen,			showing just a bit of tarnish and only occasional very small handling
	olive green cloth tape, and fitted with a russet leather grip cover tied with			marks on close inspection. A marvelous Medical Staff sword in beautiful
	brown cotton cord. A blue/brown company-grade officer's sword knot in			condition. (129838-16) [Bruce Schroyer Collection] (1000/1500)
	excellent condition hangs from the sarute. The hilt fittings rate near			Est. 1,000 - 1,500
	excellent with a bit of finish wear at the edges and some handling stains		1453	Exceptional Early U.S. Model 1840 Heavy Cavalry Saber by Ames
	can be seen at the edges of the grip tape. A couple of the grommets			41 1/2" overall length, 35 1/2" curved single-edged blade with wide
	have been lost from cover, otherwise the hilt rates excellent with no			stopped and narrow partial unstopped fullers and a trailing point. The
	more than superficial wear. Includes a scarce leather foul weather cover			ricasso is crisply marked "N.P. Ames / Cabotville / 1846" on the reverse
	for the hilt. The cover shows light wrinkling and instances of surface			face and "US / JH" on the obverse. The blade exhibits a near-perfect
	deterioration and a hole has developed on one side near the pommel,			mirror polish, appearing almost factory mint at a glance. The tiniest
	overall the cover rates very good. The scabbard is steel in olive green			polishing and handling marks are revealed under close inspection, as
	paint with ocher-painted and gilt brass mounts and includes a leather			well as scattered barely visible flecks of cloudiness sparsely scattered
	combat cover. Light handling wear and surface scuffing can be seen			along the edge and some hints of expected scabbard wear; otherwise
	throughout the cover; the impression of the lower brass mount is worn			this blade is in positively stunning condition, without a doubt the best
	into the leather, otherwise the cover is supple and whole in near			example this writer has seen. The brass hilt has been expertly polished
				by a careful hand to a pleasing pale burnished goldenrod with areas of
	excellent condition. The scabbard itself is excellent, nearly unblemished			
	except for the barest finish wear on the mounts. A fine example of these			fine polished patina. The grip is in mint condition with no discernible
	officer's swords with a scarce complete set of weather and combat			blemishes. The included steel scabbard is bright and unblemished, also
	covers. (12C9807-28) [Vincent Coniglio Collection] (800/1200)			exhibiting a pristine expert polish to a beautiful satin sheen. Truly an
	Est. 800 - 1,200	4		incredible example, this sword is a superb prize for any collector of U.S.
1450	Scarce Copper-Mounted Japanese Pattern 1944 Officer's Shin-Gunto			arms. (12A9838-26) [Bruce Schroyer Collection] (800/1200)
	This late-war officer's sword measures 37 1/4" overall and bears a 26	1 L		Est. 800 - 1,200
	3/4" machined shinogi-zukuri blade with a plain brass habaki. The tang			
	is dated on the reverse side to the sixth month of the 20th year of the			
	Showa period (June 1945) and signed on the obverse. The bright blade			
	is in fine condition with an unblemished factory razor edge and showing			
	light handling and polishing marks throughout and occasional flecks of			
	smoky gray patina. The hilt features a plain blackened copper tsuba,			
	fuchi, menuki and pommel cap. The wooden grip is inlaid with white faux			
	shagreen scales and bound in brown cloth tape. The mekugi pin is not			
	present but the grip remains well-fitted. Overall the hilt is excellent, with			
	few blemishes except hints of copper peeking through the finish and			
	several flecks of moisture staining on the binding. The included painted	1		
	several flecks of moisture staining on the binding. The included painted steel scabbard is also about excellent with only the barest handling			
	steel scabbard is also about excellent with only the barest handling			
	steel scabbard is also about excellent with only the barest handling marks sparsely scattered on the surface. Copper-mounted specimens of			
	steel scabbard is also about excellent with only the barest handling marks sparsely scattered on the surface. Copper-mounted specimens of this model are unusual; most swords of this pattern were mounted in iron due to late-war material shortages. (12C9807-17). [Vincent Coniglio			
	steel scabbard is also about excellent with only the barest handling marks sparsely scattered on the surface. Copper-mounted specimens of this model are unusual; most swords of this pattern were mounted in			

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

# Lot Title/Description

1454	Stunning Early American Eagle's Head Officer's Saber Retailed by C. &	Γ	1457	British East India Company Pattern 1843 Percussion Pistol
	J.D. Wolfe			.69 cal, 9" barrel with a lightly oxidized bore. The metal surfaces of this
	This attractive saber dates to the early 19th century, measuring 37 1/2"			pistol show evidence of an old light cleaning having mostly toned to
	overall and bearing a 32" curved single-edged blade with wide single			silvery pewter patina showing some sparsely scattered remnants of
	stopped fullers and a trailing point. The retailer's mark "Sold by C. & J.D.			smoothed-over pinprick pitting and some mild brown freckling. The
	Wolfe New York" is stamped on the spine. Either face of the blade is			breech shows softened but visible British proof marks and the lockplate
	decorated by panels of frost-etching, gilt and fire blue. Designs include a			shows simple line bordering and the familiar East India Company lion in
	variety of floral and foliate sprays, panoplies of arms, "Indian Princess"			the center, there is no visible date stamp. The brass hardware has toned
	motifs and a gilt Federal Eagle with U.S. Shield and "E Pluribus Unum"			to a mild ocher patina showing some scattered light dings and a small
	riband prominently centered on the obverse face. The bright blade is in			hole through the right edge bow of the guard. The buttcap shows a unit
	fine condition: smooth smoky gray patina has overtaken parts of the			marking with large "B" and what appears to be a "42", though the
	lower portion of the blade and areas of smoky gray can be seen			numerals actually appear to be of Hindi origins. The smooth walnut
	throughout, as well as light polishing marks visible on the bright areas			stock remains in very fine condition showing a very neatly repaired thin
	and several impact nicks along the edge. Other than a few spots of light			sliver at the rear lock screw, thin 2 1/2" crack near the right edge, some
	thinning, the gilt and fire blue remain strong. The hilt is gilt brass with an			scattered light dings and handling marks. There are some very faint
	eagle's head pommel, the knucklebow shaped as a beautifully rendered			ghostly remnants of proof marks behind the triggerguard. The lanyard
	pierced relief of an eagle in a laurel wreath frame. A single non-flexing			ring and swiveling ramrod assembly are intact and the lock functions
	crack runs the length of the obverse side of the polished bone grip and			crisply. A very attractive EIC pistol for the British antique arms collector.
	areas of exposed brass aged to a distinguished dark goldenrod can be			(13B9888-5) {ANTIQUE} (800/1200)
	seen at the edges of the brass, otherwise the hilt is in very fine			Est. 800 - 1,200
	condition. The included scabbard is in about excellent condition. While	l t	1458	Interesting Custom Remington Rolling Block Target Pistol by Ramsdell
	light cracks can be seen throughout the body of the leather, the stitching			& Neal
	is tight and the body remains whole with no material loss. The brass			serial #1339, 44 RF/CF, 13 1/2" round barrel with Henry patent rifling
	mounts are finely polished, toned by age to dark goldenrod with hints of			and a mostly bright about very good bore showing some scattered light
	tobacco color. A quality piece from this New York retailer. Research			pitting and oxidation in the grooves with otherwise strong rifling
	shows C. & J.D. Wolfe operated as a military goods dealer out of the			throughout. This Model 1867 navy frame pistol has been expertly
	"Maiden Lane" Military District of New York, NY from 1816-1829.			re-barreled and modified by period Bangor gunsmiths Ramsdell & Neal.
	(12B9838-25) [Bruce Schroyer Collection] (2000/3000)			The barrel is nicely crowned and the breechblock has been fitted with a
	Est. 2,000 - 3,000			combination centerfire and rimfire firing pin. The barrel retains perhaps
1455	Burnside Fifth Model Civil War Carbine			80% original brown finish thinning to mild gray patina and showing some
	serial #3343, .54 cal, 21" barrel with a very good bore which shows			scattered old pinprick pitting and minor handling marks. The barrel is
	strong rifling and with light scattered pitting its full-length. The metal			crisply marked ahead of the rear sight "Ramsdell & Neal / Bangor, Me."
	surfaces on this fifth model carbine are a mix of a dull gunmetal gray			The frame has mostly toned to a dark gray patina showing some specks
	and soft brown oxidation, the frame with some silvery remnants of			of old oxidation staining and generous smoky case-hardening
	case-hardening. There are the expected minor dings and handling			throughout and a hint of nice colors lurking about the very protected
	marks that come from a field-issued arm as well as scattered light			areas. The screw heads show light slot wear and many still retain some
	pitting, most prominent at the muzzle. The American walnut buttstock			good fire blue, the sides of the trigger and rear sight leaf also with some
	and forend rate very good with overall light dings and handling marks,			good fire blue. The breechblock and action pin retainer plate retain
	the forend showing an old light refinish with a small crack beginning at			about 75% original blue thinning to gray patina. The checkered walnut
	its retaining screw. The left side of the butt shows two evident			grip and forend remain in about very good condition showing a thin 7/8"
	cartouches and the saddle ring is still intact on the ring and bar. Lockup			chip at the rear right edge of the forend, a large hash carved into the
	is tight and the action is crisp and mechanically functional, the			base of the grip and some scattered light dings with the checkering
	breechblock showing perhaps a light cleaning as the serial number is			showing moderate wear. The grip otherwise retains excellent fit to the
	quite light. Numbers are matching on the barrel, frame and the			frame. The pistol is sighted with a large brass bead front sight, flattop
	breechblock and the arm has broken off of the breech block link pin. An			sporting rear leaf sight and the action seems to function well
	honest example of the Burnside Fifth Model Carbine which clearly looks			mechanically. Ramsdell & Neal were active in partnership from about
	like it spent some time ahorse "chasin' rebs". (3A9873-6) {ANTIQUE}			1870-1881. (13B9670-472) {ANTIQUE} [David & Lore Squier Collection]
	(800/1200)			(700/900)
	Est. 800 - 1,200			Est. 700 - 900
1456	Marlin Special Order Model 1893 Takedown Rifle		1459	Colt Model 1849 Pocket Percussion Revolver
. 400	serial #163078, 32-40, 26" round barrel with half magazine and a		. 400	serial #161725, .31 cal, 4" octagon barrel with a mostly bright very good
	partially bright good bore showing some overall light pitting, a faint ring			plus bore showing some scattered light pitting and strong rifling
	of oxidation nearer the muzzle and otherwise strong rifling throughout.			throughout. The barrel of this 1860-made revolver shows remnants of an
	The barrel of this 1898-made rifle retains perhaps 30% original blue			older reapplied blue finish toning to a mix of gunmetal and blue-gray
	fading and toning to a deep plum-brown patina along with some			patina along with a few light dings and handling marks. The five-shot
	scattered mild freckling and handling marks. The action is toning to a			cylinder is similar showing replacement nipples and a slightly softened
	mild gray-brown patina showing strong silvery case-hardened patina			scene that is still quite nice and mostly intact. The loading lever and
	throughout and some generous vibrant colors in the protected areas and			frame are a more mild gray patina showing some scattered light
	the loading gate retains strong bright blue. Some of the screw heads			handling marks. The hammer screw is a replacement and the wedge
	show light slot wear, the barrel address is somewhat soft from the years			screw shows light slot wear. The triggerguard and backstrap have toned
	but legible and the "MARLIN SAFETY" atop the action remains crisp.			to mild ocher patina showing some scattered light handling marks and
	The plain walnut stocks remain in about very good condition as lightly			all markings remain legible with very strong "COLTS PATENT" on the
	cleaned and refinished showing some crazing older added varnish, a			frame and cylinder and the New York barrel address softened slightly
	thin 1 1/2" sliver missing along the forward left edge of the forend, some			but otherwise legible. The smooth walnut grip remains in very good
	scattered light dings and handling marks. The original black hard rubber			condition as lightly cleaned and refinished showing some scattered light
	buttplate shows a 1" chip at the toe. The rifle is sighted with a Lyman			dings and areas a bit shy of the straps. The grip is not ink-numbered
	tang sight with wide aperture disc, two-leaf express rear sights (their			and shows a faint mismatched scratched number but all of the other
	retainer screw is broken and the leafs are somewhat loose) and an			parts are matching including the wedge. The action will require some
	unmarked replacement plain bead front sight. The action seems to			mechanical attention as the hammer binds and does not cock or rotate
				the cylinder. The mainspring is an old ill-fitting replacement showing a
	function well mechanically. (13B9746-36) {ANTIQUE} (700/900)			
	function well mechanically. (13B9746-36) {ANTIQUE} (700/900) Est. 700 - 900			crack near the base and the action should be rectified with a new spring.

		-		
1460	Cased Bacon & Co. Underhammer Percussion Pepperbox Pistol		1465	Custom Winchester Model 92 Lever Action rifle
	serial #26, .31 cal, 4 3/8" six-barrel cluster with light to moderately			serial #250373, 357 Magnum, 17" barrel with an excellent bore. The
	oxidized smoothbores. The barrels of this pistol have mostly toned to a			metal surfaces retain 99% maker blue with some small blemishes and a
	dark gray patina showing a few light dings, fine remnants of mild pinprick			faint rub from the saddle ring. The surfaces were likely refinished when
	pitting and a thin full length-wise crack through one of the barrels. The			the custom barrel was fitted, the underside of the barrel is marked
	barrel rib markings remain strong showing Bacon & Co. Norwich			"12-67" and "P.H. LEIBBRAND", the top of the barrel is caliber-marked
	address and "CAST STEEL" stamp. The frame and nipple shield are a			and the same "P.H. LEIBBRAND" maker mark is just ahead of the rear
				-
	silvery pewter patina showing some smoothed-over pinprick pitting and			sight. This gun is an interesting mixture, it is equipped with a rifle
	minor freckles and are embellished with lovely detailed foliate scrollwork			buttstock and forend but the receiver has a saddle ring. The smooth
	and tiny star accenting. The screw heads show some light slot wear and			walnut buttstock and metal-capped forend are very good with a repaired
	the hammer and trigger show remnants of silvery case-hardened patina.			crack at both sides of the toe, some small chips and just a couple light
	The smooth walnut grips are stamp-numbered to the gun and remain in			handling marks, the wood figure is quite nice particularly around the
	very good plus condition showing some light dings and handling marks			comb and heel. The rear sight is a graduated ladder, the front is a small
	with remnants of oil finish and nice fit to the frame. The action seems to			Lyman blade. Initial research of P.H. Leibbrand came up with only one
	function well mechanically with very good timing and lock-up. The			other gun, an interesting custom carbine with mysterious origins.
	included period mahogany case rates very good plus showing some			(22A9899-8) {MODERN} (700/900)
	flaking old varnish and handling marks overall and a moderate drying			Est. 700 - 900
	crack through the base that still retains much of its paper covering. The	-	1466	Smith & Wesson Model 586-8 Double Action Revolver
			1400	
	interior is lined in dark brown baize that shows some light scuffs and			serial #CZL0369, 357 Magnum, 4" barrel with an excellent bore. The
	holds a key, Federal Eagle powder flask and single cavity bullet mould			metal surfaces retain 99% original blue, there is a bit of dulled finish
	that show moderate wear overall. An attractive antique ensemble, the			likely from storage in a case. The checkered walnut diamond factory
	pistol actually with some very nice engraving. (13A9833-72) {ANTIQUE}			grips with S&W medallions are excellent plus. The revolver is sighted
	(800/1200)			with a micro-adjustable white outline rear sight and a serrated ramp with
	Est. 800 - 1,200			red insert front sight. Included is the original factory hard case with
1461	Winchester Pre '64 Model 70 Bolt Action Rifle			<b>o o y</b>
1401				paperwork. (22A9903-20) {MODERN} (700/900)
	serial #157343, 30-06, 24" barrel with a bright excellent bore. The metal	F		Est. 700 - 900
	surfaces retain near 99% strong original blue with a few scattered	·	1467	Browning Auto 5 Semi-Auto Shotgun
	blemishes and some very faint edge wear on the floorplate. The knob			serial #1R71005, 16 ga., 27 1/2" plain barrel choked modified with an
	has begun to tone to pewter as they are wont to do and the bolt body is			excellent bore. The metal surfaces retain 99% original blue with some
	numbered to the gun, there are some faint freckles and operational			minor and unobtrusive freckling and some faint edge wear. The receiver
	wear. The checkered walnut pistolgrip stock is about very good as			engraving remains crisp and the bolt body and follower are bright. The
	hastily refinished years ago, there are light handling marks and impact			red-colored checkered walnut round-knob pistolgrip buttstock and
	marks but the wood is structurally-sound and the checkered steel			fingergroove forend are very good plus with the occasional handling
	buttplate retains most of its original blue. Factory sporting sights remain			mark or small blemish and an excellent condition FN-marked hard
	intact including the front sight hood. This 1950 rifle would be perfect for			rubber buttplate. Included is the original manual inside a
	the deer woods or for the collector with a knack for wood rejuvenation.			Browning-marked manila envelope. (22A9838-2) {C&R} (700/900)
	(22A9899-53) {C&R} (800/1200)			Est. 700 - 900
	Est. 800 - 1,200	-	1468	Colt Agent Double Action Revolver with Factory Hammer Shroud
				serial #B81168, 38 Special, 2" barrel with an excellent bore. You do not
1/62				
1462	Sauer & Sohn Model VIII Boxlock Double Shotgun			
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and			often see first issue Agents with this much condition sporting a factory
1462	•			
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and			often see first issue Agents with this much condition sporting a factory
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun.
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent.
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor,			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900)
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both			often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is orn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is orn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver
1462	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gumetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R}		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style cosking indicators on both sides of the frame and the Greener-style Cocking (700/900) Est. 700 - 900		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered walnut straight-grip buttstock with arabes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbol closure keeps the barrels tight and on-face. (22A9803-15) (C&R) (700/900) Est. 700 - 900	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbot closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gummetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocsbot closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent,		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gummetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocsbot closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent,		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round but
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbol closure keeps the barrels tight and on-face. (22A9803-15) (C&R) (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight.	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbotl closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handing marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A9897-82) (MODERN) (800/1200)	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A987-82) (MODERN) (800/1200)	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groover ound butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the
	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocsbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A987-82) {MODERN} (800/1200) Est. 000 - 1,200	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius,
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) (C&R) (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A9897-82) (MODERN) (800/1200) Est. 800 - 1,200		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver fatures a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocsbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A987-82) {MODERN} (800/1200) Est. 000 - 1,200		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius,
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) (C&R) (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A9897-82) (MODERN) (800/1200) Est. 800 - 1,200		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver fatures a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A9897-82) (MODERN) (800/1200) Est. 800 - 1,200 Colt Model 1903 Pocket Hammerless Semi-Auto Pistol serial #448718, 32 ACP, 3 3/4" barrel with a near excellent bore showing faint hints of frosting. The metal surfaces retain perhaps 97%	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod for positive extraction and ejection of fire
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A9897-82) {MODERN} {800/1200} Est. 800 - 1,200 Colt Model 1903 Pocket Hammerless Semi-Auto Pistol serial #448718, 32 ACP, 3 3/4" barrel with a near excellent bore showing faint hints of frosting. The metal surfaces retain perhaps 97% original blue, there is a small impact mark just behind the rear sight,	-	1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod for positive extraction and ejection of fire
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight war on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handing marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A987-82) (MODERN) (800/1200) Est. 800 - 1,200 Colt Model 1903 Pocket Hammerless Semi-Auto Pistol serial #448718, 32 ACP, 3 3/4" barrel with a near excellent bore showing faint hints of frosting. The metal surfaces retain perhaps 97% original blue, there is a small impact mark just behind the rear sight, some scattered blemishes and a bit o		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still imes and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod for positive extraction and ejection of fired
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight wear on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handling marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A9897-82) (MODERN) (800/1200) Est. 800 - 1,200 Colt Model 1903 Pocket Hammerless Semi-Auto Pistol serial #448718, 32 ACP, 3 3/4" barrel with a near excellent bore showing faint hints of frosting. The metal surfaces retain perhaps 97% original blue, there is a small impact mark just behind the rear sight, some scattered blemishes and a bit of edge wear with nice crisp factory markings throughout. The checkered har		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) (MODERN) (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medalions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still times and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod for positive extraction and ejection of fired
1463	serial #210043, 16 ga., 26" barrels choked improved cylinder and modified with excellent bores. The barrels of this 1957-dated shotgun retain perhaps 98% original blue with some silvering and light concentrated freckling at the muzzles and a few other scattered light blemishes. The frame retains nice remnants of color case-hardening along the fences and around the triggerguard particularly strong on the interior of the forend metal and water table. The majority of the surfaces have toned to a silver and gunmetal gray patina and have been nicely-engraved with Arabesque scroll and geometric patterns on the screw heads and hinge pin. The checkered walnut straight-grip buttstock with later-added and slightly-proud checkered hard rubber Herter's buttplate and the splinter-style forend are very good plus with some scattered blemishes and handling marks. The length-of-pull is 14" with drops of 1 3/4" and 3" and the gun has 2 3/4" chambers, extractor, slightly-tarnished double triggers, pin-style cocking indicators on both sides of the frame and the Greener-style crossbolt closure keeps the barrels tight and on-face. (22A9803-15) {C&R} (700/900) Est. 700 - 900 U.S. Repeating Arms Co. Model 1886 Lever Action Rifle serial #ES1074, 45-70, 26" octagon barrel with an excellent bore. The metal surfaces retain 99% plus original blue with some slight war on the toe of the smooth buttplate. The smooth capped pistolgrip walnut buttstock and metal-capped forend are very good plus to near excellent, there are a couple light impact marks and some other light handing marks. This 1997 Miroku rifle has no tang safety and is sighted with a tang-mounted adjustable peep sight and a bead front sight. (22A987-82) (MODERN) (800/1200) Est. 800 - 1,200 Colt Model 1903 Pocket Hammerless Semi-Auto Pistol serial #448718, 32 ACP, 3 3/4" barrel with a near excellent bore showing faint hints of frosting. The metal surfaces retain perhaps 97% original blue, there is a small impact mark just behind the rear sight, some scattered blemishes and a bit o		1469	often see first issue Agents with this much condition sporting a factory installed hammer shroud and a box. The metal surfaces retain about 99% original blue and anodized finishes. The hammer sides are hidden by the shroud but the top has full blue finish as does the standard trigger. The fully checkered walnut factory extension grips with silver Rampant Colt medallions rate excellent and are numbered to the gun. The gun still times and locks up correctly and shows little or no use since it left the factory in 1971. The gun includes the original factory two-piece woodgrain box that is correctly end labeled and numbered to the gun. There is a printed surcharge added to the label to indicate the shroud. The box rates excellent but the end label is starting to peel at one corner and a small piece of it is torn off. It also includes a manual and paperwork. A truly fine example of a shrouded Colt Agent. (8A9899-12) {MODERN} (700/900) Est. 700 - 900 Scarce Smith & Wesson Model 66-3 Combat Magnum Revolver serial #BEA5147, 357 Magnum, 3" barrel with an excellent bore. This revolver was made in 1988 for a 2500-gun limited run for Ashland Shooters Supply with two other short runs made in the 1990's for other distributors. The provided box gives a shipping date on this excellent condition revolver as August 22, 1989. The stainless steel surfaces remain in excellent condition with minor handling wear. The smooth combat trigger and service hammer retain full hard chrome plate. The revolver is equipped with smooth goncalo alves finger groove round butt combat grips with silver S&W medallions that rate excellent. The revolver features a red ramp front sight, black blade micro adjustable rear sight and it still imes and locks up correctly. Aside from the scarcity of this model, some of its "selling" points were compactness close to the standard 2 1/2" barrel but with the benefits of increased sight radius, slightly more muzzle weight for recoil control and a full-length ejector rod for positive extraction and ejection of fired

1470			
1	M.A.B. Model P-15 Semi-Auto Pistol	1475	Auto Ordnance Thompson M1 Semi-Auto Carbine
	serial #613320, 9mm, 4 1/2" barrel with an excellent bore. This variant		serial #KC2889, 45 ACP, 16 1/2" barrel with a bright excellent bore. The
	IV pistol is one of 3000 imported by Howco Distributors in 1981 and		metal surfaces retain about 98% original blue, loss due to light
	remains in excellent condition. The metal surfaces retain about 97%		operational wear behind the charging handle, minor edge wear and
	original Parkerized finish, the grip frame starting to thin with intermingled		some minor light scratches. The smooth walnut buttstock, pistolgrip and
	brown, a few light stains from oxidation and handling marks. The		forend remain excellent with a couple light blemishes on the buttstock. A
	-		
	checkered synthetic factory grips have molded-in MAB logo and rate		single 20-round magazine and a lightly stained Khaki NoBuckl sling are
	excellent. The pistol features a serrated ramp front sight, drift adjustable		included. An excellent semi-auto replica of the venerable Thompson.
	rear sight, thumb safety, magazine safety and fixed rotary barrel. The		(5A9896-115) {MODERN} (800/1200)
	pistol has St. Etienne proof marks, the right side of the slide is marked		Est. 800 - 1,200
	"MODEL P-15" and the left side of the frame is marked "HOWCO DIST.	1476	U.S. Model 1879 Trapdoor Carbine By Springfield Armory
	INC. / LAUREL, MD. USA.". It includes the original factory box that is		serial #125627, 45-70 Govt., 22" barrel with a near excellent bore
	correctly end labeled and numbered to the gun, a single Parkerized		showing strong evident rifling with some sparse very fine pitting and
	MAB magazine with milled floorplate and aluminum follower, and		frosting. The metal surfaces have toned to an overall brown patina, The
	paperwork. The P-15 was the first pistol to exceed the Browning High		lock retaining much original blue with light brown undertones. There are
	Power's thirteen-round capacity and the model number was so-named		tiny peen marks in the hinge area of the frame and the usual impact
	for its fifteen-round capacity. These Howco guns were some of the last		marks, nicks and scratches one would expect of an issued arm. The
	produced before M.A.B. went bankrupt. An interesting collectible with		1873 dated breechblock and rear tang have toned to a mottled gray and
	great condition. Please see our Online auction for P-15 magazines.		brown patina with scattered fine staining still showing strong traces of
	(8A9899-5) {MODERN} (700/900)		original case colors. The walnut stock remains very good plus showing
	Est. 700 - 900		an old light cleaning removing the inspector cartouche and firing proof.
4.474		4 1	
1471	Smith & Wesson Model 34-1 22/32 Kit Gun Revolver		There is a large chip missing on the right side of the rear tang that has
	serial #M204469, 22 LR, 4" pinned barrel with an excellent bore. This		been nicely dressed along with remnants of light dents, handling marks
	revolver retains excellent condition with about 99% original blue showing		and a more noticeable dent in the underside of the buttstock. The
	very light edge wear. The service trigger and hammer retain bold		carbine is equipped with a proper hooded front sight, buckhorn rear
	case-hardened colors with light operational wear. The checkered walnut		sight and the sling bar is present and intact. The three position tumbler
	factory Magna grips with silver S&W medallions are numbered to the		and lock remain crisp and the button end section of a cleaning rod and
	gun and rate excellent. This gun features Baughman ramp front sight,		first model broken shell extractor is present in the butt. A very good plus
	black blade micro adjustable rear sight and still times and locks up		1879 Trapdoor carbine. (5A9896-61) {ANTIQUE} (800/1200)
	correctly. It includes the original factory box that is correctly end labeled		Est. 800 - 1,200
	and numbered to the gun, cleaning kit, manual, paperwork, a pair of	1477	U.S. Model 1884 Trapdoor Cadet Rifle By Springfield Armory
	checkered rubber Pachmayr Compac grips for a round butt J-frame that		serial #566942, 45-70 Govt., 29 1/2" barrel with an excellent bore. The
	greatly enhance the shoot-ability of the little J-frames. This lovely little		barrel has toned to brown patina with generous traces of fading original
	gun has enough condition for the collector and great appeal to the		blue. There are minute impact marks and thin light scratches from the
	woodsman. (8A9899-10) {MODERN} (700/900)		years, a spot or two of fine oxidation and light wear around the muzzle
	Est. 700 - 900		from bayonet removal. The frame has toned to a mottled gray and blue
		4 1	
1472	Smith & Wesson Model 629-2 Mountain Revolver		patina with pale brown undertones. The lock, triggerguard and bands
	serial #BDZ7262, 44 Magnum, 4" tapered barrel with an excellent bore.		retain about 90% original blue toning to brown with spots of fine
	The matte stainless steel surfaces rate excellent. The smooth combat		oxidation, there is a patch of brown flaking in the front of the lockplate
	trigger and service hammer retain full hard chrome finish. The smooth		
			around the pin hole. The 1884 dated breech block retains about 90%
	goncalo alves finger groove combat grips with silver S&W medallions		original case-hardened finish muting to a pleasing pale brown patina,
	rate excellent. The Mountain Guns had the lighter tapered barrels and		the colors quite brilliant in areas. The walnut stock remains very good
	round butt for ease-of-carry, this one also features a Baughman ramp		plus to near excellent with ample light dents, handling marks and
	front sight and black blade micro adjustable rear sight. The action times		remnants of a left side stock cartouche but remains free of any cracks.
	and locks up correctly and appears to have seen minimal use. It		The buttplate has toned to gray and brown with modest light oxidation
	includes the original factory box that is correctly end labeled and		and is numbered "15" behind the upper mounting screw. Rifle is
	numbered to the gun, cleaning kit, manual, paperwork and spare set of		equipped with a standard front sight (minus hood), Buffington rear sight
	Pachmayr "Gripper" stocks showing light wear. The gun is not marked		and although numbered in later production is fitted with the earlier
	Mountain Gun but the box is correctly labeled as such. The Mountain		two-piece triggerguard. The three position tumbler and lock remain crisp
	Guns are highly regarded for use in bear country. A great addition for		and what appears to be a proper slotted button tip cleaning rod is
	the collector or outdoorsman. (8A9899-11) {MODERN} (800/1200)		included. An attractive 1884 Cadet Trapdoor. (5A9896-57) {ANTIQUE}
	Est. 800 - 1,200	4	(700/900)
1473	German P.38 Semi-Auto Pistol by Walther	1	Est. 700 - 900
	serial #3411b, 5" barrel with a very good bright bore showing strong	1478	U.S. M1 Garand Rifle By Springfield Armory
	serial #3411b, 5" barrel with a very good bright bore showing strong	1478	U.S. M1 Garand Rifle By Springfield Armory
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum,	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200)	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are
	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) (C&R) (800/1200) Est. 800 - 1,200	1478	U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200)		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore.		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) (C&R) (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore.		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) (C&R) (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 353" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (SA9888-3) (C&R) (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black composite stock with LimbSaver recoil pad remains near excellent with		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (SA9888-3) (C&R) (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black composite stock with LimbSaver recoil pad remains near excellent with		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black composite stock with LimbSaver recoil pad remains near excellent with light handling marks and a small chip in the edge of the pistolgrip. The stock is fiberglass reinforced and features a full aluminum bedding		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black composite stock with LimbSaver recoil pad remains near excellent with light handling marks and a small chip in the edge of the pistolgrip. The stock is fiberglass reinforced and features a full aluminum bedding block. Rifle is equipped with target blocks, the front showing light wear		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt arked P.38v. A near excellent late 1944 manufactured Watther P.38. (5A9888-3) (C&R) (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black composite stock with LimbSaver recoil pad remains near excellent with light handling marks and a small chip in the edge of the pistolgrip. The stock is fiberglass reinforced and features a full aluminum bedding block. Rifle is equipped with target blocks, the front showing light wear from prior scope mounting. An overall excellent long range sniping rifle.		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)
1474	serial #3411b, 5" barrel with a very good bright bore showing strong rifling with some scattered fine frosting. The barrel on this single line ac 44-coded pistol retains about 90% original blue, loss due to wear primarily along the top of barrel, muzzle and front sight band. The frame, slide and smaller parts retain about 95% original blue toning to plum, light wear along the edges and gripstraps, the underside of the back strap shows some lightly applied cold blue. The brown phenolic resin grips remain excellent. All of the serialized parts are matching with appropriate "(Eagle) / 359" Waffenamts. Included is a single matching "(Eagle) / 359" Waffenamt marked P.38v. A near excellent late 1944 manufactured Walther P.38. (5A9888-3) {C&R} (800/1200) Est. 800 - 1,200 Remington Model 700P Bolt Action Rifle serial #E6879594, 308 Win., 26" heavy barrel with an excellent bore. The metal surfaces on this police rifle retain 97-98% original parkerized finish with some thin light handling marks and spots of minor wear atop the receiver. The bolt retains 95-98% original matching finish with minor operational wear along the body and edges. The H.S. Precision black composite stock with LimbSaver recoil pad remains near excellent with light handling marks and a small chip in the edge of the pistolgrip. The stock is fiberglass reinforced and features a full aluminum bedding block. Rifle is equipped with target blocks, the front showing light wear		U.S. M1 Garand Rifle By Springfield Armory serial #1135252, 24" 1-43 dated Springfield Armory barrel with an excellent bore. The metal surfaces retain about 98% arsenal reapplied parkerized finish, loss due to light wear along the edges and contact points. The bolt retains about 95% original blue loss due primarily to operational edge wear. "AH / 4-65" has been written on the interior right side of the frame. The walnut stock and handguard remain in very good condition as lightly cleaned with remnants of light scratches and handling marks. The only visible marking is an un-circled large "P" on the front of the pistolgrip. Rifle features a two-slot gas plug, T-105 rear sight, a five section cleaning rod, loop oiler and combination tool are located in the butt and a khaki web sling is included. A solid arsenal reworked M1 rifle. (5A9896-129) {C&R} (700/900)

479	Burnside Fifth Model Civil War Carbine	14	483	Harrington & Richardson M12 "JROTC" Bolt Action Rifle
	serial #6136, .54 cal., 21" barrel with an about near excellent bore			serial #AX704465, 22 LR, 28" heavy barrel with a bright, excellent bore
	showing strong evident rifling with fine oxidation and light pitting the first			The metal surfaces retain about 99% of an arsenal blue finish that has
	3" from the muzzle. The metal surfaces have toned to gray and brown			only a few light handling marks and some light specks of surface
	patina with scattered spots of fine oxidation and pitting, the lever and			oxidation scattered throughout. The receiver is "U.S." marked above the
	link showing perhaps a little more pitting. The buttplate and barrel band			serial number. The hardwood target stock rates excellent and has strong
	have toned to a much darker brown and gray. The surfaces are			arsenal oil finish. The stock features swivels and a full forearm target
	appropriately marked and remain clear, the frame and barrel are			rail. Rifle is equipped with target blocks and a set of Redfield Palma
	numbered alike. The straight grip walnut buttstock and forend remain			Match sights with a globe front sight and adjustable rear aperture sight
	very good plus showing perhaps an old light cleaning, with remnants of			A shipping box from the Civilian Marksmanship Program is included an
	light handling marks, the wood slightly shy at the toe, there are two			contains a manual and CMP receipt that is numbered to the rifle. Know
	strong cartouches in the left wrist. The saddle ring and original sights			as the M12 JROTC at the factory these single shot target rifles were
	remain intact, the hammer remains crisp and the mechanism functions			built to similar specs as the Winchester Model 52's and were known fo
	well mechanically. Overall a nice fifth model carbine. (5A9896-119)			consistency and accuracy. (4A9830-5) {MODERN} [Dr. William C.
	{ANTIQUE} (800/1200)			Nugent Collection] (700/900)
	Est. 800 - 1,200			Est. 700 - 900
180	Winchester Model 62A Slide Action Rifle	14	484	U.S. M1 Garand Rifle By Springfield Armory
00	serial #395327, 22 S,L,LR, 23" barrel with a bright excellent bore. The		101	serial #2083707, 30-06, 24" "S-A" marked barrel that is dated "4-51"
	barrel and magazine tube retain 95-97% original blue, loss primarily on			and has an excellent bore. The metal surfaces retain about 95% arsen
	the slide arm, rear of barrel and magazine tube. The action retains about			gray parkerized finish that has some light handling and edge wear
	98% original blue, the loss due to operational wear along the top of the			throughout. The military grade hardwood stocks show evidence of light
	receiver, minor edge wear and tiny scratches. The smooth straight grip			cleaning with an oil finish applied. The stocks have some light handling
	walnut buttstock and grooved flatbottom forearm remain about near			marks and no visible arsenal marks or cartouches. The military sights
	excellent with a tiny dent in the left buttstock and other minor carry			remain intact and all of the parts appear to be of Springfield production
	marks. The original sights remain intact and the action seems to function			The receiver dates to late 1943. A very nice, arsenal-refurbished rifle
	well mechanically. A near excellent Model 62A rifle. (5A9896-84) {C&R}			that should be a fine shooter. (4A9893-3) {C&R} (800/1000)
	(800/1200)			Est. 800 - 1,000
	Est. 800 - 1,200	14	485	German Standard Model Bolt Action Rifle by Mauser Oberndorf
181	Isaac Haines 1770-Style Lancaster County Flintlock Rifle By Track of			serial #B59935, 8mm Mauser, 24" barrel with a very good frosted bore
	The Wolf			with strong rifling. The metal surfaces retain about 92% original blue w
	.50 Cal, 38" unmarked swamped octagon, seven-groove barrel with a			some light wear on the high edges and contact points, light to moderat
	1:66" rate of twist and an excellent bore. The barrel retains about 99% of			wear on the triggerguard and floorplate with toning to brown, the barrel
	its rich browned finish with some light handing marks and light edge			toning slightly to gray with scattered fine oxidation There are some
	wear throughout. The correctly functioning Silar lock and Bivens single			scattered pinprick pits and the bolt has been largely cleaned bright with
	trigger feature the same type finish only the face of the frizzen showing			some generous remnants of blue in the protected areas and cocking
	any noticeable wear. The brass furniture has a medium ochre patina,			piece. The European hardwood stock is in very good condition with a
	there are a few light dings noticeable but otherwise the brass rates			few light divots in the squared edge of the stock along both sides of the
	excellent. The full length fancy maple stock rates excellent having a few			barreled action, some light linear impact marks on the left side of the
	light dings and some rich tiger stripe figure. The stock features an early			stock below the action, a spot of light cleaning at the heel with the flat
	Colonial design with a left side cheekrest and simple carvings including			steel buttplate slightly proud, and scattered light handling marks. The
	a scallop shell at the base of the tang and several loose vine type			stock is unmarked and stock and handguard are internally numbered to
	patterns throughout. The lock escutcheon plate remains blank and a			a different rifle. The receiver ring is crisply stamped with the Mauser
	seven-pointed star is tacked to the cheekrest. The right side of the butt			banner, clear "(Crown) / BUGN" proofs are stamped on the left side of
	features a sliding wooden patchbox which is from a similar piece of			the receiver ring, and the barrel and receiver are serialized and
	wood and has some similar carving patterns. Rifle is equipped with a			matching each other; the receiver is undated. The bolt assembly is
	notched rear sight and has a German silver front sight blade. A correct			mismatched and is marked with "(Crown) / BU" proofs, and the rear
	brass tipped wood ramrod is included as is a brown suede fringed			sight leaf and bolt stop are numbered to different rifles. The rifle is
				sighted with the standard barleycorn front sight and leaf rear sight, the
	leather Brownells rifle sleeve. A wonderful modern example of an early			ramp for which is absent but replacement parts are available online, ar
	Colonial style rifle that would be as enjoyable to shoot as it is to admire.			
				the action appears to function well mechanically. Included with the rifle
	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200			the action appears to function well mechanically. Included with the rifle a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200)			
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200			a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900)
182	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi on the left side, a few light abrasions on the sides of the stock below th
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock diso on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee buttplate is proud at the heel and tee. The buttsock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered memants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting. The law is bolt has toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock diss on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat ster buttplate is proud at the heel and toe. The buttsock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) {ANTIQUE} (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered memants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting. The law is bolt has toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock diss on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat ster buttplate is proud at the heel and toe. The buttsock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditis on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat ster buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63"
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small areas of pewter gray showing through. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would make a fine Fall bird gun. (4A9864-14) {MODERN} (800/1200)	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disk on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63" waffenamt. The barrel and receiver markings remain largely crisp with the three correct waffenamts on the right side of the receiver ring
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small handling and to their polished blue finish. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would make a fine Fall bird gun. (4A9864-14) {MODERN} (800/1200)	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63" waffenamt. The barrel and receiver markings remain largely crisp with the three correct waffenamts on the right side of the receiver ring softened lightly, and all parts are correctly serialized and matching to the
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small handling and to their polished blue finish. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would make a fine Fall bird gun. (4A9864-14) {MODERN} (800/1200)	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock diss on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63" waffenamt. The barrel and receiver markings remain largely crisp with
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small handling and to their polished blue finish. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would make a fine Fall bird gun. (4A9864-14) {MODERN} (800/1200)	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting. The law bolt has toned to gunwetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stere buttplate is proud at the heel and toe. The buttslock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamt. The barrel and receiver markings remain largely crisp with the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63" waffenamt. The barrel and receiver markings remain largely crisp with the three correct waffenamts on the right side of the receiver ring softened lightly, and all parts are correctly serialized and matching to rifle and marked with correct "WaA63" and "63" waffenamts; the major remain clear. The rifle is sighted with the standard barleycorn front sigl
82	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small handling and to their polished blue finish. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would make a fine Fall bird gun. (4A9864-14) {MODERN} (800/1200)	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting, the sides of the rear sight base toned to gunmetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi on the left side, a few light abrasions on the sides of the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stee buttplate is proud at the heel and toe. The buttstock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint walfenamts, the numbers for which are illegible, and the underside of the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63" walfenamt. The barrel and receiver markings remain largely crisp with the three correct walfenamts on the right side of the receiver ring softened lightly, and all parts are correctly serialized and matching to tri rifle and marked with correct "WaA63" and "63" walfenamts; the major and leaf rear sight, and appears to function well mechanically. Included
32	Colonial style rifle that would be as enjoyable to shoot as it is to admire. (4A9903-10) (ANTIQUE) (800/1200) Est. 800 - 1,200 East German Boxlock Double Ejectorgun by Simson serial #742439, 12 ga., 28" Special Gewehrlaufstahl solid rib barrels choked improved modified and modified and have bright, excellent bores. The barrels retain about 98-99% original blue that is lightly toning to brown with some speckled light patina and a few small handling and tool marks visible. The factory engraved frame and forearm iron retain nearly all of their original case color and have a few small handling and to their polished blue finish. The top lever and triggerguard retain all of their polished blue finish. The checkered walnut stocks rate excellent and have a few light handling marks and some very light scuffs along the high edges. The stocks feature a splinter forearm and a pistolgrip buttstock with left side cheekrest and a hard rubber gripcap and buttplate. The gripcap is cracked through its center. The stock is numbered to the frame and features a 14 1/2" length of pull and has drops at 1 1/2" and 2 1/2". Features include a scalloped boxlock frame with fences, cocking indicators, ejectors, automatic safety, dual triggers and sling swivels. The action and ejectors function correctly, the lock-up is tight and the lever comes to rest just right of center. An overall excellent example of these GDR produced upland shotguns that would make a fine Fall bird gun. (4A9864-14) {MODERN} (800/1200)	14	486	a 15 1/2" cleaning rod. A solid reworked Mauser from the days of the rise of the Nazi party. (14A9736-3) {C&R} (700/900) Est. 700 - 900 German K98k Bolt Action Rifle by Mauser Oberndorf serial #9757r, 8mm Mauser, 24" barrel with an about very good plus bore with pinprick pitting throughout and strong rifling. The metal surfaces of this "42 / 1939" coded rifle retain about 50% original blue with light wear on the high edges and contact points, some light oxidation staining, the receiver and barrel toning to gray with scattered pinprick pitting. The law bolt has toned to gunwetal, and few light handling marks. The bolt has toned to gray with remnants of light pitting. The laminated hardwood stock is in very good plus conditi as lightly cleaned with the remnant of an abrasion above the stock disc on the left side, a few light abrasions on the sides of the stock below th action, scattered remnants of old light handling marks, and the flat stere buttplate is proud at the heel and toe. The buttslock is marked with the faint remains of a "(Eagle) / H" Heer mark above two equally faint waffenamt. The barrel and receiver markings remain largely crisp with the handguard appears to be marked "65 a"; the buttplate is serialized and matching to the rifle, and marked with a correct "WaA63" waffenamt. The barrel and receiver markings remain largely crisp with the three correct waffenamts on the right side of the receiver ring softened lightly, and all parts are correctly serialized and matching to rifle and marked with correct "WaA63" and "63" waffenamts; the major remain clear. The rifle is sighted with the standard barleycorn front sigl

		_		
87	U.S. M1 Carbine by Inland Division	1	490	U.S. Model 1842 Percussion Musket by Harpers Ferry
	serial #659254, 30 Carbine, 18" 8-49 dated Springfield Armory barrel			.69 cal., 42" barrel with a mostly bright very good bore showing some
	with a bright excellent bore. The metal surfaces retain about 98%			scattered small areas of light pitting. The barrel, bands and lock are
	arsenal parkerized finish with light wear on the bearing surfaces and the			toning to a brown-gray patina with some light pitting around the bolste
	round bolt, a few specks of light oxidation staining and a few light			a few scattered light handling marks and small spots of old light
	handling marks. The low-wood oval-cut walnut stock is in very good plus			oxidation overall. The triggerguard, buttplate and sideplate are toning
	condition as lightly cleaned and refinished with a filler repaired 3/8" chip			more to brown again with some light handling marks and tiny spots of
	at the rear of the handguard, two small divots on the left edge of the			old light oxidation and the brass front sight blade has aged to a dark
	stock by the receiver and scattered light handling marks. The right side			mustard patina. The lockplate is properly marked with a "(Federal Ea
	of the buttstock is marked with a faded Ordnance Wheel and "W.R.A. /			/ US" ahead of the hammer and "HARPERS / FERRY / 1851" behind
	G.H.D." cartouche, a crisp "AAY" rework stamp on the left side below			"1851" is faintly visible on the barrel tang while the breech is proofed
	the action, the bottom of the pistolgrip is deeply stamped with a small			with a "V / P / (eagle head)" and is marked "PB / P" indicating it was
	"A", the inside of the pistolgrip is crisply stamped with a large "P", and			proved by Phillip Burkhart. The smooth American black walnut stock
	the left side of the stock is marked with a small "W" in the sling cut; the			rates good with numerous small chips, dings and handling marks typ
	underside of the of the handguard is crisply stamped "S-HB" denoting			of a firearm that likely saw extensive service in the early campaigns of
	Standard Products origin. The receiver markings have softened but			the Civil War. The faint remnants of an oval inspector's cartouche are
	remain legible, and the barrel markings are small but crisp. The milled			the left stock flat while "C E B" is carved upside-down on the right side
	rear sight, trigger housing, and operating slide are of Inland			of the buttstock. The nipple is a modern replacement, the mainspring
	manufacture, the recoil plate is "W" marked for Winchester, and the			screw is missing, the bayonet lug and sling swivels are intact and a
	remaining parts appear to be unmarked or unknown WWII			correct trumpet-head ramrod with threaded end is stowed beneath th
	replacements. Included with the carbine is a canvas sling and oiler,			barrel. The action is crisp and somewhat strong on this
	"U.S." marked canvas carry bag, and three 15-round magazines marked			historically-important arm that was the first to be manufactured at both
	"U", circled "IW", and "IA". A fine arsenal reworked M1 Carbine.			national armories using only interchangeable parts. (23A9853-10)
	(14A9899-39) {C&R} (700/900)			{ANTIQUE} (800/1200)
	Est. 700 - 900			Est. 800 - 1,200
3	U.S. Model 1861 Percussion Rifle-Musket by Charles B. Hoard	1	1491	Whitney-Enfield Percussion Rifle-Musket
	.58 cal., 40" barrel with a mostly bright very good bore showing some			.58 cal., 40" barrel with a bright about fine bore showing a few areas
	light pitting in the rifling near the muzzle. The metal surfaces are toning			very light pitting in the strong rifling. The metal surfaces have aged to
	to a mellow silvery patina, the bands are more brilliant, as cleaned with			overall gray-brown patina, the barrel toning more to brown behind the
	light pitting around the area of percussion, softened fine pitting and			lower band, as lightly cleaned long ago with some softened light pitting
	scattered spots of light oxidation overall. There are scattered cleaning			around the area of percussion, a few streaks of silvering around the
	striations most visible on the hammer. Some of the markings have been			muzzle, and some scattered light handling marks, areas of fine pinpr
	softened from the cleaning with the date on the lockplate showing only			pitting and old light oxidation staining throughout. The characteristic
	"186" with a Federal Eagle ahead of the hammer and a strong "U.S. /			pewter nosecap is matte gray while the brass triggerguard bow is tor
	WATERTOWN" below the bolster. The date on the breech of the barrel			to a dark mustard patina and the lock screw escutcheons are coated
	has been removed while the remnants of the "V / P / (eagle head)" proof			light verdigris. The lockplate is properly marked with only "E. WHITN
	remains on the left quarter flat. The smooth American black walnut			ahead of the hammer. The smooth black walnut straight grip stock ra
	straight grip stock rates very good plus as cleaned with a touch of added			good for its age with a lengthy crack in the center of the forend behin
	finish along with some softened scattered light handling marks from			the lower band, a few other scattered minor cracks and the scattered
	military service with the remnants of a boxed inspector's cartouche			minor dings and handling marks typical of a Civil War era longarm. The
	visible on the left flat. The sling swivels and original sights are intact, a			stock is without cartouches which is correct. The original rear sight is
	correct cupped tulip-head ramrod with retaining swell and threaded end			missing leaving one nicely filled hole and one vacant drilled and tapp
	is included and the action remains strong and crisp. Hoard operated a			hole with an added standing "U" notch rear behind them while the
	steam engine factory in Watertown, NY and was able to deliver 12,800			original front sight and sling swivels remain intact. An iron ramrod wit
	rifle-muskets built from parts almost entirely produced in-house between			threaded end and brass trumpet-head is included and while the
	1863-1865. The correct model of bayonet for this arm is available in the			half-cock notch is worn the action is otherwise functional. A good
	online auction. (23A9891-7) {ANTIQUE} (800/1200)			example of these interesting rifle-muskets which are known to have
	Est. 800 - 1,200			been purchased by the U.S. Ordnance Department, the "Enterprise
9	British Snider Mark II* Rifle by Enfield			
9	-			Guards" of Clarke County MS, the state of Maine and even the
	577 Snider, 36 1/2" barrel with a bright fine bore showing a small area of			government of Mexico. (23A9853-6) {ANTIQUE} (800/1200)
	light oxidation and faint pitting in the strong rifling near the muzzle. The			Est. 800 - 1,200
	barrel of this handsome rifle retains about 85% arsenal blue with some	1	492	British Pattern 1856 Percussion Short Rifle
	streaks of silvering at the muzzle, some light pitting behind the upper			.577 cal., 33" barrel with a mostly bright fine bore showing a few sma
	band, and scattered areas of old light oxidation overall. The bands,			areas of fine pitting in the strong rifling. The metal surfaces are toning
	breechblock and hammer are toning to plum with some very light old			a brown patina with light pitting around the breech, pinprick pitting
	oxidation on the bands which retain good amounts of original blue in the			scattered along the barrel and on the upper band, and a few scattered
	protected areas. The brass forend cap, triggerguard and buttplate show			light handling marks and some small spots of old light oxidation over
	a few light dings and have aged to a pleasant ochre patina. The			There is a nice amount of original blue in the protected areas around
	lockplate displays a pewtery case-hardened patina with a couple tiny			front and rear sights, on and around the bayonet lug and on the base
	spots of light old oxidation behind the hammer and is marked "1861 /			the rear sight. The brass chain of the intact nipple protector has age
	ENFIELD" ahead of the hammer and with the "(crown) / V.R" Royal			a mustard patina. The lockplate is not arsenal marked bearing only
	Cypher behind. "II. / *" is marked on the frame, various British martial			"1859" ahead of the hammer and with just the crown behind the ham
	proofs are crisply stamped on the left side of the breech, frame and on			which is correct for arms intended for use outside the British military.
	the top of the breechblock while each barrel band features an inspection			The rifle is otherwise unmarked except for the bayonet lug which is
	mark. The smooth European walnut straight grip stock rates very good			
				numbered "25" and the correct cupped and slotted-head ramrod with
	plus to near fine for its age with a small tack-repaired chip in the right			threaded end displays a softened stamping that appears to read
	wood line behind the upper band and the scattered light dings and			"GILBE" with the rest of the name lost to time. The smooth walnut
	handling marks to be expected of a rifle that may have served in any			straight grip stock rates very good with a coat of period added finish
	corner of Britain's far-flung empire. The left side of the buttstock features			the typical scattered ling dings and handling marks, the most promine
	a deeply struck "DC" Dominion of Canada diamond property mark and			being a small splinter missing from the edge of the ramrod channel a
	the right side a crisp Enfield roundel over "1". The original firing pin			in the right stock flat ahead of the lockplate and a couple specks of p
	protector with brass chain and sights are intact and a slotted head			transfer on the toe. There are two inspection marks behind the
	cleaning rod with threaded end is included. Also included is a period			triggerguard tang and the stock is otherwise without cartouches. The
	• ·			
	black leather sling marked with what appears to be Thai characters in			original slings swivels, sights and bayonet lug are intact and the action
	fine condition showing light crackling. The action appears to function			remains very strong and crisp. An attractive example of these very
	well mechanically. Please find the correct socket bayonet with scabbard			collectable short rifles that were popular with Confederate forces duri
	for this rifle in the online auction. A fine example of a rifle that served the			the Civil War. (23A9853-3) {ANTIQUE} (800/1200)
	I			Est. 800 - 1,200
	British well for decades. (23A9882-10) {ANTIQUE} (800/1000)	I		L31. 000 - 1,200

Lot Title/Description

1493 U.S. Model 1898/99 Krag Bolt Action Carbine by Springfield Armory 1496 Large Bore British Double Hammergun by Hemenway serial #120102, 30-40 Krag, 22" barrel with a very good plus, lightly serial #1227, 8 ga., 32" barrels showing about very good bores with light frosted bore with strong rifling. This gorgeous carbine is a Model 1898 pitting their full length, a few spots which are a bit more moderate. The carbine updated to Model 1899 specifications. The barrel, band, barrels show a plum brown and gray damascus pattern their full length, triggerguard and trap buttplate retain about 90% original blue which is with interspersed very light oxidation staining here and there, perhaps lightly fading towards the muzzle with a few light handling marks and a the oddly scattered light handling mark as well. The concave rib features spot of loss on each side of the barrel below the front sight toning to a simple brass front blade and is marked "G Hemenway London gunmetal gray, light silvering at the muzzle, light flaking on the bow of Damascus Steel" and there are very light engraved bands at the the triggerguard, and the toe and heel of the buttplate toning to gray. breeches and scalloping on the dolls head extension. The frame is The receiver is toning to a blue-gray patina while the sideplate and gate primarily a soft plum brown patina with some remnants of retain strong smoky oil-guenched case-hardening with a small area of case-hardening on the flat between the two raised bolsters, with good pinprick pitting and some thinning to brown on the gate. The bolt is quality tight flowing English scroll in perhaps 50% coverage. The mostly bright with the handle toning to gray with some light freckling lockplates are more of a blue-gray case-hardened patina, each maker while the extractor claw retains strong original fire blue. The Model 1898 marked and showing strong traces of original case colors beneath smooth walnut handguard rates excellent save for a crack bisecting it hammers, with the same sparse loose scroll. The triggerguard and behind the rear sight and a hairline crack ahead of the rear sight. The forend metal have toned to a plum brown patina with softening gorgeous Model 1899 smooth walnut straight grip stock rates excellent engraving, the bow of the guard with a couple dings. The checkered with a few faint handling marks on the underside of the forend and is English walnut capped pistolgrip buttstock rates about very good, likely a field replacement as there is no cartouche. There is a very crisp showing nice grain figure beneath the darkening original varnish, with circled "P" firing proof and "N" inspection mark behind the triggerguard. the expected light dings and handling marks throughout. It shows the The stock is equipped with a lower sling swivel which is a recognized beginnings of cracks left and right emanating from the lockplates and a field modification while the original barrel band has been replaced with a small chip to the rear of the upper tang, they are however tight and will rifle band with swivel, also a field modification. The barrel is sighted with not flex and may have been successfully arrested. There is a nice the original blade front and a C-marked Model 1902 rear with swing-up scalloped pistolorip cap of horn, it shows a few chips at its leading edge. aperture, a three piece cleaning rod is stored within the trap buttplate and the length of pull to the checkered horn buttplate is 14 3/4". The and the smooth action appears to function well mechanically. A beautiful forend rates perhaps very good, the checkering worn nearly smooth and example of the Model 1898 carbine retrofitted to 1899 specifications. the horn tip insert lost to the years, with a minor chip here or there. The (23A9807-68) {ANTIQUE} [Vincent Coniglio Collection] (800/1200) rebounding locks seem to function well mechanically, they are in-time. Est. 800 - 1.200 the right hammer showing a repair to its spur. The barrels are off-face Colt Official Police Double Action Revolver 1494 currently and exhibit lateral and vertical play; two unmarked brass 8 ga. serial #13697, 22 LR, 6" barrel with an excellent bore. This unloaded holes are included with the arm. The shield-shaped monogram 1939-manufactured revolver retains about 95% original blue, the grip plate along the toeline is un-engraved and the underside of the barrels frame starting to thin to gray along with high edge wear and a few exhibit British proofs. The arm has an overall length of 48 3/4" and sparsely scattered spots of light pinprick pitting mostly along the cylinder weighs in at 14 pounds. An honest, and still attractive, behemoth from that show marks from a light cleaning. The face of the checkered trigger the days of market wild fowling, that may be worth the tightening after a and hammer spur are toning to gray with strong blue on the remaining close inspection of the tubes. (3B9795-7) {ANTIQUE} (800/1200) appropriate surfaces. The un-numbered checkered walnut factory Est. 800 - 1,200 Unmarked Large Bore European Percussion Double Fowler service grips with silver Rampant Colt medallions rate about excellent 1/107 with light handling marks on the butt. This pre-war gun features a round 7 ga., 35" barrels with lightly oxidized bores. The barrels on this big half-moon front sight and it still times and locks up correctly with a crisp British-looking fowler show Belgian proofs on the underside and appear action. A fine example of a rimfire Official Police. (8A9645-33) {C&R} to be 7 bore (roughly .887 at the muzzles) and show a fading deep [Larry J. Cummings Collection] (700/900) brown and gray damascus pattern with overall light oxidation speckling Est. 700 - 900 and some areas which when cleaned will leave light pitting behind. The 1495 Ithaca Flues Model Grade 3E Ejectorgun concave rib shows a brass front bead and is marked only "Fine Twi serial #312600, 20 ga., 28" barrels choked modified and full with bright with a bit of very light engraving on the rib extension, both of the excellent bores, the right tube showing some extremely light remnants of breeches a dull pewtery gray case-hardened patina. Each of the bar very light oxidation. The barrels retain about 98% excellent quality under lockplates is a pewter gray case-hardened patina and shows light restored blue with very light bands of engraving at the breeches, with sprays of loose and tight scroll with light borderline engraving, this silver bead front and midrib white bead sights. The frame retains continuing onto the long upper tang as well. The balance of the iron hardware is all a dull gray and soft brown lightly oxidized patina, perhaps 20% original color case-hardening, primarily behind the fences and beneath the lever, the balance a smoky pewter and plum patina. showing sprays of light good quality scroll here and there, the bow of the The frame shows typical loose open flowing Ithaca Gun scroll with game guard showing a bit more oxidation and some light pitting. The birds the left and right and a flying waterfowl on the belly of the frame. European walnut stock rates very good, perhaps showing an old light The triggerguard shows nice restored blue as well, with original blue on cleaning many years ago but with excellent wood-to-metal fit, only the the top lever and safety. The checkered walnut pistolorip buttstock rates toe of the butt hanging guite a bit proud, and nice coarse checkering in otherwise excellent with some lovely grain figure throughout, showing the area of the grip and forend. The edges remain crisp and the arm remnants of a repaired crack through the wrist in the area of the tang, it retains the light dings and handling marks that come from field-use. The appears to have been well-done and is solid and most of the repair right tumbler-hammer will not hold on half cock but does hold at full, the neatly camouflaged within the checkering, the triggerguard showing a left lock works well mechanically and at full cock the hammers are in slight ripple which could doubtless be easily rectified. The length of pull time. The barrels on this heavy gun are retained by dual wedges to the Ithaca Gun Co. "rising sun" recoil pad is 14 1/4" with drops of 1 through German silver escutcheons, the rear wedge has one edge of its 5/8" and 2 3/4". The splinter forend rates very fine with a large ebony tip head broken off, and an antique brass-tip ramrod with a wad pull end is insert and the beginning of a small crack at the left side at stock iron, the included. Overall length of this big fowler is 51 1/2", weighing in at a checkering somewhat finish-filled. The flat of the iron shows what mere 14 pounds. A very respectable representative example of a large appears to be a factory re-numbering to this frame, the original number bore market fowler of yesteryear that would be very impressive over the beneath is not readily discernible but clearly the forend fit this gun mantel or above the bar. (39795-4) {ANTIQUE} (800/1200) perfectly. The gun locks up tight on face with the top lever just slightly Est. 800 - 1,200 right of center and seems to function well mechanically with robust ejectors. A very attractive grade 3 ejectorgun, the silver shield-shaped monogram plate along the wrist engraved "PRK". (3B9771-16) {C&R} (800/1200) Est. 800 - 1,200

### Title/Description

Lot Title/Description

1498 Rare New Orleans Double Barrel Percussion Combination Gun by Allen & Hille .46 cal by 10 ga., 35" barrels showing oxidized bores. New Orleans-made arms are rather rare in their own right, this is a fairly rare combination rifle-shotgun percussion arm, once in the collection of prominent Southern cotton merchant, James Lyman Crump. The barrels are an overall soft plum brown patina with scattered oxidation and perhaps a few spots of scattered light pitting, most prominent near the breeches. The shotgun barrel shows some remnants of a damascus pattern and the rib features an inlaid silver blade front sight and flattop u-notch rear with chiseled front, it is marked "Allen & Hille New Orleans", the rib extension with dual inlaid silver lines. The bar under locks and upper tang are a similar plum and brown patina, each of the lockplates neatly maker marked with plates and hammers showing only light borderline engraving, with some scattered light pitting. The spur has broken off the left hammer and there is some more moderate pitting at the rear of its lock, it would likely be a fairly easy repair for a good metal man. The arm is appointed with German silver furniture in the form of a nosecap tailpipe with lightly chiseled extension, simple dual wedge escutcheons, lightly engraved German silver triggerguard with rear grip flourish, a neat pendulum shaped patchbox and German silver buttplate showing light borderline engraving on its tang. The iron triggerplate front extension shows light chiseling as well and the arm is equipped with a single set trigger for the rifle barrel, the door of the patchbox neatly engraved in fancy script "Pocahontas" with a bit of light engraving surrounding. The English walnut buttstock rates very good as cleaned many years ago regaining some light dings and handling marks and showing some very lovely grain figure beneath the added varnish. There is a nice flared left side shadowline cheekpiece and the checkered wrist has worn nearly smooth, the checkering along its top edge sanded away. There are small cracks to the rear of each of the stock flats behind the lock, and the left and right of tang to the rear of the nipples flares shows some erosion from percussion cap splash. The left lock functions mechanically, the right lock does not always hold well at full cock, however the set trigger works as-designed, there is an antique replacement ramrod included, the rear ramrod thimble is not present but this is unobtrusive. Joseph Allen & Charles Hille wear active in New Orleans from 1842 to roughly 1859, it is highly likely this arm could've seen use in the American Civil War by some Southern fellow who used it to put meat on the table prior to the hostilities. Consigned directly from the Crump family, James Lyman Crump of Georgia made his fortune exporting cotton from Georgia to Italy. He later resided in New Orleans and purchased a 3,600-acre estate in Mississippi where he built a hunting lodge with extensive gardens on the Jourdan River, named Holly Bluff Gardens at Bay St. Louis, this arm hung over the fireplace there for many years. (3B9829-2) {ANTIQUE} (800/1200) Est. 800 - 1,200 Large Bore Moore & Harris Percussion Double Fowler 1499 serial #2168, 8 ga., 38" barrels with a mostly bright very fine bores, which likely would rate excellent for most of their lengths, their first third near the muzzles showing light oxidation and perhaps some light pits. The barrels themselves are a pleasing mostly smooth mix of deep plum brown and a pewter gray patina with scattered light oxidation staining and perhaps a spot here and there of light pitting, with perhaps a light ding or handling mark here and there. The concave rib features remnants of a silver bead and is maker marked "Moore & Harris (Roval Warrant) London"; the Spartan breeches a dull gray case-hardened patina, the left showing some oxidation. The lockplates retain some trace case colors and are primarily a gray and pewter mottled case-hardened patina and are unadorned, as are the hammers, each plate maker marked "Moore & Harris". The balance of the furniture is Spartan and unadorned and is very utilitarian as one would expect on one of these large bore fowlers designed for market hunting; the flared heads of both wedges show chips left and right but this is of no real consequence to the arm. The furniture is primarily a pewter gray or plum brown in character, showing a few the very sparsely scattered spots of light oxidation or pitting here and there, the bow of the guard neatly engraved "No. 2168". The length of pull to the smooth steel buttplate is 14 1/4", the monogram plate along the toeline remains un-engraved. The English walnut stock shows coarse checkering at the wrist and rates very good with much original varnish and the overall light dings and handling marks that come from a field-used arm. The locks are crisp and mechanically functional and the hammers remain in time, what is likely the original ramrod is present with screw-off wad pull end . Moore & Harris make some very fine shotguns, this example, Spartan as it is, is no exception and quality made throughout. Barrels, stock and guard are all numbered alike. (3A9795-5) {ANTIQUE} (750/950) Est. 750 - 950

1500	Unmarked Large Bore Belgian Percussion Double Fowler 8 ga., 34" barrels showing oxidized bores. The barrels show a scant gray and brown damascus twist pattern their full length, with scattered oxidation staining here and there and perhaps a few spots of very light pitting. The concave rib has a simple brass bead front sight and is marked "London Fine Twist" showing some very rudimentary engraving at the rib extension. Both of the breeches are a dull gray-brown case-hardened patina and each features an inlaid sliver band, dual inlaid bands on rib extension. The back action lockplates, heavy tang, triggerguard and nosecap / tailpipe are a pewter and brown patina showing light open flowing scroll throughout, with the front extension lightly chiseled. There is a very heavy and large smooth steel buttplate with a tiny bit of engraving atop its tang, providing a 14 1/4" length of pull. The European walnut stock rates very good as lightly cleaned years ago, retaining the expected light dings and handling marks beneath the finish. It shows some lovely grain figure in the butt, some fading coarse checkering at the wrist and seems sound overall with two very tiny cracks at the rear of the lockplates. The locks are crisp and mechanically functional and the hammers are in-time and a later ramrod is included. The overall length of this dainty little Belgian fowler is nearly 51 inches and weighs in at a mere 15 1/4 pounds (the width of the butt alone is almost 6" heel to toe). An impressive large bore fowler from yesteryear that would look great above the mantel or bar. (3A9795-6) (ANTIQUE} (700/900) Est. 700 - 900 Winchester Model 1897 Slide Action Shotgun serial #871892, 12 ga., 20" plain professionally shortened barrel,
	un-choked with a bright excellent bore; it is marked "full" near the
	breech. The metal surfaces retain about 95-97% original blue, the loss
	due to some fading and flaking on the magazine tube, action bar and some light handling marks and scratches, primarily on the barrel ahead
	of the band; there are also some light and moderate circumferential
	scratches in this area, consistent with someone removing a bayonet lug-handguard adapter which may have been present years ago; the
	set-back of the front bead is such that it looks the correct distance back
	for bead placement on a bayonet-lugged handguard. The smooth pistolgrip walnut buttstock rates very fine with nearly all its original varnish and the expected light flakes and handling marks from the years and a light crack at the toe. The grooved forend is similar with light
	handling marks and a very light hairline crack at its nosecap. The
	barrel-to-frame lockup is excellent and the gun is tight and functions well mechanically. Overall a very nicely-shortened 97, still in a fine state of
	condition, that would be great on the cowboy action range, perhaps
	once used as a guards gun, having the evidence of having had handguard installed. (39908-5) {MODERN} (700/900)
1502	Est. 700 - 900 British Pattern 1759 Light Dragoon Pistol by Tower
	.72 cal, 9" round barrel with an oxidized bore. This pistol has been
	neatly reconverted to flint and fitted with an antique martial lock. The barrel and lock show evidence of an old cleaning and have mostly toned
	to a mild gunmetal patina showing some scattered darker gray areas of old light nitting a bit more moderate along some areas of the lockplate
	old light pitting, a bit more moderate along some areas of the lockplate along with a few light dings. The top of the barrel shows a spurious
	later-engraved regimental marking "17 - L - D" suggesting the infamous 17th Light Dragoons. The lockplate retains good markings with
	"TOWER" at the rear and "(Crown) / GR" Royal Cypher in the center
	with no date visible. The brass hardware has toned to a mild ocher patina showing some scattered light dings and handling marks. The
	triggerguard and buttcap show what appear to be honest regimental
	markings "C / 17" on the triggerguard and "E / 54" on the buttcap. The smooth walnut stock remains in good condition as refinished long ago,
	about 6" of the forend having been neatly reattached, a few of the pin holes show neatly-executed repairs and there are a few scattered thin
	cracks and light dings. The edges of the raised border around the upper
	tang remain quite nice and there is a small indecipherable marking carved into the left flat. A few small screws are replacements, a correct
	style brass-tipped hickory ramrod is included and the lock functions
	loosely. (13A9833-60) {ANTIQUE} (800/1200)
L	Est. 800 - 1,200

Lot

Title/Description Lot

1503	Pair of British Percussion Muff Pistols by G. West	1506	Factory Engraved Remington New Model Police Cartridge-Converted
	.47 cal, 3" octagon barrels with moderately oxidized bores. The metal		Revolver
	surfaces of these pistols have mostly toned to a pleasant mix of		serial #16039, 38 RF, 4 1/2" octagon barrel with a dark moderately
	gunmetal and mild gray-brown patina showing a few scattered light		oxidized bore showing old light pitting and worn evident rifling
	dings and minor handling marks, one pistol with some remnants of old		throughout. The metal surfaces of this revolver have mostly toned to a
	oxidation staining along the barrel. Both pistols show generous amounts		mix of gunmetal and dark gray-brown patina showing some scattered
	of smoky case-hardened colors along the barrels and frames, the		areas of cleaned moderate pitting more prevalent along the right side
	hammers showing some very nice vibrant colors throughout. The frames		and some areas of the cylinder along with some scattered light dings
	are embellished with attractive light foliate scrollwork that remains crisp		and the cartridge rim cutouts on the back of the cylinder enlarged
	and the hammers with a light dolphin head motif. The screw heads show		somewhat. The revolver is embellished throughout with fine quality
	some light slot wear and the hammer and action cover plate on one		foliate scrollwork with punch-dot shading and light geometric motifs that
	pistol show a small crack forming. The arms are stamped with		are obscured in some areas from the pitting but remain mostly intact.
	Birmingham black powder proofs and engraved on the left side action		The barrel address and patent dates have softened slightly but remain
	"G. WEST". The finely checkered walnut grips remain in very fine		legible and the triggerguard has toned to a mild ocher patina showing a
	condition retaining a healthy amount of original varnish showing a		few small moderate dings. The smooth rosewood grips remain in good
	couple tiny chips along the edges where they meet the frame, a few		condition showing mostly worn finish, a few tiny smoothed-over chips at
	small mild abrasions and light dings. There are un-engraved German		the corners and scattered mild dings. There are no visible pencil
	silver monogram plates on the backstraps and nice foliate embellished		numbers on the insides of the grips, the cylinder and cover plate are
	grip caps. The arms feature sliding safeties and both hammers seem to		matching each other by assembly number and the action remains
	function well mechanically. An attractive little pair of British pistols.		functional with good timing and somewhat loose lock-up. A good
	(13A9833-97) {ANTIQUE} (700/900)		"example" piece of a factory engraved New Model Police. (13B9857-11)
	Est. 700 - 900		(ANTIQUE) (800/1200)
1504	Smith Civil War Percussion Carbine by American Machine Works		Est. 800 - 1,200
1004	-	4507	
	serial #11565, .50 cal, 21 5/8" part round part octagon barrel with a	1507	5
	mostly bright very good plus bore showing some scattered light		serial #23968, 32 RF, 4 1/2" octagon barrel with a partially bright very
	oxidation, some small areas of light pitting and strong rifling throughout.		good bore showing some scattered light pitting and mild oxidation with
	The metal surfaces of this carbine have mostly toned to a mix of dark		strong rifling throughout. This factory converted revolver is fitted with
	gray and gray-brown patina showing some overall light pitting, remnants		seldom-seen 4 1/2" barrel, the longest on offer by the factory. The barrel
	of old oxidation staining and handling marks. The frame and breech		and loading lever retain perhaps 60% original bright blue with the
	show some areas of silvery gray and the latch retains a few flakes of		balance flaked to deep gray-brown patina showing a couple small dings
	bright blue. The left side address and patent markings remain		and an area of light pitting and old oxidation on the left side. The
	completely intact and strong and the left barrel flat shows "LFR"		cylinder is similar having mostly toned to a dark gray-brown showing a
	sub-inspector stamp. The smooth walnut stocks remain in very good		few light dings and generous flakes of original bright blue. The frame is
	condition showing slightly worn finish, a 1 1/2" moderate chip at the left		much the same showing a few moderate dings along the forward edges
	tip of forend, some scattered light dings and handling marks. There are		and some pinprick pits along the breech with some flakes of original
	no visible markings on the buttstock and the barrel and breech piece are		bright blue scattered about. The left side of the trigger shows a few
	matching the frame. Barrel-to-frame fit shows some moderate play, the		flakes of fire blue and the hammer has toned to a dark smoky gray
	rear sight slider has been replaced with a peep sight and the front sight		patina. The barrel address and patent dates remain crisp and clear and
	with a taller blade. The saddle ring is intact and the lock seems to		the top edge of the frame behind the hammer is stamped with a large
	function well mechanically. (13A9833-5) {ANTIQUE} (700/900)		"CCP". The smooth rosewood grips are pencil-numbered to the gun and
	Est. 700 - 900		remain in about very good plus condition showing mostly worn finish, a
1505	Rare Early Remington-Smoot New Model No. 1 Revolver		few light dings and handling marks with otherwise excellent fit to the
	serial #137, 30 RF, 2 13/16" ribbed octagon barrel with a partially bright		frame. The barrel is mismatched numbered "11074" likely replaced
	good bore showing some scattered light pitting and oxidation with		during time of conversion, the cylinder and cover plate are matching
	otherwise strong rifling. This is an attractive example of the early Smoot		each other by assembly number and the triggerguard is matching the
	with the combination revolving recoil shield / loading gate. The metal		frame. The action seems to function well mechanically with excellent
	surfaces retain about 94% original nickel finish showing a small flaked		timing and lock-up. A solid example for the Remington arms collector.
	• •		
	area on the right edge frame toning to dark brown, some lighter flaking		(13A9857-21) {ANTIQUE} (700/900)
	along the cylinder, backstrap and high edges, the edges of the cylinder		Est. 700 - 900
	with a few pinprick pits and some overall light handling marks. The	1508	,
	screw heads show some light slot wear and the base pin on this		.45 cal, 5" damascus octagon barrel with a bright very fine bore showing
	example is of brass. The trigger has toned to a dark gray patina and the		some light frosting and deep seven-groove rifling. The barrel of this
	hammer retains strong case-hardened colors throughout showing a little		pistol has mostly toned to a mild gray patina with areas of plum-brown, a
	mild freckling. The barrel address and patent date remain crisp and		few specks of light oxidation staining and some good subtle damascus
	clear. The revolver wears an attractive set of smooth antique ivory grips		patterns still visible throughout. The barrel features dual silver bands at
	that remain in excellent condition perhaps showing a few light handling		the breech flanking some light foliate embellishments and the top barrel
	marks and are taking on a nice mellow patina. The grips are		flat is neatly engraved in script "London". The hammer, breech tang and
	un-numbered but no doubt factory. The cylinder is un-numbered, the two		trigger are a dark gray patina, the hammer showing a large foliate
	halves of the frame are matching and the action seems to function well		flourish up its side and nice fish head engraving. The pistol is equipped
	mechanically with excellent timing and lock-up. A very fine example for		with German silver hardware throughout including tailpipe, nosecap,
	the advanced Remington collector. (13B9857-26) {ANTIQUE} (700/900)		triggerguard, wedge escutcheons, lockplate, monogram plate along the
	Est. 700 - 900		backstrap and small decorative inlay on the left side. The hardware
			shows some mild dings and light handling marks, the triggerguard
			features a small lightly embellished pineapple finial with some foliate
			embellishments along the bow. The back action lockplate is neatly
			maker-marked in script and is embellished in near full coverage with
			foliate scrollwork. The checkered walnut stock remains in very good to
			very good plus condition retaining a healthy amount of antique varnish
			showing a thin 1 1/4" crack at the lock screw, a few smaller drying
			cracks, light dings and handling marks. The original hickory ramrod with
		1	Operation of the state of the s
			German silver tip and worm end is included, the pistol is sighted with a
			fine notch rear sight, German silver blade front and the lock seems to
			fine notch rear sight, German silver blade front and the lock seems to
			fine notch rear sight, German silver blade front and the lock seems to function well mechanically. A handsome British percussion coat pistol.

1509	Remington Model 95 Double Deringer	1512	Smith & Wesson No. 3 First Model American Revolver
	serial #322, 41 RF, 3" barrels with mostly bright good bores showing a		serial #6808, 44 CF, 8" ribbed round barrel with a mostly bright very
	few scattered patches of light pitting and oxidation with otherwise strong		good bore showing some scattered small areas of light pitting and
	rifling throughout. The metal surfaces of this Type II pistol retain about		oxidation with otherwise strong rifling throughout. The chambers of this
	96-97% original nickel finish showing some faint loss along the edges of		transitional model revolver have been roughly reamed out and show
	the gripstraps toning to gray patina, a few scattered tinier flakes and		off-center shoulders quite close to the mouths. The metal surfaces have
	light handling marks. The extractor retains much of its brilliant fire blue,		mostly toned to pewter gunmetal showing some scattered
	the barrel latch with a faint pale fire blue tone. The trigger and hammer		smoothed-over light pitting and small dings with some moderate
	show strong blue and the barrel address remains crisp. The smooth		scratches around the screw holes. The barrel rib, cylinder flutes and
	mother-of-pearl grips are un-numbered and remain in near excellent		protected sides of the frame retain some generous original bright blue.
	condition perhaps showing a few mild handling marks, the right with a		The screw heads show moderate slot wear and the barrel address and
	very thin age crack and the grip screw showing slot wear. The barrels		patent dates remain completely intact and strong. The underside barrel
	are matching the frame, barrel-to-frame fit shows a little bit of mild play		flat shows a small asterisk stamp and the right side topstrap a small
	and the hinge remains solid. The action seems to function well		circled "D". The hammer and triggerguard show some remnants of
	mechanically with properly pivoting firing pin. Included is a fine quality		silvery case-hardened patina, the protected area on the inside of the
	period mahogany case that shows some light dings along the exterior, a moderate drying crack through the base and otherwise strong original		triggerguard with a patch of vibrant colors. The smooth walnut grips remain in about good condition as lightly cleaned long ago, the right
	varnish. There is a brass lock escutcheon and blank monogram plate on		panel with a moderate crack along the inside that is visible along the
	the lid and the interior is lined in maroon baize showing some mild		edges and showing some light dings and edge wear. The barrel,
	discoloration. The interior is fitted for the pistol and also features a small		cylinder and latch are matching the frame by serial number,
	five-round cartridge block. A handsome ensemble for the Remington		barrel-to-frame fit shows moderate play and the action remains
	collector. (13A9857-46) {C&R} (700/900)		functional with good timing and lock-up a little loose. (13B9474-82)
	Est. 700 - 900		(ANTIQUE) [Dr. John W. Hall Collection] (800/1200)
1510	Smith & Wesson No. 2 Old Model Army Revolver		Est. 800 - 1,200
	serial #20292, 32 RF, 6" ribbed octagon barrel with a partially bright	1513	Smith & Wesson No. 3 First Model American Revolver
	fair-good bore showing overall light pitting and moderate oxidation with		serial #3007, 44 S&W American, 8" ribbed round barrel with a partially
	good rifling throughout. The metal surfaces of this revolver retain		bright about good bore showing some scattered light pitting and
	perhaps 45-50% original bright blue strongest in the protected areas		oxidation with strong rifling throughout. The metal surfaces of this
	with the balance flaking and toning to a pleasant gray-brown patina also		revolver have mostly toned to a mottled gray-brown patina showing
	with some overall freckling, a little pinprick pitting near the breech and		some scattered old pitting that is mostly smoothed-over, light dings and
	light handling marks. The ejector spud has toned to a deep gray patina		some light tool marks around the hinge screw head. The hammer and
	showing some faint silvery case-hardened patina while the hammer		latch retain a little bit of silvery case-hardened patina and the barrel
	shows good vibrant colors lurking about. The hinge and sideplate screw		address and patent dates remain completely intact and legible. The
	heads show somewhat moderate slot wear with some mild		smooth walnut grips remain in good condition showing worn finish and
	circumferential wear and the barrel address and patent dates along the		edge wear, the left panel with some thin grain cracks and the right with a
	cylinder remain strong. The smooth rosewood grips remain in near		small repaired chip at the toe. The right panel is stamp-numbered "986"
	excellent condition retaining almost all of their original varnish and		and the remaining numbered parts are matching by assembly number.
	showing a few scattered light handling marks. The right panel is		There is a small unobtrusive notch cut into the German silver blade front
	appropriately stamp-numbered matching the frame and the barrel and		sight, barrel-to-frame fit shows some moderate play and the action will
	cylinder are matching by assembly number. Barrel-to-frame fit shows the		require some mechanical attention as the extractor does not snap
	slightest hint of minor play and the action seems to function well		closed. The hammer is rather sluggish and timing is somewhat off.
	mechanically with solid timing and lock-up. Included with this revolver is		(13A9474-75) {ANTIQUE} [Dr. John W. Hall Collection] (800/1200)
	an original period black leather flap holster that rates about good		Est. 800 - 1,200
	showing some moderate crackling and flaking overall. The bottom	1514	Beretta M9 Special Edition Semi-Auto Pistol
	muzzle plug has been lost and there is an area of lost stitching along the		serial #M9-112473, 9mm, 5" barrel with an excellent bore. The metal
	edge but the riveted belt loop and brass flap stud are intact. There are a		surfaces retain 99% plus Bruniton and anodized finish. The checkered
	few faint small letters impressed along the front but they are difficult to discern. A solid Old Model Army within the range for use during the Civil		black composite grips with Beretta logo are excellent. Pistol is equipped with fixed sights and an ambidextrous slide mounted decocker safety
	War. (13A9833-69) {ANTIQUE} (1000/1500)		with fixed sights and an ambidextrous slide-mounted decocker safety. Included are a single Airtronics magazine, factory paperwork and the
	Est. 1.000 - 1.500		original box with full-color shipping sleeve. Beretta produced these
1511	Belgian Model 1889 Bolt Action Rifle by Hopkins & Allen		pistols in a Special Edition run in the late-90s to celebrate 20 years of
	serial #8792L, 7.65 Mauser, 31" barrel with a bright very good plus bore		the famous M9 pistol. (22A9830-58) {MODERN} [Dr. William C. Nugent
	showing some light pitting in the grooves and a hint of minor frosting		Collection] (700/900)
	with strong rifling throughout. The metal surfaces of this scarce rifle		Est. 700 - 900
	retain about 85% original blue showing overall mild thinning and toning	1515	Parker VH Grade Boxlock Double Shotgun
	to a deep gray-brown patina, some scattered freckling and handling		serial #221120, 12 ga., 27" barrels on a no. 1 1/2 frame choked
	marks. The barrel jacket shows a few light dings behind the nosecap		improved modified and full with excellent bores. The barrels and
	that are unobtrusive. The bolt remains mostly bright showing some mild		triggerguard retain 99% expertly-done later-added blue with the barrel
	gray freckling and a few pinprick pits. The trigger, rear sight spring and		address and other markings remaining sharp and legible. The boxlock
	slider retain a healthy amount of pale fire blue and the Hopkins & Allen		frame is a dusky gunmetal gray with some vivid color visible on the
	maker markings along the receiver ring remain intact and strong. The		water table and under the lever, the zig-zag border and Parker Bros
	smooth walnut stock remains in very good condition showing a thin 4		markings are crisp. The checkered walnut straight-grip buttstock and
	3/4" crack behind the front barrel band, a tiny hairline crack on the left		splinter-style forend are very good as expertly refinished, there are
	edge below the receiver ring and a neat arsenal-quality steel plug repair		sparse signs of handling and a near-invisible repair has been done at
	on the right side above the triggerguard. There are some overall light		the toe running toward the unembellished monogram plate and there is
	dings and mild abrasions to be expected from military service and the		a hairline crack visible through the toe of the otherwise excellent
	stock retains some softened inspector cartouches and deeply struck		checkered hard rubber dog's head buttplate. The length-of-pull is 14"
	matching serial number on the left edge. The muzzle shows stamped		with drops of 1 1/2" and 2 1/2", the safety is automatic, the barrels
	number "75" and the remaining serialized parts are matching. The rifle is		lock-up tight and on face and there are double triggers. A
			nicely-rejuvenated Parker perfect for fall birds. (22A9843-3) {C&R}
	not import-marked and the action seems to function well mechanically. A		nicely-rejuvenated ranker perfection fail birds. (22A5045-5) {Ourt}
	not import-marked and the action seems to function well mechanically. A solid example of these interesting World War One contract Belgian arms		(700/900)

1516	Winchester Model 1894 Saddle Ring Carbine	1521	Marlin Model 94 Lever Action Rifle
	serial #886770, 30 WCF, 20" barrel with an excellent bore. The barrel,		serial #1154, 44-40, 24" octagon barrel with a bright excellent bore. The
	tube and lever retain about 97-98% original blue with some freckling and		barrel and tube retain perhaps 85-90% original blue with loss primarily
	handling marks with the forend band toning to a silver patina. The		due to some sort of solvent contacting the right-side and silvering along
	receiver and smooth buttplate have toned to a mottled gunmetal patina		the edges, the barrel address is legible and mostly-crisp. The
	with some original blue still found around the saddle ring and along the		star-marked action is a mottled gray patina with some scattered freckles
	bottom tang. The smooth walnut straight-grip buttstock and forend are		and the screw heads show evidence of being turned, the action is
	near very good as lightly-cleaned some time ago, there are impact		smooth with a strong hammer spring and crisp trigger. The smooth
	marks and other signs of use throughout with both pieces of wood		walnut straight-grip buttstock and forend are very good as lightly
	remaining structurally-sound and tight to the metal. Carbine is sighted		cleaned, there is a bit of staining along the forend and some minor
	with a Lyman adjustable tang sight, a rear graduated ladder sight and a		handling marks and toeline bullseye intact, both pieces are
	small bead front sight. A solid 1919 SRC with a bright and very		structurally-sound and have a tight fit to the metal. The rifle is sighted
	shootable bore. (22A9897-83) {C&R} (800/1200)		with a German silver Rocky Mountain front sight and a rear sporting
	Est. 800 - 1,200		sight with elevator. A sturdy 44-40 Marlin with an excellent bore for the
1517	Winchester Pre '64 Model 70 Bolt Action Rifle		cowboy action shooter looking for that authentic weathered look.
	serial #554720, 30-06, 24" barrel with an excellent bore. The metal		(22A9746-49) {C&R} (700/900)
	surfaces retain near 99% original blue, there are just a few scattered		Est. 700 - 900
	light handling marks. The bolt body is mostly-bright and is appropriately	1522	Colt Model 1883 Boxlock Double Shotgun
	numbered to the gun and the knob and handle have begun to tone to	1022	serial #6928, 12 ga., 28" damascus barrels choked full and improved
	-		-
	pewter. The checkered walnut pistolgrip Monte Carlo stock is near very		modified with a near excellent bore and a tiny ding at mid right tube. The
	good, there is some enthusiastically-added varnish and no evidence of		barrels have a wonderful swirl damascus pattern that has begun to
	cleaning, the wood is proud of the checkered hard rubber buttplate and		darken around the forend area and the rib address is crisp and legible.
	there are handling marks throughout consistent with an often-used		The lightly-engraved frame shows some nice remnants of
	hunting arm. The rear sight is a flip-up white triangle and the front sight		case-hardened color with the surfaces being mostly a mixture of light
	is a silver bead with no hood. A great 1962-manufactured Rifleman's		brown and gunmetal gray with faint freckling. The checkered walnut
	Rifle chambered in a popular and versatile hunting cartridge.		pistolgrip buttstock and splinter forend with ebony inlay tip are very good
	(22A9833-22) {C&R} (800/1200)		considering their age, there are handling marks and light impact marks
	Est. 800 - 1,200		throughout with nice subtle figure, a very good plus condition checkered
1518	Savage Model 99EG Lever Action Rifle		hard rubber buttplate with Rampant Colt and tight all-around fit. The
	serial #525602, 300 Savage, 24" barrel with an excellent bore. The		length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels
	metal surfaces retain 98% original blue with some faint silvering on a		lock-up tight on-face. This is a solid antique Colt with an automatic
	few of the high edges and some scattered faint freckling, the bolt body		safety, double triggers and the chambers are 2 5/8". (22A9803-5)
	remains mostly-bright. The lever retains perhaps 80-85% original		{ANTIQUE} (800/1200)
	case-hardened color with small areas toning to silver and scattered faint		Est. 800 - 1,200
	freckles. The checkered walnut capped pistolgrip buttstock and	1523	Parker GH Grade Boxlock Double Shotgun
	schnabel-tipped forend are very good plus with some light scratches on		serial #142202, 12 ga., 30" damascus barrels on a no. 2 frame choked
	the butt and some scattered small blemishes, the figure through the butt		full in both with excellent bores. The barrels retain nearly all their original
	is subtle but quite nice when manipulated in the light. This 1949 rifle is		star damascus pattern with a scattered light freckle or two and a couple
	sighted with a brass bead front sight and a semi-buckhorn sporting rear.		small dings right and left that do not appear to transfer to the interior of
	(22A9808-21) {C&R} (700/900)		the bore, the address and rib matting remain crisp. The G Grade
	Est. 700 - 900		engraved frame is mostly a light silver patina although there are some
1519	Winchester Model 1895 Lever Action Rifle		faint wisps of color on the water table and stronger color under the lever.
1319			
	serial #425840, 35 WCF, 24" barrel with an excellent bore. The barrel		There are just a few handling marks, some light scratches and some
	retains 98-99% original blue with some blemishes and a light freckle or		light freckles, there is loose flowing scroll, borders and pairs of game
	two, the barrel address and Winchester proof are crisp. The action		birds right and left and on the belly with all the engraving remaining
	retains perhaps 60% original blue, particularly strong along the flats and		crisp. The checkered walnut capped pistolgrip buttstock and splinter
	magazine with the balance being gunmetal gray with some faint		forend are near very good with the forend worn mostly-smooth and
	freckling, the left-side two-line address is crisp and legible. The smooth		scattered signs of light and moderate handling throughout. The pad has
	walnut straight-grip buttstock and forend with schnabel tip are near very		hardened and begun to degrade and the "PARKER BROS"-marked hard
	good with a bit of added finish some time ago and an empty hole on the		rubber grip cap is excellent. The wood exhibits wonderful figure and
	toeline where a swivel stud once was, there is some flaking and		nicely-contrasting grain color, the length-of-pull is 14 1/4" with drops of
	scattered handling marks with the wood proud of the metal in many		2" and 3 3/4". The shotgun features double triggers and an automatic
	spots. Rifle is sighted with a brass bead front sight and a sporting rear		safety, the butt is cast-off the barrels lock-up tight with a faint sliver of
	with elevator. The serial number puts it at the very end of production in		light visible at the fences. A very attractive 1903-manufactured
	1931, the last known 1895 manufactured is rumored to be serial		damascus Parker. (22A9746-27) {C&R} (800/1200)
			Est. 800 - 1,200
	#425881. A nice example of these popular Winchesters with an		
	#425881. A nice example of these popular Winchesters with an excellent shootable bore. (22A9808-38) {C&R} (800/1200)	1524	Remington No. 1 Rolling Block Sporting Rifle
		1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Mariin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunnetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to flake and some signs of handling and scattered blemishes, the Marlin	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate handling marks and both pieces being tight to the metal and
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to flake and some signs of handling and scattered blemishes, the Marlin	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate handling marks and both pieces being tight to the metal and
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to flake and some signs of handling and scattered blemishes, the Marlin bullseye is present along the toeline. The rifle is outfitted with a Rocky	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate handling marks and both pieces being tight to the metal and structurally-sound. There is a Vernier-style tang mounted sight, the rear
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to flake and some signs of handling and scattered blemishes, the Marlin bullseye is present along the toeline. The rifle is outfitted with a Rocky Mountain German silver blade front sight and a sporting rear sight with	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate handling marks and both pieces being tight to the metal and structurally-sound. There is a Vernier-style tang mounted sight, the rear barrel dovetail is empty and there is a small flip-up Beech combination
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to flake and some signs of handling and scattered blemishes, the Marlin bullseye is present along the toeline. The rifle is outfitted with a Rocky Mountain German silver blade front sight and a sporting rear sight with elevator. A solid old Marlin with slick action and a pristine bore.	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate handling marks and both pieces being tight to the metal and structurally-sound. There is a Vernier-style tang mounted sight, the rear barrel dovetail is empty and there is a small flip-up Beech combination small blade front sight. The hammer spring is quite strong and there is a
1520	excellent shootable bore. (22A9808-38) {C&R} (800/1200) Est. 800 - 1,200 Marlin Model 94 Lever Action Rifle serial #1072, 38-40, 24" barrel with a bright excellent bore. The barrel and tube retain 97% original blue with some handling marks, light freckling and slight thinning at the muzzle, the barrel address is legible with the bottom line being struck somewhat soft. The action has toned to gunmetal gray with remnants of original case color, the left flat showing the strongest concentration. There is some scattered faint freckling and some minor slot damage on a couple of the screw heads with some nice fire blue remaining on the loading gate and a factory inspection star on the rear of the top tang. The smooth walnut straight-grip buttstock and forend are near very good with some later-added finish beginning to flake and some signs of handling and scattered blemishes, the Marlin bullseye is present along the toeline. The rifle is outfitted with a Rocky Mountain German silver blade front sight and a sporting rear sight with elevator. A solid old Marlin with slick action and a pristine bore. (22A9746-50) {C&R} (700/900)	1524	serial #5753, 40-70 Bottleneck, 26" octagon barrel with a near excellent shiny bore showing some very shallow pits and strong rifling. The barrel is a mostly dark brown patina with hints of original blue, there is some scattered freckling and two filled areas near the breech where an old optic was attached. The frame is a gunmetal gray patina with scattered dark freckling and generous amounts of original blue on the hammer and block and the later-added schuetzen-style buttplate shows tarnish and scattered blemishes. The smooth walnut straight-grip buttstock and metal-tipped forend are near very good, there is a rectangle-shaped repair at the heel and some small chips at the tip of the comb likely from contact with this tang sight or a longer previously-mounted one. There is added varnish and some darkening of the wood with light-to-moderate handling marks and both pieces being tight to the metal and structurally-sound. There is a Vernier-style tang mounted sight, the rear barrel dovetail is empty and there is a small flip-up Beech combination small blade front sight. The hammer spring is quite strong and there is a nickel-plated set trigger that works as it should with a crisp light break. A

#### Title/Description Lot

Title/Description Lot

<ul> <li>1525 Colt Model 1838 Bodick Double Shotgun</li> <li>1526 Schuld 2937, 10 ga., 27 danascus barrels with bright near excellent bores showing some tiny drags left-and-right. The barrels show a nice smith damascus pattern with anom exress toning to dark brown and dull sliver and the expected dark freekling, the rib address remains origin. The farme has toned to a pleasant sliver pation with scattered faint freekling, there is cript patien with scattered faint drags and the expected dark freekling, ther is and poder engraving and geometic patients around the screw heads. The checkered wahut round-knob buttstock and splinter forend with ebodier engraving and geometic patients around the screw heads. The checkered wahut round-knob buttstock and and having a bit of added finish, there are the expected handling marks and refers are 2.34%. These are adouble triggers and the barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700900) Est. 700 - 900</li> <li>1526 Colt Model 1838 Bodick Double Shotgun to gard marks and refers are adouble triggers and the barrel scate and the fored area and the rib address is crips and legible. The barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700900) Est. 700 - 900</li> <li>1526 Colt Model 1838 Bodick Double Shotgun to inclust the barrel is checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The barrels four a spline fored with the surfaces barrels is crips and legible. The lightly-engraved frame shows some nice remmants of case-hardened colve with the surfaces barrel with an automatic safety, obuble triggers and 2.8.<sup>4</sup> and a.3.<sup>4</sup> and a</li></ul>	original dull blue dling marks. these guns. The
<ul> <li>bores showing some tiny dings left-and-right. The barrels show an clear switch and characsup pattern with some areas toring to dark brown and dull silver and the expected dark freckling, the rib address remains orisp. The frame has toned to a pleasant silver patina with scattered faint for dred with abords profer organizing and geometric patterns around the screw heads. The checkerd wahut round-knob buttstock and splinter forend with abord to pleasa are matching and a dup to the screw heads. The checkerd wahut round-knob buttstock and splinter forend with abord to the screw heads. The charbers are 2 34°, there are the expected handling marks and the lipse being quite lock-up tight and on-face. (ZAB882-11) (ANTIOUE) (700900)</li> <li>field darking with faint freques are guite please and the indexes are and the indexes are and the indexes are and the space loci or with the subtle figure. a very good box consider there are barding marks and light and on-face. (ZAB81 damarus charder diffing marks and splinter forend with abory inay tip are very good box considering theria age. The fearther the loading is a screak of original silve raise and the indexes is a solid antique Cot with an automatic in the routed the same and the indexer and his indexer and the indexer and his indexer and the indexer and his indexer and the indexe</li></ul>	original dull blue dling marks. these guns. The
<ul> <li>bores showing some iny dings left-and-right. The barrels show an icle swith amascus pattern with some areas toning to dark hown and dull silver and the expected dark freeking, the rib address remains crisp. The frame has toned to a pleasant silver pattern with scattered faint for drive head border engraving and geometic patterns around the scatted by f-44 coded pitot resin adjust plum tone familiar to geoder rediations of the scatted by f-44 coded pitot resin adjust plum tone familiar to geoder rediations of the scatted by f-44 coded pitot resin adjust plum tone familiar to geoder rediations of the scatted by f-44 coded pitot resin adjust plum tone familiar to geoder rediations of the scatted by f-44 coded pitot resin adjust plum tone familiar to geoder rediations of the scatted by f-44 coded pitot resin adjust plum tone familiar to geoder rediations of the scatted prime and the scattered rediation and the forend means and the rib safety is automatic, the chambers are 2.34°, there are chaolitie right the. The safety is automatic, the chambers are 2.34°, there are backber to bardes to be original balack leather breaks away fit geoder of fast and non-fase. (22A9882-11) (ANTIOUE) (700900) Est. 800 - 12.00</li> <li>1520 Colt Model 1849 Booker Derussion Revolver serial #245464, 31 cut, 6° ordgen barrel with a light plut borw. The safety for the metal surfaces of the sfast adverse of using and handing marks and light and orders. The large triggerguard gip frame slows more incer tens and the rib address is a solid antique Colt with the surface bardened colors on the hard rubber butplate with a mean serve good bore showing light scattered pits and stroing rifting. The metal surfaces have generous traces of original bue and the barrel fats and receiver fats with hereare reginger and singer marks on the barrel has and receiver fats with hereare reginger and stress dranding marks and light scattered pits and stroing and barby stress areas and be rib address is a solid antique Colt with an automatic so bowing ligh</li></ul>	original dull blue dling marks. these guns. The
<ul> <li>swird damascus pattern with some areas foring to dark brown and dull silver and the expected dark feeding, there is crisp border engraving and geometric patterns around the screw heads. The checkered wainut tround-knob buttstock and splinter forend with ebony ip are near very good considering their age and the serialized patts are matching and i aporportise ("Eagle) ("MAA135" Wafteneam and the activities attering and activities attering attering and activities attering and activities attering attering and activities attering attering and activities attering attering attering attering attering attering atterin</li></ul>	dling marks. these guns. The
<ul> <li>silver and the expected dark freekling, the rib address remains risp.</li> <li>The frame has toned to a pleasant adver palina with scattered faint</li> <li>freckling, there is crisp border engraving and geometric patterns around</li> <li>the screw heads. The checkered wainut round-knob buttstock and</li> <li>splinter forend with benowy tip are near every good considering their age</li> <li>and having a bit of added finish, there are the expected handling marks</li> <li>and busings with the figure being quite nice and the checkered hand</li> <li>truber buttpate with Rampant Colt is near excellent. The safety is</li> <li>automatic, the chambers are 2.34", there are double triggers and the</li> <li>barrels lock-up tight and on-face. (22A9882-11) (ANTIOUE) (700/900)</li> <li>Est. 700 - 400</li> <li>Tobe double Shotgun</li> <li>test. 701 - 400</li> <li>cost Model 1883 Boxlock Double Shotgun</li> <li>case-hardened color with the surfaces being mostly a mixture of light</li> <li>brown had gumetal gray with laint freeding. The checkered wainut</li> <li>pistolgrip buttstock and splinter forend with elong marks and light impact marks</li> <li>cost bard of noise and 2.43" changes (2.438803-5) (ANTIQUE)</li> <li>food considering their age, and 2.48" champarts (2.428803-5) (ANTIQUE)</li> <li>food rates of original bue along the barrels</li> <li>lock-up tight and on-face. This is a solid antique Colt with an automatic</li> <li>safety, double triggers and 2.48" champarts (2.438803-5) (ANTIQUE)</li> <li>food visition frame Side Action Rifle</li> <li>series of small shallow round dents to the barrels</li> <li>lock-up tight and on-face. Their as any revy good bore</li> <li>showing light scattered pilts and strong rifling. The metal surfaces have</li> <li>felt-tide is faint but visite. There are impact marks</li> <li>no the size store of link is a sourd and the chares and three are simall</li> <li>patches o</li></ul>	these guns. The
<ul> <li>The frame has coned to a pleasant aliver pathan with scattered fixing freeking, there is crisp border engraving and geometric patterns around the screw heads. The checkered wahut round-knob buttstock and appropriate (Eagle) / Vaka 135 Waffenami and the activation and a bin added finish, there are the expected handing marks and blemishes with the figure being quite nice and the checkered hand "rubber buttplate with Rampant COI is near excellent have and know pather is alwape a wonderful swift Adamscus pattern that has begun to gate manual the fored areas and the role adjust power schedes and the role of the schede of the schede areas and the role adjust power with the surfaces is crisp and legible. The legible, and a spinter forend with ebory in parts and scheder areas and the role adjust power with the surfaces is crisp and legible. The legible, reparaved frame shows some nice remnants of case-hardened cools and the down with a surfaces of the scheder adjust. The legible, role activation divide bour with a surfaces being mostly a marking the adjust power and the adjust power adjust power adjust power adjust. The scheder adjust throughout with nice suble figure, a very good bus condition checkered hard considering their age, there are handling marks and light impact marks throughout with a subdemingure, a very good bus condition checkered hard fire disease. This is a solution that automatic selection with a surfaces the selection and the adverse is crisp and legible. The more land rubber that a surfaces the selection and receiver flats with the adverse is crisp and legible and the adverse is crisp and legible. The more land rubber that a surfaces the selection adverge area marks on the burd of the active series adverged to a sechardene colors on the barel. Second the second and the odver with a surfaces have and receiver flats</li></ul>	0
<ul> <li>freckling, there is crisp border engraving and geometric patterns around the screw heads. The checkered walnut round-knob buttstock and splinter forend with ebony tip are near very good considering their age and having a bit of added finish, there are the expected handling marks and blemishes with the figure being uilt nice and the checkered hard rubber buttplate with Rampant Colt is near excellent. The safety is automatic, the chambers are 2.3/4", there are double triggers and the barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700/900) Est. 800 - 1.200</li> <li>fist double triggers and the rib address is crisp and legble. The lightly-engraved frame shows are monther of the surfaces being mostly a mixture of light brown and gumental gray with faint freckling. The checkered walnut pistolgrip buttstock and spliner forend with ebony hink ip are very good to condition checkered hard uptor all safe, so to riginal blue hidden under the loading lengths are suble figure, a very good pusce on the parts and a 3.8° and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2.5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200) Est. 800 - 1.200</li> <li>fist Colt Lightning Small Frame Silde Action Riffe series, so the barrel lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2.5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200) Est. 800 - 1.200</li> <li>fist Colt Lightning Small Frame Silde Action Riffe series is mostly dark brown patina, there are small pathers of oxidation staining scattered pits and strong rilmarks and marks an</li></ul>	
<ul> <li>the screw heads. The checkreed value round-knob butistock and splinter forend with ebony tip are near very good considering their age and having a bit of added finish, there are the expected handing marks and blemishes with the figure being quite nice and the checkreed handing marks and blemishes with the figure being quite nice and the checkreed handing marks automatic, the chambers are 2 3/4", there are double triggers and the barrels lock-up tight and on-face. (22A9802-11) (ANTIGUE) (700/900) Est. 700 - 900</li> <li>T526 Coit Model 1883 Bodock Double Shotgun series checked full and improved modified with a near excellent tore and a tiny ding at mid right tube. The barrels have a wondrul swil dmanaccus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened colors with the surfaces. Dist as a solit antique Col with an uscreace. This is a solit antique Col with an uscreace. This is a solit antique Col with the surfaces. The site as olid antique Col with an uscreace. This is a solid antique Col with an uscreace. This is a solid antique Col with an uscreace. This is a solit antique Col with an uscreace. This is a solid antique Col with an uscreace. This is a solid antique Col with an uscreace. This is a solid antique Col with an uscreace. This is a solid antique Col with an uscreace. This is a solid ant group with the surfaces have any done the loading the safets and soliter forend ate. The is and soliter forend with any stress and group the barrel is a driver of using an uscrue of light bittly between the loading the safets. Solid and the Root with an uscreace the safet and a soliter forend with a solita solite col with an uscreace the procession Revolver triggerguid and prive the loading the prives and the prive of a side and the loading the prise and the prives and the prive of a side and the core that a</li></ul>	
<ul> <li>splinter forend with ebory tip are near very good considering their age and having a bit of added finish, there are the expected handling marks and blemishes with the figure being quite nice and the checkred hard rubber butplate with Rampant Colt is near excellent. The safety is automatic, the chamers are 2.34", there are double triggers and the barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1526 Colt Model 1883 Boxlock Double Shotgun serial #6058. 12 ga., 28" damascus parters that has begun to darken around the forend area and the rib address is crisp and legble. The lightly-engraved score with a surfaces being mostly a mixture of light area collect of the reak and the rib address is crisp and legble. The lightly-engraved score with a surfaces being mostly a mixture of light area very good box considering their age, there are handling marks and light impact marks and up of the area handling marks and light and unchare. The large triggerguard box. The safet of original blue along the barrels hard rubber butplate with Rampant Colt and tight all-around fit. The length-of-pulit is 17% with drops of 134" and 33" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2.54" chambers. (22A9803-5) (ANTIQUE) (800/1200) [Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Silde Action Rifle serving regiments and strong rights. The erail address is mostly sharp and legible and the Rampant Colt on the receiver's left-side is faint but visibe. The smoorth wallut straight-grip butstock and forend are good, the checkered hard rubber butplate has a rubine stark of original bue along the barrel fists and receiver's left-side is faint but visibe. The marken around has a repaired crack running its entity cryptic withs and and receiver's left-side is faint but visibe. The smoorth wallut straight-grip butstock and forend are good, the checkered hard inthe reak and receiver's left-side is faint but v</li></ul>	•
<ul> <li>and having a bit of added finish, there are the expected handing marks and blemishes with the figure being quite nice and the checkered hard rubber buttplate with Rampant Colt is near excellent. The safety is automatic, the chambers are 2.34", there are double triggers and the barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700/900)</li> <li>serial #69228, 12 ga., 28' damascus barrels choked full and improved modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swift damascus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunnetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks through a twith Rampant Colt and tight all-around fit. The length-or-pull is 13 7/8" with drops of 1.34" and 3.38" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2.54" chambers. (22A8803-5) (ANTIQUE) (800/1200)</li> <li>test. 800 - 1.200</li> <li>test 800 - 1.200</li> <li>toot the served pits and strong rifling. The metal surfaces have generous traces of original bue hideand to the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2.54" chambers. (22A8803-5) (ANTIQUE) (800/1200)</li> <li>test 800 - 1.200</li> <li>test 800 - 1.200</li></ul>	
<ul> <li>and blemishes with the figure being quite nice and the checkered hard rubber buttplate with Rampant Colt is near excellent the varial status of the parels lock-up tight and on-face. (22A9822-11) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Est. 700 - 900</li> <li>Tool - 900</li> <li>The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gummetin freckling. The heckered whant pistolgrip buttstock and spiniter forend with a lenger mostly dark brown patien, a very good bus condition checkered hard rubber buttplate with Rampant Colt and light all-around fit. The length-of-puil is 17.370° with drops of 134° and 138° and the barrels lock-up tight and on-face. 122A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>Tool - 1,200</li> <li>T</li></ul>	-
<ul> <li>rubber buttplate with Rampant Colt is near excellent. The safety is automatic, the chambers are 234", there are double triggers and the barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1526</li> <li>Colt Model 1883 Boxlock Double Shotgun serial #6328, 12 ga., 28' damascus barrels choked full and improved modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swif damascus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some ince remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freckling. The checkered walnut pistolgrip butstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527</li> <li>Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly with the remainder being a mostly dark brown patina, there are small patches of oxidation tisking. Scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is rudineritary repair with a corresponding chip at the to are dark mark and impact marks and inpact marks and inpact marks and inpact marks and inpact marks on both sides of the brass magazine feed, the barrel regress chark and the chark regress chark</li></ul>	
<ul> <li>automatic, the chambers are 2 3/4", there are double triggers and the barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Colt Model 1983 Boxlock Double Shotgun serial #6928, 12 ga., 28" damascus barrels choked full and improved modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swirl damascus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a miture of light brown and gunnetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good Loc word the trade to cold with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24' octagon barrel with a near very good bore showing light scattered about. There are impact marks on obth sides of the barsel flats and receiver flats and forend are good, the checkered hard nubber buttplate with a meany very good bore showing light scattered about. There are impact marks on obth sides of the brass magazine feed, the barrel latis and receiver flats and forend are good, the checkered hard nubber buttplate has a rugmentary repair with a corresponding chip at the toe and the forend has a repaired rack running its entire length, both sides of the wrist</li> <li>Colt Lightning Small Frame Slide Action Rifle series is faint tub visible. The semoth walnus triaght-grip buttstock and forend are good, the checkered hard nubber buttplate has a rugment colt and the Rampant Colt on the receiver's left-side is faint tub visible. The semoth walnus triaght-grip buttstock and forend area good, t</li></ul>	
<ul> <li>barrels lock-up tight and on-face. (22A9882-11) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1526</li> <li>Colt Model 1838 Boxlock Double Shotgun serial #6928, 12 ga., 28" damascus barrels choked full and improved modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swird damascus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebory inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The lengthro-Ppull is 178" with dorps of 1 3/4" and the barrels lock-up tight and on-face. This is a solid antique Coli with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200) Est. 800 - 1,200</li> <li>1527</li> <li>Colt Lightning Small Frame Slide Action Rifle serial #32362, 22 Fr, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver fats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard tubber buttplate has a rudimentary repair with a corresponding chip at the log end the forend has a repaired crack running its entire length, both sides of the wrist</li> <li>Colt Model 1849 Pocket Percussion Re</li></ul>	0
<ul> <li>Est. 700 - 900</li> <li>An excellent late-war Mauser rig for the martial collect (CAR) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1520</li> <li>Colt Model 1883 Pocket Percussion Revolver modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swirl damaccus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freckling. The checkered wahut pistolgrip buttstock and splinter forend with ebory inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE} (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527</li> <li>Colt Lighting Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered advess is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	as worn to a
<ul> <li>1526 Colt Model 1883 Boxlock Double Shotgun serial #6928, 12 ga, 28' damascus barrels choked full and improved modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swirl damascus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gummetal gray with faint freekling. The checkered walnut pistolgrip buttstock and splinter forend with ebory inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 137/8' with drops of 13/4' and 3 3/8' and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8' chambers. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24' octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered nar tubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	strong stitching.
<ul> <li>serial #6928, 12 ga., 28" damascus barrels choked full and improved modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swirl damascus pattern that has begun to darken around the forend area and the ib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunnetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200) Est. 800 - 1,200</li> <li>1527</li> <li>1527</li> <li>1528</li> <li>1529</li> <li>1529</li> <li>1529</li> <li>1521</li> <li>1201</li> <li>1</li></ul>	ır. (8A9854-8)
<ul> <li>modified with a near excellent bore and a tiny ding at mid right tube. The barrels have a wonderful swirl damascus pattern that has begun to darken around the forend area and the rib address is crisps and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freekling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nices subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200) Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle senial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repay and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repay of the the care of the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
<ul> <li>barrels have a wonderful swirl damascus pattern that has begun to darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good to considering their age, there are handling marks and light impact marks to considering their age, there are handling marks and light impact marks to considering their age, there are handling marks and light impact marks to considering their age, there are handling marks and light impact marks to considering their age, there are handling marks and light impact marks to consider throughout with nices subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 13/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63326, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong riffing. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with correct timing and lock up but the lo need of attention. A very good Model 1849. (8A9833-6 (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63326, 22 RF, 24" octagon barrel with a light patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the barrel address is mostly-sharp and legible and the barrel address is mostly-sharp and legible and the marpant Colt on the receiver's left-side i</li></ul>	
darken around the forend area and the rib address is crisp and legible. The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gumetal gray with faint freekling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice suble figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200) Est. 800 - 1,200pitted bore. The metal surfaces of this 1864-manufact tored to brown with scattered pitting and hendling mark sand light impact marks series of small shallow round dents on the burt of the grip rates very good to excellent showing sparse hand series of small shallow round dents on the butt of the (800/1200) Est. 800 - 1,2001527Colt Lightning Small Frame Silde Action Rifle serial #63326, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist1531Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has toned mostly	
<ul> <li>The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freekling. The checkered walnut pistolgrip butstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/3" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>Tot Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pist and troceiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered abdruct. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip butstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	oxidized and
<ul> <li>The lightly-engraved frame shows some nice remnants of case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freekling. The checkered walnut pistolgrip butstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/3" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>Tot Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pist and troceiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered abdruct. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip butstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
<ul> <li>case-hardened color with the surfaces being mostly a mixture of light brown and gunmetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8' with drops of 134'' and 3 3/8'' and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8'' chambers. (22A9803-5) (ANTIQUE) (800/1200)</li> <li>Est. 800 - 1,200</li> <li>Toz7 Colt Lightning Small Frame Slide Action Rifle series of oxidation staining scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered hard rubber buttplate has a repaired colors on the size is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
<ul> <li>brown and gunmetal gray with faint freckling. The checkered walnut pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good pluc condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13.7/8" with drops of 1.3/4" and 3.3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2.5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200)</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on obth sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
<ul> <li>pistolgrip buttstock and splinter forend with ebony inlay tip are very good considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 13/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
<ul> <li>considering their age, there are handling marks and light impact marks throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) (ANTIQUE) (800/1200) Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on bth sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
<ul> <li>throughout with nice subtle figure, a very good plus condition checkered hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200)</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel fats and receiver flats on bt sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the tee and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	• •
<ul> <li>hard rubber buttplate with Rampant Colt and tight all-around fit. The length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and storng rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the tee and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	•
<ul> <li>length-of-pull is 13 7/8" with drops of 1 3/4" and 3 3/8" and the barrels lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200)</li> <li>Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	
lock-up tight and on-face. This is a solid antique Colt with an automatic safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200) Est. 800 - 1,200has a crisp one-line New York address on the barrel, t on the six-shot cylinder is very strong with the other fra triggerguard strap markings remaining crisp. The serial including the grips and wedge are matching, the actior mechanically with correct timing and lock up but the lo need of attention. A very good Model 1849. (8A9833-6 (800/1200)1527Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist1531Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has toned mostly to brown with blue along the bottom flat, loading lever cutout and are plus minor handling marks and impact marks around t five-shot cylinder has a very strong stage coch scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	•
<ul> <li>safety, double triggers and 2 5/8" chambers. (22A9803-5) {ANTIQUE} (800/1200) Est. 800 - 1,200</li> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	•
(800/1200) Est. 800 - 1,200triggerguard strap markings remaining crisp. The serial including the grips and wedge are matching, the action mechanically with correct timing and lock up but the lo need of attention. A very good Model 1849. (8A9833-8 (800/1200)1527Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the barss magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist1531Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has toned mostly to brown with blue along the bottom flat, loading lever cutout and arc plus minor handling marks and impact marks around t five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	
Est. 800 - 1,200       including the grips and wedge are matching, the action mechanically with correct timing and lock up but the lone of attention. A very good Model 1849. (8A9833-6 (800/1200))         1527       Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist       1531       Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has toned mostly to brown with blue along the bottom flat, loading lever cutout and arc plus minor handling marks and impact marks around t five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	me and
<ul> <li>1527 Colt Lightning Small Frame Slide Action Rifle serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	ized parts
<ul> <li>serial #63926, 22 RF, 24" octagon barrel with a near very good bore showing light scattered pits and strong rifling. The metal surfaces have generous traces of original blue along the barrel flats and receiver flats with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist</li> </ul>	functions
showing light scattered pits and strong rifling. The metal surfaces have       (800/1200)         generous traces of original blue along the barrel flats and receiver flats       Est. 800 - 1,200         with the remainder being a mostly dark brown patina, there are small       1531       Colt Model 1849 Pocket Percussion Revolver         patches of oxidation staining scattered about. There are impact marks       on both sides of the brass magazine feed, the barrel address is       1531       Colt Model 1849 Pocket Percussion Revolver         serial #163373, .31 cal., 6° octagon barrel with a lightly       pitted bore. The barrel has toned mostly to brown with         bus on both sides of the brass magazine feed, the barrel address is       pitted bore. The barrel has toned mostly to brown with         left-side is faint but visible. The smooth walnut straight-grip buttstock       plus minor handling marks and impact marks around the five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and has a repaired crack running its entire length, both sides of the wrist	ading notch is in
generous traces of original blue along the barrel flats and receiver flats       Est. 800 - 1,200         with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is       1531       Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has to ned mostly to brown with blue along the bottom flat, loading lever cutout and are plate is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist       If versite	1) {ANTIQUE}
with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist1531Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has toned mostly to brown with blue along the bottom flat, loading lever cutout and are plus minor handling marks and impact marks around t five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	
with the remainder being a mostly dark brown patina, there are small patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist1531Colt Model 1849 Pocket Percussion Revolver serial #163373, .31 cal., 6" octagon barrel with a lightly pitted bore. The barrel has toned mostly to brown with blue along the bottom flat, loading lever cutout and are plus minor handling marks and impact marks around t five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	
patches of oxidation staining scattered about. There are impact marks on both sides of the brass magazine feed, the barrel address is mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wristserial #163373, .31 cal., 6° octagon barrel with a lighthy pitted bore. The barrel has toned mostly to brown with blue along the bottom flat, loading lever cutout and are plus minor handling marks and impact marks around to five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	
on both sides of the brass magazine feed, the barrel address ispitted bore. The barrel has toned mostly to brown withmostly-sharp and legible and the Rampant Colt on the receiver'sblue along the bottom flat, loading lever cutout and areleft-side is faint but visible. The smooth walnut straight-grip buttstockplus minor handling marks and impact marks around tand forend are good, the checkered hard rubber buttplate has afive-shot cylinder has a very strong stage coach scenerudimentary repair with a corresponding chip at the toe and the forendto brown with scattered light pitting. The frame and hahas a repaired crack running its entire length, both sides of the wristshowing tiny wisps of case-hardened colors in the low	oxidized and
mostly-sharp and legible and the Rampant Colt on the receiver's left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wristblue along the bottom flat, loading lever cutout and are plus minor handling marks and impact marks around the five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and has showing tiny wisps of case-hardened colors in the low	
left-side is faint but visible. The smooth walnut straight-grip buttstock and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist       plus minor handling marks and impact marks around t five-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	•
and forend are good, the checkered hard rubber buttplate has a rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wristfive-shot cylinder has a very strong stage coach scene to brown with scattered light pitting. The frame and ha showing tiny wisps of case-hardened colors in the low	•
rudimentary repair with a corresponding chip at the toe and the forend has a repaired crack running its entire length, both sides of the wrist bowing tiny wisps of case-hardened colors in the low	-
has a repaired crack running its entire length, both sides of the wrist showing tiny wisps of case-hardened colors in the low	
I have darkened due to oil and oxidation leaching into the wood. There I I I I recoil shield with nitting on the sides of the hommer by	•
	•
are the expected flakes and handling marks throughout but both pieces has beautiful color on both sides of the flats, the rest w	orn to brown. The
are structurally-sound and the repair to the forend does not flex. The rifle large triggerguard brass grip frame retains perhaps 45	50% thinning
is equipped with a fixed rear sight and a Lyman hunter ivory bead front original silver plate, the rest worn to ochre with handlir	g marks. The
sight, the action still functions well mechanically. A 1902-manufactured smooth one-piece factory walnut grip rates good to ve	y good with light
Small Frame Lightning that is a great restoration candidate. (22A9904-2) handling marks, flaking finish and the edges of the but	show moderate
{C&R} (700/900) wear. There is no caliber mark on the bolster and the f	ame markings
Est. 700 - 900 show wear but the barrel address remains very strong	The two-line New
1528 U.S. Model 1871 Smoothbore Rolling Block Pistol by Remington York address has finials with one arm up, the other do	
serial #5205, 50 CF, 8" barrel with a bright excellent smooth bore. This in New York. All the appropriate parts and the grips and	••
gun was altered to fire shot cartridges by an unknown firm. The metal gun except the wedge (#52772). The backstrap appear	
surfaces retain about 30-35% original case-hardened colors with the mismarked with "63373", the "1" was obviously never	
barrel and portions of the frame toned to even gray patina showing factory but the fit to the frame and grips is excellent and provide the fit to the fit to the frame and grips is excellent and provide the fit to the fi	
brown toning, pitting and sparse handling marks. The right side of the oversight. A nice Pocket revolver. (8A9833-64) (ANTIC	UE} (800/1200)
frame, top and frontstrap have faded case-hardened colors. The Est. 800 - 1,200	
hammer and breechblock are gray but the trigger has very strong fire 1532 Remington No. 1 Vest Pocket Single Shot Pistol	
blue, the face toning to gray. The one-piece factory walnut grip rates serial #4219, 22 RF, 3 1/2" part round and part octago	
very good to excellent showing scattered handling marks, crisp oxidized and pitted bore. This lovely little "Saw Handle	romoino in
inspector's cartouche and it is numbered to the gun. The forend rates wonderful condition with about 97-98% original blue sh	
about the same but as was common on military guns it is not numbered. edge wear, a few pinprick pits and handling marks. Th	owing limited
Curtis R. Stickney's cartouche is on the grip and his proof/inspection factory grips rate excellent as lightly refurbished showi	owing limited
marks on the left side of the receiver. In his book Remington Rolling marks. The barrel address is slightly soft but remains I	owing limited e smooth walnut
Block Pistols, author Jerry Landskron offers several plausible diminutive pistol still functions mechanically. An excell	owing limited e smooth walnut ng a few handling
explanations with a common theme the work was performed by collector. (8A9857-40) (ANTIQUE) (700/900)	owing limited e smooth walnut ng a few handling egible. The
commercial firms other than Remington. A few of the firms marked the Est. 700 - 900	owing limited e smooth walnut ng a few handling egible. The
altered guns but most did not. The number of smoothbores conversions	owing limited e smooth walnut ng a few handling egible. The
	owing limited e smooth walnut ng a few handling egible. The
are small and this would make a wonderful and interesting addition to a	owing limited e smooth walnut ng a few handling egible. The
collection. (8B9857-13) (ANTIQUE) (800/1200)	owing limited e smooth walnut ng a few handling egible. The
Est. 800 - 1,200	owing limited e smooth walnut ng a few handling egible. The

# Auction - Auction #128 - Two-Day Sale, November 21st & 22nd 11/21/2020 9:00 AM EDT

# Lot Title/Description

<ul> <li>1533 Coft Model 1855 Sidehammer Pocket Percussion Revolver</li> <li>serial #17510., 26: a.3) 12'' uil ordgano partel with a oxidized and pitted bore. The metal surfaces of this second model Root revolver have codiation biernishes. The smooth wahur, factory grip is in very good condition biernishes. The smooth wahur, factory grip is in very good condition biernishes. The smooth wahur, factory grip is in very good active for the left panel is missing a timy dip of wood, the varinish showing light wear and crazing from age. The list gors at lim as is the grip, but the numbers on the unfluted cylinder are no longer legible. Only traces of the cache and hodins acces retain 30° the quinder. This guo as a is hougible. Only traces of the cache and code acces retain 30° the quinder. The bolt relation said the cache. Arenge out cannot be the cache and code acces retain 30° the quinder. The bolt relation said the cache and read or acces retain 30° the quinder. The guo as and lock cache acces retain 30° the quinder of the bolt game at the set and loc of the bultphic taces-hardened finish critical of the bultphic taces hardened colors on the frame serves in mixing it. Bultu Beautiful Laces-hardened colors on the frame serves in mixing it. Bultu Beautiful Laces-hardened colors on the frame serves in marks in the gaus at the day to gaud for the bultphic taces hardened colors on the frame serves in mixing it. Bultu Beautiful Laces-hardened colors on the frame serves in mixing it. Bultu Beautiful Laces-hardened colors on the frame serves in mixing it. Bultu Beautiful Laces-hardened colors on the frame serves in mixing it. Bultu Beautifue to distor and pathog. The solor above groups are correctly, bultu Beautifue to distor and pathog. The solor above groups are correctly market and the day to group the same serves in the subta set of the serves and its as a collector in the subta set of the set and pathog. The chacker days of pathog and market set and to accel the pathogen and cold of the set and pathogen. The bulta Bea</li></ul>
<ul> <li>pitted bore. The metal surfaces of this second model Root revolver have to acid brown pain with scattered pitting on the surfaces and surfaces and surfaces ream 98% arsenal applied grap parkerized finish drifting lightly at the muzzle and bulgbus some minor oxidation and eight were main to the surfaces stand by and graps are main applied grap are mains the surfaces stand by and the muzzle and bulgbus some minor oxidation and eight were muzzle and bulgbus some minor oxidation and eight were muzzle and bulgbus some minor oxidation and eight were muzzle and bulgbus some minor oxidation and eight were muzzle to the grap and the assort of bording frames are bulk that are surfaces that mains and the surfaces stand by eight weat. The bolt reations about were yood having been light (barn makes the surface) stand by and adding marks. The string provide is similar teals and edges. The string provide is similar teals in a sould be entertained. (\$A8896-133) (7000900)</li> <li>Est. 700 - 900</li> <li>Tod - Stord Teals are bared weat finishing a quarter of the spring pring are light gap at the head and to edge wear and the beautiful case-hardened forbing factory finis factory grips feature a Rempart Colt in an outle of the spring and by eight on the bud states and and facter all eight on table to the spring and by eight on the bud states and and facter all eight on the bud states and and facter all eight on the bud states and and pring and the spring and the s</li></ul>
<ul> <li>pitted bore. The metal surfaces of this second model Rot revolver have to acid brown pairwith scattered pitting on the surfaces and surfaces ream sight were and pairwith a strate or ear the surfaces ream sight were marked the hele mains in the missing a tiny chip of wood, the varnish drahoung light were and crazing from age. The barrel is correctly numbered to the gin pairs to the grip, but the model of the left panel is correctly. Numbered to the gin pairs and crazing from age. The titter gin age. The litter gin a sis the grip, but the mains age. The litter gin age of example for the Coll collector. (AA983-3:33) (ANTICUE) (700/900)</li> <li>1534 Coll Peacemaker Burtline 22 Social Convertible Single Action Revolver this excellent tores that adopted sympholic flactory grips fasture a Anadreed finish to about 99? or going all bue, and the grip and babe, adored and case-hardened finishes. The street and lock panels. Both cylinders time and lock way age of as the day were and the beauditic case-hardened finishes including the spare 22 Magnum cylinder. The blude surfaces showil gin tedge wear and the beauditic case-hardened colors on the final baces hardened finishes. The street hard bace surfaces as a collector is similar tore with social for the grip and babe. About 98% original blue, and the far age on the but of each panels. Both cylinders time and lock up as good as the day the gun left Coll in 1976. One of the grip frame screws is missing, it should be an easy replacement. A grading in forth collectory, should be an easy replacement. A grading in the collector is similar treating about 98% original blue, accelent tore reating about 29% original blue, lock or grips a bare end beckword graves are the base of the titreger tors is now and gravy, strong case-hardened finishes. The stree hard to continue the should be reating to the spare case and model finishes. The bare in and excellent tore farme screen and on the anney are correct anumater with the top of the spare case and the day spares case a</li></ul>
<ul> <li>toned to a solid brown patha with scattered pitting on the surfaces and oxidiation belimishes. The semandt watur tradrogr ogin is in worderful condition as lightly revaraished, the head of the left panel is missing a timy chip of wood, the varnished showing light wear and crazing from age. The barrel is correctly numbered to the gun as is the gript. Dut the numbers on the unfluted cylinder are no longer legible. Only traces of the correctly, but the mainspring perfamps as the wear. X are to longer legible. Only traces of collective (RA9333-83), ANTICUE (700-900)</li> <li>1534 Coll Proceemaker Burntine 22 Scoul Convertible Single Action Revolver serial #C186744, 22 LP / 22 Magnum RF, 7 1/22 harrel with an excellent tore first evolver relations excellent contained with agent. The bard surfaces show light degive war and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive war and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive war and the beautiful case-hardened colors on the trane have a very mild dusting of trecking on the topstrap. The checkered synthetic factory grips feature a Rampant. Colt in an oval of decraft legible on the blut de sace start 327357, 30-06, 8-18 dated Remington Arms barrel excellent bore. The metal surfaces relian 300.175% origin to gray and brown with spares spoid of grips and sout 89% original finishes. The barrel and leck up as good as the day the gun left Coll in 1976. Cool the grip frame scrues is missing, it should be an easy replacement. The strained proceed start 375% origin to gray a few minor oxidation blemishes. The barre is no lowy condition retaining about 29% original bute, obtain the trigger. This there extent date marks are gray and brown with spares spoid or single to the spare or to displaying a lew minor oxidation blemishes. The barre of the spare correctly marks. The single on the sourd frage brows and gray, strong case-hardened colors</li></ul>
<ul> <li>oxidiation bernsibers. The smooth walhuit factory grip is in very good conditions alightify even mished, the head of the left panel is missing a tiny chip of wood, the varnish showing light wear and crazing from age. The barrel is correctly numbered to the gun as is the grip, but the numbers on the unfluke of juncter are no longer legible. Only traces of the cabin and indian scene remain on the cylinder. This gun has the correct 'pointing finger Hartord, Connecticul barrel address but it has softened with age. The little gun sall times and locks up correctly, but the mainspring perhaps a bit weak. A very good example for the Colt collector. (BA9833-83) (ANTICUE) (700/900)</li> <li>Eat. 700 - 900</li> <li>Tost</li> <li>Colt Prescentate Buntline 22 Social Convertible Single Action Revolver aserial #G186740, 22 LR / 22 Magnum RF, 71 /22 'barel with an escollent bore. This revolver teatins excellent condition with about 98% original bite, andized and case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Both cylinders time and lock up ag ood as the day the gun elf Colt in grips a few minor oxidianto Maring about 28% original finishes. The barel and toole kup ag ood as the day the gun prior serial #42847, 22 Short, 33/16' octagon barrel with and cole kup ag ood soles of pitting adout 28% original finishes. The barel and toole kup ag ood as the day the gun prior serial #42847, 22 Short, 33/16' octagon barrel with a solid Bit are correctly assembly numbered to the gun the side of the serve shore grips a few minor oxidianto mainsters. This the real and tops of pitting and oxidian barrel with ight handling marks. The grips and barrel with a very case-hardened colors cond. The same in droyfinder mata straft grips a few minor oxidianto mainsters. This the seal of the sign to same of the server shore ing prior accelerat having been nicely cleane that droyfinder mata draft strafts, 200-6, 11-16 dated Edystone barrel w</li></ul>
<ul> <li>condition as lightly re-varnished, the heel of the left panel is missing a liny (pi of wood, the varnish showing light wear and cracing from aga. The barrel is correctly numbered to the guns as it the grip, but the numbers on the unfluted cylinder are no longer legible. Only traces of the cabin and indian scene remain on the cylinder. This gun has the correctly, but the mainspring partaps a bit weak. A very good example for the Colt collector (RA9833-83) (ANTIQUE (700/900)</li> <li>1534 Colt Peacemaker Buntline 22 Sout Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 / 12<sup>5</sup> barrel with an excellent bore. This gun has the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes. Including the spare 22 Magnum Colt in an valued and netwer a very mild dusting of trecking on the topsites. The frame sits in the other show and and page are plant. Reversel and the collector, shooter or outdoorsman. (RA9825-1) (MOCEM) (700/900)</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial addef ary approximation and edge are and the collector, shooter or outdoorsman. (RA9825-1) (MOCEM) (700/900)</li> <li>1546 U.S. Model 1917 Bot Action Rifle by Eddystone and the show the adde show and some of the south pares explore to the plant previous and sout 85% original fina show is taces of original blue and sout 85% original fina show is taces of original blue and sout 85% original fina show is taces of original blue and sout 85% original fina show is taces or original blue and sout 85% original fina show is taces or original blue and</li></ul>
<ul> <li>condition as lightly re-varnished, the heel of the left panel is missing a liny (pi of wood, the varnish showing light wear and cracing from aga. The barrel is correctly numbered to the guns as it the grip, but the numbers on the unfluted cylinder are no longer legible. Only traces of the cabin and indian scene remain on the cylinder. This gun has the correctly, but the mainspring partaps a bit weak. A very good example for the Colt collector (RA9833-83) (ANTIQUE (700/900)</li> <li>1534 Colt Peacemaker Buntline 22 Sout Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 / 12<sup>5</sup> barrel with an excellent bore. This gun has the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light degive are and the beautiful case-hardened finishes. Including the spare 22 Magnum Colt in an valued and netwer a very mild dusting of trecking on the topsites. The frame sits in the other show and and page are plant. Reversel and the collector, shooter or outdoorsman. (RA9825-1) (MOCEM) (700/900)</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial addef ary approximation and edge are and the collector, shooter or outdoorsman. (RA9825-1) (MOCEM) (700/900)</li> <li>1546 U.S. Model 1917 Bot Action Rifle by Eddystone and the show the adde show and some of the south pares explore to the plant previous and sout 85% original fina show is taces of original blue and sout 85% original fina show is taces of original blue and sout 85% original fina show is taces of original blue and sout 85% original fina show is taces or original blue and sout 85% original fina show is taces or original blue and</li></ul>
<ul> <li>tiny chip of wood, the vamish showing light wear and crazing from age. The barrel is correctly numbered to the gun as is the grip, but the numbers on the unfulad cylinder are no longer legible. Only traces of the cabin and Indian scene remain on the cylinder. This gun has the correct 'pointing fireger 'Harford, Connecticub areral address but it has softened with age. The little gun still times and locks up correctly, but the mainsrying perhaps a bit weak. A very good example for the Colt collector. (AA833:48) (ANTIOUE) (700/900)</li> <li>1534 Colt Peacemaker Burnline 22 Scout Convertible Single Action Revolver serial 45(48740, 22 LR /22 Magnum RF, 71 /22 barrel with an excellent bore. This revolver retains excellent condition with about 98% original bite, andized and case-hardened finishes including the spare 22 Magnum cylinder. The builde surfaces retain about 198% original bite, andized and case-hardened finishes including the spare 22 Magnum cylinder. The builde surfaces retain about 198% original bite, and case hardened finishes including the spare 22 Magnum cylinder. The builde surfaces retain about 98% original bite, and case hardened finishes including the spare 22 magnum cylinder. The builde surfaces retain about 29% original three and the low of the stress. The theread synthetic factory grips feature a readiance discus and handjuard remain about explores on the stress showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition the stress. The stread duction stress is nowing about 25% original blue. The stread in the rigger boss alightly on the sides. The stread and case retain on the frame. An excellent tore duction are original blue. The stread in the rigger boss alightly on the sides. The stread in the rigger boss alightly and weat and the stread stread stread stread or file stread s</li></ul>
The barrel is correctly numbered to the gun as in the grip, but the numbers on the unfluted cylinder are no longer legible. Only traces of the cabin and indian scene remain on the cylinder. This gun has the correct 'pointing finger' Hardroft, Connecticut barrel address but it has softened with age. The tilting un stills mers and locks up correctly, but the mainspring pertaps a bit weak. A very good example for the Cott collector. (AR49833-48), (ANTIQUE) (700/900)           1534         Colf Peacemaker Burtline 22 Scout Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 1/2* barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, andized and case-hardreed finithes including the spare 22 Magnum cylinder. The blued surfaces show light edge wear and the beaudiful case-hardreed colors on the fame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rempart Cott in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up as good as the day the gun left Col in 1976. One of the grip frame screws is missing, it should be an easy replacement. A grate up for the colector, shorter or outdoorsman. (8A9825-11) (MODERN) (700/900) Est. 700 - 900           1535         Smith & Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 /16° cicagon barrel with an excellent toor displaying a few minor oxidation blemshes. This three-patent date marked revolver remains in lovely condition retaining about 25% original bute. The trane is in wonderful condition social and tool sore remain on the hammer with the top of the spur toned to brown spilling over sightly on the siders. The serie and cylinder are correctly assembly numbered to the gun with git tharafiel and cylinder are correctly assembly numbered to the gun with git tharafiel gorograu is in wondeful condition mechanically with light b
numbers on the unfluted cylinder are no longer legible. Only traces of the cabin and Indian scene remain on the cylinder. This gun has the correct 'pointing finger' Hartford, Connecticut barrel address but it has softened with age. The little gun still times and locks up correctly, but the mainspring perhaps at bit weak. Avery good example for the Colt collector. (RA9833-83) (ANTICUE) (700900)           1534         Colt Peacemaker Buntline 22 Sout Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 1/2' barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, anodized and case-hardened finishes including the spare 22 Magnum cylinder. The blued suffaces show light degive wear and the beautiful case-hardened colors on the frame have a very mild dusting of freckling on the toptsrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (BA9825-11) MODERN) (700900) Est. 700 - 900         1530         U.S. Model 1917 Bolt Action Rifle By Remington the surfaces of original blue on the handid or loss on the left side of the receiver, harel band, blue on the handid and only a very light inspector mark. There is no left side of harea transmis in lovely condition retaining about 55% original finishes. The barrel and eijetor have eich buy with parthaps a guarter of the surfaces showing jight on the sign. The cylinder gaps rate correctly assembly numbered to the frame. An excellent terviting and low parks as a lew specks of very fine frating about 25% original blue. The sain flar retaining about 25% original blue. The sain flar retaining about 25% original blue. The sain flar retaining about 25% original blue. Th
<ul> <li>the cabin and Indian scene remain on the cylinder. This gun has the correct 'pointing finger' Hardrot, Connecticut barel address but it has softened with age. The little gun still times and locks up correctly, but the mainspring perhaps a bit weak. A very good example for the Colt collector. (RA9823-83) (NRTICUE) (700900)</li> <li>1534 Colt Peacemaker Buntline 22 Socu Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 1/22 barrel with an excellent bore. This revolver retains excellent finishes including the spare 22 Magnum cylinder. The blud surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of trecking on the topstrap. The checkered synthetic factory grips feature a Both vylinders time and lock up as good as the day the gun left Colt in 1076. One of the grip frame screws is mising, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (RA9825-1) (MODERN) (700900)</li> <li>Est. 700 - 900</li> <li>1535 Smith &amp; Vesson No. 1 Second Issue Revolver serial #42647, 22 Snorth and dectify the frame is an vanderful condition tertaining about 25% original bure. The sing on the screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (RA9825-1) (MODERN) (700900)</li> <li>Est. 700 - 900</li> <li>1535 Smith &amp; Vesson No. 1 Second Issue Revolver serial mark and modify and marks. There is no left side and only a very light inspector mark behind the trigger. The strate is an elarging the but stok and handing marks. There is no left side and conky a signal bute, loss de to cyristica series and store devices remains in lovely condition retaining about 25% original bute. The store is no with hight hater lost frame fits, excellent timing and to key prints as charce and gun with hight hater log frame fits, excellent thore showing perhaps a few specks of very fits error with moder during marks. The grap and moder log or fare with the striger. The similar and spr</li></ul>
<ul> <li>the cabin and Indian scene remain on the cylinder. This gun has the correct 'pointing finger' Hardrot, Connecticut barel address but it has softened with age. The little gun still times and locks up correctly, but the mainspring perhaps a bit weak. A very good example for the Colt collector. (RA9823-83) (NRTICUE) (700900)</li> <li>1534 Colt Peacemaker Buntline 22 Socu Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 1/22 barrel with an excellent bore. This revolver retains excellent finishes including the spare 22 Magnum cylinder. The blud surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of trecking on the topstrap. The checkered synthetic factory grips feature a Both vylinders time and lock up as good as the day the gun left Colt in 1076. One of the grip frame screws is mising, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (RA9825-1) (MODERN) (700900)</li> <li>Est. 700 - 900</li> <li>1535 Smith &amp; Vesson No. 1 Second Issue Revolver serial #42647, 22 Snorth and dectify the frame is an vanderful condition tertaining about 25% original bure. The sing on the screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (RA9825-1) (MODERN) (700900)</li> <li>Est. 700 - 900</li> <li>1535 Smith &amp; Vesson No. 1 Second Issue Revolver serial mark and modify and marks. There is no left side and only a very light inspector mark behind the trigger. The strate is an elarging the but stok and handing marks. There is no left side and conky a signal bute, loss de to cyristica series and store devices remains in lovely condition retaining about 25% original bute. The store is no with hight hater lost frame fits, excellent timing and to key prints as charce and gun with hight hater log frame fits, excellent thore showing perhaps a few specks of very fits error with moder during marks. The grap and moder log or fare with the striger. The similar and spr</li></ul>
<ul> <li>correct "pointing finger" Harford, Connecticut barrel address but it has softened with age. The little gun still times and locks up correctly, but the mainspring perhaps a bit weak. A very good example for the Colt collector. (8A983-83) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Totade data case-hardened finishes including the spare 22 Magnum cylinder. The blued suffaces show light dege wear and the beautiful case-hardened colors on the frame have a very mild dusting of freecking on the topstrap. The checkered synthetic factory grips fatture a Rampant Colt in an val and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screews is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (BA9825-1) (MODENR) (700/900)</li> <li>Tota Somith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 33 /16" codagon barrel with an excellent bore displaying a few minor oxidation hemishes. This three-patent date markade revolver remains in lovely condition retaining about 25% original finishes. The barrel and epictor have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The erylinder is similar rataining about 25% original blue, on the targen ta modeful condition retaining in owel condition retaining about 25% original finishes. The barrel and epictor have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The erylinder is similar rataining about 25% original bue, the targen ta the date displaying a few minor oxidation and pitting. The erylinder is similar rataining about 25% original bue, the targen to brown and gray, strong case-hardened colors remain on the harmer with the top of the spurt to dord borwn spliting over sightly thight barrel to frame fit, excellent toring about 25% original bue. The targen is inworder lo condition retaining about 25% original bue. The targen is inw</li></ul>
<ul> <li>softened with age. The little gun still times and lock up correctly, but the mainspring perhaps a bit weak. A very good example for the Colt collector. (8A9835-83) (ANTICUE) (700/900)</li> <li>1534</li> <li>Coh Peacemaker Buntline 22 Sout Convertible Single Action Revolver serial #G186740, 22 LR / 22 Magnum RF, 7 1/2' barrel with an excellent bore. The relawer accelent condition with about 98% original blue, anordized and case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up ago dod as th day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shorter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver serial #47437, 22 Short, 33 /16° octagon barrel with an excellent bore the singer base of the trigger boss lightly worn. The trigger has toned to brown and primt. The somoth rosewood grips are correctly numbered to the frame, An excellent torame fit, excellent timing and lock up pais a crisp acion. The barrel and cylinder sime and philtor. The barrel and peictor have rich blue with perhaps a quarter of the surging a low mixed torvon and pray, strong case-hardened colors remain on the hammer with the top of the surger showing about 98% original blue. The remain and but timing and lock up as a crisp acion. The barrel and cyclication serves showing genesa a fuel decided to brown and gray. strong case-hardened colors remain on the hammer with the top of the surger correctly assembly numbered to the frame. An excellent terve showing been nicley cleaned with a few ligh bid word full condition showing about 28% original biue. The bartel and peictor have cho ther somat no device and some of the screw showing graves acce chared and to the sup of the spurt to ther dup wer</li></ul>
<ul> <li>nainspring perhaps a bit weak. A very good example for the Colt collector: (8A9833-83) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Ti334</li> <li>Colt Peacemaker Buntline 22 Scout Convertible Single Action Revolver takine scollector item for the 1903 rifles and military arms and no thought of loading live nor firing of this arm should be entertained. (6A9896-133). (700/900)</li> <li>Est. 700 - 900</li> <li>Ti34</li> <li>Dia and ited and case-hardened finishes including the dge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freekling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (RA9825-11) (MODENR) (700/900)</li> <li>Est. 700 - 900</li> <li>Ti355</li> <li>Smith # Wesson No. 1 Second Itsue Revolver serial #42647, 22 Short, 3 3/16<sup>1</sup> octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-panel date carves remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces schwing light oxidation and pitting. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition retaining alout 85% original fuel scellent timing and lock up pus action action specific assembly numbered to the farme. An excellent therap a lew specks of very fine I metal surfaces retain aloud 1974 specks david and only a specificational weedges and contact points. The pistolgrip walnut stock and ign previous device (Parker's Remingtion 1976, 30-06, 11-18 dated Eddystone light dividinon mechanically with tight barrel to frame fit, excellent timing adout 85% original blue, on the harmer with the top of the spur tomoder do torow s</li></ul>
<ul> <li>collector: (8A9833-83) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>T534</li> <li>Coll Peacemaker Burtline 22 Scout Convertible Single Action Revolver serial #6186740, 22 LR / 22 Magnum RF, 7 1/2" barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, anodized and case-hardened colors on light edge wear and the beautiful case-hardened colors on with scattered spots of pitting and mixing of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Coit in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up as good as the day the gun left Coit in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shocler or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>T535</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver serial #A2487, 22 Short, 3 3/16" octagon barrel with an excellent tore displaying a few minor oxidiation bemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The forme is in wonderful condition showing about 98% original bue. The frame is in wonderful condition showing about 98% original bue. The farme is in wonderful condition showing about 98% original bue of the spure with barrel to frame fit, excellent timing and lock up us a crisp action. The barrel and cylinder are correctly assembly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and beck uprolex. The seried and storing eagle nais about 98% original blue. The scellent bore showing perhaps a two specker or the botom more fit ares correctly assembly numbered to the farme. An excellent ores ho</li></ul>
Est. 700 - 9001534Colt Peacemaker Buntline 22 Soutt Convertible Single Action Revolver serial #47186740, 22 LR / 22 Magnum RF, 7 1/2' barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, anodized and case-hardened Gnishes including the spare 22 Magnum cylinder. The blued suffaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freecking on the topstrap. The checkered synthetic factory grips fearue a Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (BA9825-11) (MODERN) (700/900) Est. 700 - 9001535Smith & Wesson No. 1 Second Issue Revolver displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition netaling about 85% original the out cases showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The barmer with he top of the spur toned to brown spilling over slightly on the sides. The same is in wonderful condition schowing about 98% original blue. The barmer with he top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly assembly numbered to the gun with light handing marks. The gun is in wonderful condition schowing and lock (A9762-13) (ANTIQUE) (700/900) Est. 700 - 9001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal secollent timing and lock (A9762-13) (ANTIQUE) (700/900) Est. 700 - 9001537U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal secoll to brown spilling over slightly on the sides. The same of
Est. 700 - 9001534Colt Peacemaker Buntline 22 Sout Convertible Single Action Revolver serial #6186740, 22 LR / 22 Magnum RF, 7 1/2' barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, anodized and case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freekling on the topstrap. The checkered synthetic factory grips fearue ca- Rampant Colt in an oxal and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (BA9825-1) (MODERN) (700/900) Est. 700 - 9001535Smith & Wesson No. 1 Second Issue Revolver displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition netaining about 85% original the out cadop barel with an excellent bore displaying a few minor oxidation and pitting. The cylinder is similar retaining about 25% original blue. The barmer with he top of the spur toned to brown spliling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition necklost remain on the harmer with the top of the spur toned to brown spliling over slightly on the sides. The smooth rosewood grips are correctly assembly numbered to the gun with light handling marks. The gun is in wonderful condition secol second issue Revolver. (A87762-13) (ANTIQUE) (700/900) Est. 700 - 9001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal secol assembly numbered to the gun with light handling marks. The gun is in wonderful condit
<ul> <li>1534 Colt Peacemaker Buntline 22 Scout Convertible Single Action Revolver serial #G166740, 22 LR / 22 Magnum RF, 7 1/2' barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, anodized and case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the buit of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (6A9825-1) (MODERN) (700900) Est. 700 - 900</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16' octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 25% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light voidation and pitting. The cylinder is similar retaining about 25% original liver plate, the base of the trigger boss lightly worn. The trigger has tored to brown and gray, strong case-hardened colors remain on the harmer With the top of the spurt toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700900) Est. 700 - 900</li> <li>1536 U. S. Model 1903 Bolt Action Rifle By Rock Island Arsenal secole and with a very secole the accellent bar bartel ead cylinder are correctly assembly numbered to the frame. An excellent example of a second Issue Revolver. (8A9762-13) (ANTIQUE) (700900) Est. 700 - 900</li> <li>1536 U. S. Model 1903 Bolt Action Rifle</li></ul>
<ul> <li>serial #G186740, 22 LR / 22 Magnum RF, 7 1/2" barrel with an excellent bore. This revolver retains excellent condition with about 98% original blue, andcized and case-hardened finishes including the spare 22 Magnum cylinder. The blued surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freekling on the topstrap. The checkerd synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (BA9825-1) (MDCDERN) (700/900)</li> <li>1536</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver server the with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The brarel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The brarel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and gray, strong case-hardened colors remain on the harmer with the top of the spurt index of the sore with great Base of the trigger boss lightly own. The trigger has toned to brown and gray, strong case-hardened colors remain on the harmer with the top of the spurt index of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal secollent wang bee did sear of the strate and store of the accellent tarample of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal secollent wang bee did the differ top in the strate and strate and strate of the frame. An excellent tarample of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (</li></ul>
<ul> <li>bore. This revolver retains excellent condition with about 98% original blue, anodized and case-hardened finishes including the spare 22</li> <li>Magnum cylinder. The blued surfaces show light dege wear and the beautiful case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-11 (MODERN) (700/900) Est. 700 - 900</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16<sup>10</sup> octagon barrel with an excellent bore displaying a few minor, axidation blue. The triping about 85% original finishes. The barrel and ejector have rich blue with perhaps a quater of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition mechanically with tigh barrel to frame fit, excellent thorgen rice accord use Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal as Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #431528, 30-06, 24<sup>2</sup> 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>blue, anodized and case-hardened finishes including the spare 22</li> <li>Magnum cylinder. The blued surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16° octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 25% original blue. The frame is in wonderful condition should short of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition shoure showing babout 95% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to borwn and gray, strong case-hardened colors remain on the harmer with the top of the spur tored to brown spilling over slightly on the sides. The semont rosewood grips are correctly numbered to the grun with tight handing marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crips action. The barrel and cylinder are correctly numbered to the grame. An excellent the sample of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rook Island Arsenal serial #331528, 30-06, 24° 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>blue, anodized and case-hardened finishes including the spare 22</li> <li>Magnum cylinder. The blued surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the but of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16° octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 25% original blue. The frame is in wonderful condition should short of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition shoure showing babout 95% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to borwn and gray, strong case-hardened colors remain on the harmer with the top of the spur tored to brown spilling over slightly on the sides. The semont rosewood grips are correctly numbered to the grun with tight handing marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crips action. The barrel and cylinder are correctly numbered to the grame. An excellent the sample of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rook Island Arsenal serial #331528, 30-06, 24° 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>Magnum cylinder. The blued surfaces show light edge wear and the beautiful case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900) [Est. 700-900</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original blue. The frame is in wonderful condition mechanically with tight barrel to frame fit, excellent toring and lock up plus a crisp action. The barrel and griny, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The semoth rosewood grips are correctly numbered to the gun with light handing marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and griny for0900 [Est. 700 - 900]</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24' 6-44 dated High Standard barrel with a very</li> <li>1541 U.S. Model 1866 Second Model Allin Conversion By Spring</li> </ul>
<ul> <li>beautiful case-hardened colors on the frame have a very mild dusting of freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>Toss Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16° octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 25% original blue. The rism is in wonderful condition showing about 25% original slive plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spurt toned to brown spling over slightly on the sides. The smooth rosewood grips are correctly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Mussion and light thining on the bottom retaining and lock up plus a crisp action. The barrel and ejcichare fit, excellent timing and lock up plus a crisp action. The barrel and cyclone fit are spaced to the gun with light harding marks. The gun is in wonderful condition mechanically with tight barrel and cyclone fit are spaced to be gun with light barrel and ejcichare fit, excellent timing and lock up plus a crisp action. The barrel and ejcichare fit, excellent thaving been nicely cleaned with a few light bernises and strong eagle head protos in front and behin triggery and. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A9886-136) (C&amp;R) (800/1200)</li> <li>Est. 700 - 900</li> <li>Mussibe parts appear to be Eddystone barrel</li></ul>
freckling on the topstrap. The checkered synthetic factory grips feature a Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900) Est, 700 - 900to gray and brown with scattered spots of pitting and oxida of loss on the left side of the receiver, barrel bands, bolt re buttplate. The bolt has toned to gunmetal with sparse spot oxidation, still showing traces of original blue on the handling marks drevolver is no lotely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 25% original blue. The frame is in wonderful condition storing about 25% original blue. The frame is in wonderful condition retaining about 25% original blue. The trame is in wonderful condition grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent threing as a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 9001536U.S. Model 1803 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very1536U.S. Model 1803 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very1541U.S. Model 1866 Second Model Allin Conversion By Sprim
<ul> <li>Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16° octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original sliver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spiling over sightly on the sides. The smooth rosewood grips are correctly numbered to the gram. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #31528, 30-06, 24° 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>Rampant Colt in an oval and Federal Eagle on the butt of each panels. Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535</li> <li>Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16° octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original sliver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spiling over sightly on the sides. The smooth rosewood grips are correctly numbered to the gram. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #31528, 30-06, 24° 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>Both cylinders time and lock up as good as the day the gun left Colt in 1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535</li> <li>Smith &amp; Wesson No. 1 Second issue Revolver serial #42647, 22 Short, 3 3/16° octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and piting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 25% original blue. The frame is in wonderful condition showing about 25% original blue. The trager has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur tone dto brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crips action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Both Action Rifle By Rock Island Arsenal serial #31528, 30-06, 24° 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>1976. One of the grip frame screws is missing, it should be an easy replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brow spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>replacement. A great gun for the collector, shooter or outdoorsman. (8A9825-1) (MODERN) (700/900) Est. 700 - 900</li> <li>T535 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the harmer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>T536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>(8A9825-1) {MODERN} (700/900) Est. 700 - 900</li> <li>1536 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original blue. The frame is in wonderful condition showing about 98% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very</li> <li>1541 U.S. Model 1866 Second Model Allin Conversion By Spring</li> </ul>
<ul> <li>(8A9825-1) (MODERN) (700/900) Est. 700 - 900</li> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 98% original blue. The frame is in wonderful condition showing about 98% original blue. The frame is in wonderful condition showing about 98% original blue. The frame is in wonderful condition showing about 98% original blue, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very</li> <li>1541 U.S. Model 1866 Second Model Allin Conversion By Spring</li> </ul>
Est. 700 - 9001535Smith & Wesson No. 1 Second Issue Revolver serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gram. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 9001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a veryand only a very light inspector mark behind the trigger. The is a bit lighter and most likely a replacement. The parts are Remington and Eddystone and some of the screws show I A very good plus "mixed-parts" Remington 1917 rifle. (5A9 (C&R) (600/1200) Est. 800 - 1,2001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very1541U.S. Model 1866 Second Model Allin Conversion By Spring
<ul> <li>1535 Smith &amp; Wesson No. 1 Second Issue Revolver</li> <li>serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore</li> <li>displaying a few minor oxidation blemishes. This three-patent date</li> <li>marked revolver remains in lovely condition retaining about 85% original</li> <li>finishes. The barrel and ejector have rich blue with perhaps a quarter of</li> <li>the surfaces showing light oxidation and pitting. The cylinder is similar</li> <li>retaining about 25% original blue. The frame is in wonderful condition</li> <li>showing about 98% original silver plate, the base of the trigger boss</li> <li>lightly worn. The trigger has toned to brown and gray, strong</li> <li>case-hardened colors remain on the hammer with the top of the spur</li> <li>toned to brown spilling over slightly on the sides. The smooth rosewood</li> <li>grips are correctly numbered to the gun with light handling marks. The</li> <li>gun is in wonderful condition mechanically with tight barrel to frame fit,</li> <li>excellent timing and lock up plus a crisp action. The barrel and cylinder</li> <li>are correctly assembly numbered to the frame. An excellent example of</li> <li>a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1536</li> <li>U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal</li> <li>serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>serial #42647, 22 Short, 3 3/16" octagon barrel with an excellent bore displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900)</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very</li> </ul>
<ul> <li>displaying a few minor oxidation blemishes. This three-patent date marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900</li> <li>1536 U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very</li> </ul>
marked revolver remains in lovely condition retaining about 85% original finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 25% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900[C&R] (700/900) Est. 800 - 1,2001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very[C&R] (700/900) Est. 700 - 900
finishes. The barrel and ejector have rich blue with perhaps a quarter of the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900Est. 800 - 1,2001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a veryEst. 700 - 900
the surfaces showing light oxidation and pitting. The cylinder is similar retaining about 25% original blue. The frame is in wonderful condition showing about 95% original sliver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 9001536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very1540U.S. Model 1866 Second Model Allin Conversion By Spring
retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a veryserial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very
retaining about 25% original blue. The frame is in wonderful condition showing about 98% original silver plate, the base of the trigger boss lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900) Est. 700 - 900serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a veryserial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very
showing about 98% original silver plate, the base of the trigger boss       excellent bore showing perhaps a few specks of very fine f         lightly worn. The trigger has toned to brown and gray, strong       excellent bore showing perhaps a few specks of very fine f         case-hardened colors remain on the hammer with the top of the spur       metal surfaces retain 97-98% arsenal added gray parkerize         some very fine oxidation and light thinning on the bottom m       retains about 95% original blue, loss due to operational we         grips are correctly numbered to the gun with light barrel to frame fit,       excellent timing and lock up plus a crisp action. The barrel and cylinder         are correctly assembly numbered to the frame. An excellent example of       a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900)         Est. 700 - 900       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal       serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very
lightly worn. The trigger has toned to brown and gray, strong case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900metal surfaces retain 97-98% arsenal added gray parkeriz some very fine oxidation and light thinning on the bottom m retains about 95% original blue, loss due to operational we edges and contact points. The pistolgrip walnut stock and I remain excellent having been nicely cleaned with a few ligh blemishes and strong eagle head proofs in front and behin triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A9896-136) {C&R} (800/1200)1536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very1541U.S. Model 1866 Second Model Allin Conversion By Spring
case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900some very fine oxidation and light thinning on the bottom m retains about 95% original blue, loss due to operational we edges and contact points. The pistolgrip walnut stock and I remain excellent having been nicely cleaned with a few ligh blemishes and strong eagle head proofs in front and behin triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A8986-136) {C&R} (800/1200)1536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very1541U.S. Model 1866 Second Model Allin Conversion By Spring
case-hardened colors remain on the hammer with the top of the spur toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900some very fine oxidation and light thinning on the bottom m retains about 95% original blue, loss due to operational we edges and contact points. The pistolgrip walnut stock and I remain excellent having been nicely cleaned with a few ligh blemishes and strong eagle head proofs in front and behin triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A9896-136) {C&R} (800/1200)1536U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very1541U.S. Model 1866 Second Model Allin Conversion By Sprint
toned to brown spilling over slightly on the sides. The smooth rosewood grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900)       retains about 95% original blue, loss due to operational we edges and contact points. The pistolgrip walnut stock and the fremain excellent having been nicely cleaned with a few ligh blemishes and strong eagle head proofs in front and behin triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A9896-136) {C&R} (800/1200)         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very
grips are correctly numbered to the gun with light handling marks. The gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900) Est. 700 - 900       edges and contact points. The pistolgrip walnut stock and I remain excellent having been nicely cleaned with a few light blemishes and strong eagle head proofs in front and behin triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A8986-136) (C&R) (800/1200) Est. 800 - 1,200         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very       1541       U.S. Model 1866 Second Model Allin Conversion By Sprint
gun is in wonderful condition mechanically with tight barrel to frame fit, excellent timing and lock up plus a crisp action. The barrel and cylinder are correctly assembly numbered to the frame. An excellent example of a Second Issue Revolver. (8A9762-13) (ANTIQUE) (700/900)       remain excellent having been nicely cleaned with a few light blemishes and strong eagle head proofs in front and behin triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddys (5A9896-136) (C&R) (800/1200)         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24* 6-44 dated High Standard barrel with a very       1541       U.S. Model 1866 Second Model Allin Conversion By Spring
excellent timing and lock up plus a crisp action. The barrel and cylinder       blemishes and strong eagle head proofs in front and behind triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddystone         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very       blemishes and strong eagle head proofs in front and behind triggerguard. All visible parts appear to be Eddystone and is present in the butt. An excellent refurbished 1917 Eddyst (5A9896-136) {C&R} (800/1200)         Est. 800 - 1,200       Est. 800 - 1,200
are correctly assembly numbered to the frame. An excellent example of       triggerguard. All visible parts appear to be Eddystone and         asecond Issue Revolver. (8A9762-13) {ANTIQUE} (700/900)       triggerguard. All visible parts appear to be Eddystone and         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal       ts 800 - 1,200         serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very       1541       U.S. Model 1866 Second Model Allin Conversion By Spring
are correctly assembly numbered to the frame. An excellent example of       triggerguard. All visible parts appear to be Eddystone and         asecond Issue Revolver. (8A9762-13) {ANTIQUE} (700/900)       triggerguard. All visible parts appear to be Eddystone and         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal       ts 800 - 1,200         serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very       1541       U.S. Model 1866 Second Model Allin Conversion By Spring
a Second Issue Revolver. (8A9762-13) {ANTIQUE} (700/900)       is present in the butt. An excellent refurbished 1917 Eddys         1536       U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal       (5A9896-136) {C&R} (800/1200)         serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very       1541       U.S. Model 1866 Second Model Allin Conversion By Spring
Est. 700 - 900         (5A9896-136) {C&R} (800/1200)           1536         U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very         1541         U.S. Model 1866 Second Model Allin Conversion By Spring
1536         U.S. Model 1903 Bolt Action Rifle By Rock Island Arsenal serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very         Est. 800 - 1,200           1541         U.S. Model 1866 Second Model Allin Conversion By Spring
serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very 1541 U.S. Model 1866 Second Model Allin Conversion By Spring
serial #331528, 30-06, 24" 6-44 dated High Standard barrel with a very 1541 U.S. Model 1866 Second Model Allin Conversion By Spring
L good bore showing even trosting and oxidation with good rifling L L L SUCE 36.5/8" barrel with a bright excellent bore showing a
throughout. The metal surfaces retain about 95% arsenal applied blue rifling the entire length. The brightly finished barrel and har
with fine oxidation and edge wear, no doubt refurbished for the Second slightly mellowed to bright silver and brown patina with the
World War when the barrel was replaced, there is a slanted "B" stamped tryy impact marks and some fine scratches at the muzzle fi
in the floorplate. The bolt has a mixture of fading original blue and plum removal. The 1866 dated breechblock is muting to a smoke
finishes with silver wear along the contact points and edges. The oil-quenched patina with traces of brown and fine oxidation
underside of the bolt handle and right side of the bolt sleeve are marked along the edges of the mounting block. The 1864 dated loc
"R" and the bolt root has been renumbered "1528" to the rifle in electric appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered "1528" to the rifle in electric appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered "1528" to the rifle in electric appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered "1528" to the rifle in electric appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered "1528" to the rifle in electric appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered "1528" to the rifle in electric appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been renumbered appropriately marked and has muted to a soft gray brown provided in the bolt root has been roo
pencil. The scant grip dual bolt walnut buttstock and concave handguard walnut stock remains excellent with light handling marks, g
remain about very good having been cleaned leaving the wood a bit shy well-defined edges and crisp left side stock cartouche. The
at the toe and removing all inspector marks except for a partial mark equipped with a proper front sight, single folding leaf rear s
behind the grip. There are remnants of light dents and blemishes with appears to be a proper grooved slotted button tip ramrod is
more noticeable shallow bruises in the right side of stock behind the rear two position lock remains crisp and functions well mechanic
stock bolt. An about very good arsenal refurbished 1903 rifle which excellent Second Model Allin "Trapdoor" rifle. (5A9896-65)
should still make a good shooter. (5A9896-132) {C&R} (700/900) (800/1200)
Est. 700 - 900
1537 U.S. Model 1903 Bolt Action Rifle By Springfield Armory
serial #1410053, 30-06, 24" 11-42 dated barrel with a bright excellent
bore showing a couple of shallow pits and strong crisp rifling the entire
length. The metal surfaces retain 97-98% gray green parkerizing with
light edge and contact wear, arsenal-done when the barrel was
replaced, the front sight cover retaining nearly all its original blue. The
straight grip dual bolt walnut stock and slight concave handguard remain
I I I I I I I I I I I I I I I I I I I
about very good having been lightly cleaned removing any inspector
about very good having been lightly cleaned removing any inspector marks with minor handling marks in an added light finish and a thin 6"
about very good having been lightly cleaned removing any inspector
about very good having been lightly cleaned removing any inspector marks with minor handling marks in an added light finish and a thin 6"
about very good having been lightly cleaned removing any inspector marks with minor handling marks in an added light finish and a thin 6" crack in the front of the handguard. A combination oiler and cleaning kit is present in the butt. A very good plus arsenal rebuild 1903 Springfield
about very good having been lightly cleaned removing any inspector marks with minor handling marks in an added light finish and a thin 6" crack in the front of the handguard. A combination oiler and cleaning kit is present in the butt. A very good plus arsenal rebuild 1903 Springfield which could be further enhanced with a properly replaced handguard.
about very good having been lightly cleaned removing any inspector marks with minor handling marks in an added light finish and a thin 6" crack in the front of the handguard. A combination oiler and cleaning kit is present in the butt. A very good plus arsenal rebuild 1903 Springfield

<ul> <li>B cul., 40<sup>+</sup> barrel with a bright near excellent bors throwing strong evident milling with some statestered oxidation and perception that mutates is properly marked with happ Federal Edge on the prive dow, 12, 3<sup>+</sup> HARPRER 5<sup>+</sup> FERPY<sup>+</sup> at the front of the lock and is dated 1860 at the rear while the barrel has marked in fing prodos on the barrel flat. The metal surfaces stream VP angle head fring prodos on the barrel flat. The metal surfaces stream VP angle head front perception tooks marked 10<sup>+</sup> too provide tooks and the flat prevent VP angle head front perception of the oxids. The metal surfaces stream VP angle head front perception of the oxids and the propert front sight. With remarks of the surface stream VP angle head front perception of the oxids. The metal surfaces stream VP angle head front perception of the oxids took marked and patch port front sight. Notification of the oxids that The arm is a quipped with a statemet light demarks and the proper front sight. Notification and the surface stream about VP oxight and proper front sight. Notification and the proper front sight. Notification and the proper front sight. Notification and perception of the oxids that The arm is a quipped with a statemet light demarks and patch porter sight. Notification and perception perception of the oxids that The arm is a quipped with a statemet light demarks and the proper front sight. Notification and perception perception of the oxids to state stream about to the proper light advances are an avorall sight stream stream stream to and stream of the stream stream stream stream to and the proper stream strea</li></ul>	1542			
<ul> <li>evident filling wills over seatile productions of the particle filling wills over seatile production products of the particle filling wills and the particle filling will be and the particle filling willing will be and the particle filling willing will be and the</li></ul>		U.S. Model 1855 Percussion Rifle-Musket By Harpers Ferry	1546	6 Navy Arms Model 1766 Charleville Flintlock Musket
<ul> <li>extent reling with some statistical and percepting some free pring with reling the statistical and percepting some solutions and the statistical set of the statistical solutions and the statistical solutions and the statistical solutions are the statistical solutions and the statistical solut</li></ul>		.58 cal., 40" barrel with a bright near excellent bore showing strong		serial #2281, 69 cal., 45" barrel with a bright excellent bore. The metal
<ul> <li>patient of this of from the muzzle. The muzzle is to projectly market with the band of the band in th</li></ul>		evident rifling with some scattered oxidation and perhaps some fine		-
<ul> <li>Imper Pecken Elapie on the primer Gov, "U.S. / MARPER'S PERKY 'na the force in the lock and is deal to lock and regardly the barrier is in form of the cox.". The second state is a the mach meet light calculation and the primer barrier is approxed to the same of the primer barrier is informed the cox. The second state is a the mach meet light calculation and the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the same of the primer barrier is approxed to the primer barrier is a</li></ul>				
<ul> <li>the fort of the lock and the lock bills after or any heir he barrel has a state the fort of the lock bills are degree and light burgers the lock bills are degree defending. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills are degree defending bills. The lock bills are degree defending bills are degree defending bills are degree defending bills are degree defending bills. The lock bills are defended bills are degree defended bills are degree defended bills. The lock bills are defended bills are degree defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bills are defended bills. The lock bills are defended bill</li></ul>				
<ul> <li>matching 1800 data at the breach and light to present VP sage basis frig portion to harming the measure is uncleasing when harms from having seen denored bright with memories to cataliance light of the sight denorms with cataliance light control of the sight denorms with cataliance light denorms denorms denorms and begin of the bust as a with bar interport leafer sight and the specers to be a more particular bar with sight denorms and the specers to be a subset. (BABBE-53) (ANTOLE): (BO01200)</li> <li>ISU 3. Kooler 1929 Tring of this ty symptotic barries being and the specers to be a subset cataliance light control on the specers to be a subset cataliance light control on the specers to be a subset cataliance light control on the specers the specers of the particular bar with specers to be subset bar and the specers of the particular bar with specers to be subset bar and the specers of the particular bar with specers of the specers of the specers of the specers of the particular bar with specers of the speceers of the specers of the specers of the specers of the spece</li></ul>				
<ul> <li>Item having procise on the barrel is item terms of a classifier of the subject. The section terms of the negligible classifier of the item of the negligible classifier of the item of the negligible classifier of the item of the negligible classifier of the negligi</li></ul>				
<ul> <li>In hereing been denned bight with remonstre light dense are too independence on the lock and the flaght and the project funge tables of the project bight subscr. The warms of the angle boltes. The warms of the angle boltes and the angle boltes and the angle boltes. The warms of the angle boltes and the angle boltes and the angle boltes. The warms of the angle boltes and the angle boltes and the angle boltes and the angle boltes and the angle boltes. The warms of the angle boltes and the angle boltes. The warms of the angle boltes and the angle boltes and the angle boltes and the angle boltes. The warms of the angle boltes and the angle boltes angle b</li></ul>		matching 1860 date at the breech and light but present VP eagle head		stock flat and triggerguard extension, other light handling marks and the
<ul> <li>Biotechnik in the pering with academic stress of organization in the base of the stress of organization in the perind with academic stress of organization. The stress of t</li></ul>		firing proofs on the barrel flat. The metal surfaces show brush marks		wood a bit shy of the buttplate. The lock remains crisp and functions well
<ul> <li>Biotechnik in the pering with academic stress of organization in the base of the stress of organization in the perind with academic stress of organization. The stress of t</li></ul>		from having been cleaned bright with remnants of scattered light		mechanically and a proper trumpet shaped ramrod is included.
<ul> <li>Ex. 70-300</li> <li>Ex. 70-300</li></ul>				
<ul> <li>b) the control that control the control the control that the control that control that control the cont</li></ul>				
<ul> <li>example details pression and target type and versar along the edges of the burghest and to the the start along the rank of the details are along the rank of the details and the details are along the rank of the details and the details are along the rank of the details are along the details are along the details are along the rank of the details are along the details are along the rank of the details are along the details are alon</li></ul>				
<ul> <li>butplete arcicles. The daps show light counding and there are two strong archives in the list daw that The arm an explanded with a perper first sight, two large of the barrel is marked The Arman and binding with asses of another The Arman and Binding with assess and another The Arman and Binding with assess and the Arman and Binding with assess and another and Binding with assess and another another and Arman and Binding with assess and another anot</li></ul>		old light cleaning with scattered traces of original finish, overall light	1547	7 F.W. Heym Mauser Magazine Sporting Rifle
<ul> <li>Is they can change of the state of the state</li></ul>		dents, handling marks and tiny chips and wear along the edges of the		serial #5814AH, 7mm CF, 22 1/2" "KRUPP-LAUF" barrel with an
<ul> <li>Is they can change of the state of the state</li></ul>		buttplate and lock. The edges show light rounding and there are two		excellent bore. The metal surfaces retain about 95% original blue that is
<ul> <li>proger from sight, two end folding over sight, on the individe parable box, a work to third period density in a work of the sight of th</li></ul>				•
<ul> <li>box. a won but intag period learner along and what appears to be a proper truly shaped more is induced. A well B450 Harper's Ferry Hueld Meet Meet Meet Meet Meet Meet Meet Mee</li></ul>				
<ul> <li>Proper rule shaped ramod is included. A solid 1855 Happer's Ferry muse. (See See See See See See See See See Se</li></ul>				-
<ul> <li>masket. (548896-53) (ANTICUE) (20021200)</li> <li>Ett 800-1.200</li> <li>(55.3) (3.5) Model 1868 Trappoor Rife by Springfield Armory excellent bare having output for a sing strong films with scattered induces are in overall in the bare hist. The the checkered with European-etky sponting stock trasts very poot, there are a leading spring with filter to be due to the grant. The stack has some with trappoor. All table checkers, a black silter void monogram (black signed spring) with trappoor. Bar table checkers, a black silter void monogram (black signed spring) with trappoor. Bar table checkers, a black silter void monogram (black signed spring) with trappoor. Bar table checkers, a black silter void monogram (black signed spring) with trappoor. Bar tables that be marked to the signed very spot. Here are a leading spring with trappoor. Bar tables that be marked to the signed very spot. Bar tables and bar tables the marked spring have spring black that the strong does not the signed very spot. Bar tables and bar tables the strong does not the signed very spot. Bar tables and bar tables that the strong does not the signed very spot. The signed spring with black the signed very spot. Bar tables and bar tables the strong does not the signed spring with the black sectored that the strong does not the signed spring with black that the strong does not the signed spring with the black sectored that checkers and the spring divergence spring bar tables and the spring black with checkers and the spring divergence spring bar tables and the spring black with spring black with the spring black with spring black with the spring black with the spring black with the spring black with the spring black with spring black with the spring black with spring</li></ul>				
<ul> <li>Ed. 800 - 1,200</li> <li>Ibis. Model finish. The checkered winth all European-type sporting stock series and other light handing marks and a stabile bibleria tock in the resolution barries very role type and other light handing marks and a stabile bibleria tock in the resolution barries very role type and barters as schradel forming signs of no of light cleaning and rong this scattered sign obstitution stating and free phine pathogen in a logical cleaning and rong this scattered sign obstitution stating and free phine resolution is dired barter obstitution to the patholes. The static has a sign 24 brothest set the device the static has a sign and obstitution to the patholes. The static has a sign 24 brothest set the device the static has a sign 24 brothest set the static has a sind 24 brothest set the statichas a sign 24 brothest set thas</li></ul>		proper tulip shaped ramrod is included. A solid 1855 Harper's Ferry		HEYM / SUHL – GERMANY". The trigger is case colored and its face is
<ul> <li>U.S. Model 1685 Trappotor RMe by Spingfield Armoy excellent tore having overall crisp strong rIIIng with some light coldution primarily and a table bilasteral crock at the ewhich opperation primary and a table bilasteral crock at the ewhich opperation primary is end of not object the which opperation be due to the arabiter strong strong and only fill clienting and ling and fill primary and the society of the society are a schwall primary is end of not object the society are a schwall primary is end of not object the society are a schwall primary is end of not object the society are a schwall at primary and the society of the society are a schwall at primary is end to a schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society is the society and primary schwall at the society of the society and primary schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society are society while the society are resolution at the society are societies with and primary schwall at the society are societies with a</li></ul>		musket. (5A9896-63) {ANTIQUE} (800/1200)		checkered. The turned-down bolt with checkered knob retains much of
<ul> <li>U.S. Model 1685 Trappotor RMe by Spingfield Armoy excellent tore having overall crisp strong rIIIng with some light coldution primarily and a table bilasteral crock at the ewhich opperation primary and a table bilasteral crock at the ewhich opperation primary is end of not object the which opperation be due to the arabiter strong strong and only fill clienting and ling and fill primary and the society of the society are a schwall primary is end of not object the society are a schwall primary is end of not object the society are a schwall primary is end of not object the society are a schwall at primary and the society of the society are a schwall at primary is end to a schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society is the society and primary schwall at the society of the society and primary schwall at the society of the society are resolution under and bila the society is the society and primary schwall at the society are society while the society are resolution at the society are societies with and primary schwall at the society are societies with a</li></ul>		Est. 800 - 1,200		its blued finish. The checkered walnut European-style sporting stock
<ul> <li>erait s2284, 50-70, 52 1/2° barriel with some joint oxidation primarily the first 3° from the muzzle. The metal surfaces are an overall subscripting showing signs of an old light cleaning and long this sourches and nuclear the sock has a some way in trapboor, a left side cheakrest, a black also read way nuclear to also been some the nuclear the sock has a some way nuclear the sock has a software a recoiver sign that along the muzzle. The way nuclear the sock has a software the sock has a soft</li></ul>	1543			
<ul> <li>excellent bore having evend reight starting and fine years. The rest starting and fine years is a low gover, a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers, a black subject years is a left side checkers is a low years. The black subject is properly marked and dated 1963 at the lockers is subject with a more subject. The starts is a subject with a marked subject with subset and left to learning rad. The marking is remain trade and trade subject subject here subject the subject with subject with subject with learning the left subject subject is properly is subject with a marked and that is near more and year hybrid charmy is from in the lockers is a low year to here. The streng is from the low wear in the lock regist is marked and the lock subject sub</li></ul>	-0+0			
<ul> <li>primarily the first 3" from the muzzle. The metal surfaces at an overall subject of the scattered light observed in statemed in the scattered light observed in statemed in the muzzle from shore the neuroble of the muzzle from shore the neuroble of the locklaste is properly manked and state 1680; and the locklaste is properly manked and states 1680; the neuroble is muzzle from shore the scattered light observed in the scattered light observed in the scattered light of the scattered light of the scattered light of the scattered light of the scattered light. These scattered light of the scattered light of the scattered light of the scattered light. These scattered light of the scattered light of the scattered light of the scattered light. These scattered light of the scattered light. These scattered light of the scattered</li></ul>				
<ul> <li>silver-gumetal and brown with scattered light coating and ling the instruction light light ceaning and ling the instruction light light ceaning and ling the instruction light light ceaning and light ligh</li></ul>		excellent bore having overall crisp strong rifling with some light oxidation		the grain. The stock has some very nice figure and features a schnabel
<ul> <li>silver-gumetal and brown with scattered light coating and ling the instruction light light ceaning and ling the instruction light light ceaning and ling the instruction light light ceaning and light ligh</li></ul>		primarily the first 3" from the muzzle. The metal surfaces are an overall		forend tip, a steel gripcap with trapdoor, a left side cheekrest, a blank
<ul> <li>piting "howing signs of an oil light cleaning and long thin scrutches and huss at the muzzle from Supremiss frame. The biraceholox is dated 1869, and the lociplate is properly marked and dated 1863, the marking clear and values to the fight side to the space where a receiver sight had none there excellent and dated 1863. The marking clear and values to the parent barks from the years. Rife is equipped with a standard front sight, folding sliding ladder rear eligible, in other gans table. The walue state of the parent barks the test is the parent of the sight for a receiver is apped for a receiver is apped for a receiver is apped for a receiver present sight the robes are covered by the sock remain orige and functional. A very good plus example of these early trapdoor Rife by Springfield Armory test of the receiver is a lowly possive of Mauser style sporing file that was made by a highly respected German gurmaker and is in near excellent optican transon content and the cleaning or AL states with a standard for the lociplate and more went in front of the lociplate and more went in the outpart locit and the stored and stock furniture metals with and store excellent with an an ease of went gipting to a locit grant and the stored many and the first of the and plan transformed metals and and along gans. The this is completed with a stored first with the stored metals with th</li></ul>		silver-gunmetal and brown with scattered light oxidation staining and fine		
<ul> <li>It ubs at the muzzle from bayonet removal. The barrel is numbered to the frame, the breechives is dated 1683, the marking deal model and solution the event of the date of th</li></ul>		с с с с с с с с с с с с с с с с с с с		
<ul> <li>If arms, the breechlocks is dated 1883, and the lockplate is properly marked added 1883, the marking data and values likely. The walk will be and the expected dates and handing marks from the years. Rife is equipped with a standard front sight, folding sliding ladder rear sight, fronting and ang tooching and store that here years. The first date of the scale dates and handing marks from the years. The transformer and lock remain crisp and functional. A very good pulse scample of these area/trapdoor rifles. (5A8895-66) (ANTIQUE) (500-1000)</li> <li>If Mark 102. Nickel 1884 Trapdoor Rifle by Springheld Armory and lock remain crisp and functional. A very good pulse scample of these area/trapdoor rifles. (5A8895-66) (ANTIQUE) (500-1000)</li> <li>If Mark 102. Nickel 1884 Trapdoor Rifle by Springheld Armory and the front of the lockplate and mixor wear in front of the scale data characher and is a nare scale of regional bue beneath. The walk at lock remain crisp and the lock area were lock remain and the region of the scale scale data with a scale scale of the scale scale</li></ul>				
<ul> <li>marked and dated 1883, the marking clear and visible. The wainut stock remains revy good with singht vonoded to the dine deges, no visible cartouche and the expected dents and handing marks. If nor the years. The relation of the trace is algobility to rounded to the dine for ding subject rear sight, rice first good the severe that the clean terms and the avere is targed for a receiver sight dense the the base are covered by the stock repain. The left side of the receiver is targed for a receiver sight dense the base are covered by the stock repain. The left side of the receiver bases are all adger scope mount and rings which hold a twee scope dense that the register standard crosshari and has been the lock repain. The left side of the receiver bases are all adger scope mount and rings which hold a twee scope dense that the register standard crosshari and has excellent targer scope. The scope for a receiver side portion (file the schenbering is 7mm Muser, Dut as made to the lock place and minor wear in from to the upper barel band and along the muzzle. The color case-hardend 1884 deed breaching to soft gray along is oblig reveal to a motificity gray thorm cases relation and shore the lock place and minor wear in fine is quotiped with a standard form sight, for fining pin and a along the fining pin housing with brilliant crisg colors on the breach flats while the lang has muted to a motified gray throw receiver. The harmer, lever and the putplet densing rock. The there position unities and the ding has and a line of the colorable and harding marks. The waink task conserved with a standard form signt, from fining pin and a along the fining pin housing with pathas and a samel 'U 151' stop the bare bare lock with a subst and a samel' U 151' stop the bare lock place marks and a samel' U 151' stop the bare lock place marks and a samel' U 151' stop the bare lock place and the origin positic with score and the rear of the side of the busck lead of the colorabar and the samely stank with score and the reare</li></ul>				
<ul> <li>remains very good with sightly rounded but defined edges, no visible cartouche and the expected definits and marking marks from they vers. Riffe is equipped with a standard from sight, folding siding ladder rear sight prevaid and stant fitte (cleaning round) is sight (folding siding ladder rear sight prevaid and stant fitte (cleaning round) is sight (folding siding ladder rear sight prevaid and stant fitte (cleaning round) is sight (folding siding ladder rear sight prevaid and stant fitte (cleaning round) is sight (folding siding ladder rear sight prevaid and stant fitte (cleaning round) is sight (folding siding ladder rear sight prevaid and constant in a bight excellent to the source sight (folding siding cleaning) is round in the calculate the cleaning for the source sight (folding siding cleaning) is round and cleaning for the source sight (folding siding cleaning folding cleaning cleaning partice folding cleaning cleaning</li></ul>		trame, the breechblock is dated 1869 and the lockplate is properly		÷ .
<ul> <li>catouche and the expected dents and handling marks from the years. Rife is equipped with a standard fror sight, folding stilling lader galaer rear sight, iron fring pin and grooved and stoted fit tip cleaning rod. The two position tumbler and lock remain origa and functional. A very good pip sexample of these early trapdoor rifles. (5A9896-66) (ANTIQUE) (800/1200)</li> <li>Edit 200.</li> <li>Edit 200</li></ul>		marked and dated 1863, the marking clear and visible. The walnut stock		receiver in the barrel channel. A more modern swivel stud has been
<ul> <li>catouche and the expected dents and handling marks from the years. Rife is equipped with a standard fror sight, folding stilling lader galaer rear sight, iron fring pin and grooved and stoted fit tip cleaning rod. The two position tumbler and lock remain origa and functional. A very good pip sexample of these early trapdoor rifles. (5A9896-66) (ANTIQUE) (800/1200)</li> <li>Edit 200.</li> <li>Edit 200</li></ul>		-		added, the underside of the barrel bears a German style swivel. The rifle
<ul> <li>Rife is equipped with a standard from sight. Totaling sliding ladder rear- sight, in fining pin and grouped and stored fit ip cleaning rout. The two position tumbler and lock remain crisp and functional. A very good plus example of these endy trapdoor rifles. (SA996-66) (ANTIGUE) (800/200)</li> <li>Est. 800 - 1.200</li> <li>U.S. Modeli 1844 Trapdoor Rifle by Springfield Armory serial <i>tar5129.</i> 4,577 (Gav. 23.5 K<sup>+</sup>) transful and provide math and the stored region. The barse and pull clean standard orstanding route is characterized by a highly respected German guantexiar and its excellent outlines of the stored heat while a body the scole region. The there is some light oxidation at the front of the lockplate and minor ware in front of the upper barened heat the transful is man and mark. The rife is a point group have and mark to a monter group of the store have and the transful is man and rout. The markings remain crisp and the burghtas retains 86% of a laking applied blus which has tond to plum with crisp 1898 date darbouche and is free of cracks with only a handful of light dens and handing marks. The rife is a clearly pool with a standard front sight, Buffington rear sight, rior firing pin and a stoled button tipped desiming root. The barrene, lever and corpus of the burghtas retains 86% of a laking applied blus which has tervain excellent with crisp 1898 date darbouche and is free of cracks with only a handful of light dens and handing marks. The rife is cearby with any standard front sight, Buffington rear sight, rior firing pin and a stoled button tipped desiming root. The barrene parks covers a manin incers and nucleod is the original blue were and covers and hight were root head loging all terms of the stored parks with a standard front sight, Buffington rear sight, rior firing pin and a stoled with a stored front sight, Buffington rear sight, rior firing pin and a stoled button tipped desiming root. The barrene and button tipped desiming root. The barrene and stored front sight, Buffington re</li></ul>				
<ul> <li>sight, iton fiting pin and grooved and sotted flat tip cleaning rod. The two position tumbler and took remain crisp and functional. A very good pius example of these and y trapdoor rifles. (5A9896-66) (ANTICUE) (600/1200)</li> <li>(600/1200)</li> <li>(600/1200)</li> <li>(600/1200)</li> <li>(600/1200)</li> <li>(700/1200)</li> <li>(700/1</li></ul>				
<ul> <li>two position tumbler and tock remain crisp and functional. Ä very good pub scample of these and/y trapdoor rifles. (54896-66) (ANTICUE) (800/1200)</li> <li>Est. 200 - 1200</li> <li>U.S. Model 1884 Trapdoor Rifle by Springfield Amory as made by a highly respected German gummaker and is in a prevention of the lockplate and minor ware in from to drive the lock retain about 95% original bub eventy thinning to brown with the occasional tiny impact mark, there is some light oxidian at the fort or the lockplate and minor ware in from to drive upper barrel band and along the muzzle. The color case-hardend 1884 dated breached for the lockplate and minor ware in from to drive upper barrel band and along the muzzle. The color case-hardend 1884 dated breached parts in the artification of the upper barrel bars muted to a motted grap brown case-hardender patin. The walnut stock remains excellent with original bub beneating the fitting pin housing with patches of original bub excellent with crisp colors on the breach flats while the targ has muted to a motted grap brown case-hardender patin. The walnut stock remains excellent with original bub to prease the fitting bin bub patches of original bub excellent with colors and handling marks. The fiftie sequepted with a shandra from sight, Buffington rear sight, ron fifting pin and a sloted bubut light barded to bubut tables (588986-60) (ANTICUE) (700900)</li> <li>Est. 700 - 900</li> <li>Est. 700 - 900</li></ul>				
<ul> <li>plus example of these early trapdoor rifles, (SA9896-66) (ANTIQUE) (2007)</li> <li>Est. 800 - 1.200</li> <li>U.S. Model 1884 Trapdoor Rifle by Springfield Armory serial raf75129, 45-70 Govt, 32 5/8' barrel with a bright excellent bore. The barrel, frame and lock retain about 55% original blue evenly thingher thank the form of the lockplate and minor wear in front of the upper barrel band and along the muzz). The color sea-hardened 1884 trapdoor Nihe barehot serial the tang barrel to a solution or the barehot serial the tang barrel to a solution or the barehot serial the tang barrel to a solution or the barehot serial the tang barrel to a solution and unif light dents and harding marks. The fife is equipped with a standard front sight. Buffington rear sight, info firmg pin and a solution with original series (JAW) a bandful of light dents and harding marks. The fife is equipped with a standard front sight. Buffington rear sight, info firmg pin and a solution with original fork (HMSME) (SOM900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whiney Connecticut Contract 1861 Percussion Rifle-Musket 1.58 cal., 40° barrel with a bright excellent to excellent with original advances rearial or signt and the advance markings are solutions to the markings are solution to the original advances rearial or signt in the original track-type handling marks. The fife sequipped with seven groove fifting advances rearial mark included is the original track-type handling marks. The rearis with seven groove fifting advances rearial or signt with a sandar for the signt and barrel band. The meral surfaces harden develop (MHT) (MHWS) (MHWS) (MHT) (MHWS) (MHWS) (MHWS) (MHT) (MHWS) (MHW</li></ul>		sight, iron firing pin and grooved and slotted flat tip cleaning rod. The		receiver sight (the holes are covered by the stock repair). The left side of
<ul> <li>(600/1200)</li> &lt;</ul>		two position tumbler and lock remain crisp and functional. A very good		the receiver bears a Paul Jaeger scope mount and rings which hold a
<ul> <li>(600/1200)</li> &lt;</ul>		plus example of these early trapdoor rifles. (5A9896-66) {ANTIQUE}		Weaver K3 riflescope. The scope features standard crosshair and has
<ul> <li>Est. 800 - 1.200</li> <li>U.S. Model 1884 Trappor Rifle by Springfield Armory serial #475129, 45-70 Govt, 32 58' barrel with a bright excellent tore. The barrel, frame and lock retain about 95% original blue evenly thinning to brown with be occasional tiny inpact mark, the is some light oxidation at the front of the lockplate and minor wear in front of the target barrel target and minor wear in front of the target barrel target and minor wear in front of the lockplate and minor wear in front of the target barrel target barrel barrel and and the target has multied to a motified gray trown case-hardened patina. The markings remain crisp and the burgtate retains about 55% of a faking applied blue which has toned to plum with postfels for S0 of a faking applied blue which has toned to plum with cystafes 55% of a faking applied blue which has toned to plum with cystafes 55% of a faking applied blue which as tosted that excellent and harding marks. The rifle is equipped with a standard front sight. Buffrigton rear sight, for firing pin and a slotted that the original factory case color. The redge barrel magazine marks and standard front sight. Buffrigton rear sight, for firing pin and a slotted that combine and included is the original bue with no discarrible servellent with core reased very light budged centrops excellent with case marks and standard front sight. Buffrigton rear sight, for firing pin and a slotted that combine applied blue which a slotter rease of the propert finished bed (MITQUE) (700900)</li> <li>Est. 700 - 900</li> <li>Mithey Connecticut Contract 1861 Percussion Rifle-Musket 58 cal., 40° barrel with a bright excellent bore quipped with seven groover fing and some light staining closes to the muzzb. There are not gove and the ony other markings are and subtate free states of the marks on the lock or but, the lock has early "£. WHITNEY / NHAVEY! Marking in front of harmer are and the ony other markings are and state of the barrel handing marks. The earle and there tor the proceed firsto th</li></ul>				
<ul> <li>U.S. Model 1884 Trapdor Rife by Springfield Armory</li> <li>serial #Y45129, 45-70 Gov(1, 25 &amp; B<sup>+</sup> Dare) with a bright excellent bore. The barrel, frame and lock retain about 95% original blue evenly</li> <li>thinning to brown with the occasional iny impact mark, there is some light oxidation at the front of the lockpate and minor veer in horot of the upper barrel band and along the muzzle. The color case-hardreed 1884 dated breachbick is muiting to soft gray along the fifting pith housing with brilliant crisp colors on the breach flats while he tang has muted to a motted gray brown case-hardreed patient. The walnut stock remains excellent with crisp 1889 dated cancube and is free of cracks with only a handful of light dents and handing marks. The rife is equipped with a standard front sight, Buffington rear sight, ino firing pin and solted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdor which could be easily enhanced with a properly finished buttplate. (589896-60) (ANTIQUE) (700900) Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Contract 1861 Percussion Rifle-Musket 58 cal., 40° barrel with a bright staining closest to the muzzle. There are no U.S. markings on the lock or but, the lock has early "E.WHITNEY / N.HAVEN markings in the tot dhe mark and a small thin crack at the earl of the in oxid ation, a few light dings and ingoar misks, the buttplate. Showing all the marking sare "U" on the right staining closest to the muzzle. There are no U.S. markings on the lock or but, the lock has early "E.WHITNEY / N.HAVEN markings in the ord of hight mend and. The markings are at the dage of the buttplate, appas at the head and be, "Whit incised carved in the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, appas at the head and be, "Whit incised carved in the rear left side of the buttstock along with light drains and handing marks, fmo buttplate, spow at the head and be, "Whit incised carved in the re</li></ul>				
<ul> <li>serial #475129, 45-70 Gvv. 32.86° barrel with a bright excellent bore.</li> <li>The barrel, frame and took retain about \$%% original blue veryly</li> <li>thinning to brown with the occasional tiny impact mark, there is some light oxidation at the front of the lockplate and minor wear in front of the lockplate and minor wear in front of the observation with and the breech flats while the tangh as mutued to a mottled gray brown case-hardened patina. The markings remain crisp and the breech flats while the tangh as mutued to a mottled gray brown case-hardened patina. The markings remain crisp and the breech flats while the tangh as mutued to a mottled gray brown case-hardened patina. The markings remain crisp and the barel bared baread patina. The markings remain crisp and the barel baread baread patina. The markings remain crisp and the durbulate is disclostration, the original plue which was assessed with a standard front sight. Buffington rear sight, iron fiting pin and a sloted button tipped leaning: On the three possible to be equipped with a standard front sight. Buffington rear sight, iron fiting pin and a sloted button tipped leaning: Contract 1861 Percussion RtIIe-Musket</li> <li>5.8 ccal., 4.0° barrel with a bright excellent bree equipped with seven groove filling and some light staining closest to the muzzle. There are no U.S. markings in front of harmer and the only other markings are Turo - 900</li> <li>15.4 TO - 900</li> <li>15</li></ul>				
<ul> <li>The barrel, trane and lock retain about 35% original blue evenly thinking to brown with the occasional timy impact mark, there is some light coxidation at the front of the lockplate and minor wear in front of the upper barrel band and along the muzzle. The color case-hardened path in housing with brilliant crisp colors on the breech flats while the tang has muted to a motted gray brown case-hardened path in housing with brilliant crisp colors on the breech flats while the tang has muted to a motted gray brown case-hardened path in the size remain. The markings remain crisp and the butplate retains 95% of a flaking applied blue which has toned to plum with pathese of original blue which could be assly enhanced with a standard front sight. Buffington rear sight, fron fing ph and a slotted button tipped cleaning rod. The three position tumbler and lock remains crisp. A very good plus. (B899 4ee) (ANTIQUE) (700/900) [Est. 700 - 900]</li> <li>1545</li> <li>545</li> <li>546.</li> <li>547. 20 - 900</li> <li>1548</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1544</li> <li>1540</li> <li>1544</li> <li>1541</li> <li>1545</li> <li>1541</li> <li>1545</li> <li>1544</li> <li>1544</li> <li>1545</li> <li>1545</li> <li>1545</li> <li>1545</li> <li>1544</li> <li>1546</li> <li>1546</li> <li>1546</li> <li>1547</li> <li>1548</li> <li>1548</li> <li>1548</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1540</li> <li>1541</li> <li>1541</li> <li>1541</li> <li>1542</li> <li>1543</li> <li>1544</li> <li>1544</li> <li>1544</li> <li>1545</li> <li>1545</li> <li>1544</li> <li>1546</li> <li>1545</li> <li>1545</li> <li>1545</li> <li>1546</li> <li>1546</li> <li>1547</li> <li>1548</li> <li>1548</li> <li>1548</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1544</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1549</li> <li>1541</li> <li>1549</li> <li>1541</li> <li>1549</li> <li>1541</li> <li>1549</li> <li>1541</li> <li>1541</li> <li>1549</li> <li< td=""><td>1544</td><td>U.S. Model 1884 Trapdoor Rifle by Springfield Armory</td><th></th><td>excellent condition overall. It is believed that the chambering is 7mm</td></li<></ul>	1544	U.S. Model 1884 Trapdoor Rifle by Springfield Armory		excellent condition overall. It is believed that the chambering is 7mm
<ul> <li>thinning to brown with the occasional tiny impact mark, there is some light oxidation at the front of the lockplate and minor wear in front of the upper barrel band and along the muzzle. The color case-hardened 1844 dated breechblock is muting to soft gray along the fitting pin housing with brilliant crisp colors on the breech flats muted to a motified gray brown case-hardened patina. The markings remain crisp and the buttplate relating applied blue which has toned to plum with patches of original blue beneath. The walnut stock remains excellent with crisp 1889 dated cartouche and is free of racks with only a handful of light dents and handing marks. The fifte is equipped with a standard front sight. Buffington rear sight, iron firing pin and a solted button tipped cleaning rules. (589896-60) (ANTIGUE) (700900) Est. 700 - 900</li> <li>1545 Whitney Connecticut Contract 1861 Percussion Rille-Musket .56 accord .40 bare of the solt of the mody other markings are TU' on the right side of the barrel bands. The fifte is apale gray with light means and a small 'U' of 1' atop the barrel bands and a small 'U' of 1' atop the barrel bands. The fifte is apale gray with light grances in the hand gray patine showing a lith mark sing and minor pinytick pits. The walnut stock flat and a small 'U' of the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. How are surged with a proper front sight. Whitney purced apenture rear sight and a small thin drying cracks at the hear lot of the lock flat. The are surged with a proper front sight, Whitney purced apenture rear sight and a trans tipped in marks. The Walnus tock remains crisps of the metal surfaces rearks and the butgate. (AS9896-92) (ANTIQUE) (700/900)</li> <li>1545 Whitney purced apenture rearisight and a small 'U' of the reark of the lockplate. There are small thin drying cracks at the rear of the lock</li></ul>		serial #475129, 45-70 Govt., 32 5/8" barrel with a bright excellent bore.		Mauser, but as with all rifles of unknown chambering the rifle should be
<ul> <li>thinning to brown with the occasional tiny impact mark, there is some light oxidation at the front of the lockplate and minor wear in front of the upper barrel band and along the muzzle. The color case-hardened 1844 dated breechblock is muting to soft gray along the fitting pin housing with brilliant crisp colors on the breech flats muted to a motified gray brown case-hardened patina. The markings remain crisp and the buttplate relating applied blue which has toned to plum with patches of original blue beneath. The walnut stock remains excellent with crisp 1889 dated cartouche and is free of racks with only a handful of light dents and handing marks. The fifte is equipped with a standard front sight. Buffington rear sight, iron firing pin and a solted button tipped cleaning rules. (589896-60) (ANTIGUE) (700900) Est. 700 - 900</li> <li>1545 Whitney Connecticut Contract 1861 Percussion Rille-Musket .56 accord .40 bare of the solt of the mody other markings are TU' on the right side of the barrel bands. The fifte is apale gray with light means and a small 'U' of 1' atop the barrel bands and a small 'U' of 1' atop the barrel bands. The fifte is apale gray with light grances in the hand gray patine showing a lith mark sing and minor pinytick pits. The walnut stock flat and a small 'U' of the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. How are surged with a proper front sight. Whitney purced apenture rear sight and a small thin drying cracks at the hear lot of the lock flat. The are surged with a proper front sight, Whitney purced apenture rear sight and a trans tipped in marks. The Walnus tock remains crisps of the metal surfaces rearks and the butgate. (AS9896-92) (ANTIQUE) (700/900)</li> <li>1545 Whitney purced apenture rearisight and a small 'U' of the reark of the lockplate. There are small thin drying cracks at the rear of the lock</li></ul>		The barrel, frame and lock retain about 95% original blue evenly		evaluated by a competent gunsmith and chamber cast formed to
<ul> <li>Ight oxidation at the front of the lockplate and minor wear in front of the upper barrel band and along the muzzle. The color case-hardened plate with a built at crisp colors on the breech flats while the tang has muted to a motted pray forwor case-hardened plates greemin crisp and the buttplate retains 95% of a flaking applied blue which has toned to plum with patches of original blue which. The marking remain crisp and the buttplate retains 95% of a flaking applied blue which has toned to plum with patches of original blue which. The walking remain crisp a handful of light dents and handling marks. The trifle is equipped with a standard fortt sight. Buffington rear sight and and a softed button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a properly finished buttplate. (589896-60) (ANTTOLE) (700'900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Contract 1861 Percussion Rifle-Musket 5.68 cal., 40° barrel with a bright excellent bore case in the maxies. The walkings are "U" on the right said of the barrel barks and a small buff vergap thank stock remain a south of a brown and gray patina with scattered fine original and barrel barks. The walkings are "U" on the lock tait and a small there are small thin crack at the rear of the lockplate. Nerve are are more oxidation and some fine pitting, the formed ip is a pale gray with light originad carned in the rary patina with scattered in ever are signt and a small there dege of the buttplate, gaps at the heel and toe, "KM" incised carned in the trigger marks. The walking serve and the oxids in the fort sight with and a small thin crack at the rear of the lockplate. There are small thin drying racks is eupped with a proper front sight. Whitney pieced aperture rear sight and a brass tipped iron ramwings remain scripp and hunks to screeming and proper front sight. Whitney pieced aperture rear sight and a brass tipped iron rammer. The walking thave s</li></ul>				
<ul> <li>Inper barrel bard and along the muzzle. The color case-hardened 1884 dated breechblock is muting to soft gray along the firing pin housing with billiant crisp colors on the breech flask while the tang has muted to a mottled gray brown case-hardened patina. The markings remain crisp and the buttplate relations 55% of a flaking applied blue which has toned to plum with patches of original blue beneath. The walnut stock remains excellent with crisp 1898 dated carbouche and is free of cracks with only a handful of light dents and handing marks. The rifle is equipped with a standard front sight. Buffington rear sight, iron firing pin and a slotted button tipped cleaning or 0. The these position turbles remain lock? The butto rease of very light reases of very light dimpersions. The very near the only other markings are 10° to core that the light dings and impact V of the barrel band. The metal surfaces have to net right and barrel band. The metal surfaces have tone do to a brown and gray patine with light very light dings and impact with the barrel batwes the equipped with a samilar the edge of the buttplate, gaps at the heel and too, "KM" incised carved in the r</li></ul>				
<ul> <li>dated breechtlock is muting to soft gray along the firing pin housing with brilliant crisp colors on the breech flats while the tang has muted to a motified gray brown case-hardened patina. The markings remain crisp and the buttplate retains 55% of a flaking applied blue which has toned to plum with patches of original labe beneath. The warkings remain crisp a handful of light dents and handing marks. The rifle is equipped with a standard front sight, Buffington rear sight, if on firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoro which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1545 Whitney Connecticu Contract 1861 Percussion Rifle-Musket 5.8 cal., 40° barrel with a bright excellent bore, The metal surfaces have toned to a torwn and gray patian with goats easily enhanced with any parking in fint of hammer and the only other markings ar "U" on the right side of the barrel bands and a small "U.S. markings on the lock or but, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings ar "U" on the right side of the barrel bands and a small "U.S. markings are main crisp. A wainut stock remains exigated fine only other markings are "U" on the right side of the barrel bands and a small "U.S. markings are not the lock place. There are small bright orcidation, a few light dings and impact marks. The willight dents and the only other markings are "U" on the lock prevent the fort of the lock place. There are small highty rounded edges, a fingernali sized chip in the front of the left size below in a page gray with light impact marks on the handing marks: the buttstock kalong with light dents and handing marks to the lockplace. There are small highty conded edges, a fingernali sized chip in the front of the left size below in the diver of the buttstock along with light dents and handing marks to the buttstock along with l</li></ul>				
<ul> <li>brilliant crisp colors on the breech flats while the tang has muted to a mottled gray brown case-hardened patina. The markings remain crisp and the buttplate retains 95% of a flaking applied blue which has toned to plum with patches of original blue beneath. The wainut stock remains excellent with sight 880 dated catorobe and is free of cracks with only a handful of light dents and handling marks. The rifle is equipped with a standard front sight, Buffington rear sight, Iron fring pin and a slotted button tipped cleaning rod. The three position turbles of comparison and long page retain all of their original factory case color. The reddish hued walnut stocks rate excellent and have just light handling marks and small typed or ylight contains the manual. An as-new-in-box condition example that has just some very light rack-type handling marks. Ext: 700 - 900</li> <li>1545 Whitney Contract 1861 Percussion Rifle-Musket 5.5 ca.1, 40° barrel whith a bright excellent bore togued with a sense "L-WHITNEY / NHAVEY markings in front of harmer and the only other markings are "U" on the right side of the barder bands and a small "U / 51" atop the barrel between the front sight and barset land caling grave relam about 90% plus original box threads upper sense of the part and surfaces have to need to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks. The walnut stock remains very goad with light rounded edges, a fingernal sized chip in the front of the left stock flat and a small thin crack at the rear of the lock plate. There are small thin drying cracks at the edge of the buttplate. Any page and the barrel marking are trans, stips and handling marks, the ward had a brass lipped with a proper front sight, Whitney pieced apps at the heal and toe, "KM" incided carved in the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heal and toe, "KM" incided carved in there are flat bourds and some light dual barses tipped into t</li></ul>		upper barrel band and along the muzzle. The color case-hardened 1884	1548	Uberti Model 1866 Yellowboy Lever Action Sporting Rifle
<ul> <li>mottled gray brown case-hardened patina. The markings remain crisp and the buttplate retains 95% of a flaking applied blue which has toned to plum with patches of original blue beneath. The walnut stock remains excellent with nores of original blue beneath. The walnut stock remains excellent with and beneath. The walnut stock remains excellent with and beneath. The walnut stock remains crisp. A very good plus 1884 Trapdor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIQUE) (700/900) [Est. 700 - 900</li> <li>Toto - 900</li> <li>Totaria butwe in the lock robut, the lock has early "E.WHITNEY / N.HAVEN" markings in fort of harmer and the oldy and all to file of the barrel bands and a small "U / 511 atop the barrel between the front sight and barrel bands and a small "U / 511 atop the barrel between the front sight and barrel bands and a small "U / 511 atop the barrel between the front sight and barrel bands and a small "U / 511 atop the barrel bands and a small "U / 511 atop the barrel between the front sight and barrel bands and a small "U / 511 atop the barrel bands and a small "U / 511 atop the barrel between the front sight and barrel bands and a small "U / 511 atop the barrel batts. The walnut stock remains crisp a fingth stick of the not of the latts ok (fat and a small with scatered fing with light dense on the night edges, some scattered specks of light axidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with a about 1" linear impact mark and small sing pares rub to a replacement and is losse between the lower band and appears to be a replacement and is losse between the lower band and appears to be a replacement and is losse between the lower band and appears to be a replacement and is losse between the lower band and appears to be a replacement and is losse between the lower band and appears to be a replacement and is losse betweent the lower band and aprears to be a replacement and is loba</li></ul>		dated breechblock is muting to soft gray along the firing pin housing with		serial #W54965, 45 Colt, 24 1/4" octagon barrel with an as-new, likely
<ul> <li>and the buttplate retains 95% of a flaking applied blue which has toned to plum with patches of orginal bue beneath. The walnut stock remains excellent with cirs 1890 dated catcuche and is free of cracks with only a handful of light dents and handling marks. The rifle is equipped with a standard front sight, Buffington rear sight, iron firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIOUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Contract 1861 Percussion Rifle-Musket .5.6 (4A9834-9) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Part with a bright excellent bore equipped with seven groover filling and some light staining closes to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / NHAVEN" markings in font of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and Bharel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light drings and impact marks, the buttplate showing a little more oxidation and some finght side of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear of the lock plate. There are anall thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the reare instick, and the lower band and handing marks from the years. The musket is equipped with a proper front sight. Whitney pierced aperture rear sight and a brass tipped iron for miner plate and the dress at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the reare if the lock of bards and a small with grade areas of the buttplate, gaps at the heel and toe, "KM" incised carved in the reare if the lock of bards at programic grade and the</li></ul>		brilliant crisp colors on the breech flats while the tang has muted to a		unfired bore. The barrel, magazine tube and loading gate retain about
<ul> <li>and the buttplate retains 95% of a flaking applied blue which has toned to plum with patches of orginal bue beneath. The walnut stock remains excellent with cirs 1890 dated catcuche and is free of cracks with only a handful of light dents and handling marks. The rifle is equipped with a standard front sight, Buffington rear sight, iron firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIOUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Contract 1861 Percussion Rifle-Musket .5.6 (4A9834-9) (MODERN) (700/900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Part with a bright excellent bore equipped with seven groover filling and some light staining closes to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / NHAVEN" markings in font of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and Bharel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light drings and impact marks, the buttplate showing a little more oxidation and some finght side of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear of the lock plate. There are anall thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the reare instick, and the lower band and handing marks from the years. The musket is equipped with a proper front sight. Whitney pierced aperture rear sight and a brass tipped iron for miner plate and the dress at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the reare if the lock of bards and a small with grade areas of the buttplate, gaps at the heel and toe, "KM" incised carved in the reare if the lock of bards at programic grade and the</li></ul>		mottled gray brown case-hardened pating. The markings remain crisp		99% plus original blue with no discernible signs of wear. The brass
<ul> <li>to plum with patches of original blue beneath. The wahnut stock remains excellent with crisp 1889 dated cartouche and is free of cracks with only a handful of light dents and handfug marks. The rifle is equipped with a standard front sight. Buffington rear sight, iron firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Tapdoor which could be easily enhanced with a property finished buttplate. (5B9896-60) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40° barrel with a bore equipped with seven groove rifling and some light staining closest to the muzzle. There are a not using a dismit of the bard button to the markel more oxidation and some fine pitting, the forend tip is a pale gray with light bard barrel band. The metal surfaces have to not and some fine pitting, the forend tip is a pale gray with light rounded edges, a fingernali sized chip in the rot of the list took flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thind drying cracks at the rear of the lockplate. There are small thind drying cracks at the rear eff tisd of the batrel battstock along with light induction streamins crisp and the barrel channel is crisply stamped carved in the rear left side of the batrel battstock along with light drouge cracks at the reare of the lockplate. There are small thind drying cracks at the reare of the lockplate. There are small thind drying cracks at the reare of the lockplate. There are small thind drying cracks at the reare of the blockplate. There are small thind drying cracks at the reare of the lockplate. There are small thind drying cracks at the reare of the lockplate. There are small thind drying cracks at the reare of the lockplate. There are small thind drying cracks at the reare of the lockplate. There are small thind drying cracks at the reare of t</li></ul>				
<ul> <li>excellent with crisp 1889 dated cartouche and is free of cracks with only a handful of light dents and handling marks. The rifle is equipped with a standard front sight, Buffington rear sight, rom fitting pin and a solted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a property finished buttplate. (589896-60) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1545</li> <li>5.6 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are not U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patian with scattered fine oxidation. a few light dings and impact marks, the buttplate showing a little more oxidation and some line pitting. The form of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the reage of the buttplate. gaps at the heel and too, "KM" incide carved in the rear left side of the buttstock along with light rounded edges, a fingermail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the reage of the buttplate. gaps at the heel and too, "KM" incide carved in the rear left side of the buttstock along with light tyrounded edges, a fingermain sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the reage of the buttplate. gaps at the heel and too, "KM" incide carved in the rear left side of the buttstock along with light tyrounded edges, a fingermain sized chip in the ront sight and barrei bard. As old state contract Whitney musket. (SA9896</li></ul>				
<ul> <li>a handful of light dents and handling marks. The rifle is equipped with a standard front sight, Buffington rear sight, iron firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a properly finished buttpalate. (5B9896-60) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Tod - 900</li> <li>Torard. The lock plate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear of the lockplate. There are small thin drying cracks at the rear eff the buttstock along with light dents and handling marks (16,49896-42) (ANTIQUE) (700/900)</li> <li>Tod - 900</li> <li>Tod</li></ul>				
<ul> <li>standard front sight, Buffington rear sight, iron firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1545</li> <li>Miney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have took and some line pitting, the forend tip is a pale gray with light impact marks. The wahut stock remains very good with lightly rounded edges, a fingernail sized of the buttstock along with light front crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttstock along with light dents and handing marks ifter fure existing and the otor (in the rear left side of the buttstock along with light dents and handing marks ifter the rearies at the dege of the buttstock along with light dents and handing marks ifter the rearies rest and a bor. "Rive" riciced "P" proof behind the triggerguard, and the barrel hand is fixed "-12". The rifle curve as stamped triggerguard, and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-2.5' the trigger apple, and a lockbar rear sight. A line arrenal reworked M1 rifle that should shoot well. (14A9896-131) (C&amp;R) (800/1200)</li> </ul>		excellent with crisp 1889 dated cartouche and is free of cracks with only		covers remain on the sides of the receiver. The hammer, lever and
<ul> <li>standard front sight, Buffington rear sight, iron firing pin and a slotted button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1545</li> <li>Miney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have took and some line pitting, the forend tip is a pale gray with light impact marks. The wahut stock remains very good with lightly rounded edges, a fingernail sized of the buttstock along with light front crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttstock along with light dents and handing marks ifter fure existing and the otor (in the rear left side of the buttstock along with light dents and handing marks ifter the rearies at the dege of the buttstock along with light dents and handing marks ifter the rearies rest and a bor. "Rive" riciced "P" proof behind the triggerguard, and the barrel hand is fixed "-12". The rifle curve as stamped triggerguard, and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-2.5' the trigger apple, and a lockbar rear sight. A line arrenal reworked M1 rifle that should shoot well. (14A9896-131) (C&amp;R) (800/1200)</li> </ul>		a handful of light dents and handling marks. The rifle is equipped with a		trigger retain all of their original factory case color. The reddish hued
<ul> <li>button tipped cleaning rod. The three position tumbler and lock remain crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>1545 Whitney Connecticut Contract 1861 Percussion Riffe-Musket .58 cal., 40° barrel with a bright excellent bore equipped with seven groover filing and some light staining closes to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51* atop the barrel between the front sight and barrel band. The metal surfaces have to took a some fine pitting, the forend tip is a pale gray with light gray and impact marks. The walnut stock remains very good with lightly rounded edges, a fingemail sized ohip in the fornt of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin dring marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> </ul>				walnut stocks rate excellent and have just light handling marks and
<ul> <li>crisp. A very good plus 1884 Trapdoor which could be easily enhanced with a properly finished buttplate. (5B9896-60) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>1545 Whitney Connecticut Contract 1861 Percussion Rifle-Musket</li> <li>.58 cal., 40° barrel with a bright excellent bore equipped with seven groov rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early 'E.WHITNEY / N.HAVEN' markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a semal 'U / 51° atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the butplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There ares small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incided carved in the rear left side of the burte are signed thin drying marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a pross tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> </ul>				
<ul> <li>with a property finished buttplate. (5B9896-60) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> <li>Est. 700 - 900</li> <li>1545</li> <li>S6 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of harmer and the only other markings are "U" on the right side of the barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised craved in the rear left side of the buttstock kolong with light dents and handling marks (form the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) (ANTIQUE) (700/900)</li> <li>Est. 700 - 900</li> </ul>		····· ··· ··· ··· ··· ··· ··· ··· ···		
<ul> <li>Est. 700 - 900</li> <li>(4A9834-9) (MODERN) (700/900</li> <li>Est. 700 - 900</li> <li>(4A9834-9) (MODERN) (700/900</li> <li>Est. 700 - 900</li> <li>(4A9834-9) (MODERN) (700/900</li> <li>Est. 700 - 900</li> <li>(1549</li> <li>U.S. M1 Garand Rille by Springfield Armory</li> <li>serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore enupped with seven groove rifling and some light staining closes to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernaii sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttystock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>Est. 700 - 900</li> </ul>				
<ul> <li>Whitney Connecticut Contract 1861 Percussion Rifle-Musket</li> <li>.56 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) (ANTIQUE) (700/900) Est. 700 - 900</li> <li>Est. 700 - 900</li> </ul>				
<ul> <li>.58 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or but, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the butplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dingt marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900</li> <li>LSt. 700 - 900</li> </ul>		Est 700 - 900		(4A9834-9) {MODERN} (700/900)
<ul> <li>.58 cal., 40° barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or but, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the butplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dingt marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900</li> <li>LSt. 700 - 900</li> </ul>		204.700 000		
groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) (ANTIQUE} (700/900) Est. 700 - 900	1545			Est. 700 - 900
U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket	15/0	
N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven	1549	U.S. M1 Garand Rifle by Springfield Armory
"U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no	1549	<ul> <li>U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a</li> </ul>
barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY /	1549	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal
barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY /	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal
toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight. Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered
light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight. Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the	1549	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut
oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight. Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have	1549	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1"
impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few	1549	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the
edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some
edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some
thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pieced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard
at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and
carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight. Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD
handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-12", the hammer marked "-5", the relief cut operating rod is "9" marked, and the bolt is marked "-12". The rifle features a stamped triggerguard, 2-slot gas plug, and a lockbar rear sight. A fine arsenal reworked M1 rifle that should shoot well. (14A9896-131) {C&R} (800/1200)	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P"
front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped
front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900 total contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped
ramrod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900) Est. 700 - 900	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings
contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900)       features a stamped triggerguard, 2-slot gas plug, and a lockbar rear sight. A fine arsenal reworked M1 rifle that should shoot well.         (14A9896-131) {C&R} (800/1200)       (14A9896-131) {C&R} (800/1200)	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings have softened. All parts are of Springfield Armory manufacture with the
Est. 700 - 900       sight. A fine arsenal reworked M1 rifle that should shoot well.         (14A9896-131) {C&R} (800/1200)	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-12", the hammer marked "-5", the relief cut
(14A9896-131) {C&R} (800/1200)	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the butplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains very and functions mechanically. A solid state	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-12", the hammer marked "-5", the relief cut operating rod is "9" marked, and the bolt is marked "-12". The rifle
(14A9896-131) {C&R} (800/1200)	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the butplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron ramrod. The lock remains very and functions mechanically. A solid state	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-12", the hammer marked "-5", the relief cut operating rod is "9" marked, and the bolt is marked "-12". The rifle
	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron rarmod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900)	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-12", the hammer marked "-5", the relief cut operating rod is "9" marked, and the bolt is marked "-12". The rifle features a stamped triggerguard, 2-slot gas plug, and a lockbar rear
	1545	Whitney Connecticut Contract 1861 Percussion Rifle-Musket .58 cal., 40" barrel with a bright excellent bore equipped with seven groove rifling and some light staining closest to the muzzle. There are no U.S. markings on the lock or butt, the lock has early "E.WHITNEY / N.HAVEN" markings in front of hammer and the only other markings are "U" on the right side of the barrel bands and a small "U / 51" atop the barrel between the front sight and barrel band. The metal surfaces have toned to a brown and gray patina with scattered fine oxidation, a few light dings and impact marks, the buttplate showing a little more oxidation and some fine pitting, the forend tip is a pale gray with light impact marks. The walnut stock remains very good with lightly rounded edges, a fingernail sized chip in the front of the left stock flat and a small thin crack at the rear of the lockplate. There are small thin drying cracks at the edge of the buttplate, gaps at the heel and toe, "KM" incised carved in the rear left side of the buttstock along with light dents and handling marks from the years. The musket is equipped with a proper front sight, Whitney pierced aperture rear sight and a brass tipped iron rarmod. The lock remains crisp and functions mechanically. A solid state contract Whitney musket. (5A9896-92) {ANTIQUE} (700/900)	1545	U.S. M1 Garand Rifle by Springfield Armory serial #3649100, 30-06, 24" 4-45 dated Springfield Armory barrel with a bright excellent bore. The metal surfaces retain about 97% arsenal parkerized finish with light wear on the high edges, some scattered specks of light oxidation staining and minor pinprick pits. The walnut stock is in very good plus condition as lightly cleaned with an about 1" linear impact mark and small shallow chip on the right side of the buttstock, two small impact marks on the handguard, and some scattered light handling marks; the forward half of the handguard appears to be a replacement and is loose between the lower band and handguard ferrule. The left side of the stock is faintly marked with a DoD acceptance stamp on the left side below the receiver, a soft circled "P" proof behind the triggerguard, and the barrel channel is crisply stamped "3144". The receiver markings remain crisp and the barrel markings have softened. All parts are of Springfield Armory manufacture with the trigger housing marked "-12", the hammer marked "-5", the relief cut operating rod is "9" marked, and the bolt is marked "-12". The rifle features a stamped triggerguard, 2-slot gas plug, and a lockbar rear sight. A fine arsenal reworked M1 rifle that should shoot well.

1550	U.S. M1 Garand Rifle by Springfield Armory		1554	Thompson/Center Hawken Custom Shop Percussion Target Rifle
	serial #5354198, 30-06, 5-51 dated Springfield Armory barrel with a			serial #1001, .50 Cal, 28" octagon barrel with a bright, excellent bore.
	bright otherwise excellent bore with some light pitting just at the muzzle.			The barrel features 99% plus factory high polished blue finish. The lock
	The metal surfaces retain about 97% original parkerized finish with light			and hammer have all of their original vibrant case color and the brass
	wear on the high edges, light operational wear on the bolt, and a few			stock furniture rates excellent and remains mostly bright with a few very
	light handling marks. The walnut stock is in very good plus condition as			small handling marks noted. The presentation grade custom checkered
	lightly cleaned with two old smoothed chips on the buttstock, scattered			walnut stock rates excellent and has some fantastic heavy burl patterns
	tiny circular dings along the right side, a few light impact marks on the			through the butt, and features a right-side patch box. The rifle is
	right side of the forend, and scattered handling marks. The left side of			equipped with double set triggers, a globe style front target sight, a
	the stock is marked with a faded DoD acceptance stamp below the			standard rear sight and has an express style target sight mounted to the
	receiver, and a mostly crisp circled "P" is stamped inside the			upper tang. This rifle was one of five custom shop presentation target
	triggerguard. The barrel and receiver markings remain crisp, as do the			models that were produced in 1973 and was presented to Don Lefebvre,
	drawing numbers on the parts, and all parts are of Springfield Armory			then owner of DEL Supply, a prominent firearms and ammunition
	post-WWII manufacture. The nose of the safety is broken, but the safety			distributor in New England. The original brass tipped wooden ramrod in
	still functions. The rifle features a stamped triggerguard, two-slot gas			included. Truly this is an heirloom quality custom shop Hawken that
	plug, and a T105 rear sight. Included with the rifle is a multitool that fits			would make a fine addition to any T/C collector's repertoire. (14A9806-5)
	neatly in the butt trap. A solid M1 rifle manufactured shortly after the end			{ANTIQUE} (800/1200)
	of the Korean War. (14A9896-128) {C&R} (800/1200)			Est. 800 - 1,200
	Est. 800 - 1,200		1555	U.S. M1 Garand Rifle by Harrington & Richardson
1551	German ZF-41 Scope with Case			serial #5640275, 30-06, 24" 4-55 dated HRA barrel with a very good
	This lot consists of an original WW2 German ZF-41 scope, mount, and			plus bore with scattered light oxidation in the grooves and strong rifling.
	later scope case. The scope is crisply marked "dow", a blue "+", and			The metal surfaces retain about 97% arsenal parkerized finish with light
	"ZF40 41/1" between the rings, and is numbered "10270" on top of the			wear on the high edges, light handling marks on the gas cylinder, and
	ocular tube. The rear arm of the mount is crisply marked "duv" and			the barrel toning slightly to gray; the bolt retains about 96% reapplied
	"(Eagle) / 214" on the exterior side, and appears otherwise unmarked.			blue finish with light operational wear, a few specks of oxidation, and a
	The glass appears mostly clear, featuring a German No. 1 style reticle.			spot of light pitting beneath the finish. The walnut stock is in very good
	The scope and mount retain about 85% original blue with scattered			condition with a shallow chip on the handguard above the operating rod
	thinning and light oxidation staining. Included with the scope is a			and numerous light dings and handling marks throughout. The stock is
	detachable sun and rain shade. The desert tan scope case is in very			marked with a crisp DoD acceptance stamp on the left side below the
	good condition with light wear on the edge, flaking of the finish, light			receiver, and a crisp circled "P" on the inside of the pistolgrip. The
	oxidation at the areas of finish loss, and scattered light handling marks.			receiver and barrel markings remain crisp, and with exception of the
	The case is marked "AF / 4200" at the front of the cover, and faintly "jvb"			bolt, which is "-12SA" marked, all parts appear to be correctly "H.R.A."
	and an illegible waffenamt on the rear. An interesting piece for the			marked. The rifle features a two-slot gas plug, "HRA" marked T105 rear
	collector of sniper equipment. (14A9736-98) (800/1200)			sight drums, and a stamped triggerguard. An almost all matching mid
	Est. 800 - 1,200			'50's M1 rifle. (14A9830-32) {C&R} [Dr. William C. Nugent Collection]
1552	U.S. M1 Garand Rifle by Winchester			(800/1200)
	serial #2356797, 30-06, 24" 9-51 dated Springfield Armory barrel with a	-		Est. 800 - 1,200
	bright excellent bore. The metal surfaces retain about 90% arsenal		1556	U.S. M1 Carbine by IBM
	parkerized finish with light wear on the high edges, silvering on the gas			serial #3663303, 30 Carbine, 18" 9-43 dated IBM barrel with a very good
	cylinder and lock, the receiver has toned to gray with speckled light			bore with scattered light pitting and strong rifling. The metal surfaces
	oxidation. The walnut stock is in excellent condition as lightly cleaned			retain about 97% arsenal parkerized finish with light wear on the high
	with a few light handling marks, and is marked with a lightly faded CMP			edges, some scattered light oxidation staining and spots of previous
	cartouche on the left side, below the receiver. The receiver and barrel			light pitting beneath the finish. The low-wood oval-cut walnut stock is in
	markings remain crisp, and all marked parts, with exception of the			very good condition as lightly cleaned with multiple light abrasions on
	barrel, are of Winchester make. The rifle features a milled triggerguard,			the handguard, a few tiny chips on the edge of the oval sling cut, and
	a two-slot gas plug, and a T105 rear sight. Included with the rifle is a			
				numerous light dings and handling marks throughout. The stock is
	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122)			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the
				numerous light dings and handling marks throughout. The stock is
	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200)			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the
1552	green carvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is
1553	green carvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet
1553	green carvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is
1553	green carvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet
1553	green carvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band,
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and an added finish; the steel buttplate			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked '72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel.			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "SackI" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "SackI" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially struck but easily legible, and all marked parts are of Springfield Armory			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially struck but easily legible, and all marked parts are of Springfield Armory post WWII manufacture. The rifle features a two-slot gas plug, stamped			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, as some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially struck but easily legible, and all marked parts are of Springfield Armory post WWII manufacture. The rifle features a two-slot gas plug, stamped triggerguard, and a T105 rear sight. Included with the rifle is an oiler. An			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially struck but easily legible, and all marked parts are of Springfield Armory post WWII manufacture. The rifle features a two-slot gas plug, stamped			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially struck but easily legible, and all marked parts are of Springfield Armory post WVII manufacture. The rifle features a two-slot gas plug, stamped triggerguard, and a T105 rear sight. Included with the rifle is an oiler. An attractive M1 rifle likely refurbished for the Korean War. (14A9896-130)			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)
1553	green canvas sling. A solid re-barreled Winchester M1. (14A9896-122) {C&R} (800/1200) Est. 800 - 1,200 U.S. M1 Garand Rifle by Springfield Armory serial #3723271, 30-06, 24" 5-51 dated Springfield Armory barrel with a bright very good plus bore with scattered pinprick pitting and spots of very light frosting. The metal surfaces retain about 96-97% arsenal parkerized finish with light wear on the high edges, light operational wear on the bolt, light oxidation staining on the bottom metal and previous light pitting beneath the finish. The walnut stock is in very good condition as lightly cleaned with a 1 3/4" crack in the top of the handguard, a 3/4" hairline crack in the nose of the handguard, a series of small divots, impact marks, and abrasions on the handguard, as some scattered light handling marks, and an added finish; the steel buttplate shows scattered light oxidation, the concentration of which is at the heel. The stock is unmarked. The markings on the rifle have lightened with the refinishing but remain easily legible, the barrel markings are partially struck but easily legible, and all marked parts are of Springfield Armory post WWII manufacture. The rifle features a two-slot gas plug, stamped triggerguard, and a T105 rear sight. Included with the rifle is an oiler. An			numerous light dings and handling marks throughout. The stock is marked with a crisp "Q-RMC" Quality Hardware cartouche in the left-side sling cut, the faint remnants of an Ordnance Wheel is on the right side of the buttstock, and a faint, near illegible "A A" rework mark is located on the left side below the receiver; the underside of the 2-rivet handguard is "W" marked for Winchester. The receiver and barrel markings remain clear, the bolt, operating slide, hammer, barrel band, magazine catch, and front sight are Inland manufactured, the rear sight and trigger housing are IBM manufactured, and the recoil plate is lightly marked "72". The carbine features a push-button safety, stamped adjustable rear sight, flat bolt, and Type III barrel band. Included with the carbine are two 15-round magazines, an oiler, and a leather sling in near excellent condition with light wear at the bend point and light verdigris, is ink stamped "GR" on the inside, and "Sackl" is handwritten on the outside; the sling appears to be the same as those used by the Austrian Gendarmerie post WWII. A solid IBM carbine that should shoot well. (14A9830-30) {C&R} [Dr. William C. Nugent Collection] (800/1200)

1557	U.S. Model 1903-A3 Bolt Action Rifle by Remington	I L	1560	Scarce Roberts Conversion Model 1861/63 Rifle-Musket
	serial #3999546, 30-06, 24" 9-43 dated Remington two-groove barrel			58 Roberts CF, 37" barrel with a mostly bright very fine bore showing a
	with a bright near excellent with scattered pinprick pitting. The barreled			couple areas of light oxidation which may clean to excellent. Patented
	action and bottom metal retain about 98% original parkerized finish with			by Brigadier General B.S. Roberts, 5000 Roberts Model conversion
	some light silvering on the high edges, light freckling on the receiver, a			rifles were ultimately manufactured by Providence Tool Co. from late
	few light wear marks on the front sight base, and the bottom metal has			1869-1870. The metal surfaces are toning to a mottled dull gray patina
	toned largely to gray with a few spots of oxidation staining. The bolt, rear			with small spots of old light oxidation and staining along with areas of
	sight, barrel bands, bayonet mount, and swivels retain about 96%			old hardened preservative overall and a few scattered small areas of tiny
	original blue finish with light wear and a little minor oxidation. The walnut			tool marks along the barrel. The left side of the breech is properly
	straight-grip stock is in near excellent condition as lightly cleaned with a			marked "ROBERT'S PAT. / JUNE 11, 1867" while the lockplate displays
	small chip at the nose of the handguard, a light ding on the left side near			"1863" behind the hammer and a Federal Eagle along with "U.S. /
	the trigger, and a few scattered handling marks. The stock is marked			SPRINGFIELD" ahead of the hammer. The barrel is stamped "Y / 3 S"
	with a partially faded "RA", Ordnance Wheel, and boxed "FJA"			behind the front sight and "P.B" behind the rear sight and the tang
	inspector's cartouche on the left side above the trigger, a softened			displays "US / 5 / D / (illegible) 42". The smooth American black walnut
	circled "P" proof above "2", and a few soft manufacturers proofs ahead			stock rates very good for its age with the typical scattered light handling
	of the floorplate. The receiver and barrel markings remain crisp, and all			marks, a nicely-repaired arcing crack between the rear of the lockplate
	marked parts are Remington made. The rifle retains the standard			and the rear of the upper tang, a couple hairline cracks ahead of the
	aperture rear sight and blade front sight, and appears to function well			lockplate, some slivers missing from the edges of the cleaning rod
	mechanically. An excellent early Remington 03-A3 rifle. (14A9830-36)			channel and a small gap in the wood to metal fit in the right side of the
	{C&R} (800/1200)			action from the conversion process. The stock features a softened
	Est. 800 - 1,200			"bullseye" and the remnants of a boxed inspector's cartouche on the left
1558	U.S. Model 1898/99 Krag Bolt Action Carbine by Springfield Armory	1		flat. The original sling swivels and sights are intact, a cupped tulip-head
	serial #264456, 30-40 Krag, 22" barrel with a bright near excellent bore			ramrod with C-marked retaining swell and threaded end is included and
	showing some scattered very faint pitting in the strong rifling. This			the unique breech-loading system appears to function well mechanically
	beautiful arm is a Model 1898 carbine arsenal-updated to Model 1899			with the lock crisp and strong. According to Flayderman, all 5,000
1	specifications. The barrel displays an even and smooth dark charcoal			Roberts Model conversions were purchased by the state of South
	patina under bright light, the muzzle toning more to gray, with softened			Carolina in 1870 whose National Guard regiments used them until 1890.
	very fine pinprick pitting noticeable under close scrutiny and streaks of			(23A9830-18) {ANTIQUE} [Dr. William C. Nugent Collection]
	arsenal blue overall. The triggerguard and barrel band retain about 95%			(1000/1500)
				Est. 1,000 - 1,500
	original bright blue with light high edge wear, a few fine handling marks	-	1561	Superb Chilean Model 1895 Bolt Action Rifle by DWM
	and a spot of loss toning to gray on each side of the band. There is some minor oxidation on the trap buttplate while the receiver, sideplate		1501	
				serial #K6715, 7mm Mauser, 29" barrel with a bright excellent bore. The
	and loading gate have aged to a smoky-gray case-hardened patina			metal surfaces retain about 98% original blue with the loss due to minor
	showing a few fine cleaning marks on the receiver behind the			heel and toe wear on the buttplate which would not be worth mentioning
	handguard and scattered fine speckles toning to brown. The bolt is			save for the high condition of this gorgeous rifle and perhaps a faint
	bright having been cleaned showing some scattered softened light			handling mark or two. The rear sight slider, bolt stop, band springs and
	pitting while the extractor retains strong amounts of original fire blue.			screw heads retain 99% original brilliant fire blue and the bolt is bright.
	The lovely smooth American walnut straight grip stock rates very fine to			The smooth walnut stock and handguard rate very fine to perhaps
	perhaps excellent with a few light handling marks on the toe while the			excellent with a few scattered faint handling and rack marks. The
	handguard rates excellent plus. The left stock flat features a "JSA /			Chilean national crest on the receiver ring and the left side of the
	1901" inspector's cartouche which is slightly softened in the center and			buttstock are very crisp with the cartouche dated "1898" and the rifle
	very crisp circled "P" firing proof and "44 / 0" inspection marks behind			abounds in various acceptance stamps with all the serialized parts
	the triggerguard and the plate on the toeline which takes the place of a			including the stock and cleaning rod correctly matched to the receiver.
	sling swivel is marked "OALW / 114". The carbine is sighted with a			The original sights and sling swivels are intact and the action appears to
	C-marked Model 1902 rear with swing-up aperture and C-marked blade			function well mechanically. A truly exceptional example of these very
	front and the smooth action appears to function well mechanically. A			high quality German-manufactured Mauser rifles. (23A9878-3)
	very attractive example of an arsenal-updated Model 1898 Krag carbine			{ANTIQUE} (700/900)
	that should be an excellent shooter. (23A9808-32) {C&R} (800/1200)	I L		Est. 700 - 900
	Est. 800 - 1,200	4	1562	Winchester Model 1892 Lever Action Rifle
1559	U.S. Model 1863 Type I Percussion Rifle-Musket by Springfield Armory			serial #871400, 25-20 WCF, 24" barrel with full magazine and a
	.58 cal., 40" barrel with an oxidized bore. The metal surfaces are mostly			good-fair bore with areas of light pitting and light oxidation in the rifling.
	bright as cleaned with scattered areas of softened light pitting,			The metal surfaces of this 1919-vintage rifle retain about 97% quality
	particularly around the breech and tiny speckles of oxidation staining			restored blue which is slightly thinning in areas along the barrel and on
	overall. The hammer retains traces of its original case-hardened colors			the right side of the frame to a dark blue-gray patina under bright light
1	and the lockplate is properly marked "1863" behind the hammer and			with scattered areas of light pitting beneath the finish, slight silvering at
	with a Federal Eagle ahead while "U.S. / SPRINGFIELD" is below the			the muzzle and a few scattered light handling marks. The Winchester
	bolster which retains remnants of its small Federal Eagle. The faint $^{\prime\prime}V$ /			proof on the barrel has been softened and the one on the top of the
1	P" of the firing proof remains visible on the left quarter-flat of the breech			frame is no longer visible while all other markings remain crisp. The
	and the tang of the buttplate bears a crisp "US / A / 49". The smooth			smooth walnut straight grip stock with crescent buttplate and forend with
	American black walnut stock rates very good plus. There is a "duffel cut"			nosecap rate excellent with a faint handling mark or two. The rifle is
	in the forend beneath the middle band, a small chip above the rear lock			sighted with a brass blade front and sporting rear with elevator and the
	screw, some wear to either side of the upper tang and some scattered			action appears to function well mechanically. This attractive Model 1892
	light handling marks. There are two faint inspectors' cartouches on the			will make an excellent starting point for the budding Winchester collector
	left flat and a "S" inspection mark behind triggerguard. The rear band is			and should be a lot of fun to shoot. (23A9746-52) {C&R} (700/900)
	slightly loose on the forend, the nipple appears to be a contemporary			Est. 700 - 900
	replacement, the sling swivels and original sights are intact, a correct			,
	cupped tulip-head ramrod with thread end is included and the action is			
1	strong and crisp. Incredibly, Springfield Armory was able to manufacture			
	183,064 Model 1863 rifle-muskets in that year alone. (23A9830-23)			
	{ANTIQUE} [Dr. William C. Nugent Collection] (800/1000)			
1	Est. 800 - 1,000			
L	· ·	1		

	Winchester Model 1894 Lever Action Rifle	1		
			1566	Rare Joslyn Breechloading Rifle by Springfield Armory
	serial #45215, 30 WCF, 26" octagon barrel with full magazine and a			.50 RF, 35 1/2" barrel with an oxidized bore. The metal surfaces are
	mostly bright very good bore showing very faint pitting in the otherwise	1		toning to an overall oxidized brown patina with the barrel behind the
	strong rifling. The barrel and magazine of this 1898-manufactured rifle			middle band and the action toning more to gray-brown with some
	retain about 85-90% original blue which is thinning in areas to a			softened light pitting closer to the breech, tiny speckles of staining
	blue-gray patina under bright light with some light muzzle and high edge			throughout and some scattered flecks of paint transfer along the barrel.
	silvering and some scattered small spots of old light oxidation and light			The lockplate is marked "1864" behind the hammer and with a Federal
	handling marks toning to brown. The frame retains about 50% original			Eagle ahead of the hammer along with "U.S. / SPRINGFIELD". The top
	thinning blue with the high edges and wear points toning to a gray patina			of the breech is stamped "M / 296", the rear displays "B.F. JOSLYN'S
	with scattered tiny spots of light pitting and light oxidation along with			PATENT / OCT 8 1861 JUNE 24 1862" and the breech tang is marked
	some scattered tiny impact and handling marks and the familiar			"M / 1706". The smooth American black walnut stock rates about very
	Winchester striations. The remaining metal surfaces have aged to gray			good as lightly cleaned long ago with a touch of period added finish, a
	with some pinprick pitting and freckling on the crescent buttplate, some			repaired crack to the right of the breech tang, a crack ahead of the
	light oxidation staining and handling marks overall and remnants of			lockplate, a small abrasion on the left stock flat, a 1" spot on the left side
	original blue in the protected areas while the hammer displays traces of			of the forend which is slightly concave, and some scattered light
	its original case-hardened colors. All metal marking are clear. The			handling marks and tiny spots of the previously mentioned paint
	smooth walnut straight grip stock and forend rate very good with a worn			transfer. The left stock flat displays the remnants of a boxed inspector's
	original finish, a small area of cloudiness at the point of comb, and the			cartouche. The locking mechanism is missing from the right side of the
	scattered light dings and handling marks typical of a hunted arm. The			breech, the cleaning rod is not present, the original sights and sling
	barrel is sighted with a Lyman blade front which is missing its bead and			swivels are intact and the lock remains strong and crisp. According to
	a semi-buckhorn rear with elevator and the action appears to function			Flayderman, the Joslyn rifle was "the first true breech-loading cartridge
	well mechanically. An honest Model 1894 that has seen its share of deer			weapon to be made in substantial quantity by a national armory."
	camps. (23A9746-55) {ANTIQUE} (700/900)			(23A9785-2) {ANTIQUE} (800/1200)
	Est. 700 - 900			Est. 800 - 1,200
	Early German KK-Wehrsportgewehr Bolt Action Training Rifle by	1	1567	U.S. Model 1903 Mark I Bolt Action Rifle by Springfield Armory
	Mauser	i I'		serial #1175538, 30-06, 24" 4-20 dated Springfield Armory barrel with a
	serial #882, 22 LR, 26" barrel with a bright excellent bore. Based upon	i		bright excellent bore. The 1920-manufactured receiver displays a worn
	its serial number and commercial "B / U / G" proofs this early Mauser	1		black oil-guenched finish exposing the dark gray metal beneath while
	"small banner" rifle was produced prior to January 1940. The metal	i		the remaining metal surfaces are an overall dark gray metal beneath while
	surfaces retain about 97% original blue with a couple small areas on the	i		much arsenal applied gray-green Parkerized finish in the protected
	receiver toning to plum under direct light, a spot of loss on the bolt knob	i		areas with the upper band appearing to have been arsenal cleaned with
	toning to gray, and very light silvering on the muzzle and high edges,	1		a few tiny areas of softened light pitting along with some scattered light
	while the H-style band shows some very faint flaking and there is some			handling marks and small spots of oxidation freckling overall. The bolt
	faint wear around the front sight toning to brown. The lower barrel band			displays a dark gray patina with very faint staining on the knob. The rifle
	displays a Waffenamt and is numbered to another rifle and retains most			retains the original Mark I trigger and magazine cutoff and the receiver is
	of its arsenal blue showing some faint pinprick pitting beneath the finish			properly milled for the Pedersen device. The smooth black walnut
	which is thinning to plum at the wear points. The stock disk has aged to			two-bolt straight grip stock rates very good as lightly arsenal refurbished
	a dull gray patina, the buttplate is plum-gray with some light oxidation,			with a couple smoothed chips by the buttplate tang, a narrow impact
	and the body of the bolt is mostly bright with some very faint staining on			mark on the bottom of the forend and an area of softened wear below
	the exposed portion. The breech of the barrel is marked "KAL.22 LANG			the right grasping groove while the handguard rates excellent. The left
	FÜR BÜCHSEN" along with the previously mention proof marks and the			stock flat displays the remnants of acceptance marks and a strong
	top of the receiver displays "KK-WEHRSPORTGEWEHR /			boxed "O.G.E.K." rebuild mark while a softened circled "P" firing proof is
	MAUSER-WERKE AG. OBERNDORF" and the barrel and bolt are			behind the triggerguard. The upper sling swivel is missing but the lower
	both serialized to the rifle. The smooth European hardwood pistolgrip			remains intact along with the stacking swivel and original sights and the
	stock and handguard rate very good with a narrow chip missing from the			action appears to function well mechanically. A very good example of a
	left wood line between the bands, a couple tiny chips in the toe of the			Model 1903 Mark I retaining some of its original specialized parts.
	buttstock, a small dent in the handguard and various scattered light			(23A9830-37) {C&R} [Dr. William C. Nugent Collection] (700/900)
	dings and handling marks. The cleaning rod is missing, the original	i L		Est. 700 - 900
	sights and bayonet lug are intact and the action appears to function well	1	1568	Custom British Commercial Pattern 1856 Percussion Short Rifle
	mechanically. Included is an 8mm Mauser muzzle/front sight protector			.58 cal., desirable 33" Harmon-Large 8 groove barrel with a bright near
	numbered to another rifle and a period Mauser-style brown leather			excellent bore showing some very faint tool marks in the strong rifling.
	diamond-pattern sling with nine adjustment holes and "H" buckle in very			This barrel is the product of the combined efforts of renowned barrel
	good condition remaining soft with some light wear on the exterior			makers Jerry Harmon and Bill Large and is toning to a slightly-muted
	surfaces. A very nice example of these accurate and desirable KKW	i		silvery patina as cleaned with a few scattered areas of softened fine
	training rifles. (23A9834-11) {C&R} (800/1200)	i		pitting and a few spots of light oxidation. The original lock is an attractive
	Est. 800 - 1,200			mottled gray-pewtery patina with a few tiny freckles along with modest
1565	Wonderful German Model 1871/84 Bolt Action Rifle by Spandau	i		amounts of original case-hardened colors. The rear barrel band is toning
	serial #2506, 11mm Mauser, 31 1/2" barrel with a bright excellent bore.	i		to plum while the front is a mix of blue and brown tones with some light
	The metal surfaces retain about 98% original blue with some light	i		pitting on the sling swivel. The brass mountings have aged to a
	silvering at the muzzle, a small area on the top of the barrel between the	i		lightly-tarnished mustard patina. The breech of the barrel is marked
	upper and middle bands toning to brown under bright light showing a	i		"HARMON / LARGE" on the left and "1976" on the top flat while the
	tiny patch of fine pitting, and some scattered tiny scratches and light	i		lockplate is stamped with a crown behind the hammer and "1862" along
	handling marks overall. The receiver and bolt remain bright showing only	i		with a British martial proof ahead. The smooth European walnut straight
	the faintest oxidation staining which is slightly more prominent on the	1		grip stock rates very good plus to fine with perhaps a touch of later
	buttplate. The top flat of the barrel is marked "(crown) / SPANDAU", the	i		added finish and shows some nice definition around the edges of the
	left flat bears a "(crown) / F.W." along with various German martial	i		stock flats with some minor wear around the upper band and scattered
	proofs and the right flat features various crowned inspector's initials. The	i		light handling marks. The barrel is sighted with a tall blade front and
	left side of the receiver is properly marked "I.G. Mod. 71/84" and "1888"	i		reproduction long range rear which is canted to the right likely to
	is marked on the rear behind the action and every conceivable part of	i		account for windage, the brass-chained nipple protector is missing
	this rifle down to the screws is serialized to the receiver. The full length	i		leaving a small vacant hole ahead of the bow of the triggerguard, the
	smooth walnut stock rates very fine to near excellent with a faint 1 1/2"	i		sling swivels are intact, a correct cupped slotted-head ramrod with
	arcing hairline crack in the wrist, a few light rack marks and some	i		threaded end is included, and the action is strong and crisp with an
	•	i		excellent trigger pull. A very nice custom Enfield commercial pattern
	SCattered tiny speckles of contaminant staining in the stock teatures	1		1856 short rifle with a wonderful barrel that should be perfect for
	scattered tiny speckles of contaminant staining. The stock features various deeply-struck cartouches and inspection marks on the right side			1.000 short me war a wonderfar barrer that should be period 101
	various deeply-struck cartouches and inspection marks on the right side			North-South Skirmish Association shoots (2380853-4) (ANTIOUS)
	various deeply-struck cartouches and inspection marks on the right side of the buttstock and along the toeline. The original sights, bayonet lug,			North-South Skirmish Association shoots. (23B9853-4) {ANTIQUE}
	various deeply-struck cartouches and inspection marks on the right side of the buttstock and along the toeline. The original sights, bayonet lug, stacking bar and slings swivels are intact and both the magazine cut-off			(700/900)
	various deeply-struck cartouches and inspection marks on the right side of the buttstock and along the toeline. The original sights, bayonet lug, stacking bar and slings swivels are intact and both the magazine cut-off and action appear to function well mechanically. This handsome rifle			
	various deeply-struck cartouches and inspection marks on the right side of the buttstock and along the toeline. The original sights, bayonet lug, stacking bar and slings swivels are intact and both the magazine cut-off and action appear to function well mechanically. This handsome rifle remains in an impressive state of condition and is sure to please even			(700/900)
	various deeply-struck cartouches and inspection marks on the right side of the buttstock and along the toeline. The original sights, bayonet lug, stacking bar and slings swivels are intact and both the magazine cut-off and action appear to function well mechanically. This handsome rifle			(700/900)

Lot Title/Description

1569	Winchester Model 52B Bolt Action Target Rifle		1572	British Percussion Double Hammergun with Attractive Pearl Inlay by
	serial #46920B, 22 LR, 28" heavy target barrel with a bright excellent			Redfern & Bourne
	bore. The blued metal surfaces retain about 95% even original rust blue			12 bore, 29 7/8" barrels with mostly bright very good bores showing
	with minor loss on the bolt handle and muzzle with scattered small spots			some scattered light pitting. The barrels of this handsome fowler have
	of oxidation staining on the bottom metal and triggerguard. The barrel			mostly toned to a pleasant plum-brown patina showing some scattered
	and round top receiver markings are remarkably crisp, the muzzle face			areas of old pitting that are mostly smoothed-over, a small ding at the
	remains in-the-white and the base of the bolt is electro penciled			top edge of the right muzzle leaving it very slightly out-of-round and
	matching the rifle serial number. The checkered steel buttplate is in			strong damascus twist patterns throughout. The patent breech shows
	excellent condition, perfectly fitted to the stock with no slot damage to			dual inlaid platinum bands and platinum blowout plugs, the breech and
	the screws. The walnut pistolgrip marksman stock remains in near			breech tang toning to an attractive silvery case-hardened patina and
				embellished with nice quality foliate scrollwork. The barrel rib is nicely
	excellent condition with no cracks, several scattered dings and			
	scratches and the expected areas of thinning or lost finish at the toe and			marked "REDFERN & BOURNE LONDON". The lockplates are a mild
	sides of the forearm. The rifle features a six position handstop rail, a			gray patina showing some flakes of silvery case-hardening and are
	handstop with swivel, two steel target blocks installed and is sighted with			embellished with some attractive light foliate scrollwork, a pair of game
	a Lyman 48 F.H. rear target sight and a Redfield globe front sight with			birds and maker's name, the tops of the hammers with a light fish scale
	circle insert. The rifle functions well mechanically and a two rib			pattern. The long tang triggerguard and tailpipe show a nice pineapple
	five-round Winchester magazine is included. An exceptional 52B in a			finial and light foliate embellishments, the triggerguard toned to gray and
	high state of condition that has escaped being altered or customized as			showing some smoothed-over light pitting. The checkered straight grip
	so many were for competitive use. (25A9899-34) {C&R} (800/1000)			English walnut stock remains in very good plus to very fine condition
	Est. 800 - 1,000			retaining about 90% plus original varnish worn somewhat along the
1570	British Percussion-Converted Long Fowler by Ketland & Co.			forend and showing a small very neatly repaired thin 1" chip behind the
	16 bore, 48 5/8" part round part octagon barrel with turned medial at the			right lockplate, some scattered light dings and handling marks. The
	point of transition and a moderately oxidized bore. The barrel and lock of			flattop diamond point checkering with nicely mullered borders remains
	this lengthy fowler have mostly toned to a pleasant deep plum-brown			almost completely intact and strong and the wood shows some lovely
	patina showing some remnants of old oxidation staining and a little			straight grain figure throughout. The German silver wedge escutcheons
	erosion around the nipple. There are some faint decorative starbursts at			show some light dings and there is an un-engraved German silver
	the breech and punch-dots behind the turned medial with "LONDON"			monogram plate atop the wrist. The right side of the butt features some
	legible along the top barrel flat and two strong British proofs on the left			very nicely executed mother-of-pearl inlays, the rearmost being about 2"
	flat. The breech tang still shows some faint silvery case-hardened			high and depicting a finely detailed gentleman-hunter with his fowler and
	patina. Conversion is by drum and nipple method and the original			anxious game dog, the scene continues with a dog in pursuit and finally
	flintlock has been utilized and fitted with a percussion hammer. The			a pheasant in-flight. The original brass-tipped hickory ramrod is present
	lockplate is stepped with a pronounced teat at the rear and simple line			and the locks seem to function well mechanically. A very attractive and
	border with faint Ketland & Co. marking in the center that remains			quality-made percussion hammergun. (13B9890-1) {ANTIQUE}
	partially legible. The arm is fitted with an attractive hickory under-rib, two			(700/900)
	brass ramrod thimbles and tailpipe. The buttplate and long tang			Est. 700 - 900
	triggerguard are also of brass and have toned to an attractive ocher		1573	Smith & Wesson No. 1 First Issue Revolver Part of a Consecutively
	patina, the buttplate with some overall light dings. The edges of the		15/5	Numbered Pair
				serial #4767, 22 RF, 3 3/16" ribbed octagon barrel with an oxidized bore
	triggerguard remain quite nice and it features a nice acorn finial and light			
	rose engraving along the bow. The nosecap is of pewter and the walnut			showing evident rifling throughout. The barrel, cylinder and ejector spud
	stock remains in very fine condition showing a little period added finish,			of this fifth type revolver have mostly toned to pewter gunmetal patina
	small crack ahead of the lock screw and ahead of the triggerguard and			showing some scattered remnants of light pitting and old oxidation
	some scattered light dings. The stock and under-rib otherwise maintain			staining. The barrel shows a very thin 1 1/2" crack along the right flat
	an attractive appearance overall and what appears to be the original			along with a few flakes of tarnished silver plate scattered about. The
	brass-tipped ramrod is included, it is just a little short as a small portion			cylinder notches show some wear and there are no visible patent date
	appears to have broken off the other end long ago. The hammer is a			markings but the barrel address remains legible, interestingly having
	little loose but the action otherwise seems to function well mechanically.			been double-struck. The frame retains about 65% silver finish that has
	This is a very attractive and honest long fowler with an overall length of			taken on a wonderful dark tarnish with the balance a nice ocher brass
	64" for above the mantel. (13B9803-12) {ANTIQUE} (800/1200)			showing some scattered light dings and handling marks. The hammer
L	Est. 800 - 1,200			and trigger are a silvery pewter patina showing some pinprick pitting and
1571	Smith & Wesson No. 1 First Issue Revolver Part of a Consecutively			the articulated spur screw appears to be a replacement. The smooth
	Numbered Pair			rosewood grips are both stamp-numbered to the gun and remain in very
	serial #4766, 22 RF, 3 3/16" ribbed octagon barrel with a partially bright			good plus condition showing mostly worn finish and a small sliver
	fair-good bore showing overall oxidation and light pitting with good			missing at the heel of the left panel. The cylinder and barrel are
	rifling. The barrel, cylinder and ejector spud of this fifth type revolver			matching the frame by assembly code, barrel-to-frame fit shows some
	retain about 92% of a nice quality older reapplied rust blue showing			play and the action is functional with good timing and the cylinder stop
	some thinning and a spot of brown along the cylinder, some scattered			somewhat worn. A good first issue revolver consecutively numbered
	remnants of light pitting beneath the finish and a few mild freckles. The			with lot 1571 in this catalog. (13A9474-8) {ANTIQUE} [Dr. John W. Hall
	barrel address and patent dates along the cylinder have softened			Collection] (600/800)
	somewhat but remain mostly legible. The frame retains about 90% plus			Est. 600 - 800
	silver finish that is thinning slightly to ocher brass, the frame showing a		-	
	few scattered light dings and handling marks and the silver otherwise			
	taking on a lovely dark tarnish. The hammer and trigger have mostly			
	toned to a smooth dark gray patina. The smooth rosewood grips remain			
	in very fine condition showing mostly worn finish and a small			
	neatly-repaired chip at the top corner of the left panel. The right panel is			
		1		

appropriately stamp-numbered to the gun and the remaining numbered parts are matching by assembly code. Barrel-to-frame fit is excellent and the cylinder stop is a little worn but the action otherwise seems to function well mechanically with very good timing. A handsome first issue revolver consecutively numbered with lot 1573 in this catalog. (13A9474-7) {ANTIQUE} [Dr. John W. Hall Collection] (700/900)

Est. 700 - 900

Lot Title/Description

1574	Italian Glisenti Model 1910 Semi-Auto Pistol	1578	Winchester Model 98 Breechloading Salute Cannon
	serial #173D, 9mm Glisenti, 3 5/8" barrel a very good bore showing light		serial #803, 10 ga. blank, 12" barrel with a very good bore showing
	oxidation in the grooves and strong rifling throughout. The metal		some shallow pits and light oxidation. The metal surfaces have toned to
	surfaces of this 1910-dated pistol retain about 95% original blue		a dark gray patina giving them a pleasant weathered look. There are
	showing some light high edge wear, small areas toning to gray-brown		blemishes and handling marks mostly found along the tube, no doubt
	patina under bright light and some scattered very fine pinprick pitting		some fun has been had with this cannon. The two-line address, caliber
	along some of the high edges. The bolt remains mostly bright and the		marking and "NOT FOR BALL" markings along the top and matching
	small parts are mostly a dark gray tone. All markings remain nice and		"803" on the bottom of the trunnion and tube are crisp and the raised
	clear with "(Crown) / FAB / 1910" on the right side of the frame,		three-line address on each side of the carriage are sharp. The elevation
	manufacturer's monogram atop the slide and Italian inspector marks		mechanism works as it should, the trigger mechanism works but is
	throughout. The checkered walnut grips are stamp-numbered to the gun		slightly sluggish. A solid little Winchester cannon, a perfect candidate for
	and remain in very good condition, the right panel showing a few		a nice restoration or a fun little boomer as-is. (22A9779-11) {NON-GUN}
			, ,
	scattered hairline cracks and a very neatly repaired thin 2" chip at the		(700/900)
	top edge, scattered light dings and the left panel is fitted rather loosely.	4570	Est. 700 - 900
	All of the serialized parts appear to be matching and a gunsmith-made	1579	Remington Model 572 Fieldmaster Routledge Smoothbore Rifle
	replacement takedown tool is present under the left grip panel. The		22 Shot, 23" barrel with an excellent bore. The barrel is marked "572
	safety lever at the back of the bolt seems to be jammed but it is		ROUTLEDGE BORE" with the last 12" of the bore measuring about
	otherwise intact, these are frequently found damaged on these pistols		3/8". The barrel retains near 99% original blue with some faint wear at
	due to the safety's poor design but the grip safety functions as intended.		the muzzle and some scattered freckles, the receiver retains about
	One original nickel-plated magazine showing some scattered light		97-98% original black enamel finish, there are a some light scratches
	flaking and areas of old pitting is included and the action seems to		with the loss primarily due to some carry wear and edge flaking on the
	function well mechanically. A very good example of these interesting		right-side. The smooth walnut pistolgrip buttstock and grooved forend
	early Italian military semi-auto pistols. Although originally intended to fire		are near very good, there are light-to-moderate impact and handling
	9mm Parabellum, the rather fragile design of the mechanism		marks one could easily associate with an often-used hunting arm or
	necessitated a lower charge resulting in the 9mm Glisenti cartridge.		skeet field gun. The rifle is sighted with a single silver front bead and the
	(13A9848-7) {C&R} (700/900)		receiver is grooved for rings. A neat and seldom-encountered Routledge
	Est. 700 - 900		bore Remington 572. (22B9735-14) {C&R} (700/900)
1575	Unmarked Brass Breechloading Signal Cannon		Est. 700 - 900
10/0	10 ga. blank, measuring 10" from muzzle to breech with a near excellent	1580	German LP.08 Artillery Luger Pistol by DWM
	bore showing minor verdigris. The tube is smooth with no astragals and	1000	serial #7186a, 9mm, 8" barrel with lightly frosted bore showing strong
	· · · ·		
	is flared on both sides at the breech, the pivoting breech locks-up tight		rifling throughout. The metal surfaces of this 1915-dated Luger have
	with just a faint sliver of light visible. The brass surfaces are a pleasant		faded to a smoky gray-brown patina with perhaps 15% of the original
	dark ochre patina with some typically-found small blemishes and marks		blue present in the protected areas of the frame and toggles, there is
	from operation and the trunions move smoothly under the capsquares,		scattered pitting mostly along the edges intermixed with a few oxidation
	one appearing to have been padded with fabric some time ago for a		stains and handling marks. The ejector has moderate straw color, the
	tighter fit. The sturdy wooden carriage is very good plus, there is some		trigger shows a few wedges of straw near the frame, the rest is toned to
	flaking paint and signs of use with some slight drying cracks along the		pewter. The sear spring has faded blue, the magazine catch spring has
	bottom and the wheels being slightly-worn from contact with rough		strong blue finish and the pins are mostly toned to pewter. The
	ground. The lanyard-actuated tip hit striker is present although the other		checkered walnut grips are un-numbered and show light diamond point
	required parts to fire the cannon are not. This neat little cannon weighs		compression but they fit the frame well and remain tight. The pistol
	in at just over 10 lbs. with an overall length of roughly 15". (22A9770-9)		retains fine-tune adjustable front and rear sights, most of the serialized
	{NON-GUN} (800/1200)		parts are matching, the exceptions are the un-grooved firing pin and
	Est. 800 - 1,200		breechblock (#97 on both) and the rear connecting pin is un-numbered.
1576	Custom Ruger No. 1 Falling Block Rifle By Ron Long		The stock lug has been removed from the butt and lanyard loop was
1570	serial #132-26886, 38-55, 30" octagon barrel with an excellent bore. A		also removed, the metal lightly planed and the remaining holes tapped.
	-		
	letter accompanying this rifle indicates that this rifle was built by		The imperial proof and inspection marks remain very strong and the
	well-known custom barrelmaker Ron Long, the rifle was then used by		pistol seems to function well mechanically. It includes a single bright
	Barry Darr to win Best Group Match at first Coors Schuetzenfest in		bodied wood-based magazine serial numbered to another gun (#3517)
	1982. The barrel retains 99% original maker blue with "RON LONG		that has a chip on the left side wooden base, freckling on the body and it
	DENVER" marked on the top, the frame retains 99% original blue with		fits loose in the pistol requiring added pressure to the base to lock the
	deep plum undertones. The checkered walnut buttstock and forend are		toggle back. A nice Artillery Luger for the upstart collector or as a
	near excellent with an empty swivel stud hole along the toeline, a nicely		shooter with a replacement magazine. (8A9792-4) {C&R} (800/1200)
	filled hole in the forend and just a couple light handling marks. The rifle		Est. 800 - 1,200
	is equipped with an adjustable Moyer trigger and rear target blocks.	1581	Whitney Arms Company Second Model Navy Percussion Revolver
	Included is an unmarked breech seater tool. (22A9792-9) {MODERN}		serial #20876, .36 cal., 7 3/4" octagon barrel with a lightly oxidized and
	(700/900)		pitted bore. This gun falls into the fourth type serial number range but
	Est. 700 - 900		has mostly third type features. The metal surfaces have been lightly
1577	Custom Arisaka Type 38 Bolt Action Rifle by Ackley		cleaned to an overall gunmetal gray with scattered pitting, stains from
	serial #65440, 257 Ackley Improved, 26" barrel with an excellent bore. A		cleaned oxidation and handling marks. The brass triggerguard rates
	note from the consignor indicates that this gun was purchased from P.O.		excellent with an ochre hue. The smooth walnut factory grips are
	5 · · ·		numbered to the gun and rate excellent showing light handling marks.
	Ackley in 1959, Mr. Ackley built this rifle as a learning tool for a class at		
	his Trinidad, CO gunsmithing school in 1946. The metal surfaces retain		All numbered parts match the frame and the action times and locks up
	99% maker blue and the bolt body and handle are mostly-bright with		correctly. The top of the barrel is simply marked "WHITNEY / N.
	some faint freckles and a nice engine-turned pattern. The smooth walnut		HAVEN", the marking remains strong and there appears to be no other
	Monte Carlo pistolgrip target stock with left-side cheekpiece and		markings. A very good example of a Second Model. (8A9903-18)
	contrasting grip cap is near excellent with some fabric marks in the		{ANTIQUE} (700/900)
	varnish from long-term storage and some other small blemishes. The		Est. 700 - 900
	rifle is equipped with a Unertl Ultravarmint 12x serial #57096, the scope		
	has clear optics and a crosshair reticle, there are two additional drilled		
	and tapped holes near the breech. The note also indicates that the		
	trigger is a Jaeger custom. Included are a set of .257 Ackley Improved		
	trigger is a Jaeger custom. Included are a set of .257 Ackley Improved RCBS dies. A great long range rifle purportedly built by Ackley on his		
	trigger is a Jaeger custom. Included are a set of .257 Ackley Improved		

.

1582	Marlin Model 39 Lever Action Rifle	1587	Smith Civil War Percussion Carbine By American Machine Works
	serial #HS190150, 22 S,L,LR, 24" octagon barrel with a near excellent		serial #8083, .50 cal, 21 5/8" part round, part octagon barrel with a near
	bright bore. The barrel retains about 60% original blue toning to brown		excellent bore that is mostly bright but has some light oxidation toward
	with scattered light oxidation, sparse fine pitting and light wear along the		the breech. The metal surfaces are mostly mottled brown and gray, the
	edges and muzzle. The magazine tube has toned to overall gray-brown		top latch has much of its original blue and there are a few areas of
	patina with scattered light oxidation. The action has toned to a brown		attractive case-hardened colors visible mostly in the protected areas.
	and gray case-hardened patina with scattered light oxidation and traces		The barrel and action markings are still mostly crisp and the sling bar
	of bright colors under the protected area of the takedown screw, the		and swivels ring remain intact. The walnut stocks rate very good plus
	bolt, hammer and trigger retain good original blue with operational wear		and swives higher and have the usual dings and other handling marks associated with
	on the hammer. The smooth s-pistolgrip walnut buttstock and forend		service rifle use. The wood shows some light drying and has some very
	remain very good plus with the expected dents and handling marks, the		light chipping and flaking around the butt. The buttstock has a crisp "JH"
	buttstock is numbered to the rifle, the checkered hard rubber logo		cartouche on the left side of the wrist. The front sight has a tall square
	buttplate remains excellent showing minimal wear. Rifle is sighted with a		blade likely made from steel stock, the rear sight is present but shows
	standard post front sight (minus bead) and adjustable sporting rear		signs of heavy abrasion and the slide bar and graduated markings are
	sight. The action seems to function well mechanically. A solid later		no longer present. The action will need some mechanical attention as
	Model 39 capable of handling high speed ammunition. (5A9896-85)		the hammer does not hold when cocked unless forward pressure is
	{C&R} (600/800)		applied to the trigger likely just a new trigger spring will remedy this. An
	Est. 600 - 800		about very good example overall. (4A9853-9) {ANTIQUE} (800/1200)
1583	American Arms Double Barrel Deringer		Est. 800 - 1,200
	serial #386, 41 RF, 2 5/8" octagon barrels with oxidized bores also	1588	German K98k Bolt Action Rifle by Mauser Oberndorf
	showing pitting and remnants of rifling. The barrels retain about 80%		serial #62851f, 8mm Mauser, 24" barrel with a very good plus bore with
	flaking original nickel finish with scattered patches of light oxidation and		a few scattered spots of light pitting but strong rifling. The metal surfaces
	fine pitting, the exposed iron surfaces a dark gray patina. The brass		of this "byf / 44" coded rifle retain about 95% original blue finish with
	frame retains about 90% original nickel plate with scattered tiny impact		spots of lightly cleaned pinprick pitting on the receiver, the barrel and
			rear sight assembly have toned to gray with a few spots of light
	marks and fine scratches, loss primarily flaking along the edges. The		
	smooth square butt rosewood grips remain very good showing light wear		oxidation, the triggerguard cleaned to gunmetal with light pitting, and
	and a thin flexing vertical crack along the interior of the right grip which		light wear on the floorplate; the bolt shows a mottled gray-blue patina.
	is also pencil numbered to the gun. Barrel lock-up has weakened with		The laminated hardwood stock is in very good condition as lightly
	time, the action remains crisp. With less than 400 produced this is a very		cleaned with two thin about 2" cracks radiating from the rear of the
	good example of these larger caliber double derringers. (5A9762-8)		triggerguard, a drying crack on the right side of the butt, and scattered
	{ANTIQUE} (800/1200)		handling marks; the flat steel buttplate is cleaned bright with a few spots
	Est. 800 - 1,200		of light oxidation. The faint remnants of two waffenamts are stamped on
1584	U.S. Model 1842 Percussion Pistol By Aston		the right side of the butt, a partially faded SS Totenkopf is stamped
	.54 cal, 8 1/2" barrel with a lightly pitted and oxidized bore. The metal		inside the triggerguard, and the stock and handguard are numbered to a
	surfaces of this pistol have mostly toned to pale brown and dark gray		different rifle. The bayonet mount, barrel bands, and buttplate are
	patina with scattered fine oxidation and pitting, moderate in the flash		numbered and matching to the stock, the bolt stop is mismatched, the
	area of the nipple bolster along with some tiny dings and impact marks.		bolt is renumbered to the rifle (with an incorrect suffix), the floorplate is
	The top left of the barrel has proper "M S / U.S. / GW / P" with a smaller		correctly numbered to the rifle and marked "byf" and "135" waffenamt.
	"JD" on the barrel flat and the rear tang is dated "1851". The lockplate is		The arm is fitted with what appears to be a more modern ZF-41 scope
	· · · ·		
	appropriately marked "U.S. / H. ASTON & CO." in front of hammer with		base. The rear sight base screw and triggerguard set screws are absent.
	vertical "MIDDTN / CONN / 1851" at the rear. The brass hardware is		The rifle appears to function well mechanically. An attractive Mauser
	mostly a soft goldenrod patina with tiny light handling marks, a small		K98k capable of mounting the ZF-41 scope, one of which is present in
	hole has been drilled in the heel of the grip. The walnut stock remains		this auction. (14B9896-98) {C&R} (800/1200)
	near excellent with slightly rounded edges, the usual light handling		Est. 800 - 1,200
	marks, a tiny hairline crack in front of the rear lock screw and two strong	1589	U.S Model 1896 Krag Bolt Action Rifle by Springfield Armory
	cartouches, the stock maintaining an attractive appearance overall. The		serial #55474, 30-40 Krag, 30" barrel with an oxidized bore. The barrel
	ramrod is in place and the lock functions mechanically. A nice Aston		retains about 80% arsenal blue which is thinning to a streaky blue-gray
	1842 percussion pistol. (5A9853-17) {ANTIQUE} (700/900)		patina under direct light with a small area of pinprick pitting on the right
	Est. 700 - 900		side of the barrel ahead of the upper band, light silvering at the muzzle
1585	Winchester Model 1894 Lever Action Rifle		and some scattered small spots of old light oxidation and light handling
	serial #367184, 38-55, 26" round barrel with a very good to near		marks toning to brown. The triggerguard and upper band retain much of
	excellent bore that has strong, sharp rifling throughout and a few very		their original bright blue showing numerous light handling marks and
	small pits. The metal surfaces are overall a mottled brown and gray with		some light high edge wear toning to gray. The buttplate is a
			lightly-oxidized gray-brown patina while the lower band retains all its
	areas of light to minor handling and tool marks, and some areas of minor		Inging University of the provide path a write the tower band relations all its
	areas of light to minor handling and tool marks, and some areas of minor		
	surface oxidation with some light pitting scattered throughout. The		original blue. The sideplate retains nearly all its original oil-quenched
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking,		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks
	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore.		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall.
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handluard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling and tool marks and has some areas of very light surface		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 rifles, the original stacking and sling
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling and tool marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the aten no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 rifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling and tool marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 rifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling and tool marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1806 rifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1806 Krag is very smooth and appears to function well mechanically. (23A9794-27)
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling and tool marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black walnut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 rifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling and tool marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1809 riges, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is very smooth and appears to function well mechanically. (23A9794-27)
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either side of the butt. The front sight features a modified silver blade that has		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 fifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is very smooth and appears to function well mechanically. (23A9794-27) (ANTIQUE} (700/900)
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light drings and handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either side of the butt. The front sight features a modified silver blade that has been ground short, the rear sight has been removed and its dovetail		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 fifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is very smooth and appears to function well mechanically. (23A9794-27) (ANTIQUE} (700/900)
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either side of the butt. The front sight features a modified silver blade that has been ground short, the rear sight has been removed and its dovetail remains vacant. Mounted to the upper tang is a Lyman combination rear peep sight. The action appears to function well mechanically. A solid		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 fifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is very smooth and appears to function well mechanically. (23A9794-27) (ANTIQUE} (700/900)
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either side of the butt. The front sight features a modified silver blade that has been ground short, the rear sight has been removed and its dovetail remains vacant. Mounted to the upper tang is a Lyman combination rear peep sight. The action appears to function well mechanically. A solid 1898-vintage rifle with a lot of character. (4A9896-160) {ANTIQUE}		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 fifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is very smooth and appears to function well mechanically. (23A9794-27) (ANTIQUE} (700/900)
1586	surface oxidation with some light pitting scattered throughout. The walnut stocks rate very good and have the usual light dings, flaking, chips and light handling marks seen on rifles from this era. The forearm features a steel forend cap, the buttstock has the crescent rifle steel buttplate. Rifle is sighted with a Beach combination front sight and has a Rocky Mountain sporting rear that is missing its elevator. Rifle features a button magazine. The action appears to function correctly and this 1907 vintage example should make a good shooter with its nice bore. (4A9836-1) {C&R} (800/1200) Est. 800 - 1,200 Winchester Model 1892 Lever Action Rifle serial #95904, 38 W.C.F., 24" octagon barrel with a good bore that has good rifling and some minor pitting throughout. The metal surfaces are overall a rich mottled brown that is fading to gray and blending with light handling marks and has some areas of very light surface oxidation. The walnut stocks rate very good and have light dings and handling marks and a few small chips. The straight grip buttstock features a steel crescent buttplate and has bilateral 3" cracks on either side of the butt. The front sight features a modified silver blade that has been ground short, the rear sight has been removed and its dovetail remains vacant. Mounted to the upper tang is a Lyman combination rear peep sight. The action appears to function well mechanically. A solid		original blue. The sideplate retains nearly all its original oil-quenched blackening while the receiver and loading gate display a mottled blend of pewter and brown patina with remnants of arsenal blue on the receiver. The bolt remains bright with very faint staining on the knob while the extractor retains nearly all its original brilliant fire blue. The smooth black wahut straight grip stock rates fine as cleaned during the period of use with a light coat of added oil finish showing some streaks of dark staining running from the buttplate to the triggerguard, a tiny chip to the right of the buttplate tang, a hairline crack in the handguard behind the rear band, and some scattered light handling marks overall. The faint circular outline of the firing proof is behind the triggerguard while the remnants of a boxed "JSA" inspector's cartouche is on the left flat with the date no longer visible. The barrel is sighted with a blade front and Model 1902 rear with swing-up aperture which is a correct arsenal upgrade for Model 1896 fifles, the original stacking and sling swivels are intact and a three piece cleaning rod and oiler are stored within the trap buttplate. The action of this attractive Model 1896 Krag is very smooth and appears to function well mechanically. (23A9794-27) (ANTIQUE} (700/900)

1590	U.S. Model 1922MII Bolt Action Rifle by Springfield Armory	Ι Γ	1593	German 1920 Commercial Luger Pistol by DWM
	serial #9383B, 22 LR, 24 1/2" 9-26 dated Springfield Armory barrel with			serial #5127i, 30 Luger, 3 7/8" barrel with a bright very good plus to near
	a bright excellent bore. This issue rifle retains about 98% arsenal			excellent bore showing a hint of minor frosting in the grooves and strong
	parkerized finish with a thin line of abrasion loss on the left side of the			rifling throughout. The metal surfaces of this pistol retain about 90%
	barrel along the wood line of the forearm and a few specks of oxidation.			factory-refurbished rust blue showing some high edge and operational
	The polished bolt remains bright and is marked "NS M2" on the bolt			wear, gripstraps thinning to gray-brown patina and a few mild pinprick
	handle and body, has the matching serial number electro-penciled on			pits. There are some light machining marks along the heel and most of
	the base and retains the second type slotted headspace adjustment			the stock lug has been ground off. The small parts retain very good
	screw in the lug. The receiver markings have a poorly struck second "I"			straw color showing mild silvering and the small springs and toggle pins
	and an off angle "B" serial number suffix that was common to this model			retain pale fire blue. The checkered walnut grips are un-numbered and
	when upgraded to the M2 specifications in the late 1930's. The walnut			remain in about good condition, the right panel showing a small chip
	fingergroove stock is in very good condition with a crisp "(circle) P" proof			near the magazine release cutout, the checkering showing moderate
	mark behind the triggerguard, a "(square) S.A." cartouche on the left			wear overall and the fit to the frame shows moderate gaps along the
	side of the buttstock and what appears to be a very faint "A AZ" rework			front edges. The trigger is numbered "08", the middle toggle piece and
	stamp above the triggerguard. The stock displays the scattered light			un-grooved firing pin are un-numbered and the remaining serialized
	impact marks, scratches and handling marks expected of a rifle used in			parts are matching. One original magazine with arsenal-blued body and
	competition or training and the checkered steel buttplate remains in			wood base is included, it is renumbered "1612" and rates very good with
	excellent condition with a few spots of oxidation staining. The rifle is			a serviceable spring. A very respectable inter-war commercial rework
	sighted with a Lyman 48 aperture rear sight, the original front blade sight			that may make for a fine shooter. (13A9897-29) {C&R} (700/900)
	with a 1903 sight protector installed and includes one unmarked	I L		Est. 700 - 900
	magazine. (25A9830-10) {C&R} (800/1200)	[	1594	German 1920 Commercial Luger Pistol by DWM
	Est. 800 - 1,200			serial #86192, 30 Luger, 3 7/8" barrel with a mostly bright very good
1591	Custom Heavy Flintlock Match Rifle by Elmer Herman			bore showing some light oxidation in the grooves, pinprick pits ahead of
	serial #32, 47 cal, 41" heavy octagon target barrel with false muzzle and			the chamber and strong rifling throughout. The metal surfaces of this
	excellent bore. Barrel retains about 96% original blue and is marked			pistol retain about 92% factory-refurbished rust blue with most of the
	"E.F. Herman 32" indicating the late Elmer Herman, muzzleloading			loss due to light high edge and operational wear, a few scattered
	barrel guru from Pasadena, CA. The generous benchrest style stock			pinprick pits and some areas toning to a deep plum-brown patina under
	appears to be California walnut and features a generous right side			bright light. The small parts retain much of their attractive straw color
	cheekpiece, numerous stylized brass inlays on the bottom of the stock			showing a little bit of silvering and mild freckling, the small springs and
	with an intricate pistolgrip cap and an aluminum target buttplate. The top			toggle pins show good pale fire blue and the edges of the grip screws
	of the buttplate is marked "stocked by R.E. Siler". The lock is an original			also show remnants of fire blue. All markings remain strong with the
	Tower marked 1835 musket lock that has toned to a nice mottled			back surface of the frame showing a lightly struck "GERMANY" period
	casehardened gray and the frizzen has been re-surfaced. The front sight			import stamp. The checkered hardwood grips are un-numbered and
	is a Lyman 17A globe sight mounted in a dovetail and the tang is fitted			remain in about very good plus condition showing some scattered lightly
	with a custom micrometer sight base attached to the tang with a			chipped points, minor handling marks and both retain nice fit to the
	Redfield micrometer aperture sight installed. The top barrel flat also has			frame. The middle toggle piece and un-grooved firing pin are
	an added fixed u-notch rear sight with a poorly executed dovetail cut			un-numbered and the remaining serialized parts are matching. The
	with tool marks on the flat. The dual set trigger will need adjustment as			action seems to function well mechanically and the pistol includes one
	the hammer will not set. The rifle includes a false muzzle, bullet starter,			post-war East German magazine in near excellent condition numbered
	an impressive fired target and extra globe inserts housed in a			"2 / 2607". A fine commercial rework that may make for a good shooter.
	homemade pine wooden case. The gun purportedly was featured in a			(13A9897-28) {C&R} (800/1200)
	February 1965 article from "The Firing Line" magazine of the California			Est. 800 - 1,200
	Rifle and Pistol Association and the article features a photograph of Ray		1595	German P.38 Semi-Auto Pistol by Mauser Oberndorf
	Day holding the rifle and displaying the new state and national			serial #7642y, 9mm, 5" barrel with a bright excellent bore. The metal
	record-holding target that he had shot with the gun. This is a massive 30			surfaces of this byf 44-coded pistol retain about 95% original blue with
	pound gun and would be loads of fun to shoot long range from a bench.			most of the loss due to some scattered tiny spots of minor pinprick
	Due to the size of the rifle, extra shipping charges will apply.			pitting and light oxidation staining along some of the high edges, some
	(25A9532-8) {ANTIQUE} (800/1200)			minor silvering and freckling on the barrel. All markings remain crisp and
	Est. 800 - 1,200			clear showing proper eagle firing proofs and "(Eagle) / WaA135"
1500				
1592	Burnside Rifle Co. Fifth Model Civil War Carbine			Waffenamts. The late-war grooved black plastic grips remain in near
	serial #2473, .54 cal, 21" barrel with a mostly bright about very good			excellent condition showing a few small dings and mild handling marks.
	plus bore showing some scattered light pitting and oxidation with			All of the serialized parts are matching, one original "(Eagle) / 359"
	otherwise strong rifling throughout. The barrel of this carbine has mostly			magazine is included and the action seems to function well
	toned to a mild gray-brown patina showing some scattered remnants of			mechanically. A very nice late-war Mauser for the martial collector.
	old light pitting and minor brown freckling. The action has mostly toned			(13A9897-34) {C&R} (700/900)
	to an attractive silvery case-hardened patina again showing some			Est. 700 - 900
	remnants of minor pinprick pitting and brown speckling. There are a few		1596	German Army-Marked Walther PP Semi-Auto Pistol
	small moderate dings along the top edges of the action and the saddle			serial #224299p, 32 ACP, 3 7/8" barrel with a bright excellent bore. The
	ring bar is bent in slightly but this is unobtrusive. The upper tang shows			metal surfaces of this third variation army pistol retain about 70%
	some remnants of original bright blue and the markings have softened			original bright blue showing moderate high edge and holster wear,
	slightly but remain intact and legible. The smooth walnut stocks remain			gripstraps toned to smooth gunmetal gray patina and a few scattered
	in fair-good condition showing some older added finish over moderate			smoothed-over tiny pits. The trigger has taken on a nice plum patina and
	and a good condition proving come older added inition over modelate			all markings remain intact and strong with crisp "(Eagle) / N" commercial
				proofs on the right side and "(Eagle) / WaA359" Waffenamts on the left.
	dings and mild abrasions along with a few light chips along the edges			
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend;			
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel			The black checkered Bakelite grips with Walther banners remain in good
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 $1/2^{\circ}$ spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period replacements and the barrel and breechblock are matching the frame.			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the left panel with some small scuffs and handling marks. The slide is
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 $1/2^{\circ}$ spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period replacements and the barrel and breechblock are matching the frame.			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the left panel with some small scuffs and handling marks. The slide is
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period replacements and the barrel and breechblock are matching the frame. The original sights, saddle ring and rear swivel remain intact and the			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the left panel with some small scuffs and handling marks. The slide is matching the frame and the pistol includes one original magazine in very
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period replacements and the barrel and breechblock are matching the frame. The original sights, saddle ring and rear swivel remain intact and the action seems to function well mechanically. A very good Burnside			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the left panel with some small scuffs and handling marks. The slide is matching the frame and the pistol includes one original magazine in very fine condition that is stamp-numbered matching the pistol. The action
	dings and mild abrasions along with a few light chips along the edges and a repaired 1 1/2" spot of filler at the rear left corner of the forend; there are still two visible cartouches along the left side wrist. The barrel band, the breechblock retainer pin and its small plunger are older period replacements and the barrel and breechblock are matching the frame. The original sights, saddle ring and rear swivel remain intact and the action seems to function well mechanically. A very good Burnside carbine with a lot of character. (13A9819-5) (ANTIQUE) (800/1200)			The black checkered Bakelite grips with Walther banners remain in good condition, the right panel showing a 2" crack along its front edge and the left panel with some small scuffs and handling marks. The slide is matching the frame and the pistol includes one original magazine in very fine condition that is stamp-numbered matching the pistol. The action seems to function well mechanically. A very good example of a desirable

1597	German P.38 Semi-Auto Pistol by Walther		1601	Armalite AR-30A1 Standard Bolt Action Rifle
	serial #9177f, 9mm, 5" barrel with a bright very good bore showing some			serial #212741, 308 Winchester, 26" barrel with an excellent bore. The
	light pitting in the grooves and strong rifling throughout. The metal			barreled action retains near 99% original manganese phosphate finish
	surfaces of this ac 43-coded pistol retain about 85% original blue with			with some scattered handling marks and blemishes, most of which do
	most of the loss due to some cleaned light pitting and toning to gray			not penetrate the surface. The aluminum forestock retains 99% original
	along the right side slide, frontstrap toning to gunmetal gray and some			matte black anodized finish with some scattered handling marks and the
				5
	scattered light handling marks. All markings remain intact and strong			black polymer checkered A2 grip and skeletonized buttstock with
	with proper eagle firing proofs and "(Eagle) / 359" Waffenamts. The			polymer comb are excellent. The receiver is outfitted with 6 1/2"
	grooved reddish brown phenolic resin grips remain in excellent condition			picatinny optics rail and an AR-30 muzzle brake is fitted to the barrel.
	showing perhaps a few minor handling marks. One original "(Eagle) /			Included is an original single stack factory magazine. (22A9319-9)
	135" magazine is included, the serialized parts are matching and the			{MODERN} (2000/3000)
	action seems to function well mechanically. (13A9896-6) {C&R}			Est. 2,000 - 3,000
	(700/900)		1602	Auto Ordnance Thompson Model 1927 A1 Semi-Auto Carbine
	· ,		1002	
	Est. 700 - 900	4		serial #KP4226, 45 ACP, 16 1/2" finned Cutts Compensator barrel with
1598	Remington New Model Army Percussion Revolver			an excellent likely unfired bore. The metal surfaces retain 99% plus
	serial #62406, .44 cal, 8" octagon barrel with a partially bright fair-good			original blue. The smooth walnut buttstock and vertical foregrip are
	bore showing some scattered pitting and old oxidation with strong rifling			excellent plus, this is an as-new example of these iconic firearms. The
	throughout. The barrel and frame of this revolver have mostly toned to a			carbine is equipped with factory open sights and comes with the original
	mottled gray and mild plum-brown patina showing some scattered			foam fitted hard case containing a single 20-round stick magazine,
	remnants of mostly smoothed-over fine pitting and some light dings. The			manual and lock. This arm is as-new-in-box, dealer stock, factory
	cylinder is a more modern replacement retaining about 95% blue finish			fired-only, and may have a very small rack or handling mark only.
				(14B9319-20) {MODERN} (1000/1500)
	showing some light operational wear and a few brown freckles. The			
	loading lever and base pin also appear to be more modern			Est. 1,000 - 1,500
	replacements and show remnants of a bright fire blue finish with overall		1603	Beretta A400 Xplor Light Semi-Auto Shotgun
	silvering. The hammer is a silvery gray patina, the triggerguard has			serial #XA030870, 12 ga., 28" ventilated rib Optima-choke barrel with a
	toned to a nice rich ocher patina and the trigger retains some flakes of			bright excellent bore. The barrel retains about 99% original blue while
	bright fire blue along its edges. The barrel address and patent date			the alloy receiver retains 99% original platinum anodized finish. The
	remain completely legible and the various components show strong			black polymer triggerguard and forend tip rate excellent plus. The
	sub-inspector stamps. The smooth walnut grips remain in about very			checkered select walnut pistolgrip stock and forend rate excellent with
	good condition showing some dings along the bases and moderate			perhaps a faint handling mark or two and the forend features an
	edge wear on the left panel. The grips appear to be un-numbered but fit			attractive Berretta Trident logo in relief in the checkering. The shotgun
	the frame well and the left panel retains a softened cartouche. The			features Blink technology enabling it to fire four rounds in less than one
	barrel and triggerguard are matching the frame and the action seems to			second and the stock is equipped with Beretta's Kick-Off hydraulic
	function well mechanically with solid timing and lock-up. Included is a			recoil-dampening system which they claim makes this shotgun have
	nicely made more modern mahogany case with red baize lining that			70% less recoil than its nearest competitor. Included is the original
	rates very good showing some dings and light staining along the exterior			factory hard case, manual, Berretta gun oil, two quick detach sling
	and some mild staining and scuffs along the interior. (13A9819-1)			swivels, an extra set of drop and cast spacers, choke wrench and the
	{ANTIQUE} (600/800)			following three Optima chokes: full, modified and cylinder. The barrel is
	Est. 600 - 800	4		sighted with a silver bead and the action of this lightweight shotgun
1599	German Army-Marked J.P. Sauer 38H Semi-Auto Pistol			appears to function well mechanically. Between its cutting edge
	serial #359243, 32 ACP, 3 1/2" barrel with a bright excellent bore. The			technology and lovely looks, this shotgun should be ideal for someone
	metal surfaces of this pistol retain about 92% original blue showing			who demands the very best. (23A9319-31) {MODERN} (800/1200)
	some mild thinning to gray-brown patina along the slide and gripstraps,			Est. 800 - 1,200
	some scattered small specks of light oxidation staining and a couple		1604	Franchi Renaissance Elite Over Under Ejectorgun
	small dings near the muzzle and a small scuff on the backstrap. All			serial #TA03975, 12 ga., 27 1/2" ventilated rib screw-choke barrels with
	markings remain intact and crisp with "(Eagle) / N" commercial proofs on			excellent bores. The barrels retain 99% plus original blue and the trigger
	the right side and "(Eagle) / 37" Waffenamt on the left side triggerguard.			retains all its original gold plate. The fully-engraved silver-finished frame
	The original checkered black Bakelite grips with "SuS" monogram on the			with gold inlays is excellent, there is tight scroll with floral motifs
	left panel remain in excellent condition showing just a few scattered light			throughout and a wonderfully-sculpted lever tip that mimics the scroll
	handling marks. One original magazine in near excellent condition with			engraving. The attractive gold accents consist of a rose on the lever, a
	grooved "SuS" alloy floorplate is included and the slide and breechblock			pheasant in flight right, a mallard in flight left and small flowers on the
	are matching the frame. The action seems to function well mechanically.			bottom of the rolled-edge triggerguard. The checkered AA walnut
	An attractive example of these quality Sauer pistols. (13A9896-26)			round-knob pistolgrip buttstock and finger-groove forend are excellent,
	{C&R} (600/800)			there are just a couple tiny blemishes and the figure is fantastic. The
	Est. 600 - 800			buttpad is factory-fitted with a Technogel insert, the length-of-pull is 14
1600	Japanese Type 14 Semi-Auto Pistol by Nagoya Toriimatsu	4 I		1/2" with drops of 1 1/2" and 2 1/8". The ejectors are strong, the safety
1000				, , , , , , , , , , , , , , , , , , , ,
	serial #53208 (Series 2), 8mm Nambu, 4 1/2" barrel with a bright			is automatic and the chambers are 3". Included is the original hard case
	excellent bore. The metal surfaces of this August 1944 date-coded pistol			with manual and choke wrench with four choke tubes: lead
	retain about 97% original dull blue showing some light high edge and			modified/steel full, lead improved cylinder/steel improved modified, steel
	operational wear and a few tiny specks of mild oxidation staining. The			cylinder and lead full. This arm is as-new-in-box, dealer stock, factory
	pistol shows the usual late-war rough machining marks in some areas			fired-only, and may have very small rack or handling marks only.
	and the finish is toning to a pleasant deep plum patina under bright light.			(22A9319-108) {MODERN} (800/1200)
	All markings remain crisp and clear. The grooved Asian hardwood grips			Est. 800 - 1,200
	are stamp-numbered to the gun and remain in near excellent condition		1605	Smith & Wesson Model 25-15 Classic Light Target Revolver
	showing a couple tiny chips along the grooves on the left panel and			serial #CVL1471, 45 Colt, 6 1/2" light barrel with an excellent bore. The
	some scattered light handling marks. Interestingly the striker number is			· · · ·
	5 5 5,			metal surfaces retain 99% plus original blue. The M.I.M.'s .400" serrated
	off by one (207), likely a factory error, its extension is un-numbered and			target trigger and .500" target hammer retain strong but subtle
	the remaining serialized parts are matching. Included is one blue-bodied			case-hardened colors. The diamond checkered factory target grips with
	aluminum base magazine in near excellent condition that is matching			gold S&W medallions rate near very good showing no wear aside from a
	the pistol and the action seems to function well mechanically. An			check running from the top of the left panel to the medallion plus a crack
	excellent late-war Nambu pistol for the martial collector. (13A9897-37)			running to the escutcheon on the back side of the panel. One can
	{C&R} (600/800)			deduce this may be a factory defect or cracked after shipping. The gun
	Est. 600 - 800			features a Patridge front sight and black blade micro adjustable rear
L		J I		sight. The revolver includes the original factory hard case that is
				correctly end labeled and numbered to the gun, internal lock keys, lock,
				fired case, manual and paperwork. This arm is otherwise as-new-in-box,
				dealer stock, factory fired-only, and may have very small rack or
				handling marks only. (89319-768) {MODERN} (700/900)
				Est. 700 - 900

<ul> <li>Arney / Chicoper / Meas<sup>+</sup> parchment scoll addres on the reverse face at the downs. The birth exceeding table is a downs. The birth is downs. The birth birth is downs. The birth is downs. The birth is downs. The b</li></ul>				
<ul> <li>sepped and narrow unstepped fullish. The incises is marked with the 'unear's (<i>L</i>) <i>J P</i>, <i>I</i> (<i>B</i><sup>0</sup>) on the devests. The high excelents base droves any unstepped fullish. The incises is marked with the droves any unstepped fullish. The incises is marked with the droves any unstepped fullish. The incises is marked with the gradement product of the located fuely sequences and the other any of the unstappend fuels of gradement fuels. We have gradement product of gradement fuels with the located fuely sequences gradement product of gradement fuels with the located fuely sequences gradement product of gradement fuels and the located fuely sequences fuels and universe and located fuels (<i>L</i>) (<i></i></li></ul>	1606	U.S. Model 1860 Cavalry Saber by Ames	1610	Superb U.S. Model 1850 Foot Officer's Sword by Collins
<ul> <li>Yines / Chicope / Near Justice functions and subsets on the reverse face and the state due to subset and the subset and subsets on the reverse face and the subset subset subset and the subset subse</li></ul>				37" overall, 31" straight single-edged spear point blade with wide
<ul> <li>and 'U.S. <i>1/2</i>, <i>1</i>, <i>1</i>, <i>1</i>, <i>1</i>, <i>1</i>, <i>1</i>, <i>1</i>, <i>1</i></li></ul>		stopped and narrow unstopped fullers. The ricasso is marked with the		stopped and narrow unstopped fullers. The ricasso is marked "Collins &
<ul> <li>Introduction of the revenies and factor of the control data strong particular data strong particular</li></ul>		"Ames / Chicopee / Mass" parchment scroll address on the reverse face		Co. / Hartford / Conn / 1862" on the reverse face. Either face of the
<ul> <li>gray tatis, space inty handling marks, and serv mitted dings along the distribution of the di</li></ul>		and "U.S. / J.P. / 1865" on the obverse. The bright excellent blade		blade is decorated by frosted panels depicting oak leaf sprays, U.S.
<ul> <li>In einstangenet facing erfagt. The hilds lead of the chart family. The black leads and group of the chart family undering ensuity in the scale of other on capital data. The leads of particular state and minimal week of any know better of group and leads with group and leads of the chart family undering ensuity in the scale that the scale of the chart family undering ensuity in the scale that the scale of the chart family undering ensuity in the scale that the scale of the chart family undering ensuity in the scale that the scale of the chart family undering ensuity in the scale that the scale the scale that the scale the scale that the scale that the scale that the scale the scale that the scale the scale that the scale that the scale the scale that the scale the scale the scale that the scale that the scale the</li></ul>		shows a near-mirror finish with the barest sparsely scattered flecks of		lettering on the reverse and Federal Eagle on the obverse. The bright
<ul> <li>goldenoid moted by win areas of light actors trunch. The black learning opin and endor with win sections? a black advancement is black advancement. Deve advancement is black advancement</li></ul>		gray patina, sparse tiny handling marks, and a few minute dings along		excellent blade shows only occasional negligible handling marks and
<ul> <li>grip an early unbernied except for one two negligible south and maximum section. The include south of is four section. The include south of is four section. The include south of is four section. The include south is four section. The include section is four se</li></ul>		the unsharpened factory edge. The hilt is toned to an overall warm		some light cloudy flecks of gray patina near the tip. The etching remains
<ul> <li>Intel excellent. The included scabbard is full in fair to good condition, heaving priving and share of many states. Except to same sight a failors and scabbard is full interview. The stellar one shows an overall motted factore and a fair to good the stellar states and the twist scabbard is states. A state state is the scabbard is states with a many state is states and the states and the scabbard is states. The stellar states are states and the scabbard is states and the scabbard is states and the scabbard is states. The states is states and the scabbard is states and the scabbard is states and the scabbard is states. States are states and states are states and states are states and states are states and states and the scabbard is states. The states is states are states and states are states and states are states and states and the scabbard is states. The states is states are states and states and states are states are states and states are state are states are states are states are states are states are st</li></ul>		goldenrod mottled by thin areas of light ocher tarnish. The black leather		crisp and clear with tiny instances of bubbling visible only under strong
<ul> <li>Intel excellent. The included scabbard is in fair to good condition, heavy profiled and showing ballow prime more in the ballow prime more intermediates and the twisted scabbard is allow prime more intermediates and the ballow prime more intermediates and the prime ballow prime more intermediates and the ballow prime more intermediates and the prime ballow prime more intermediates and the ballow prime more intermediates and the prime ballow prime more intermediates and the ballow prime more and the ballow prime more intermediates and the ballow prime more and the ballow prime mor</li></ul>		grip is nearly unblemished except for one or two negligible scuffs and		light and close inspection. The hilt is gilt brass with strong original gilt,
<ul> <li>Items/ politied and showing a hallow prime mostly in the lower half.</li> <li>The stead more shows on overall monted forow and bright burnished deformation: can be sen. A very fine Amac cauging saler with a manetolus black and salitility classes fitting. (1248383-9) [Bruce Structure Calcional (1920004)</li> <li>St. Model 1850 Calcional (1920004)</li> <li>St. Model 1850 Calcional (192004)</li> <li>St. Model 1850 Calc</li></ul>				
<ul> <li>The steel new shows an overall motted boxm and bright trunined provers in whorling marks the base in deliver and ne drings or deformations can be seen. A very line Armes cavely side rule with a market base with binding the section of the section of</li></ul>		-		· · ·
<ul> <li>pewer: any handing marks have been buffed out and no dings or deformations can be ease. A wey fine Ames cavaly suber with a marvelous blade and skilling cleaned filtings. (12A8938-9) [Buce Structure Collection] (600000)</li> <li>U.S. Model 1800 Cavally Suber by Mansfeld &amp; Lamb 411 ° coveral, 34 12° curved angle-adget training point blade with wide subget of an arrow into group of lambs. The inclusion is marked American Structure Collection (100000)</li> <li>East . 600 - 800</li> <li>U.S. Model 1800 Cavally Suber by Mansfeld &amp; Lamb 411 ° coveral, 34 12° curved angle-adget training point blade with wide subget of an arrow intography and handing marks and testin structure and 10.5 <i>J. J. J</i></li></ul>				
<ul> <li>deformations can be seen. A very line Amee cavely safe with a marked part of barde south fronzional constance of the state of south of barden barden constance of the state of south of barden barden constance of the south of barden ba</li></ul>		-		• ·
<ul> <li>Intervetus Bade and skill kill, deared liftings, (12A6938-9) [Bruce Struger Collection] (60000)</li> <li>U.S. Model 1805 Cashly Suber by Mansfield &amp; Lamb 41° overall, 34 1° circuit and particular balance in market and the shore of y particular balance in the shore of the same in U.S. for different U.S. for different to the overall set of the ov</li></ul>				-
<ul> <li>Stroyer Collection (600/800)</li> <li>Ett. 600 - 800</li> <li>U.S. Model 1806 Cavaluy Salor by Mansfeld &amp; Lamb</li> <li>41" overall. 34 U<sup>2</sup>: curved single-edget tables on the with winds incoped and narrow unstoped fullers. The rices is marked "Mansfeld / &amp; Lamb / Treads in File File Salor Salor</li></ul>				, and the second s
<ul> <li>Est. 602 - 800</li> <li>TOJ. U.S. Model 1860 Canvaly Staber by Mansfeld &amp; Lamb 41° overall, 34 12° curved single-edged trailing point black with wide scoped and narrow unspecifyed lines. The fusions is marked "U.S. / J.M. / 2 / 1864" not a down in the piget excellent black shows only light polaring marks visible under light and a few iny lings on the unspect memory black polaring marks visible under light model and any light polaring marks visible under light model and any light polaring marks visible under light model and any light polaring marks visible under light model and overall thas a three very line. The state lacaburd is browned over cascinant emenants of light texturing. Calectical (Status) 2.4.0.0.2.400</li> <li>U.S. Model 1832 angoon Saber by Ames 30 147 overall, 34 12° single-edged spear point black with a 10 12° shape-artified edged spear point black with a 10 12° shape and light model and overall thas a schule tamber. The transities are allow and brown on the tambers, the scattered small collection (Status) and anothing marks and very light polarities and very light polarities and anothing marks and with necks or pane and sould convert shape and handling marks and table sould be an introficient and with receiver light status or noverall guidenci with status of advert throw and other-inged tamish on the stype shapes. The tarsis is scratch-angraved N P A / Cuter / Spingfield / 1836' on the downs in scratch-angraved N P A / Cuter / Spingfield / 1836' on the downs polarine drast with shape and handling marks and version in the pige-backed and table with a 10 12° status are wither the edges. An excellent scatbard is included, schwing worth memory and light worted and the pige-backed and the status are black. The hill and horse in the pige-backed and the status are black in the course in the pige-backed and the and the scratch-angraved N P A / Cuter / Spingfield / 1836' on the downs in scratch-angraved N P A / Loui / 1260' Status and tesso - 800</li> <li>U.S. Model 1830 Stat &amp;</li></ul>				
<ul> <li>1607</li> <li>U.S. Model 1680 Cavaley Saler by Manifeld &amp; Lamb</li> <li>41 Original gill. A high yattackive near-mint U.S. foot officer's sourd.</li> <li>(12884) A transmitter of single-edged training point blade with wide stopped and rarrow unstopped fullers. The rotasso is marked 'Manifeld / &amp; Lamb / Forestafale R: L1 and v.2. Alloy Cavaley Saler by Broce Shroyer Collection (1200/240)</li> <li>1611 U.S. Model 1582 Anlilery Sword by Arnes 325 (14" overall. 10.14" double-edged leaf-haped spar point blade wither only plan polishing marks visible under light surface carcing but no marker loss and rates very fine. The state is acaband as always on y light polishing marks visible under light surface carcing but no marker loss and rates very fine. The state is acaband as always on visible and minute fields. G remnant pains. The leafter grip shows some age driving and light surface occasion at remnants of light trace accellent blade by parapelina, and with light optication of the area and R-H.K.W. on the leafter and R-H.K.W. on the reverse and T.K.H.W. on the overse and T.K.H.W. on the light and the second bio statistic stating, overall and visible and here scale acaband is included. The state shows and cerval sol 1/22 minutes and visible and have acable and overall fine as refinished. An attractive civility worth meritor. The marking as an sightly deleted in a spit huming marks and babe state in a spit bio mark or the state with a 10 1/22 minute state with research and state with recease in a state with a state of data fractor and accellent in conversal state state and and overall the as a phalming marks and eminants of data fractor and accellent with finds of beneface and endowersal to face acaband has a state bene hander. Advibing an overall more state with finds and subte transmits of data and overall the state and the state and the state acaband has a state bene hander and subte state and eminants of data fractor and endow with high states and the marks?</li> <li>1600</li> <li>1611 U.S. Model 1630 Statf</li></ul>				-
<ul> <li>41" overall, 34 1/2" curved angle-edged trailing point black with wide stope of yassing the stature of hists of cleaned in this gray partian, they polishing marks visible under light and a few tiny gray partian. The bright excellent black is polished parts with black and black and yassing the probability of the stature of the stope of the stope of the stature of the stope of the stature of the stope of</li></ul>	1607			
<ul> <li>stopped and narrow unstopped fullers. The ricesso is marked "Mansfledi (<i>k</i> Lamb / Forestalle R.1. <sup>11</sup>: an ovalian the inverse and "LR.1. <i>M.J.</i> (<i>z</i>). Model 1832. Antility Sword by Ames scattered thins drive and the unshappened factory edge. The brass hit has also been outgoing and strategy and the unshappened factory edge. The brass hit has also been outgoing and strategy and the unshappened factory edge. The brass hit has also been outgoing and strategy and the unshappened factory edge. The targe careful of the unshappened factory edge. The brass hit has also been outgoing and strategy and the unshappened driving and printing and strong outgoing and strong outgoing and strategy and the obverse factor strate very line, strategy careful of the unshappened factory edge. The stepse strategy careful of the unshappened factory edge. The strategy strategy with the unshappened factory edge. The strategy careful of the unshappened factory edge. The strategy strategy strategy with the strategy careful of the strategy strategy strategy with the strategy careful of the strategy worth meating and existing and collation. The blade is poliabed triphs, scattered froughout with strates of darker torwing an obversimal print the strategy strategy and the unshappened strategy strategy strategy strategy and the unshappened wisible and the escaber and is in fine condition. Strate strategy strategy for the days strategy strategy strategy strategy strategy strategy strategy strategy strat</li></ul>	1007			
<ul> <li>14 Lamb / Forestale R.1<sup>+</sup> in an oal on the reverse and 'U.S. / J.M. / 2</li> <li>1611 U.S. Model 1452 And large Yaward by Ames</li> <li>27 4 Lamb / Forestale R.1<sup>+</sup> in an oal on the bright excellent libed shows only give polating marks visible under fight and a few timy digs on the unbargened factory edge. The bright near second many polating marks are visible and aboves only give polating marks are visible and aboves only give polating marks are visible at a brief or the doverse face and 'Ames (J. J. H. / 1986') and a doverse and "J.H.' on the doverse face and 'Ames (J. C. A. / Chicklere' on the obverse face and 'Ames (J. L. / 1986') and bar the obverse face and 'Ames (J. L. / 1986') and bar the obverse face and 'Ames (J. L. / 1986') and the obverse face and 'Ames (J. L. / 1986') and the obverse face and 'Ames (J. L. / 1986') and the obverse face and 'Ames (J. L. / 1986') and the obverse face and 'Ames (J. L. / 1986') and the obverse face and 'Ames (J. L. / 1986') and the obverse face and 'Ames (J. L. / 1986') and the obverse is included.</li> <li>1608 U.S. Model 1432 Dragon Saber by Ames 33 1/4' overall, 34 1/2' single-dgd span point blade with a 10 1/2' false dege standing behavior the typice hasked spine. The faces is included.</li> <li>1608 U.S. Model 1432 Dragon Saber by Ames 1200', and 'Ames and and obverse face, merinder of marks are visible of an intractive condition. (12A9838-29) [Bruce Shroyer Collection] (20090)]</li> <li>1612 U.S. Model 1430 Dragon Saber by Ames 1200', and the start bard on order the start share the start is the face of the start face is a direct order and the start face order of the start share the start is the start face order of the start face order the start is the start is</li></ul>				
<ul> <li>1864<sup>+1</sup> on the olverse. The bright excellent blade shows only sparsely called thirs of deamed the scattered sense that for the unserver is the third and neural the set of scattered the scattered sense that and neural the set of the scattered sense the third and neural the set of the scattered sense the third of the phenometer of the scattered sense that and neural the set of the scattered sense that and neural neural set of the scattered sense that and neural neural set of the scattered sense that and neural the set of the scattered sense that set of the scattered sense sense the scattered the scattered the scattered sense the scattered the scattered sense sense the scattered sense and the scattered the scatt</li></ul>	1			
<ul> <li>scattered hits of deaned thin gray patina, timy polishing marks visible under fight and a few timy dings on the undersprend factory edge. The brass hill has also been cleaned and shows only light polishing marks and minute flexs of memory patina. Steather grip shows some age drying and light surface cracking but no material loss and rates very fine. The sistel scatabard is bear find shows nome age and allow politing and smooth oxidation staining, overall appearing lightly mottlesh and overall fine as refinished. An attractive Colific and collection (1208038-27) [Bruce Shrower Collection] (500700)</li> <li>IEOB U.S. Model 1830 Dragon Saber by Ames 30.147 "overall. 34.12" single-dogd spacer point blade with a 10.12" take dege attornding bench the pip-backed dig him. The rice class is a showing pripht brans mounts flexel with thing dots of control. The least brais flight access is some stress the lightly cleaned to an overall goudernod with regold spacer point blade with a 10.12" take dege attornding bench the pip-backed spine. The ricesso is engraved with the collection (1200000) [Est. 700.0000]</li> <li>IEOB U.S. Model 1830 Dragon Saber by Ames stress this lightly cleaned to a mouth accellent target age and the pip-back of cleaned subble light and the lock. Some stress this lightly cleaned to any target age and the societ stress of laster brows and the lock shares of cleaned subble light light and the scabard is a fine condition. at which and the scabard is a fine condition at which and the scabard is a fine condition at the light and the scabard is a fine condition at the light and the scale and the scale scabard blade with a dilptical cross-section. Tables at the lock with an dilptical access-the tode of his badie is the lock with a dilptical access-the tode and the scale and the scale scabard blade at his is a fine free condition. The mark is the lock with a dilptical access-test blade with a light areas and the marks or downand with the scale and the scale. The histis do the marks at the</li></ul>			1611	
<ul> <li>under light and a tew tim ydings on the unsharpend factory edge. The bross soft sett of characterization of high polishing marks and minute flecks of remnant pains. The leather gip shows some age dying and light surface cracking but on material loss and rarks even fine. The steled scabbard is browned over cocasional remnants of light test. The steled scabbard is browned over cocasional remnants of light test. The steled scabbard is browned over cocasional remnants of light test. The steled scabbard is browned over cocasional remnants of light test. The steled scabbard is browned over cocasional remnants of light test. The steled scabbard is browned over cocasional remnants of light test. The control content on very light polishing and handling marks are dege stelending bench the light beach of the steled scabbard is included. An attractive condition. The marking are stightly schemed splant. The intervent is the dege. An excellent scabbard is included. Showing bright brass mounts fielded with a 10 1/2" raise dege extending beach days light of the steled splant. The inclused is about excellent is polished bright, scattered throughout with specked areas of cleaned oxidation testuring. Few if any handling marks or deformations are visible and the scabbard is light descention. (12A9838-29) [Bruce Shroyer Collection] (600700)</li> <li>1607 U.S. Model 1840 Dight Artillery Saber by Arnes 37" overall. An as labo been cleaned, exhibiting an overall motion is scattered throughout with specked areas of cleaned oxidation testuring. Few if any handling marks or deformations are visible and the scabbard is light descenter (12A9838-21) [Bruce Shroyer Collection] (600700)</li> <li>1607 U.S. Model 1840 Dight Article start equilation-issue cavaly saber. (12A9838-21) Bruce Shroyer Collection] (600700)</li> <li>1618 Scattered by the downed is sence and thermat for test is fine condition. Start regulation-issue cavaly saber. (12A9838-21) Bruce Shroyer Collection] (600700)</li> <li>1619 U.S. Model 1840 Dight Argen panelines</li></ul>				
<ul> <li>brass hill has also been cleaned and shows only light potishing marks and minute flexts of memory paints. The breaker gip shows some age dying and light surface cracking but no material loss and rates very fine. The stead scabbard is browned over cocasional lemnants of light the texturing, cleaned shallow pitting and smooth oxidation staining, overall appearing lightly motifed and overall fine as refinished. An attractive Crill war cavary sader which has been well cared for. (12A8338-27) [Bruce Shroyer Collection] (500700)</li> <li>Dis. 500-700</li> <li>Dis. Model 1833 Dragoon Saber by Ames 39 1/12" single-degid spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricitaso is scratch-engraved '1N-A / Cutter / Spingling (11383" on the obverse face, remainder of maker mark lost to fading and oxidation. The blade is polished bright, scattered throughout with secked and the scabbard is no fine erg pi and pommel. Only a few tiny handling scabbard, no then the edges. An estellarit stababat is in louded, showing few blamishes except some surface loss at the forward edges. The stein that is lightly cleaned to a motified dark podiemo-twine floxibit, scattered throughout with secked size host of deling oxidation texturing. Few if any handling marks or deformations are visable and the scabbard is a fine condition. Overall hight areas and remants of cleaned oxidation texturing. Few if any handling marks or deformations are visable and the scabbard is sched with an elliptical cross-secie. The bright near sociellen tables withows or deformations are visable and the scabbard is sched with frost panels depicting foliate scroll approach back least regis the frost-etching is lipity schered but the desits remaint crisp and black strageres gip, rating scale lease schere frast regulation-issue cavally saber. (12A838-12) [Bruce Shroyer Collection] (600700) Est. 600 - 800</li> <li>List. 600 - 800</li> <li>List. 600 - 800</li> <li>List. 600 - 800</li> <li>List. 60</li></ul>				
<ul> <li>and minute flecks of remnant pains. The leather grip shows some age dry and light sufface cracking but no material less and networks of light texturing, cleaned shallow pitting and smooth oxidation staining, overall appearing lightly motified and overall time as refinished. An attractive Civil War cavally saber which has been well cared for. (12A9838-27) [Bruce Shroyer Collection] (500700)</li> <li>BUS. Model 1833 Dragoon Saber by Ames 33 1/4" overall, 34 1/2" single-dged spear point blade with a 10 1/2" takes deg extending behind the pipe-backed spine. The rises as it as a field work with traces of darker torown an oche-ringed tarnas multis leaded with grid doubed there are mark to st of toriang and existence of the lades is polished to a mitror dubit signify and shows no more than shallow sufface scuffs. Anghy appealing example do rober. The leader is grid and sudiation. The blade is polished to a mitror dubit signify cleaned to a motified dark for a mitror dubit and and oxid antices as the above setting and available tarrish. The blade is grid and and and and and and and and and an</li></ul>				
<ul> <li>drying and light surface cracking but no material loss and rates very fine. The sete scabard is torwored very accosional remnants of light resturing. General shallow pitting and smooth oxidation staining, overall appearing lighty motified and overall ines refinished. An attractive Cvill War careally sabar which has been well cared for. (12A9838-27) [Bruce Shroyer Collection] (600/700)</li> <li>1608</li> <li>U.S. Model 1833 Dragoon Saber by Arnes</li> <li>1608</li> <li>U.S. Model 1833 Dragoon Saber by Arnes</li> <li>1608</li> <li>J. S. Model 1833 Dragoon Saber by Arnes</li> <li>1608</li> <li>J. S. Model 1833 Dragoon Saber by Arnes</li> <li>1608</li> <li>J. S. Model 1833 Dragoon Saber by Arnes</li> <li>1608</li> <li>J. S. Model 1833 Dragoon Saber by Arnes</li> <li>1609</li> <li>U.S. Model 1840 Light Ariting's and oxidation. The blade is oxidation texturing. Few if any handling marks or dofermed and equips. The stass to logithy motified (1833" on the obverse moverall motified dark trown with bright arreas and remarks or doleaned oxidation texturing. Few if any handling enandsk or dofermeter grp is very fine. showing few blemishes except some surface loss at the roward and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A838-12) [Bruce Shroyer Collection] (600/800)</li> <li>1609</li> <li>U.S. Model 1863 Datif &amp; Foot Officer's Sword by Arnes 37° overall, motified cards in strate secolement blade is scattered by thin coduce of light pwer leader saber data sate scales and has a few light flexics of restand trougher with minimal wera and markenes; the frost-etching flight secole abder sites as a constraint secolement blade is scattered by thin coduce of light pwer leader scales and the frages in the strate wisible and the scabbard is scriftly experiments and the scabe strate scatter the strategistic as a data secole with an elliptical cross-section. (Model 1803 Data) fires soure by the scatter of thin codd of light pwer parter bl</li></ul>				guard is inspector-marked "J.H." on the obverse and "R.H.K.W." on the
<ul> <li>The steel scabbard is browned over occasional remnants of light resturing. General Shabard is browned over occasional remnants of light restures of a status participation partite participation participation partit</li></ul>		and minute flecks of remnant patina. The leather grip shows some age		reverse. The bright near excellent blade is polished to a mirror finish with
<ul> <li>texturing, cleaned shallow pitting and smooth oxidation staining, overall appearing lipity motified and overall flows a triated werk. Net a strategive Coll edition (500/700)</li> <li>Est. 500 - 700</li> <li>1608</li> <li>U.S. Model 1333 Dragoon Saber by Ames</li> <li>30 147 overall, 34 127 single-dged spear point blade with a 10 127 false dege extending behind the pipe-backed spine. The ricasso is scratch-engraved "TNA / Cutter / Spinefield / 1335" on the obverse face, remainder of maker mark lost to fading and oxidation. The blade is polished bright, scattered throughout with speckled areas of deamed smoky gray patina. The brass hilt is fight cleaned to an outed dark goldernod with fields of patina and subtle tamish. The leather grip is any overall motifed dark beliming marks are visible and the edges to me with bing and sociation. Averall with speckled areas of deamed smoky gray patina. The brass hilt is fight cleaned to an motifed dark goldernod with fields of patina and subtle tamish. The leather grip is any overall motifed dark belimiting. Overall dark darks of patina and subtle tamish. The leather grip is any overall motifed dark belims benescept some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall motifed dark belims excellent. The least grip is any overall. 30 127 straight double-edged spear point blade with an elliptical cross-section. Ether face of the blade is excellent with forsted panels depiciting foliation. Averall this a fine marks (Chicope / Mass' address on the obverse cross). The blade is through that actual back leaster grip show a filt provider dark black leaster grip show a filt werk for and the black leaster grips show and black leaster grips word is filt recording that advibus and the lacks leaster grips word is filt recording the advibus filt frosted marks that advibus recording and black leaster grips with lightly speckled with forsted marks that ording and black scabbard is serechand black leaster grips who and the black leas</li></ul>		drying and light surface cracking but no material loss and rates very fine.		scattered small clouds of smoky gray patina, a few tiny flecks of ocher
<ul> <li>appearing lighty mottled and overall fine as refinished. An attractive Civil War cavaly saber which has been well cared for. (12A9838-27) [Bruce Shroyer Collection] (500/700)</li> <li>Est. 500 - 700</li> <li>1608 U.S. Model 1833 Dragoon Saber by Ames 39.14" overall, 34.12" single-edged spear point blade with a 10.12" false edge extending behind the pipe-backed spin. The increase is scratch-engraved "N.P.A / Culter / Springfield / 1836" on the obverse face, remainder of maker mark lost to state of schedule spin. The brash blade is polished bright, scattered throughout with specked areas of cleaned smoky gray patina. The brass also been cleaned, exhibiting an overall motifed dark lorow with greet scabard is also been cleaned, exhibiting an overall motifed dark horow with bright areas and remnants of cleaned oxidation. Text and the forward edges. The states also been cleaned, exhibiting an overall motifed dark horow with bright areas and remnants or delaned so avail motifed dark horow with bright areas and remnants or delaned so avail with site also frage comparison. The site of the analys and the scale staber of a set scabard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavally saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37 'coverall, 30 142' straight double-edged spear point blade with an elliptical create dista remain cheap and the scale as a few light frecks of delands and the scale as a face of the blade is esthed with forsted panels depicting foliate scroll, panopilies of arms. 'F Purbus Unum' mands depicting foliate scroll, panopilies of arms. 'F Purbus Unum' mands depicting foliate scroll, panopilies of arms.' F Purbus Unum' mands depicting foliate scroll, panopilies of arms.' F Purbus Unum' mands depicting foliate scroll, panopilies of arms.' F Purbus Unum' manis diverse coulds scattered here and three. The steel scababar</li></ul>		The steel scabbard is browned over occasional remnants of light		near the hilt and no more than very light polishing and handling marks
<ul> <li>War cavairy saber which has been well cared for. (12A9838-27) [Bruce Shroyer Collection] (500/700)</li> <li>Est. 500 - 700</li> <li>Coll 1633 Dragoon Saber by Ames</li> <li>30 147 vorent], 34 1/2" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved "TNL" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved "TNL" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved "TNL" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved "TNL" single-diaged train quoti is schattered throughout with specked areas of cleaned smoky gray patina. The brase hit is lightly cleaned to a motted dark grade scale score score and stamped (TSL). LO, 1482" on the oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fice condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1603 U. S. Model T840 Staff &amp; Foot Officer's Sword by Ames 37 '0''' straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with firsted panels escribs source brower, Stroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1613 Coll Model 1840 London Pockel Percuesion Revolver secalent keys the acas de scealent. The steel scabbard has a face signifies on the overeal court og spin to bade with an ear secalent hybit specked hirds of the bray handling marks and the black with an ear of the staff is a fine wore fund and bray the secale signifies of the secale scabard is is a fine wore fund to a staff with thecks of the scabard is secone to down active scabard is a face wight hirds of the secone down access in ease traces in the stamp e</li></ul>		texturing, cleaned shallow pitting and smooth oxidation staining, overall		hardly worth mention. The markings are slightly softened in spots but
<ul> <li>Shroyer Collection [500/700]</li> <li>Est. 500 - 700</li> <li>1608 U.S. Model 1833 Dragoon Saber by Ames</li> <li>39 1/4" overall, 34 1/2" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasos is scratch-engraved "N.P.A / Cutler / Springfield / 1383" on the obverse face, remainder of maker mark host I fading and volation. The blade is polished bright, scattered throughout with specked areas of cleaned smoky gray patina. The brass hill is lightly cleaned to a mottled dark goldernod with flecks of patina and subte tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The set les cababart has also been cleaned, exhibiting an overall mottled dark brown with bright areas and remnants of cleaned oxidation tstruing, Fwei J any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A893-12) [Bruce Shroyer Collection] (600/800)</li> <li>1609 U.S. Model 1805 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is elscabbart is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A893-12) [Bruce Shroyer Collection] (600/800)</li> <li>1609 U.S. Model 1805 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is elscabbart is service-browned, shows minimal blenishing of the bight pewter patina across the faces; the frost-etching is lightly centered the details remain crisp and bright. The hilt is glib trass with a floding reverse counterguard and black is asserted by the other flore the data from incide areas. The crispina end mode, and the sabe and there. The steal esabbart is nowned with also of the bight pewtery patina ac</li></ul>		appearing lightly mottled and overall fine as refinished. An attractive Civil		remain quite legible. The cast brass hilt is also in about excellent
<ul> <li>Est. 500 - 700</li> <li>Bit Source Stroyer Collection (200900)</li> <li>Est. 500 - 800</li> &lt;</ul>		War cavalry saber which has been well cared for. (12A9838-27) [Bruce		condition, toned to an overall goldenrod with areas of darker brown and
<ul> <li>Est 500 - 700</li> <li>Est 500 - 700</li> <li>Idoll U.S. Model 1830 Dragoon Saber by Ames</li> <li>Sortact-hengraved "The backed spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved "The PA / Cutler / Spingfield / 1385" on the obverse face, remainder of maker mark tost to fading and oxidation. The blade is polished bright, scattered throughout with specked areas of cleaned smoky gray patina. The brass hill is lightly cleaned to a motiled dark goldenrod with flecks of patina and suble tarnish. The leather grip is a very fine, showing between stores with a load with a sale bacen cleaned, exhibiting an overall motted dark horow with bright areas and termans of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is a face cavely saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" stratight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering. Either face and the "Ames, "Chicopee / Mass" acdress on the everse and stamped right swith an sale screen and the "Ames". Chicopee / Mass" acdress on the everse and stamped right with an sale inght poinshed to a bright burnished gray with lightly specked in the handling marks and the black esthere grips show and the black esthere grips show the obverse ricasso. The bright near excellent blade is scattered throughout is a lator becket prevent of throughout is a lator border. The settle scabbard has a lator between the data semain criss pand bright. The hilt is glit brass with a loding reverse counterguard and black shagreen grip, raing excellent throughout by the esteemed Armes core and show as even gray patinas with taces of original black shagreen grip, raing excellent black by the esteemed Ar</li></ul>		Shroyer Collection] (500/700)		ocher-tinged tarnish on the grip and pommel. Only a few tiny handling
<ul> <li>1608 U.S. Model 1833 Dragoon Saber by Arnes 39 1/4" overall, 34 1/2" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved "N.P.A / Cutter / Springfield / 1835" on the obverse face, remainder of maker mark to stro fading and oxidation. The blade is polished bright, scattered throughout with speckled areas of cleaned smoky gray patian. The brass hills lightly cleaned to a motted dark goldenrod with flecks of patina and subtle tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The set is clababard has also been cleaned, exhibiting an overall mottled dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are wilsble and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (122A9838-12) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-scelence in the bright near excellent blade is scattered by thin clouds of light powter patina across the faces; the frost-techniq is lightly softened but the defails remain crisp and bright. The hilt is glit brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong glit finish. The included scabbard is nervice-browed, shows minimal blemishing of the bright gue Schroyer Collection] (600/800) Est. 600 - 800</li> <li>1613 Colt Model 1849 London Pocket Percussion Revolver serial 44750, 31 claight lonear-mit usch dark bore. This revolver shows all matching numbers including the wedge. The barrel shows the two-line London address and the left side of the frame show "COLT'S / PATENT" centered brow the side across the faces, the frost-techning light powter patina. The ingingles are moder replacements. T</li></ul>		Est. 500 - 700		
<ul> <li>39 1/4" overall, 34 1/2" single-edged spear point blade with a 10 1/2" false edge extending behind the pipe-backed spine. The ricasso is scratch-engraved 'N.P.A / Cutter 'Springfield / 1836" on the obverse face, remainder of maker mark lost to fading and oxidation. The blade is polished bright, scattered throughout with speckled areas of cleaned smoky gray patina. The brass hill is lightly cleaned to a mottled dark gode parent point blade with an elliptical cross-section. Ether face of the blade is exclubing and oxidation. The scattered is in fine condition. Overall this is a fine welk-kept example of America's first regulation-issue cavality saber. (1224938-12) [Bruce Shroyer Collection] (600/800) [Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37° overall 380 College spear points blade with an elliptical cross-section. Ether face of the blade is ethed with frosted panels depicing foliate scroll, panoplies of arms, 'E Pluribus Unum' niband, U.S. lettering, Federal Eagle and the 'Ames? Chicopee / Mass'' address on the coverse frage and the 'Ames? Chicopee / Mass'' address on the obverse frage and the 'Ames? Linkprover Collection] (600/800) [Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37° overall, 301 /2" straight double-edged spear point blade with an elliptical cross-section. Ether face of the blade is ethed with frosted panels depicing foliate scroll, panoplies of arms, 'E Pluribus Unum'' niband, U.S. lettering, Federal Eagle and the 'Ames? Chicopee / Mass'' address on the coverse frage and the 'Ames? Linkprover Collection] (600/800) [Est. 600 - 800</li> <li>1613 Colt Model 1849 London Pockel Percussion Revolver social #4750, 31 caliber, 4° octagon barrel with adark bore. This revolver shows all matching numbers including the wedge. The barrel brain trans and the black is the fragered by thin cloude sole of the frame shows an own oprovide and mark brows and more ported areas. The barrel black with traces of original blue in prot</li></ul>	1608			-
<ul> <li>Ialse edge extending behind the pipe-backed spine. The ricaso is scratter-engraved "N.P.A / Cutler / Springfield / 1836" on the obverse face, remainder of maker mark lost to tading and oxidation. The biade is polished bright, scattered throughout with speckled areas of cleaned smoky gray patina. The brass hit is lightly cleaned to an ottied dark goldenrod with flecks of patina and subtle tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The stell scabbard has also been cleaned, exhibiting an overall motified dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A983-12) [Bruce Shroyer Collection] (600/800)</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall. 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of ame, "F Purbus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse incasso. The bright near excellent blade is scattered throughout sible were, An attractive excellent, with only negligible wear. An attractive excellent, thadre wedge. The last remain orisp and bright. The hild is gibt brass with a folding reverse counterguard and black shagreen grin, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright glibrass mounts and also trates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li></ul>				
<ul> <li>scatatch-engraved "N.P.A./ Cutler / Springfield / 1836" on the obverse face, remainder of maker mark lost to fading and oxidation. The blade is polished bright, scattered throughout with speckled areas of cleaned smoky gray patina. The brase hilt is lightly cleaned to a motiled dark goldenrod with flecks of patina and subtle tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall motied dark thrown with bright areas and remannst of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine welk-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall. 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panopiles of arms. "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ameres / Chicopee / Mass" address on the obverse incasso. The bright near excellent blade is is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hirt lis glit brass mounts and also trates excellent. Really a quite bautiful near-mint U.S. officer's sword by the esteemed Amere company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1613 Colt Model 1849 London Pocket Percussion Revolver sortial subters including the wedge. The brainer estaber and section of organ back sortial panelise trane or interest on the scattered throughout, rating very fine to excellent. Really a quite bautiful near-mini rus and maryelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright near sortate excellent. Really a</li></ul>				
<ul> <li>face, remainder of maker mark lost to fading and oxidation. The blade is polished bright, scattered throughout with speckled areas of cleaned smoky gray patina. The brass hilt is lightly cleaned to a motified dark goldenord with flecks of patina and subtle tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall motified dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept scample of America's first regulation-issue cavaly saber. (12A9838-12) [Encue Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1603 U.S. Model 1600 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Ether face of the blade is etched with frosted panels depicing floite scoril, panopiles of ameri. "E Pluribus Lhum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the overse ricass. The bright near excellent blade bis scattered throughout, rating very fine to excellent. The init is glib brass with a folding reverse counterguard and black sharpeen grip, rating excellent with minimal wear and marvelous strong glit finish. The included scabbard is service-browned, shows minimal blemising of the bright glib trass mounts and allo strates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9383-24) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> </ul>				
<ul> <li>polished bright, scattered throughout with speckled areas of cleaned smoky gray patina. The brass hill is lightly cleaned to a mottled dark goldenrod with flexs of patina and subtle tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall mottled dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalty saber. (12A9838-12) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37° overall, 30 1/2° straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crips and bright. The in lis is glit brase moutes and also rates excellent. The hit is glit brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The inclued scabbard is service-browed, shows minimal blemishing of the bright glit brass mouts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1613 Colt Model 1849 London proofs and treating a platia, still remaining near minor black with an elliptical rons-secole moterginate and black shardening and a gray patina with traces of original blue in protected areas. The cylinder shows a mix of faded original color case hardening and a gray patina mix throogs on original blue in protected areas. The cylinder shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the harmer strew is a replacement.</li></ul>				
<ul> <li>smoky gray patina. The brass hilt is lightly cleaned to a mottled dark goldenod with flecks of patina and suble tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall mottled dark brown with bright areas and remnants of cleaned oxidation texturine. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838.12) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames all is order as a low light polished row with new of the secole and with frosted panels depicing foliate scroll, panepiles of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Mmes / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is estohed with frosted panels depicing foliate scroll, panepiles of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Mmes / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered hreade a thile with an elliptical cross-section. Either face of the blade is etched with frosted panels depicing foliate scroll, panepiles of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Mmes / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light preverse patina across the faces; the frost-stehing is lightly softened but the details is service-browend, shows minimal blemishing of the bright gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous storng gilt finish. The included scabbars in service-browend, shows minimal blemishing of the bright gilt brass. and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames compa</li></ul>		-		
<ul> <li>goldeniod with flecks of patina and subtle tarnish. The leather grip is very fine, showing few blemishes except some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall mottled dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609</li> <li>U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with fosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softend but the details remain crisp and bright. The hit is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gibt rass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> </ul>			1612	
<ul> <li>very fine, showing few blemishes except some surface loss at the forward edges. The steel scabbard has also been cleaned, exhibiting an overall mottle dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulator-issue cavairy saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shargeren grip, rating excellent with mainmal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> </ul>			1012	· · ·
<ul> <li>forward edges. The steel scabbard has also been cleaned, exhibiting an overall motified dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an ellipitcal cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent with rosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricaso. The bright near excellent with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricaso. The bright near excellent with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricaso. The bright near excellent with niminal ble is scheed throughout, rating vecellent with normal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass with a data bore. The servel and parel with have and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright</li></ul>				-
<ul> <li>overall motited dark brown with bright areas and remnants of cleaned oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scr01, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent black is a faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is glit brass with a folding reverse counterguard and black shows minimal blemishing of the bright glit brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1613 Colt Model 1849 London Pocket Percussion Revolver frame show "COLTS / PATENT" centered below the cylinder. The left side of the barel blemishing of the bright glit brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> </ul>				
<ul> <li>oxidation texturing. Few if any handling marks or deformations are visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609</li> <li>U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with forsted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricass. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass mounts and also rates excellent. The site and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> </ul>				
<ul> <li>visible and the scabbard is in fine condition. Overall this is a fine well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1609</li> <li>U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly sotehed but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>Est. 600 - 800</li> </ul>		-		-
<ul> <li>well-kept example of America's first regulation-issue cavalry saber. (12A9838-12) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beaufiful near-mint U.S. officer's sword by the estemend Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>1613 Colt Model 1849 London Pocket Percussion Revolver screatered beautiful near-mint U.S. officier's word by the estemend Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> </ul>				
(12A9838-12) [Bruce Shroyer Collection] (600/800)Est. 600 - 800160916101611161216131613161316131614161416151615161616161616161716181618161816191619161016101611161216131613161316141615161516161616161716181618161816191619161916101610161116121613161316141615161516161616161616171618161816181619161916191610 <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
Est. 600 - 8001609U.S. Model 1860 Staff & Foot Officer's Sword by Ames 37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal blemishing of the bright glit brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 8001613Colt Model 1849 London Pocket Percussion Revolver serial #4750, 31 caliber, 4" octagon barrel with a dark bore. This revolver shows all matching numbers including the wedge. The barrel shows the two-line London address and the left side of the frame show "COLT'S / PATENT" centered below the cylinder. The left side of the barrel lug shows two London proofs and retains about 80% of its stagecoach holdup scene and shows an even gray patina. The nipples are moderr replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra				
<ul> <li>1609 U.S. Model 1860 Staff &amp; Foot Officer's Sword by Ames</li> <li>37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>Est. 600 - 800</li> </ul>				
<ul> <li>37" overall, 30 1/2" straight double-edged spear point blade with an elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicope / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>161 Scote and Shows an even gray patina. The nipples are modern replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra</li> </ul>	4000			very light expected tiny handling marks and the black leather grip shows
<ul> <li>elliptical cross-section. Either face of the blade is etched with frosted panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicope / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>Est. 600 - 800</li> </ul>	1609	-		-
<ul> <li>panels depicting foliate scroll, panoplies of arms, "E Pluribus Unum" riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass" address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800</li> <li>Est. 600 - 800</li> </ul>				
riband, U.S. lettering, Federal Eagle and the "Ames / Chicopee / Mass"         address on the obverse ricasso. The bright near excellent blade is         scattered by thin clouds of light pewter patina across the faces; the         frost-etching is lightly softened but the details remain crisp and bright.         The hilt is gilt brass with a folding reverse counterguard and black         shagreen grip, rating excellent with minimal wear and marvelous strong         gilt finish. The included scabbard is service-browned, shows minimal         blemishing of the bright gilt brass mounts and also rates excellent.         Really a quite beautiful near-mint U.S. officer's sword by the esteemed         Arnes company. (12A9838-24) [Bruce Shroyer Collection] (600/800)         Est. 600 - 800				
address on the obverse ricasso. The bright near excellent blade is scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800				
scattered by thin clouds of light pewter patina across the faces; the frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 8001613Colt Model 1849 London Pocket Percussion Revolver serial #4750, .31 caliber, 4" octagon barrel with a dark bore. This revolver shows all matching numbers including the wedge. The barrel shows the two-line London address and the left side of the frame show "COLT'S / PATENT" centered below the cylinder. The left side of the barrel lug shows two London proofs and the barrel retains a pleasing medium gray patina with traces of original blue in protected areas. The cylinder shows and retains about 80% of its stagecoact holdup scene and shows an even gray patina. The nipples are modern replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra				(12A9838-13) [Bruce Shroyer Collection] (500/700)
frost-etching is lightly softened but the details remain crisp and bright. The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800 Est. 600 - 800		address on the obverse ricasso. The bright near excellent blade is		Est. 500 - 700
The hilt is gilt brass with a folding reverse counterguard and black shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800		scattered by thin clouds of light pewter patina across the faces; the	1613	Colt Model 1849 London Pocket Percussion Revolver
shagreen grip, rating excellent with minimal wear and marvelous strong gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800		frost-etching is lightly softened but the details remain crisp and bright.		serial #4750, .31 caliber, 4" octagon barrel with a dark bore. This
gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800 Est. 600 - 800		The hilt is gilt brass with a folding reverse counterguard and black		revolver shows all matching numbers including the wedge. The barrel
gilt finish. The included scabbard is service-browned, shows minimal blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800 Est. 600 - 800		shagreen grip, rating excellent with minimal wear and marvelous strong		shows the two-line London address and the left side of the frame shows
blemishing of the bright gilt brass mounts and also rates excellent. Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800 Barrel lug shows two London proofs and the barrel retains a pleasing medium gray patina with traces of original blue in protected areas. The cylinder shows London proofs and retains about 80% of its stagecoach holdup scene and shows an even gray patina. The nipples are modern replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra		gilt finish. The included scabbard is service-browned, shows minimal		"COLT'S / PATENT" centered below the cylinder. The left side of the
Really a quite beautiful near-mint U.S. officer's sword by the esteemed Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800		-		-
Ames company. (12A9838-24) [Bruce Shroyer Collection] (600/800) Est. 600 - 800 Cylinder shows London proofs and retains about 80% of its stagecoact holdup scene and shows an even gray patina. The nipples are modern replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra	1			medium gray patina with traces of original blue in protected areas. The
Est. 600 - 800       holdup scene and shows an even gray patina. The nipples are modern replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra				0 1
replacements. The frame shows a mix of faded original color case hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra				
hardening and a gray patina with two proper London rounded head screws in place, the hammer screw is a replacement. The iron gripstra	L			
screws in place, the hammer screw is a replacement. The iron gripstra				
snow a matching patina as the balance of this revolver. The one-piece				
walnut aria rates yory good with should COM arisinal finish suscell				
walnut grip rates very good with about 60% original finish overall.				
(1A9898-12) (ANTIQUE) (600/800)				, ,, ,, ,,
Est. 600 - 800				EST. 600 - 800

<ul> <li>Intring to a mid gap gap that along with a low control (b) the hard man and along sample with the experison that the built be defined and along sample with the experison that the built be defined and the active same of the Phase section and the active same of the section active section and the active same of the section active section and the active same of the section active section and the active same of the section active section actives active section a</li></ul>				
<ul> <li>and a underso of this bork variation arm you be lead to be provided by bork wards of the provided to the provided</li></ul>	1614	German Army Contract Walther PP Semi-Auto Pistol	1618	Scarce Late-Production French M16 Berthier Bolt Action Carbine by
<ul> <li>bingral laws did be storing figh edge wat and gissings</li> <li>bingral laws wild be storing figh edge wat and gissings</li> <li>bingral laws wild be storing figh edge wat and gissing</li> <li>bingral laws wild be storing in the did fight and storing match and edge store store in the bind gissing in the store laws find by gissing and generation and store gissing and generation and the store laws find by gissing and generation and the store laws find by gissing and generation and the store laws find by gissing and generation and the store laws find by gissing and generation and the store laws find by gissing and generation and the store laws find by gissing and generation and the store and the store and the store laws find by gissing and generation and</li></ul>		-		
<ul> <li>bingral lase world is between the stream and grapspace framework in the stream and str</li></ul>				serial #BD35006, 8mm Lebel, 18" Chatellerault barrel dated 1939 with a
<ul> <li>mates. All markings interais interais with the lefts due frame and state</li> <li>materple and relation to according to the Apple 104-Apple 104-Apple</li></ul>		original late-war dull blue showing high edge wear and gripstraps		bright excellent bore. This carbine is a Chatellerault rebuild utilizing a St.
<ul> <li>Bitmed with the appropriate "Elsip", WebSP. The checked process of the semicodime provides making system the total sense sharing and comparison is accounted to approximate the semicodime provides and semicodim provides and semicodim provides and semicodime</li></ul>		thinning to a mild gray patina along with a few scattered light handling		Etienne receiver, it has all of the features one would expect from a late
<ul> <li>Induits from Baking provide the United provides of the Baking provides and the scattering the frame, created provides and the scattering the frame, created provides and the scattering p</li></ul>		marks. All markings remain intact with the left side frame and slide		example and remains in lovely condition. The metal surfaces retain
<ul> <li>endular particles from consisting reaching a mice handling mark or two. The sills is in induced and the action seems in childral server from marking are very soft at Mice and France Consignation and the action seems in childral server from marking are very soft at Mice and France Consignation and the action seems in childral server from marking are very soft at Mice and France Consignation and the action seems in childral server from marking are very soft at Mice and France Consignation and the action seems in childral server from marking are very soft at Mice and France Consignation and the action server from the action construction and the action server in childral server from marking are very soft at Mice action and the action server from the action construction and the action of the soft as according and the action of the action according and the action according action action</li></ul>		stamped with the appropriate "(Eagle) / WaA359". The checkered		about 92% arsenal black enamel over Parkerization showing some light
<ul> <li>matching the forms, one skew processor to kind with a matching the forms over the find end membra sing the forms over the find end find end membra sing the forms over the find end f</li></ul>		reddish brown Bakelite grips with Walther banners remain in excellent		high edge wear and scattered mild flaking while the bolt shows silvering
<ul> <li>and the action seems to function will mechanically. A none laters warp problem is a probability stress of a prior. (13:49:07-381) (CAR) (Vincent Conjplic Collection) (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress College Collection (60:08:00)</li> <li>EL 800-300 Auto Phat Dig Stress Collection (60:09:00)</li> <li>EL 800-300 Auto Phat Dig Stress Collection (60:09:00)</li> <li>EL 800-300 Auto Phat Dig Stress Collection (60:09:00)</li> <li>EL 800-300 Auto Phat Dig Stress Collection (60:00:00)</li> <li>EL 800-300 Auto Phat Dig Stress Collection (60:00:00)</li> <li>EL 800-300 Auto Phat</li></ul>		condition perhaps showing a minor handling mark or two. The slide is		and operational wear retaining much of its dark gray Parkerized finish.
<ul> <li>Part with a particulary strately east of program (34/807/321) (C4R)</li> <li>Proven Conjic Calcuscing (60/000)</li> <li>Ett 400 - 800</li> <li>Carch C.23 Step 34.00 Fead</li> <li>Carch C.24 Step 34.00 Fead</li> <l< td=""><td></td><td>matching the frame, one likely post-war factory magazine is included</td><td></td><td>The "St. Etienne" receiver markings are very soft but "M16" and "PK" on</td></l<></ul>		matching the frame, one likely post-war factory magazine is included		The "St. Etienne" receiver markings are very soft but "M16" and "PK" on
Wream Conjilo Collisional (600800)           Est. 600-800           Casch CZ-38 Sem-Audo Pistal           meal aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV organizational aufrage of his 1928 acceptance-dated patiel retain alcul DSV or acceptance date acceptance-date and the acceptance-date acceptance date acceptance-date acceptance-dat		and the action seems to function well mechanically. A nice late-war		the left side remain strong, the triggerguard tang is also stamped "P"
<ul> <li>Ed. 600 - 600</li> <li>Stoch C.23 Sam-Auto Pitel Manual hugge accelent tox. The incred accelent control of the 199 acceleration date pitel hugge and hugge processing and maximize of the 199 acceleration date pitel hugge and hugge processing and the accion set in the set incred and the accion date pitel hugge and hugge processing and acceleration date pitel hugge and hugge processing and acceleration date pitel hugge and hugge processing and acceleration date pitel hugge processing and acceleration date pitel hugge processing and acceleration date processing and hugge processing acceleration (1989097-219) (CAR) (Neuron Conject C</li></ul>		pistol with a particularly attractive set of grips. (13A9807-321) {C&R}		and the magazine cover with boxed "MAC". The barrel band springs and
<ul> <li>1915 Cacch C2:38 Semi-Aux Plied</li> <li>1916 Cacch C2:38 Semi-Aux Plied</li> <li>1918 active of the standy and the standy of the stand plied in team active to the standy of t</li></ul>		[Vincent Coniglio Collection] (600/800)		rear sight spring even retain most of their attractive fire blue. The
<ul> <li>In the dogse of the 1938 acquired material box 95% or a second of the box second of the 1938 acquired and the acquired the top the second of the 1938 acquired and the acquired the top the second of the 1938 acquired and the acquired the top the second of the 1938 acquired the top the 1938 acquired the 19</li></ul>		Est. 600 - 800		smooth hardwood stock and handguard remain in near excellent
<ul> <li>Intell surface of this 1939 acceptance-dated pixel retain about 95% original bio devines grow big thigh degivers, a leve sparsely acategories and micro light high degivers, a leve sparsely acategories acategories and micro light high degivers, a leve sparsely acategories acategories and micro light high degivers, and light condition in any matching sparse to be practically instance and charder are "V-marked and the action seems to huncling with the same series annabes and blacks are cliences. (1580807-259) (248) (24</li></ul>	1615	Czech CZ-38 Semi-Auto Pistol		condition showing some scattered very light dings, minor handling marks
<ul> <li>original blue showing some light high dogs woir, a few sparsely sessive and mixer drigs. The small pairs retain strong straw coder showing some areases of inclusions and mixer drigs. The small pairs retain strong at dear. The dark strain stream checkered Buskelle grip remains in very good plus condition in showing some catatered light dings and handing math. The light is a stream checkered Buskelle grip remains in included and the action seares to function well mechanically. This is a very file example that spapers to be protection. (1388007-2145) (CoRR) (Vincent Conglio Callection) (Vi</li></ul>		serial #265398, 380 ACP, 4 3/4" barrel with a bright excellent bore. The		and the edges of the handguard with a few tiny chips that are
<ul> <li>addition of more oxidation stating, a couple the scatches and hard on grant the built within the same array of mole showing and all markings remain (risp and learning) is a very fine array of the same is not scatches disked by the control of the same and the same scatches disked by the control of the same and the same scatches disked by the control of the same scatches disked by the same scatches disked by the control of the same scatches disked by the same sca</li></ul>		metal surfaces of this 1939 acceptance-dated pistol retain about 95%		unobtrusive. The left side of the butt is crisply stamp-numbered
<ul> <li>and mixed dings. The small parts retain strong strong discus Cold staking of the addition of the strong checker of Bakelle grip remains in very good plus condition in showing some scattered (i)the digs and handing renain Circle and the action servers to buracito well in exchancelly. This is a very file scample data bakelle grip remains in very good plus condition in the action servers to buraciton well mechanically. This is a very file scample data bakelle grip condition and very distributed and the action servers to buraciton well mechanically. This is a very file scample data bakelle grip condition well mechanically. This is a very file scample data bakel back data on soft condition Condition Condition (Condition (Condition) (Con</li></ul>		original blue showing some light high edge wear, a few sparsely		matching and the right side shows a crisp March 1940 acceptance
<ul> <li>areas of mild alvelore diskelling promains in very good plus confilion to the form and the action series to be practically. This is a very find a series of the form, encoding and parsite is in cluded and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the form and the action series to be practically unissed and vocal marks in the action series to be practically unissed and vocal marks in the action series to be practically unissed and vocal marks and a series of the action series to be activated and the activate activates to be activated and the action series of the attracks and the activates activates to be activated and the action series of the attracks and the action series of the attracks and the activates activates</li></ul>		scattered small spots of minor oxidation staining, a couple fine scratches		cartouche. The bolt and bolt head are mismatched but within the same
<ul> <li>brown checkered Bukelle grip remains in very good puis condition showing sense statter of light dings and handing marks. The side is matching the frame, one original magazine is included and the action seares to function will enclude and the were resistand by the Germans. (13A9807-301) (CRAR) [Vincent Conglio Collection] (B008000)</li> <li>Est. 600 - 800</li> <li>Test Gorman - 27(U) Same Jub PEG senial folds. 24 ACC + that will be collent tore. The metal surfaces of this protocol and (Facility Hore were) and a senial resolution to the metal grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety, mice handing marks and a small area of loss along the grip safety in the same of loss and loggers to along the the bits escenters of this that separates to the "325202". The sense all register mark and the safet advice the conduction sating protocol and original models the original conduction. There the safet for along the safet advice the conduction sating protocol and original models the original conduction. The inters are of this that separates to the "32527". The sense all register marks and marks that separates to the "32527". The sense all register marks and marks and the statement of the safety original the safet marks. The satisfield protocol is intra along the the pieceforite. The satisfield sense models along the left side firegra of marks and the satisfier of the safety original the satisfier advices and the safety and the safety and the safety of a satery humber the satery and the safety and the safety or the safety original the sater advices advices advices advices advices advices</li></ul>		and minor dings. The small parts retain strong straw color showing some		series numbered "BD38598", the receiver and chamber are "N"-marked
<ul> <li>showing some scattered light dings and handling masks. The side is matching the frame, cert cipital magazite is included and the action of the frame, cancer display and the action only Cach pitches almost and the were relisted by the German. (1348907-246) (CaR) [Vincent Conglio Collection] (20000)</li> <li>East 600 - 800</li> <li>Terr 1616</li> <li>East 500 - 800</li> <li>Terr 1617</li> <li>Simos 17 Prog S388 Artiska Bolt Action Short Rifle by Kokura strain and action sector only Cach pitches and reaso of high dogs wear, accelerate digit drigs along the along the action sector short pitches and sector the action sector sec</li></ul>		areas of mild silvering and all markings remain crisp and clear. The dark		and the action seems to function well mechanically. This is a very fine
<ul> <li>matching the frame, one original magazine is included and the action services of his includes with an include services 2014 and 2014 action only Carch pitolos, allows all of which were reissued by the German. (13A807-381) (C&amp;R) [Vincent Coniglio Collection]</li> <li>German P. 37(U) Sam-Auto Pitolo by FEG</li> <li>serial 823(134), 32.02, P. 41 and with a bright excellent bore. The metal surfaces of this jorks. (13A807-381) (Vincent Coniglio Collection)</li> <li>German P. 37(U) Sam-Auto Pitolo by FEG</li> <li>serial 823(134), 32.02, P. 41 and with a bright excellent bore. The metal surfaces of this jorks and with a bright excellent bore. The metal surfaces of this jorks and the action and the pitologic and operations with reight about 35% original blue showing some light high equip early in serial in the anticide pathology in the origin and in the with reight pitologic and these conversions ulliques the anticide pathology in the origin and the registion of the origin and the serial integration of the serial collection of the origin and the serial integration of the serial collection integration. There will a pipe series and pipe series and the action series provide pixel base and operations with pipe serial pipe series and pipe series</li></ul>				
<ul> <li>Iseres to function well mechanically. An ice example of these interesting of dube action only Cacch pitchine were reisous up the German. (1348067-361) (C&amp;R) [Vincent Coniglio Cellection] (600800).</li> <li>Ist. 600 - 800</li> <li>Ist. 600 - 800</li> <li>Ist. 600 - 800</li> <li>Ist. 600 - 800</li> <li>Ist. 600 - 800 mechanics and the bright excellent bore. The metal surfaces of this source Sames arenal rework treats and surfly areaching balance stress in a first of proceed plant ferain about 57% (signal balance Six origina) balance stress in a first of proceed plant ferain about 57% (signal balance stress) and the balance stress of the source stress of the sourc</li></ul>		showing some scattered light dings and handling marks. The slide is		, , , , , , , , , , , , , , , , , , , ,
<ul> <li>double action only Czach pitaloi, amost al of which were reinsued by the Guman. (134807-361) (CaR) [Vincent Coniglio Collection] (600800)</li> <li>Est. 600 - 800</li> <li>Garman P 37(1) Sam-Auto Pitalo Hy FEG seriel with a bight excellent bort. The metal surfaces of this <i>x</i>-th 1-coded pistol reina about 35% original blue showing some light high equing and operational were, freekling along the tight excellent body. The metal surfaces of this <i>x</i>-th 1-coded pistol reina about 35% original blue showing some light hight equing and a small area of loss along the right as along the markings remain crisp and dear. Who roper Cerman firing proces and "Edgel). /WaA65". The grouved hardwood grips remain in very fire accollent. There is a series of Thai runnerals stamped along the bar as series and and the right panel showing some light hight excellent here right as along the right as along the statured pital drags in runnerals is aspres of Thai numerals stamped and one original magazine numbered region. There is a series of Thai numerals stamped and no eriginal magazine numbered region. There is a series of Thai numerals stamped and no eriginal magazine numbered region. There is a series of Thai numerals stamped and no eriginal magazine numbered region. There is a series of Thai numerals stamped and no eriginal magazine numbered region. There is a series of the loss been converted in the digg formed. The inscittoric stame stature digit drigs and theight magazine numbered region. There is a series of the loss were reaver split table and are "Gigle Collection] (Go00800).</li> <li>Est. 600 - 800</li> <li>The metal surfaces of this stand statume and some dher main fragmating marks. The larger is split sole frame than about the serie stature digit drigs in the condition staining and minating. All markings remain is a seriel sole of the bas been converted in the condition staining and minating. All markings remain risp and decay with called there discole and the base and remone thander most three das desone there rema</li></ul>				
<ul> <li>the German. (134807-381) (C&amp;R) [Vincent Coniglio Collection]</li> <li>(60080)</li> <li>Ext. 600 - 800</li> <li>Ext. 6</li></ul>				
<ul> <li>(600/800)</li> <li>(600/800)</li> <li>(600/800)</li> <li>(600/801)</li> <li>(600/802)</li> <li>(600/801)</li> <li>(600/802)</li> <li>(600</li></ul>		double action only Czech pistols, almost all of which were reissued by	1619	Siamese Type 83/88 Arisaka Bolt Action Short Rifle by Kokura
<ul> <li>Est. 60 - 800</li> <li>arean resolution of the transport of the transport of the transport of transport of the transport of tr</li></ul>				· · · · · · · · · · · · · · · · · · ·
<ul> <li>1616 German P 37(u) Semi-Auto Pitot by FEG</li> <li>serial r305(-3): 26.CP, <sup>4</sup> Jamri with a biph excellent bore. The metal surfaces of this Juh 41-coded pisol retain about 95% original blue solutions one light high edge and operational wave, frexiling along the tange and areas of light pitting beneath the pisol gene and parational wave, frexiling along the tange and areas of light pitting beneath the pisol gene and parational dear with proper German freing proofa and 'Eagle) / WiaA637. The groovet hardwood grips remain in very fine condition retaining much of heir original finith with the right in in very fine condition retaining much of heir original finith with the right in invery fine condition retaining much of heir original finith with the right in invery fine condition steaming of the range and the action seems to function will means. The serialized parts are matching, the action seems to function will means and antibiting brook by the Luhwafte. (13A9807-1429) (CAR) [Vincent Condigio Collection] (600/800)</li> <li>1617 German Army-Marked Unique Sami-Auto Pistol by Damms Des Pyrenees sortial r62478, 32 ACP, 3 14' barrel with a bright near excellent bore. The metal surfaces of him Wind be right a part areas of minor thoring a few upsparse and hows a small grift mate trans the right be and first outstain staining. All marking a few unchange and hows a small grift meant area of him or the lore store and the range and hows a small addite hand are '33. The range of the action seems to function will means and hows a small addite hand are '34. Store and the different and the action seems to function will mean scale for the resonability the resonability</li></ul>				
<ul> <li>serial #31064.32 ACP. 4<sup>-</sup> barrel with a bright excellent bore. The metal subwing some light high edge and operational wear, freekling along the grip stated, aloud 19% original laread (lass along the right side alide. All markings remain crisp and clear with proper Germain in very fine condition relating mutch of their original finish with the right and east. All markings remain crisp and clear with proper Germain in very fine condition relating mutch of their original finish with the right side alide. All markings remain crisp and clear with proper Germain in very fine condition relating mutch of their original finish with the right solution. There is a series of Thai numeraits stamped along the barrel showing as entire of 302/802. The asrenell replacement were finish with the right is obvious gone light protector is induced. It handons example of these fining quitility protectors in tractationg with a small show or dup at the barrel show and soluting. The asrenell replacement conduct and the fining prise state and guite data series of Thai numeraits stamped alablow chip at the fold of assenting numbers. The forginal magazine numbered is data series of Thai numeraits stamped alablow chip at the fold of assenting numbers. The forginal fining action numeraits and the abard show a variety of a samethy at range the strate along with a small show a variety of a samethy and relations there are right barsen and the fining prise numeration and the fining prise numeration and the fining prise numeration and the strate strate shows and at a strate strate show a variety of assention markers. The fining prise numeration and the fining prise numeration and the strate show a variety of assention numbers. The forgonal strate show a variety of a samethy and rearesting simes in number of a samethy marker and a sade fining marks at the end strate and same and strate and strate shows and strate show a variety of a samethy and the strate strate shows marker and a sade fining marks. The lanary at fining and toning to ware</li></ul>				
<ul> <li>surfaces of this jiv 41-coded pisot retain about 95% original blue</li> <li>showing some light high does and operational wear, Teckling along the grip safety, minor handling marks and a small area of loos along the light side and marking remain circle and clear with proper German in very fine condition retaining much d their original finish with the right panel showing some light wear at the tot and some other scattered minor handling marks. The environment and some other scattered minor handling marks. The environment of these fine quality pisots favored by the Lufwartle. (13A907-323) (CAR) [Vincent Conglio Collection) (600/800)</li> <li>Edit Goreas and handling and the action seems to function with a signt part of the scattered stranged along the second E32478. 32 ACP. 3 1/4<sup>2</sup> barrel with a bright near excellent bore. The metal surfaces of this "Model 17" pisot retain about 90% original blue with most of the loss due to the gripstrasp thinning and toring to midd paraboty a fare of 32421". The arcred with a bright near excellent bore. The metal surfaces of this "Model 17" pisot retain about 90% original blue with most of the loss due to the gripstrasp thinning and toring to mark scattered fickslates and handing marks. The larger of minor walls for scattered scattered fickslates and handing marks. The larger of this file frage and mark scattered fickslates and handing marks. The larger of this file frage and eagle firing proof meta bare in the action seems to function will mechanically. (13A9807-336) (CAR) [Vincent Conglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>field is held hand and and and a scattered file hand and and and and and and and and and</li></ul>	1616			
<ul> <li>showing some light high edge and operational wear, treakling along the grips taske, mice handling marks and a tama along table of the scattered mice handling marks and the action seems to function well mechanically although the extractor spring could probably stand to be replaced and one officing in adaptates and the action seems to function well mechanically although the extractor spring could probably stand to be replaced and one officing in adaptates and the action seems to function well mechanically although the extractor spring could probably stand to be replaced and one officing in adaptates numbered "54925" is included. A handsome example of these attered minor handsome example of these attered for solution to be attered at the edge forend. The buttistock shows a strong Thai inspector stamp behind the pistolgrip. The arrest altor as off the inspector is instal claded on the grips attered in the state instances of the state atterest of simulate and a matching by the same state atterest in simulate and a matching by the same the have been converted in his courty and same to have been converted in his courty and same to have been converted in his courty and same to have been converted in state atterest in simulates atterest in simulates atterest in the simulation is a seried of the simulation atterest in simulation at the edge form proton the barrest. The grooved back baskeling grip with called frame and are site atterest in simulation atteres</li></ul>				
<ul> <li>prip safey, minor handling marks and a small area of loss along the infinite probes and '(Eagle) /WaA58'. The grooved hardwood grips remain in very fine condition retaining much of their original linshi with the right panel showing some light wear at the tea and some other scattered minor handling marks. The serialized parts are matching, the action seems to function well mechanically although the extractors pring could probably stand to be replaced and one original magazine numbered (54.932') is included. A handsome example of these fine quality pixotis favored by the Luftwatfe, (13A8807-323) (C&amp;R) [Vincent Coniglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1617</li> <li>German Army-Marked Unique Semi-Auto Pistol by Darms Des Pyrenese such the digrips the parts show arg etc. 9 also etc. 90% original builts with most the loss due to the gripstraps thining, a few graps conversion sing behalting to the series of minor hining, a few graps conversion sing. JAI was and with a bright near excellent bore. The metal surfaces of this 'Model 17' pistol retan about 50% original builts with most of the loss due to the gripstraps thining, and toning to mid grays throw publics, some smaller area of minor thining, a few graps conversion sing. JAI metal surfaces of this 'Model 12' pistol retan about 50% original builts with most of the loss due to the digrips them vith a digrip outside standing marks. The laryard ring at the effect finde part lensing standing by the original serial number. The floorpite and addrey in and through the series of this 'Model 12'' pistol retan about 50% original builts with most of the loss due to the gripstraps thining, a few malter original series and sing the mark at the edge. The barel mension standing marks. The laryard ring at the parts of the averes of this 'Model 12'' prove parts and addrey and throwing at the parts of the averes of this 'Model 12'' proves base and for outside the dark at the parts of the averes of the settere of the settere of the settere of the sette</li></ul>				
<ul> <li>ight side side. All markings remain cripp and clear with proper German tring proofs and ("EquiP WAS65". The groove hardwood grips remain in very fine condition retaining much of their original finish with the right panel showing some light protect and some other scattered minor handling marks. The serialized parts are matching, the action seems to function well mechanically although the extractor spring could probably stand to be regional magazene numbered "54392" is included. A handsome example of these fine quality pistole favored by the Luttwaffer (13A9807-323) (C&amp;R) [Vincent Conglio Cellection] (600/800)</li> <li>Est. 600 - 800</li> <li>Collection (600/800)</li> <li>Est. 600 - 800</li> <li>Collection (160/800)</li> <li>Est. 600 - 800</li> <li>Spanish Model 1933 Bolt Action Rifle by Luttwaffer and same divers signification staining and minor handling marks. The laryard ring at the edge for hear and signification staining and minor handling marks. The service of the citation staining and the removed and shows as small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small and gas at the mutch dealer discussion staining. All markings remain in crips in conduct stain staining and minor handling marks. The earonal some other areas and first state state and grind and state state state and grind and minor handling marks. The earonal with (Edge) Water 2014 and state state and grind and minor handling marks. The second marks the endoge fing more of the bare state and grind marks and the condition staining and minor handling marks. The earonal some that a metas and free states and final marks the endoge fing more and '9 SCHUSE's in meth minor handling marks. The earonal transition and cover state marks area and first the second mark at the endoge fing more of the bark state fine coddition staining and minor handling marks. The earonal with state states and fine the state and fine bareas and the state and the state and fine the state and fine ba</li></ul>				
<ul> <li>Iring proofs and "(Eagle) / WaAS8". The growed hardwood grips remain in very fine conditon restaining much of their original finish with the right panel showing some light wear at the toe and some other scattered minor handling marks. The serialized parts are matching, the acticator spring could probably stand to be replaced and one original magazine numbered "54392" is included. A handsome example of these fine quality pistols favored by the Luftwaffe. (13A8807-323) (C&amp;R) [Vincent Coniglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1617</li> <li>German Amry-Marked Unique Semi-Auto Pistol by Darms Des Pyreness serial #25743, 32 ACP, 3 1/4" barrel with a bright near exacellent bore. The metal surfaces of this "Model 17" pistol retain about 90% original blue with most of the loss due to the gripstraps thraining and forning to mild grays throw paths, some smaller areas of minor thinning, a few sparsely scattered frex/des and handling marks. The lanyard ing at the edge. The barrel emains partially bright showing a few unobtrusive small dings at the muzze and light oxidiant stating. All marks the edge fine portoon the barrel. The growed black Bkatelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a semistry of loss of the muzdes and fine oxidiation grain matching by assembly number and the action seems to function well methanically. (13A807-139) (ZAR) [Vincent Coniglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1620</li> <li>Spanish Model 1893 Bolt Action Rife by Ludwig Loewe semall afficience and light oxidiatilic grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a semstry longet to a deep plum-brown patina end eagle fring proof on the barrel. The growed black Bkatelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a semstry longet to a deep plum-brown patina end eagle fring proof on the barrel. The growed black Bkatelite grips with caliber designation and '9 SCHUSS" remain</li></ul>				
<ul> <li>in very fine condition retaining much of their original finish with the right panel showing some light thear at the tead and some other scattered minor handling marks. The serialized parts are matching, the action seems to function well mechanically although the extractor spring could probably stand to be replaced and no enginal magazine numbered "54392" is included. A handsome example of these fine quality pistols favored by the Lutwafer (13A9807-7328) (Z&amp;R) [Vincent Conglo Collection] (60/0800)</li> <li>Test: 600 - 800</li> <li>The metal surfaces of this 'Model 17' pistol retain about 90% original finite the end of the pistolgine's the original static metal surfaces of this 'Model 17' pistol retain about 90% original black with most of the loss due to the griptstages thinning and from to gript tables and the fiting pin is un-numbered. A very fine example for the matching 28th; the cere sight ladder and middle band are '403", the bott body and receiver show '23' and the bot is also matching by the original serial number. The frage sight serial collector, these interesting Siamese arms are travely encountered in this country and seem to have been converted in 'very throrugh and quality manner. (13A9807-149) (C&amp;R) [Vincent Conglio Collection] (60/0800)</li> <li>Est. 600 - 800</li> <li>Samish Model 1933 bolt Action Rifle by Ludwig Loewe serial fifts port on the right side frame and eaging fring proof on the barrel. The deges and some other minor handling marks. Che alorging Collection] (60/0800)</li> <li>Est. 600 - 800</li> <li>Samish Model 1933 bolt Action Rifle by Ludwig Loewe serial fifts howing asome grip tracking and handling marks. The asyrang front proof and and the maching seriema in intex' and the maching seriema in intex' and showing darkments of dox dotation staining and the maching remain intex' and the origin seriema in and state or display hand show as small grind mark and and the mark states of this 'to define the maching seriema in a spit by the state or the conse fine fine core on the ri</li></ul>				
<ul> <li>panel showing some light wear at the toe and some other scattered innor handling marks. The serialized parts are matching, the action seems to function well mechanically although the extractor spring could probably stand to be replaced and one original magazine numbered 1545297; is included. A handsome example of these fine quilty pistols Collection (600/800)</li> <li>Est: 600 - 800</li> <li>1617 German Army-Marked Unique Semi-Auto Pistol by D'arms Des Pyrenees serial \$52478, 32 ACP, 31/4* barel with a bright near excellent bore. The metal surfaces of this 'Model 179 pistol retain about 90% original bulk with most of the loss due to the gripstrage thinning, and toning to mid gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered fred/es and handling marks. The lanyardring at the edge free. The barrel (13A9807-149) (CAR) [Vincent Conglio Collection] (600/800)</li> <li>Est: 600 - 800</li> <li>1620 Spanish Model 1939 Boit Action Rifle by Ludwig Loewe serial and gazine is included, the parts are marking sy trensin area with 'Cabgi () Wat 251* on the right bide frame and action seems to function well mechanically. (13A9807-339) (C&amp;R) [Vincent Conglio Collection] (600/800)</li> <li>Est: 600 - 800</li> <li>1621 Spanish Model 1939 Boit Action Rifle by Ludwig Loewe serial and agazine is included, the parts are marking by the sofignal angazine is included, the parts are marking by the sofignal angazine is included, the parts are marking by the sofignal magazine is included, the parts are marking by the sofignal magazine is included, the parts are marking and minor handling marks. The alway and the top some softward and the marking area and shows a some light and shows a some light and shows a small by they thore and bark at the eacher sing the some softward and handling marks. The stock appears to be un-thore and the table sing and maining and handling marks. The stock appears to be un-thore and the states and stores and the marking remain in about very good plucondint by assembly to m</li></ul>				
<ul> <li>minor handling marks. The senialized parts are matching, the action seems to function well mechanically alfology the started spring could probably stand to be replaced and one original magazine numbered 754382' is included. A handsome example of these fine quality pistols flavored by the Lufwale. (13A9807-323) (C&amp;R) [Vincent Coniglio Collection] (600/800)</li> <li>Bet. 600 - 800</li> <li>The metal surfaces of this "Model 17" pistol retain about 90% original blue with most of the loss due to the gripstraps thinning and toning to mild grav-brown patina, some smaller areas of minor thinning, a few sparse syscattered frexils showing a streng areantion (2347). the rear sight base and front band the size interesting Siamese arms are arrely encountered in this country and seems to have been converted in rarely encountered in this country and seems to have been converted in the dege. The barrel area with "Caego! WaA251' on the rights targer area and the first going a senial and collection] (600/800)</li> <li>Est. 600 - 800</li>     &lt;</ul>				
<ul> <li>seems to function well mechanically aithough the extractor spring could probably stand to be replaced and one original magazine numbered 15/5432* is included. A handsome example of these fine quality pistols favored by the Luttwaffer. (13A9807-323) (C&amp;R) [Vincent Coniglio Collection) (600/800)</li> <li>Test. 600 - 800</li> <li>1617</li> <li>1617</li> <li>1618</li> <li>1618</li> <li>1618</li> <li>1617</li> <li>1618</li> <li>1618</li> <li>1618</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1610</li> <li>1611</li> <li>1611</li> <li>1611</li> <li>1612</li> <li>1612</li> <li>1613</li> <li>1614</li> <li>1614</li> <li>1614</li> <li>1615</li> <li>1617</li> <li>1618</li> <li>1618</li> <li>1618</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1619</li> <li>1610</li> <li>1610</li> <li>1610</li> <li>1610</li> <li>1611</li> <li>1611</li> <li>1612</li> <li>1612</li> <li>1613</li> <li>1614</li> <li>1615</li> <li>1614</li> <li>1614</li> <li></li></ul>				
<ul> <li>probably stand to be replaced and one original magazine numbered "\$4392" is included. A handsome example of these fine quality pistols favored by the Luftwafte. (13A9807-323) (C&amp;R) [Vincent Coniglio Collection] (600/800) [Est. 600 - 800</li> <li>1617</li> <li>German Army-Marked Unique Semi-Auto Pistol by D'arms Des Pyrenees serial #52478, 32 ACP, 3 1/4" barrel with a bright near excellent bore. The metal surfaces of this "Model 17" pistol retain about 90% original blue with most of the loss due to the gripstraps thinning and toning to mild grav-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the left side heal has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with ("Eagle). /WaA251" on the right side frame and eagle firing prof on the barel. The groved black Bkeilte grips with caliber designation and '9 SCHUSS" remain in very fine condition showing a few thry chips along the high edges and some other minor handling marks. One equives the lass takelite grips with caliber designation and '9 SCHUSS" remain in very fine condition showing a few thry chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A8807-336) (C&amp;R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800</li> <li>1620</li> <li>1620</li></ul>				
<ul> <li>*5432' is included. A handsome example of these fine quality pistols favored by the Luftwaffe. (13A9807-323) (C&amp;R) [Vincent Coniglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>1617</li> <li>Germa Army-Marked Unique Semi-Auto Pistol by D'arms Des Pyrenees serial #52478, 32 ACP, 3 1/4' barrel with a bright near excellent bore. The metal surfaces of this 'Model 17' pistol retain about 90% original blue with most of the loss due to the gripstraps thinning and toning to mild gray-forwn patin ashows a maller mease of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the left side heln abse memoved and shows a mall grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with '(Eagle) (WaA251' on the right side frame and aceleg timing proof on the barrel. The grooved black Bakellie grips with caliber designation and '9 SCHUSS' remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. (13A9807-139) (C&amp;R) [Vincent Coniglio Collection] (600/800)</li> <li>1620</li> <li>Spanish Model 1933 Bolt Action Rille by Ludwig Loews and more handling marks. The sporved black Bakellie grips with caliber designation and '9 SCHUSS' remain in very fine condition staining with the handle mostly toned to deep plum-brown patina showing remnants of old oxidation staining and minor handling marks. The barrel is included, the parts are marking averted in the aver well face with reduced to the error well as a series of this while the batt reflease shows a serial #CS624, from Mauser, 29' barrel with a mostly bright very good plus bore showing some light pitting and oxidation in the grooves with the showing mermants of old oxidation staining and the nich by a the with the bard menestly toned to deep plum-brown. The magazine follower still retains much of the very particular and old oxidation staining and the nich</li></ul>				
favored by the Luftwaffe. (13A9807-323) (C&R) [Vincent Coniglio         Collection) (600/800)         Est. 600 - 800     1817 German Army-Marked Unique Semi-Auto Pistol by Darms Des Pyrenees serial #52478, 32 ACP, 31/4* barrel with a bright near excellent bore. The metal surfaces of the loss due to the girsptans thinning and toning to mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freeKels and handing marks. The lanyard ring at the left side heel has been removed and shows a small grind mark at the edge firing proto on the barrel. The growed black Bakelite grips with caliber designation and *9 SCHUSS* remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. The growed black. Bakelite grips with caliber designation and *9 SCHUSS* remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. The growed black, the parts are matching by the same light pitting and oxidation is taining and minor handling marks. The solo of its barrel. The black wile the action seems to function well methods of the barrel mean and eaginate is included, the parts are matching by the same original magazine is included, the parts are matching by the same original magazine is included, the parts are matching by the same original magazine is included and the action seems to function well methods and trans and edges of the black and the matching trans and edges and some other minor handling marks. Co edge of the part of the black wile the black wile the black wile the black wile the same and edges of the black wile the action seems to function well method to previse and showing some light pitting and work and the action seems to				
Collection (600/800) Est. 600 - 800 1617 German Army-Marked Unique Semi-Auto Pistol by D'arms Des Pyrenees serial #52478, 32 ACP, 3 1/4* barrel with a bright near excellent bore. The metal surfaces of this 'Model 17* pistol retain about 90% original blue with most of the loss due to the gripstraps thinning and toning to midd gray-brown patient areas of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the left side heel has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with '(Eagle) VMa251* on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and '9 SCHUSS' remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800				
Est. 600 - 8001817German Army-Marked Unique Semi-Auto Pistol by D'arms Des Pyrenees serial #52478, 32 ACP, 3 1/4* barrel with a bright near excellent bore. The metal surfaces of this 'Model 17* pistol retain budy 05% original blue with most of the loss due to the gripstraps thinning and toning to mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the left side heel has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unothrusive small dings at the muzzle and light cukation staining. All markings remain crisp and clear with '(Eagle) / WaA251* on the right side frame and eagle fitting prot on the barrel. The grooved black Bakelite grips with calibre designation and 's SCHUSS' remain in very fite condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching vassembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 8001820Spanish Model 1883 solt Action Rfle by Ludwig Loewe serial with a brade messity bright series are and eagle fitting prot on the barrel. The grooved black Bakelite grips with calibre designation and 's SCHUSS' remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matchinically assembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 8001821Bolt Action Rfle by Ludwig Loewe settered in the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) <td></td> <td></td> <td></td> <td></td>				
<ul> <li>1617 German Army-Marked Unique Semi-Auto Pistol by D'arms Des Pyrenees serial #52478, 32 ACP, 3 1/4' barrel with a bright near excellent bore. The metal surfaces of this "Model 17' pistol retain about 90% original blue with most of the loss due to the gripstraps thinning and toning to mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the edge. The barrel remains partially bright showing a few unobtrusive small drigs at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WaA251' to the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&amp;R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800</li> <li>1620 Spanish Model 1893 Bolt Action Rifle by Ludwig Loewe serial #CS624, Trmm Mauser, 20 barel with a mostly bright very good plus bore showing some light pitting and oxidation in the grooxees with otherwise strong rifling throughout. The metal surfaces of this 1894-dated rifle have mostly toned to a deep plum-brown mechanically. (13A9807-336) (C&amp;R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800</li> <li>1621 Spanish Model 1893 Bolt Action Rifle bule and the ation seems to function well mechanically. Alse807-336) (C&amp;R) [Vincent Coniglio Collection] (bolt edges and small and the action seems to function well mechanically. Alse807-336) (C&amp;R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800</li> <li>1622 Spanish Mauser and have and the action seems to function well mechanically. Alse807-336) (C&amp;R) [Vincent Coniglio Collection] (bolt release shows a few flakes of fire blue and the mechan sight is intact. Al of the serialized parts are matchin</li></ul>				
Pyreneesserial #52478, 32 ACP, 31/4" barrel with a bright near excellent bore.The metal surfaces of this "Model 17" pistol retain about 90% originalblue with most of the loss due to the gripstraps thinning and toning tomild gray-brown patina, some smaller areas of minor thinning, a fewsparsely scattered freckles and handling marks. The lanyad ring at theleft side heel has been removed and shows a small grind mark at theedge. The barrel remains partially bright showing a few unobtrusivesmall dings at the muzzle and light oxidation statining. All markingsremain crisp and clear with "(Eagle) / WA251" on the right side frameand eagle firing prot on the barrel. The grooved black Bakelite gripswith callber designation and "9 SCHUSS" remain in very fine conditionshowing a few tiny chips along the high edges and some other minorhandling marks. Cone original magazine is included, the parts arematching by assembly number and the action seems to function wellmechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection](600/800)Est. 600 - 800Est. 600 - 800Est. 600 - 800	1617			
<ul> <li>serial #52478, 32 ACP, 3 1/4" barrel with a bright near excellent bore. The metal surfaces of this "Model 17" pistol retain about 90% original blue with most of the loss due to the gripstrags thinning and toning to mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The laryard ring at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WAA251" rom the right tside frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&amp;R) [Vincent Coniglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>The bolt body remains partially bright showing some gray freckling and old oxidation staining with the handle mostly tored to deep plum-brown. The magazine follower still retains much of its brilliant free blue while the bolt release shows a few flakes of fire blue and the markings remain intact and istrong with model designation and Loewe address along the left side and nice Spanish crest and "BERLIN 1844" on the receiver ing The smooth walnut stock and handguard remain in about very good plu condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side but that has softened slightly and shows a small deri in the center of the crest. No cleaning rod is present and the original early read sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw serv</li></ul>	1017			
The metal surfaces of this 'Model 17' pistol retain about 90% original blue with most of the loss due to the gripstraps thinning and toning to mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the edge. The barrel remains partially bright showing a few unortursive small dings at the muzzle and light oxidation staining. All markings remain crips and clear with '(Eagle) / WaA251' on the right side frame and eagle firing proof on the barrel. The grooved black Bakeline grips with caliber designation and '9 SCHUSS' remain in very fine condition showing a few unorbud black Bakeline grips with caliber designation and '9 SCHUSS' remain in very fine condition showing a few tonycluded, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800		-		
blue with most of the loss due to the gripstraps thinning and toning to mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The laryard ring at the left side heal has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WaA251" on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800				
mild gray-brown patina, some smaller areas of minor thinning, a few sparsely scattered freckles and handling marks. The lanyard ring at the left side heel has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WaA251" on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800				
<ul> <li>sparsely scattered freckles and handling marks. The lanyard ring at the left side heel has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small digs at the muzzle and light oxidation staining. All markings remain crisp and clear with '(Eagle) / WaA251' on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and '9 SCHUSS' remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&amp;R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800</li> <li>1620 Spanish Crest and 'BERLIN 1894' on the rediver ring and box diation staining with the handle mostly toned to deep plum-brown patina showing remnants of old oxidation staining with the handle mostly tored to deep plum-brown patina (600/800) Est. 600 - 800</li> <li>1620 Spanish Crest and 'BERLIN 1894'. The bolt body remains partially bright showing some gray freckling and old oxidation staining with the handle mostly tored to deep plum-brown. The magazine follower still retains much of its brilliant fire blue while the bolt release shows a few flakes of fire blue and the markings remain intact and strong with model designation and -Loewe address along the left side and nice Spanish crest and 'BERLIN 1894' and the or the left side and nice Spanish crest with 1894 date on the left side but that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Muzet That likely saw service in the Spanish American War. (13B9807-230) (ANTIQUE) [Vincent Coniglio Collection] (600/800)</li> </ul>				
<ul> <li>left side heel has been removed and shows a small grind mark at the edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WA251" on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&amp;R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800</li> <li>ist. 610 - 800</li> <li>ist.</li></ul>				
edge. The barrel remains partially bright showing a few unobtrusive small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WA251" on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&R) [Vincent Coniglio Collection] (600/800) Est. 600 - 800Ifeine and eaging the barrel with the markings remain intact and strong with model designation and Loewe address along the bott release shows a few flakes of fire blue and the markings remain intact and strong with model designation and Loewe address along the left side and nice Spanish crest and "BERLIN 1894" on the receiver ring The smooth walnut stock and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side but that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well was spanish American War. (13B9807-230) (ANTIQUE) [Vincent Coniglio Collection] (600/800)				÷ • • • •
small dings at the muzzle and light oxidation staining. All markings remain crisp and clear with "(Eagle) / WaA251* on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and '9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800 Est. 600 - 800		•	1620	
remain crisp and clear with "(Eagle) / WaA251" on the right side frame and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800			1020	
and eagle firing proof on the barrel. The grooved black Bakelite grips with caliber designation and "9 SCHUSS" remain in very fine condition showing a few finy chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800 Est. 600 - 800 Heft Side and nice Spanish crest and "BERLIN 1894" on the receiver ring The smooth walnut stock and handguard remain in about very good plut condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side but that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early read sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) (ANTIQUE) [Vincent Coniglio Collection] (600/800)				
<ul> <li>with caliber designation and "9 SCHUSS" remain in very fine condition showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) (C&amp;R} [Vincent Coniglio Collection] (600/800)</li> <li>Est. 600 - 800</li> <li>Est. 6</li></ul>				
showing a few tiny chips along the high edges and some other minor handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800 Est. 600 - 800 Solution estimation and the markings remain intact and strong with model designation and Loewe address along the left side and nice Spanish crest and "BERLIN 1894" on the receiver ring The smooth walnut stock and handguard remain in about very good plur condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				5 5 5
handling marks. One original magazine is included, the parts are matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800		•		
matching by assembly number and the action seems to function well mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800				
mechanically. (13A9807-336) {C&R} [Vincent Coniglio Collection] (600/800) Est. 600 - 800				
(600/800)         Est. 600 - 800             bolt release shows a few flakes of fire blue and the markings remain intact and strong with model designation and Loewe address along the left side and nice Spanish crest and "BERLIN 1894" on the receiver ring. The smooth walnut stock and handguard remain in about very god plue condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) (ANTIQUE) [Vincent Coniglio Collection] (600/800)				
Est. 600 - 800       intact and strong with model designation and Loewe address along the left side and nice Spanish crest and "BERLIN 1894" on the receiver ring. The smooth walnut stock and handguard remain in about very good plue condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early rear sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) (ANTIQUE) [Vincent Coniglio Collection] (600/800)				•
left side and nice Spanish crest and "BERLIN 1894" on the receiver ring The smooth walnut stock and handguard remain in about very good plu condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)		· ,		
The smooth walnut stock and handguard remain in about very good pluc condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early read sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)			1	
condition having darkened from the years and showing some light staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
staining, scattered light dings and handling marks. The stock appears to be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				5 , 5 ,
be un-numbered and retains a good Spanish crest with 1894 date on the left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
left side butt that has softened slightly and shows a small dent in the center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
center of the crest. No cleaning rod is present and the original early real sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
sight is intact. All of the serialized parts are matching and the action seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				• •
seems to function well mechanically. A solid example of an early Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
Spanish Mauser that likely saw service in the Spanish American War. (13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
(13B9807-230) {ANTIQUE} [Vincent Coniglio Collection] (600/800)				
				Est. 600 - 800

1621			
	German Police-Marked J. P. Sauer 38H Semi-Auto Pistol	1625	Custom Remington Rolling Block Pistol
	serial #451606, 32 ACP, 3 1/2" barrel with a bright excellent bore. The		44 S&W Russian, 10" part round part octagon barrel with a bright
	metal surfaces of this pistol retain about 90-92% original blue with most		excellent bore. The metal surfaces of this interesting custom pistol retain
	of the loss due to the gripstraps thinning to gray patina, some high edge		about 96% fine quality period reapplied rust blue showing some mild
	wear and mild thinning and a bit of mild freckling along the slide. The		high edge wear, a few tiny handling marks and the gripstraps toning
	alloy trigger is a pale gray tone and all markings remain crisp and clear		slightly to plum-brown patina. The barrel shows a slightly softened
	with proper "(Eagle) / N" commercial proofs and "(Eagle) C" police		
			double-struck Remington Arms Co. address, the underside with "44
	acceptance stamp. The original black checkered Bakelite grips with		S&W R." cartridge designation and the left side frame with just a few
	"SuS" logo on the left panel remain in excellent condition showing a		letters legible, one of them being the "S" from the original military proof
	couple mild handling marks. One original magazine is included and the		mark. The action pins show fine restored straw colors and the remaining
	serialized parts are matching. This example is equipped with the		small parts show a nice quality blue finish with some mild high edge
	slide-mounted safety lever and the action seems to function well		wear. The smooth walnut grip and forend remain in very good plus
	mechanically. A very nice Police contract 38H. (13A9807-335) {C&R}		condition showing a heavy added varnish that shows some moderate
	[Vincent Coniglio Collection] (600/800)		crazing along the left sides, a little more mild on the right side grip and a
	Est. 600 - 800		few other light handling marks. The grip is of rather generous
1622	Remington Model 95 Double Deringer	1	proportions with a flared base. The pistol is sighted with an elevation
	serial #551, 41 RF, 3" barrels with partially bright good bores showing		adjustable v-notch rear sporting sight, large silver bead front and there is
	light pitting their full-lengths and strong rifling throughout. The metal		a small dovetail and screw hole for a tang sight at the top back edge of
	surfaces of this Type III pistol retain about 92% original nickel finish		the frame. The action seems to function well mechanically. Really a
	showing some scattered very fine flaking to a pale gray-brown patina		nicely-constructed pistol that may make for a fine shooter.
	along either side of the frame and right side barrels, a few scattered light		(13B9670-468) {ANTIQUE} [David & Lore Squier Collection] (600/800) Est. 600 - 800
	dings and minor handling marks. The trigger and latch retain faint pale	4000	
	fire blue and the hammer also retains strong fading original blue. The	1626	
	screw heads show some very minor slot wear and the barrel address		.54 cal, 8 1/2" round barrel with a moderately oxidized bore. The metal
1	remains crisp. The black checkered hard rubber grips remain in very		surfaces of this pistol have mostly toned to a pewter gunmetal patina
	good plus condition showing some areas of mild smoothing and		showing partially smoothed-over heavy erosion at the breech and some
	handling marks, more noticeable along the left panel, and both fit the		overall remnants of light pitting. The breech shows visible "JH / P" proofs
	frame very well. The barrels are matching the frame, the hinge shows no		and the lockplate markings remain crisp with 1847 date at the rear. The
	cracks and lock-up shows a little minor play. The hammer functions		brass hardware has mostly toned to a pale goldenrod patina showing
	crisply with properly pivoting firing pin. (13A9362-74) {C&R} [Edward W.		some scattered mild dings and handing marks. The trigger actually
	Marron, Jr. Collection] (600/800)		retains a generous amount of brilliant fire blue along the sides. The
	Est. 600 - 800		smooth walnut stock remains in very good plus condition showing some
1623	Remington Model 95 Double Deringer		old fine scratches along the right side, scattered light dings and handling
	serial #1841, 41 RF, 3" barrels with bright near excellent bores showing		marks. The stock fit remains very nice overall and the left flat shows two
	a little minor frosting in the grooves and strong rifling throughout. The		very strong cartouches. The swiveling ramrod assembly is intact albeit
	barrels of this December 1924 date-coded Type III pistol retain about		rather loose and the lock functions crisply. (13A9739-15) {ANTIQUE}
	95% original bright blue showing some scattered light flaking to pleasant		(500/700)
	gray-brown patina and a spot of tiny dings at the left side forward edge		Est. 500 - 700
	of the top barrel that are very unobtrusive. The frame has mostly toned	1627	, , , , , , , , , , , , , , , , , , , ,
	to a deep gray-brown patina showing strong remnants of blue in the		serial #416990, 45-70 Govt., 32 5/8" barrel with a bright perhaps very
	protected areas that has been touched up long ago along the backstrap		good bore showing a few areas of light oxidation in the otherwise strong
	which shows some very fine pinprick pits. The latch shows some		rifling. The barrel retains about 85-90% lightly-thinning arsenal blue
	remnants of pale fire blue while the hammer retains most of its original		
1			which is toning to a blue-brown patina around the muzzle with scattered
	blue. The hinge screw hole and screw slot show some light wear and		light handling marks and fine spots of freckling toning to brown overall.
			light handling marks and fine spots of freckling toning to brown overall.
	tool marks but the hinge is otherwise intact and un-cracked and the		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe.		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin.		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800)		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and
	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang.
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and tee of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) [C&R] [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8* part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scatttered light handling marks. The
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered memants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent,
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) [C&R] [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" calliber designation. The action partial grign on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) {ANTIQUE} (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) {ANTIQUE} (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" calliber designation. The action partial grign on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) {ANTIQUE} (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat from the years showing some scattered light dings and the right panel		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat from the years showing some scattered light dings and the right panel warping slightly along the edges. The arm is equipped with a single spur		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat from the years showing some scattered light dings and the right panel warping slightly along the edges. The arm is equipped with a single spur triggerguard, large lanyard ring and fine bead front sight with v-notch on		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the hammer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) {ANTIQUE} (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat from the years showing some scattered light dings and the right panel warping slightly along the edges. The arm is equipped with a single spur triggerguard, large lanyard ring and fine bead front sight with v-notch on the breechblock. The action seems to function well mechanically. A solid example from this respected maker that would make for an interesting		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) {C&R} [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat from the years showing some scattered light dings and the right panel warping slightly along the edges. The arm is equipped with a single spurt triggerguard, large lanyard ring and fine bead front sight with v-notch on the breechblock. The action seems to function well mechanically. A solid example from this respected maker that would make for an interesting addition to any rolling block collection. (13B9857-15) {ANTIQUE}		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)
1624	tool marks but the hinge is otherwise intact and un-cracked and the barrel markings remain crisp. The black checkered hard rubber grips remain in very fine condition showing some scattered light handling marks, mild discoloration and the right panel is a little proud at the toe. The barrels are matching the frame, lock-up shows a hint of minor play and the hammer functions crisply with properly pivoting firing pin. (13A9362-69) (C&R) [Edward W. Marron, Jr. Collection] (600/800) Est. 600 - 800 Belgian Large Bore Rolling Block Sporting Pistol by Francotte serial #1563, 500 CF (likely 500 Tranter), 8" part round part octagon barrel with a bright very good plus bore showing some scattered small patches of light oxidation and minor pinprick pitting with strong rifling throughout. The barrel of this interesting pistol has mostly toned to a pleasant mottled gray patina showing some scattered remnants of old light pitting and minor freckling. The left barrel flat shows a crisp Belgian inspector stamp and antique proof mark. The action retains perhaps 75% vibrant case-hardened colors showing some overall light oxidation staining, a few areas of mild pinprick pitting and toning to silvery gray patina. Some of the frame screws show moderate slot wear and the left side of the frame is marked with Francotte's "(Crown) / AF" stamp and "500" caliber designation. The action pins and retainer plate show some light dings and are embellished with a floral design on either side. The breechblock and graceful hammer remain partially bright showing remnants of old oxidation. The checkered walnut grips and forend remain in about very good plus condition having darkened somewhat from the years showing some scattered light dings and the right panel warping slightly along the edges. The arm is equipped with a single spur triggerguard, large lanyard ring and fine bead front sight with v-notch on the breechblock. The action seems to function well mechanically. A solid example from this respected maker that would make for an interesting		light handling marks and fine spots of freckling toning to brown overall. The bands and triggerguard have some small areas of wear toning to a gray-brown patina with some light freckling, fine handling marks, a couple tiny dings in the rear edge of the front band and good amounts of arsenal blue in the protected areas. The heel and toe of the buttplate are toning to a gray-brown patina with some old light oxidation and the 1873-dated breechblock, lockplate and breech tang have aged to an overall dark gray patina with some small freckles toning to brown and traces of original case-hardened colors on the harmer and breech tang. The lockplate is properly marked with a Federal Eagle ahead of the harmer and "U.S. / SPRINGFIELD" below the thumbpiece and the breech of the barrel displays a crisp "V / P / (eagle head)" proof. The black walnut stock rates very good plus as lightly cleaned with a touch of added finish, a repaired crack in the left side of the cleaning rod channel behind the upper band and some scattered light handling marks. The remnants of a "SWP / 1879" inspector's cartouche is on the left stock flat and the faint remnants of a circled "P" firing proof is behind the triggerguard. The stacking swivel and upper sling swivel are a little bent, the barrel is sighted with a blade front and a R-marked Model 1879 buckhorn rear, a slotted button-head ramrod with retaining swell is included and the three position lock and tumbler are strong and crisp. A very handsome example of a Model 1884 Trapdoor rifle. (23A9840-7) (ANTIQUE) (600/800)

1628	Chinese Type 56 SKS Semi-Auto Carbine by Jianshe Arsenal	]	1631	U.S. Model 1868 Trapdoor Rifle by Springfield Armory
	serial #11295097, 7.62x39mm, 20 1/2" chrome-lined barrel with a bright			serial #24482, 50-70, 32 1/2" barrel with a mostly bright about very good
	excellent bore. The metal surfaces of this non-import marked			bore showing an area of minor pitting in the strong rifling. The barrel and
	1967-vintage SKS retain about 90% original blue with light high edge			mountings have aged to an overall dull gray patina as lightly cleaned
	and muzzle silvering, a few scattered small spots of light pitting, an area			long ago with some softened pinprick pitting near the muzzle, some
	on the rear of the dustcover has been cleaned to gunmetal gray showing			scattered light handling marks, and some light oxidation staining overall.
	softened light pitting, the edges of the magazine are toning to plum and			The receiver, breechblock and breech tang are a mottled dark gray
	there is some scattered light freckling and light handling marks from			patina showing some light high edge wear and some light freckling while
	military service. The chrome-plated cruciform bayonet and the bolt and			the lockplate and hammer display a dull pewtery case-hardened patina
	carrier are mostly bright with some very light oxidation staining. The			with speckles of light oxidation staining. The lockplate is correctly
	receiver is properly stamped with the Factory 26 "triangle code" and			stamped with "1863" behind the hammer and a Federal Eagle ahead
	"Type 56" in Mandarin characters and the following parts are all			while "U.S. / SPRINGFIELD" is below the thumbpiece. The breechblock
	correctly serialized to the receiver: bolt, carrier, magazine, triggerguard,			is crisply marked with "1870 / (eagle head / crossed arrows) / US". The
	dustcover, gas tube and stock. The smooth catalpa wood pistolgrip			smooth American walnut straight grip stock rates very good with a short
	stock and handguard rate very good with various minor dents, dings and			hairline crack ahead of the lockplate, a few small abrasions and tiny
	impact marks the most noticeable of which is a 1 1/2" scratch on the			chips along the wood line and cleaning rod channel respectively, a
	right side of the toeline and there is a triangle "2" cartouche on the left			handful of tiny specks of white paint transfer and some scattered minor
	side below the action. The honest condition of both the stock and metal			dings and handling marks from military service. The left stock flat
	surfaces are what make this such an interesting and desirable carbine			features four inspector's cartouches, two of which are very crisp while
	as it is clear that it has "been there and done that." The original military			two are slightly softened and there is a well-struck "177" on the left side
	sights and cleaning rod are intact, a cleaning kit is stored within the trap			of the buttstock. The original sights and sling swivels are intact, a correct
	buttplate, the bayonet locks up tightly while deployed and stowed, a			slotted head cleaning rod is included and the two-position lock and
	khaki canvas sling showing wear and staining commensurate with			tumbler are crisp and strong. A fine Model 1868 Trapdoor that should be
	arduous service is included and the action appears to function well			a welcome addition to your U.S. military firearms collection.
	mechanically. Manufactured during the height of the conflict in Vietnam,			(23A9807-269) {ANTIQUE} [Vincent Coniglio Collection] (600/800)
	this carbine may have been carried down the Ho Chi Minh Trail and as it			Est. 600 - 800
	is not import-marked, it may have quite a story to tell. (23B98074-132)		1632	U.S. Model 1861 Percussion Rifle-Musket by Springfield Armory
	{C&R} [Vincent Coniglio Collection] (500/700)			.58 cal., 40" barrel with an oxidized bore. The metal surfaces are toning
	Est. 500 - 700			to a lightly-oxidized brown patina with some light pitting around the area
1629	Russian SKS Semi-Auto Carbine by Tula	1		of percussion and on the buttplate, the barrel between the upper and
	serial #YOOR3627, 7.62x39mm, 20 1/2" chrome-lined barrel with a			middle bands has been cleaned to gray-brown, the upper band retains
	bright excellent bore. The metal surfaces of this 1952-manufactured			most of its reapplied blue with some light pitting beneath the finish, there
	Simonov carbine retain 98% arsenal blue with light muzzle silvering, the			are some minor impact marks on the high edges of the rear band and a
	right side of the bayonet ring and the forward area of the triggerguard			few scattered light handling marks overall. The lockplate and hammer
	toning to dark gray under direct light, and a few scattered handling			are a mottled dull gray patina as cleaned with some softened pinprick
	marks. The bolt, carrier and chrome-plated bayonet are bright. The right			pitting and light staining on the lockplate and spots of old light oxidation
	side of the barrel is discreetly imported-marked by Century Arms who			on the hammer. The top flat of the breech has been lightly cleaned to a
	has added "YOOR" below the serial number on the left side of the			mottled gunmetal gray patina to display a softened "1863" while the left
	receiver; the top of the dustcover is correctly marked with the Tula			quarter-flat bears a strong "V / P" and the remnants of the eagle head
	symbol along with "1952r", and the following parts are properly			proof. The lockplate markings have been slightly softened and include
	serialized to the receiver: bolt, carrier, dustcover, magazine,			"1863" behind the hammer, a Federal Eagle ahead of the hammer and
	-			"U.S. / SPRINGFIELD" below the bolster. The black walnut stock rates
	triggerguard, gas tube, rear sight and stock. The original smooth beech			
	pistolgrip stock and handguard rate very good plus with a few scattered			perhaps very good as lightly cleaned long ago with a touch of later
	minor dings and handling marks from military service. The left side of the			added oil finish, the wood immediately ahead and behind the bolster has
	buttstock is stamped with the Tula symbol along with "1952" and the			eroded away, the top of the wrist has darkened from oils, there are a
	entire stock abounds in various inspection stamps. The original military			couple tiny chips missing from the edges of the ramrod channel, a small
	sights and cleaning rod are intact, the bayonet locks up tightly while			area of short parallel scratches on the left stock flat and a few scattered
	deployed and stowed, and a Russian khaki-green cotton canvas sling is			handling marks to be expected of a Civil War shoulder arm. "E" has
	included showing Cyrillic markings stamped in ink on the interior			been carved into the forend ahead of the triggerguard and the left stock
	surface. A beautiful and all-original Russian SKS. (23A9807-129) {C&R}			flat shows the faint remnants of two boxed inspectors' cartouches. The
	[Vincent Coniglio Collection] (600/800)			nipple is a contemporary replacement, the cleanout screw is proud of
	Est. 600 - 800	1		the bolster, the sling swivels and original sights are intact and a correct
1630	U.S. Model 1866 Second Model Allin Conversion Rifle by Springfield			cupped tulip-head ramrod with retaining swell is included. The action of
	Armory			this classic Civil War arm remains strong and crisp. (23A9840-4)
	50-70, 36 5/8" barrel with a very good bore for its age showing some			{ANTIQUE} (600/800)
	scattered areas of light pitting in the rifling. The metal surfaces are			Est. 600 - 800
	toning to an overall dull gray patina as cleaned with a few scattered			
	small areas of softened pinprick pitting, buffing striations forward of the			
	forend cap and to the rear of the lower band, scattered small areas of			
	old light oxidation and freckling throughout and a few handling marks			
	from military service. The breechblock is correctly marked "1866 / (eagle			
	head)" while the lockplate is stamped with a Federal Eagle ahead of the			
	hammer and "1864" behind and "U.S. / SPRINGFIELD" is below the			
	thumbpiece. The smooth black walnut straight grip stock rates very good			
	with a light coat of older added finish, a couple narrow slivers missing			
	from the sides of the cleaning rod channel, and some scattered minor			
	dents, dings and handling marks from the years with a tiny abrasion			
	ahead of the lockplate and a small chip below the hammer. The left			
	stock flat displays a softened "ESA" inspector's cartouche. The rear			
	sight is missing a screw beneath the folding leaf and the original sights			
	are otherwise intact as are the swivels. A couple of the screw heads			
	show light slot wear, there is a cupped tulip-head ramrod stowed			
	beneath the barrel and the two-position lock and tumbler are strong and			
	crisp. An overall very good example of a Second Model Allin			
	Conversion, the predecessor of the famous "Trapdoor". (23A9807-268)			
	{ANTIQUE} [Vincent Coniglio Collection] (600/800)			
	Est. 600 - 800			
1		J		

Est. 600 - 800

1633	U.S. Model 1863 Type II Percussion Rifle-Musket by Springfield Armory	1637	Ithaca Field Grade Flues Boxlock Double Shotgun by Turnbull
	.58 cal., 40" barrel with a good bore showing areas of light pitting and		serial #224574, 20 ga., 26" barrels choked modified and full with very
	light oxidation in the rifling. This interesting Model 1863 rifle-musket has		good plus bores having some scattered pitting and a few dings that look
	most of the typical features of a Type II except for the stock which is a		to have been professionally-raised. The barrels, lever and triggerguard
	Type I utilizing clamping bands rather than the typical solid bands		retain 99% well-done later-applied blue, there is some very minor edge
	retained by springs. The barrel and bands are toning to a light brown		wear on the triggerguard. The frame retains 99% professionally-restored
	patina with some light pitting around the muzzle and bolster along with		vivid color case-hardening with crisp engraved hunting dogs
	some scattered small spots of old light oxidation and fine freckling		left-and-right. The checkered walnut straight-grip buttstock and
	overall. The remaining metal surfaces have aged to a mottled		beavertail forend are from the Great American Gunstock Co. and rate
	gray-brown patina with some moderate oxidation on the right side of the		excellent. Shotgun is equipped with extractors, double triggers, an
	triggerguard and in a couple areas on the buttplate, some fine pinprick		automatic safety and a 14 3/4" length-of-pull with drops of 1 3/8" and 2
	pitting on the lockplate and some small scattered spots of old light		3/8". (22A9771-27) {C&R} (600/800)
	oxidation and freckling overall. The bolster is stamped with a softened		Est. 600 - 800
	small Federal Eagle while the lockplate is dated 1864 behind the	1638	Sig Sauer Model P232 Semi-Auto Pistol
	hammer and marked with a Federal Eagle ahead and "U.S. /		serial #S 316 143, 380 ACP, 3 5/8" barrel with an excellent bore. The
	SPRINGFIELD" below the bolster. The quarter flat of the breech		stainless steel surfaces are excellent with a couple minor blemishes,
	features a strong "V / P / (eagle head)" while the left flat is marked with a		right-side frame is marked "MADE IN GERMANY". The wraparound
	bold "M P" and the buttplate tang is stamped "U.S. / 89". The black		Hogue pebble grain finger-groove factory grips are excellent. The pistol
	walnut stock rates good as lightly cleaned with a touch of old added		is equipped with a decocker and three-dot night sights that still glow
	finish, a crack ahead of and behind the lockplate, some erosion behind		green, it comes with a single factory magazine and manual.
	the flash shield, a few scattered small chips along the wood line and		(22A9897-64) {MODERN} (600/800)
	numerous dents, dings and handling marks from military service. The		Est. 600 - 800
	left stock flat features the remnants of two inspectors' cartouches. There	1639	Smith & Wesson Model 39 Semi-Auto Pistol with Rare Detachable Dust
		1000	
	is an old added screw above the lower buttplate screw, the sling swivels		Cover
	and original sights are intact including the correct Type II single leaf rear,		serial #39703, 9mm, 4" barrel with an excellent bore. Some of the early
	a Type I cupped tulip-head ramrod is included and the action remains		Model 39's had an interesting and rare cover over the ejection port to
	strong and crisp. A solid example of a Model 1863 rifle-musket.		keep out dust and was aimed at military contracts. The slides on the
	(23A9840-5) {ANTIQUE} (700/900)		aluminum framed Model 39s have small grooves cut in the bottom of the
	Est. 700 - 900		rails to accommodate the use of factory ejection port dust cover. The
1634	U.S. Model 1879 Trapdoor Carbine by Springfield Armory		covers did not move during firing cycle but they could be easily removed
1034			
	serial #148793, 45-70 Govt., 22" barrel with an about good bore		by the owner and is probable that many were detached and lost over
	showing a ring of pitting near the muzzle and in a few scattered spots in		time. Add to the fact they were made in limited quantity, the covers are a
	the rifling. The metal surfaces are a mix of mottled gunmetal gray and		rare find. This pistol retains about 96-97% original blue and anodized
	brown patina as cleaned with softened light pitting throughout, along		finishes with most of the loss due to high edge wear in addition to
	with scattered spots of old light oxidation. The replacement Model 1873		handling marks and scratches. The cover retains about 99% original
	barrel band with stacking swivel retains nearly all its original blue. The		blue with light handling marks. The checkered walnut factory grips with
	breech of the barrel displays a strong "V / P / (eagle head) / P" proof, the		silver S&W medallions rate about very good with handling marks and
	breechblock is properly dated "1873", and the lockplate is stamped with		limited diamond point compression mostly on the right panel. It features
	a Federal Eagle ahead of the hammer and "U.S. / SPRINGFIELD"		a Baughman ramp front sight, windage adjustable black blade rear sight,
	below the thumbpiece. The tang of the trap buttplate is stamped "US / D		long extractor, long backstrap, standard slide mounted safety/de-cocker
	/ 12" and "47" is by toe. The smooth American black walnut stock rates		and lanyard loop. There is a later added filler hex head screw on the
	good to perhaps very good with a couple of small chips on the right side		right side of the frame along with two others under the right grip panel,
	of the action, a couple hairline cracks above the intact sling bar with ring		probably for an optics mount. It includes a single factory marked
	and the scattered light dents and dings from mounted service. The stock		magazine with seven inspection holes and "X" shaped follower. The gun
	features a clear "SWP / 1880" inspector's cartouche and circled "P"		still remains in excellent condition and has one of those delightful
	firing proof. The original sights are intact including the correct C-marked		oddities collectors crave. (8B9790-2) {C&R} (600/800)
	Model 1879 "buckhorn" rear, a complete Model 1882 Buffington		Est. 600 - 800
	headless shell extractor is stored within the trap buttplate and the	1640	Colt Peacemaker Buntline 22 Single Action Convertible Revolver
	three-position tumbler and strong and crisp. Also included is nicely made		serial #G190473, 22 LR/22 Magnum RF, 7 1/2" barrel with an excellent
	wooden plaque with brass plate engraved with the history of the		bore. This lovely revolver retains about 99% plus original blue and
	Trapdoor carbine. (23A9739-4) {ANTIQUE} (700/900)		anodized finishes, including the spare cylinder in addition to beautiful
	Est. 700 - 900		case-hardened colors on the frame. The checkered synthetic factory
1625	U.S. Model 1898 Krag Bolt Action "Carbine" by Springfield Armory		
1635	• • • • •		grips have a Rampant Colt in an oval with Federal eagle on the lower
	serial #172603, 30-40 Krag, 22" shortened barrel with an about good		portion of the panels and remain in excellent condition. The gun times
	lightly frosted bore with a few scattered areas of light pitting in the		and locks up correctly on both cylinders and has fixed sights. It includes
	softened rifling. The metal surfaces have aged to an overall dark gray		the original factory woodgrain box with Styrofoam insert that is correctly
	patina with a few scattered tiny spots of oxidation staining, old hardened		end labeled and numbered to the gun and spare unfluted 22 Magnum
	lubricant on the band, the edges of the triggerguard, sideplate and the		RF cylinder. The box rates fair to good showing little storage wear but
	underside of the gate, and remnants of original blue in the protected		one end flap is missing the dust flaps and was cellophane taped closed.
	areas. The bolt displays a light gray patina with tiny speckles of staining		This 1976-manufactured gun shows very little if any use and remains in
	and areas of the previously mentioned hardened lubricant. The		wonderful condition. A nice addition for the collector. (8A9789-70)
	attractive Model 1899 smooth walnut straight grip carbine stock and		{MODERN} (600/800)
	handguard rate very good plus as lightly cleaned with a later added		Est. 600 - 800
	finish with nicely done wood-filled ovals on the toe line and behind the	1641	Walther Model P88 Compact Semi-Auto Pistol
	upper band where slings swivels were once added along with a few		serial #100709, 9mm, 4" barrel with an excellent bore. The metal
	scattered light handling marks. There are no visible cartouches or		surfaces retain about 99% original blue and anodized finishes showing
	• •		° °
	markings. The rifle is sighted with a "C" marked blade front and a Model		slight high edge wear and a few minor handling marks. The checkered
	1896 rifle rear and the action is very smooth and appears to function		synthetic grips rate about excellent showing slight wear. This pistol
	well mechanically. This "carbine" falls within the serial number range		features three dot sights, ambidextrous slide mounted safety /
	provided by Springfield Research Service of Model 1898 Krag rifles (not		de-cockers, ambidextrous magazine release, extended slide stop and a
	carbines) that were issued to the 26th U.S.V. Infantry in 1899.		lanyard loop. The pistol includes the original factory box that is correctly
	(23A9833-42) {C&R} (500/700)		end labeled and numbered to the gun, a pair of ten-round magazines
	Est. 500 - 700		and a cleaning rod. This gun has seen only light use since it was
1636	Colt Model 1903 Pocket Hammerless Semi-Auto Pistol		proofed in 1992. (8A9834-7) {MODERN} (600/800)
1000			
	serial #384937, 32 ACP, 3 3/4" barrel with an excellent bore. The metal		Est. 600 - 800
	surfaces retain near 97% original blue with some high edge wear and		
	scattered light freckles and a couple curious scuffs on the frame and		
	near the right-side slide serrations. The checkered hard rubber factory		
	"third-style" grips are near excellent. A very good plus condition		
	two-tone factory magazine with "CAL.32 / COLT"-marked baseplate is		
	included. (22A9897-5) {C&R} (600/800)		

	FNH USA FNAR Semi-Auto Rifle	16	647	Walther/Interarms Model PPK/S Semi-Auto Pistol
1.5	serial #319MN02543, 7.62 NATO, 20" fluted barrel with a bright			serial #S028362, 380 ACP, 3 1/4" barrel with an excellent bore. This
(	excellent bore. The metal surfaces retain 99% plus original matte black			attractive little U.Smanufactured PPK/S remains in excellent condition.
;	and anodized finish with some scattered light handling marks. The black			The stainless steel surfaces rate excellent with a few scant handling
	polymer pistolgrip stock and forend are excellent, there are three			marks. The checkered synthetic factory grips with Walther in a banner
	picatinny rails at the forend for accessory mounting, there are three			are in excellent condition. The pistol sports orange van Stavenhagen
	different interchangeable hard rubber comb pieces (sizes 1, 2 and 3)			sights, frame mounted de-cocker/safety and American style magazine
	and there are three interchangeable butt pads, all excellent. The			release. The gun includes a factory hard case that is correctly end
1	receiver features a 9 3/4" picatinny rail for optics mounting, this is the			labeled to the gun but not numbered, a factory magazine with flat
(	only provision for sights. Included are an FNH-marked hard case,			floorplate and a factory magazine with finger rest floorplate. The gun
1	manual and one new-in-package 10-round magazine. This arm is			was well cared for and shows very little use. (8A9880-2) {MODERN}
;	as-new-in-box, dealer stock, factory fired-only, and may have very small			(500/700)
	rack or handling marks only. (22A9319-106) {MODERN} (800/1200)			Est. 500 - 700
	Est. 800 - 1,200	16		Smith & Wesson Model 39-2 Semi-Auto Pistol
	,			
	U.S. Model 1909 Double Action Revolver by Colt			serial #A659858, 9mm, 4" barrel with an excellent bore. This pistol
	serial #39389, 45 Colt, 5 1/2" barrel with an excellent bore showing			remains in excellent condition and retains about 99% original blue and
ę	slight scattered frosting. The metal surfaces of this 1911-manufactured			anodized finishes with limited high edge wear. The checkered walnut
!	gun retain perhaps 40% reapplied arsenal grade blue, the rest a mixture			factory grips with silver S&W medallions rate excellent. This pistol has a
(	of gray-brown and plum patina. The gun has scattered handling marks,			Baughman ramp front sight, windage adjustable rear sight, slide
,	old pitting and a few oxidation blemishes. The service trigger and			mounted de-cocker/safety and lanyard loop. It includes the original
	hammer retain some good fire blue toning to gray, as is the lanyard loop			factory box that is correctly end labeled and numbered to the gun, a pair
	and the bright sides of the hammer show light staining. The smooth			of factory magazines, cleaning kit, manual and paperwork. One of the
	walnut factory service grips rate very good plus as lightly cleaned and			metal corners are missing from the cover of the box, it remains excellent
	re-varnished in years past, showing light handling marks. Inspector			otherwise. The Model 39 is gaining in popularity as a collectible and
(	Carr's initials on the butt of the left panel are still visible but soft from the			remain fine shooters. This gun has seen very little if any use over the
b	refurbish. The gun times and locks up correctly and the inspection marks			years and would be a great acquisition for a collector. (8A9880-3)
	by Major Frank Baker and Renaldo Carr remain strong to crisp. There is			{MODERN} (500/700)
	a rework number on the cylinder under the extractor and a "K" rework			Est. 500 - 700
	-	40		Reising Arms Company Semi-Auto Target Pistol
	mark on the thumb latch. Model 1909s generally saw hard use during			
	the Philippine Insurrection and in later conflicts. This is a very good			serial #3216, 22 LR, 6 3/4" barrel with an excellent bore. This gun has
f	example of a government contract factory rework revolver that has seen			seen honest but light use and remains in excellent condition. The metal
I I	honest use over the years. (8A9830-52) {C&R} [Dr. William C. Nugent			surfaces retain about 97% original blue finish showing light high edge
(	Collection] (600/800)			toning, a sprinkling of handling marks and few very small pinprick pits on
1	Est. 600 - 800			the right rear. The checkered hard rubber factory grips have the
	U.S. Historical Society General Robert E. Lee Commemorative Navy			molded-in figure of a bear with a banner on top marked "REISING" and
				-
	Percussion Revolver			banner below it marked "IT'S A BEAR". The grips rate about very good
	serial #1208, .36 cal., 7 1/2" octagon barrel with an excellent bore. This			with minimal handling wear and show a tiny repair to the right panel
1	lovely revolver remains in excellent condition with beautiful gold plate			upper screw hole. The grip screws have light slot damage that could be
r	relief engraved foliate scroll adorning the flats on the frame, rear of the			lightly dressed. The pistol features an elevation adjustable Patridge front
1	barrel and area around the screw on the loading lever. The mid-section			sight, windage adjustable rear sight and seems to function well. This
	of barrel has gold leaf scroll work with the top of the barrel relief			standard velocity only early model features the Hartford address and it
	engraved "LEE". The outline of the blued hammer is bordered with gold			includes a single factory marked two-tone magazine. (8A9851-2) {C&R}
	-			
	leaf lending a nice accent to the deep color. The cylinder is gold plate			(600/800)
1	with a blackened wide strip festooned with gold leaf images of the			Est. 600 - 800
(	General on his horse, coat of arms, prominent locations in his life and	16	650	Hartford Arms & Equipment Company Single Shot Target Pistol
(	career and a cannon. The metal surfaces retain about 99% original blue			serial #308, 22 LR, 6 3/4" barrel with an excellent bore. The metal
1	finish and the high polish brass grip frame rates excellent. The smooth			surfaces retain about 97% original fading blue, most of the loss due to
	highly figured walnut factory grips rate excellent and the left side of the			high edge wear and thinning finish on the grip frame in addition to
	grip features a gold medallion with the bust of General Lee. The revolver			sparse handling marks. The blue finish has toned to plum overall and a
	is displayed in a beautiful walnut presentation case that rates excellent			few tiny areas of pinprick pitting are present. The trigger retains bold
	and features a leather insert on the cover with General Lee seated on			case-hardened colors with a few impact marks on the left side. The
	his steed. The interior is French fitted for the revolver and accessories			grooved walnut factory grips rate very good to excellent with slight
1	with two small compartments, all blue velvet lined and in excellent			scattered handling marks on the raised grip serrations. The pistol has a
	condition. Also included are a Dixon & Son silver flask, sterling silver cap			large slide release lever on the left side of the frame and features a
	tin with R. E. Lee signature engraved on the top in cursive, sterling silver			cross bolt style safety with heavily worn checkering, post front sight and
	coin of General Lee, seven gold plated round balls, white cotton			drift adjustable rear sight. The Hartford Arms Company produced only a
	examination gloves, key and paperwork. A beautiful unfired tribute to the			small amount of single shot and semi-auto pistols before they failed in
	South's famous General. (8A9857-47) {ANTIQUE} (600/800)			the Great Depression and were purchased by High Standard.
	Est. 600 - 800			(8A9851-4) {C&R} (500/700)
1645	Smith & Wesson Model 686-3 Distinguished Combat Magnum Revolver			Est. 500 - 700
	serial #BBV4687, 357 Magnum, 2 1/2" full lug barrel with an excellent	16		Smith & Wesson Model 15-3 K-38 Combat Masterpiece Revolver
	bore. The stainless steel surfaces rate excellent with a few scattered			serial #K920718, 38 Special, 4" pinned barrel with an excellent bore.
	handling marks and limited edge wear. The smooth combat trigger and			The metal surfaces of this 1969-manufactured gun retain about 97%
	service hammer retain full hard chrome finish. The smooth goncalo			original blue with brown oxidation stains on the forward section of frame,
1	alves factory finger groove combat grips with silver S&W medallions rate			knuckle and butt in addition to light handling marks. The service trigger
	excellent. This revolver features a red ramp front sight, black blade			and hammer retain bold case-hardened colors with scant operational
	micro adjustable rear sight and times and locks up correctly. This gun			wear. The un-numbered checkered walnut factory target grips with silver
	has seen light use and should make a great addition to a collection or a			S&W medallions feature an extractor cut and rate about very good with
	fine defensive firearm. (8A9882-16) {MODERN} (600/800)			handling marks and limited flaking finish. The revolver features a
f	Est. 600 - 800			Baughman ramp front sight, black blade micro adjustable rear sight and
f				times and locks up correctly. It includes the original factory box that is
f	Remington New Model No. 4 Revolver			correctly end labeled and numbered to the gun plus an opened and
f 1646 I				g
f 1646 I s	Remington New Model No. 4 Revolver			used cleaning kit. The gun has had some honest use and otherwise
f 1646   r	Remington New Model No. 4 Revolver serial #20128, 38 RF Short, 2 1/2" barrel with an excellent bore. The metal surfaces of this excellent little revolver retain about 99% original			used cleaning kit. The gun has had some honest use and otherwise
f 1646 I r r	Remington New Model No. 4 Revolver serial #20128, 38 RF Short, 2 1/2" barrel with an excellent bore. The metal surfaces of this excellent little revolver retain about 99% original nickel plate showing a few minor oxidation blemishes and sparse			used cleaning kit. The gun has had some honest use and otherwise remains in excellent condition. (8A9809-2) {C&R} (500/700)
f 1646   1 1 1 6 4 6 1 1 1 1 1	Remington New Model No. 4 Revolver serial #20128, 38 RF Short, 2 1/2" barrel with an excellent bore. The metal surfaces of this excellent little revolver retain about 99% original nickel plate showing a few minor oxidation blemishes and sparse handling marks. The un-numbered checkered hard rubber grips show			used cleaning kit. The gun has had some honest use and otherwise
f 1646   1 1646   1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Remington New Model No. 4 Revolver serial #20128, 38 RF Short, 2 1/2" barrel with an excellent bore. The metal surfaces of this excellent little revolver retain about 99% original nickel plate showing a few minor oxidation blemishes and sparse handling marks. The un-numbered checkered hard rubber grips show slight wear but rate excellent. The numbered parts are matching and the			used cleaning kit. The gun has had some honest use and otherwise remains in excellent condition. (8A9809-2) {C&R} (500/700)
f 1646   1 1646   1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Remington New Model No. 4 Revolver serial #20128, 38 RF Short, 2 1/2" barrel with an excellent bore. The metal surfaces of this excellent little revolver retain about 99% original nickel plate showing a few minor oxidation blemishes and sparse handling marks. The un-numbered checkered hard rubber grips show			used cleaning kit. The gun has had some honest use and otherwise remains in excellent condition. (8A9809-2) {C&R} (500/700)
f 1646 I r r r s c c	Remington New Model No. 4 Revolver serial #20128, 38 RF Short, 2 1/2" barrel with an excellent bore. The metal surfaces of this excellent little revolver retain about 99% original nickel plate showing a few minor oxidation blemishes and sparse handling marks. The un-numbered checkered hard rubber grips show slight wear but rate excellent. The numbered parts are matching and the			used cleaning kit. The gun has had some honest use and otherwise remains in excellent condition. (8A9809-2) {C&R} (500/700)

1652	Smith & Wesson Model 1905 Military & Police Hand Ejector Revolver	I F	1657	Sig Sauer M11A1 Semi-Auto Pistol
	serial #286625, 38 Special, 6" barrel with an excellent bore. This fourth			serial #45A002368, 9mm, 3 7/8" barrel with an excellent bore. This pistol
	change revolver remains in fine condition showing honest use. The			retains about 99% original dark earth finish. The textured synthetic
	metal surfaces retain about 95% original blue showing high edge wear,			factory grips feature a factory logo on the right panel, "P228" on the left
	fine pinprick pitting in a few areas and handling marks. The service			panel, it is equipped with a lanyard loop and they remain in excellent
	trigger and hammer have beautiful case-hardened colors with light			condition. This gun features three dot "Siglite" sights that still glow,
	operational wear and the trigger face toned to pewter. The diamond			frame mounted decocker and smooth "short" trigger. It includes a factory
	checkered walnut factory grips with gold S&W medallions are numbered			box that is not labeled and a pair of fourteen-round factory magazines.
	to the gun and rate good to very good showing sporadic compression of			An excellent condition civilian version of the military's M-11 pistol.
	the diamond points and other handling wear. The numbered parts are			(8A9897-69) {MODERN} (600/800)
	correct to the gun, there is a small impact mark on the front sight and		1050	Est. 600 - 800
	the action times and locks up correctly. A factory letter is provided and		1658	Smith & Wesson Model 17-9 K-22 Masterpiece Revolver
	indicates this gun shipped on September 28, 1917, as described above			serial #CSK3978, 22 LR, 6" barrel with an excellent bore. This Classic
	to Rose & Johnson Co. but unfortunately the address in the ledger is not			Series revolver remains in excellent condition with about 99% original
	legible. A nice Model 1905 showing honest condition. (8A9890-5) {C&R}			deep blue finish showing a tiny wear mark on the triggerguard, a few
	(600/800)			small handling marks and other wear blemishes. The smooth combat
	Est. 600 - 800			trigger and .500" target hammer retain smoky case-hardened colors.
1653	Smith & Wesson Model 66-1 Combat Magnum Revolver			The checkered laminated walnut factory Magna grips with silver S&W
	serial #92K7326, 357 Magnum, 2 1/2" pinned barrel with an excellent			medallions rate excellent. This revolver features a Patridge front sight,
	bore. The stainless steel surfaces rate excellent with sparse handling			black blade micro adjustable rear sight, top strap is factory drilled and
	marks. The service trigger and hammer retain full hard chrome finish			tapped for optics and it still times and locks up correctly. It includes the
	with operational marks. The checkered walnut factory Magna grips with			original factory hard case that is correctly end labeled and numbered to
	silver S&W medallions are numbered to another gun but rate excellent			the gun, a pair of internal lock keys, cable lock with a pair of keys, fired
	with later applied finish. This gun features a red ramp front sight, black			case, manual and paperwork. An excellent example of the timeless K-22
	blade micro adjustable rear sight, the action times and locks up correctly			revolvers. (8A9896-34) {MODERN} (600/800)
	and has recessed chambers. A great gun for personal defense, trail or		4050	Est. 600 - 800
	the range. (8A9897-57) {MODERN} (600/800)		1659	Colt Ulysses S. Grant Commemorative Model 1851 Navy Percussion
	Est. 600 - 800			Revolver
1654	U.S. Model 1917 Revolver by Colt			serial #296USG, .36 cal., 7 1/2" octagon barrel with an excellent bore.
	serial #168003 (military inventory #16382), 45 ACP, 5 1/2" barrel with a			This fine gun is as-new in-the-box and features about 99% original blue
	lightly frosted bore. The metal surfaces of this 1918-manufactured			finish on the barrel and cylinder plus beautiful silver plate on the grip
	revolver retain about 99% professionally reapplied blue with old handling			frame. The gorgeous case-hardened colors Colt is celebrated for are
	marks and pitting seen under the new finish. The blue on the hammer			found on the frame, loading lever and hammer. The smooth one-piece
	spur is faded to gray with the bright sides showing light cleaning, the			factory walnut grip rates excellent. The left side of the barrel is marked
	trigger and lanyard loop have full blue finish. The unmarked smooth			"ULYSSES S. GRANT COMMEMORATIVE - NINETEEN SEVENTY
	walnut grips are later factory replacements that rate about good to very			ONE", the numbered parts are correct to the gun plus it times and locks
	good as lightly cleaned with handling marks and a small 1/2" wide			up properly. The gun is displayed in a beautiful walnut presentation case
	repaired chip at the toe of the left panel. The factory and military			with a blue felt lined six-compartment interior that rates excellent. Also
	markings are strong including Major Gilbert H. Stewart's acceptance			included are a number of fine accessories including a James Dixon &
	stamp on the frame. The gun still times and locks up correctly and			Son brass and copper powder flask, brass bullet mould cut for round ball
	should make a great start up for the aspiring collector or a good shooter.			and conical ball, cap tin plus a combination nipple wrench and flat
	(8A9897-12) {C&R} (500/700)			screwdriver. It includes a single key for the functioning lock, manual,
	Est. 500 - 700			paperwork and the shipping sleeve. A beautiful gun for the collector or
1655	Colt New Service Revolver with Northwest Mounted Police Markings			Civil War buff. (8A9896-49) {ANTIQUE} (600/800)
	serial #11818 (NWMP rack #445), 455 Eley, 5 1/2" barrel with an	_		Est. 600 - 800
	excellent bore showing slight frosting. This 1904-manufactured old		1660	Colt LE6920 AR-15 M4 "Law Enforcement" Semi-Auto Carbine
	model has arsenal grade dull reapplied blue finish with about 96-97%			serial #LE042361, 5.56 NATO, 16" M4 barrel that has a 1:7" rate of twist
	remaining showing thinning finish, high edge wear and handling marks.			and a bright, excellent bore. The metal surfaces retain about 99%
	The hammer and trigger were refinished with the sides of the hammer			original phosphate and anodized finish with just a few light handling
	cleaned to in-the-white and the lanyard loop is mostly gray. Both hard			marks noted. This "post ban" carbine is configured for Law Enforcement
	rubber grips are numbered to other guns and feature "COLT" in an oval,			use and features include a flash hider, bayonet lug and a collapsible
	they rate about good showing light to moderate wear to the diamond			four-position buttstock. The stock furniture rates excellent and carbine is
	points with several chips missing on the butt of the left panel. One chip			equipped with a round carbine length handguard and standard
	is shallow the other extends to the grip pin hole. The barrel markings are			pistolgrip. The flattop upper receiver has a removable carry handle
	strong, the Rampant Colt is soft and the backstrap is marked "N.W.M.P.			installed with adjustable rear sight, the front sight remains intact as well.
	445" with "MP" on the heel of the butt. One hundred sixteen years later			Additional features include a brass deflector and forward assist, the
	the gun still times and locks up correctly. A great find for the police			receiver has the law enforcement and military restricted use marking on
	firearms collector. (8A9897-16) {C&R} (600/800)			the right side. Early post ban arms that were made during the Clinton
	Est. 600 - 800			assault weapons ban were marked similarly but these arms were made
1656	British Contract Colt New Service Revolver			well after that now defunct ban sunsetted. There is an accessory sling
1000	serial #79904, 455 Eley, 5 1/2" barrel with an excellent bore showing			swivel mounted below the front sight and tan Viking Tactics nylon sling
	· · · · · · · · · · · · · · · · · · ·			
	slight frosting. This gun has arsenal grade reapplied blue finish with			and a single 30 round magazine are included. A terrific tactical AR
	about 95% remaining. The backstrap is thinning to brown with high edge			carbine in excellent overall condition. (4A9830-2) {MODERN} [Dr.
	wear and handling marks. The trigger face is pewter with the remaining			William C. Nugent Collection] (600/800)
	surface reapplied blue. The hammer has reapplied blue on all surfaces,			Est. 600 - 800
	the sides showing operational wear. The revolver includes three grip		1661	Custom Sako Finnbear Bolt Action Rifle
	panels. The left panel is a factory hard rubber numbered to another gun			serial #64051, 7mm Rem Mag, 24" barrel with a bright, excellent bore.
	that rates good to very good with minimal wear but there is a shallow			The metal surfaces retain about 80-85% original blue that is blending
	chip on the butt and a few handling marks. The right panel is a			with areas of gray mixed with brown and some light handling marks and
	reproduction grip in excellent condition. The original hard rubber right			areas of light surface oxidation and speckled pitting. Most of the loss is
	grip panel that was on the gun is also provided but is numbered to			seen along the barrel which still bears the etched Garcia importer
1				marking, there are also areas of high edge and bearing surface wear.
	another gun and has a chip missing off the heel of the butt. Military			The floorplate retains its silver inlay. The rifle sits in a custom woodland
	another gun and has a chip missing off the heel of the butt. Military acceptance and proof marks are strong to crisp as are the factory	I		The noorplate retains its silver may. The fine sits in a custom woodiand 1
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller			camo pattern McMillan fiberglass stock that features a beavertail forend
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller "66" on the side of the cylinder. The gun still functions mechanically but			camo pattern McMillan fiberglass stock that features a beavertail forend and raised comb, solid rubber recoil pad. The stock rates excellent with
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller "66" on the side of the cylinder. The gun still functions mechanically but tends to overtime on double action. A great addition for the Great War			camo pattern McMillan fiberglass stock that features a beavertail forend and raised comb, solid rubber recoil pad. The stock rates excellent with only a few light handling marks. There are no provisions for sights,
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller "66" on the side of the cylinder. The gun still functions mechanically but tends to overtime on double action. A great addition for the Great War buff. (8A9897-15) {C&R} (600/800)			camo pattern McMillan fiberglass stock that features a beavertail forend and raised comb, solid rubber recoil pad. The stock rates excellent with only a few light handling marks. There are no provisions for sights, included are a set of factory 1" scope rings that are in similar condition
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller "66" on the side of the cylinder. The gun still functions mechanically but tends to overtime on double action. A great addition for the Great War			camo pattern McMillan fiberglass stock that features a beavertail forend and raised comb, solid rubber recoil pad. The stock rates excellent with only a few light handling marks. There are no provisions for sights, included are a set of factory 1" scope rings that are in similar condition to the barreled action. With the right optics this would make a great big
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller "66" on the side of the cylinder. The gun still functions mechanically but tends to overtime on double action. A great addition for the Great War buff. (8A9897-15) {C&R} (600/800)			camo pattern McMillan fiberglass stock that features a beavertail forend and raised comb, solid rubber recoil pad. The stock rates excellent with only a few light handling marks. There are no provisions for sights, included are a set of factory 1" scope rings that are in similar condition to the barreled action. With the right optics this would make a great big game sporting rifle that could be utilized in any weather. (4A9722-3)
	acceptance and proof marks are strong to crisp as are the factory markings. The right front of the frame is stamped "C66" with a smaller "66" on the side of the cylinder. The gun still functions mechanically but tends to overtime on double action. A great addition for the Great War buff. (8A9897-15) {C&R} (600/800)			camo pattern McMillan fiberglass stock that features a beavertail forend and raised comb, solid rubber recoil pad. The stock rates excellent with only a few light handling marks. There are no provisions for sights, included are a set of factory 1" scope rings that are in similar condition to the barreled action. With the right optics this would make a great big

62			
	Sako Pre-Vixen Sporter Bolt Action Rifle	1666	U.S. Model 1917 Bolt Action Rifle by Winchester
	serial #12202, 222 Rem, 23 1/2" barrel with a bright, excellent bore. The		serial #65443, 30-06, 26" 11-17 dated Winchester barrel with a bright
	metal surfaces retain about 97-98% original blue, the only real		excellent bore. The metal surfaces retain about 75% original blue with
	noticeable loss is due to a small amount of oxidation with moderate		scattered light oxidation staining and toning to brown patina. The bolt
	pitting at the base of the barrel obscuring the caliber marking. The		retains about 80% original blue finish with light to moderate operation
	Riihimaki receiver markings remain crisp. The checkered walnut stock		wear. The walnut stock is very good plus condition with a small shallo
	rates excellent and has a few light handling marks and some lovely		chip at the toe, a small ding on the forend, and a few light handling
	figure toward the butt. The stock features include the factory hard rubber		marks. The stock is marked with a faded Eagle Head proof ahead of
	gripcap and buttplate, and a left side cheekrest. The original front sight		magazine floorplate, and a second faded Eagle Head proof behind th
	with hood remains intact, mounted to the factory grooved receiver is a		triggerguard; a crisp "W" is stamped into the nose of the stock. The
	factory aperture rear sight. A single detachable magazine is included. A		markings on the receiver ring and barrel remain crisply stamped, two
	lovely 1954-vintage Sako rifle. (4A9833-21) {C&R} (600/800)		mostly crisp Eagle Head proofs are stamped on the top of the left sid
	Est. 600 - 800		the receiver, and the left side receiver wall is marked with a crisp
3	U.S. M1 Carbine By Underwood		Flaming Ordnance Bomb and a partially faded circled star. The bolt, I
,	-		
	serial #1400405, 30 Carbine, 18" Underwood barrel dated "4-43" with an		sight, front sight, and bayonet lug are all correctly and crisply "W"
	excellent bore. The metal surfaces retain some of their original gray		marked. The rifle features a magazine follower depressor, a separate
	parkerized finish that is mixing with pewter and mottled gray metal		manufactured piece designed to compensate for the lack of a built-in
	throughout. The military stocks rate very good and have a myriad of		magazine cut-off which was primarily used during "inspection arms",
	small dings and marks associated with a lifetime of service use along		allowing the bolt to operate without interference from the follower. Th
			follower depressor is lightly marked "R" on the left side, and is boldly
	with a few small minor chips. The four-rivet narrow groove handguard is		
	"OI" marked on the underside, the low-cut buttstock is rack numbered		stamped "U.S.1917." on the right, and retains about 95% original blue
	"2113" on the base of the pistolgrip and has a West German marking		with some light wear marks and scattered light oxidation. Altogether a
	stamped in the sling groove. The parts are of mixed contractors, not all		attractive WWI era rifle that appears to have avoided arsenal rework
	are associated with Underwood production. The carbine is equipped		WWII. (14A9807-259) {C&R} [Vincent Coniglio Collection] (600/800)
			Est. 600 - 800
	with a Type III barrel band with bayonet lug, a milled adjustable rear		
	sight, a round M2 bolt, and has the earlier type trigger group with push	1667	U.S. Model 1903 Bolt Action Rifle by Rock Island Arsenal
	button safety. Included is a 15 round "UR" marked magazine, a green		serial #412417, 30-06, 24" 7-44 dated High Standard barrel with a br
	canvas GI sling and oiler. Also included is a shipping box from the		near excellent bore with a few scattered specks of light oxidation
	Civilian Marksmanship Program and although there are no papers or		throughout. The metal surfaces retain about 90% arsenal parkerized
	indicators that this carbine was purchased from the CMP. A very good		finish that is thinning and toning to gray with light oxidation and
	example that should make a great shooter. (4A9830-29) {C&R} [Dr.		cosmoline staining, a light abrasion near the muzzle, and scattered li
	William C. Nugent Collection] (600/800)		handling marks. The "C" style walnut stock is in very good plus cond
	Est. 600 - 800		as lightly cleaned with remnants of old light chipping at the toe, a ligh
4	Winchester Model 100 Semi-Auto Rifle		ding on the pistolgrip, a few light handling marks, and an arsenal app
	serial #151862, 308 Win, 22" barrel with a bright, excellent bore. The		light finish. The stock is marked with a partially faded but largely clea
	metal surfaces retain about 98-99% original blue that has some light		boxed "S.A. / G.A.W." inspector's cartouche and Ordnance Wheel on
	handling marks and a few fine specks of light surface oxidation		the left side of the stock below the receiver, a light "S / 9" is marked in
	throughout. The checkered walnut stock rates near excellent and has		the recess for the magazine cutoff, and a partially obscured circled "F
	some light dings and other light handling marks. The stock features the		proof is stamped inside the pistolgrip. The receiver markings remain
	basket weave checkering, swivels, the factory gripcap and the factory		clear with mild softening, the barrel markings remain crisp, the rear si
	hard rubber buttplate. The original sights remain intact, minus the front		and nosecap are "R" marked, and the top of the bolt handle is softly
	sight hood, and included are a Weaver pivot mount base with 1" rings.		marked "B&S / (flaming bomb)". The magazine follower has been
	Also included are two convex arrow based detachable magazines. Made		modified to remove the bolt hold-open feature, the rear sight notch ha
	in 1967 this is an excellent condition example that would make a terrific		been slightly widened, and the front sight blade has been replaced w
	hunting rifle for the Fall woods. (4A9864-10) {C&R} (600/800)		a Lyman brass bead-on-blade. The rear sight base requires finger
	Est. 600 - 800		pressure in conjunction with the turning of the windage screw in orde
5	U.S. Model 1917 Bolt Action Rifle by Eddystone		make adjustments, but remains firm once adjusted. A solid example
	serial #1268134, 30-06, 26" 11-18 dated Eddystone barrel with a bright		the Model 1903 rifle arsenal-reworked for service in WWII.
	excellent bore. The rifle retains a mix of finishes with the barreled action		(14A9807-180) {C&R} [Vincent Coniglio Collection] (500/700)
	retaining about 95% thinning arsenal applied gray-green parkerized		Est. 500 - 700
	finish with light wear on the contact points and high edges, some light	1668	German K98k Bolt Action Rifle by Mauser Oberndorf
	pitting beneath the finish on the receiver, and a few light handling marks.		serial #57216i, 8mm Mauser, 24" barrel with an about good lightly pit
	The bolt, rear sight base, bolt stop, magazine floorplate and buttplate		bore with a faint ring about 2" from the muzzle, but with evident rifling
	retain about 80% blue finish with light to moderate wear on the bolt,		The metal surfaces of this "byf / 44" coded rifle retain about 70% orig
	•		
	wear at the toe and heel of the buttplate, the magazine floorplate with	1	blue toning to gray-brown with light wear on the high edges and contained.
		1	
	remnants of original blue toning to gray, and scattered light handling		points, thinning blue on the receiver and rear sight, some scattered li
	remnants of original blue toning to gray, and scattered light handling marks. The walnut stock is in about very good condition with multiple		
			points, thinning blue on the receiver and rear sight, some scattered li
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repain
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of		points, thinning blue on the receiver and rear sight, some scattered lipitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repain break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle)
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repail break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "66
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiv ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped or toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The real
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped or toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The real
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repain break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiv ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The real sight base is marked with a softened "135" waffenamt, with a second
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repail break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "66 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The read sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "66 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The real sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle.
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repail break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repail break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neally repail break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receivr ring, the bolt assembly is numbered to the rifle, stamped with soft "66 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softened "135" waffenamt, with a seconco illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "byf". The barrel bands are unmark
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repain break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on the serial number being stamped on the barrel rather than the receiv ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The reat sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "byf". The barrel bands are unmark with the lower barrel band a later stamped replacement; the buttplate
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered li pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped or toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "66 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The real sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "byf". The barrel bands are unmark with the lower barrel band a later stamped replacement; the buttplate correctly subcontractor marked "gqm / 44". The rifle is sighted with the
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered lipitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fibehind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered lidings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "66 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "byf". The barrel bands are unmark with the lower barrel band a later stamped replacement; the buttplate correctly subcontractor marked "gm / 44". The rifle is sighted with the standard barleycorn front sight and leaf rear, the front sight hood is
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered lipitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fibehind the receiver, a few light impact marks between the barrel ban an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on the right side of the buttstock, and "dot" is stamped on the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "yf". The barrel bands are unmarkw, with the lower barrel band a later stamped replacement; the buttplate correctly subcontractor marked "gqm / 44". The rifle is sighted with the standard barleycorn front sight and leaf rear, the front sight hood is absent, and the rifle appears to function well mechanically. Included
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered lip pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel bann an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softened "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "byf". The barrel bands are unmarkk with the lower barrel band a later stamped replacement; the buttplate correctly subcontractor marked "gqm / 44". The rifle is sighted with the
	marks. The walnut stock is in about very good condition with multiple light and one about moderate ding on the left side of the stock below the receiver, an about 1/2" chip below the safety, and scattered light handling marks. The stock is marked with an eagle head proof in front of the magazine floorplate, "3N / (Eagle Head)" crisply stamped behind the triggerguard, and the stock is serialized and matching to the rifle on the toe line, with one digit partially obscured. The receiver and barrel markings remain crisp, the barrel is neatly import marked on the underside between the front sight base and nosecap, the bolt is serialized to another rifle, and the nosecap, handguard, bolt stop, rear sight, safety, and bolt are all "E" for Eddystone marked. The rifle retains the correct open sights, and appears to function well mechanically. A nice example of an arsenal-refurbished Model 1917 Enfield that appears to have all Eddystone parts. (14A9816-5) {C&R} (500/700)		points, thinning blue on the receiver and rear sight, some scattered lip pitting and light oxidation. The laminated hardwood stock is in about good condition as lightly cleaned with two thin 2" and 3 1/2" cracks traveling rearward from either side of the triggerguard, a neatly repair break at the wrist that goes unnoticed at first glance with a touch of fi behind the receiver, a few light impact marks between the barrel barn an old 1 1/2" narrow divot on the underside of the forend, scattered li dings and handling marks, and an added finish; the stock and handguard are numbered to different rifles, a remnant of an "(Eagle) is stamped on the right side of the buttstock, and "dot" is stamped on toe line. The receiver and barrel are correctly marked with exception the serial number being stamped on the barrel rather than the receiver ring, the bolt assembly is numbered to the rifle, stamped with soft "65 waffenamts on the safety and shroud, and a correct "140" waffenamt the underside of the bolt handle above a small stamped "x". The rear sight base is marked with a softend "135" waffenamt, with a second illegible waffenamt next to it, and the rear sight leaf is numbered to a different rifle; the bayonet mount is also numbered to a different rifle. The triggerguard is correctly "byf" and "135" waffenamt marked, the floorplate also correctly stamped "byf". The barrel bands are unmarked, with the lower barrel band a later stamped replacement; the buttplate correctly subcontractor marked "gqm / 44". The rifle is sighted with the standard barleycorn front sight and leaf rear, the front sight hood is absent, and the rifle appears to function well mechanically. Included of

1669				
	U.S. Model 1903 Bolt Action Rifle by Rock Island Arsenal	1	1672	U.S. Model 1917 Bolt Action Rifle by Remington
	serial #66467, 30-06, 24" 6-14 dated Springfield Armory barrel with a			serial #304846, 30-06, 26" 7-18 dated Remington barrel with a bright
	very good lightly pitted bore with evident rifling. The metal surfaces			excellent bore. The metal surfaces retain about 98% dark green-gray
	retain about 96% dark green parkerized finish with some light wear on			arsenal parkerized finish with a few small spots of light oxidation, some
	the high edges, light oxidation staining on the rear sight, light handling			light pitting on the bolt stop, and scattered light handling marks; the bolt
	marks on the nosecap and barrel band, and the bolt is toning to brown;			retains about 50% blue finish with intermittent spots cleaned to
	the magazine floorplate retains about 75% blue finish with light oxidation			gunmetal, flaking of the blue on the shroud, and light oxidation on the
	staining. The walnut stock is in very good plus condition as lightly			bolt handle. The walnut stock is in near excellent condition with a few
	cleaned with a small chip at the toe, a smoothed over chip at the heel,			old light dings on the right side of the buttstock, two arsenal quality
	an about 1" crack on the right-side edge of the handguard, and			about 1" and 2" rectangular repairs to the edge of the handguard, and
	scattered light handling marks. The stock is marked with a faint boxed			scattered old light handling marks. The stock is marked with a crisp "10"
	script-font "CN / 1903" inspector's cartouche on the left side below and			above an "(Eagle Head) / 56" located behind the triggerguard, and the
	behind the magazine cutoff, and a faint circled "P" proof behind the			nose of the stock is "E" marked. The receiver ring markings remain
	triggerguard. The receiver and barrel markings remain crisply stamped.			crisply struck, the barrel markings are light but clear, the Eagle Head
	The Model 1905 rear sight remains intact and adjusts easily by hand,			proofs on the left side of the receiver are partially obscured, and the
	and the blade front sight is fitted with a removable front sight hood. Low			marked parts are a mix of Winchester, Remington, and Eddystone
	· ·			
	numbered 1903 rifles are sold as collectibles only and no thought should			manufacture. The rifle retains the standard winged blade front sight and
	be given to loading or firing the arms. (14A9833-29) {C&R} (600/800)			flip-up aperture rear sight, and appears to function well mechanically. An
	Est. 600 - 800			attractive reworked rifle that should shoot well. (14A9833-34) {C&R}
1670	U.S. Model 1917 Bolt Action Rifle by Eddystone			(500/700)
	serial #670835, 30-06, 26" 5-18 dated 6-groove Eddystone barrel with a			Est. 500 - 700
	bright excellent bore. The gray-green parkerized metal surfaces have	1	1673	U.S. Model 1903-A3 Bolt Action Rifle by Remington
	developed a brown patina with light wear on the high edges and contact	.		serial #3524914, 30-06, 24" 3-43 dated Remington barrel with a very
	points, numerous specks of light oxidation, and light handling marks.			good lightly pitted bore with strong rifling. The receiver, barrel,
	The walnut stock is in very good condition with a light abrasion on the			triggerguard, and floorplate retain about 90-95% original parkerized
	left side of the buttstock, a small chip at the toe, a neatly done 1"			finish with thinning on the bottom metal, some scattered light oxidation
	rectangular repair on the left side of the handguard, a few small dings			staining and toning to gray. The barrel bands and bayonet mount retain
	and abrasions on the forend, and scattered light handling marks; the			about 97% blue finish with light handling marks and specks of light
	steel buttplate shows light wear at the heel. A partially faded Ordnance			oxidation, and the bolt retains about 85% blue finish with operational
	Wheel is stamped on the left side below the receiver, a 1/2" diameter			wear and light oxidation staining. The walnut straight grip stock is in near
	circular pin marked "5" is attached to the right side of the buttstock near			excellent condition as cleaned with two tiny chips behind the upper
	the buttplate, and the nose of the stock is stamped "69 / 82". The			barrel band and scattered light handling marks; the stock is unmarked.
	markings on the receiver ring remain crisply stamped, the barrel			The markings on the receiver ring and barrel remain crisply stamped,
	markings have faded but remain readable, the Eagle Head proofs on the			and all marked parts are "R" for Remington manufacture. The rifle is
	receiver, bolt stop, front sight base, and safety are visible but partly			sighted with the correct blade front sight and aperture rear, and appears
	obscured. The safety, bolt shroud, cocking piece, rear sight leaf,			to function well mechanically. An early WWII rifle that appears to have
	handguard metal, and upper barrel band are all "E" marked, with the			all matching parts. (14A9833-46) {C&R} (500/700)
	lower barrel band and bolt handle "R" marked. The rifle retains the			Est. 500 - 700
	original aperture rear and winged blade front sight, and appears to	1	1674	U.S. Model 1903-A3 Bolt Action Rifle by Remington
	function well mechanically. (14A9833-25) {C&R} (500/700)			serial #3980751, 30-06, 24" 9-43 dated Remington barrel with a bright
	Est. 500 - 700			excellent bore. The rifle has a mix of metal finish with the barreled action
1671				
1071	U.S. Model 1903-A3 Bolt Action Rifle by Remington			and barrel bands retaining about 95-97% arsenal parkerized finish with
	serial #4168363, 30-06, 24" 10-44 dated High Standard barrel with a			some light wear on the high edges and scattered fine oxidation staining.
	very good bore with scattered spots of light oxidation and pitting			The bolt shroud, cocking piece, magazine cutoff, and bottom metal
	throughout. The metal surfaces have a mix of finishes with the barreled			retain about 95% blue finish with light oxidation on cutoff and cocking
	action, triggerguard, floorplate, and bayonet mount retaining about 95%			piece, the shroud toning to plum, and a few light handling marks. The
	arsenal gray-green parkerized finish with light wear on the high edges,			walnut straight grip stock is in very good to very good plus condition as
	light oxidation staining on the receiver, hints of pinprick pitting beneath			lightly cleaned with an about 1/4" divot on the right side below the
	the finish on the floorplate, and a few light handling marks. The barrel			handguard, scattered light dings and handling marks, and an added
	bands, magazine cutoff, and front sight hood retain about 95% blue			finish. The stock is lightly marked "RA", a mostly obscured Ordnance
	finish with light wear on the high edges and light oxidation on the lower			Wheel, and a partially faded boxed "FJA" inspector's cartouche on the
	band; the bolt has toned to gray with light oxidation staining, light			left side above the trigger, a partially faded circled "P" proof behind the
	operational wear, scattered spots of light pitting, and the extractor has			triggerguard, and softened manufacturer stamps just ahead of the
	been cleaned to bright. The scant-style walnut stock is in very good			floorplate. The receiver markings remain mostly crisp, the barrel marking
	condition as lightly cleaned with a small chip at the tip of the forend on			have softened lightly in parts but remains easily readable, and all
	the left side, chips on both sides of the nose below the bayonet mount, a			marked parts including the bolt handle are "R" marked for Remington
	few small chips along the edges of the handguard, an added oil finish,			manufacture; the bolt shroud and cocking piece are unmarked. The rifle
	and a few light handling marks. The receiver and barrel markings remain			retains the original blade front sight and aperture rear sight, the base for
	largely crisp with a few characters on the receiver ring lightly softening,			which has been moved noticeably to the right in the dovetail, and the
	and the bolt stop, upper sling swivel, bayonet lug, bolt handle, bolt			rifle appears to function well mechanically. A matching Remington 03-A3
	shroud, and safety are all "R" marked; the underside of the extractor is			that should make a good shooter. (14A9833-39) {C&R} (500/700)
	"S" marked. The rifle is sighted with the standard blade front sight and			Est. 500 - 700
	aperture rear, the adjustments for which appear to function correctly,			
	aperture rear, the adjustments for which appear to function correctly, and a blued "(Bomb) / U.S." marked front sight cover is present. A nice			
	and a blued "(Bomb) / U.S." marked front sight cover is present. A nice			

1675	U.S. Model 1903 Bolt Action Rifle by Springfield Armory	1679	Scarce Marlin First Model Deringer
	serial #547280, 30-06, 24" 4-13 dated Springfield Armory barrel with an		serial #10497, 22 RF, 2 1/16" barrel with a dark oxidized bore. The
	oxidized bore with evident rifling. The metal surfaces retain about 40%		metal surfaces of this tiny deringer retain about 85% original nickel finish
	original blue toning to gunmetal with scattered handling marks, light		with some high edge wear to brass, patches of light flaking and
	oxidation staining and the upper barrel band has a light greenish		bubbling, some pinprick pitting, staining and scratches. Most of the
	discoloration near the bayonet mount. The receiver has a smoky gray		screw heads show light slot wear and the "J.M. MARLIN / NEW
	patina and remnants of original blue, scattered light pitting, a		HAVEN.CT" marking on the barrel remains clear. The hammer and
	fingernail-sized grind spot on the receiver ring, and light oxidation		trigger have mostly toned to gunmetal with a little scattered freckling.
	staining. The bolt retains about 90% dark gray parkerized finish with		The smooth rosewood grips remain in about very good condition with a
	scattered light wear, some thinning on the handle, and the cocking piece		3/4" sliver missing out of the left panel edge, some oil soaking, a few
	and safety retain about 97% blue finish. The walnut stock is in about		small dings, dents and scattered handling marks. The left panel is
	-		
	very good condition with a few shallow chips at the buttplate and		stamp-numbered to the gun and the right is un-numbered. The
	numerous light dings, abrasions, and handling marks throughout; the		mechanism appears to be fully functional and this is a very nice example
	stock is unmarked. The receiver markings remain largely crisp with the		of these little pistols. (138448-16) {ANTIQUE} (500/700)
	last digit of the model number only lightly faded due to the grind mark at		Est. 500 - 700
	the top of the ring, the barrel markings remain crisp, and the bolt handle	1680	Custom Double Hammer Rifle Conversion by Sanden
	is marked "BF / 38". The rifle is sighted with the standard blade front		45-70 Govt, 25" barrels with a bright excellent right bore and a mostly
	sight and Model 1905 rear sight, the distance adjustment of which is		bright about excellent left, showing a bit of light pitting ahead of the
	missing the tightening screw, but the windage adjustment functions with		chamber. The barrels retain about 90% of a mottled blue finish which is
	a little effort. Included with the rifle is an unmarked detachable front sight		water streaked and appears to have a bit of added cold blue. They were
	hood, oiler, and a "W.T. & B. CO / 1918 / C.A.C" marked leather sling.		mated to an Austrian double hammergun frame originally proofed in
	Low numbered 1903 rifles are sold as collectibles only and no thought		1932. The frame and lockplates are a pewter gray patina and show
	should be given to loading or firing the arms. An honest piece of WWI		deep floral and game scene engraving or etching (very much appears to
	history. (14A9833-48) {C&R} (600/800)		be excellent quality etching, with a bit of a light geometric engraving).
	Est. 600 - 800		The checkered pistolgrip European walnut stock rates excellent as
1670			
1676	Hale & Tuller Percussion Under Hammer Pistol		refinished many years ago, the forend is custom-made English walnut
	serial #150, .32 cal., 4" part octagon part round barrel with an oxidized		and is smooth, perhaps done by Mr. Sanden. The length of pull to the
	bore. The barrel has a turned medial ring at the point of transition and is		Pachmayr decelerator pad is 14". The hammers have neat recurving
	a pale brown patina with silver undertones, scattered fine oxidation and		checkered spurs and the locks are rebounding and mechanically
	some tiny impact marks. Pistol is equipped with a brass bead front sight		functional, the hammers slightly out of time with one another (the left
	and integral V-notch blade rear sight. The rear top flat is marked "HALE		hammer screw is a replacement). The barrels seem to lock up tightly
	& TULLER / HARTFORD / CONNECTICUT" in a light foliate and angled		with dual under bites and a Greener crossbolt, the slightest sliver of light
	dot border, the left side flat marked with a light "WARRANTED / CAST		can be detected along their top edge but it appears to affect only the
	STEEL". The saw handle grip rates about very good with light handling		original barrel face and not the sleeved portion which seems to be tight.
	marks and a thin crack across the left grip still retaining much original		The rifle is sighted with a hooded sporting ramp front with a very
	finish. The brass grip frame has toned to a mellow goldenrod with light		generous white bead and three leaf express rear on the custom quarter
	handling marks and "ER" scratch engraved along the rear of the strap.		rib, one standing, two folding, they are in the early stages of regulation.
	There is a small chip missing along the front left of the grip causing the		The left side barrel is neatly engraved "Caliber 45-70-405
	gripstrap to lift slightly. A very good rather interesting under hammer		Remington/Conversion by Sanden". Mr. Dan Sanden is a farmer and
	pistol believed to have been made behind the walls of the Connecticut		former selectman in Phillipson Mass and studied gunsmithing in the
	State Prison. (5A9654-35) {ANTIQUE} (600/800)		1960s at Trinidad State Junior College in Colorado. As with all arms of
	Est. 600 - 800		custom construction, a qualified gunsmith should be sought to determine
1677	U.S. FP-45 Liberator Pistol by G.M. Guide Lamp Division		the fitness of this arm for any type of service prior to use. (3A9738-262)
	45 ACP, 4" barrel with a very lightly frosted bore. There is a smooth		{MODERN} [Kris Congdon Collection] (500/700)
	grind mark on the barrel with a couple of slag pits showing. The finish on		Est. 500 - 700
		1001	
	the barrel has almost completely oxidized to a brown hue with some	1681	Japanese Type 95 / Pattern 1935 NCO Shin-Gunto
	lightly cleaned areas. The frame is nearly devoid of finish having been		serial #132221. This WWII-era NCO's sword measures 36 1/2" overall
	cleaned of past oxidation and pitting with some oxidation stains still		and bears a 27 1/2" single-edged shinogi-zukuri blade with single
	visible as well as shallow pits and pinprick pitting. This model 3 has four		unstopped fullers. The habaki, tsuba and seppa are brass; the fuchi is
	holes, no cavity mould number on the cocking knob and no breech		copper in ruddy brown lacquer and the handle is brown-painted cast
	mark. The cocking knob exhibits some light wear on the left side and		aluminum imitating the bindings and sakura menuki of the Type 94
	oxidation is present on the firing pin and breech block guide pin. The		Officer's Shin-Gunto. The fuchi is stamped with the Suya Arsenal mark,
	barrel has Munich proof marks dated 1982 and the top of the barrel is		Tokyo Arsenal inspector's mark and Tokyo Arsenal star mark on the
	caliber stamped with an inspector's mark and the number 188. The		obverse side. The bright excellent blade is near razor sharp with few
	magazine base plate is missing and the sear pushes off or fails to		blemishes aside from a few negligible minute handling marks and
	engage and is in need of professional services. (89914-1) {C&R}		specks of gray patina in the upper 1/3 of the blade near the tip. Small
	(800/1200)		areas of coppery ocher can be seen on the habaki and the remaining
	Est. 800 - 1,200		brass surfaces of the hilt are toning to a dull goldenrod with hints of
1678	Colt Model 1849 Pocket Percussion Revolver		gray-brown tone. The brown paint of the grip is slightly worn at the
	serial #219019, .31 cal, 6" octagon barrel with a good bore showing		higher surfaces with exposed aluminum at the peaks and edges.
	scattered light oxidation and rather strong rifling throughout. The barrel		Includes a green-brown painted steel scabbard numbered to the blade
	of this 1862-made revolver retains about 20% original bright blue		and in quite fine condition; surface-level handling marks can be seen
	strongest in the protected areas with the balance toning to a medium		throughout and about 95% original paint remains with areas of exposed
	plum-brown patina showing some old oxidation near the muzzle and		steel toning to dark brown at the edges of the paint. A very fine
	light dings around the wedge. The six-shot cylinder has toned to a mild		Japanese NCO's sword. (12A9735-56) (500/700)
	gray showing a little fine pinprick pitting and a softened cylinder scene		Est. 500 - 700
	with many portions still visible. The frame and hammer have mostly		
	toned to pewter gunmetal patina while the loading lever shows some		
	good case-hardened colors in the protected areas. The backstrap and		
	triggerguard have toned to a pleasant ocher patina showing some		
	scattered patches of tarnished silver and the trigger retains a hint of pale		
	fire blue. The single line New York address and "COLTS PATENT" on		
	the frame remain intact and mostly crisp. The smooth walnut grip is		
	ink-numbered to the gun and remains in very good plus condition		
	retaining 90% original varnish showing edge wear, scattered light dings		
	and handling marks. The cylinder is mismatched numbered "8404" and		
	the remaining serialized parts are matching including the wedge. The		
	action generally seems to function well mechanically with very good		
	timing and lock-up, the cylinder over-times every now and then on a few		
	chambers. A solid 1849 pocket. (13B9606-60) {ANTIQUE} (600/800)		
	T CHAILING S. A SULU 1049 PUCKEL (1309000-00) (ANTIQUE) (000/800)		
l			
	Est. 600 - 800		

1682	Japanese Type 94 / Pattern 1934 Shin-Gunto with Snakeskin Grip	· · · · · · · · · · · · · · · · · · ·	1686	Japanese Pattern 1945 NCO Shin-Gunto
	This officer's sword measures 34 3/4" overall and bears a 24 1/2"			serial #216276. 37 1/2" overall, 27 1/2" machined shinogi-zukuri blade
	shinogi-zukuri blade with a crisp white irregular hamon line. No tang			with a brass habaki. The blade shows a rough bright factory polish and
	signature, arsenal marks or proofs are present, suggesting a possible			evidence of previous sharpening along the scabbard-dulled edge. The
	private purchase. The blade exhibits an overall near mirror polish and			hilt comprises a black-painted iron tsuba and pommel with an unfinished
	shows occasional small temper cracks, polishing marks and areas of			checkered hardwood grip held by screw-bolt menuki. Few if any
	very thin speckled gray patina scattered throughout. The edge is razor			blemishes are present and the hilt is in overall excellent condition. The
	sharp with only a couple of isolated minute dings. The hilt is a mostly			included painted steel scabbard shows some tiny light handling scuffs
	typical officer's configuration with a gilt brass tsuba, gilt brass sakura			and is freckled throughout with minute instances of exposed steel toned
	menuki and an ocher-brown painted brass kabuto-gane. The fuchi is			to dark ocher but otherwise no deformations and little wear. A very fine
	covered by a protective leather band. Neither the seppa nor the mekugi			example of Japan's late-war production efforts. (12A9807-13) [Vincent
	pin are present and the hilt mounts sit a bit loosely as a result. Rather			Coniglio Collection] (500/700) Est. 500 - 700
	than the usual white shagreen, the grip features an unusual binding of lacquered snakeskin. The snakeskin is dried in some areas and some	-	1687	U.S. General Officer's Sword by J.H. McKenney
	segments have separated from each other but all remain secure		1007	37 1/2" overall, 31" double-edged diamond-shaped blade marked "J.H. /
	beneath the slightly moisture-stained brown cloth tape binding. The			McKenney / & Co. / N.Y." on the reverse face of the ricasso. Either face
	edges of the tsuba are worn to a dusky patinated goldenrod, otherwise			of the blade is etched with frosted panels reading "E.C. Judson, 2nd" on
	the hilt features few blemishes and the gilt surfaces retain generous			the obverse and "N.Y." on the reverse. The blade is bright and very fine,
	original finish in the relief. The scabbard is wood in black lacquer housed			retaining generous amounts of gilt in the obverse panel, the reverse
	in a leather combat cover. The scabbard is in good condition with minor			panel slightly softened and showing light polishing marks throughout.
	wear on the surface, the combat cover fair to good with light to moderate			The hilt is cast brass in marvelous gilt relief with a folding reverse
	surface deterioration and partial separation of the stitching, some			counterguard showing U.S. shield and panoply of arms in an oak and
	dryness of the material and the leather is somewhat delicate but shows			laurel wreath and a silvered grip inlaid with a gilt spiral band. A few tiny
	little in the way of material loss. An interesting example in very good plus			instances of finish wear can be seen here and there on the silver and gilt
	condition. (12A9807-18) [Vincent Coniglio Collection] (600/800)			but otherwise the hilt is excellent. A strikingly bright gilt bullion sword
	Est. 600 - 800			knot in pristine condition hangs from the pommel. The scabbard is
1683	WWII Japanese Officer's Shin-Gunto with Naval Features			nickeled steel in gilt brass mounts and rates very fine, showing very light
	This non-regulation sword represents a combination of Pattern 1934			speckled frosting across the surface and occasional small handling
	Shin-Gunto mounts and characteristics common to Naval blades. 36"			marks and indentations. A highly attractive officer's weapon.
	overall, 26" shinogi-zukuri blade with a crisp straight hamon line. The			(12A9838-10) [Bruce Shroyer Collection] (600/800)
	tang is marked by a naval anchor on the obverse face and black painted			Est. 600 - 800
	characters on the reverse. The stainless steel blade shows a bright		1688	U.S. Model 1840 Officer's Heavy Cavalry Saber
	mirror finish with a crisp straight hamon line, an immaculate razor edge			42" overall, 35 1/2" curved single-edged trailing point blade with wide
	and no discernible blemishes. The hilt features a plain blackened iron			stopped and narrow unstopped fullers. No maker's signature is present.
	tsuba and gilt brass sakura relief mounts; the handle is bound in black			Either face of the blade is etched with large frosted panels depicting
	canvas and light brown grip tape and a brown company grade officer's			foliate and floral scroll alongside U.S. designs including panoply of arms,
	knot hangs from a copper sarute. The scabbard is lacquered black wood with gilt brass mounts. The sword is in remarkable mint condition with no			Federal Eagle and U.S. lettering. The blade is overall bright scattered throughout with clouds of fine burnished pewter patina. The etching is
	discernible blemishes and the scabbard shows only a few tiny handling			crisp and the steel shows few if any handling marks except very light
	dings scattered sparsely across the body. (12A9807-22) (600/800)			scabbard wear. The guard is engraved with scrollwork across the
	Est. 600 - 800			branches, the pommel and the underside of the guard. Generous
1684	Japanese Late-War Pattern 1945 NCO Shin-Gunto			original gilt remains in the protected areas and the exposed brass is
	This late-war last-ditch weapon measures 37 1/4" overall and bears a 27			bright with only hints of patina. The black shagreen grip is bound by
	1/2" machined shinogi-zukuri blade with a brass habaki. Straight-lined			twisted copper wire and rates excellent with no discernible blemishes.
	polishing marks are visible across the faces and sharpening marks can			The steel scabbard is very good, showing an overall mottled
	be seen along the razor-sharp edge, either from a hasty factory finish or			tobacco-tone, highly polished and reflective with remnant areas of
	a skillful field polish. The hilt is mounted in iron with a plain black tsuba,			texturing on the body. (12A9838-5) [Bruce Shroyer Collection] (600/800)
	screw-bolt menuki and a blackened iron pommel cap. The ribbed plain			Est. 600 - 800
	wood grip is bound in maroon cloth tape. Overall the sword is in very		1689	Early U.S. Model 1902 Officer's Sword by Springfield Armory
	fine to near excellent condition with little wear. The included painted			35 1/4" overall, 29 3/4" single-edged slightly curved trailing point blade
	wood scabbard is fitted with simple iron mounts and shows some light			with single unstopped fullers. The ricasso is marked "Springfield /
	handling marks concentrated near the tip and small instances of flaking			Armory / Springfield / Mass. U.S.A." in four lines on the reverse. Either
	paint scattered throughout. A strong representative of Japan's final			face of the blade is beautifully frost-etched with crisp bright 22" panels
	efforts in the last days of the war. (12A9807-5) [Vincent Coniglio			depicting panoplies of arms, foliate sprays, U.S. lettering and Federal
	Collection] (600/800)			Eagle clutching "E Pluribus Unum" in riband. The tiniest specks of
4005	Est. 600 - 800			sparse isolated bubbling can be seen around the U.S. lettering and the
1685	Japanese Type 95 / Pattern 1935 NCO Shin-Gunto			barest scabbard marks are visible toward the tip, otherwise the
	serial #110821. 36 1/4" overall, 27 1/2" shinogi-zukuri blade with single unstopped fullers and a brass habaki. The blade is bright and excellent			mirror-bright finish is nearly flawless, the etching splendid and crisp. The hilt is solid German silver and the grip is black horn. Very close
	with a razor sharp factory edge and no discernible handling marks or			examination reveals only tiny hints of freckled tarnish and a few minute
	blemishes. The fuchi is marked with the Suya Arsenal mark, Tokyo			handling marks hardly worth the mention. The steel scabbard is fully
	Arsenal inspector's mark and the Tokyo/Kokura Arsenal "Four			plated in German silver; tiny handling marks can be seen across the
	Cannonballs" on the obverse side. The tsuba is brass and the grip is			surface, otherwise the scabbard is excellent and retains its mirror-bright
	cast aluminum patterned after the Type 94 Officer's Shin-Gunto. Both			finish. Use of horn grips and the second-type Springfield etching and
	are painted in copper-brown paint and rate near excellent with some			address date this arsenal sword to 1905-1907. A fabulous near mint
	light finish wear at the edges. The included painted steel scabbard is			1902 Officer's sword that would be difficult to improve upon.
	numbered to the sword and shows light handling and scuff marks in the			(129838-20) [Bruce Shroyer Collection] (500/700)
	paint scattered sparsely across the surface. A leather NCO's sword knot			Est. 500 - 700
	is included; the knot is in good condition, showing a few instances of			
	slight surface cracking and deterioration as well as separation of one of			
	the straps. An attractive specimen in impressive condition. (12A9807-10)			
	[Vincent Coniglio Collection] (500/700)			
	Est. 500 - 700			

Est. 600 - 800

1690	WWI U.S. Model 1902 R.O.T.C. Presentation Sword	1695	Colt New Frontier Buntline 22 Scout Convertible Revolver
	37 1/2" overall, 32" curved single-edged trailing point blade with single		serial #G127395, 22 LR/22 Magnum RF, 7 1/2" barrel with an excellent
	unstopped fullers. The ricasso is etched "Harding / Uniform & / Regalia		bore. This lovely Buntline retains about 98-99% original finishes, the
			barrel and both cylinders are a deep blue with black anodizing on the
	Co. / Boston / Mass." on the reverse face. Either face of the blade is		
	etched with gilt panels depicting foliate sprays and panoplies of arms,		grip frame. There is light edge wear on the surfaces and the frame
	centered by the inscription "Lieut. Joseph W. O'Connor" on the obverse		retains bold case-hardened colors that made the New Frontier and
	and "Presented / by Holy Cross / R.O.T.C. June, / 1917" on the reverse.		Peacemaker stand out from the earlier series of Scout revolvers. The
	Generous amounts of gilt remain in the etching and areas of smoky gray		checkered synthetic factory grips feature a Rampant Colt in an oval and
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	patina are scattered throughout. A number of impact nicks can be seen		Federal Eagle that rate excellent. The revolver features a serrated ramp
	along the edge, the blade faces show little to no wear. The hilt is		front sight, Colt Accro rear sight, and both cylinders time and lock up
	silvered brass with a black bone grip; the silver finish is strong with		correctly. A great "G" series gun for the collector or shooter.
	areas of black tarnish and hints of dull goldenrod brass peeking through		(8A9740-51) {MODERN} (600/800)
	at the edges. Both blade and hilt are in very fine condition as a whole.		Est. 600 - 800
	Includes an excellent sword knot of gold wire with black silk highlights.	1696	Colt Army Special Double Action Revolver
	The scabbard is solid German silver with silvered brass mounts, crisply		serial #508050, 32-20 W.C.F., 6" barrel with an excellent bore. This
	engraved on the obverse face with alternating patterns of foliate scroll		revolver retains fine condition with about 95% original blue showing
	beneath a panoply of U.S. arms. Strong amounts of original silver		cleaned areas of light pitting on the cylinder accounting for most of the
	remain on the mounts with a bit of wear to brass at the edges of the		loss, sparse high edge wear and a few handling marks. The face of the
	drag. Scattered tiny handling marks can be seen across the body but no		trigger is partially worn to pewter with the remaining surfaces and top of
	major deformations or blemishes are visible. The retention screw is		the hammer showing bright blue. The checkered hard rubber fleur-de-lis
	missing from the drag, nevertheless the piece remains secure. As a		grips are numbered to the gun and remain in outstanding condition
	result of the Plattsburg Movement and National Defense Act of 1916,		featuring "COLT" in an oval and stylized "C" around escutcheons. This
	the framework of today's R.O.T.C. programs was first established in		fine gun times and locks up as good as the day it left Colt in 1924 with a
	preparation for potential U.S. involvement in the Great War. By the end		nice crisp action. A fine gun for the upstart collector that should still be a
	of 1917, about 17,000 men had been trained for officer duty at various		fine shooter. (8A9808-72) {C&R} (600/800)
	· · · ·		
	camps and academic institutions, including the College of the Holy		Est. 600 - 800
	Cross. This sword is thus among the first to be awarded in association	1697	Ruger No. 3 Falling Block Carbine
	with that program. Cursory research has found no further information on		serial #132-37072, 45-70 Govt., 22" barrel with a bright excellent bore.
	Lt. O'Connor. An attractive early R.O.T.C. presentation sword with		The metal surfaces retain 98% plus original blue with a tiny spot of wear
	research potential for the inquisitive collector. (12A9838-17) [Bruce		
			or speck of oxidation here or there. The plain straight grip walnut
	Shroyer Collection] (500/700)		buttstock remains near excellent with a couple light handling marks and
	Est. 500 - 700		a spot of light flaking at the toe. The forearm remains very good with a
1691	Winchester Model 64 Lever Action Rifle		handful of light handling marks and streaks of flaking with more
1001			
	serial #1899107, 32 Win. Spl., 24" barrel with an excellent bore. The		pronounced small scrapes and marks between the mounting screw and
	metal surfaces have been neatly reblued and retain 99% finish, there		front of the receiver. The original sights remain intact and length of pull
	are some small scattered blemishes and all factory markings remain		to the solid rubber Decelerator recoil pad and spacer is 14 1/4". A solid
	crisp. The smooth walnut pistolgrip buttstock and forend are near		No. 3 rifle in a caliber perfectly suited for brush or any game on the
	excellent as lightly cleaned with a touch of varnish and some minor		North American continent. (59790-47) {MODERN} (600/800)
	handling marks. The front sight has its hood but the bead is not present,		Est. 600 - 800
	the rear sight is a semi-buckhorn sporting and a Lyman 66MC	1698	Gallager Standard Model Civil War Carbine
	adjustable aperture sight is mounted to the receiver. The perfect vintage		serial #2134, .50 cal., 22 1/4" barrel with an about very good bore that
	Winchester for that snowy day deer hunt. (22A9897-80) {C&R}		shows overall pitting and oxidation. The metal surfaces are an overall
	(600/800)		brown patina with gray undertones and scattered patches of light pitting
	Est. 600 - 800		and oxidation. There are tiny nicks and impact marks common with an
1692	Winchester Model 52B Bolt Action Target Rifle		issued arm, a more pronounced dent in the lockplate behind the
	serial #45879B, 22 LR, 28" heavy target barrel with an excellent bore.		hammer and a repair in the upper tang between the hammer and sling
	The metal surfaces retain about 98% original blue with some scattered		bar. The walnut buttstock remains good to about very good with period
	blemishes and a bit of wear on each side of the muzzle. The bolt body is		large walnut plugs on both sides of the tang where the stock was
	bright with faint matching numbers and the knob is toning to dull silver.		cracked through the wrist and thin drying cracks along the buttplate. The
	The smooth walnut pistolgrip target stock with adjustable handstop/front		wood shows an old cleaning and is slightly shy of the metal with
	swivel is good plus with moderate finish flaking, handling marks and a		scattered dents, scratches and handling marks. The mechanism
	small inletted spot where an aperture sight was previously side-mounted		remains tight and fully functional, the screw holes show slot wear. A
	to the receiver. Target blocks are present and a globe front sight with		well-used Gallager carbine which would make a great display above the
	single pin insert is present. Included is a single Winchester-marked		mantel. (5A9896-162) {ANTIQUE} (600/800)
	magazine. (22A9789-33) {C&R} (600/800)	10	Est. 600 - 800
	Est. 600 - 800	1699	Winchester Model 70 Classic SM Bolt Action Rifle
1693	Smith & Wesson Model 19-4 Combat Magnum Revolver		serial #G69625, 30-06, 24" barrel with BOSS and a bright, excellent
	serial #59K3299, 357 Magnum, 6" pinned heavy barrel with an excellent		bore. The metal surfaces retain about 97-98% original matte blue finish
	bore. This 1980 K-frame remains in beautiful condition with about 99%		that has some light handling marks, there are a few minor marks along
	original blue showing a few minor handling and wear marks. The .500"		the underside of the barrel and some scattered light specks of oxidation
	target hammer and .500" target trigger have vibrant case-hardened		throughout. The jeweled bolt still has much of its machined polish
	colors. The checkered goncalo alves factory target grips feature a speed		patterns, the underside is electric pencil numbered to the receiver. The
	loader cutout, silver S&W medallions and rate excellent. The revolver		checkered factory black synthetic stock rates excellent with a few light
			handling marks as well and has a solid rubber recoil pad. There are no
	features a Patridge front sight, black blade micro adjustable rear sight		
	and the action times and locks up correctly. Included is the original		provisions for sights but a set of Weaver bases are mounted to the
	two-piece factory box that is correctly end labeled and numbered to the		receiver. A set of vertically split 1" scope rings are included. An excellent
	gun and a manual. This gun appears to have seen only minimal use		sporting rifle that features Winchester's adjustable BOSS recoil
	over the years and remains a high condition gun for the collector or		reduction and accurizing system that allows the shooter to fine tune
	revolver enthusiast. (8A9915-2) {MODERN} (600/800)		accuracy for specific bullet weights and types. With the right optics this
	Est. 600 - 800		New Haven built rifle will be a real performer. (4A9862-3) {MODERN}
1694	Smith & Wesson Model 1905 Military & Police Hand Ejector Revolver		(600/800)
			Est. 600 - 800
	serial #423341, 38 Special, 5" barrel with an excellent bore. This fourth		L31. 000 - 000
	change revolver retains about 95-96% original blue showing some lightly		
	cleaned pitting on the sideplate and cylinder, scattered light to moderate		
	scratches on the muzzle and topstrap with a few other handling marks.		
	The service trigger and hammer have bold case-hardened colors with		
	light operational wear and freckling. The diamond checkered walnut		
	grips rate about very good with scuffing along the edge of the butt on		
	both panels. All numbered parts, including the grips are correct to the		
	gun and the action times and locks up correctly. A fine gun for the		
1	upstart collector or occasional shooter (8A9899-3) {C&R} (600/800)		

1700	Custom Marlin Model 39 TDS Lever Action Carbine	1703	Remington New York State Contract Rolling Block Rifle
	serial #TDS01027, 22 LR, 16 1/2" "JM" marked microgroove barrel with		50-70, 36" barrel with a bright very good plus to fine bore with scattered
	a bright, excellent bore. This classic take-down carbine retains about		areas of light pitting in the strong rifling. The metal surfaces of this
	95-97% original blue with some light handling marks and wear along		handsome NY state contract rifle are toning to a mostly bright gunmetal
	some of the working surfaces. The bolt has been polished bright and the		gray patina as cleaned with softened fine pitting along the barrel and on
	trigger appears to have been partially polished but has some of its		the rear band, a few small areas of light tool marks on the barrel, and
	original gold plating. The walnut stocks rate excellent and feature some		scattered speckles of staining and small spots of old light oxidation
	nice subtle figure and have been amateurishly custom hand-checkered		throughout. Each of the bands and the left flat of the breech is marked
	with an oil finish added. The wood has only a few light handling marks.		"B" and the lightly softened three line address and patent dates on the
	The checkering looks nice though the lines are not all straight, the		upper tang indicate that this rifle was part of NY's first order received
	straight grip buttstock features a wrap-around pattern and has a		from Remington. The smooth black walnut stock and full length forend
	Pachmayr Presentation Model basket weave rifle pad added to the butt.		rate very good plus to fine with a few tiny hairline cracks behind the
	The original sights remain intact, including the front sight hood. Swivel		lower tang, a few scattered tiny and unobtrusive chips and some
	studs and the factory hammer spur have been added. A small bag of		scattered light handling marks from the years. The left side of the wrist
	parts including the original forend cap, hard rubber buttplate with brass		shows a strong "HBH" riband inspector's cartouche while the comb
	screws, factory scope base, the manual and a replacement finger lever		features a lightly softened raised "C / 28" ahead of the buttplate tang.
	spring and screw. Carbine is housed in its original black nylon		The original sights and slotted-head cleaning rod with threaded end are
	take-down case. This is a terrific example of these desirable take-down		intact, the safety locking action functions well mechanically and a period
	carbines that has been nicely embellished and remains in excellent		US-marked brown leather sling with single brass hook is included which
	overall condition. (4A9899-66) {MODERN} (600/800)		remains soft with minor crackling overall and "39" scratched on the
	Est. 600 - 800		exterior. An attractive example of these desirable rolling block rifles in a
1701	Swedish AG-42B Ljungman Semi-Auto Rifle By Carl Gustafs		nice state of condition. (23A9807-266) {ANTIQUE} [Vincent Coniglio
-	serial #24180, 6.5x55 Swedish, 25" compensated barrel with an		Collection] (600/800)
	excellent bore. The metal surfaces retain about 95-97% arsenal blue		Est. 600 - 800
	finish that has light handling marks and areas of wear along the bearing	1704	Ornate German Under Lever Double Hammergun by Suchardt
	and working surfaces. The markings remain crisp, the receiver is dated	1704	serial #2, 16 ga., 30 1/2" barrels choked about improved cylinder, each
	"1945" and the bolt is electric pencil numbered to match. The right side		showing good to perhaps near very good bores with light and moderate
	of the barrel is importer marked and bears some minor tool marks. The		pitting their full length. This was an extremely ornate and impressive
	•		
	hardwood military stocks rate very good and have light to minor handling		double hammergun in its day. The barrels are a very pleasing pewter
	marks and other scratches and abrasions typically found on rifles that		patina with some speckled plum brown here and there showing raised
	have seen service use. There are a few small cracks on either side of		wootz-style star damascus on both barrels and rib their full-length. The
	the butt, some minor divots and other impressions along the forend. The		rib features a simple silver bead front sight and is inlaid in gold "H
	brass stock disc remains on the right side of the butt. The original sights		Suchardt in Altona" with small gold and silver inlaid decorations at the
	remain intact and a correct cleaning rod and leather sling are included.		breech. The under lever, frame, guard and back action locks are a
	Also included is a single detachable magazine. Rifle was imported by		silvery patina and show overall open flowing Germanic scroll of excellent
	Century Arms and remains in very good overall condition. (4A9896-120)		quality which continues onto the long tang. Each frame flat and each
	{C&R} (600/800)		lockplate show game scenes inlaid in both gold and silver with gunning
	Est. 600 - 800		dogs and birds, fox and pheasant and doe and buck rhebok. The
1702	U.S. M1 Carbine by Inland Division		hammers are rather graceful and recurving and there are a set of
	serial #870157, 30 Carbine, 18" Marlin barrel with an about very good		Germanic monogrammed initials atop the tang also inlaid in gold. The
	lightly pitted bore. The metal surfaces retain about 98% arsenal		engraving has softened atop the tang and on the front of the under lever
	parkerized finish with light wear on the high edges and contact points,		from the years but only a bit. The fancy scroll front triggerguard features
	some light oxidation staining on the triggerguard, scattered light		a gold inlaid doe on the wide bow, the pendulum-style patchbox is
	handling marks, and previous light pitting throughout the receiver		ornately engraved with hind and stag, in both silver and gold, along with
	beneath the finish. The low-wood oval-cut hardwood stock is in very		a silver inlaid "I", perhaps signifying this was one of a pair. The
	good plus condition as cleaned with a 1/4" x 1/2" chip behind the		European walnut stock has darkened somewhat from age but shows
	triggerguard, an about 1" scuff mark on the left side of the forend due to		lovely grain figure and is otherwise untouched showing some strong
	sling wear, scattered light handling marks, and an added glossy finish;		remnants of original varnish. It has the overall expected flakes and
	the pistolgrip has been thinned slightly through the wrist. The stock is		handling marks that come from a field-used arm and has a nice flared
	marked with a light "S J" in the sling cut on the left side, denoting		left side cheekpiece with open flowing carved scroll at wrist left and right
	Standard Products manufacture, and is otherwise unmarked. The		and a nice relief-carved game scene of buck and doe rhebok to the rear
	receiver markings remain legible but softened due to the light pitting,		of the cheekpiece. The head of the stock has darkened from oil soaking
	and the barrel markings are mostly faded. The hammer, Type III barrel		over the years and there are a couple of chips around the upper tang.
	band, magazine release, and stamped adjustable rear sight are all		The locks are non-rebounding and mechanically functional, the right
	Inland manufactured, the flat bolt is National Postal Meter manufactured,		hammer sitting slightly forward of the left. The barrels are off face and
	the front sight is Saginaw made, the underside of the operating slide is		exhibit lateral and vertical play. According to Stockel H.C.W. Suchardt
	marked "D-7161843-7 / HSA", and the trigger housing is unmarked. The		was active in Altona (Hamburg) around 1870, likely the son of Johan
	carbine appears to function well mechanically. Included with the carbine		Christian Suchardt who set up shop there in 1810. He obviously did very
	is a 30-round magazine. A solid reworked early M1 Carbine for the		fine work. (3B9829-1) {ANTIQUE} (650/850)
	beginning collector. (14A9819-6) {C&R} (600/800)	1	Est. 650 - 850
	Est. 600 - 800		

705	French First World War War Bond Poster by Goursat	17	708	Parker VH Grade Boxlock Double Shotgun
	This is a very rare 1916 paper broadside promoting the Second National			serial #236748, 12 ga., 28" barrels on a no. 1 1/2 frame choked modified
	Defense Loan to finance France's continuing participation in the First			and full with excellent bores. The barrels retain perhaps 96-97% original
	World War. We see hundreds of the venerable French Poilu, with full			blue with thinning around the breeches and muzzle and some signs of
	field gear marching by and through the Arc de Triomphe. Descending			handling and small blemishes, the rib address and matting remain crisp.
	from Heaven above are Napoleon's armies, enjoining the patriot			The triggerguard and forend metal have toned to a gunmetal gray, the
	brethren below"Forward!" promising victory over the forces of the			frame retains about 85-90% original case-hardened color with some
	Hunspurred on by the winged visage of Artist François Rude's, "La			wear to silver on the belly and some tiny blemishes and the zig-zag
	Marseillaise", wielding the sword of victory and seems to be shouting			border and "PARKER" on the belly are crisp. The checkered walnut
	"vers l'avant!". The image is signed "SEM" in the lower right by artist			capped pistolgrip buttstock and splinter-style forend are very good as
	Georges Goursat (1863-1934), renowned French caricaturist turned war			lightly-cleaned with a touch of varnish and having some scattered small
	correspondent and an officer of the Legion of Honor. "Les Souscriptions			impact marks. There are a couple hairline drying cracks at the butt and a
	sont recues a Paris et en Province" and "Banque Nationale de Credit"			small 1" filled crack at the rear of the forend, the grain figure is excellent
	are along the bottom of the view, letting the reader know that they can			with feathercrotch grain running down from the comb and the Parker
	buy supporting War Bonds in the Paris branches of the Nationale Bank			Brother's-marked grip cap and checkered hard rubber dog's head
	or in the Provinces as well. The upper left of the bottom margin reads			buttplate are excellent. Length-of-pull is 13 7/8" with drops of 1 5/8" and
	"pour le triomphe jouscrivez a l'emprunt national", urging the reader to			2 1/2", there are double triggers, an automatic safety and the barrels
	join the National Loan Campaign for Victory's sake. These printed			lock-up tight and on-face. A nice mid-30s Parker with lots of original
	broadsides were paper on fabric and not meant to be long-lasting and			color and plenty of life left. (22A9806-3) {C&R} (600/800)
	very rarely survived these many years intact, this example has done so,			Est. 600 - 800
	the image has yellowed a slight bit rather like newsprint and there are	17	709	Custom Winchester Pre '64 Model 88 Lever Action Rifle
	some very minor water stains along its top edges with a tiny tear here or			serial #6000, 308 Win., 22" barrel with an excellent bore. The metal
	there. The print is very neatly, very professionally matted and framed			surfaces retain 98-99% original blue with loss due to minor edge wear, a
	with a gray-blue colored mat, which has been a relieved very neatly			couple tiny blemishes and faint scattered freckles. The custom
	along the right side leaving the printers name exposed as well. The			checkered Monte Carlo Bishop stock with checkered hard rubber
	external dimensions of the frame measure 35 1/4"x48", the print itself			buttplate is very good plus to near excellent with fantastic figure, there is
	measures 31"x44". A rousing depiction of the French national spirit, it no			a layer of hastily-applied varnish and some amateurish checkering but,
	doubt helped to fulfill its goal of parting the average Frenchman with his			the checkering is not deep and the wood could easily be cleaned up by
	Francs in support of the war effort. [Extra Shipping Will Apply]			someone with a bit of woodworking know-how. The rifle is
	(3A9689-2) (500/700)			factory-sighted with a hooded bead front sight and a flip-up white
	Est. 500 - 700			triangle rear, a Weaver K4-1 scope with duplex reticle and clear optics is
706	Remington-Elliot Ring Trigger Pepperbox Pistol			mounted to the receiver. Included is a single concave arrow factory
	serial #12004, 32 RF, 3 3/8" four-barrel cluster with moderately oxidized			magazine with mostly gunmetal gray baseplate. An attractive
	bores showing patches of pitting with some bright areas and good rifling.			first-year-production rifle with an attractive custom stock. (22A9808-41)
	The barrels of this pistol retain about 50% original bright blue flaking to			(MODERN) (600/800)
	gray-brown patina and showing a few scattered light dings and some			Est. 600 - 800
	smoothed-over light pitting mostly along the left side. The Elliot patent	17		Marlin Model 1892 Lever Action Rifle
	and Remington maker markings remain crisp and clear. The frame has	17		serial #171768, 32 RF, 26" half octagon half round barrel with an
	mostly toned to silvery gunmetal patina showing some light oxidation			excellent bore. The barrel retains perhaps 95% original blue with loss
	staining and some smoothed-over pinprick pitting with generous			mostly due to some concentrated freckling, edge wear and small
	amounts of original silver finish in the protected areas taking on a			blemishes. The tube, smooth crescent buttplate and action have toned
	pleasant tarnish. The ring trigger shows some good smoky			to dark brown with some silvering of the edges and scattered freckles,
	case-hardening while the trigger bar and other small parts retain strong			the "MARLIN SAFETY" along the top of the receiver is somewhat soft
	brilliant fire blue. A couple screw heads show light slot wear but			but legible and the bolt body retains almost all of its original blue. The
	otherwise retain nice fire blue. The smooth gutta-percha grips remain in			smooth walnut straight-grip buttstock and metal-capped forend are good
	about very good plus condition showing some mild edge wear and light			plus to near very good, there are scattered handling and impact marks
	handling marks with overall toning to mild brown. The barrels are			and a small "P" marked on the left-side butt, both are tight to the metal
	matching the frame, barrel-to-frame fit is solid and the action seems to			and are structurally-sound. The rear sight is a standard sporting style
	function well mechanically. An attractive example for the Remington			with elevator, the front is a Lyman hunter-style blade with gold bead.
	collector. (13A9857-35) {ANTIQUE} (600/800)			(22A9746-61) {ANTIQUE} (600/800)
	Est. 600 - 800			Est. 600 - 800
707	Colt Model 1903 Pocket Hammerless Semi-Auto Pistol	17		Colt Model 1851 Navy Percussion Revolver
	serial #385796, 32 ACP, 3 3/4" barrel with a very lightly frosted near			serial #67156, .36 cal., 7 1/2" octagon barrel with a lightly oxidized and
	excellent bore. The metal surfaces retain perhaps 85-90% original blue,			pitted bore showing strong rifling. One of the edges on the barrel flats is
	there is some thinning on the grip frame and slide with silvering of the			soft from cleaning and holster wear. The metal surfaces have been
				lightly cleaned to an even gunmetal gray with scattered light pitting. The
	edges and some scattered small blemishes. All factory markings,			brass grip frame has toned to ochre with light handling marks. The
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The			
	edges and some scattered small blemishes. All factory markings,			
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The			
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near			smooth one-piece walnut grip rates good to very good as lightly cleaned
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near excellent, the checkering has softened from the years with each panel			smooth one-piece walnut grip rates good to very good as lightly cleaned with later added varnish and a few dings on the butt. The remnants of
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near excellent, the checkering has softened from the years with each panel being nearly blemish-free. Included is a single "CAL.32 / COLT"-marked			smooth one-piece walnut grip rates good to very good as lightly cleaned with later added varnish and a few dings on the butt. The remnants of the number "7" are visible on the back of the grip but the rest are
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near excellent, the checkering has softened from the years with each panel being nearly blemish-free. Included is a single "CAL.32 / COLT"-marked magazine showing moderate silvering from operational use.			smooth one-piece walnut grip rates good to very good as lightly cleaned with later added varnish and a few dings on the butt. The remnants of the number "7" are visible on the back of the grip but the rest are obscured with time. The barrel, loading lever and grip frame are
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near excellent, the checkering has softened from the years with each panel being nearly blemish-free. Included is a single "CAL.32 / COLT"-marked magazine showing moderate silvering from operational use. (22A9722-5) {C&R} (500/700)			smooth one-piece walnut grip rates good to very good as lightly cleaned with later added varnish and a few dings on the butt. The remnants of the number "7" are visible on the back of the grip but the rest are obscured with time. The barrel, loading lever and grip frame are numbered to the gun, the cylinder is mismatched (#79719) and the wedge is an ad-hoc replacement. The New York City barrel address and
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near excellent, the checkering has softened from the years with each panel being nearly blemish-free. Included is a single "CAL.32 / COLT"-marked magazine showing moderate silvering from operational use. (22A9722-5) {C&R} (500/700)			smooth one-piece walnut grip rates good to very good as lightly cleaned with later added varnish and a few dings on the butt. The remnants of the number "7" are visible on the back of the grip but the rest are obscured with time. The barrel, loading lever and grip frame are numbered to the gun, the cylinder is mismatched (#79719) and the
	edges and some scattered small blemishes. All factory markings, including the Rampant Colt behind the left-side serrations, are crisp. The checkered hard rubber third-style grips are very good plus to near excellent, the checkering has softened from the years with each panel being nearly blemish-free. Included is a single "CAL.32 / COLT"-marked magazine showing moderate silvering from operational use. (22A9722-5) {C&R} (500/700)			smooth one-piece walnut grip rates good to very good as lightly cleaned with later added varnish and a few dings on the butt. The remnants of the number "7" are visible on the back of the grip but the rest are obscured with time. The barrel, loading lever and grip frame are numbered to the gun, the cylinder is mismatched (#79719) and the wedge is an ad-hoc replacement. The New York City barrel address and the frame markings are strong. Although the gun still times and locks up

4740	Only Mandal 4040 Databat Damasa an Davahasa	1	4747	Descington No. 0 V(act Descingt Oingle Ohet Distal
1712	Colt Model 1849 Pocket Percussion Revolver		1717	Remington No. 2 Vest Pocket Single Shot Pistol
	serial #215846, .31 cal., 5" octagon barrel with an oxidized and pitted			serial #1974, 30 RF, 3 1/2" part round part octagon barrel with an
	bore. The metal surfaces are brown with scattered moderate scuffs,			oxidized and pitted bore. The metal surfaces of this iron-frame pistol
	dings, tool marks and pitting. The large triggerguard brass grip frame is			have been lightly cleaned to a mix of pewter and brown with scattered
	ochre with moderate handling marks. The smooth one-piece factory			fine pitting and stains from oxidation. The smooth rosewood grips rate
	walnut grip rates fair to good with light to moderate handling marks and			near excellent with light handling marks. The gun functions mechanically
	flaking finish. The grip and all appropriate parts are correctly numbered			and has a slightly faded barrel address. A very good Remington "Saw
	to the gun except the un-numbered contemporary replacement wedge.			Handle" pistol. (8A9857-42) {ANTIQUE} (600/800)
	The gun functions mechanically, it is timing and locking up correctly, but			Est. 600 - 800
	the loading notch is in need of attention. The hammer shows a well done		1718	Remington Elliot Ring Trigger Deringer
	later repair to the hammer nose that left it longer than the original and			serial #3508, 32 RF, 3 3/8" four-barrel cluster with near excellent bores
	the roller assembly is missing from the hammer. The one-line New York			showing light oxidation toward the muzzles. The metal surfaces of the
	barrel address, frame marking and stage coach scene on the six-shot			barrel cluster have toned to a brown patina with scattered pitting
	cylinder are all strong with some loss from handling marks. (8A9721-14)			showing slivers of original blue around the front sight and bottom of the
	{ANTIQUE} (500/700)			barrel hinge. The frame has also toned to brown with scattered oxidation
	Est. 500 - 700			stains and pinprick pitting showing strong case-hardened colors on the
1713	Colt Model 1849 Pocket Percussion Revolver			front of the curved trigger spur and near the barrel pivot pins. The
	serial #242023, .31 cal., 4" octagon barrel with an oxidized and pitted			smooth hard rubber factory grips rate excellent with a few minor
	bore. The metal surfaces are brown with scattered moderate handling			handling marks. The gun appears to function correctly mechanically, the
	marks and pitting. The large triggerguard brass grip frame is ochre with			barrel cluster is correctly numbered to the gun and it has a strong barrel
	moderate handling marks. The smooth one-piece factory walnut grip			address. A very good little Ring Trigger for the upstart collector.
	rates very good to excellent with handling marks, mostly on the butt. The			(8A9857-32) {ANTIQUE} (500/700)
	numbered parts, including the grip, are correct to the gun. Timing and			Est. 500 - 700
	lockup will need attention as will the loading notch. This gun has a		1719	Remington No. 3 Vest Pocket Single Shot Pistol
	one-line New York address that is very strong as are the other markings.			serial #2099, 41 RF, 4" part round and part octagon barrel with a lightly
	The stage coach scene on the six-shot cylinder remains strong as well.			oxidized and pitted bore. The metal surfaces of this iron-frame pistol
	(8A9721-13) {ANTIQUE} (500/700)			have been cleaned long ago and has toned to a brown patina with
	Est. 500 - 700			scattered fine pitting, stains from oxidation and fine striations. The
1714	Astra Model 4000 Falcon Semi-Auto Pistol Three-Caliber Set	1		smooth walnut grips rate excellent with light handling marks. The gun
	serial #808883, 380 ACP, 3 7/8" barrel with a bright excellent bore and 3			functions mechanically and has a soft barrel address. The barrel
	7/8" 32 ACP & 22 LR barrels also with bright excellent bores. The metal			address has been double stamped by the factory with portions obscured
	surfaces of this pistol retain about 92-94% original bright blue showing a			by the handling marks. This pistol includes a nice contemporary
	few areas of loss toning to gray along the backstrap, some scattered			mahogany presentation case with blue felt lining that rates excellent, the
	small specks of minor oxidation staining and mild high edge wear. The			original dividers in the base were removed to fit this gun. It has a
	finish is taking on a deep plum-brown patina in some areas under bright			functioning lock with skeleton key. A nicely presented Remington "Saw
	light and the barrel and small parts remain mostly bright showing a little			
	mild surface oxidation. All markings remain strong and the proof code			Handle" pistol. (8A9857-43) {ANTIQUE} (600/800) Est. 600 - 800
			1720	Smith & Wesson No. 2 Old Army Revolver
	appears to be "D1" which would correspond to 1958. The checkered		1720	
	black plastic grips remain in very good plus condition showing a light			serial #24723, 32 RF, shortened 4 11/16" octagon barrel with an
	chip at the edge of the magazine release cutout and some scattered			oxidized and pitted bore. The barrel on this gun was professionally
	more minor handling marks. The slide and 380 ACP barrel are matching			shortened, probably by a frontier gunsmith with a small brass bead
	the frame and the action seems to function well mechanically. The 32			replacing the original blade front sight. The metal surfaces of the barrel
	ACP barrel is also matching numbered "883" and remains mostly bright			and cylinder have toned to a brown hue with scattered pinprick pitting
	showing a little scattered freckling. The 22 LR barrel and slide assembly			and oxidation stains but there is original blue hidden in the barrel rib
	are mismatched numbered "803542" and the slide retains about 96%			grooves and traces around the barrel latch. The frame retains about
	original bright blue showing some high edge and operational wear,			98% professionally reapplied silver plate that has tarnished to nice even
	areas toning to plum-brown under bright light and some of the markings			gray color showing flaking on the topstrap in addition to limited bubbling
	lightly-struck. Four magazines are also included: one reproduction blued			and handling marks. The smooth rosewood grips are numbered to the
	380/32 magazine, two original nickel-plated 380/32 ACP magazines and			gun and rate excellent as professionally refinished. The patent dates on
	one original nickel-plated 22 LR magazine in excellent condition. Finally			the cylinder are soft but the barrel address remains strong. The barrel
	included are an original box, manual and cleaning rod, the box			screw shows heavy slot damage, there are a number of punch marks
	numbered to the 22 LR assembly "803542" and rates very good showing			around the barrel hinge to tighten it (which was successful), it still times
1	some overall light scuffs and mild staining. A very attractive example of			and locks up correctly, the barrel and cylinder are correctly assembly
	these scarce pistols, although the caliber kit is mismatched this is still a			numbered to the gun. (8A9857-10) {ANTIQUE} (500/700)
1	very attractive and desirable ensemble. (13B9907-3) {C&R} (600/800)			Est. 500 - 700
	Est. 600 - 800		1721	Argentine Model 1927 22 Caliber Police Ace Conversion Semi-Auto
1715	Colt Army Special Double Action Revolver			Pistol
1	serial #454394, 32-20 W.C.F., 4" barrel with a lightly frosted bore. The			serial #78831, 22 LR, 4 1/2" barrel with an excellent bore. This
	metal surfaces of this 1920-manufactured revolver retain about 90%			conversion was made for the Argentine Police from Model 1927 pistols.
	original blue showing high edge wear, one flat on the cylinder was			The metal surfaces retain about 96% arsenal grade reapplied blue finish
1	cleaned to pewter and handling marks. The trigger face is worn to			showing high edge wear plus assembly and handling marks. The
1	pewter with strong blue on the sides and the hammer shows light wear			checkered synthetic grips rate about good to very good showing light
1	on the spur and bright sides. The checkered hard rubber fleur-de-lis			wear to the diamond points and sparse handling marks. There is a crest
1	factory grips are numbered to the gun and feature "COLT" in an oval			with "BATAAN" stamped on the bottom of the barrel, probably the
1	with stylized "C" around the escutcheons. The gun still times and locks			company responsible for the conversion. The conversion is loosely
1	up correctly and markings remain crisp. A fine Army Special that has			based on the Colt 22/45 conversion kit and utilizes the Williams floating
1	seen honest use. (8A9834-6) {C&R} (600/800)			chamber, the original 45 ACP ejector was modified to work with the
	Est. 600 - 800			rimfire and bolt face modified to accept a pinned-in 22 RF sized bolt
1716	Remington No. 2 Vest Pocket Single Shot Pistol	1		face. There were appropriate modifications or replacements to the
1	serial #463, 30 RF, 3 1/2" part round and part octagon barrel with a			extractor and firing pin plus other parts were changed or altered as
1	partially oxidized and pitted bore. The metal surfaces of the barrel,			necessary to work with the rimfire ammunition. The rest of the pistol's
	hammer and breechblock have toned to brown with limited pitting and			features are basic "G.I." 1911A1. The left side of the slide is marked
	oxidation. The brass frame has close to 80% of the original silver plate			"D.G.F.M(F.M.A.P.)", the right side is marked "POLICIAL DE LA
	- · ·			
	with a few handling marks and thinning at the top of the frame. The			PROVINCIA DE BUENOS AIRES", the right side of the frame is
1	smooth grips rate very good showing light handling marks, the left panel			importer marked, numbered parts are correct to the gun and it appears
1	is walnut and the right is rosewood. The gun functions mechanically but			to function mechanically. It includes a single factory magazine unique to
1	the hammer has to be pulled slightly to the rear to rotate the			this conversion. There is not a lot of information available on these guns
	breechblock down. The barrel address on the top flat is correct and			but several sites have commented that they were designed for standard
	remains crisp. A nice little Vest Pocket Pistol. (8A9857-39) {ANTIQUE}			velocity ammunition. There were not a lot of these guns imported and it
	(600/800)			should make a nice addition to a 1911 collection or at least a fun
	Est. 600 - 800	]		shooter. (8A9804-16) {C&R} (600/800)
				Est. 600 - 800

1722	Mauser Model 1914 Semi-Auto Pistol		1726	U.S. Model 1866 Second Model Allin Conversion Rifle by Springfield
	serial #374364, 32 ACP, 3 1/2" barrel with an excellent bore. This pistol			Armory
	remains in excellent condition with about 99% original blue showing light			50-70, 36 5/8" barrel with a good bore showing light pitting throughout
	high edge wear and sporadic handling marks. The checkered one-piece			the rifling. The metal surfaces have aged to a dull gray patina as
	wraparound walnut factory grip rates excellent with a few minor handling			cleaned with scattered areas of softened light pitting particularly from the
	marks. The trigger and extractor have bright fire blue finish with thinning			forend cap forward, light striations from cleaning between the upper and
	on the edges of the trigger and on the extractor. The right side of the			middle bands, a few spots of old moderate oxidation on the buttplate
	slide is marked "MAUSER-7,65.", "GERMANY" on the right side of the			and scattered freckles and tiny spots of staining overall. The
	frame, a double line Mauser address on the left side of the slide and			breechblock is marked "1866 / (eagle head)" while the lockplate is dated
	numbered parts are correct to the gun. It includes a single re-blued			1865 behind the hammer and marked with a Federal Eagle ahead with
				"U.S. / SPRINGFIELD" below the thumbpiece. The smooth walnut
	un-marked magazine showing heavy pitting under the finish and a			
	cleaned oxidation stain. A nice fourth variant of the Model 1914.			straight grip stock rates perhaps very good as refinished with a repaired
	(8A9804-7) {C&R} (500/700)			crack arcing through the wrist between the rear of the upper tang and
	Est. 500 - 700			the rear of the lockplate, a shorter repaired crack in the left wood line, a
1723	Plant's Manufacturing Co. First Model Front-Loading Army Revolver			2" area on the right side of the forend has been reprofiled behind the
	serial #20, 42 Cup-Primed, 6" ribbed octagon barrel with an about good			lower band and a few scattered handling marks overall. The left side of
	bore showing scattered fine pitting, light oxidation and strong rifling			the buttstock is stamped with a softened "10907" and the right side
	throughout. The barrel and cylinder of this first model revolver have			"497". The sling swivels and original sights are intact, a cupped
	•			
	toned to a deep gray-brown patina showing small spots of pinprick			slotted-head cleaning rod is included and the two-position lock and
	pitting and freckling scattered about along with some remnants of nickel			tumbler are strong and crisp. A solid overall example of Second Model
	finish along the back edge of the cylinder. The brass frame retains			Allin conversion. (23A9830-26) {ANTIQUE} [Dr. William C. Nugent
	perhaps 70% period nickel finish with the balance toned to an attractive			Collection] (600/800)
	dark ocher patina, also showing a few tiny dings and some other small			Est. 600 - 800
	flakes forming in the nickel. The Plant's barrel address and "M&B" stamp	F	1727	De-Milled Russian RPG-2
	on the left side barrel remain mostly crisp and the patent date on the			
				Ruchnoy Protivotankovy Granatomyot which translated to English
	cylinder is rather soft. The smooth rosewood grips are stamp-numbered			means "hand-held antitank grenade launcher". This is a man-portable,
	to the gun and remain in about good condition showing worn finish, a			shoulder-fired anti-tank weapon that was designed in the Soviet Union
	couple tiny drying cracks and areas a little shy of the frame, the name			and was utilized most often by a two-person team, but could be
	"FRANK J. WOOD" is neatly stamped in small slightly faded letters on			operated easily by an individual. The RPG-2 was first introduced in 1949
	the base of the left panel. The cylinder appears to be un-numbered and			and, in a few years, was already considered mostly obsolete against
	the barrel is matching the frame. Barrel-to-frame fit is very good and the			many modern tanks. However, it still filled an important role as a support
	action is generally functional with timing and lock-up a little off. A very			weapon for the destruction of vehicles, buildings, and other "soft
	good example of these low-production cartridge revolvers.			targets". The RPG-2 is a reusable single-shot smoothbore steel tube
				•
	(13A9438-101) {ANTIQUE} (600/800)			measuring 37 3/8" long with a diameter of 40 millimeters. This recoilless,
	Est. 600 - 800			shoulder-fired, muzzle-loaded launcher has flip-up iron sights capable of
1724	U.S. Model 1861 Percussion-Rifle Musket By Springfield Armory			ranges up to 150 meters. The RPG-2 is compatible with only one type of
	58 cal., 40" barrel with a near excellent bore. The metal surfaces show			round, the PG-2, which is a fin-stabilized High-Explosive Anti-Tank
	evidence of having been cleaned showing remnants of scattered fine			(HEAT) round capable of penetrating about 200mm of Rolled
	pitting and oxidation along with the occasional ding and impact mark.			Homogenous Armor (RHA). The RPG-2 saw conflict in a large number
	The lock bears proper markings and is dated 1862 while the barrel			of wars including the Vietnam War, Cambodian Civil War, Somalia Civil
				-
	shows VP eaglehead firing proof on the stock flat and is also dated			War, Yugoslav Wars, Libyan Civil War, and Syrian Civil War. Previous
	1862. The stock remains very good plus having been lightly cleaned as			service is attributed to the Soviet Union, Cambodia, Vietnam,
	well still showing good edges with light but visible dual left side stock			Afghanistan, Laos, Libya, Macedonia, Thailand, Yugoslavia, Myanmar
	cartouches, remnants of scattered handling marks and flaking added			(Burma), Czechoslovakia Republic, Poland and Egypt. It is still in limited
	varnish. The musket is equipped with proper original sights, tulip shaped			use today in China (in the reserves), and may also be in use in various
	ramrod and the lock is crisp and mechanically functional. A solid 1861			other countries and organizations. This particular example is mounted to
	Springfield rifle-musket. (5A9896-64) {ANTIQUE} (600/800)			an oak wood plaque that measures 54" x 9 1/4" and is decorated with a
170-	Est. 600 - 800			red and yellow colored map of Vietnam, a 1st U.S. Infantry Division
1725	U.S. Model 1816 Percussion Converted Contract Musket By Johnson			patch and carving, a white triangular "patch" carving with iron cross in
	69 cal., 42" barrel with an excellent bright bore. The barrel remains			center and a brass plate that states "RPG-2 / CAPTURED BY / THE
	overall bright showing faint traces of an old very light cleaning with fine			IRON BRIGADE / OPERATION / 'CEDAR FALLS'". Operation Cedar
	brown highlights and the occasional tiny impact mark. The lock,			Falls was a military operation of the Vietnam War conducted primarily by
	triggerguard and remaining hardware remain overall bright with faint			US forces that took place from January 8th to the 26th of 1967. The aim
	smoky gray undertones. The lockplate is properly marked with Federal			of the massive search-and-destroy operation was to eradicate the
	Eagle centered between "U.S." and arched "JOHNSON" in front of			, .
	5			so-called "Iron Triangle", an area northwest of Saigon that had become
	hammer and vertical 1834 next to arched "MIDDn CONN". The barrel is			a major stronghold of the Viet Cong. It was the largest American ground
	properly marked "US / (inverted) NWP / P" and tang is dated 1835, the			operation of the Vietnam War with two Army divisions, one infantry and
	underside of the barrel also has Nathum W. Patch "NWP/ P" inspector			one paratrooper brigade, and one armored cavalry regiment
	mark and "N 8" a little further down the barrel, all markings are crisp and			participating in the operation. Altogether, it involved 30,000 US and
	clean. Conversion was done utilizing the Belgian method with only part			South Vietnamese troops. The 1st Infantry Division is a combined arms
	of the pan remaining. The walnut stock remains excellent with good			division of the United States Army, and is the oldest continuously
	sharp edges and crisp circle "JM" Justin Murphy inspector cartouche on			serving in the Regular Army. It has seen continuous service since its
	the left stock flat and "N 8" next to oval "JAJB" James A.J. Bradford			organization in 1917 during World War I. The division was nicknamed
				5
	cartouche in front of the buttplate tang on the comb. The wood is slightly			the "Big Red One" in reference to the red "1" on its patch. The tube
	shy of the buttplate at the toe and shows the expected light dents and			shows some minor flaking and handling marks to the black enamel, and
	handling marks in perhaps a little added oil finish. The lock remains			brown composite cover. The aluminum grip is marked "56-40 (inverted
	strong and functions properly and what appears to be a proper button tip			'Y' character) / 134085 / (circle)04". The original sling is still attached.
	ramrod is present. An excellent type III converted contract musket.			The side facing the plaque has had a large hole cut and welded as per
	(5A9896-67) {ANTIQUE} (600/800)			the BATFE de-milling instructions. A historic military item in its own right
	Est. 600 - 800			this RPG-2 launcher has added appeal being attributed to one of the
L				longest-serving U.S. Infantry divisions who saw extensive action during
				the Vietnam War and was specifically involved in Operation Cedar Falls.
				(4A9807-303) {NON-GUN} [Vincent Coniglio Collection] (500/700)
		L		Est. 500 - 700

4700		_	
1728	German K98k Bolt Action Rifle by Waffenwerke Brunn II	1732	U.S. Model 1896 Krag Bolt Action Rifle
	serial #2735b, 8mm Mauser, 24" barrel with a very good lightly pitted		serial #44522, 30-40 Krag, 30" barrel with a bright very fine bore with a
	bore with strong rifling. The barreled action and upper barrel band retain		few scattered tiny areas of faint pitting in the otherwise strong rifling. The
	about 30% blue finish with high edge wear overall toning to gray and		metal surfaces retain about 85% arsenal blue with an area of light pitting
	scattered light oxidation staining. The triggerguard, magazine floorplate,		on the barrel cleaned to gunmetal gray, a few scattered small spots of
	and bayonet mount retain about 80% later applied black enamel finish		loss and light handling marks. The buttplate has aged to a freckled gray
	with light flaking of the finish, oxidation and light handling marks. The		patina while the sideplate and loading gate have a couple small spots of
	laminated hardwood stock is in about good condition with a repaired		pinprick pitting and retain strong amounts of their smoky oil-quenched
	break through the wrist, two tight about 2" cracks traveling diagonally		case-hardening. The handsome smooth American black walnut stock
	behind the triggerguard. The illegible remains of a serial number are on		and handguard rate very fine with a tiny chip to the right of the upper
			tang and a few scattered light handling marks overall. The stock is likely
	the toe line, and both the handguard and stock are numbered internally		
	to different rifles. The barrel and receiver are correctly marked with the		a field replacement as it does not have an inspection cartouche and it
	"WaA80" waffenamts on the top of the receiver ring and left side of the		does have a strong circled "P" firing proof behind the triggerguard. The
	barrel softened and barely legible, but the "dou / 43" coding, serial		stacking and sling swivels are intact, the sights have been arsenal
	number, firing proofs, and "Mod. 98" marking remain clear. The		updated with a correct tall front sight blade to match the Model 1902
	remaining parts are unmarked. The rifle is sighted with the standard		rear sight with swing-up aperture and stored within the trap buttplate is a
	barleycorn front sight and leaf rear, and appears to function well		three-piece cleaning rod and oiler. (23A9896-159) {ANTIQUE} (600/800)
	mechanically. Included with the rifle is a military leather sling, and		Est. 600 - 800
	attached front sight hood. (14A9896-101) {C&R} (600/800)	1733	U.S. Model 1903 Bolt Action Rifle by Springfield Armory
	Est. 600 - 800		serial #875132, 30-06, 24" 9-44 dated Springfield Armory barrel with a
1729	U.S. 1808 Contract Flintlock Musket by R. & C. Leonard		very good slightly frosted bore. The rifle retains 95% arsenal applied
	69 cal., 44 1/2" barrel with an oxidized bore. This Harpers Ferry pattern		dark green parkerized finish with light wear on the contact points and
	musket has been very nicely reconverted to flint with the metal surfaces		extractor. The cocking piece is blued and the remaining rifle components
	having aged to a lightly mottled gray patina as cleaned with scattered		are parkerized. The walnut stock is in near excellent condition with
	areas of softened light pitting overall, particularly around the breech,		, scattered small impact marks, light dings and scratches and added
	along with a few areas of old light oxidation and speckles of freckling		finish. The stock is marked with a crisp "(square) S.A." over "G.A.W."
	and staining throughout. The lockplate is stamped "CANTON / 1810"		inspectors cartouche with an ordnance wheel on the left side of the
	behind the cock along with a slightly softened "(eagle) / US / R. & C.		stock above the triggerguard, a "RA-P" rebuild stamp struck just forward
	LEONARD" ahead of the cock. The barrel markings are also softened		of the magazine cut off switch and a crisp circle "P" behind the
	from cleaning and include a correct "US" over a raised "(eagle head) /		triggerguard. The receiver and barrel markings remain crisp and the rifle
	CT" in a sunken oval denoting it is a contract musket along with a "V"		includes a front sight protector. A very attractive WW II rebuild of the
	view mark. The smooth walnut stock rates very good as lightly cleaned		Model 1903. (25A9898-68) {C&R} (600/800)
	with a later added finish which is crackling and flaking. The faint outline	4704	Est. 600 - 800
	of the trefoil-shaped inspector's cartouche is visible on the left breech	1734	U.S. Model 1903 Bolt Action Rifle by Remington
	flat, the original sling swivels and bayonet lug are intact, a button-head		serial #3265840, 30-06, 24" 9-42 dated Remington barrel with a bright
	ramrod with threaded end is included and while the frizzen spring screw		excellent bore. The rifle retains 90% plus of arsenal applied gray green
	is a contemporary replacement the rest of the lock appears to be original		parkerizing with the bolt, floorplate, cocking piece, magazine cut off and
	and remains very robust and crisp. (23A9830-17) {ANTIQUE} [Dr.		rear sight being black parkerizing with wear on the contact points of the
	William C. Nugent Collection] (600/800)		bolt and a few scratches on the receiver. The receiver and barrel
	Est. 600 - 800		markings remain crisp. The walnut finger groove stock is in near
1730	U.S. Model 1884 Trapdoor Carbine by Springfield Armory		excellent condition as lightly cleaned with a few scattered small impact
	serial #323128, 45-70 Govt., 22" barrel with a bright very good plus bore		marks and scratches with the edges of the finger grooves remaining
	showing a few tiny areas of fine pitting and very light oxidation in the		quite crisp. The stock is marked with an "S" on the stock tip, a crisp
	strong rifling. The metal surfaces are toning to a dark gray-brown patina		"(square) S.A." over "G.A.W." cartouche with ordnance wheel on the left
	with some coefford small exots of old light evidetion clong with a few		side over the triggerguard and a "P" in a partially struck circle with a faint
	with some scattered small spots of old light oxidation along with a few		
	tiny impact marks and some faint handling marks along the barrel. The		but legible script "P" just behind it to the rear of the triggerguard. The
			but legible script "P" just behind it to the rear of the triggerguard. The rifle functions well mechanically and includes a nickel plated oiler with
	tiny impact marks and some faint handling marks along the barrel. The		
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates		rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose		rifle functions well mechanically and includes a nickel plated oiler with
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There		rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45)
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9809-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9809-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear,
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11)	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9809-45) (C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild
	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800)	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) (C&R) (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and
4704	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) (ANTIQUE) (600/800) Est. 600 - 800	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9809-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9809-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) (C&R) (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) (C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been replaced with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel.	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been replaced with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel.	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) (ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel displays slightly softened markings. The markings on the lockplate have	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel also been partially lost to time with a Federal Eagle ahead of the	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been replaced with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel displays slightly softened markings. The markings on the lockplate have also been partially lost to time with a Federal Eagle ahead of the hammer and "HARPERS / FERRY / 1815" behind the hammer. The smooth walnut half stock rates perhaps very good with multiple cracks	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel displays slightly softened markings. The markings on the lockplate have also been partially lost to time with a Federal Eagle ahead of the hammer and "HARPERS / FERRY / 1815" behind the hammer. The smooth walnut half stock rates perhaps very good with multiple cracks around the slightly lose buttplate, a couple small chips and a hairline	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) (ANTIQUE) (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About. 69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel displays slightly lose buttplate, a couple small chips and a hairline cracks around the slightly lose buttplate, a couple small chips and a hairline crack around lockplate, and a few scattered minor handling marks from	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel displays slightly lose buttplate, a couple small chips and a hairline cracks around lockplate, and a few scattered minor handling marks from the years. The barrel sightly lose buttplate, a couple small chips and a hairline cracks around lockplate, and a few scattered minor handling marks from the years. The barrel sightly lose buttplate, a couple small chips and a hairline crack around lockplate, and a few scattered minor handling marks from the years.	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel also been partially lost to time with a Federal Eagle ahead of the hammer and "HARPERS / FERRY / 1815" behind the hammer. The smooth walnut half stock rates perhaps very good with multiple cracks around lockplate, and a few scattered minor handling marks from the years. The barrel is sighted with a facure and an osciated and of the years. The barrel is sighted with a brass bead and features an attractive full-length under rib with two thimbles and a nosecap holding a	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel, and a few minor handling marks here or there from the years. The barrel displays slightly softened markings. The markings on the lockplate have also been partially lost to time with a Federal Eagle ahead of the hammer and "HARPERS / FERRY / 1815" behind the hammer. The smooth walnut half stock rates perhaps very good with multiple cracks around the slightly loose buttplate, a couple small chips and a hairline crack around lockplate, and a few scattered minor handling marks from the years. The barrel is sighted with a brass bead and features an attractive full-length under rib with two thimbles and a nosecap holding a contemporary hickory brass tipped ramrod. (23A9830-24) (ANTIQUE)	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)
1731	tiny impact marks and some faint handling marks along the barrel. The 1873-dated breechblock retains modest amounts of its original case-hardened colors. The smooth American black walnut stock rates very good plus as lightly cleaned with a period added oil finish, the nose of the forend has been evenly-reprofiled on a downward angle. There are no visible cartouches, the ring is missing from the intact sling bar, the original sights are also intact with the C-marked Model 1884 Buffington rear missing the lower portion of the sliding leaf below the sighting "triangle". The triggerguard has been replaced with one equipped with a sling swivel, the carbine has been arsenal updated with a Model 1890 barrel band with sight protecting hump and the three position lock and tumbler are very strong and crisp. (23A9803-11) {ANTIQUE} (600/800) Est. 600 - 800 Harpers Ferry Model 1795 Percussion-Converted Forager About .69 cal., 44 5/8" barrel with an oxidized bore. This interesting old forager was created from a Model 1795 Harpers Ferry musket that was converted to percussion using the French side-lug method. The metal surfaces have aged to a lightly-dappled brown patina with speckles of softened pinprick pitting and a few small spots of old light oxidation scattered throughout, a couple long light brown streaks along the barrel also been partially lost to time with a Federal Eagle ahead of the hammer and "HARPERS / FERRY / 1815" behind the hammer. The smooth walnut half stock rates perhaps very good with multiple cracks around lockplate, and a few scattered minor handling marks from the years. The barrel is sighted with a facure and an osciated and of the years. The barrel is sighted with a brass bead and features an attractive full-length under rib with two thimbles and a nosecap holding a	1735	rifle functions well mechanically and includes a nickel plated oiler with cleaning kit in the butt trap. An interesting WWII manufactured Remington 1903 stocked with early fingergroove wood. (25A9899-45) {C&R} (600/800) Est. 600 - 800 Japanese Type 14 Semi-Auto Pistol by Nagoya Kokubunji serial #10906, 8mm Nambu, 4 1/2" barrel with a bright very good plus bore showing some light pitting near the muzzle and otherwise strong rifling throughout. The metal surfaces of this March 1935 date-coded pistol retain about 95% original blue showing some mild high edge wear, a little light pitting. The small parts show good straw color with mild silvering along the trigger face and the safety toned to gunmetal and showing some mild pinprick pitting and a few small dings. All markings remain intact and crisp. The grooved hardwood grips are pencil-numbered to the gun and remain in very fine condition showing an operational mark along the left panel. Included is one nickel-plated aluminum base magazine in near excellent condition that is matching the pistol, the firing pin and its extension are un-numbered and the remaining serialized parts are matching. A very nice Nambu pistol for the martial collector. (13A9788-13) {C&R} (600/800)

1736         Smith & Wesson No. 1 1/2 Second Issue Revolver         1741         Bulgarian Rework P.08 Luger Pistol by DWM           serial #104486, 32 RF, 3 1/2" ribbed round barrel with a fair-good bore         serial #254c, 9mm, 4" barrel with a fair to good bore showing overall light oxidation and good rifling throughout. The metal         1741         Bulgarian Rework P.08 Luger Pistol by DWM	ving moderate
	ving moderate
showing overall light oxidation and good rifling throughout. The metal frosting with moderate to heavy wear of the rifling. This is	ving moderate
	nporter marked
surfaces of this revolver retain about 80% original bright blue with most pistol has arsenal quality reapplied blue finish on all met-	
of the loss along the cylinder and sides of the barrel flaked and toning to including the small parts with about 99% remaining. The	
a deep gray patina. The trigger, hammer and ejector spud retain a walnut grips are not numbered and rate about fair should	
healthy amount of silvery case-hardened patina, the sides of the heavy wear but are a solid fit on the frame. The Bulgaria	-
hammer showing some good vibrant colors. Some of the screw heads receiver is very soft and the one on the toggle is all but n	-
show light slot wear and the barrel address and patent dates remain the metal preparation during the rework process. The Dw	-
crisp and clear. The revolver wears a set of handsome smooth antique numbers are strong to crisp with some of the assembly r	
ivory grips that rate very good plus, the base of the left panel showing a re-stamped. The receiver and barrel are later numbered	o the gun
small chip and a number of thin age cracks, both panels show nice probably due to the refurbish, the sideplate number was	crossed out and
striations and an attractive mellow patina. Barrel-to-frame fit shows renumbered to 54; the breechblock, middle toggle, trigge	r, un-grooved
some play and the action seems to function well mechanically with good firing pin and toggle stop are numbered to another gun a	nd the rear
timing and lock-up. (13A9474-63) {ANTIQUE} [Dr. John W. Hall connecting pin is unmarked. One refinished magazine is	included with
Collection] (600/800) "254" electric penciled number. (8A9792-6) {C&R} (600/	00)
Est. 600 - 800	
1737 Smith & Wesson No. 2 Old Army Revolver 1742 German P.08 Luger Pistol	
serial #33988, 32 RF, 5" ribbed octagon barrel with an oxidized bore serial #6552t, 9mm, 4" barrel with a bright excellent bore	This pistol has
showing some good rifling throughout. The metal surfaces of this an imperial frame with a S/42 1939 dated receiver. The r	
revolver have mostly toned to pewter gunmetal patina showing some of this pistol retain about 40-45% original blue, the barree	
scattered cleaned light pitting and a number of scratches along the sides blue thinning to gray with the remaining blue found on the	-
of the barrel and near the hinge. The screw heads show light slot wear assembly. The remaining surfaces have toned to a plum	
and there are flakes of original bright blue scattered about the protected with thinning to gray finish on the barrel, fine pitting on the barrel, fine pitting on the barrel, fine pitting on the barrel barre	
areas. The revolver wears a set of attractive smooth antique ivory grips handling marks. The take down lever and magazine cate	
that remain in very fine condition showing some thin age cracks along straw with oxidation blemishes and the remaining small	
the bases and toning to a nice patina. The grips are un-numbered and fit The checkered walnut replacement grips rate excellent.	
the frame very well. A good well-used No. 2 with a lovely set of grips. will need attention as it is not consistent and the rear tog	
(13A9474-43) {ANTIQUE} [Dr. John W. Hall Collection] (600/800) replacement that need professional attention. It includes	
Est. 600 - 800 finished aluminum base magazine. (8A9792-5) {C&R} (6	00/800)
1738         Smith & Wesson No. 2 Old Army Revolver         Est. 600 - 800	
serial #9068, 32 RF, 5" ribbed octagon barrel with a partially bright good 1743 Ithaca Model 37 Ultralight Slide Action Shotgun	
bore showing a few areas of moderate oxidation and pitting nearer the serial #ULT-371658940, 20 ga., 25" ventilated rib barrel	choked
breech with otherwise strong rifling throughout. The barrel and cylinder modified with a bright excellent bore. The barrel and mag	azine tube
of this revolver have mostly toned to pewter gunmetal patina showing retain about 98% original blue loss due to some minute s	torage marks
some scattered remnants of mostly smoothed-over light pitting and and minor operational wear on the slide arm and magazi	-
handling marks with a patch of original bright blue in the protected area aluminum receiver features duck and pheasant scenes a	
near the ejector spud. The frame retains about 80% original bright blue original matching anodized finish with a couple pin size r	
showing some scattered light oxidation staining, some minor pinprick bottom metal and minor were along the triggerguard. The	
pitting along the sideplate and a few light dings or scratches. The barrel pistolgrip walnut buttstock and forearm remain very good	
address is no longer visible, the patent dates on the cylinder remain excellent with a few minor dents in the bottom of the store	
strong and the cylinder and barrel are stamped with period British black An excellent 20 ga. Ultra Featherlight Model 37. (5A973)	-4) {MODERN}
powder proofs. The smooth rosewood grips remain in very good (600/800)	
condition retaining about 90% original varnish showing some scattered Est. 600 - 800	
mild abrasions and a few tiny chips along the edges. The right panel is 1744 Smith & Wesson 32 Double Action Fourth Model Revolved	er With Scarce
appropriately stamp-numbered to the gun and the remaining numbered 6" Barrel	
parts are matching by assembly code. (13A9474-36) {ANTIQUE} [Dr. serial #229874, 32 S&W, 6" barrel with an about excellent	t bore showing
John W. Hall Collection] (600/800) clean evident rifling with a few specks of fine oxidation. T	
Est. 600 - 800 surfaces retain about 85% flaking original nickel toning to	brown. The
1739 Winchester Model 94 Flat Band Lever Action Carbine hammer and trigger retain much original case-hardened	inish muting to
serial #1533947, 30 WCF, 20" barrel with an excellent bore. The barrel pale brown, the colors quite strong in the protected areas	. The
retains near 99% original blue with a few mild blemishes, the tube about checkered hard rubber grips remain near excellent show	ng minimal
97% due to a 2" portion on the bottom looking to have been cleaned wear and are scratch-numbered to the gun on the interior	•
almost bright. The action retains perhaps 85-90% original blue with Lockup remains tight and the action seems to function w	- ·
edges toned to gunmetal, scattered freckles and some even thinning. mechanically. A very good plus scarce long barrel fourth	
The smooth value buttstock and forend are excellent with maybe just a action revolver. (5A9836-3) {C&R} (60/00)	
touch of finish long ago, there are a few minor handling marks. The front Est. 600 - 800	
sight is missing its bead and hood, the rear sight is a sporting sight with 1745 H.M. Quackenbush Model 1 Air Rifle	
	ot) 16" round
elevator. (22A9794-4) {C&R} (600/800) serial #1-34264, 21 cal. (21 cal. BB projectile with felt sa	
Est. 600 - 800 barrel with octagonal breech and a bright very good plus	-
1740 Smith & Wesson No. 1 Second Issue Revolver few specks of light oxidation. The metal surfaces on this	
serial #106299, 22 RF, 3 3/16" ribbed octagon barrel with an about good push-barrel air rifle retain about 85% original nickel with	
bore showing some scattered light oxidation and pitting with strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting starting to flake to brown patients of the strong oxidation and pinprick pitting sta	
rifling. The metal surfaces of this attractive revolver retain about 92% full smooth straight grip walnut buttstock remains very good	
silver finish showing some scattered fine flaking toning to deep brown scratches and handling marks. A neat vintage Quackent	ush air rifle.
patina. There are two very lightly scratched letters on the right side (5A9721-12) (500/700)	
frame and the silver has taken on a wonderful dark tarnish overall. The Est. 500 - 700	
smooth rosewood grips remain in very fine condition retaining about	
95% original varnish showing a few small flakes and minor edge wear.	
The right panel is appropriately stamp-numbered to the gun and the	
remaining numbered parts are matching by assembly code. A	
remaining numbered parts are matching by assembly code. A handsome silver-plated No. 1 revolver. (13A9474-16) {ANTIQUE} [Dr.	
remaining numbered parts are matching by assembly code. A	

Title/Description Lot

1746	Unmarked Smith Patent Civil War Percussion Carbine
	.50 Cal, 21 5/8" part round, part octagon barrel with an excellent bore. The barrel and buttplate retain about 97% original blue that has some
	light handling and tool marks present along with a few areas of very light surface oxidation and staining. The top catch, triggerguard and barrel
	band are a brighter copper brown with light edge wear and some light staining. The action is overall a mottled gray with brown patina and has
	some light tool marks and a few areas of light surface oxidation as well.
	The barrel bolster and some of the internal parts have modern Allen
	head machine screws, some of the other screws have some minor slot
	damage. The walnut stocks rate very good and have some small dings
	and other handling marks. The forearm has a small hole drilled in its center, the buttstock has bilateral cracks at the top of the wrist. Carbine
	is equipped with sling swivels and has a square blade replacement front
	sight blade and carbine rear sight. The sights sit at a slight rightward angle and the rear sight has been crudely fit to its dovetail with small
	impact marks on either side. The action appears to function correctly.
	(4A9853-8) {ANTIQUE} (600/800)
	Est. 600 - 800
1747	Soviet M91/30 Mosin Nagant Bolt Action Rifle with PU Scope by Tula
	serial #PA4849, 7.62x54r, 29" barrel with a bright very good plus bore
	with a few spots of frosting but strong rifling. The metal surfaces retain about 99% arsenal blue finish with a few light handling marks, and the
	in-the-white bolt shows a few specks of oxidation. The hardwood stock
	is in very good plus condition with a few light dings on the pistolgrip and
	some scattered light handling marks, and is marked with a light rework
	mark on the right side of the buttstock. The "1944r" receiver date is
	partially faded, with the remaining Soviet proofs also light, the bolt is
	serialized and matching, and the floorplate and buttplate are numbered to a different rifle. The rifle retains standard open sights, and has also
	been fitted with a reproduction side base, the mounting screws for which
	are all absent, and an original scope and mount. The scope is serialized
	"No.26795", dated 1941, and appears to have been manufactured by
	Plant NKAP No. 296 Kharkov. The mount and scope retain 98% blue
	finish with light toning to brown, a few light handling marks, a few specks
	of oxidation, and features clear glass and a German No. 1 style reticle. Included with the rifle is the canvas sling, leather scope covers, canvas
	scope cover, and formula card indicating the scope was refurbed in
	1961. A solid facsimile sniper with a genuine PU scope. (14A9794-13)
	{C&R} (600/800)
4740	Est. 600 - 800
1748	Rare and Interesting Dixon Arrow Line-Throwing Gun serial #11503, 12 ga, 17" barrel with a good lightly pitted bore. The
	barrel and triggerguard of this modified Belgian "Zulu" shotgun are
	toning to a mottled gray patina as lightly cleaned during the period of
	use with some scattered areas of softened pinprick pitting, small spots of
	old light oxidation and light oxidation staining overall. The brass Snider
	conversion breechblock has aged to a mildly-tarnished dark mustard
	patina while the lock and buttplate are toning to an oxidized brown patina. The shortened smooth French walnut straight grip stock rates
	very good as cleaned long ago with a small wood filled repair by the lock
	screw escutcheon, a small drying crack in the left side of the buttstock, a
	flexing hairline crack in the right side of the forend and some scattered
	light handling marks. The barrel is sighted with a silver bead and the
	action remains strong and crisp with the Snider conversion appearing to
	function well mechanically. Included is an original line-throwing projectile with a brass head marked with a softened "DIXON ARROW" and a
	patent date which is illegible beyond "PAT" and with a suede leather gas
	seal on the other end. An interesting and very good condition antique
	piece of life-saving equipment whose brass breechblocks were,
	according to Flayderman, made under siege conditions from French
	church bells during the Franco-Prussian War. (23A9785-1) {ANTIQUE}
	(600/800) Est. 600 - 800
	201.000 000

1749	U.S. Model 1840 Percussion Converted Musket by D. Nippes
	.69 cal., 41" barrel with an oxidized bore. The musket was converted to
	percussion using the "bolster-type" method. The metal surfaces have
	aged to an overall dull gray patina as cleaned with light pitting at the
	breech and scattered spots of finer pinprick pitting and old light oxidation
	overall along with some scattered light tool and handling marks on the
	barrel. The lockplate is marked "D. NIPPES / U.S." ahead of the
	hammer and "MILL / CREEK / PA / 1844" behind while a rather
	spurious-looking "C. S." has been stamped on the lockplate ahead of
	the hammer, on the breech of the barrel, and stamped over the "U.S."
	on the buttplate tang which is also numbered "7". The smooth black
	walnut straight grip stock rates good as lightly cleaned with some light
	added finish on the buttstock, a crack ahead of the upper lockplate
	screw, a couple hairline cracks around the lockplate, a small chip at the
	rear point of the lockplate and some scattered light handling marks
	overall from the years. The remnants of two oval inspectors' cartouches
	are on the left stock flat, "7" is on the comb, and the same spurious "C.
	S." is deeply stamped on the left side of the buttstock. The stud on the
	upper band spring is missing so that the upper band is not retained, the
	sling swivels and bayonet lug are intact, a correct trumpet-head ramrod
	with threaded end is included. (23A9735-18) {ANTIQUE} (600/800)
	Est. 600 - 800